

CATERPILLAR MACHINE PRICE LIST

120LVR120LVR MOTOR GRADER
PIRACICABA, BRAZILShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Air cleaner, dual stage dry type radial seal with service indicator through messenger and automatic dust ejector
Air-to-air after cooler (ATAAC)
Brakes, oil disc, four-wheel, hydraulic
Demand fan, hydraulic
Differential, lock/unlock, auto
Drain, engine oil, ecology
Engine:
-C7.1 diesel, with automatic engine derate, and idle control.
-Optimized VHP Plus
-Engine ECO mode
-Fuel-water separator
Parking brake, multi-disc, sealed and oil cooled
Priming pump, fuel
Transmission, 8 speed forward and 6 speed reverse, power shift, direct drive

OTHER STANDARD EQUIPMENT

CD ROM parts book
Doors, service compartment, locking
SOS ports, engine, hydraulic, transmission, coolant, fuel
Tool box
Fuel tank, 225 liters (59 gallon)
Radiator, cleanout access

ELECTRICAL

Alarm, back-up
Alternator,
Batteries, maintenance free
Electrical system, 24V

OPERATOR ENVIRONMENT

Steering wheel
Display, digital speed and gear
Gauge, machine level
Gauges (analog) inside the cab (includes fuel, articulation, engine coolant temp, engine RPM, and hydraulic oil temp)
Ladders, cab, left and right side
Message operator information display, meter, hour, digital
ISO 6394 (70% fan speed)
Throttle control, electronic

SAFETY AND SECURITY

Clutch, circle drive slip
Doors, engine compartment,
Ground level engine shutdown
Seat belt, retractable 76.2 (3")

TIRES, RIMS, AND WHEELS

A partial allowance for tires on 254mm x 609mm (10"x24") multi-piece rims is included in the base machine weight and price

CATERPILLAR MACHINE PRICE LIST

120LVR

120LVR MOTOR GRADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

468-2237	120 14B MOTOR GRADER 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY REQUIRES: LEVER IMPLEMENT CONTROLS AVAILABLE FOR: AM-N, EU.	\$274,110
460-7653	120 14B AWD MOTOR GRADER 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY REQUIRES: LEVER IMPLEMENT CONTROLS AVAILABLE FOR: AM-N, EU.	\$320,180
0P-6977	120LVR MISC MATL 0 AVAILABLE FROM PIRACICABA FACTORY	NC

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

REGIONAL PACKAGES

L	561-9459	GLOBAL ARRANGEMENT LVR	0	NC
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		

PERFORMANCE PACKAGES

MOLDBOARDS

L	320-9924	MOLDBOARD, 12' BASIC	0	NC
		INCLUDES: Moldboard 12'x 24"x7/8" (3658 x 610 x 22mm) with hydraulic side shift and 5/8" (15.89mm) end bits. Cutting edge 8"x 3/4" (203 x 19mm) curved cutting edge. COMPATIBLE WITH ALL HYDRAULICS		
L	436-3473	MOLDBOARD, 12' PLUS	485	\$730
		INCLUDES: Moldboard 12'x 24"x7/8" (3658 x 610 x 22mm) with hydraulic side shift and 5/8" (15.89mm) end bits. g edge. Cutting edge 8"x 3/4" (203 x 19mm) curved cutting edge. Reversible end bits overlay with curved edges, can protect moldboard and cutting edges. Reversible pair for use with 8" x 3/4" (203 x 19mm) cutting edge		
L	320-7431	MOLDBOARD, 14' BASIC	75	\$2,335
		INCLUDES: Moldboard 14'x 27"x7/8" (4267 x 686 x 22mm) with hydraulic side shift and 5/8" (15.89mm) end bits. Cutting edge 8"x 3/4" (203 x 19mm) curved cutting edge. Reversible end bits overlay with curved edges, can protect moldboard and cutting edges. Reversible pair for use with 8" x 3/4" (203 x 19mm) cutting edge.		

WEATHER PACKAGES (TANDEM MACHINES)

L	467-7404	WEATHER, STANDARD TND	0	NC
		Recommended for year around use when typical ambient temperature range is 0 degrees C (32 degrees F) to 43 degrees C (110 degrees F) and operating at altitude below 1220 m (4000 feet). INCLUDES: Batteries, Heavy Duty - 1125 CCA Oil, Hydraulic, 10W ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PERFORMANCE PACKAGES (CONT.)

WEATHER PACKAGES (TANDEM MACHINES) (Cont.)

L	467-7411	WEATHER, COLD TND 0 Recommended for year around use when typical ambient temperature range is -18 degrees C (0 degrees F) to 43 degrees C (110 degrees F) and operating at altitude below 1220 m (4000 feet). INCLUDES: Batteries, Extreme Duty -1400 CCA Oil, Hydraulic, 10W Cold Start; Transmission cooler bypass REQUIRES: STARTER, HEAVY DUTY ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$765
L	467-7418	WEATHER, COLD PLUS TND 0 Recommended for year around use when typical ambient temperature range is -40 degrees C (-40 degrees F) to 40 degrees C (104 degrees) or operating at altitude above 1220 m (4000 feet). INCLUDES: Starting Aid, Ether Cold Start; Transmission cooler and filter bypass Batteries, Extreme Duty -1400 CCA Oil, Hydraulic, Cold, 0W-20 REQUIRES: STARTER, HEAVY DUTY ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$2,805

WEATHER PACKAGES (AWD MACHINES)

L	467-7403	WEATHER, STANDARD AWD 0 Recommended for year around use when typical ambient temperature range is 0 degrees C (32 degrees F) to 43 degrees C (110 degrees F) and operating at altitude below 1220 m (4000 feet). INCLUDES: Batteries, Heavy Duty - 1125 CCA Oil, Hydraulic, 10W ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER		NC
L	467-7410	WEATHER, COLD AWD 0 Recommended for year around use when typical ambient temperature range is -18 degrees C (0 degrees F) to 43 degrees C (110 degrees F) and operating at altitude below 1220 m (4000 feet). INCLUDES: Batteries, Extreme Duty -1400 CCA Cold Start; Transmission cooler and filter bypass Oil, Hydraulic, 10W REQUIRES: STARTER, HEAVY DUTY ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER		\$765
L	467-7417	WEATHER, COLD PLUS AWD 0 Recommended for year around use when typical ambient temperature range is -40 degrees C (-40 degrees F) to 40 degrees C (104 degrees) or operating at altitude above 1220 m (4000 feet). INCLUDES: Starting Aid, Ether Cold Start; Transmission cooler and filter bypass Batteries, Extreme Duty -1400 CCA Oil, Hydraulic, Cold, 0W-20 REQUIRES: STARTER, HEAVY DUTY ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER		\$2,750

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PERFORMANCE PACKAGES (CONT.)

ACCUMULATORS

L	465-4422	<p>NO ACCUMULATORS, NO ARO, LVR 0</p> <p>For use on units NOT equipped with ARO. Provides hydraulic lines for base functions. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER</p> <p>CANNOT BE USED WITH: ARO HYDRAULICS BASE CROSS SLOPE CAT GRADE ARO</p>		NC
L	465-4423	<p>NO ACCUMULATORS, W/ARO, LVR 0</p> <p>For units equipped with ARO. INCLUDES: Lines GP Cylinder, Adapter and Hose, Pump Non-Accumulator</p> <p>ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER</p> <p>CANNOT BE USED WITH: NO ARO HYDRAULICS BASE CROSS SLOPE DRAWBAR, STANDARD</p>		NC
L	468-2255	<p>ACCUMULATORS, WITH ARO, LVR 0</p> <p>For units equipped with ARO. Provides hydraulic lines for base functions and accumulators for the blade lift. Allows approximately 1-3" (25-76mm) of vertical blade travel to reduce impact loads. Nitrogen/oil accumulators activated by electric switch.</p> <p>ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER and 561-9459 GLOBAL ARRANGEMENT LEVER or 491-7082 EUROPEAN ARRANGEMENT LEVER AWD or 566-0884 EUROPEAN ARR LEVER TANDEM</p> <p>CANNOT BE USED WITH: NO ARO HYDRAULICS BASE DRAWBAR, STANDARD</p>		\$4,745

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PERFORMANCE PACKAGES (CONT.)

ACCUMULATORS (Cont.)

L	472-5078	ACCUMULATORS, NO ARO, LVR 0 For use on units NOT equipped with ARO. Provides hydraulic lines for base functions and accumulators for the blade lift. Allows approximately 1-3" (25-76mm) of vertical blade travel to reduce impact loads. Nitrogen/oil accumulators activated by electric switch. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER and 561-9459 GLOBAL ARRANGEMENT LEVER or 491-7082 EUROPEAN ARRANGEMENT LEVER AWD or 566-0884 EUROPEAN ARR LEVER TANDEM CANNOT BE USED WITH: ARO HYDRAULICS BASE CROSS SLOPE 468-1607 DRAWBAR, TOP ADJUST, LEVER		\$4,745
---	----------	--	--	---------

DRAWBAR ARRANGEMENT

L	579-6849	DRAWBAR, STANDARD, HYD TIP, LVR 0 Standard (H-Type, A-Frame) DCM. Standard shimmed circle wear strips. Standard shimmed moldboard wear strips. Intended for customers who perform rough grading or road maintenance and do not frequently maintain their drawbar, circle and moldboard. REQUIRES: CONTROL AR-HYD W/BLADE TIP ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER CANNOT BE USED WITH: ACCUMULATORS, WITH ARO NO ACCUMULATORS, W/ARO		\$-1,600
L	468-1607	DRAWBAR, TOP ADJUST, HYD TIP, LVR 0 Top Adjust (M-Type, A-Frame) DCM. Top-adjust circle wear strips. Setscrew moldboard wear strip adjustment. Adjustment allows for DCM assembly to keep tighter grades. Ideal for customers who perform finish grading work and frequently maintain their drawbar, circle and moldboard for factory tightness. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		NC

POWERTRAIN

ENGINE

L	590-7345	ENGINE, STAGE V AND T4 FINAL 0 Dedicated to highly regulated countries (HRC) Meets EU Stage V, and U.S. EPA Tier 4 Final emission standards Caterpillar C7.1 ACERT turbo charged ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 460-7653 120 AWD MOTOR GRADER		NC
---	----------	--	--	----

OIL CHANGE

L	422-6603	DRAIN, GRAVITY, ENGINE OIL 0 Standard engine oil drain		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

OIL CHANGE (Cont.)

L	505-7041	DRAIN, HIGH SPEED, ENGINE OIL 0 High speed engine oil drain. Requires pump at service location to be attached to coupling receiver for high speed flow. high speed oil drain can also be used manual/gravity drain.		\$294
---	----------	--	--	--------------

HYDRAULICS

NOTE: Hydraulic Definitions

COMMON FUNCTIONS:

LEVER MACHINES

Base = 7 functions: right and left blade lift, circle turn, drawbar center shift, blade side shift, front wheel lean, frame articulation. Float function standard for all hydraulic packages.

- FL = Front Lift (moves front work tools up/down)
- DA1 = Dozer Angle 1 (angles front blade left OR right)
- DA2 = Dozer Angle 2 (angles front blade left AND right)
- RIP = Rear Mounted Ripper (moves ripper up/down)
- TIP = Blade Tip
- MMS = Mid-Mounted Scarifier
- WM = Wing Mast (Snow Wing)
- WT = Wing Tilt (Snow Wing)

HYDRAULICS

L	468-2253	BASE + 1 (TIP) LVR 0 NOT APPROVED FOR USE IN EU Tip function. Includes the tip Lines ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$1,460
L	467-7433	BASE + 2 (TIP, RIP) LVR 0 NOT APPROVED FOR USE IN EU Blade Tip, and Ripper functions. Includes the Blade Tip and Ripper lines. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$3,305
L	493-1093	BASE + 2(TIP,RIP), ARO, LVR 0 NOT APPROVED FOR USE IN EU Blade Tip, and Ripper function. Includes Blade Tip and Ripper lines. For use with CAT GRADE Attachment Ready Option (ARO) or Cross Slope. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$10,160

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULICS (Cont.)

L	468-2247	BASE + 2 (TIP, MMS) LVR 0 NOT APPROVED FOR USE IN EU Blade Tip, and Mid-Mount Scarifier functions. Includes the Blade Tip and Mid-Mount Scarifier lines. REQUIRES: 339-7734 Bracket (if you need to use Mid-Mount Scarifier) ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$2,910
L	493-1094	BASE + 2(TIP,MMS), ARO, LVR 0 NOT APPROVED FOR USE IN EU Blade Tip, Mid-Mount Scarifier, . Includes the blade tip, and Mid-Mount Scarifier lines. For use with Cat GRADE Attachment Ready Option (ARO) or Cross Slope. REQUIRES: 339-7734 Bracket (if you need to use Mid-Mount Scarifier) ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$10,040
L	468-2248	BASE + 3 (TIP, MMS,FL) LVR 0 NOT APPROVED FOR USE IN EU Blade Tip, and Mid-Mount Scarifier, Front Lift functions. Includes the Blade Tip, Mid-Mount Scarifier, and Front Lift lines. REQUIRES: 339-7734 Bracket (if you need to use Mid-Mount Scarifier) ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$5,370
L	468-2249	BASE + 3 (TIP, RIP, FL), LVR 0 NOT APPROVED FOR USE IN EU Blade Tip, Ripper, and Front Lift functions. Includes the Blade Tip, Ripper, and Front Lift lines. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$5,760
L	493-1095	BASE + 4 (TIP,RIP, MMS,FL) LVR 0 NOT APPROVED FOR USE IN EU Blade Tip, Ripper, Mid-Mount Scarifier and Front Lift functions. Includes Blade Tip, Ripper, Mid-Mount Scarifier and Front Lift lines. REQUIRES: 339-7734 Bracket (if you need to use Mid-Mount Scarifier) ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$7,210

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULICS (Cont.)

L	468-2251	BASE + 4(TIP,RIP,MMS,FL),ARO,LVR 0 NOT APPROVED FOR USE IN EU Blade Tip, Ripper, Mid-Mount Scarifier, and Front Lift functions. Includes the Blade Tip, Ripper, Mid-Mount Scarifier, and Front Lift lines. For use with Cat GRADE Attachment Ready Option (ARO) or Cross Slope. Blade Tip, Ripper, Mid-Mount Scarifier, and Front Lift functions. Includes the Blade Tip, Ripper, Mid-Mount Scarifier, and Front Lift lines. REQUIRES: 339-7734 Bracket (if you need to use Mid-Mount Scarifier) ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$14,070
---	----------	---	--	----------

ELECTRICAL

BRAKE LIGHTS

L	561-7062	LIGHTS, BRAKE&BACKUP, LVR, LED 0 Provides stationary rear brake lights along with the back-up lights. Does not include front headlights or turn signals ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER CANNOT BE USED WITH: FRONT HEADLIGHTS (HALOGEN/LED)		\$106
L	563-2423	LIGHTS,BRAKE&BKP,TURN,LED 0 Provides stationary rear brake lights along with the back-up lights. Includes turn signals. REQUIRES: FRONT HEADLIGHTS (HALOGEN/LED) ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$420
L	563-2430	LIGHTS, ARM, FOLD DOWN, LED 0 Provides stationary rear brake lights along with the back-up lights, dimmer switch for road lighting, drop-down stop, tail, and rear turn signals and back-up lights. REQUIRES: FRONT HEADLIGHTS (HALOGEN/LED)		\$1,935

STARTER

L	462-6512	STARTER, STANDARD DUTY 0 Recommended for year around use when typical ambient temperature range is 41F (5C) to 110F (43C) and operating at altitude below 4000ft (1220m). ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER CANNOT BE USED WITH: WEATHER COLD WEATHER COLD PLUS		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

STARTER (Cont.)

L	517-0703	STARTER, HEAVY DUTY 0 Recommended for year around use when typical ambient temperature range is -40F (-40C) to 110F (43C) and operating at altitude above 4000ft (1220m). ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER REQUIRED BY: WEATHER COLD or WEATHER COLD PLUS		\$417
---	----------	--	--	-------

OPERATOR ENVIRONMENT

CAB

L	461-3561	CAB, ROPS, BASE, LVR, TND 0 Does not include HVAC (Air Conditioner) INCLUDES: - Enclosed cab - Wiper/washer, front ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER CANNOT BE USED WITH: CANOPY ATTACHMENTS		\$18,920
L	461-3563	CAB, ROPS, PLUS, LVR, TND 0 Does not include HVAC (Air Conditioner) INCLUDES: - Cab Base features - Side vent windows (sliding) ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER CANNOT BE USED WITH: CANOPY ATTACHMENTS		\$19,440
L	461-3559	CAB, ROPS, PREMIUM, LVR, TND 0 Does not include HVAC (Air Conditioner) INCLUDES: - Cab Plus features - Wiper/washer, doors ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER CANNOT BE USED WITH: CANOPY ATTACHMENTS		\$20,030
L	461-3562	CAB, ROPS, BASE, LVR, AWD 0 Does not include HVAC (Air Conditioner) INCLUDES: - Enclosed cab - Wiper/washer, front ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER CANNOT BE USED WITH: CANOPY ATTACHMENTS		\$18,920
L	461-3564	CAB, ROPS, PLUS, LVR, AWD 0 Does not include HVAC (Air Conditioner) INCLUDES: - Cab Base features - Side vent windows (sliding) ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER CANNOT BE USED WITH: CANOPY ATTACHMENTS		\$19,440

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB (Cont.)

L	461-3558	CAB, ROPS, PREMIUM, LVR, AWD 0 Does not include HVAC (Air Conditioner) INCLUDES: - Cab Plus features - Wiper/washer, doors ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER		\$21,020
---	----------	---	--	----------

COVER

L	461-3545	NO LOCK OUT 0 Include plate and screw-truss head for cab. Required for cab without mechanical lock.		NC
L	461-3546	LOCK OUT, MANUAL 0 Mechanically locks all moldboard, machines, and attachment control levers during machine roading. CANNOT BE USED WITH: 471-5374 CANOPY, ROPS, BASE, LVR, TND 471-5376 CANOPY, ROPS, BASE, LVR, AWD		\$1,375

AIR CONDITIONER

L	510-8447	HVAC, BASIC,W/O AIR COMPRESSOR 0 For use with engine without air compressor INCLUDES: Air conditioner Heater ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$5,780
L	510-8448	HVAC W/O AIR COMPRESSOR, PREM 0 For use with engine without air compressor INCLUDES: Air Conditioning Cab Heater Second Cab heater mounted underneath seat. Improves performance for defog, defrost and overall heater performance Recommend for units operating in cold temperature ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$8,400

SEAT CAB

L	461-3554	SEAT COMFORT, SUSPENSION, LVR 0 INCLUDES: - Air suspension, Adjustable damper - Cloth Cushion, Adjustable angle and depth ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$2,100
L	461-3555	SEAT, PREMIUM, SUSPENSION, LVR 0 INCLUDES: - Air suspension, Adjustable damper - Leather Cushion, Adjustable angle and depth, Heated and cooled - Power adjustable cushion bolsters and lumbar support ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$3,680

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	513-0286	SEAT BELT 0		\$-210
		FOR USE IN LANE 2 ONLY USE FBC TO CONFIGURE CURRENTLY AVAILABLE ATTACHMENTS. WILL BE REPLACED BY 594-6359. Retractable, 3"(76.2mm) seat belt. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		
L	594-6359	SEAT BELT 0		\$-210
		FOR USE IN LANE 3 ONLY Retractable, 3"(76.2mm) seat belt. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		
L	594-6360	SEAT BELT, W/INDICATION 0		NC
		FOR USE IN LANE 3 ONLY Retractable,3"(76.2mm) seat belt w/ alert indicator in main dashboard. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		

COMFORT PACKAGE CAB

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls.
 Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/en/products/technology.html>

L	471-5302	COMFORT PACKAGE, BASE, LVR 0		NC
		ONLY FOR USE WITH: CANOPY		
L	461-3583	COMFORT PACKAGE, BASE, LVR 0		NC
		Not radio or communication ready, and no power ports. It will include plugs to cover up openings. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	471-5351	COMFORT PACKAGE, PLUS, LVR 0		\$1,940
		CANNOT BE USED WITH: CANOPY. INCLUDES: Entertainment radio ready (speakers and antenna) Communications radio ready (mounting bracket and antenna cable) Power ports, 12V (x2) and 5V USB ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER CANNOT BE USED WITH: CANOPY		

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

COMFORT PACKAGE CAB (Cont.)

L	471-5352	COMFORT PACKAGE, PREMIUM, LVR 0		\$2,945
		INCLUDES: Plus Features Shades, rear Fan, defrost, x2 Radio, AM/FM/SAT/BT Mirrors, B-post, x2 24v to 12v converter. Provides additional 12v source for accessories inside the cab		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
		CANNOT BE USED WITH: CANOPY		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	491-5100	PRODUCT LINK, CELLULAR PLE742 0		NC
		Product Link Elite series PLE742 (consisting of PL641 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology enables more frequent transmission and larger volumes of data. REQUIRES: CAB		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	491-5101	PROD LINK,DUAL PLE641 + PLE631 0		\$1,251
		The Product Link Elite series dual solution uses a combination of cellular and satellite networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. For applications that require travel between areas of cellular and satellite signal. REQUIRES: CAB		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

BLADE TECHNOLOGY

L	543-0221	<p>NO GRADE CONTROL TECHNOLOGY 0</p> <p>ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 460-7653 120 AWD MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER</p> <p>CANNOT BE USED WITH: 493-1093 BASE + 2 (TIP,RIP) ARO, LVR 493-1094 BASE+2(TIP,MMS)+ARO+FL LVR 468-2251 BASE+4 (TIP,RIP,MMS,FL) LVR</p>		NC
L	468-2246	<p>CAT GRADE ARO, LVR, TND 0</p> <p>Allows the Motor Grader to be equipped with either a Cross Slope, Sonic, Laser, GPS, or ATS electronics kit. Provides software, harnesses for sensors, mounting for sensors and blade mast bracket. Cat motor graders have an open architecture that allow aftermarket brands to install their grade control systems. This also includes switch on levers knobs and an extra electronic module for Grade control software. To support integration of machine guidance systems other than Cat Grade or Trimble refer to AEXQ2281-00.</p> <p>ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER and 493-1093 BASE + 2 (TIP,RIP) ARO, LVR or 493-1094 BASE+2(TIP,MMS)+ARO+FL LVR or 468-2251 BASE + 4 (TIP,RIP,MMS,FL)LVR</p> <p>CANNOT BE USED WITH: ACCUMULATORS NO ARO NO ACCUMULATORS NO ARO DRAWBAR STANDARD</p>		\$4,975
L	467-7432	<p>CAT GRADE ARO, LVR, AWD 0</p> <p>Allows the Motor Grader to be equipped with either a Cross Slope, Sonic, Laser, GPS, or ATS electronics kit. Provides software, harnesses for sensors, mounting for sensors and blade mast bracket. Cat motor graders have an open architecture that allow aftermarket brands to install their grade control systems. To support integration of machine guidance systems other than Cat Grade or Trimble refer to AEXQ2281-00.</p> <p>ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER and 493-1093 BASE + 2 (TIP,RIP) ARO, LVR or 493-1094 BASE+2(TIP,MMS)+ARO+FL LVR or 468-2251 BASE + 4 (TIP,RIP,MMS,FL)LVR</p> <p>CANNOT BE USED WITH: ACCUMULATORS NO ARO NO ACCUMULATORS NO ARO DRAWBAR STANDARD</p>		\$4,975

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

BLADE TECHNOLOGY (Cont.)

L	561-7235	<p>CROSS SLOPE AUTO LVR TND 0</p> <p>Allows the operator to manually control one end of the blade to match the curb or crown while automatically maintaining the desired slope of the blade. This system is used to maintain the crown of a gravel road or the shoulder of a road. Provides cab switches, software, harnesses for sensors, mounting for sensors and blade mast bracket. Cat GRADE ARO is included in this option.</p> <p>ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER and 493-1093 BASE + 2 (TIP,RIP) ARO, LVR or 493-1094 BASE+2(TIP,MMS)+ARO+FL LVR or 577-8015 BASE+2(TIP,MMS)EU, ARO, LVR or 577-8016 BS+4(TIP,RIP,MMS,FL)EU,ARO,LVR or 468-2251 BASE+4(TIP,RIP,MMS,FL)ARO,LVR and 506-3655 DRAWBAR, TOP ADJUST,HYD TIP,LVR or 468-1607 DRAWBAR, TOP ADJUST, HYD TIP,LVR</p> <p>CANNOT BE USED WITH: ACCUMULATORS NO ARO NO ACCUMULATORS NO ARO DRAWBAR STANDARD</p>		\$11,400
L	561-7234	<p>CROSS SLOPE AUTO LVR AWD 0</p> <p>Allows the operator to manually control one end of the blade to match the curb or crown while automatically maintaining the desired slope of the blade. This system is used to maintain the crown of a gravel road or the shoulder of a road. Provides cab switches, software, harnesses for sensors, mounting for sensors and blade mast bracket. Cat GRADE ARO is included in this option.</p> <p>ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER and 493-1093 BASE + 2 (TIP,RIP) ARO, LVR or 493-1094 BASE+2(TIP,MMS)+ARO+FL LVR or 577-8015 BASE+2(TIP,MMS)EU, ARO, LVR or 577-8016 BS+4(TIP,RIP,MMS,FL)EU,ARO,LVR or 468-2251 BASE+4(TIP,RIP,MMS,FL)ARO,LVR and 506-3655 DRAWBAR, TOP ADJUST,HYD TIP,LVR or 468-1607 DRAWBAR, TOP ADJUST, HYD TIP,LVR</p> <p>CANNOT BE USED WITH: ACCUMULATORS NO ARO NO ACCUMULATORS NO ARO DRAWBAR STANDARD</p>		\$11,400
L	561-7230	<p>CROSS SLOPE INDICATE LVR TND 0</p> <p>Provides real-time digital readout of the cross slope as a job aid to help an operator maintain an accurate and consistent cross slope. Cannot be used to automatically control one side of the blade like full Cross Slope.</p> <p>CAN be upgraded to full Cross Slope or Cat GRADE.</p> <p>ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER and 493-1093 BASE + 2 (TIP,RIP) ARO, LVR or 493-1094 BASE+2(TIP,MMS)+ARO+FL LVR</p> <p>CANNOT BE USED WITH: ACCUMULATORS NO ARO NO ACCUMULATORS NO ARO DRAWBAR STANDARD</p>		\$11,100

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

BLADE TECHNOLOGY (Cont.)

L	561-7229	CROSS SLOPE INDICATE LVR AWD 0 Provides real-time digital readout of the cross slope as a job aid to help an operator maintain an accurate and consistent cross slope. Cannot be used to automatically control one side of the blade like full Cross Slope. CAN be upgraded to full Cross Slope or Cat GRADE. REQUIRES: CONTROL AR-HYD ARO ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER and 493-1093 BASE + 2 (TIP,RIP) ARO, LVR or 493-1094 BASE+2(TIP,MMS)+ARO+FL LVR CANNOT BE USED WITH: ACCUMULATORS NO ARO NO ACCUMULATORS NO ARO DRAWBAR STANDARD		\$11,100
L	561-7616	DIGITAL BLADE SLOPE METER LVR 0 FOR USE IN LANE 3 ONLY Provides an entry level real-time digital readout of the cross slope of the blade as a job aid to help an operator maintain an accurate and consistent cross slope. Can be used to measure/maintain true cross slope in a road when machine is NOT articulated and blade is perpendicular to machine. Does NOT automatically control elevation of one side of blade and is NOT upgradeable to Cat GRADE Cross Slope, Cross Slope Indicate, 2D (Cross Slope, Sonic, or Laser), or 3D (GPS or UTS) aftermarket options. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER and DRAWBAR (A-FRAME)		\$2,945

FUEL SYSTEMS

GROUND LEVEL FUELING

L	577-8014	GROUND LEVEL, FUELING 0 Provides a second fueling location on the motor grader. Allows operator to add fuel from the ground. ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 460-7653 120 AWD MOTOR GRADER		NC
---	----------	--	--	----

FILTER CHANGE

L	574-8803	1000 HOUR FUEL, FILTER CHANGE 0 Provides additional fuel filter to extend maintenance interval on fuel filter. From 500 to 1000 hours. ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 460-7653 120 AWD MOTOR GRADER		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

COOLING

FAN (TANDEM MACHINES)

L	575-7683	FAN, STANDARD TND 0 Provides a hydraulically driven demand fan. ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		NC
L	575-7684	FAN, REVERSING TND 0 Provides a hydraulically driven demand fan that can reverse direction to prevent debris build up on the cooling package and engine enclosure. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. Will require Touch Display (475-5080), as the control for the fan is integrated in the display. REQUIRES: 472-5080 TOUCH SCREEN DISPLAY ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$3,195

FAN (AWD MACHINES)

L	575-7685	FAN, STANDARD AWD 0 Provides a hydraulically driven demand fan. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		NC
L	575-7686	FAN, REVERSING AWD 0 Provides a hydraulically driven demand fan that can reverse direction to prevent debris build up on the cooling package and engine enclosure. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. Will require Touch Display (475-5080), as the control for the fan operation is integrated in the display. REQUIRES: 472-5080 TOUCH SCREEN DISPLAY ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$3,195

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Tires listed below include a set of six tires.

****To calculate tire loads with machine attachments, please reference the MG Tire Selection Pocket Guide (media #AEXQ0182), available on the Electronic Sales Library. All tire selections should be made with consideration for planned machine attachments (OEM and aftermarket) and their additional weight. Each tire has a maximum load rating that is not to be exceeded. The tire selection should be based on the maximum of all tire position loads on the machine. Assistance for calculating the highest tire load can be found in the Tire Load Worksheet in the back of the Caterpillar Motor Graders Tire Selection Pocket Guide. Failure to abide by the load ratings of the tires without first consulting the local tire supplier representative could result in nullification of the tire warranty.**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied, we may contact the dealer. However, in some cases, we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

The information provided can be used to make a tire selection based on the particular conditions at the site. When available, the tire manufacturer should be consulted regarding proper tire selection.

TIRES (TANDEM MACHINES)

MAXAM

L	578-9458	TIRES 17.5R25 MA MS202 ** MP 0 FOR USE IN LANE 3 ONLY Maxam MS202 2* on 14- x 25- multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8600 lbs) 3900kg.* ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER	\$8,850
---	----------	--	---------

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES (TANDEM MACHINES) (Cont.)

L	578-9460	TIRES 14.00R24 MA MS202 * MP 0 FOR USE IN LANE 3 ONLY Maxam MS202 2* on 14- x 25- multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8600 lbs) 3900kg.* ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$7,290
---	----------	---	--	---------

FIRESTONE

L	254-7898	TIRES, 13.0-24 FS SGG 12PR SP2 66 FOR USE IN LANE 3 ONLY Firestone SGG RB 12PR bias (G2) on 9" x 24" single piece rim. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (6006 lbs) 2725 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$-1,790
---	----------	--	--	----------

L	252-0731	TIRES, 17.5-25 FS SGG 12PR MP 1,007 Firestone SGG LD 12PR bias (L2) on 14" multi-piece rim. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (6393lbs) 2900 kg.** ONLY FOR USE WITH: 468-2238 120 MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$6,000
---	----------	---	--	---------

L	252-0753	TIRES, 17.5-25 FS SRG 12PR MP 1,061 Firestone SRG LD 12PR bias (L3) on 14" multi-piece rim. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (6393lbs) 2900 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$5,930
---	----------	---	--	---------

GOODYEAR

L	340-2602	TIRES,13.0-24 GY SGG 12 G2 SP 102 Goodyear SGG-2A 12PR bias (G2) on 9" single-piece rim. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (6007lbs) 2725 kg.** ONLY FOR USE WITH: 468-2238 120 MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$-3,130
---	----------	--	--	----------

L	305-6159	TIRES, 14.0-24 GY SGG 16PR MP 963 Goodyear SGG-2A 16PR bias (G2) on 14" multi-piece rim. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$2,480
---	----------	--	--	---------

MICHELIN

L	254-7904	TIRES,14.0R24 MX XGLA2 * G2 SP 709 Michelin XGLA 1* on 9" x 24" single piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (7824 lbs) 3550 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$6,400
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES (TANDEM MACHINES) (Cont.)

L	252-0701	TIRES,14.0R24 MX XSNO + * G2 MP 1,282 FOR USE IN LANE 3 ONLY Michelin XSNO 1* on 10" x 24" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (7824 lbs) 3550 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$13,830
L	252-0777	TIRES,17.5R25 MX XSNO + * G2 MP1,093 Michelin XSNO+ 1* on 14" x 25" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$19,190
L	252-0771	TIRES, 17.5R25 MX XTLA * L2 MP 1,371 Michelin XTLA 1* on 14" x 25" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$15,250
L	254-7971	TIRES, 17.5R25 MX XTLA * L2 SP 979 Michelin XTLA 1* on 13" x 25" single piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$11,050
L	252-0679	TIRES,14.0R24 MX XGLA2 * G2 MP 1,069 Michelin XGLA2 1* on 10" x 24" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (7824 lbs) 3550 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$9,970

BRIDGESTONE

L	252-0714	TIRES, 14.0 R24 BS VKT * G2 MP 1,540 Bridgestone VKT 1* on 10- x 24- multi-piece rims. THE TIRE MANUFACTURE DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3650 kg (8,045 lbs).** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$6,840
L	252-0708	TIRES, 14.0R24 BS VSW * G2 MP 1,481 Bridgestone VSW 1* on 10" x 24" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$10,970
L	252-0720	TIRES, 14.0R24 BS VUT * L2 MP 1,012 Bridgestone VUT 1* on 10" x 24" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$2,240
L	252-0775	TIRES, 17.5R25 BS VKT * D2A MP 1,810 Bridgestone VKT 1* on 14" x 25" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$10,970

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES (TANDEM MACHINES) (Cont.)

L	310-7331	TIRES, 17.5R25 BS VSW * G2 MP1,888 Bridgestone VSW 1* on 14" x 25" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$18,260
L	586-5268	TIRES,14.00R24 BS VKT ***E-2MP..... 0 FOR USE IN LANE 3 ONLY Bridgestone VKT 3* on 10- x 24- multi-piece rims. THE TIRE MANUFACTURE DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3650 kg (8,045 lbs).** ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER		\$6,840

TIRES (AWD MACHINES)

MAXAM

L	578-9459	TIRES 17.5R25 MA MS202 ** MP 0 FOR USE IN LANE 3 ONLY Maxam MS202 2* on 14- x 25- multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8600 lbs) 3900kg.** ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$8,850
L	578-9461	TIRES 14.00R24 MA MS202 * MP 0 FOR USE IN LANE 3 ONLY Maxam MS202 2* on 14- x 25- multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8600 lbs) 3900kg.** ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$7,290

GOODYEAR

L	452-2804	TIRES,14R24 GY 16PR SGG RB MP 0 THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.** ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$2,480
---	----------	---	--	---------

MICHELIN

L	452-2798	TIRES, 17.5R25 MX XSNO + 1* MP 0 FOR USE IN LANE 3 ONLY THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.** ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$19,190
L	452-2802	TIRES, 14.0R24 MX XGLA2 1* MP 0 THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (7826lbs) 3550 kg.** ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$9,970

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES (AWD MACHINES) (Cont.)

L	452-2803	TIRES, 14.0R24 MX XSNO + 1* MP 0		\$13,830
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (7826lbs) 3550 kg.**		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	452-2811	TIRES, 17.5R25 MX XTLA 1*MP L2 0		\$15,250
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.**		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		

BRIDGESTONE

L	452-2797	TIRES,14.00R24 BS VKT 1* G2 MP 1,368		\$6,840
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.**		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	452-2800	TIRES,14.0R24 BS VSW TL 1* MP 0		\$10,970
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.**		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	452-2801	TIRES,14.0R24 BS VUT G2A 1* MP 0		\$5,210
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.**		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	452-2805	TIRES, 17.5-25 BS SGG 12PR MP 0		\$6,000
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (6393lbs) 2900 kg.**		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	452-2806	TIRES,17.5R25* BS VKT L2 L3 MP 0		\$10,970
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.**		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	452-2808	TIRES,17.5R25 BS VSW 1* G2 MP 0		\$18,260
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.**		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	586-5270	TIRES,14.00R24 BS VKT ***E-2MP. 0		\$9,330
		FOR USE IN LANE 3 ONLY		
		6 X Bridgestone VKT 3* on 10- X 24- Multipiece Rims		
		THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3650 kg (8045 LBS).		
		ONLY FOR USE WITH: 468-2239 120 AWD MOTOR GRADER or 460-7653 120 AWD MOTOR GRADER		

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

RIMS ONLY

L	252-0115	RIMS ONLY, 10" X 24" MP ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER	-398	\$-1,805
L	252-0118	RIMS ONLY, 14" X 25" MP ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER	-229	\$-1,095

OTHER ATTACHMENTS

REAR PANELS

L	518-1195	REAR PANEL W/O ACCESS DOOR No access entry without removing cover to clean front cooling core.	0	NC
L	498-8871	REAR PANEL W/ ACCESS DOOR Provides easy access to clean out front cooling core.	0	\$210

WORK TOOLS

REAR WORKTOOLS

L	481-8668	NO HITCH Provides a plate that bolts to the bumper that allows for attachment points for ripper or auxiliary hoses.	0	NC
L	416-6892	HITCH, TOWING Retrieval hitch. Does not include pin.	0	\$560
L	456-5359	RIPPER. Hydraulic, rear mounted ripper with three straight ripper shanks. Can accommodate two additional ripper shanks which must be ordered separately. ONLY FOR USE WITH: HYDRAULICS BASE (RIP)	1,350	\$13,020

FLUIDS

CAB ANTIFREEZE

	0P-1939	ANTIFREEZE WINDSHIELD WASHER For use with machines with cab.	0	NC
--	---------	---	---	----

FUEL ANTIFREEZE

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) Provides fuel (diesel) antifreeze protection down to -25C (-13F)	0	NC
--	---------	--	---	----

DOCUMENTATION

LANGUAGE SELECTION

NOTE: This part number will provide the language for Messenger and Statement of Conformity.

P	462-6595	LANGUAGE, ENGLISH	0	NC
---	----------	-------------------	---	----

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FEATURE PACKAGES

HEADLIGHTS PACKAGE

Cannot mix halogen and LED light packages.

L	565-5395	LOW BAR, HALOGEN, LVR, TND 0 Provides halogen low bar headlights with front turn signals, dimmer switch for road lighting. ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$660
L	565-5396	LOW BAR, LED, LVR, TND 0 Provides LED low bar headlights with front turn signals, dimmer switch for road lighting. ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$1,405
L	565-5394	LOW BAR, HALOGEN, LVR, AWD 0 Provides halogen low bar headlights with front turn signals, dimmer switch for road lighting. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$660
L	565-5391	LOW BAR, LED, LVR, AWD 0 Provides LED low bar headlights with front turn signals, dimmer switch for road lighting. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$1,405
L	573-6439	HIGH BAR, HALOGEN, LVR, AWD 0 Provides halogen high bar headlights with front turn signals, dimmer switch for road lighting. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$660
L	573-6440	HIGH BAR, LED, LVR, AWD 0 Provides LED highbar head lights with front turn signals,dimmer switch for road lighting. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$1,405
L	573-6437	HIGH BAR, HALOGEN, LVR, TND 0 Provides halogen high bar headlights with front turn signals, dimmer switch for road lighting. ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$660
L	573-6438	HIGH BAR, LED, LVR, TND 0 Provides LED highbar head lights with front turn signals,dimmer switch for road lighting. ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		\$1,405

WORK LIGHT PACKAGES

Cannot mix halogen and LED light packages.

L	468-7618	LIGHTS, WORKING,BASIC HAL,LVR 0 INCLUDES: Lights, Halogen, Heel Lights, Halogen, Midframe Toe Switch, Work Lighting ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$790
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

WORK LIGHT PACKAGES (Cont.)

L	468-7619	LIGHTS, WORKING, PLUS,HAL,LVR 0 INCLUDES: Lights, Halogen, Ripper Lights, Halogen,, Heel Lights, Halogen, Midframe Toe Switch, Work Lighting ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$1,065
L	561-6398	LIGHTS, WORKING,BASIC,LED,LVR 0 INCLUDES: Lights, LED, Heel Lights, LED, Midframe Toe Switch, Work Lighting ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$1,545
L	561-6400	LIGHTS, WORKING, PLUS,LED,LVR 0 INCLUDES: Lights, LED, Ripper Lights, LED, Heel Lights, LED, Midframe Toe Switch, Work Lighting ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$2,670

CAB LIGHTS

Cannot mix halogen and LED light packages.

L	490-2608	LIGHTS, CAB HALOGEN, LVR 0 INCLUDES: 4 Front Facing Halogen Lights 2 Rear Facing Halogen Lights ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$530
L	558-6665	LIGHTS, CAB LED, LVR 0 INCLUDES: 4 Front Facing LED Lights 2 Rear Facing LED Lights ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$1,805

OTHER OPTIONAL ATTACHMENTS

L	435-9816	LIGHTS, SERVICE, INTERNAL 0 Provide one light, operated by single switch in rear enclosure that illuminate engine compartment.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

OTHER OPTIONAL ATTACHMENTS (Cont.)

L	524-2074	TRANSMISSION, AUTOSHIFT, LVR 0 Improves ease of operation and maximizes productivity by automatically shifting the transmission at optimal shift points. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$4,140
L	471-5356	WARNING LIGHT, MOUNTING, LVR 0 Mounting bracket only. Need to provide own beacon light. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER CANNOT BE USED WITH: LIGHT, LED WARNING STROBE		\$745
L	461-3548	LIGHT, LED WARNING STROBE, LVR 0 INCLUDES: 2 x (front and rear) amber high-speed strobe beacon light, and mounting brackets. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$1,330
L	565-9664	CIRCLE SAVER. 0 Remote Circle Drive Greasing point (Zerk). Located top of drawbar for easy servicing of circle drive gear. Helps the pinion maintain its lubrication caused by lack of grease in this component.		\$246

ELECTRICAL

JUMP START

L	506-4261	JUMP START RECEPTACLE 0 Need CAT style PLUG jump cables. REQUIRED BY: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$73
L	506-4262	JUMP START STUDS 0 Traditional jump start studs used with alligator clamp style jumper cables. REQUIRED BY: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		NC

ALTERNATOR

L	438-5768	ALTERNATOR, 145 AMP 0 REQUIRED BY: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		NC
L	438-5769	ALTERNATOR, 150 AMP 0 Brushless. REQUIRED BY: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$580

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAMERA

L	492-0617	CAMERA, REAR VISION, LVR 0 Provides a 115 degree color camera mounted on the rear of the hood that is connected to a 7 inch (178mm) LCD color display mounted in the cab which shows the view behind the machine. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 140 AWD MOTOR GRADER CANNOT BE USED WITH: CAMERA, REAR/FRONT VISION		\$2,615
---	----------	---	--	---------

MIRRORS

L	483-9353	MIRRORS, EXTERNAL, BASE, LVR 0 Mirrors, Outside Mounted. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		NC
L	483-9354	MIRRORS, EXTERNAL, HEATED, LVR 0 FOR USE IN LANE 3 ONLY Provides mirrors with a 24V heating element to keep mirrors ice free in cold weather operations. NOTE: The mirrors are wrapped in bubble wrap and rotated toward the doors for protection during shipment. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or		\$690
L	490-4960	MIRRORS, OUTSIDE DUAL,ISO, LVR 0 FOR USE IN LANE 3 ONLY Includes extra mirror with small curvature to broader views and reflect wider range, to meet ISO 5006. attaches to external mirrors. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER and 483-9353 MIRRORS, EXTERNAL, BASE, LEVER or 483-9354 MIRRORS, EXTERNAL, HEATED, LVR		\$505

WIPER FRONT

L	490-2591	WIPER, FRONT, LOWER, LVR 0 INCLUDES: 2 front lower wipers. 1 for each side ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER CANNOT BE USED WITH: CANOPY		\$263
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WIPER FRONT (Cont.)

L	471-5346	WIPER, REAR, LVR 0		\$473
		INCLUDES: 2 rear side wipers. 1 for each side		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
		CANNOT BE USED WITH: CANOPY		

STEERING

L	549-2269	STEERING, SECONDARY, W/ACCUM 0		\$4,455
		Automatically provides oil pressure and flow to the steering circuit in the case of engine or steering pump failure.		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		
L	565-5643	STEERING, SECONDARY W/CE ACCUM 0		\$4,455
		Automatically provides oil pressure and flow to the steering circuit in the case of engine or steering pump failure.		
		Contains CE certified accumulator.		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		

KIT PANEL

L	568-1671	CAT GRADE, BASE KIT 0		\$735
		Mounting bracket for display and correction radio.		
		Required to mount 2D and 3D display and radio on an ARO machine.		
		ONLY FOR USE WITH: 561-7234 CROSS SLOPE AUTO LVR AWD or 561-7235 CROSS SLOPE AUTO LVR TND or 467-7432 CAT GRADE ARO, LVR, AWD or 468-2246 CAT GRADE ARO, LVR, TND		

TECHNOLOGY PRODUCTS

L	458-2072	STABLE BLADE 3		\$2,545
		Provides sensor and software to automatically reduce engine speed in various applications to reduce machine bounce and scalloping of surface.		

GUARDS

SOUND SUPPRESSION

L	425-1795	SOUND SUPPRESSION 0		\$1,590
		Sound suppression rear panel enclosure. Provide additional sound protection to operators.		

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS (CONT.)

GUARDS BOTTOM

L	453-4972	GUARD, BOTTOM 0 Provides a steel guard to protect the transmission from ground debris.		\$3,500
L	448-5729	GUARD, BOTTOM W/SOUND SUPPR 0 Protects transmission mounts under rear frame with sound dentin material.		\$5,870

GUARDS COVER

L	501-8393	GUARD, COVER, LVR 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Protects components under and bottom side of cab. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER	0	\$1,050 \$1,050 NI
---	----------	--	---	-----------------------

GUARDS DEBRIS

L	565-1088	GUARD, DEBRIS 0 Includes air inlet cover for engine enclosure and extra baffles in the cooling package. Recommend for high debris and snow environments.		\$1,195
---	----------	--	--	---------

GUARDS WINDOW

L	522-5043	GUARD, WINDOW, LVR 0 Rear window guard- includes two rear window corner bar. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER		\$94
---	----------	--	--	------

FENDERS

L	500-8540	FENDERS, REAR 0 FOR USE IN LANE 3 ONLY Provides non-metallic rear fenders to aid in reducing the build-up of mud, snow, or debris. Rear fenders are compatible with all MG tire sizes offered by the factory. NOT recommended for use with tire chains. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		\$5,560
L	515-7420	FENDERS, FRONT, AWD 0 FOR USE IN LANE 3 ONLY Non-metallic front fenders aid in reducing the build-up of mud, snow, or debris. Front fenders are compatible with all Non-AWD tire sizes offered by the factory. NOT recommended for use with tire chains ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER CANNOT BE USED WITH: MID-MOUNT SCARIFIER		\$3,910

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS

L	336-1559	PUSH PLATE, COUNTERWEIGHT 2,000 Front mounted. Recommended when machine is equipped with rear ripper/scarifier and other rear mounted attachments. NOTE: This cannot be used in conjunction with counterweight, any front lift work tools, or the 'installed' hydraulic front lift. It can be used with a not installed hydraulic front lift CANNOT BE USED WITH: 468-2229 MMS-V TYPE W/O BOLSTER BRACKET		\$4,130
L	518-4634	FRONT BLADE PACKAGE 0 FOR USE IN LANE 3 ONLY INCLUDES: Front Blade, A-Frame drawbar 9'x 3' (2,750 x 900mm) Front blade with up and down hydraulic functions. Hydraulic Line for Front Blade Lines, Front Blade ONLY FOR USE WITH: 460-7653 120 MOTOR GRADER AWD or 468-2237 120 MOTOR GRADER and HYDRAULICS BASE (FL) CANNOT BE USED WITH: HEADLIGHTS PACKAGE LOW (LED or Halogen)		\$11,870

DECAL PACKAGES

L	472-5087	DECALS, ENGLISH (U.S) 0 Provides decals required by ANSI ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER		NC
---	----------	---	--	-----------

STARTING AIDS

L	422-6605	STARTING AID 0 Starting, Ether. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2237 120 MOTOR GRADER or CANNOT BE USED WITH: 467-7418 WEATHER, COLD PLUS TND REQUIRED BY: WEATHER COLD		\$505
---	----------	--	--	--------------

ENGINE COOLANT HEATERS

L	255-1336	HEATER, ENGINE COOLANT, 120V 1 Engine coolant heater for 120 volt external power source.		\$236
L	255-1337	HEATER, ENGINE COOLANT, 240V 3 Engine coolant heater for 240 volt external power source.		\$234

STEP, REAR FRAME

L	516-6625	STEP, ADDITIONAL ON REAR FRAME 0 INCLUDES: - 2 Step - 2 Grab handles. Assist in mounting and dismounting from the rear.		\$685
---	----------	--	--	--------------

MANUFACTURING PLATE

L	454-3222	PLATE, LICENSE 0 Provides license plate support if required.		NC
---	----------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS

BRACKET (MID-MOUNT SCARIFIER)

P	339-7734	BRACKET 0		NC
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: HYDRAULICS BASE (MMS)		
P	468-2228	MMS-V TYPE W/BOLSTER BRACKET 0		\$16,780
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: HYDRAULICS BASE (MMS)		
P	468-2229	MMS-V TYPE W/O BOLSTER BRACKET 0		\$16,780
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: HYDRAULICS BASE (MMS)		

LIFT GROUP

L	580-1078	LIFT GROUP, MANUAL 0		\$11,370
				\$11,370 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 FOR USE IN LANE 3 ONLY
 Front hydraulic lift without any work tool attached.
 at the sametime as the mounting for the mid-mount scarifier, but not
 the actual scarifier itself).

Note: This Front Lift Group has manual locking pins.
 INSTALLED COMPATIBILITY:
 (The Installed Manual Lift Group can be attached to the machine

REQUIRES: LIFT GROUP, FRONT MOUNTING and
 LINES GROUP, FRONT MOUNTING
 ONLY FOR USE WITH: HYDRAULICS BASE (FL)
 CANNOT BE USED WITH: 336-1559 PUSH PLATE, COUNTERWEIGHT
 FRONT BLADE PACKAGE
 MID MOUNT SCARIFIER PACKAGE
 REQUIRED BY: FRONT SCARIFIERS

LIFT GROUP FRONT MOUNTING

L	578-3232	LIFT GROUP, FRONT MOUNTING 0		\$456
		Two mounting plates welded to both sides of the front frame for actory or future installation of Front Lift.		
		ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER		
		REQUIRED BY: 580-1078 LIFT GROUP, MANUAL FRONT		
L	582-3401	LIFT GROUP, FRONT MOUNTING 0		\$456
		Two mounting plates welded to both sides of the front frame for actory or future installation of Front Lift.		
		ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 462-2239 120 AWD MOTOR GRADER		
		REQUIRED BY: 580-1078 LIFT GROUP, MANUAL FRONT		

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

LINES GROUP FRONT MOUNTING

L	582-4730	LINES GROUP, FRONT MOUNTING 0 FOR USE IN LANE 3 ONLY Two hydraulic connector lines. ONLY FOR USE WITH: 468-2237 120 MOTOR GRADER or 468-2238 120 MOTOR GRADER CANNOT BE USED WITH: ANY FRONT MOUNTED ATTACHEMENT REQUIRED BY: 580-1078 LIFT GROUP, MANUAL, FRONT and 582-3401- LIFT GROUP, FRONT MOUNTING		\$438
L	578-1682	LINES GROUP, FRONT MOUNTING 0 FOR USE IN LANE 3 ONLY Two hydraulic connector lines. ONLY FOR USE WITH: 460-7653 120 AWD MOTOR GRADER or 468-2239 120 AWD MOTOR GRADER CANNOT BE USED WITH: ANY FRONT MOUNTED ATTACHEMENT REQUIRED BY: 580-1078 LIFT GROUP, MANUAL, FRONT and 582-3401- LIFT GROUP, FRONT MOUNTING		\$438

GROUND ENGAGING TOOLS

P	8J-5313	TOOTH, STRAIGHT 26 Ripper tooth group for rear ripper. Includes one straight shank with ripper tooth. Recommended order quantity of 2		\$393
---	---------	---	--	-------

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution
 Reference numbers below are kits used to upgrade existing motor graders with new features or technology

L	452-3133	EXTENSION, BLADE, 24" X 24" X 7/8" LH		
L	452-3132	EXTENSION, BLADE, 24" X 27" X 1" LH		
L	243-6685	EXTENSION, BLADE, 24" X 24" X 7/8" RH		
L	110-5326	EXTENSION, BLADE, 24" X 27" X 1" RH		

PACKING

EXPORT PACKING

0P-2265	ROLL ON-ROLL OFF 0 (Cab or canopy remains mounted.)		\$314 NET
0P-2962	SHIPPING TIRE FREIGHT OPTION 0 This OP is required when the machine is ordered with the Shipping Tire This insures the correct trailer is used for shipment preventing This is informational only and there is no additional charge. REQUIRED BY: TIRES, 17.5 SHIPPING, MP		NC

CATERPILLAR MACHINE PRICE LIST

120LVR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

PACKING (CONT.)

EXPORT PACKING (Cont.)

0P-6705	DOMESTIC PACKING - MISCL 0	NC
	This OP must be selected for all Miscellaneous Orders.	

PACKING STAIRS

0P-6588	REMOVE PACK LEFT SIDE STAIRS 0	NC
	REQUIRED BY: 515-7420 FENDERS, FRONT, AWD and 320-7431 MOLDBOARD, 14' BASIC	