

CATERPILLAR MACHINE PRICE LIST

140GC140GC MOTOR GRADER
QINGZHOU, CHINAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Air cleaner, dry type radial seal with service indicator and automatic dust ejector
Air to air after cooler (ATAAC)
Brakes, oil disc, four-wheel, hydraulic
Demand Fan, Hydraulic
Cat C7.1 Engine with Eco Mode meets U.S. EPA Tier 4 Final / EU Stage V / India Bharat Stage V emissions standards, or China Nonroad Stage III / UN ECE R96 Stage III / Brazil MAR-1 emission standards (equivalent to U.S. EPA Tier 3, and EU Stage IIIA) or U.S. EPA Tier 2 and EU Stage II.
Fuel water separator
Muffler, under hood
Priming pump, fuel
Sediment drain, fuel tank
Tandem drive
Transmission, 6 speed forward and 3 speed reverse, power shift
Transmission with bottom and side guard
Torque Converter
VHP Plus (Variable Horse Power Plus)

ELECTRICAL

Alternator, 115 ampere
Backup alarm, reversing lights
Batteries, maintenance free 900 CCA
Electrical system, 24 volt
Horn, electric
Lights, stop and tail
Motor, starting
Product Link Ready

OPERATOR ENVIRONMENT

Accelerator
Control console, adjustable
Display, digital speed
Gauges, inside the display:
-Hydraulic oil temperature
-Engine coolant temperature
-Engine speed
-Fuel level
-Articulation angle
Guard rails, operator station

Hydraulic controls, load sensing:
-Right/left blade lift
-Circle drive/center shift
-Side shift/blade tip
-Front wheel lean and articulation
Indicator, digital, inside the display
-High beam

-Fuel level
-LH and RH turn
-Parking brake engaged
-Engine Check
-Braking system pressure
-Throttle lock
-Water in Fuel
-Transmission Check
-Centershift pin
-Transmission Oil filter
-ECO mode (not included in T2)
-Hour meter
Key start/stop switch
Power steering, hydraulic
Seat, vinyl-covered static/seat belt
Steering wheel, tilt, adjustable
Storage area
Throttle, electronic control (not included in T2)

TIRES, RIMS, AND WHEELS

A partial allowance for tires on single piece rims is included in the base machine price and weight
A tire MUST be selected from the Mandatory Attachments section

FLUIDS

Premixed 50% concentration of extended life coolant with freeze protection to -34C (-29F)

OTHER STANDARD EQUIPMENT

CD ROM Parts Book
Doors, engine compartment
Drawbar, 4 shoe with replaceable, Drawbar nylon composite wear strips
Frame, articulated with safety lock
Fuel tank, 297L(78.5 gallons)
Ground level engine shutdown
Link bar, 7 position
Moldboard, 3669mm x610mm x 20mm (12' x 24" x 7/8") blade with hydraulic sideshift and hydraulic tip
Cutting edges, 152mm x 16mm (6" x 5/8") curved DH-2 steel
Endbits, 16mm (5/8") DH-2 steel
SOS ports, engine, hydraulic, transmission and cooling
Vandalism protection
-Cap locks for Hydraulic tank
-Fuel tank, Engine and transmission oil Check/fill
-Lockable battery boxes
-Radiator access cover

CATERPILLAR MACHINE PRICE LIST

140GC

140GC MOTOR GRADER QINGZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

558-0453	140GC 01A MOTOR GRADER 0 Tier 4F/EU Stage V/Bharat Stage V LANE 3 - AVAILABLE FROM QINGZHOU FACTORY FOR IND LANE 3 - AVAILABLE FROM SELECT EPC LOCATIONS FOR AM-N LANE 3 - AVAILABLE FROM ANTWERP EPC FOR EU	\$289,380
558-0455	140GC 01A AWD MOTOR GRADER 0 Tier 4F/Stage V AWD Configuration LANE 3 - AVAILABLE FROM SELECT EPC LOCATIONS FOR AM-N LANE 3 - AVAILABLE FROM ANTWERP EPC FOR EU	\$319,760

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

REGIONAL PACKAGES

L	568-7271	GLOBAL ARRANGEMENT	0	NC
---	----------	------------------------------	---	----

PERFORMANCE PACKAGES

MOLDBOARD PACKAGES

L	527-0144	MOLDBOARD, 12', BASIC	0	NC
		INCLUDES: -Moldboard 12'x 24" x 7/8" (3669mm x 610mm x 20mm) -Curved cutting edge, 6" x 5/8" (152mm x 16mm) -End bits, standard, without overlay		
L	527-0145	MOLDBOARD, 12', PLUS	0	\$575
		FOR USE IN LANE 3 ONLY INCLUDES: -Moldboard 12'x 26" x 7/8" (3669mm x 660mm x 20mm) -Curved cutting edge, 8" x 3/4" (203mm x 19mm) -End bits, standard, without overlay		
L	527-0162	MOLDBOARD, 14', PLUS	0	\$2,150
		ALSO AVAILABLE AS A NOT INSTALLED MOLDBOARD INCLUDES: -Moldboard 14' x 26" x 7/8" (4279mm x 660mm x 20mm) -Curved cutting edge, 8" x 3/4" (203mm x 19mm) -End bits, standard, without overlay	0	\$6,060 NI

DRAWBAR ARRANGEMENT

L	537-5628	DRAWBAR, W/O SLIP CLUTCH	0	NC
L	537-5629	DRAWBAR, SLIP CLUTCH	0	\$2,100
		Includes circle drive slip clutch		

LINK BAR LOCK SYSTEM

L	537-5637	LINK BAR, HYDRAULIC TND	0	\$885
		Link bar with Hydraulic locking pin, adjustment controlled from Cab		
L	558-0456	LINK BAR, HYDRAULIC AWD	0	\$885
		Link bar with Hydraulic locking pin, adjustment controlled from Cab		
L	537-5635	LINK BAR, MANUAL TND	0	NC
		Link bar with manual locking pin, adjustment requires Hand Tools. Manually increases moldboard positioning and reach from the centerline of the machine and to allow steeper moldboard angles.		

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PERFORMANCE PACKAGES (CONT.)

LINK BAR LOCK SYSTEM (Cont.)

L	558-0457	LINK BAR, MANUAL AWD 0		NC
		Link bar with manual locking pin, adjustment requires hand tools. Manually increases moldboard positioning and reach from the centerline of the machine and to allow steeper moldboard angles.		

POWERTRAIN

ENGINE SELECTION

L	563-7583	ENGINE, STAGE V, W/O AIR COMPR 0		NC
		Engine meets U.S. EPA Tier 4 Final / EU Stage V / India Bharat Stage V emission standards. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		

HYDRAULICS

NOTE: Hydraulic Definitions
 Base = 8 functions: right and left blade lift, circle turn, drawbar center shift, blade side shift, blade tip, front wheel lean, frame articulation. Float function standard for moldboard lift.
 RIP = Ripper
 FL= Front Lift (moves front work tools up/down)
 WM = Snow Wing Mast
 WT = Snow Wing Tilt
 DA1 = Dozer Angle 1 (angles front blade left OR right)
 MMS = Mid Mount Scarifier

AWD / TND Machine

L	537-5601	HYDRAULICS, BASE 0		NC
		FOR USE IN LANE 3 ONLY Base hydraulic system includes right and left blade lift, circle turn, drawbar center shift, blade side shift, blade tip, front wheel lean, frame articulation.		

TND Machine

L	537-5602	BASE + 1 (RIP). 0		\$1, 850
		Includes Ripper and base 8 function ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		
L	537-5605	BASE + 2 (RIP, FL) 0		\$3, 430
		Includes: Ripper, front lift and base 8 functions ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

L	580-8028	BASE + 1 (MMS) 0 Mid Mount Scarifier (MMS)and base 8 function. Includes MMS lines. ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$1,450
L	589-5920	BASE + 5 (DA1, FL, RIP, WM, WT) 0 Includes: Ripper, Front Blade Lift, Snow Wing Lift, Snow Wing Tilt, and Front Angle, and Base 8 functions ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER		\$9,660

AWD Machine

L	558-0450	BASE + 1 (RIP) 0 Includes: Ripper and base 8 function ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$1,850
L	558-0451	BASE + 2 (RIP, FL) 0 Includes: Ripper, front lift and base 8 function ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$3,430
L	558-0452	BASE + 5(DA1, FL, RIP, WM, WT) 0 Includes: Ripper, Front Blade Lift, Snow Wing Lift, Snow Wing Tilt, and Front Angle, and Base 8 functions ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$9,660

LINE GROUPS

ACCUMULATORS

L	535-7184	NO ACCUMULATORS 0 Provides hydraulic lines for base functions.		NC
L	537-5642	ACCUMULATORS 0 Provides hydraulic lines for base functions and accumulators for the blade lift. Nitrogen/oil accumulators activated by electric switch. Allows approximately 1-3" of vertical blade travel to reduce impact loads. Not for use with EUR. CANNOT BE USED WITH: 577-1630 140GC 01A MOTOR GRADER		\$4,415

STARTERS, BATTERIES, & ALTERNATORS

WEATHER PACKAGES (T4/Stage V)

L	580-8042	WEATHER PACKAGE, STANDARD 0 Recommended for year round use when typical ambient temperature range is 0C (32F) to 43C (110F) and operating at altitude below 1220m(4000 feet) INCLUDES:-Batteries 900 CCA -Starter standard duty-Standard oil package ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS (CONT.)

WEATHER PACKAGES (T4/Stage V) (Cont.)

L	580-8043	WEATHER PACKAGE, COLD 0 Recommended when starting temperatures are below -18C (0F) to 43C (110F) and operating at altitude below 1220m (4000 feet). INCLUDES: -Extreme duty batteries, 1400 CCA -Starter heavy duty -Oil, Hydraulic, 10W -Starting aid, ether. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$1,335
L	589-5926	WEATHER PACKAGE, COLD, PLUS 0 Recommended when starting temperatures are below -40C (-40F) to 40C (104F) or operating at altitude above 1220m (4000 feet). INCLUDES: -Extreme duty batteries, 1400 CCA -Starter heavy duty -Oil, Hydraulic, 0W-20 -Starting aid, ether -Heater, engine coolant, 120V. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$3,050

ELECTRICAL

LIGHTING

LIGHTING TND

L	537-5631	LIGHTS, HIGH BAR 0 Provides halogen high bar head lights with front turn signals. Also includes LED stationary rear brake lights, turn signals, and reversing lights. Mounted on radiator grill. ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$2,485
L	537-5633	LIGHTS, LOW BAR 0 Provides halogen low bar head lights with front turn signals. Also includes LED rear: tail lights, brake lights, and turn signal mounted on radiator grill LED reversing lights mounted on radiator grill. ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$2,485

LIGHTING AWD

L	558-0431	LIGHTS, HIGH BAR 0 Provides halogen high bar head lights with front turn signals. Also includes LED stationary rear brake lights, turn signals, and reversing lights. Mounted on radiator grill. ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$2,485
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTING (Cont.)

L	558-0433	LIGHTS, LOW BAR 0		\$2,485
		Provides halogen low bar head lights with front turn signals. Also includes LED rear: tail lights, brake lights, and turn signal mounted on radiator grill ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		

OPERATOR ENVIRONMENT

CAB / CANOPY (TIER 3 / TIER4 AND STAGE V)

L	537-5612	CAB, ROPS, HIGH PROFILE, BASE 0		\$26,120
		INCLUDES: -Cab, ROPS, high profile -Wipers, intermittent, front -Slope meter -Converter group (24V to 12V, 10A) -Radio ready		
L	537-5614	CAB, ROPS, HIGH PROFILE, PLUS 0		\$28,050
		INCLUDES: -Cab, ROPS, high profile -Wipers, intermittent, front -Slope meter -Converter group (24V to 12V, 10A) -Radio ready -CB Radio ready -Fan, defroster, front window -Fan, defroster, rear window -Sun shade, rear		
L	568-5260	CAB, ROPS, LOW PROFILE, BASE 0		\$26,120
		INCLUDES: -Cab, ROPS, low profile -Wipers, intermittent, front -Slope meter -Converter group (24V to 12V, 10A) -Radio ready		
L	565-7040	CAB, ROPS, LOW PROFILE, PLUS 0		\$28,050
		INCLUDES: -Cab, ROPS, low profile -Wipers, intermittent, front -Slope meter -Converter group (24V to 12V, 10A) -Radio ready -CB Radio ready -Fan, defroster, front window -Fan, defroster, rear window -Sun shade, rear		

AIR CONDITIONER.

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB / CANOPY (TIER 3 / TIER4 AND STAGE V) (Cont.)

When Equipped with HVAC (heating ventilation and air conditioning) system provide climate control with heating and air conditioning. It also pressurizes the cab ideal for limiting dust from entering the cab.

AIR CONDITIONER (TIER 4 AND STAGE V ONLY)

L	558-0454	HVAC, W/O AIR COMPRESSOR TND 0 For use with engine WITHOUT Air Compressor Sealed and pressurized cab. Ideal for customers who operate in dusty environment. Limits the amount of dust particles from entering the cab and aiding in HVAC performance. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER CANNOT BE USED WITH: 537-5610 CANOPY, ROPS		\$8,400
L	558-0447	HVAC, W/O AIR COMPRESSOR AWD 0 For use with engine WITHOUT Air Compressor Sealed and pressurized cab. Ideal for customers who operate in dusty environment. Limits the amount of dust particles from entering the cab and aiding in HVAC performance. ONLY FOR USE WITH: 558-0455 140GC 01A AWD MOTOR GRADER CANNOT BE USED WITH: 537-5610 CANOPY, ROPS		\$8,400

SEAT

P	437-0671	SEAT, STANDARD, CAB 0 Basic seat for cab, vinyl cushion, fold up armrests no headrest, seat slides forward/back, allows for raise and lower, retractable seatbelt CANNOT BE USED WITH: 537-5610 CANOPY, ROPS		NC
P	582-9808	SEAT, CLOTH AIR SUSPENSION 0 Includes cloth-covered cushions, fold-up arm rest, lumbar support seat back angle adjustment, seat slides forward/back and retractable seat belt. CANNOT BE USED WITH: 537-5610 CANOPY, ROPS		\$2,100
P	437-0684	SEAT, MECHANICAL SUSPENSION 25 Includes vinyl cushions, fold up armrest, mechanical suspension, no headrest, no height adjustment, seat slides forward/back, and retractable seatbelt. CANNOT BE USED WITH: 537-5610 CANOPY, ROPS		\$1,555

EXTERNAL MIRROR

L	387-2851	MIRROR GROUP, EXTERNAL, BASE 0 Outside mounted mirrors.		NC
L	437-0685	MIRROR GROUP, EXTERNAL, PLUS 0 External mirror group to meet ISO 5006. Includes extra mirror with small curvature to broader rear views and reflect wider range, can improve safety while operating.		\$780

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

INTERNAL MIRRORS

L	8X-2795	MIRROR GROUP, INTERNAL 0 Includes single piece internal review view mirror. ONLY FOR USE WITH: 387-2851 MIRROR GROUP, EXTERNAL, BASE CANNOT BE USED WITH: 585-7337 CAMERA, REAR AND FRONT VISION		NC
L	437-0673	MIRROR GROUP, INTERNAL, DUAL 0 Internal mirror group to meet ISO 5006 Includes extra mirror with small curvature to broader rear views and reflect wider range, can improve safety while operating. ONLY FOR USE WITH: 437-0685 MIRROR GROUP, EXTERNAL, PLUS		\$263

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	558-3498	PRODUCT LINK, CELLULAR PLE643 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$378
L	553-7497	PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446
L	553-7498	PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	558-3495	PRODUCT LINK, DUAL PLE683 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$825

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

COOLING

This section is only for T4/Stage V machines.

FAN (TANDEM MACHINES)

L	592-1068	FAN, STANDARD TND 0 Provides a hydraulically driven demand fan. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER		NC
L	562-5639	FAN, REVERSING TND 0 Provides a hydraulically driven demand fan that can reverse direction to prevent debris build up on the cooling package and engine enclosure. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER		\$3,195

FAN (AWD MACHINES)

L	594-3929	FAN, STANDARD AWD 0 Provides a hydraulically driven demand fan ONLY FOR USE WITH: 558-0455 140GC 01A AWD MOTOR GRADER		NC
L	562-5691	FAN, REVERSING AWD 0 Provides a hydraulically driven demand fan that can reverse direction to prevent debris build up on the cooling package and engine enclosure. Includes automatic and manual controls for airflow reversal. ONLY FOR USE WITH: 558-0455 140GC 01A AWD MOTOR GRADER		\$3,195

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

TIRES

Tires listed below include a set of six tires. **To calculate tire loads with machine attachments, please reference the MG Tire Selection Pocket Guide (media #AEXQ0182), available on the Electronic Sales Library. All tire selections should be made with consideration for planned machine attachments (OEM and aftermarket) and their additional weight. Each tire has a maximum load rating that is not to be exceeded. The tire selection should be based on the maximum of all tire position loads on the machine. Assistance for calculating the highest tire load can be found in the Tire Load Worksheet in the back of the Caterpillar Motor Graders Tire Selection Pocket Guide. Failure to abide by the load ratings of the tires without first consulting the local tire supplier representative could result in nullification of the tire warranty.

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied, we may contact the dealer. However, in some cases, we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

The information provided can be used to make a tire selection based on the particular conditions at the site. When available, the tire manufacturer should be consulted regarding proper tire selection

TIRES AWD

L	559-2496	TIRES,14.00-24 TR TL508 12PRMP 0 Triangle Bias; TL508(L2) on 10"x24" multi-piece rims. MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3075kg ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER	\$-1,635
L	452-2801	TIRES,14.0R24 BS VUT G2A 1* MP 0 THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING (8046lbs) 3650 kg.** ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER	\$5,210

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AWD (Cont.)

L	559-6555	TIRES,17.5-25 TR TL508 12PR MP 0 Triangle Bias; TL508 on 14"x25" multi-piece rims. MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 2900kg ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$1,060
L	559-6557	TIRES,17.5-25 TR TL508 16PR MP 0 FOR USE IN LANE 3 ONLY Triangle Bias; TL508(L2) on 14"x25" multi-piece rims. MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3650kg ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$2,830
L	559-6568	TIRES,17.5R25 TR TB515 1* MP 0 FOR USE IN LANE 3 ONLY Triangle Radial; TB515 on 14"x25" multi-piece rims. MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3650kg ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$5,440
L	572-7011	RIMS ONLY, 254MM X 610MM MP 0 RIMS ONLY; 10"x24" multi-piece rims. Only for use with EPC or container shipments. Not for use with EUR Dealers. ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$-1,805
L	572-7012	RIMS ONLY, 356MM X 635MM MP 0 RIMS ONLY; 14"x25" multi-piece rims. Only for use with EPC or container shipments. Not for use with EUR Dealers. ONLY FOR USE WITH: 558-0440 140GC 01A AWD MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$-1,095

TIRES TND

L	340-2640	TIRES,14.00-24 TR TL508 12PRSP 185 FOR USE IN LANE 3 ONLY Triangle Bias; TL508(L2) on 9"x24" single-piece rim. DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3075kg ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$-5,700
L	368-9751	TIRES,14.00-24 TR TL508 12PRMP 187 Triangle Bias; TL508(L2) on 10"x24" multi-piece rims. MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3075kg ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$-2,130

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES TND (Cont.)

L	252-0720	TIRES, 14.0R24 BS VUT * L2 MP 1,012 Bridgestone Radial; VUT(G2) on 10"x24" multi-piece rims. ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$2,240
L	340-2642	TIRES, 17.5-25 TR TL508 16PR MP 1,080 FOR USE IN LANE 3 ONLY Triangle Bias; TL508(L2) on 14"x25" multi-piece rims. MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3650kg ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$2,020
L	382-1741	TIRES, 17.5R25 TR TB515 1* MP 1,080 FOR USE IN LANE 3 ONLY Triangle Radial; TB515 on 14"x25" multi-piece rims. MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 3650kg ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$4,290
L	538-6009	TIRES, 17.5-25 TR TL508 12PR MP 0 Triangle Bias; TL508 on 14"x25" multi-piece rims. MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIVIDUAL TIRE LOADS EXCEEDING 2900kg ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$350
L	252-0115	RIMS ONLY, 10" X 24" MP -398 RIMS ONLY; 10"x24" multi-piece rims. Only for use with container shipment Not for use with EUR orders. ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$-1,805
L	252-0118	RIMS ONLY, 14" X 25" MP -229 RIMS ONLY; 14"x25" multi-piece rims. Only for use with container shipment Not for use with EUR orders. ONLY FOR USE WITH: 525-9809 140GC 01A MOTOR GRADER 558-0453 140GC 01A MOTOR GRADER 577-1630 140GC 01A MOTOR GRADER		\$-1,095

OTHER ATTACHMENTS

HYDRAULIC LEAN LOCK

L	437-0690	NO LOCK OUT, CAB 0 Includes plate and screw-truss head for cab. It's required for cab without mechanical lock. CANNOT BE USED WITH: 537-5610 CANOPY, ROPS		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

HYDRAULIC LEAN LOCK (Cont.)

L	453-2908	LOCK OUT, MANUAL 5 Mechanically locks all moldboard, machine and attachment control levers during machine roading. This attachment is required for China when motor grader is travelling on public roads or long distance off road. CANNOT BE USED WITH: 537-5610 CANOPY, ROPS		\$1,375
---	----------	---	--	---------

WALKWAY AND FENDER PACKAGES

L	532-6677	NO WALKWAY AND FENDERS 0 CANNOT BE USED WITH: INDIA		NC
L	563-7617	WALKWAY 0 FOR USE IN LANE 3 ONLY Includes tandem axle with walkway mounted		\$263
L	563-7618	WALKWAY AND FENDER 0 FOR USE IN LANE 3 ONLY Includes tandem axle with walkway and rear metallic fender mounted.		\$3,940

DECALS PACKAGES

L	580-8041	DECALS, ANSI 0 Provides decals as required by ANSI ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		NC
L	609-2631	DECALS, ANSI, AWD 0 Provides decals as required by ANSI ONLY FOR USE WITH: 558-0455 140GC 01A AWD MOTOR GRADER		NC

INSTRUCTIONS

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 Kit will include instructions and parts CD in the legally required language, based on shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		NC
--	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES

REAR WORK TOOLS

L	538-8837	HITCH, TOWING 0 FOR USE IN LANE 3 ONLY Does not include pin		\$620
L	537-5607	RIPPER. 0 (NO PUSH PLATE) Hydraulic, rear mounted ripper with three straight ripper shanks and teeth. Can accommodate up to five ripper shanks and/or 9 Scarifier teeth. Which must be ordered separately. Recommend use with 536-0450 PUSH PLATE, COUNTERWEIGHT or 367-6842 PUSH PLATE, COUNTERWEIGHT HD to aid in balance of unit. CANNOT BE USED WITH: 580-8028 BASE +1 (MMS) 537-5601 HYDRAULICS, BASE		\$14,960

WORK TOOL

L	537-5608	FRONT BLADE PACKAGE 0 FOR USE IN LANE 3 ONLY INCLUDES: -Front blade -108"x35" (2750mm x 900mm) front blade with up and down hydraulic functions -Hydraulic line for front blade ONLY FOR USE WITH: 537-5605 BASE+2(RIP, FL) 558-0451 BASE + 2 (RIP, FL) 558-0452 BASE + 5 (DA1, FL, RIP, WM, WT) 589-5920 BASE + 5 (DA1, FL, RIP, WM, WT)		\$18,560
L	536-0450	PUSH PLATE, COUNTERWEIGHT 0 Front mounted. Recommended when machine is equipped with rear ripper / scarifier and other rear mounted attachments. 1000 Kg Push Plate Counterweight. NOTE: This cannot be used in conjunction with front lift worktool. CANNOT BE USED WITH: 537-5608 FRONT BLADE PACKAGE		\$5,310
L	367-6842	PUSH PLATE, COUNTERWEIGHT HD 2,822 Heavy duty Front mounted. Recommended when machine is equipped with rear ripper/scarifier and other rear mounted attachments. 1275 Kg Push Plate Counterweight. NOTE: This cannot be used in conjunction with front lift worktool. CANNOT BE USED WITH: 537-5608 FRONT BLADE PACKAGE 577-1630 140GC 01A MOTOR GRADER		\$5,810
L	565-4649	MID MOUNT SCARIFIER PACKAGE 0 INCLUDES: - Mid-mount Scarifier, V-Type with 13 Teeth - MOUNT, MID-MOUNT SCARIFIER ONLY FOR USE WITH: 580-8028 BASE +1 (MMS)		\$15,200

LIGHTS, FRONT AND REAR

L	533-6232	LIGHTS, FRONT AND REAR FACING 0 Provides six (4 front, 2 rear) halogen cab roof mounted roading lights REQUIRES: 533-1015 MOUNT, SWITCH GRP CANNOT BE USED WITH: 537-5610 CANOPY, ROPS		\$530
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

WORKING LIGHTS GROUP

P	533-6229	LIGHTS, WORKING, BASIC 0 Include the HEEL/TOE halogen working lights Total 4 halogen lights, two on each side facing moldboard.		\$790
P	533-6230	LIGHTS, WORKING, PLUS 0 Include the HEEL/TOE halogen working lights Total 6 halogen lights, two on each side facing moldboard and two in the rear aimed down at ripper.		\$1,065

OPERATOR ENVIRONMENT

CAMERA

L	533-6223	CAMERA, REAR VISION 0 Provides a 115 degree color camera mounted on the rear of the hood that is connected to a 7 inch (178mm) LCD color display mounted in the cab which shows the view behind the machine. CANNOT BE USED WITH: 537-5610 CANOPY, ROPS 577-1630 140GC 01A MOTOR GRADER		\$2,615
L	585-7337	CAMERA, REAR AND FRONT VISION 0 Provides a 115 degree color camera mounted on the rear of the hood that is connected to a 7 inch (178mm) LCD color display mounted in the cab which shows the view behind the machine. Also Provides 2 Front Cameras connected to a separate Monitor in the Cab. CANNOT BE USED WITH: 537-5610 CANOPY, ROPS 577-1630 140GC 01A MOTOR GRADER		\$4,640

RADIO

P	518-3026	RADIO, AM/FM, USB/BLUETOOTH 0 Radio, 12V, AM/FM, Bluetooth, USB, Aux Input REQUIRES: 533-1015 MOUNT, SWITCH GRP CANNOT BE USED WITH: 537-5610 CANOPY, ROPS 577-1630 140GC 01A MOTOR GRADER		\$600
---	----------	---	--	-------

OTHER ATTACHMENTS

TOOL BOX

L	536-0420	TOOL BOX 0 Includes: Tool box mounted to DCM Cat Pad lock		\$210
---	----------	---	--	-------

COVER GROUP

L	536-0430	COVERS, UNDER CAB OR CANOPY 0 Protects components under and bottom side of cab.		\$1,050
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

BEACON

L	576-7174	WARNING BEACON, CE 0 Provides amber high-speed strobe warning light and mounting bracket. CE Certified.		\$625
---	----------	---	--	-------

LICENSE PLATE

L	550-8854	PLATE, LICENSE 0 Provides license plate support with lighting group. Mounted to rear grill CANNOT BE USED WITH: 567-7247 REGIONAL PKG, INDIA		\$116
---	----------	--	--	-------

CIRCLE DRIVE INJECTOR GREASE

P	531-3390	CIRCLE SAVER 0 Helps the pinion maintain its lubrication caused by lack of grease in this component. Remote Circle Drive Greasing point (Zerk). Located top of drawbar for easy servicing of circle drive gear.		\$246
---	----------	---	--	-------

WIRING GROUP

L	589-5874	DIGITAL BLADE SLOPE METER 0 FOR USE IN LANE 3 ONLY An entry level real-time digital readout of the slope of the blade as a job aid to help an operator maintain a consistent slope. Can be used to measure/maintain true cross slope in a road when machine is NOT articulated and blade is perpendicular to machine. Does NOT automatically control elevation of one side of blade and is NOT upgradeable to Cat GRADE Cross Slope, Cross Slope Indicate, 2D (Cross Slope, Sonic, or Laser), or 3D (GPS or UTS) aftermarket options. Does NOT automatically control elevation of one side of blade and is NOT upgradeable to Cat GRADE Cross Slope, Cross Slope Indicate, 2D (Cross Slope, Sonic, or Laser), or 3D (GPS or UTS) aftermarket options. ONLY FOR USE WITH: 558-0453 140GC 01A MOTOR GRADER 558-0455 140GC 01A AWD MOTOR GRADER		\$2,945
---	----------	---	--	---------

MOUNTS

L	533-1015	MOUNT, SWITCH GROUP 0 Mounting group for front and rear cab lamps, radio ONLY FOR USE WITH: 533-6232 LIGHTS, FRONT AND REAR FACING 518-3026 RADIO, AM/FM, USB/BLUETOOTH		NC
---	----------	---	--	----

MISCELLANEOUS

L	580-8030	REFLECTOR GROUP 0 ISO 12509 Reflector Group. Required for Regions that require TUV, EAEU and CE.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

140GC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GROUND ENGAGING TOOLS

P	8J-1434	TOOTH, STRAIGHT 67 Ripper tooth group for rear ripper. Includes one straight shank with ripper tooth. Recommended order quantity of 2 ONLY FOR USE WITH: 537-5607 RIPPER		\$825
P	4K-3330	SHANKS/TEETH, RIPPER/SCARIFIER 152 Nine shanks for ripper and scarifier combination. Utilizes the scarifier shank positions on a ripper and scarifier combination. Will work with a mid mount scarifier. ONLY FOR USE WITH: 537-5607 RIPPER		\$1,446

DOCUMENTATION

CERTIFICATE OF ORIGIN

0P-1936	CERTIFICATE OF ORIGIN 0 A China Chamber of Commerce COO certificate will be issued with the machine as default. If a China CIQ COO Certificate is required, please note this on the order.		\$84 NET
---------	--	--	-----------------

PACKING

PACKING FOR MACHINE (Must Select One)

0P-4834	ROLL ON-ROLL OFF 0 Machine is in mobile condition and all attachments are installed unless specified. Required for EUR Orders placed with EPC. Optional for CIS and AME orders placed direct to the Qingzhou Factory. Requires 0G-4129 STORAGE PROTECTION for CIS and AME orders placed direct to the Qingzhou Factory. REQUIRES: 0G-4129 STORAGE PROTECTION REQUIRED BY: EU DEALERS		\$86 NET
---------	--	--	-----------------