

02/17/2020

# Chassis Specification

		Description	Front Weight	Rear Weight	Price	
<b>AUTOCAR TRUCKS</b>						
O	100A997	<b>REFERENCE CHASSIS</b>	REFERENCE SERIAL	0	0	0
			NUMBER... SPECIFY			
O	ENG0001	<b>ENGINEERING GROUP IDENTIFIER</b>	AUTOCAR ENGINEERING	0	0	0
O	ENG0002	<b>ENGINEERING GROUP IDENTIFIER</b>	PHOENIX ENGINEERING	0	0	0
S	0040002	<b>MODELS</b>	ACX64	10,431	6,154	180,050
S	5000001	<b>CAB SHELL</b>	SINGLE LEFT HAND DRIVE CAB	0	0	0
O	5000002	<b>CAB SHELL</b>	SINGLE RIGHT HAND DRIVE CAB	0	0	25
O	5000003	<b>CAB SHELL</b>	DUAL DRIVE LH AND RH SIT	34	-9	4,720
O	5000004	<b>CAB SHELL</b>	DUAL DRIVE LH SIT AND RH STAND	56	-20	9,580
O	100U001	<b>CUSTOMER TYPE</b>	MUNICIPAL	0	0	0
O	100U003	<b>CUSTOMER TYPE</b>	UNKNOWN (STOCK/DEMO)	0	0	0
O	100U002	<b>CUSTOMER TYPE</b>	PUBLIC/PRIVATE	0	0	0
O	100U200	<b>CUSTOMER TYPE</b>	NJPA/SOURCEWELL	0	0	1,000
<b>VEHICLE ADAPTATION</b>						
S	114010	<b>COUNTRY OF USE</b>	UNITED STATES STD MARKET ADAPTATION	0	0	0
O	1140005	<b>COUNTRY OF USE</b>	CALIFORNIA SPECIFIC U.S. VEHICLE ADAPTATION	0	0	0
O	114001	<b>COUNTRY OF USE</b>	CANADIAN STANDARD MARKET ADAPTATION	0	0	0
<b>SOLUTION</b>						
O	C04001	<b>BODY COMPANY</b>	HEIL	0	0	0
O	C04003	<b>BODY COMPANY</b>	McNEILUS	0	0	0
O	C04004	<b>BODY COMPANY</b>	AMREP	0	0	0
O	C04006	<b>BODY COMPANY</b>	LABRIE	0	0	0
O	C04012	<b>BODY COMPANY</b>	NEW WAY	0	0	0
O	C049999	<b>BODY COMPANY</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
O	C02004	<b>BODY TYPE</b>	AUTOMATED SIDE LOADER	0	0	0
O	C02001	<b>BODY TYPE</b>	COMMERCIAL FRONT END LOADER	0	0	0
O	C02002	<b>BODY TYPE</b>	RESIDENTIAL FRONT END LOADER	0	0	0
O	C02003	<b>BODY TYPE</b>	REAR END LOADER	0	0	0

O	C02008	<b>BODY TYPE</b>	AUTOMATED/MANUAL SIDE LOADER	0	0	0
O	C02005	<b>BODY TYPE</b>	MANUAL SIDE LOADER	0	0	0
O	C02006	<b>BODY TYPE</b>	ROLLOFF	0	0	0
O	C02007	<b>BODY TYPE</b>	RECYCLER	0	0	0
O	C02012	<b>BODY TYPE</b>	PAINT STRIPER	0	0	0
O	C02009	<b>BODY TYPE</b>	CONCRETE PUMP	0	0	0
O	C02011	<b>BODY TYPE</b>	CONCRETE MIXER	0	0	0
O	C02010	<b>BODY TYPE</b>	TANKER (LIQUID)	0	0	0
O	C02013	<b>BODY TYPE</b>	DUMP TRUCK	0	0	0
O	C02014	<b>BODY TYPE</b>	CRANE	0	0	0
O	C02015	<b>BODY TYPE</b>	UTILITY BOOM	0	0	0
O	C02016	<b>BODY TYPE</b>	FIRE PUMPER	0	0	0
O	C02017	<b>BODY TYPE</b>	AIRPORT FUELER	0	0	0
O	C02018	<b>BODY TYPE</b>	AIRPORT DE-ICER	0	0	0
O	C020019	<b>BODY TYPE</b>	CONVEYOR BELT	0	0	0
O	C029999	<b>BODY TYPE</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
S	C070001	<b>FUEL SYSTEM TYPE</b>	DIESEL	0	0	0
O	C070002	<b>FUEL SYSTEM TYPE</b>	GAS/CNG/BODY MOUNTED TANKS	0	0	0
O	C070003	<b>FUEL SYSTEM TYPE</b>	GAS/CNG/BODY MOUNTED TANKS AND RAIL MOUNTED TANK	0	0	0
O	C079999	<b>FUEL SYSTEM TYPE</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
O	C06601	<b>BODY STYLE</b>	BRIDGEPORT HARD BODY	0	0	0
O	C06603	<b>BODY STYLE</b>	BRIDGEPORT RANGER	0	0	0
O	C06604	<b>BODY STYLE</b>	BRIDGEPORT TRINITY	0	0	0
O	C06602	<b>BODY STYLE</b>	BRIDGEPORT TROOPER	0	0	0
O	C06904	<b>BODY STYLE</b>	E-Z PACK APOLLO	0	0	0
O	C06905	<b>BODY STYLE</b>	E-Z PACK GOLIATH	0	0	0
O	C06901	<b>BODY STYLE</b>	E-Z PACK HERCULES FEL	0	0	0
O	C06902	<b>BODY STYLE</b>	KANN KE COMMERCIAL FRONT LOADER	0	0	0
O	C06913	<b>BODY STYLE</b>	LOADMASTER EXCEL-S	0	0	0
O	C06810	<b>BODY STYLE</b>	NORCAL WASTE EQUIPMENT - ROLLOFF	0	0	0
O	C06903	<b>BODY STYLE</b>	PAK MOR FL	0	0	0
O	C06910	<b>BODY STYLE</b>	PAK MOR RL	0	0	0
O	C06911	<b>BODY STYLE</b>	PAK MOR SL	0	0	0
O	C069999	<b>BODY STYLE</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
O	C05011	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	11 YARD	0	0	0
O	C05013	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	13 YARD	0	0	0

<b>O</b>	C05014	<b>TOTAL BODY CAPACITY - 14 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05015	<b>TOTAL BODY CAPACITY - 15 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05016	<b>TOTAL BODY CAPACITY - 16 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05017	<b>TOTAL BODY CAPACITY - 17 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05018	<b>TOTAL BODY CAPACITY - 18 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05019	<b>TOTAL BODY CAPACITY - 19 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05020	<b>TOTAL BODY CAPACITY - 20 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05021	<b>TOTAL BODY CAPACITY - 21 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05022	<b>TOTAL BODY CAPACITY - 22 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05023	<b>TOTAL BODY CAPACITY - 23 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05024	<b>TOTAL BODY CAPACITY - 24 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05025	<b>TOTAL BODY CAPACITY - 25 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05026	<b>TOTAL BODY CAPACITY - 26 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05027	<b>TOTAL BODY CAPACITY - 27 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05028	<b>TOTAL BODY CAPACITY - 28 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05029	<b>TOTAL BODY CAPACITY - 29 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05030	<b>TOTAL BODY CAPACITY - 30 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05031	<b>TOTAL BODY CAPACITY - 31 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05032	<b>TOTAL BODY CAPACITY - 32 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05033	<b>TOTAL BODY CAPACITY - 33 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05034	<b>TOTAL BODY CAPACITY - 34 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05035	<b>TOTAL BODY CAPACITY - 35 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05036	<b>TOTAL BODY CAPACITY - 36 YARD BODY/HOPPER</b>	0	0	0
<b>O</b>	C05037	<b>TOTAL BODY CAPACITY - 37 YARD BODY/HOPPER</b>	0	0	0

O	C05038	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	38 YARD	0	0	0
O	C05039	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	39 YARD	0	0	0
O	C05040	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	40 YARD	0	0	0
O	C05041	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	41 YARD	0	0	0
O	C05042	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	42 YARD	0	0	0
O	C05043	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	43 YARD	0	0	0
O	C05044	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	44 YARD	0	0	0
O	C05045	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	45 YARD	0	0	0
O	C05046	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	46 YARD	0	0	0
O	C05048	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	48 YARD	0	0	0
O	C059999	<b>TOTAL BODY CAPACITY - BODY/HOPPER</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
S	C090003	<b>AXLE QUANTITY</b>	3 AXLE	0	0	0
O	C090004	<b>AXLE QUANTITY</b>	4 AXLE	0	0	0
O	C090005	<b>AXLE QUANTITY</b>	5 AXLE	0	0	0
O	C099999	<b>AXLE QUANTITY</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
S	C080001	<b>REAR SUSPENSION TYPE</b>	STD/BEAM TYPE REAR SUSPENSION	0	0	0
O	C080002	<b>REAR SUSPENSION TYPE</b>	AIR RIDE REAR SUSPENSION	0	0	0
O	C089999	<b>REAR SUSPENSION TYPE</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
O	C01003	<b>APPLICATION</b>	REFUSE - LANDFILL	0	0	0
O	C01004	<b>APPLICATION</b>	REFUSE - TRANSFER STATION	0	0	0
O	C010016	<b>APPLICATION</b>	CONCRETE PUMP	0	0	0
O	C010017	<b>APPLICATION</b>	CONVEYOR BELT	0	0	0
O	C01002	<b>APPLICATION</b>	PAINT STRIPER	0	0	0
O	C01005	<b>APPLICATION</b>	CONSTRUCTION / UTILITY	0	0	0
O	C01008	<b>APPLICATION</b>	CRANE/UTILITY	0	0	0
O	C01007	<b>APPLICATION</b>	AIRPORT SERVICE	0	0	0
O	C01006	<b>APPLICATION</b>	EMERGENCY/FIRE	0	0	0
O	C019999	<b>APPLICATION</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
O	C03001	<b>TERRITORY</b>	EAST COAST	0	0	0
O	C03002	<b>TERRITORY</b>	WEST COAST	0	0	0
O	C03003	<b>TERRITORY</b>	CENTRAL	0	0	0

O	C03004	<b>TERRITORY</b>	CANADA	0	0	0
O	C03005	<b>TERRITORY</b>	EXPORT - SPECIFY	0	0	0
N	C031002	<b>TERRITORY</b>	GUAM/U.S. PACIFIC TERRITORIES	0	0	9,999,999
O	C039999	<b>TERRITORY</b>	UNDETERMINED / ALTER TO SPECIFY	0	0	0
O	D010200	<b>FRONT GAWR</b>	20000 LBS	0	0	0
O	D010188	<b>FRONT GAWR</b>	18800 LBS	0	0	0
O	D010180	<b>FRONT GAWR</b>	18000 LBS	0	0	0
O	D010165	<b>FRONT GAWR</b>	16500 LBS	0	0	0
O	D010160	<b>FRONT GAWR</b>	16000 LBS	0	0	0
O	D010132	<b>FRONT GAWR</b>	13200 LBS	0	0	0
O	D010187	<b>FRONT GAWR</b>	18700 LBS (TIRE LIMITED)	0	0	0
O	D010181	<b>FRONT GAWR</b>	18100 LBS (TIRE LIMITED)	0	0	0
O	D010145	<b>FRONT GAWR</b>	14500 LBS	0	0	0
O	D010147	<b>FRONT GAWR</b>	14700 LBS (TIRE LIMITED)	0	0	0
O	D010000	<b>FRONT GAWR</b>	OTHER - SPECIFY FRONT GAWR	0	0	0
O	D020400	<b>REAR GAWR</b>	40000 LBS	0	0	0
O	D020440	<b>REAR GAWR</b>	44000 LBS	0	0	0
O	D020449	<b>REAR GAWR</b>	44900 LBS (WHEEL/TIRE COMBO LIMITED)	0	0	0
O	D020460	<b>REAR GAWR</b>	46000 LBS	0	0	0
O	D020520	<b>REAR GAWR</b>	52000 LBS	0	0	0
O	D020000	<b>REAR GAWR</b>	OTHER - SPECIFY REAR GAWR	0	0	0
O	D030110	<b>TAG AXLE GAWR</b>	11000 LBS (TIRE LIMITED)	0	0	0
O	D030127	<b>TAG AXLE GAWR</b>	12700 LBS	0	0	0
O	D030132	<b>TAG AXLE GAWR</b>	13200 LBS	0	0	0
O	D030135	<b>TAG AXLE GAWR</b>	13500 LBS	0	0	0
O	D030200	<b>TAG AXLE GAWR</b>	20000 LBS	0	0	0
O	D030000	<b>TAG AXLE GAWR</b>	OTHER - CUSTOMER SUPPLIED TAG	0	0	0
O	D040110	<b>PUSHER AXLE GAWR</b>	11000 LBS (TIRE LIMITED)	0	0	0
O	D040127	<b>PUSHER AXLE GAWR</b>	12700 LBS	0	0	0
O	D040135	<b>PUSHER AXLE GAWR</b>	13500 LBS	0	0	0
O	D040200	<b>PUSHER AXLE GAWR</b>	20000 LBS	0	0	0
O	D040000	<b>PUSHER AXLE GAWR</b>	OTHER - CUSTOMER SUPPLIED PUSHER	0	0	0
O	D100525	<b>GVWR</b>	52500 LBS	0	0	0
O	D100545	<b>GVWR</b>	54500 LBS	0	0	0
O	D100560	<b>GVWR</b>	56000 LBS	0	0	0
O	D100580	<b>GVWR</b>	58000 LBS	0	0	0
O	D100600	<b>GVWR</b>	60000 LBS	0	0	0
O	D100620	<b>GVWR</b>	62000 LBS (TRANSMISSION LIMITED)	0	0	0

O	D100640	GVWR	64000 LBS	0	0	0
O	D100641	GVWR	64100 LBS	0	0	0
O	D100649	GVWR	64900 LBS	0	0	0
O	D100660	GVWR	66000 LBS	0	0	0
O	D100668	GVWR	66800 LBS (PARK BRAKE LIMITED)	0	0	0
O	D100710	GVWR	71000 LBS	0	0	0
O	D100720	GVWR	72000 LBS	0	0	0
O	D100727	GVWR	72700 LBS	0	0	0
O	D100735	GVWR	73500 LBS	0	0	0
O	D100759	GVWR	75900 LBS	0	0	0
O	D100768	GVWR	76800 LBS (PARK BRAKE LIMITED)	0	0	0
O	D100770	GVWR	77000 LBS	0	0	0
O	D100783	GVWR	78300 LBS	0	0	0
O	D100790	GVWR	79000 LBS	0	0	0
O	D100792	GVWR	79200 LBS	0	0	0
O	D100795	GVWR	79500 LBS	0	0	0
O	D100800	GVWR	80000 LBS	0	0	0
O	D100000	GVWR	OTHER - SPECIFY GVWR	0	0	0

**ENGINE**

S	1580001	ENGINE VOCATION	COMMERCIAL - DOMESTIC (DOT)	0	0	0
S	1012002	ENGINE ASSY	L9 '17 350HP / 2200RPM / 1150 LB-FT, CUMMINS	0	0	0
O	1012000	ENGINE ASSY	L9 '17 300HP / 2200RPM / 860 LB-FT, CUMMINS	0	0	-2,130
O	1012001	ENGINE ASSY	L9 '17 330HP / 2200RPM / 1000 LB-FT, CUMMINS	0	0	-1,065
O	1012003	ENGINE ASSY	L9 '17, 370HP / 2100RPM / 1250 LB-FT, CUMMINS	0	0	3,845
O	1012013	ENGINE ASSY	X12 '18 380 HP / 2000RPM / 1450 LB-FT, CUMMINS	0	0	16,090
O	1012014	ENGINE ASSY	X12 '18 350 HP / 2000RPM / 1350 LB-FT, CUMMINS	0	0	13,300
N	1012012	ENGINE ASSY	L9N '18 300 HP @ 2200 / 860 LB-FT, CUMMINS	0	0	9,820
N	1012011	ENGINE ASSY	L9N '18 320 HP @ 2200 / 1000 LB-FT, CUMMINS	0	0	13,420
N	1012019	ENGINE ASSY	ISX12N, '18 350 HP @ 2100 / 1350 LB-FT, CUMMINS	0	0	29,205
N	1012020	ENGINE ASSY	ISX12N, '18 330 HP @ 2100 / 1250 LB-FT, CUMMINS	0	0	28,855
O	1012015	ENGINE ASSY	X12 '18 430 HP / 2000RPM / 1550 LB-FT, CUMMINS	0	0	16,745
O	1012016	ENGINE ASSY	X12 '18 455 HP / 2000RPM / 1550 LB-FT, CUMMINS	0	0	16,865

O	1012018	<b>ENGINE ASSY</b>	X12 '18 500 HP / 1900RPM / 1695 LB-FT, CUMMINS	0	0	18,230
S	4460001	<b>FUEL TYPE</b>	ULTRA-LOW SULPHUR DIESEL FUEL REQUIRED	0	0	0
N	4460002	<b>FUEL TYPE</b>	COMPRESSED NATURAL GAS	0	0	0
N	4460003	<b>FUEL TYPE</b>	LIQUIFIED NATURAL GAS	0	0	0
S	972A001	<b>SPECIAL EMISSION CERTIFICATION LABELS</b>	50 STATE - CALIFORNIA CLEAN IDLE CERTIFIED (DIESEL)	0	0	0
N	972A002	<b>SPECIAL EMISSION CERTIFICATION LABELS</b>	49 STATE-NO LABEL REQUIRED	0	0	0
N	972A004	<b>SPECIAL EMISSION CERTIFICATION LABELS</b>	CALIFORNIA C.A.R.B. CERT.- NAT. GAS (NO LABEL REQUIRED)	0	0	0
N	972A206	<b>SPECIAL EMISSION CERTIFICATION LABELS</b>	EPA/CARB HHDE CERT NAT GAS (NO LABEL REQUIRED - GVWR OVER 40K)	0	0	0
N	972A207	<b>SPECIAL EMISSION CERTIFICATION LABELS</b>	EPA/CARB MHDE CERT NAT GAS (NO LABEL REQUIRED - GVWR 40K AND UNDER)	0	0	0

**ENGINE EQUIP**

O	1222000	<b>PTO-ENGINE FRONT</b>	FEPTO ADAPTER (3.75" BCD with 2.75" MALE PILOTED FLANGE YOKE - 7/16-20 BOLTS)	40	-9	590
N	1222001	<b>PTO-ENGINE FRONT</b>	FEPTO ADAPTER (4.25" BCD with 2" FEM PILOTED FLANGE YOKE - 7/16-20 BOLTS)	40	-9	590
S	128071	<b>ENGINE CONTROL SPECIFICATIONS</b>	DEFAULT SPECS	0	0	0
O	128072	<b>ENGINE CONTROL SPECIFICATIONS</b>	ELECTRONIC ENGINE NON- DEFAULT SPECS	0	0	0
S	1290004	<b>ENGINE ELECTRONICS</b>	CUMMINS 500K COMMUNICATION	0	0	0
N	1290001	<b>ENGINE ELECTRONICS</b>	CUMMINS DIESEL, W/PARKED MANUAL REGEN INITIATE SWITCH	0	0	0
N	1290003	<b>ENGINE ELECTRONICS</b>	CUMMINS GAS, CM2180A	0	0	0
O	1310006	<b>BRAKE-ENGINE</b>	CUMMINS VGT EXHAUST BRAKE	1	0	50
O	1310001	<b>BRAKE-ENGINE</b>	C BRAKE BY JACOBS 1 POSITION FOR ISL/ISC	80	10	2,300
N	1310002	<b>BRAKE-ENGINE</b>	C BRAKE BY JACOBS 2 POSITION FOR X ENGINES	80	10	2,500
S	132034	<b>ENGINE PROTECT SYSTEM/WARNINGS</b>	AUDIBLE/VISUAL ALARM/LOP, HT, LWL	0	0	0

S	4382000	<b>FILTER-FUEL, CHASSIS MOUNTED</b>	FLEETGUARD FS 1098 F/W SEPARATOR W/PROBE AND DASH LIGHT	0	0	0
O	4382001	<b>FILTER-FUEL, CHASSIS MOUNTED</b>	FLEETGUARD FS 1098 F/W SEPARATOR W/HEATER AND PROBE AND DASH LIGHT	0	0	100
O	4382003	<b>FILTER-FUEL, CHASSIS MOUNTED</b>	DAVCO 245 W/ H2O PROBE & 12V HEAT	0	0	150
N	4380013	<b>FILTER-FUEL, CHASSIS MOUNTED</b>	DAVCO 382 FILTER W/ 12V HEAT & H2O PROBE	5	1	0
N	438998	<b>FILTER-FUEL, CHASSIS MOUNTED</b>	NO ADDITIONAL FUEL FILTER PROVIDED	-3	0	-230
S	1700001	<b>FILTER-FUEL, ENGINE MOUNTED</b>	SECONDARY SPIN-ON FILTER, REMOTE MTD.	0	0	0
N	1700002	<b>FILTER-FUEL, ENGINE MOUNTED</b>	FLEETGUARD FS1000 FILTER - REMOTE MOUNTED	-8	3	65
N	170025	<b>FILTER-FUEL, ENGINE MOUNTED</b>	CUMMINS SPIN-ON FILTER	-5	0	0
N	170104	<b>FILTER-FUEL, ENGINE MOUNTED</b>	NATURAL GAS FUEL CLEANER	0	0	0
N	170998	<b>FILTER-FUEL, ENGINE MOUNTED</b>	NO SECONDARY FUEL FILTER PROVIDED	-3	0	0
O	1122000	<b>LUBE SYSTEM-INCL W/ENGINE</b>	OIL DRAIN SYSTEM	0	0	255
S	1750001	<b>ENGINE OIL</b>	STANDARD ENGINE OIL	0	0	0
O	1760001	<b>ENGINE OIL SAMPLING PROVISION</b>	ENGINE OIL SAMPLING PORT	1	0	100
O	180024	<b>ENGINE BLOCK HEATER</b>	PHILLIPS 120V 1000 WATT	5	0	65
N	180021	<b>ENGINE BLOCK HEATER</b>	PHILLIPS 120V 1500W	5	0	115
N	1810003	<b>HEATER RECEPTICAL LOCATION-ENGINE</b>	RECEPTACLE LOCATED AT CAB STEPS, RH SIDE	0	0	0
N	1810004	<b>HEATER RECEPTICAL LOCATION-ENGINE</b>	RECEPTACLE LOCATED AT CAB STEPS, LH SIDE	1	0	100
S	2000004	<b>RADIATOR</b>	1300 SQ. IN., 2-ROW HIGH CAPACITY ALUMINUM	0	0	0
S	2080001	<b>FAN &amp; DRIVE-ENGINE</b>	2-SPEED FAN	0	0	0
O	2082001	<b>FAN &amp; DRIVE-ENGINE</b>	ENGINE PARAMETER CONTROLLED ON / OFF FAN CLUTCH	0	0	210
S	2090001	<b>RADIATOR COOLANT</b>	EXTENDED LIFE COOLANT	0	0	0
S	2120003	<b>RADIATOR SURGE TANK</b>	STANDARD SURGE TANK W/ SIGHT GLASS	0	0	0
N	2120001	<b>RADIATOR SURGE TANK</b>	SURGE TANK WITH REMOTE FILL	0	0	0
S	2200001	<b>AIR CLEANER</b>	15" ONE STAGE EPG CLEANER DONALDSON	0	0	0



O	2200002	<b>AIR CLEANER</b>	15" ONE STAGE EPG CLEANER W/SAFETY ELEMENT DONALDSON	3	0	50
O	220052	<b>AIR CLEANER</b>	16" TWO STAGE	28	3	305
S	226001	<b>AIR INTAKE RAIN CAP</b>	BLACK, HOOD TYPE	0	0	0
O	226002	<b>AIR INTAKE RAIN CAP</b>	CHROME PLATED HOOD TYPE	0	0	116
O	227001	<b>AIR INTAKE PRECLEANER</b>	DONALDSON	24	0	310
O	2302001	<b>MUFFLER SYSTEM</b>	LH VERT HORIZ DPF/SCR	0	0	0
S	2302000	<b>MUFFLER SYSTEM</b>	RH VERT HORIZ DPF/SCR	0	0	0
N	2300012	<b>MUFFLER SYSTEM</b>	HORZ CATALYST W/ RH VERT OUTLET	0	0	0
N	2300011	<b>MUFFLER SYSTEM</b>	HORZ CATALYST W/ LH VERT OUTLET	0	0	0
S	2310003	<b>EXHAUST SHIELDS</b>	DPF & SCR SHIELDS	0	0	0
N	2310002	<b>EXHAUST SHIELDS</b>	STAINLESS STEEL HORZ MUFF SHIELD-SINGLE	0	0	0
N	2310005	<b>EXHAUST SHIELDS</b>	STAINLESS STEEL MUFFLER SHIELD-SINGLE W/EXHAUST BLANKET (FOR NATURAL GAS ENGINES)	0	0	425
N	2310001	<b>EXHAUST SHIELDS</b>	UNPAINTED ALUM HORIZ MUFF SHIELD-SINGLE	0	0	0
N	231001	<b>EXHAUST SHIELDS</b>	STAINLESS STEEL VERT MUFF SHIELD-SINGLE	0	0	0
O	2322001	<b>EXHAUST STACKS</b>	90 DEGREE SIDE OUT DIFFUSER	0	0	0
S	2320003	<b>EXHAUST STACKS</b>	VERTICAL DIFFUSER, SINGLE STAINLESS STEEL	0	0	0
N	2320006	<b>EXHAUST STACKS</b>	HORIZONTAL DIFFUSER, STAINLESS STEEL	0	0	0
S	115A200	<b>TURBO HEAT SHIELD</b>	TURBO HEAT SHIELD	0	0	0
N	115A201	<b>TURBO HEAT SHIELD</b>	FULL ENGINE / AFTERTREATMENT SHIELDING	0	0	999
S	2390002	<b>UREA DELIVERY SYSTEM</b>	OVER-FENDER MTD., LH SIDE, 10 GAL. CAPACITY	0	0	0
N	2390003	<b>UREA DELIVERY SYSTEM</b>	LH FRAME MOUNTED, 10 GAL. CAPACITY	0	0	200
N	2390004	<b>UREA DELIVERY SYSTEM</b>	RH FRAME MOUNTED, 10 GAL. CAPACITY	0	0	300
N	2390001	<b>UREA DELIVERY SYSTEM</b>	OVER-FENDER MTD., RH SIDE, 10 GAL. CAPACITY	0	0	0
N	2390006	<b>UREA DELIVERY SYSTEM</b>	OVER-FENDER MTD., LH SIDE, 5 GAL. CAPACITY	-5	0	0
N	2390005	<b>UREA DELIVERY SYSTEM</b>	OVER-FENDER MTD., RH SIDE, 5 GAL. CAPACITY	-5	0	0
N	239998	<b>UREA DELIVERY SYSTEM</b>	NO DEF TANK PROVIDED	-30	-4	0

S	5300001	<b>ENGINE/EXHAUST COVER</b>	ALUM TURBO/EXHAUST PIPE DEBRIS SHIELD	0	0	0
S	700026	<b>AIR COMPRESSOR</b>	CUMMINS WABCO 18.7 CFM COMPRESSOR	0	0	0
N	7002000	<b>AIR COMPRESSOR</b>	CUMMINS WABCO 25.9 CFM COMPRESSOR	0	0	0
S	8200003	<b>STARTING MOTOR</b>	DELCO REMY 12V 39 MT W/OCP	0	0	0
N	8200005	<b>STARTING MOTOR</b>	DELCO REMY 12V 44MT W / OCP	8	0	275
S	8020004	<b>ALTERNATOR</b>	DELCO REMY 36SI 12V 160 AMP	13	0	0
O	802114	<b>ALTERNATOR</b>	DELCO REMY 12V 130AMP 22SI	0	0	-130
O	802115	<b>ALTERNATOR</b>	DELCO REMY 12V 145AMP 22SI	0	0	-40
O	8020005	<b>ALTERNATOR</b>	DELCO REMY 180 AMP, 28SI PAD MTD.	5	0	50
O	8020006	<b>ALTERNATOR</b>	DELCO REMY 200 AMP, 28SI PAD MTD.	5	0	190
O	8020002	<b>ALTERNATOR</b>	LEECE NEVILLE 12V 200 AMP 4900	5	0	389
S	P010065	<b>VEHICLE GOVERNED SPEED LIMIT</b>	SPEED LIMIT 65MPH	0	0	0
S	P020001	<b>ENGINE IDLE SHUT DOWN</b>	ENGINE IDLE SHUT DOWN ENABLED ( 5 MINUTES )	0	0	0
O	P020002	<b>ENGINE IDLE SHUT DOWN</b>	ENGINE IDLE SHUT DOWN DISABLED	0	0	0
O	P020003	<b>ENGINE IDLE SHUT DOWN</b>	ENGINE SHUTDOWN ENABLED (3 MINUTES)	0	0	0
O	P020010	<b>ENGINE IDLE SHUT DOWN</b>	ENGINE IDLE SHUTDOWN ENABLED (10 MINUTES)	0	0	0
O	P020015	<b>ENGINE IDLE SHUT DOWN</b>	ENGINE IDLE SHUTDOWN ENABLED (15 MINUTES)	0	0	0
S	P030001	<b>CRUISE CONTROL PARAMETER</b>	CRUISE CONTROL ENABLED	0	0	0
O	P030002	<b>CRUISE CONTROL PARAMETER</b>	CRUISE CONTROL DISABLED	0	0	0
S	P641200	<b>RPM PTO MODE</b>	1200 RPM MAX IN PTO	0	0	0
O	P641350	<b>RPM PTO MODE</b>	1350 RPM MAX IN PTO	0	0	0
O	P641450	<b>RPM PTO MODE</b>	1450 RPM MAX IN PTO	0	0	0
O	P641500	<b>RPM PTO MODE</b>	1500 RPM MAX IN PTO	0	0	0
O	P641650	<b>RPM PTO MODE</b>	1650 RPM MAX IN PTO	0	0	0
O	P641550	<b>RPM PTO MODE</b>	1550 RPM MAX IN PTO	0	0	0
S	P701200	<b>PTO SET SWITCH</b>	PTO SET SWITCH = 1200 RPM	0	0	0
O	P700850	<b>PTO SET SWITCH</b>	PTO SET SWITCH = 850 RPM	0	0	0
O	P700950	<b>PTO SET SWITCH</b>	PTO SET SWITCH = 950 RPM	0	0	0
O	P701100	<b>PTO SET SWITCH</b>	PTO SET SWITCH = 1100 RPM	0	0	0

O	P701500	<b>PTO SET SWITCH</b>	PTO SET SWITCH = 1500 RPM	0	0	0
S	P711000	<b>PTO RESUME SWITCH</b>	PTO RESUME SWITCH = 1000 RPM	0	0	0
O	P710850	<b>PTO RESUME SWITCH</b>	PTO RESUME SWITCH = 850 RPM	0	0	0
O	P710950	<b>PTO RESUME SWITCH</b>	PTO RESUME SWITCH = 950 RPM	0	0	0
O	P711700	<b>PTO RESUME SWITCH</b>	PTO RESUME SWITCH = 1700 RPM	0	0	0
O	P711500	<b>PTO RESUME SWITCH</b>	PTO RESUME SWITCH = 1500 RPM	0	0	0
O	P711100	<b>PTO RESUME SWITCH</b>	PTO RESUME SWITCH = 1100 RPM	0	0	0

**TRANSMISSION**

S	2580003	<b>VOCATION</b>	RDS REFUSE - VOC 400-XXX	0	0	0
O	2580001	<b>VOCATION</b>	RDS ON/OFF HIGHWAY - VOC 120-XXX	0	0	0
O	2580002	<b>VOCATION</b>	RDS CONSTRUCTION - VOC 140-XXX	0	0	0
O	2580005	<b>VOCATION</b>	RDS AIRPORT SERVICE - VOC 100-XXX	0	0	0
S	2690014	<b>CONTROL MODULE (ELECT)</b>	REFUSE W/ AUTO-NEUTRAL, VP142	0	0	0
O	2690020	<b>CONTROL MODULE (ELECT)</b>	ON / OFF HIGHWAY, VP223 (DOES NOT HAVE AUTO NEUTRAL)	0	0	0
O	2690017	<b>CONTROL MODULE (ELECT)</b>	REFUSE W/ AUTO-NEUTRAL, VP145	0	0	0
O	2690019	<b>CONTROL MODULE (ELECT)</b>	REFUSE W/ AUTO-NEUTRAL & SERVICE BRAKE, VP170	0	0	0
N	2690015	<b>CONTROL MODULE (ELECT)</b>	REFUSE W/ AUTO-NEUTRAL, VP183 - THIRD GEAR LIMIT RHS	0	0	0
N	2690011	<b>CONTROL MODULE (ELECT)</b>	REFUSE W/ AUTO-NEUTRAL & SERVICE BRAKE VP168 - THIRD GEAR LIMIT RHS	0	0	0
O	2690016	<b>CONTROL MODULE (ELECT)</b>	BASIC REFUSE, VP180 (DOES NOT HAVE AUTO NEUTRAL)	0	0	0
O	2690025	<b>CONTROL MODULE (ELECT)</b>	REFUSE W / AUTO NEUTRAL & SERVICE BRAKE VP168 - SECOND GEAR LIMIT RHS	0	0	0
O	2690018	<b>CONTROL MODULE (ELECT)</b>	CONSTRUCTION, VP146	0	0	0
O	2690021	<b>CONTROL MODULE (ELECT)</b>	PREMIUM W/ SPLIT SHAFT, VP149	0	0	0
O	2690022	<b>CONTROL MODULE (ELECT)</b>	PREMIUM W/ SPLIT SHAFT, VP150	0	0	0

O	2690013	<b>CONTROL MODULE (ELECT)</b>	PREMIUM UTILITY SPLIT SHAFT, VP172	0	0	0
O	2690002	<b>CONTROL MODULE (ELECT)</b>	PARKER RUNWISE PROGRAMMING	0	0	0
O	27A0001	<b>TRANSMISSION RETARDER</b>	ALLISON OUTPUT RETARDER RDS TRANSMISSION	125	25	6,800
S	26A0001	<b>TRANSMISSION SHIFT SCHEDULE / FUEL SENSE</b>	PRIMARY PERFORMANCE / SECONDARY ECONOMY	0	0	0
O	26A2000	<b>TRANSMISSION SHIFT SCHEDULE / FUEL SENSE</b>	FUEL SENSE BASIC	0	0	530
O	26A2001	<b>TRANSMISSION SHIFT SCHEDULE / FUEL SENSE</b>	FUEL SENSE PLUS	0	0	580
O	26A2002	<b>TRANSMISSION SHIFT SCHEDULE / FUEL SENSE</b>	FUEL SENSE MAX	0	0	610
N	PT10001	<b>TRANS DIRECTION CHANGE SHIFT INHIBIT</b>	SHIFT INHIBIT ENABLED	0	0	0
N	PT12000	<b>TRANS DIRECTION CHANGE SHIFT INHIBIT</b>	SHIFT INHIBIT ENABLED IN PTO MODE	0	0	0
S	27P0000	<b>TRANSMISSION RETARDER AUDIBLE ALARM</b>	NO TRANSMISSION RETARDER AUDIBLE ALARM	0	0	0
N	27P0001	<b>TRANSMISSION RETARDER AUDIBLE ALARM</b>	TRANSMISSION RETARDER AUDIBLE ALARM	0	0	0
S	2700021	<b>TRANSMISSION</b>	ALLISON 3000 SERIES, 5-SPEED	0	0	0
O	2700022	<b>TRANSMISSION</b>	ALLISON 3000 SERIES, 6-SPEED	0	0	0
N	2700023	<b>TRANSMISSION</b>	ALLISON 3500 SERIES, 5-SPEED	0	0	-380
N	2700024	<b>TRANSMISSION</b>	ALLISON 3500 SERIES, 6-SPEED	0	0	-380
O	2700027	<b>TRANSMISSION</b>	ALLISON 4500 SERIES, 5-SPEED	384	59	13,845
O	2700028	<b>TRANSMISSION</b>	ALLISON 4500 SERIES, 6-SPEED	384	59	13,845
S	287A200	<b>TRANSMISSION BREATHER</b>	TRANSMISSION REMOTE BREATHER	0	0	0
O	287A201	<b>TRANSMISSION BREATHER</b>	TRANSMISSION REMOTE BREATHER (WM)	0	0	70
S	284016	<b>TRANSMISSION CONTROLS</b>	ALLISON PUSHBUTTON CONTROLS	0	0	0
S	286005	<b>COOLER-TRANSMISSION OIL</b>	OIL TO WATER TYPE	0	0	0
S	290003	<b>TRANSMISSION OIL FILL/CHECK</b>	OIL FILL TUBE / DIPSTICK W/ LEVEL SENSOR	0	0	0

O	2900004	<b>TRANSMISSION OIL FILL/CHECK</b>	TRANS FLUID WITH DIPSTICK AND THREADED OIL SAMPLE PORT	1	0	50
S	292004	<b>TRANSMISSION LUBRICANT</b>	TRANSYND SYNTHETIC AUTO TRANS FLUID	0	0	0
S	300011	<b>DRIVESHAFT-MAIN</b>	SPICER 1760HD HALF ROUND	0	0	0
O	300015	<b>DRIVESHAFT-MAIN</b>	SPICER 1710HD HALF ROUND	-5	-10	0
N	300013	<b>DRIVESHAFT-MAIN</b>	SPICER 1810HD HALF ROUND	5	10	70
O	3170007	<b>PTO-TRANSMISSION MOUNTED</b>	CHELSEA 890 / 897 PTO CLEARANCE (PREP ONLY)	5	0	110
N	3170010	<b>PTO-TRANSMISSION MOUNTED</b>	XS (TYPE C) OUTPUT CHELSEA 890 PTO HOT SHIFT 4000 SERIES TRANS 116%	70	0	4,250
O	3170011	<b>PTO-TRANSMISSION MOUNTED</b>	XS (TYPE C) OUTPUT CHELSEA 890 PTO HOT SHIFT 3000 SERIES TRANS 100%	65	0	4,400
N	3170012	<b>PTO-TRANSMISSION MOUNTED</b>	XS (TYPE C) OUTPUT CHELSEA 897 PTO CONSTANT MESH 4000 SERIES TRANS 116%	70	0	2,705
O	3170013	<b>PTO-TRANSMISSION MOUNTED</b>	XS (TYPE C) OUTPUT CHELSEA 897 PTO CONSTANT MESH 3000 SERIES TRANS 100%	65	0	2,690

**FRONT AXLE**

S	3700002	<b>FRONT AXLE</b>	MERITOR MFS-20 STEER AXLE, 20000# CAPACITY	0	0	0
O	3700003	<b>FRONT AXLE</b>	MERITOR MFS-18 STEER AXLE, 18000# RATING	0	0	-250
O	3700004	<b>FRONT AXLE</b>	MERITOR MFS-16 STEER AXLE, 16000# RATING	-35	0	-150
O	3700011	<b>FRONT AXLE</b>	DANA D-2200W STEER AXLE, 22,000 LB CAPACITY	0	0	100
O	3702001	<b>FRONT AXLE</b>	HENDRICKSON 20K AXLE 20,000 LB CAP (VALIDATION TIMING)	0	0	0
S	3690005	<b>FRONT AXLE POSITION</b>	52.5 INCHES	0	0	0
S	371135	<b>FRONT SUSPENSION</b>	9500 LOW CAMBER FLATLEAF 20,800 GROUND CAPACITY	0	0	0
O	371025	<b>FRONT SUSPENSION</b>	10100 LB FLATLEAF, 22,000 GROUND CAPACITY	-42	3	0
O	3710003	<b>FRONT SUSPENSION</b>	10200 LB TAPER LEAF REDUCED RIDE HEIGHT, 22000 LB GROUND CAPACITY	-90	5	0
N	371009	<b>FRONT SUSPENSION</b>	8500 LB FLATLEAF 18,800 GROUND CAPACITY	-63	8	0

N	3712001	<b>FRONT SUSPENSION</b>	HENDRICKSON 20,000 SPRING CLAMP GROUP (REQUIRES VALIDATION TIMING)	0	0	0
S	371T98	<b>SUSPENSION, FRONT AUX</b>	NO AUX LOAD CUSHION PROVIDED	0	0	0
O	371T01	<b>SUSPENSION, FRONT AUX</b>	AUX LOAD CUSHION	10	0	50
S	373002	<b>SHOCK ABSORBERS-FRONT</b>	DOUBLE ACTING SINGLE - HEAVY DUTY	0	0	0
S	904011	<b>HUBS-FRONT</b>	STEEL HUB PILOTED,285MM BOLT CIRCLE	0	0	0
O	904012	<b>HUBS-FRONT</b>	ALUMINUM HUB PILOTED,285MM BOLT CIRCLE	-44	0	165
S	9400001	<b>WHEEL OIL SEALS-FRONT</b>	SCOTSEAL PLUS XL	0	0	0
S	9210001	<b>HUB CAPS - FRONT AXLE</b>	CR ZYTEL HUBCAP	0	0	0
S	374002	<b>FRONT AXLE LUBRICANT</b>	SYNTHETIC,DANA SPICER EP75W90,OR EQUIV	0	0	0
S	7510003	<b>BRAKES-FOUNDATION, FRONT AXLE</b>	MERITOR 16.5X6 QP	0	0	0
O	7510001	<b>BRAKES-FOUNDATION, FRONT AXLE</b>	MERITOR 16.5X7" QP REFUSE BRAKE	29	0	40
N	7510011	<b>BRAKES-FOUNDATION, FRONT AXLE</b>	MERITOR EX - 225 AIR DISC BRAKES XXXX	0	0	3,100
N	7510004	<b>BRAKES-FOUNDATION, FRONT AXLE</b>	MERITOR 16.5X5 QP	-20	0	-35
S	754009	<b>BRAKE SLACK ADJUSTERS -FRONT AXLE</b>	MERITOR AUTOMATIC	0	0	0
O	754012	<b>BRAKE SLACK ADJUSTERS -FRONT AXLE</b>	HALDEX AUTOMATIC	0	0	80
S	755001	<b>DUST SHIELDS - FRT BRAKES</b>	DUST SHIELDS - FRONT BRAKES	0	0	0
O	755998	<b>DUST SHIELDS - FRT BRAKES</b>	NO FRONT BRAKE DUST SHIELDS PROVIDED	-1	0	0
S	901001	<b>BRAKE DRUM-FRONT</b>	CAST IRON	0	0	0
S	383101	<b>STEERING GEAR</b>	INTEGRAL POWER STEERING W/RIGHT HAND RAM	0	0	0
N	383107	<b>STEERING GEAR</b>	INTEGRAL POWER STEERING W/LEFT HAND RAM	0	0	0
S	387003	<b>POWER STEERING RESERVOIR</b>	FOUR QUART REMOTE MOUNTED	0	0	0
<b>REAR AXLE</b>						
S	3300041	<b>REAR DRIVE AXLE-SINGLE &amp; TANDEM</b>	MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)	0	0	0
O	3300044	<b>REAR DRIVE AXLE-SINGLE &amp; TANDEM</b>	MERITOR MT44-14X (44000 LBS)	0	65	1,450
O	330444	<b>REAR DRIVE AXLE-SINGLE &amp; TANDEM</b>	MERITOR RT46-160 46,000 LB	0	430	2,970

O	330507	<b>REAR DRIVE AXLE-SINGLE &amp; TANDEM</b>	MERITOR RT46-164EH 46000 LB	0	508	3,640
O	330183	<b>REAR DRIVE AXLE-SINGLE &amp; TANDEM</b>	MERITOR RT52-185 52,000 LB	0	766	11,510
N	330481	<b>REAR DRIVE AXLE-SINGLE &amp; TANDEM</b>	MERITOR RT50-160 50,000 LB	0	508	6,000
S	330U98	<b>REAR AXLE LUBE PUMP</b>	NO LUBRICATION PUMP	0	0	0
O	330U001	<b>REAR AXLE LUBE PUMP</b>	DIFFERENTIAL PUMP - MERITOR	0	30	260
X	331996	<b>REAR DRIVE AXLE RATIO</b>	MUST CHOOSE REAR DRIVE AXLE RATIO	0	0	0
N	331456	<b>REAR DRIVE AXLE RATIO</b>	4.56	0	0	0
O	331488	<b>REAR DRIVE AXLE RATIO</b>	4.88	0	0	0
N	331489	<b>REAR DRIVE AXLE RATIO</b>	4.89	0	0	0
O	331529	<b>REAR DRIVE AXLE RATIO</b>	5.29	0	0	0
N	331538	<b>REAR DRIVE AXLE RATIO</b>	5.38	0	0	0
N	331563	<b>REAR DRIVE AXLE RATIO</b>	5.63	0	0	0
O	331586	<b>REAR DRIVE AXLE RATIO</b>	5.86	0	0	0
O	331614	<b>REAR DRIVE AXLE RATIO</b>	6.14	0	0	0
N	331617	<b>REAR DRIVE AXLE RATIO</b>	6.17	0	0	0
O	331643	<b>REAR DRIVE AXLE RATIO</b>	6.43	0	0	0
N	331717	<b>REAR DRIVE AXLE RATIO</b>	7.17	0	0	0
O	333017	<b>REAR DRIVE AXLE ANTI-SPIN DEVICES</b>	TANDEM AXLE REAR CARRIER ONLY	0	33	560
O	333014	<b>REAR DRIVE AXLE ANTI-SPIN DEVICES</b>	FOUR WHEEL LOCK	0	63	1,070
S	3500003	<b>REAR SUSPENSION</b>	HENDRICKSON HMX-400 SUSP @ 54" AS	0	0	0
O	3500004	<b>REAR SUSPENSION</b>	HENDRICKSON HMX-460 SUSP @ 54" AS	0	0	715
N	3500014	<b>REAR SUSPENSION</b>	HENDRICKSON PAX-EX-462, AIR RIDE @ 54", 46,000 LB CAP	0	223	2,130
N	3500001	<b>REAR SUSPENSION</b>	HENDRICKSON HN-522 SUSP @ 54" AS	0	100	1,385
S	351013	<b>REAR SUSPENSION BEAMS</b>	54 INCH STEEL RUBBER BUSHED	0	0	0
N	357001	<b>REAR SUSPENSION AIR CONTROL</b>	DASH MOUNTED DUMP VALVE	0	0	0
S	358005	<b>TORQUE RODS</b>	LONGITUDINAL & TRANSVERSE - RUBBER BUSHED	0	0	0
N	358001	<b>TORQUE RODS</b>	LONGITUDINAL ONLY - RUBBER BUSHED	0	0	0
N	359006	<b>SHOCK ABSORBERS-REAR</b>	FOR AIR SUSPENSION	0	0	0
O	359001	<b>SHOCK ABSORBERS-REAR</b>	4 SHOCK ABSORBERS HENDRICKSON SUSPENSION	0	31	202

S	9130001	<b>HUBS-REAR</b>	IRON HUB, HP 10 STUD	0	0	0
O	9130002	<b>HUBS-REAR</b>	ALUM HUB, HP 10 STUD	0	-108	225
S	3400001	<b>REAR AXLE BREATHER</b>	STANDARD AXLE BREATHER	0	0	0
O	3400002	<b>REAR AXLE BREATHER</b>	EXTENDED AXLE BREATHER	0	3	95
S	9410001	<b>WHEEL OIL SEALS-REAR</b>	SCOTSEAL PLUS XL	0	0	0
S	339002	<b>REAR AXLE LUBRICANT</b>	SYNTHETIC	0	0	0
S	7610003	<b>BRAKES-FOUNDATION, REAR AXLE</b>	MERITOR 16.5X7 Q PLUS	0	0	0
N	7610001	<b>BRAKES-FOUNDATION, REAR AXLE</b>	MERITOR 16.5X8.62" QP REFUSE BRAKE	0	42	345
N	7610011	<b>BRAKES-FOUNDATION, REAR AXLE</b>	MERITOR EX - 225 AIR DISC BRAKES XXXX	0	-150	9,050
O	7610004	<b>BRAKES-FOUNDATION, REAR AXLE</b>	MERITOR 16.5 X 7P CAST SHOE	0	10	695
S	764013	<b>BRAKE SLACK ADJUSTERS -REAR AXLE</b>	MERITOR AUTOMATIC,TANDEM AXLE	0	0	0
N	764007	<b>BRAKE SLACK ADJUSTERS -REAR AXLE</b>	HALDEX AUTOMATIC TANDEM	0	0	95
S	765001	<b>DUST SHIELDS - REAR BRAKES</b>	DUST SHIELDS - REAR BRAKES	0	0	0
O	765998	<b>DUST SHIELDS - REAR BRAKES</b>	NO REAR AXLE DUST SHIELDS PROVIDED	0	-2	0
S	781012	<b>BRAKE CHAMBERS- PARKING, TYPE/VENDOR</b>	CAM TYPE MGM STOPGARD (4)	0	0	0
O	7810001	<b>BRAKE CHAMBERS- PARKING, TYPE/VENDOR</b>	MGM TYPE 30/36 CHAMBERS (4)	0	16	175
O	781035	<b>BRAKE CHAMBERS- PARKING, TYPE/VENDOR</b>	CAM - HALDEX CHAMBERS (4)	0	0	60
O	7810004	<b>BRAKE CHAMBERS- PARKING, TYPE/VENDOR</b>	CAM HALDEX GOLDSEAL TYPE 36 SPRING CHAMBER (4)	0	0	175
S	910001	<b>BRAKE DRUM-REAR</b>	CAST IRON	0	0	0

**AUXILIARY AXLES**

N	3P10211	<b>PUSHER AXLE #1</b>	HENDRICKSON COMPOSILITE SCT STEERABLE PUSHER, 13500 LBS CAPACITY	323	927	8,875
N	3P10010	<b>PUSHER AXLE #1</b>	COMPOSILITE FXC NON- STEER PUSHER, 13.5K CAPACITY	-214	1,040	8,710
N	3P10008	<b>PUSHER AXLE #1</b>	HENDRICKSON COMPOSILITE FX NARROW TRACK NON-STEER PUSHER, 13500 LBS CAPACITY	323	927	8,710
N	3P19901	<b>PUSHER AXLE #1</b>	PUSHER AXLE PREP W/ ADD'L 1500 AIR, NO CONTROLS	5	10	390



N	3P12000	<b>PUSHER AXLE #1</b>	HENDRICKSON COMPOSILITE SCC STEERABLE PUSHER, 20K CAPACITY	0	0	12,430
N	3PS996	<b>PUSHER AXLE #1 SPACING</b>	MUST CHOOSE AUX AXLE SPACING	0	0	0
N	3PS0049	<b>PUSHER AXLE #1 SPACING</b>	49" SPREAD	0	0	0
N	3PS0050	<b>PUSHER AXLE #1 SPACING</b>	50" SPREAD	0	0	0
N	3PS0051	<b>PUSHER AXLE #1 SPACING</b>	51" SPREAD	0	0	0
N	3PS0052	<b>PUSHER AXLE #1 SPACING</b>	52" SPREAD	0	0	0
N	3PS0053	<b>PUSHER AXLE #1 SPACING</b>	53" SPREAD	0	0	0
N	3PS0054	<b>PUSHER AXLE #1 SPACING</b>	54" SPREAD	0	0	0
N	3PS0055	<b>PUSHER AXLE #1 SPACING</b>	55" SPREAD	0	0	0
N	3PS0056	<b>PUSHER AXLE #1 SPACING</b>	56" SPREAD	0	0	0
N	3PS0057	<b>PUSHER AXLE #1 SPACING</b>	57" SPREAD	0	0	0
N	3PS0058	<b>PUSHER AXLE #1 SPACING</b>	58" SPREAD	0	0	0
N	3PS0059	<b>PUSHER AXLE #1 SPACING</b>	59" SPREAD	0	0	0
N	3PS0060	<b>PUSHER AXLE #1 SPACING</b>	60" SPREAD	0	0	0
N	3PS0061	<b>PUSHER AXLE #1 SPACING</b>	61" SPREAD	0	0	0
N	3P1E001	<b>PUSHER AXLE STEER LOCKS</b>	AUX. LIFT AXLE STEER LOCKS	0	2	230
N	9P10001	<b>PUSHER AXLE HUBS</b>	STEEL HUBS, 11.25" BOLT CIRCLE	0	0	0
N	9P10002	<b>PUSHER AXLE HUBS</b>	ALUMINUM HUBS, 11.25" BOLT CIRCLE	0	-44	130
N	9P60001	<b>PUSHER AXLE WHEEL SEALS</b>	SCOTSEAL PLUS XL	0	0	0
N	9P60002	<b>PUSHER AXLE WHEEL SEALS</b>	STEMCO VOYAGER SEAL W/ PRO TORQ SPINDLE NUTS	-1	0	75
N	9P80001	<b>PUSHER AXLE HUB CAPS</b>	CR ZYTEL HUB CAPS	0	0	0
N	9P80002	<b>PUSHER AXLE HUB CAPS</b>	STEMCO TRADITIONAL, ALUM.	-1	0	36
N	7P20001	<b>PUSHER AXLE BRAKES</b>	MERITOR 15X4 QP	0	0	0
N	7P20003	<b>PUSHER AXLE BRAKES</b>	MERITOR 16.5X7QP	0	0	0
N	7P20004	<b>PUSHER AXLE BRAKES</b>	HENDRICKSON INTERGRAL 15X4	0	0	0
N	7P40001	<b>PUSHER AXLE SLACK ADJUSTERS</b>	MERITOR AUTOMATIC	0	0	0
N	7P40002	<b>PUSHER AXLE SLACK ADJUSTERS</b>	HALDEX AUTOMATIC	0	0	80
N	7P50001	<b>PUSHER AXLE DUST SHIELDS</b>	DUSTSHIELDS - PUSHER	0	0	0
N	3T10111	<b>TAG AXLE #1</b>	HENDRICKSON COMPOSILITE SCT STEERABLE TAG, 13500 LBS CAPACITY	-325	1,575	9,185

N	3T10010	TAG AXLE #1	HENDRICKSON COMPOSILITE FXC NON- STEER TAG, 13500 LBS CAPACITY	216	609	8,650
N	3T19901	TAG AXLE #1	TAG AXLE PREP W/ ADD'L 1500 AIR, NO CONTROLS	5	10	390
N	3T12000	TAG AXLE #1	HENDRICKSON COMPOSILITE SCC STEERABLE TAG, 20000 LBS CAPACITY	0	0	13,265
N	3T1E001	TAG AXLE STEER LOCKS	AUX. LIFT AXLE STEER LOCKS	0	2	285
O	3T1F001	TAG AXLE BRACKET	ALTERNATE TAG AXLE BRACKET	0	0	0
N	3TS996	TAG AXLE #1 SPACING	MUST CHOOSE AUX AXLE SPACING	0	0	0
N	3TS0049	TAG AXLE #1 SPACING	49" SPREAD	0	0	0
N	3TS0050	TAG AXLE #1 SPACING	50" SPREAD	0	0	0
N	3TS0051	TAG AXLE #1 SPACING	51" SPREAD	0	0	0
N	3TS0052	TAG AXLE #1 SPACING	52" SPREAD	0	0	0
N	3TS0053	TAG AXLE #1 SPACING	53" SPREAD	0	0	0
N	3TS0054	TAG AXLE #1 SPACING	54" SPREAD	0	0	0
N	3TS0055	TAG AXLE #1 SPACING	55" SPREAD	0	0	0
N	3TS0056	TAG AXLE #1 SPACING	56" SPREAD	0	0	0
N	3TS0057	TAG AXLE #1 SPACING	57" SPREAD	0	0	0
N	3TS0058	TAG AXLE #1 SPACING	58" SPREAD	0	0	0
N	3TS0059	TAG AXLE #1 SPACING	59" SPREAD	0	0	0
N	3TS0060	TAG AXLE #1 SPACING	60" SPREAD	0	0	0
N	3TS0061	TAG AXLE #1 SPACING	61" SPREAD	0	0	0
N	3TS0062	TAG AXLE #1 SPACING	62" SPREAD	0	0	0
N	9T10001	TAG AXLE HUBS	STEEL HUBS, 11.25" BOLT CIRCLE	0	0	0
N	9T10002	TAG AXLE HUBS	ALUMINUM HUBS, 11.25" BOLT CIRCLE	0	-44	130
N	9T60001	TAG AXLE WHEEL SEALS	SCOTSEAL PLUS XL	0	0	0
N	9T60002	TAG AXLE WHEEL SEALS	STEMCO VOYAGER SEAL W/ PRO TORQ SPINDLE NUTS	-1	0	75
N	9T80001	TAG AXLE HUB CAPS	CR ZYTEL HUB CAPS	0	0	0
N	9T80002	TAG AXLE HUB CAPS	STEMCO TRADITIONAL, ALUM.	-1	0	36
N	7T20001	TAG AXLE BRAKES	MERITOR 15x4 QP	0	0	0
N	7T20003	TAG AXLE BRAKES	MERITOR 16.5x7 QP	0	0	0
N	7T20004	TAG AXLE BRAKES	HENDRICKSON INTEGRAL 15X4	0	0	0
N	7T40001	TAG SLACK ADJUSTER	XXXX MERITOR AUTOMATIC	0	0	0
N	7T40002	TAG SLACK ADJUSTER	XXXX HALDEX AUTOMATIC	0	0	80
N	7T50001	TAG AXLE DUSTSHIELDS	XXXX DUSTSHIELDS - TAG	0	0	0

**BRAKES**

S	729002	<b>AIR LINES-PARKING BRAKE, CHASSIS</b>	AIR LINES CHASSIS PARK BRAKE	0	0	0
N	729003	<b>AIR LINES-PARKING BRAKE, CHASSIS</b>	WORK BRAKE; YELLOW VALVE ACTIVATED	5	5	220
O	7412002	<b>BRAKE CONTROL SYSTEM</b>	MERITOR WABCO ABS 6S/6M W/PLC AND ATC	0	0	885
S	741047	<b>BRAKE CONTROL SYSTEM</b>	BENDIX ABS 4S/4M	0	0	0
O	7410001	<b>BRAKE CONTROL SYSTEM</b>	BENDIX ABS WITH PLC 4S/4M	0	0	50
O	741048	<b>BRAKE CONTROL SYSTEM</b>	BENDIX ABS WITH FULL TRACTION CONTROL 6S/4M	0	0	438
N	741050	<b>BRAKE CONTROL SYSTEM</b>	NO BRAKE CNTRL SYSTEM- FMVSS121 EXEMPT	0	-25	-500
N	7660001	<b>BRAKE VALVE-HAND CONTROL</b>	WORK BRAKE; LEVER ACTIV. TO ALL SERVICE BRAKES	5	5	1,085
N	766004	<b>BRAKE VALVE-HAND CONTROL</b>	TO REAR SERVICE BRAKES	4	0	50

**CHASSIS**

S	400210	<b>WHEELBASE</b>	210 INCHES	0	0	0
O	400144	<b>WHEELBASE</b>	144 INCHES	-102	-127	-330
O	400147	<b>WHEELBASE</b>	147 INCHES	-97	-121	-315
O	400150	<b>WHEELBASE</b>	150 INCHES	-92	-115	-300
O	400153	<b>WHEELBASE</b>	153 INCHES	-87	-109	-285
O	400162	<b>WHEELBASE</b>	162 INCHES	-72	-91	-240
O	400165	<b>WHEELBASE</b>	165 INCHES	-67	-85	-225
O	400168	<b>WHEELBASE</b>	168 INCHES	-64	-80	-210
O	400171	<b>WHEELBASE</b>	171 INCHES	-59	-74	-195
N	400174	<b>WHEELBASE</b>	174 INCHES	-54	-68	-180
O	400177	<b>WHEELBASE</b>	177 INCHES	-49	-62	-165
O	400180	<b>WHEELBASE</b>	180 INCHES	-44	-56	-150
O	400183	<b>WHEELBASE</b>	183 INCHES	-39	-50	-135
O	400186	<b>WHEELBASE</b>	186 INCHES	-34	-44	-120
O	400189	<b>WHEELBASE</b>	189 INCHES	-29	-38	-105
O	400192	<b>WHEELBASE</b>	192 INCHES	-25	-33	-90
O	400195	<b>WHEELBASE</b>	195 INCHES	-22	-27	-75
O	400198	<b>WHEELBASE</b>	198 INCHES	-17	-21	-60
O	400201	<b>WHEELBASE</b>	201 INCHES	-12	-14	-45
O	400204	<b>WHEELBASE</b>	204 INCHES	-7	-8	-30
O	400207	<b>WHEELBASE</b>	207 INCHES	-3	-4	-15
O	400213	<b>WHEELBASE</b>	213 INCHES	7	8	17
O	400216	<b>WHEELBASE</b>	216 INCHES	12	14	19
O	400219	<b>WHEELBASE</b>	219 INCHES	17	20	21
O	400222	<b>WHEELBASE</b>	222 INCHES	22	26	23
O	400225	<b>WHEELBASE</b>	225 INCHES	26	31	25

O	400228	WHEELBASE	228 INCHES	31	0	27
O	400231	WHEELBASE	231 INCHES	36	43	87
O	400234	WHEELBASE	234 INCHES	41	48	90
O	400237	WHEELBASE	237 INCHES	46	54	93
O	400240	WHEELBASE	240 INCHES	51	60	655
O	400243	WHEELBASE	243 INCHES	61	65	660
O	400246	WHEELBASE	246 INCHES	66	70	665
O	400249	WHEELBASE	249 INCHES	71	76	786
O	400252	WHEELBASE	252 INCHES	76	81	788
O	400255	WHEELBASE	255 INCHES	81	87	790
O	400258	WHEELBASE	258 INCHES	86	93	792
O	400261	WHEELBASE	261 INCHES	91	99	794
O	400264	WHEELBASE	264 INCHES	0	0	796
S	402104	FRAME-REAR OVERHANG	104"	0	0	0
O	402056	FRAME-REAR OVERHANG	56"	59	-231	0
O	402062	FRAME-REAR OVERHANG	62"	54	-205	0
O	402068	FRAME-REAR OVERHANG	68"	49	-179	0
O	402074	FRAME-REAR OVERHANG	74"	42	-150	0
O	402080	FRAME-REAR OVERHANG	80"	36	-123	0
O	402086	FRAME-REAR OVERHANG	86"	28	-93	0
O	402092	FRAME-REAR OVERHANG	92"	19	-62	0
O	402098	FRAME-REAR OVERHANG	98"	10	-32	0
O	402110	FRAME-REAR OVERHANG	110"	-25	86	175
O	402116	FRAME-REAR OVERHANG	116"	-38	121	175
O	402122	FRAME-REAR OVERHANG	122"	-51	156	300
O	402128	FRAME-REAR OVERHANG	128"	-65	191	300
O	402134	FRAME-REAR OVERHANG	134"	-81	229	300
O	402140	FRAME-REAR OVERHANG	140"	-97	265	450
O	402146	FRAME-REAR OVERHANG	146"	-114	304	450
O	402152	FRAME-REAR OVERHANG	152"	-132	344	450
O	402158	FRAME-REAR OVERHANG	158"	-150	384	450
S	403012	FRAME RAILS	3/8" VARIABLE DROP STEEL, EXT B	0	0	0
O	403011	FRAME RAILS	3/8" VARIABLE DROP STEEL, EXT A	-28	0	560
O	4030004	FRAME RAILS	XXXX 3/8" ACX DROP BELLY	425	710	8,550
O	404002	FRAME REINFORCEMENT INNER	.25" LINER, STANDARD LENGTH	93	470	1,705
X	4070005	FRAME-FRONT EXTENSION	XXXX ACX HEAVY DUTY FRONT END	0	0	1,500
S	409002	FRAME CROSSMEMBER- CENTER	ALUMINUM	0	0	0
O	4090001	FRAME CROSSMEMBER- CENTER	7-PIECE STEEL W/ ALUM BOC X-MEMBER	22	118	0
N	4090003	FRAME CROSSMEMBER- CENTER	7-PIECE STEEL CROSSMEMBERS	0	0	0

N	4092000	<b>FRAME CROSSMEMBER-CENTER</b>	ALUM W/ 7-PIECE STEEL BOC X-MEMBER	0	0	0
O	4100001	<b>MISC TSO OPTIONS</b>	KEEP LH RAIL CLEAR	0	0	65
O	4100002	<b>MISC TSO OPTIONS</b>	KEEP RH RAIL CLEAR	0	0	65
S	4110002	<b>FRAME CROSSMEMBER-END CLOSING</b>	ALUMINUM MEMBER-IF REQUIRED	0	0	0
O	411012	<b>FRAME CROSSMEMBER-END CLOSING</b>	STEEL CHANNEL MEMBER- IF REQUIRED	0	0	0
S	4120002	<b>FRAME BOLTS</b>	HUCKSPIN RR SUSP & CROSSMEMBERS	0	0	0
S	460001	<b>BUMPER-FRONT</b>	STEEL PAINTED	0	0	0
N	460002	<b>BUMPER-FRONT</b>	CHROMED STEEL	0	0	580
O	4600002	<b>BUMPER-FRONT</b>	STAINLESS STEEL CLAD ALUMINUM BUMPER	-105	-24	535
N	4492000	<b>FUEL FILL OPTIONS</b>	FRONT BUMPER REMOTE FILL CNG PREP	0	0	360
O	4680010	<b>GUARD-OIL PAN</b>	ENGINE OIL PAN GUARD - ALUMINUM	49	-6	275
O	4682000	<b>GUARD-OIL PAN</b>	ENGINE OIL PAN GUARD - STEEL	0	0	181
S	480002	<b>TOWING DEVICE-FRONT</b>	TWO REMOVABLE TOW PINS	0	0	0
S	8742000	<b>WIRING, BODY INTERFACE</b>	RP 170 COMPLIANT	0	0	0
O	892014	<b>BACKUP ALARM</b>	ECCO SMART ALARM SA917	0	1	185
O	892009	<b>BACKUP ALARM</b>	ECCO RMS 917 WITH MOTION DETECTOR	0	2	770
S	430020	<b>FUEL TANK-LEFT</b>	75 GAL 26" DIA UNPAINTED ALUMINUM	0	0	0
O	430042	<b>FUEL TANK-LEFT</b>	75 GAL 26" DIA POLISHED ALUMINUM	0	0	292
O	430033	<b>FUEL TANK-LEFT</b>	85 GAL 22" DIA UNPAINTED ALUMINUM	19	10	65
O	430021	<b>FUEL TANK-LEFT</b>	100 GAL 26" DIA UNPAINTED ALUMINUM	6	3	145
N	430800	<b>FUEL TANK-LEFT</b>	ALTERNATE FUEL ENGINE- NO LH TANK	-29	-59	0
O	430998	<b>FUEL TANK-LEFT</b>	DELETE LHS FUEL TANK	-29	-59	-444
O	430R001	<b>FUEL TANK FILL LHS</b>	REAR FILL FUEL TANK, LHS	0	0	0
S	4470001	<b>LH FUEL TANK SPACERS</b>	LH FUEL TANK STANDARD HEIGHT	0	0	0
O	4470002	<b>LH FUEL TANK SPACERS</b>	LH FUEL TANK SPACED 2", DROPPED 0"	7	5	0
O	4470003	<b>LH FUEL TANK SPACERS</b>	LH FUEL TANK SPACED 2", DROPPED 2"	7	5	160
O	4470004	<b>LH FUEL TANK SPACERS</b>	LH FUEL TANK SPACED 2", DROPPED 4"	7	5	162
O	4470005	<b>LH FUEL TANK SPACERS</b>	LH FUEL TANK SPACED 4", DROPPED 0"	10	8	0

O	4470006	<b>LH FUEL TANK SPACERS</b>	LH FUEL TANK SPACED 4", DROPPED 2"	10	8	189
O	4470007	<b>LH FUEL TANK SPACERS</b>	LH FUEL TANK SPACED 4", DROPPED 4"	10	8	190
S	432002	<b>FUEL TANK STRAP/ SUPPORT LEFT</b>	PAINTED STEEL, LH	0	0	0
N	432007	<b>FUEL TANK STRAP/ SUPPORT LEFT</b>	STAINLESS STEEL, LH	0	0	45
N	4320001	<b>FUEL TANK STRAP/ SUPPORT LEFT</b>	26 INCH J-BRACKET W/SS STRAP-LNG QTY 2	30	30	379
N	4320002	<b>FUEL TANK STRAP/ SUPPORT LEFT</b>	26 INCH J-BRACKET W/SS STRAP-LNG QTY 3	45	45	568
N	4320003	<b>FUEL TANK STRAP/ SUPPORT LEFT</b>	26 INCH J-BRACKET W/SS STRAP-LNG, QTY 4	60	60	757
S	4280001	<b>DRILLING FUEL TK SUPT- LEFT</b>	FUEL TANK MTD FWD LHS - STANDARD (IF PROVIDED)	0	0	0
O	4280002	<b>DRILLING FUEL TK SUPT- LEFT</b>	FUEL TANK MTD LHS OTHER THAN STANDARD - SPECIFY	0	0	45
O	4280003	<b>DRILLING FUEL TK SUPT- LEFT</b>	FUEL TANK LHS LOCATION - SPEC DRIVEN	0	0	0
N	431020	<b>FUEL TANK-RIGHT</b>	75 GAL 26" DIA UNPAINTED ALUMINUM	29	59	650
N	431042	<b>FUEL TANK-RIGHT</b>	75 GAL 26" DIA POLISHED ALUMINUM	29	59	750
N	431033	<b>FUEL TANK-RIGHT</b>	85 GAL 22" DIAM UNPAINTED ALUMINUM	39	78	738
N	431021	<b>FUEL TANK-RIGHT</b>	100 GAL 26" DIA UNPAINTED ALUMINUM	3	6	709
N	431500	<b>FUEL TANK-RIGHT</b>	TEMPORARY TANK ILO STANDARD 75 GALLON	5	0	120
N	431800	<b>FUEL TANK-RIGHT</b>	ALTERNATE FUEL ENGINE- NO RH TANK	0	0	0
N	431R001	<b>FUEL TANK FILL RHS</b>	REAR FILL FUEL TANK, RHS	0	0	0
N	441001	<b>FUEL TANK STRAP/ SUPPORT RIGHT</b>	PAINTED STEEL, RH	0	0	0
N	441008	<b>FUEL TANK STRAP/ SUPPORT RIGHT</b>	STAINLESS STEEL, RH	0	0	150
N	4410001	<b>FUEL TANK STRAP/ SUPPORT RIGHT</b>	26 INCH J-BRACKET W/SS STRAP-LNG QTY 2	30	30	379
N	4410002	<b>FUEL TANK STRAP/ SUPPORT RIGHT</b>	26 INCH J-BRACKET W/SS STRAP-LNG QTY 3	45	45	568
N	4410003	<b>FUEL TANK STRAP/ SUPPORT RIGHT</b>	26 INCH J-BRACKET W/SS STRAP-LNG, QTY 4	60	60	757
O	4290001	<b>DRILLING FUEL TK SUPT- RIGHT</b>	FUEL TANK MTD FWD RHS - STANDARD (IF PROVIDED)	0	0	0
O	4290002	<b>DRILLING FUEL TK SUPT- RIGHT</b>	FUEL TANK MTD RHS OTHER THAN STANDARD - SPECIFY	0	0	0

O	433008	<b>FUEL TANK SCREENS</b>	FILL SCREEN/ANTI-SIPHON INSERT SINGLE TANK	1	0	30
N	436023	<b>FUEL LINES</b>	STAINLESS STEEL FOR CNG OR LNG (FILTER TO ENGINE)	0	0	0
S	436015	<b>FUEL LINES</b>	SAE J1402A1 WIRE BRAIDED	0	0	0
N	4200002	<b>ALTERNATE FUEL SYSTEMS</b>	METHANE DETECTION SYSTEM	5	0	3,550
S	8120005	<b>BATTERY BOX</b>	STEEL BOX, 3 BATTERY, LHS	0	0	0
O	8120001	<b>BATTERY BOX</b>	STEEL BOX, 4 BATTERY, LHS	15	0	50
O	8120007	<b>BATTERY BOX</b>	STEEL BOX W/ ALUM LID, 3 BATTERY, LHS	-10	0	104
O	8120009	<b>BATTERY BOX</b>	STEEL BOX W/ ALUM LID, 4 BATTERY, LHS	5	0	173
O	8120006	<b>BATTERY BOX</b>	STEEL BOX, 3 BATTERY, RHS	0	0	0
O	8120002	<b>BATTERY BOX</b>	STEEL BOX, 4 BATTERY, RHS	15	0	50
O	8120008	<b>BATTERY BOX</b>	STEEL BOX W/ ALUM LID, 3 BATTERY, RHS	-10	0	104
O	8120010	<b>BATTERY BOX</b>	STEEL BOX W/ ALUM LID, 4 BATTERY, RHS	5	0	173
S	8160001	<b>BATTERY BOX SPACERS</b>	BATTERY BOX STANDARD HEIGHT	0	0	0
O	8160002	<b>BATTERY BOX SPACERS</b>	BATTERY BOX SPACED 2", DROPPED 0"	5	1	48
O	8160003	<b>BATTERY BOX SPACERS</b>	BATTERY BOX SPACED 2", DROPPED 2"	5	1	48
O	8160004	<b>BATTERY BOX SPACERS</b>	BATTERY BOX SPACED 2", DROPPED 4"	5	1	48
O	8160005	<b>BATTERY BOX SPACERS</b>	BATTERY BOX SPACED 2", DROPPED 6"	5	1	48
O	8160006	<b>BATTERY BOX SPACERS</b>	BATTERY BOX SPACED 2", DROPPED 8"	7	2	48
O	8160007	<b>BATTERY BOX SPACERS</b>	BATTERY BOX SPACED 4", DROPPED 0"	7	2	48
O	8160008	<b>BATTERY BOX SPACERS</b>	BATTERY BOX SPACED 4", DROPPED 2"	7	2	48
O	8160009	<b>BATTERY BOX SPACERS</b>	BATTERY BOX SPACED 4", DROPPED 4"	7	2	48
S	8090001	<b>BATTERY BOX DRILLING</b>	BOX LOCATED AS FAR FORWARD AS POSSIBLE	0	0	0
O	8090002	<b>BATTERY BOX DRILLING</b>	BATTERY BOX OTHER THAN STANDARD - SPECIFY	0	0	0
S	810089	<b>BATTERY</b>	3 JOHNSON CONTROL 31ECL 12V 2250CCA	0	0	0
N	810090	<b>BATTERY</b>	4 JOHNSON CONTROL 31ECL 12V 3000CCA	44	22	150
O	810092	<b>BATTERY</b>	3 JOHNSON CONTROL 31ECL 12V 2850CCA	7	3	35

N	810093	<b>BATTERY</b>	4 JOHNSON CONTROL 31ECL 12V 3800CCA	44	22	140
S	8140002	<b>BATTERY SHUT-OFF SWITCH</b>	SHUTOFF W/ LOCKOUT, NO EMERGENCY JUMPER STUDS	0	0	0
O	8140003	<b>BATTERY SHUT-OFF SWITCH</b>	SHUTOFF W/ LOCKOUT & EMERGENCY JUMPER STUDS	5	2	220
S	7110001	<b>AIR TANK-BRAKE</b>	STEEL AIR TANKS	0	0	0
O	7110002	<b>AIR TANK-BRAKE</b>	ALUMINUM AIR TANKS	-15	-31	185
S	7090002	<b>AIR TANK DRILLING</b>	AIR TANKS IN STANDARD POSITION	0	0	0
O	7090001	<b>AIR TANK DRILLING</b>	AS MANY TANKS IN RAIL AS POSSIBLE	0	0	0
O	7380001	<b>EMERGENCY AIR SYSTEM CHARGING</b>	SCHRADER VALVE, WET TANK MTD	1	0	90
N	7380002	<b>EMERGENCY AIR SYSTEM CHARGING</b>	SINGLE GLADHAND, FRONT BUMPER MTD	1	0	70
O	7382000	<b>EMERGENCY AIR SYSTEM CHARGING</b>	SCHRADER VALVE, FRONT BELOW BUMPER	0	0	0
S	715002	<b>WET TANK DRAIN</b>	BENDIX D/V-2 AUTOMATIC	0	0	0
O	715009	<b>WET TANK DRAIN</b>	BENDIX DV-2 AUTOMATIC WITH HEATER	1	1	45
O	715001	<b>WET TANK DRAIN</b>	MANUAL TYPE PETCOCK	0	0	-40
S	715T001	<b>AIR RESERVOIR DRAIN SYSTEM</b>	PETCOCK, ALL TANKS	0	0	0
O	715T002	<b>AIR RESERVOIR DRAIN SYSTEM</b>	PULL CORDS, ALL TANKS	0	3	15
O	715T003	<b>AIR RESERVOIR DRAIN SYSTEM</b>	CENTRAL MANIFOLD W/ PETCOCKS	2	2	70
S	7130001	<b>AIR DRYER</b>	WABCO 1800P	0	0	0
O	713023	<b>AIR DRYER</b>	BENDIX ADIP W/HEAT	0	0	15
O	7130007	<b>AIR DRYER</b>	BENDIX AD-IP EP	15	0	250
O	7100001	<b>AIR DRYER DRILLING</b>	MOUNT AIR DRYER INSIDE RAIL, LHS	0	0	75
O	7100002	<b>AIR DRYER DRILLING</b>	MOUNT AIR DRYER INSIDE RAIL, RHS	0	0	75
S	7100003	<b>AIR DRYER DRILLING</b>	AIR DRYER MOUNTED OUTSIDE RAIL, LHS	0	0	0
O	7100004	<b>AIR DRYER DRILLING</b>	AIR DRYER MOUNTED OUTSIDE RAIL, RHS	0	0	0
O	7100005	<b>AIR DRYER DRILLING</b>	MOUNT AIR DRYER INSIDE RAIL, LHS, SPEC DRIVEN	0	0	0
O	7100006	<b>AIR DRYER DRILLING</b>	MOUNT AIR DRYER INSIDE RAIL, RHS, SPEC DRIVEN	0	0	0
O	7100007	<b>AIR DRYER DRILLING</b>	AIR DRYER MTD OUTSIDE RAIL, LHS, SPEC DRIVEN	0	0	0
O	7100008	<b>AIR DRYER DRILLING</b>	AIR DRYER MTD OUTSIDE RAIL, RHS, SPEC DRIVEN	0	0	0
S	724001	<b>AIR LINES-CAB</b>	SAE J844 NYLON TUBING	0	0	0



S	728001	<b>AIR LINES-MAIN, CHASSIS</b>	SAE J844 NYLON TUBING	0	0	0
<b>CAB EXTERIOR</b>						
S	4510001	<b>STEP-CAB ACCESS, CAB MOUNTED</b>	DUAL SELF CLEANING CAB ENTRANCE STEPS	0	0	0
O	4510005	<b>STEP-CAB ACCESS, CAB MOUNTED</b>	SINGLE SELF CLEANING CAB ENTRANCE STEP	-6	0	-160
S	462004	<b>MUD FLAPS-FRONT WHEEL</b>	FRONT FLAPS	0	0	0
S	502001	<b>CAB DOORS</b>	STEEL	0	0	0
N	502008	<b>CAB DOORS</b>	LH STD./RH HINGED AT REAR	0	0	0
O	5120001	<b>POWER WINDOWS</b>	DUAL INTERNAL REGULATOR POWER WINDOWS	4	0	750
N	5120002	<b>POWER WINDOWS</b>	STAND UP CAB ONLY - SINGLE INTERNAL REGULATOR POWER WINDOW LH	0	0	400
O	5140001	<b>CAB GUARD FRONT</b>	XPEDITOR CAB GUARD	27	-8	365
O	620001	<b>SUN VISOR-EXTERIOR</b>	FIBERGLASS, MOUNTED OVER WINDSHIELD	14	-4	875
S	622C201	<b>MIRROR PANE QUANTITY</b>	SINGLE PANE MIRROR	0	0	0
S	6220015	<b>MIRRORS-DUAL WEST COAST</b>	MIRROR, BLACK, W / LWR CONVEX	0	0	0
O	6220016	<b>MIRRORS-DUAL WEST COAST</b>	MIRROR, BLACK, HTD, W / LWR HTD CONVEX	0	0	285
O	6220017	<b>MIRRORS-DUAL WEST COAST</b>	MIRROR, BLACK, HTD, REMOTE W / LWR HTD CONVEX	0	0	570
O	6220018	<b>MIRRORS-DUAL WEST COAST</b>	MIRROR, BLACK, HTD, REMOTE, W / MARKER LIGHT, W / LWR HTD CONVEX	0	0	620
O	6220021	<b>MIRRORS-DUAL WEST COAST</b>	MIRROR, CHROME, HTD, W / LWR HTD CONVEX	0	0	500
O	6220019	<b>MIRRORS-DUAL WEST COAST</b>	MIRROR, CHROME, HTD, REMOTE, W / LWR HTD CONVEX	0	0	690
O	6220020	<b>MIRRORS-DUAL WEST COAST</b>	MIRROR, CHROME, HTD, REMOTE, W / MARKER LIGHT, W / LWR HTD CONVEX	0	0	740
S	6190002	<b>MIRROR ARMS</b>	RETRACTABLE ARMS, STAINLESS STEEL	0	0	0
O	6230006	<b>MIRRORS-AUXILIARY HIGH MOUNT</b>	HIGH MOUNT 8" CONVEX, BLACK	0	0	95
N	6230007	<b>MIRRORS-AUXILIARY HIGH MOUNT</b>	HIGH MOUNT 8" CONVEX, CHROME	0	0	100

S	618998	<b>DOWN VIEW MIRRORS</b>	NO DOWN VIEW MIRRORS PROVIDED	-2	0	0
S	6240001	<b>GRAB HANDLES-ENTRY</b>	BRUSHED SS GRAB HANDLES	0	0	0
S	630026	<b>HORN-AIR</b>	TWIN MOUNTED UNDER CAB	0	0	0
O	630014	<b>HORN-AIR</b>	CHROME RECT WIDE SPACED W/COVER, DUAL	8	0	185
O	630998	<b>HORN-AIR</b>	NO AIR HORN PROVIDED	-1	0	-160
S	631001	<b>HORN-ELECTRIC</b>	SINGLE	0	0	0
O	631002	<b>HORN-ELECTRIC</b>	DUAL	1	0	20
S	661001	<b>CAB TILT MECHANISM-C.O.E.</b>	HYDRAULIC TILT	0	0	0
O	661002	<b>CAB TILT MECHANISM-C.O.E.</b>	HYDRAULIC TILT WITH AIR ASSIST	20	0	285
S	6720001	<b>GRILLE</b>	AUTOCAR GRILLE	0	0	0
O	6720004	<b>GRILLE</b>	CHROMED AUTOCAR GRILLE	0	0	251
O	6720008	<b>GRILLE</b>	AUTOCAR GRILLE WITH REMOVABLE WINTERFRONT COVER	2	0	145
O	6720009	<b>GRILLE</b>	AUTOCAR CHROME GRILLE WITH REMOVABLE WINTERFRONT COVER	2	0	400
S	675001	<b>BUG SCREENS</b>	BUG SCREEN MOUNTED BEHIND GRILLE	0	0	0
N	675998	<b>BUG SCREENS</b>	NO GRILLE EQUIPMENT PROVIDED	-2	0	-50
S	6910001	<b>FENDER EXTENSIONS-FRONT</b>	IMPACT RESISTANT POLY FENDER	0	0	0
O	693002	<b>UNDERCOAT</b>	CAB CORROSION INHIBITOR	0	0	665

**CAB INTERIOR**

S	3800001	<b>STEERING WHEEL</b>	16" DIA. WHEEL, 2 SPOKE	0	0	0
O	380003	<b>STEERING WHEEL</b>	18 INCH DIAMETER (DUAL DRIVE CONFIGURATIONS: 18" LH, 16" RH)	2	0	5
N	3810001	<b>STEERING COLUMN</b>	ADJUSTABLE TILT STEERING COLUMN	0	0	0
S	3810002	<b>STEERING COLUMN</b>	TILT AND TELESCOPIC STEERING COLUMN	0	0	0
N	381001	<b>STEERING COLUMN</b>	FIXED POSITION	-1	0	-100
S	520234	<b>SEAT-DRIVER</b>	NATIONAL CUSH II LOW BACK, AIR RIDE	0	0	0
O	5200003	<b>SEAT-DRIVER</b>	BOSTROM T905 MID-BACK, AIR RIDE	2	0	50
O	5200001	<b>SEAT-DRIVER</b>	BOSTROM 910 HIGH BACK, AIR RIDE	4	0	100
O	5202002	<b>SEAT-DRIVER</b>	SEARS C2+ SEAT, AIR RIDE, AIR LUMBAR	0	0	100
S	521110	<b>SEAT-PASSENGER</b>	FIXED TYPE, LOW BACK	0	0	0

O	521234	SEAT-PASSENGER	NATIONAL CUSH II LOW BACK, AIR RIDE	31	8	350
O	5210004	SEAT-PASSENGER	BOSTROM T900F MID-BACK, FIXED TYPE	0	0	50
O	5210003	SEAT-PASSENGER	BOSTROM T905 MID-BACK, AIR RIDE	31	0	350
O	5210001	SEAT-PASSENGER	BOSTROM 910 HIGH BACK, AIR RIDE	42	0	425
N	521130	SEAT-PASSENGER	FOLDING SEAT/BACKREST	0	0	0
O	5212001	SEAT-PASSENGER	SEARS C2+ SEAT, FIXED	0	0	125
O	5212002	SEAT-PASSENGER	SEARS C2+ SEAT, AIR RIDE, AIR LUMBAR	0	0	450
S	5222000	SEAT BELTS-DRIVER	THREE POINT RETRACTABLE, W/O COMFORT LATCH	0	0	0
O	5222001	SEAT BELTS-DRIVER	THREE POINT RETRACTABLE, BRIGHT ORANGE COLOR, W/O COMFORT LATCH	0	0	40
N	5230001	SEAT BELTS-PASSENGER	LAP BELT WITH RESTRAINT STRAP	0	0	0
S	5232000	SEAT BELTS-PASSENGER	THREE POINT RETRACTABLE, W/O COMFORT LATCH	0	0	0
N	5232001	SEAT BELTS-PASSENGER	THREE POINT RETRACTABLE, BRIGHT ORANGE COLOR, W/O COMFORT LATCH	0	0	40
S	526014	SEAT INSERT	BLACK CORDURA	0	0	0
O	5260001	SEAT INSERT	GREY CORDURA	0	0	15
N	5260002	SEAT INSERT	MODURA, ASPHALT COLOR	0	0	0
S	538001	CARPET & MAT	MAT WITH FOAM BACK	0	0	0
O	538004	CARPET & MAT	ALUMINUM DIAMOND PLATE - DRIVER SIDE	4	2	70
O	5380001	CARPET & MAT	DIAMOND PLATE FLOORING - BOTH SIDES	8	4	160
S	5390001	CAB INTERIOR	AUTOTUFF INTERIOR UPHOLSTERY	0	0	0
S	5500001	CENTER CONSOLE	CENTER CONSOLE	0	0	0
O	5500002	CENTER CONSOLE	CENTER CONSOLE W/ ADJUSTABLE ROUTE BOOK STAND BASE	0	0	450
S	5510001	REAR CONSOLE	REAR CONSOLE	0	0	0
O	5510002	REAR CONSOLE	REAR CONSOLE W/ WIRE FRAME STORAGE CONTAINER	2	0	100
S	5930001	ASH TRAY	ASHTRAY MTD IN CONSOLE	0	0	0
O	5950001	CAMERAS	INTECH CAMERA PREP	5	0	410

O	5950012	<b>CAMERAS</b>	3RD EYE CAMERA PREP (CAB ONLY)	1	0	775
O	8750001	<b>ADDITIONAL ELEC. SWITCHES</b>	2 DASH SWITCHES, WIRED TO POWER	1	0	55
O	8750003	<b>ADDITIONAL ELEC. SWITCHES</b>	6 DASH SWITCHES, WIRE TO ACCESSORY PWR	2	0	165
O	5852000	<b>DRIVER MONITORING SYSTEM</b>	DRIVER CAM WIRING PREP OVERHEAD CONSOLE	0	0	95
O	5852001	<b>DRIVER MONITORING SYSTEM</b>	3RD EYE DRIVER CAM W/REMOTE MTD DVR	0	0	1,530

**CAB CLIMATE CONTROL**

S	060001	<b>CAB TEMPERATURE SYSTEM</b>	AIR COND INTEGRAL WITH HEATER/DEFROSTER	0	0	0
O	060004	<b>CAB TEMPERATURE SYSTEM</b>	HEATER/DEFROSTER	-138	27	-650
O	0600002	<b>CAB TEMPERATURE SYSTEM</b>	DUAL EVAPORATOR A/C WITH HEATER / DEFROSTER (RAD MOUNT CONDENSER)	40	-33	5,350
O	060011	<b>CAB TEMPERATURE SYSTEM</b>	INTEGRAL A/C WITH ROOF MOUNT CONDENSER	7	12	2,250
O	0602000	<b>CAB TEMPERATURE SYSTEM</b>	DUAL EVAPORATOR A/C WITH HEATER / DEFROSTER (ROOF MOUNT CONDENSER)	0	0	5,650
O	6092000	<b>AIR CONDITIONER AIR INTAKE FILTER</b>	AIR INLET 30 PPI DUST FILTER	0	0	0
S	612001	<b>AIR CONDITIONER CONDENSER</b>	STANDARD (RADIATOR MOUNTED)	0	0	0
N	612002	<b>AIR CONDITIONER CONDENSER</b>	ROOF MTD. (DISTRIBUTOR RESPONSIBILITY TO ENSURE CLEARANCE WITH FEL CANOPY)	0	0	0

**GAUGES & INSTRUMENTATION**

N	0570005	<b>INSTRUMENTS SALES PKG</b>	XXXX GAUGES AND INSTRUMENT LH PRIMARY	0	0	-2,500
S	0572001	<b>INSTRUMENTS SALES PKG</b>	ADVANCED DIAGNOSTIC DISPLAY - V1	0	0	0
S	1430001	<b>TRUCK ELECTRICAL CONTROL MODULE</b>	VEHICLE CONTROL UNIT	0	0	0
S	1362000	<b>TACHOMETER/RPM TACHOGRAPH</b>	ELECTRONIC TACHOMETER	0	0	0
S	1372000	<b>GAUGE-HOURMETER</b>	HOURMETER INCLUDED IN ON BOARD DISPLAY	0	0	0
O	1390001	<b>GAUGE-ENGINE OIL TEMPERATURE</b>	ELECTRONIC ENGINE OIL TEMPERATURE	0	0	30
S	225009	<b>AIR INTAKE RESTRICTION INDICATOR</b>	GRADUATED, AIR CLEANER MOUNTED	0	0	0

O	2250001	<b>AIR INTAKE RESTRICTION INDICATOR</b>	AIR INTAKE RESTRICTION GAUGE IN CAB	0	0	85
O	3190001	<b>PTO CONTROLS</b>	PTO ELECTRIC CONTROL SWITCH	1	0	25
O	3360002	<b>GAUGE-REAR AXLE LUBE TEMPERATURE</b>	ELECTRONIC REAR AXLE LUBE TEMP. - DUAL	0	0	125
S	4390001	<b>GAUGE-FUEL LEVEL</b>	ELECTRONIC FUEL LEVEL	0	0	0
O	4390003	<b>GAUGE-FUEL LEVEL</b>	HOLE IN GAUGE PANEL FOR 2" NG FUEL GAUGE	0	0	0
O	7210001	<b>GAUGE-AIR PRESSURE, ADDITIONAL</b>	ELECTRONIC SERVICE BRAKE APPLICATION	0	0	220
S	1472001	<b>VEHICLE MONITORING SYSTEM</b>	AUTOCAR ADVANCED TELEMATICS - FULL INSTALLATION	0	0	0

**LIGHTING**

S	8360003	<b>LAMPS-HEAD</b>	LED HEADLAMPS	0	0	0
O	8370001	<b>LAMPS-STOP-TAIL</b>	DUAL ROUND SEALED TAILLIGHTS	0	5	165
O	837011	<b>LAMPS-STOP-TAIL</b>	DUAL LED TRUCKLITE MODEL 44	0	0	265
S	8410002	<b>LAMPS-TURN SIGNAL - FRONT</b>	LED FRONT TURN SIGNALS	0	0	0
N	8410003	<b>LAMPS-TURN SIGNAL - FRONT</b>	LED TURN SIGNALS, FRONT END LOADER PACKAGE	1	0	75
S	8440003	<b>SWITCH-TURN SIGNAL &amp; FLASHER</b>	SELF-CANCELING TURN SIGNALS	0	0	0
S	8510002	<b>LAMPS-MARKER</b>	AMBER LED ROOF MARKERS	0	0	0
O	8520001	<b>LAMPS-PARKING</b>	CORNER MARKER LAMP WIRED TO BATTERY SHUT OFF	1	0	75
O	853002	<b>SWITCH-MARKER INTERRUPTER</b>	INTERRUPTER SWITCH FOR CAB/BODY LAMPS	0	0	35
O	8532000	<b>SWITCH-MARKER INTERRUPTER</b>	DIRECT POWER TO MARKER LAMPS - SWITCH	0	0	42
S	859001	<b>LAMPS-RUNNING</b>	DAYTIME	0	0	0
O	859002	<b>LAMPS-RUNNING</b>	DAYTIME - W/O PARK BRAKE DE-ACTIVATION	0	0	6
O	860009	<b>LAMPS-BACK OF CAB</b>	WORK LIGHT BOC DRIP RAIL MOUNTED	2	1	91
N	8660001	<b>LAMPS-SPOT</b>	RFEL LIGHT PREP MOUNTED TO CAB GUARD	3	0	132
O	867015	<b>LAMPS-EMERGENCY WARNING</b>	SWITCH WIRED(12GA) FOR BEACON LIGHT	1	0	85
O	8670003	<b>LAMPS-EMERGENCY WARNING</b>	WHELEN STROBE LIGHT (PREP, BODY BUILDER MUST COMPLETE INSTALL BY CONNECTING TO CONTROLLER/SWITCH)	3	0	450

S	8700001	<b>CIRCUIT PROTECTION DEVICE</b>	AUTO CIRCUIT BREAKERS	0	0	0
---	---------	----------------------------------	-----------------------	---	---	---

**RADIO/MISC**

S	509001	<b>KEY &amp; LOCK SETS-IGN/DOORS</b>	DOOR & IGNITION SAME - UNIQUE PER TRUCK	0	0	0
O	509002	<b>KEY &amp; LOCK SETS-IGN/DOORS</b>	DOOR & IGNITION SAME - SAME FOR FLEET	0	0	5
O	5090001	<b>KEY &amp; LOCK SETS-IGN/DOORS</b>	DOOR & IGNITION SAME - UNIQUE PER TRUCK WITH 2 ADDITIONAL KEYS PER TRUCK (4 TOTAL)	1	0	5
O	5090006	<b>KEY &amp; LOCK SETS-IGN/DOORS</b>	D324	0	0	5
O	5092001	<b>KEY &amp; LOCK SETS-IGN/DOORS</b>	DOOR & IGNITION SAME - SAME FOR FLEET W/ TWO ADDITIONAL KEYS PER TRUCK (4 TOTAL)	0	0	20
O	5092002	<b>KEY &amp; LOCK SETS-IGN/DOORS</b>	N324 W/ TWO ADDITIONAL KEYS PER TRUCK	0	0	20
O	5900005	<b>RADIO</b>	RADIO PREP IN OVERHEAD CONSOLE	3	0	145
O	5900006	<b>RADIO</b>	AM/FM RADIO, ROOF MOUNTED	13	-4	275
O	5900002	<b>RADIO</b>	AM/FM / CD STEREO, ROOF MTD	13	-4	327
O	5900008	<b>RADIO</b>	AM/FM/WB/MP3/CD/USB/BLU ETOOTH	13	-4	400
N	5910002	<b>ANTENNA/POWER SUPPLY</b>	ANTENNA - ROOF MOUNTED	0	0	0
N	596005	<b>RADIO SPEAKERS</b>	2 DUAL CONE SPEAKERS	0	0	0
S	8730001	<b>WIRING-CAB</b>	RADIO SHUT-OFF IN REVERSE	0	0	0
O	962003	<b>FIRE EXTINGUISHER</b>	DRY TYPE ABC 5LB. CAP MTD. IN CAB	2	0	110
O	9620001	<b>FIRE EXTINGUISHER</b>	DUAL 5LB ABC EXTINGUISHERS, ONE UNDER EACH SEAT	5	0	200
O	9620002	<b>FIRE EXTINGUISHER</b>	EMPTY STORAGE COMPARTMENT UNDER SEAT	0	0	43

**FRONT TIRES / WHEELS**

S	9312004	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	GOODYEAR ENDURANCE WHA	0	0	0
O	9312005	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	GOODYEAR ENDURANCE WHA W/ DURASEAL	0	0	16
O	9312006	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	MICHELIN X WORKS Z	0	0	306

O	9310041	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	GOODYEAR G296 WHA	0	0	0
O	9310040	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	GOODYEAR G296 WHA W / DURASEAL	0	0	0
O	9310066	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	GOODYEAR G751 MSA	0	0	1,998
O	9310046	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	MICHELIN XZU-S 2 (RATED TO 10K)	0	0	400
O	9310001	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	MICHELIN XZY-3	0	0	750
O	9310011	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	MICHELIN X ONE XZU-S	0	0	0
O	9312008	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	BRIDGESTONE M864	0	0	800
O	9312009	<b>TIRE MANUFACTURER &amp; TREAD - FRONT</b>	BRIDGESTONE M870	0	0	200
N	930062	<b>TIRE SIZE &amp; LOAD RANGE - FRONT</b>	11R22.5H	0	0	0
N	930063	<b>TIRE SIZE &amp; LOAD RANGE - FRONT</b>	12R22.5H	0	0	0
S	930469	<b>TIRE SIZE &amp; LOAD RANGE - FRONT</b>	315/80R22.5L	0	0	0
N	930466	<b>TIRE SIZE &amp; LOAD RANGE - FRONT</b>	385/65R22.5J	0	0	0
N	930821	<b>TIRE SIZE &amp; LOAD RANGE - FRONT</b>	425/65R22.5L	0	0	0
O	9052005	<b>WHEELS-DISC FRONT</b>	22.5X8.25" ALUMINUM, 5.7" INSET, ACCURIDE	0	0	80
S	9050015	<b>WHEELS-DISC FRONT</b>	22.5X9.0" STEEL, 5.25" INSET, HAYES	0	0	0
O	9050016	<b>WHEELS-DISC FRONT</b>	22.5X9.0" STEEL, 6.42" INSET, HAYES	10	0	100
N	9050017	<b>WHEELS-DISC FRONT</b>	22.5X12.25" STEEL, 4.75" INSET, HAYES	32	0	110
N	9050018	<b>WHEELS-DISC FRONT</b>	22.5x13.0" STEEL HP, 5.25" INSET, 5HH	58	0	200
N	9050014	<b>WHEELS-DISC FRONT</b>	22.5X8.25" STEEL, 6.2" INSET, HAYES	-50	0	-290
N	9050019	<b>WHEELS-DISC FRONT</b>	24.5x8.25" STEEL HP, 6.62" INSET, 5HH	-30	0	-290
O	905111	<b>WHEELS-DISC FRONT</b>	22.5X9.0" STEEL, 5.25" INSET, ACCURIDE	0	0	460
O	9052003	<b>WHEELS-DISC FRONT</b>	22.5X9.0" ALUMINUM, 3.12" INSET, ACCURIDE	0	0	340
O	9052004	<b>WHEELS-DISC FRONT</b>	22.5X9.0" ALUMINUM, 6.02" INSET, ACCURIDE	0	0	340
N	905549	<b>WHEELS-DISC FRONT</b>	22.5X12.25" ALUMINUM, 4.75" INSET, ACCURIDE	-64	0	590

O	9052001	<b>WHEELS-DISC FRONT</b>	22.5X9.0" ALUMINUM, 6.0" INSET, ALCOA	0	0	460
O	9050037	<b>WHEELS-DISC FRONT</b>	22.5X9.0" ALUMINUM, 3.12" INSET, ALCOA	-94	0	470
N	9050031	<b>WHEELS-DISC FRONT</b>	22.5X12.25" ALUMINUM, 4.68" INSET, ALCOA	-70	0	760
N	9052002	<b>WHEELS-DISC FRONT</b>	22.5X13.0" ALUMINUM, 5.3" INSET, ALCOA	0	0	800
O	9050022	<b>WHEELS-DISC FRONT</b>	22.5X8.25" ALUMINUM, 5.8" INSET, ALCOA	-112	0	720
N	924001	<b>WHEEL POLISHING &amp; BRIGHTWORK-FRONT AXLE</b>	POLISHING FOR ALUMINUM DISC WHEELS	0	0	240
N	9240001	<b>WHEEL POLISHING &amp; BRIGHTWORK-FRONT AXLE</b>	DURA BRIGHT FINISH	0	0	1,400

**REAR TIRES / WHEELS**

O	9342006	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	MICHELIN X WORKS Z	0	0	984
S	9340043	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	GOODYEAR G182 RSD	0	0	0
O	9342001	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	GOODYEAR G751 MSA DURASEAL	0	0	1,160
O	9340046	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	MICHELIN XZU-S 2 (RATED TO 10K)	0	0	0
O	9342002	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	BRIDGESTONE M853	0	0	1,312
N	934996	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	MUST CHOOSE	0	0	0
O	9342003	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	GOODYEAR ENDURANCE RSA	0	0	-520
O	9342004	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	GOODYEAR ENDURANCE WHA	0	0	1,224
O	9342005	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	GOODYEAR ENDURANCE WHA W/ DURASEAL	0	0	1,432
O	9342007	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	MICHELIN X MULTI D	0	0	408
O	9342009	<b>TIRE MANUFACTURER &amp; TREAD - REAR</b>	BRIDGESTONE M870	0	0	800
S	933062	<b>TIRE SIZE &amp; LOAD RANGE - REAR</b>	11R22.5H	0	0	0
O	933063	<b>TIRE SIZE &amp; LOAD RANGE - REAR</b>	12R22.5H	0	0	0
N	933469	<b>TIRE SIZE &amp; LOAD RANGE - REAR</b>	315/80R22.5L	0	0	0
O	933074	<b>TIRE SIZE &amp; LOAD RANGE - REAR</b>	11R24.5H	0	0	0



N	933107	<b>TIRE SIZE &amp; LOAD RANGE - REAR</b>	12R24.5H	0	0	0
O	9142005	<b>WHEELS-DISC REAR</b>	22.5X8.25" ALUMINUM, 5.7" INSET, ACCURIDE	0	0	1,760
S	9140014	<b>WHEELS-DISC REAR</b>	22.5X8.25" STEEL, 6.2" INSET, HAYES	0	0	120
N	9140016	<b>WHEELS-DISC REAR</b>	22.5X9.0" STEEL, 6.42" INSET, HAYES	0	240	800
N	9142004	<b>WHEELS-DISC REAR</b>	24.5X8.25" STEEL, 6.2" INSET, HAYES	0	0	80
N	914092	<b>WHEELS-DISC REAR</b>	22.5X8.25" STEEL, HP, 2HH ACCURIDE #28408	0	16	24
N	9142003	<b>WHEELS-DISC REAR</b>	22.5X9.0" ALUMINUM, 6.02" INSET, ACCURIDE	0	0	2,560
O	9140022	<b>WHEELS-DISC REAR</b>	22.5X8.25" ALUMINUM, 5.8" INSET, ALCOA	0	-296	2,400
N	9142001	<b>WHEELS-DISC REAR</b>	22.5X9.0" ALUMINUM, 6.0" INSET, ALCOA	0	0	3,040
N	9140033	<b>WHEELS-DISC REAR</b>	22.5X14.0" ALUMINUM, 1.0" INSET, ALCOA	0	-848	1,920
N	9142006	<b>WHEELS-DISC REAR</b>	24.5X8.25" ALUMINUM, 5.72" INSET, ACCURIDE	0	0	1,520
N	9252000	<b>WHEEL POLISHING &amp; BRIGHTWORK-REAR AXLE</b>	DURA BRIGHT AND DURA FLANGE	0	0	0
N	925002	<b>WHEEL POLISHING &amp; BRIGHTWORK-REAR AXLE</b>	POLISHING-OUTER ALUM.DISC WHEELS TANDEM	0	0	260
N	9250001	<b>WHEEL POLISHING &amp; BRIGHTWORK-REAR AXLE</b>	DURA BRIGHT FINISH	0	0	1,135

**AUXILIARY AXLE TIRES**

N	9P52000	<b>PUSHER AXLE TIRE TREAD</b>	GOODYEAR ENDURANCE RSA	0	0	0
N	9P52005	<b>PUSHER AXLE TIRE TREAD</b>	GOODYEAR ENDURANCE WHA W/ DURASEAL	0	0	0
N	9P52004	<b>PUSHER AXLE TIRE TREAD</b>	GOODYEAR ENDURANCE WHA	0	0	0
N	9P52007	<b>PUSHER AXLE TIRE TREAD</b>	MICHELIN X MULTI Z	0	0	0
N	9P52006	<b>PUSHER AXLE TIRE TREAD</b>	MICHELIN X WORKS Z	0	0	0
N	9P5420	<b>PUSHER AXLE TIRE TREAD</b>	MICHELIN XZE	0	0	0
N	9P50046	<b>PUSHER AXLE TIRE TREAD</b>	MICHELIN XZUS 2	0	0	0
N	9P52009	<b>PUSHER AXLE TIRE TREAD</b>	BRIDGESTONE M870	0	0	0

N	9P4062	<b>PUSHER AXLE TIRE SIZE</b>	11R22.5H	0	0	0
N	9P4111	<b>PUSHER AXLE TIRE SIZE</b>	255/70R22.5H	0	0	0
N	9P40003	<b>PUSHER AXLE TIRE SIZE</b>	275/70R22.5J	0	0	0
N	9P4469	<b>PUSHER AXLE TIRE SIZE</b>	315/80R22.5L	0	0	0
N	9P4466	<b>PUSHER AXLE TIRE SIZE</b>	385/65R22.5J	0	0	0
N	9P40005	<b>PUSHER AXLE TIRE SIZE</b>	285/70R19.5H	0	0	0
N	9P22005	<b>PUSHER AXLE WHEELS</b>	22.5X8.25" ALUMINUM, 5.7" INSET, ACCURIDE	0	0	0
N	9P20014	<b>PUSHER AXLE WHEELS</b>	22.5X8.25" STEEL, 6.2" INSET, HAYES	0	0	0
N	9P20015	<b>PUSHER AXLE WHEELS</b>	22.5X9.0" STEEL HP, 5.25" INSET, 5HH	0	0	0
N	9P20016	<b>PUSHER AXLE WHEELS</b>	22.5X9.0" STEEL, 6.42" INSET, HAYES	0	0	0
N	9P20004	<b>PUSHER AXLE WHEELS</b>	22.5X9.0" STEEL HP, 7.0" OFFSET, 5HH, ACCURIDE #29300 XXXX	0	0	0
N	9P22003	<b>PUSHER AXLE WHEELS</b>	22.5X9.0" ALUMINUM, 3.12" INSET, ACCURIDE	0	0	0
N	9P20011	<b>PUSHER AXLE WHEELS</b>	19.5X7.5" ALUMINUM, 5.38" INSET, ACCURIDE	0	0	0
N	9P20022	<b>PUSHER AXLE WHEELS</b>	22.5X8.25" ALUMINUM, 5.8" INSET, ALCOA	0	0	0
N	9P22001	<b>PUSHER AXLE WHEELS</b>	22.5X9.0" ALUMINUM, 6.0" INSET, ALCOA	0	0	0
N	9P30002	<b>PUSHER AXLE WHEEL POLISH</b>	POLISHING - SINGLE ALUMINUM DISC WHEELS	0	0	55
N	9P30001	<b>PUSHER AXLE WHEEL POLISH</b>	DURA BRIGHT FINISH	0	0	580
N	9T52004	<b>TAG AXLE TIRE TREAD</b>	GOODYEAR ENDURANCE WHA	0	0	0
N	9T52005	<b>TAG AXLE TIRE TREAD</b>	GOODYEAR ENDURANCE WHA W/ DURASEAL	0	0	0
N	9T52006	<b>TAG AXLE TIRE TREAD</b>	MICHELIN X WORKS Z	0	0	0
N	9T5420	<b>TAG AXLE TIRE TREAD</b>	MICHELIN XZE	0	0	0
N	9T50046	<b>TAG AXLE TIRE TREAD</b>	MICHELIN XZUS 2	0	0	0
N	9T52000	<b>TAG AXLE TIRE TREAD</b>	GOODYEAR ENDURANCE RSA	0	0	0
N	9T52009	<b>TAG AXLE TIRE TREAD</b>	BRIDGESTONE M870	0	0	0
N	9T4062	<b>TAG AXLE TIRE SIZE</b>	11R22.5H	0	0	0
N	9T4111	<b>TAG AXLE TIRE SIZE</b>	255/70R22.5H	0	0	0
N	9T40003	<b>TAG AXLE TIRE SIZE</b>	275/70R22.5J	0	0	0
N	9T4469	<b>TAG AXLE TIRE SIZE</b>	315/80R22.5L	0	0	0
N	9T4466	<b>TAG AXLE TIRE SIZE</b>	385/65R22.5J	0	0	0
N	9T40005	<b>TAG AXLE TIRE SIZE</b>	285/70R19.5H XXXX	0	0	0
N	9T22005	<b>TAG AXLE WHEELS</b>	22.5X8.25" ALUMINUM, 5.7" INSET, ACCURIDE	0	0	0

N	9T20014	TAG AXLE WHEELS	22.5X8.25" STEEL, 6.2" INSET, HAYES	0	0	0
N	9T20015	TAG AXLE WHEELS	22.5X9.0" STEEL, HP, 5.25" INSET, 5HH	0	0	0
N	9T20016	TAG AXLE WHEELS	22.5X9.0" STEEL, 6.42" INSET, HAYES	0	0	0
N	9T20004	TAG AXLE WHEELS	22.5X9.0" STEEL, HP, 7.0" OFFSET, 5HH, ACCURIDE #29300 XXXX	0	0	0
N	9T20011	TAG AXLE WHEELS	19.5X7.5" ALUMINUM, 5.38" INSET, ACCURIDE	0	0	0
N	9T22003	TAG AXLE WHEELS	22.5X9.0" ALUMINUM, 3.12" INSET, ACCURIDE	0	0	0
N	9T20022	TAG AXLE WHEELS	22.5X8.25" ALUMINUM, 5.8" INSET, ALCOA	0	0	0
N	9T22001	TAG AXLE WHEELS	22.5X9.0" ALUMINUM, 6.0" INSET, ALCOA	0	0	0
N	9T20031	TAG AXLE WHEELS	22.5X12.25" ALUMINUM, 4.68" INSET, ALCOA	0	0	0
N	9T30002	TAG AXLE WHEEL POLISH	XXXX POLISHING - SINGLE ALUMINUM DISC WHEELS	0	0	55
N	9T30001	TAG AXLE WHEEL POLISH	XXXX DURA BRIGHT FINISH	0	0	580

**PAINT**

S	950001	CAB PAINT SCHEME	SINGLE COLOR PAINT	0	0	0
O	9500021	CAB PAINT SCHEME	2 COLOR, 1 BREAK PAINT SCHEME	0	0	35
O	9500022	CAB PAINT SCHEME	2 COLOR, 2 BREAK PAINT SCHEME	0	0	60
O	9500023	CAB PAINT SCHEME	2 COLOR, 3 BREAK PAINT SCHEME	0	0	90
O	9500024	CAB PAINT SCHEME	2 COLOR, 4 BREAK PAINT SCHEME	0	0	115
O	9500026	CAB PAINT SCHEME	2 COLOR, 6 BREAK PAINT SCHEME	0	0	175
O	9500032	CAB PAINT SCHEME	3 COLOR, 2 BREAK PAINT SCHEME	0	0	60
O	9500033	CAB PAINT SCHEME	3 COLOR, 3 BREAK PAINT SCHEME	0	0	90
O	9500034	CAB PAINT SCHEME	3 COLOR, 4 BREAK PAINT SCHEME	0	0	115
O	9500035	CAB PAINT SCHEME	3 COLOR, 5 BREAK PAINT SCHEME	0	0	145
O	9500036	CAB PAINT SCHEME	3 COLOR, 6 BREAK PAINT SCHEME	0	0	175
O	9500044	CAB PAINT SCHEME	4 COLOR, 4 BREAK PAINT SCHEME	0	0	115
S	9550001	CAB PAINT TYPE	STANDARD WHITE	0	0	0

O	9550002	<b>CAB PAINT TYPE</b>	CAB FIRST COLOR OTHER THAN STD, NON METALLIC	0	0	245
O	9550003	<b>CAB PAINT TYPE</b>	CAB FIRST COLOR, METALLIC	0	0	245
S	9801002	<b>CAB COLOR-FIRST</b>	APPROVED --- DPSS-N0007EX --- STANDARD WHITE N0007	0	0	0
S	9861U1	<b>CHASSIS COLOR</b>	BLACK P3036	0	0	0
O	9860001	<b>CHASSIS COLOR</b>	CHASSIS COLOR OTHER THAN STD. - SPECIFY	0	0	150
S	987949	<b>BUMPER COLOR</b>	SAME AS CHASSIS,UNPAINTED ALUM OR CHROME	0	0	0
O	9870001	<b>BUMPER COLOR</b>	BUMPER COLOR DIFFERENT THAN CHASSIS - SPECIFY	0	0	110
S	988401	<b>DISC WHEEL OR RIM COLOR</b>	STEEL, E-COAT WHITE / ALUM-UNPAINTED	0	0	0
O	988949	<b>DISC WHEEL OR RIM COLOR</b>	STEEL, E-COAT GREY/ ALUM-UNPAINTED	0	0	0
O	9880001	<b>DISC WHEEL OR RIM COLOR</b>	CUSTOM COLOR - SPECIFY (PRICE PER WHEEL)	0	0	135

**ADDITIONAL OPTIONS**

S	899002	<b>CHASSIS WARRANTY</b>	STANDARD WARRANTY	0	0	0
S	899A200	<b>TRANSMISSION WARRANTY</b>	ALLISON 3YR. WARRANTY	0	0	0
O	899A203	<b>TRANSMISSION WARRANTY</b>	ALLISON 5YR. EXT WARRANTY	0	0	1,126
N	899A204	<b>TRANSMISSION WARRANTY</b>	ALLISON 5YR. EXT WARRANTY W/ TRANS RETARDER	0	0	0
S	899B001	<b>ENGINE WARRANTY</b>	CUMMINS STANDARD WARRANTY	0	0	0
O	899B207	<b>ENGINE WARRANTY</b>	2017 L9 HD1 5YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX 231156	0	0	2,090
O	899B208	<b>ENGINE WARRANTY</b>	2017 L9 HD1 5YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX 231156	0	0	2,900
O	899B209	<b>ENGINE WARRANTY</b>	2017 L9 HD2 5YRS/150K MILES EXTENDED WARRANTY PP2 MATRIX 231256	0	0	1,300
N	899B212	<b>ENGINE WARRANTY</b>	2017 ISX-D HD2 5YRS/300K MILES EXTENDED WARRANTY PP2 MATRIX 236512	0	0	1,000

N	899B213	<b>ENGINE WARRANTY</b>	2017 ISX-D HD1 5YRS/300K MILES EXTENDED WARRANTY PP1 MATRIX 236412	0	0	1,350
N	899B180	<b>ENGINE WARRANTY</b>	2018 L9N GE1 5 YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX 334195	0	0	2,500
N	899B181	<b>ENGINE WARRANTY</b>	2018 L9N GE1 5 YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX 334195	0	0	3,200
N	899B182	<b>ENGINE WARRANTY</b>	2018 ISX12N GE1 5 YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX 424195	0	0	2,100
N	899B183	<b>ENGINE WARRANTY</b>	2018 ISX12N GE1 5 YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX 424195	0	0	2,300
N	899B184	<b>ENGINE WARRANTY</b>	2018 ISX12N GE1 5 YRS/300K MILES EXTENDED WARRANTY PP1 MATRIX 424195	0	0	3,450
N	899K200	<b>EXHAUST AFTERTREATMENT EXTENDED WARRANTIES</b>	2017 L9 AT3 AFTERTREATMENT 5YRS/150K MILES EXTENDED WARRANTY MATRIX 231445	0	0	810
N	899K207	<b>EXHAUST AFTERTREATMENT EXTENDED WARRANTIES</b>	2017 X12 AT3 5YRS/300K MILES AFTERTREATMENT EXTENDED WARRANTY MATRIX 233812	0	0	875
N	899K217	<b>EXHAUST AFTERTREATMENT EXTENDED WARRANTIES</b>	2017 X12 AT3 5YRS/200K MILES AFTERTREATMENT EXTENDED WARRANTY MATRIX 233812	0	0	700
O	949001	<b>OUTSIDE CONTRACT- SERVICE PROGRAM</b>	OUTSIDE MODIFICATION - ADMIN FEE	0	0	25
O	9492050	<b>OUTSIDE CONTRACT- SERVICE PROGRAM</b>	DISTRIBUTOR CONTRACTED OUTSIDE MODIFICATION AT W.W. WILLIAMS OF BIRMINGHAM	0	0	0
S	978015	<b>FLOOR PLAN</b>	15 DAYS FLOORING	0	0	0
O	978030	<b>FLOOR PLAN</b>	30 DAYS FLOORING	0	0	0
O	978045	<b>FLOOR PLAN</b>	45 DAYS FLOORING	0	0	0
O	978060	<b>FLOOR PLAN</b>	60 DAYS FLOORING	0	0	0
O	978075	<b>FLOOR PLAN</b>	75 DAYS FLOORING	0	0	0
O	978090	<b>FLOOR PLAN</b>	90 DAYS FLOORING	0	0	0
O	978105	<b>FLOOR PLAN</b>	105 DAYS FLOORING	0	0	0

O	978120	<b>FLOOR PLAN</b>	120 DAYS FLOORING	0	0	0
<b>OTHERS</b>						
N	4232001	<b>FUEL MANAGEMENT MODULE</b>	FMM PREP KIT FOWARD FRAME MTD	0	0	0
N	4232002	<b>FUEL MANAGEMENT MODULE</b>	FMM PREP KIT REARWARD FRAME MTD	0	0	0
O	9722018	<b>CERTIFICATION- EMISSIONS</b>	COMPLIES WITH 2018 U.S. EMISSIONS	0	0	0
N	9722000	<b>CERTIFICATION- EMISSIONS</b>	COMPLIES WITH 2017 U.S. EMISSIONS	0	0	0
N	9720005	<b>CERTIFICATION- EMISSIONS</b>	COMPLIES WITH 2013 U.S. EMISSIONS	0	0	9,999,999
<b>SUB TOTALS</b>						
BASE WEIGHT/PRICE				10,431	6,154	180,050
FACTORY OPTION WEIGHT/PRICE				11	-27	1,620
DISTRIBUTOR OPTION WEIGHT/PRICE				0	0	0
<b>TOTALS</b>						
TOTAL PRICE (\$)						181,670
TOTAL WEIGHT (LB)				10,442	6,127	16,569

02/17/2020

## ***GAWR, GVWR & Tire Pressure***

<b>GVW Rating – 60,000#</b>			
<b>Front GAWR</b>	<b>20,000#</b>	<b>Rear GAWR</b>	<b>40,000#</b>
Front Suspension	20,800#	Rear Suspension	40,000#
Front Wheels	20,000#	Rear Wheels	59,100#
Front Tire Size And Tread	20,500#	Rear Tire Size And Tread	48,000#
Front Brakes	20,000#	Rear Brakes	52,000#
Front Axle	20,000#	Rear Axle	40,000#
<b>PSI</b>			
Front PSI	130.0	Rear PSI	90.0