



T270 Data Book
1/1/2020



TABLE OF CONTENTS

Section	Pages
STANDARD SPECIFICATIONS	G
REQUIRED INFORMATION	H
ENGINES	I
ENGINE EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X



T270: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
BASE MODEL PRICE			
0000270	T270 Series Conventional Electric Door locks LH/RH; Ignition & doors keyed alike; Single electric horn; Single-piece windshield; Electric windshield wipers, 2-speed plus intermittent; Electric windshield washers; Steering wheel 18in. 4-spoke; Glovebox door with locking latch; Dash-mounted cruise control with switches; Turn signal switch with column-mounted dimmer; Standard dash panels include gray w/ burl wood accents; Slate Gray interior primary color; Dark Slate Gray seat color; Floormat; Inside sunvisor, LH/RH; Door courtesy lights; Under-dash center console with 1 cup holder, 1 ashtray & 1 lighter.	\$90,065	9,264#
ENGINES			
PACCAR			
0120202	PACCAR PX-7 200 2017 200@2400 195@2600 520@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$0	0#
ENGINE EQUIPMENT			
Air Compressor			
1002060	Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	\$0	0#
Air Intake System			
1031130	Air Cleaner: Dry-type firewall mounted w/filter restriction indicator.	\$0	0#
Cooling System			
1121200	Cooling module: 1000 square inches T170/T270/T370/T470. Includes metal surge tank on T170/T270/T370.	\$0	0#
Cooling System Equipment			
1105261	Fan Hub: Horton On/Off for PX-7	\$0	0#
Exhaust Systems			
1247137	Exhaust: 2017 EPA Horizontal Under Rail DPF/SCR for PX-7 w/ Horizontal Tailpipe Below RH Rail, BOC.	\$0	0#
Filters			
1321109	Fuel Filter:PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions	\$0	0#
1321200	Run Aid:None *For Fuel Filter	\$0	0#
1321300	Start Aid:None *For Fuel Filter	\$0	0#
Starting & Recharging			
1816160	Alternator: 160 amp brush type T3	\$0	0#
1821220	Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.	\$0	0#
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	\$0	0#
TRANSMISSIONS			
Eaton			
2050121	Transmission: Eaton Fuller FS5406A 6-spd synchro. *Torque Limit: 560 pound-feet.	\$0	0#
Clutch			
2240001	Clutch: ceramic to 605 lb-ft 14 in. Fuller. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$0	0#
Driveline			
2401205	Driveline:1 Dana standard-duty; no centerbearing. *Standard duty is 1710 series.	\$0	0#



T270: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

FRONT AXLE

Front Axles

2501010	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop. Use w/ air brakes only.	\$0	0#
---------	--	-----	----

Outer End Equipment

2703051	Front Brake: 10,000 lb. Bendix air brake package 15x4 brakes, cast drums, iron preset 10-bolt hub pilot hubs, hub caps, oil seals & slack adjusters.	\$0	0#
---------	--	-----	----

2603006	Front brakes included w/ front hub package.	\$0	0#
---------	---	-----	----

Front Springs

2862090	Front Springs: Taperleaf 10K w/ shock absorbers for use on 2010+ chassis w/ 22.5in. wheels only.	\$0	0#
---------	--	-----	----

Power Steering

2895223	Single power steering gear: 13.2K for air brakes.	\$0	0#
---------	---	-----	----

REAR AXLE

Single Drive Rear Axles

3011046	Dana S17-140 17K rated at 16k-single rear axle w/air brakes.	\$0	0#
---------	--	-----	----

Single Axle Outer End Equipment

3300000	Single rear brakes included w/rear hub package.	\$0	0#
---------	---	-----	----

3403042	26K air brake package includes 16-1/2x7 in. brake , cast drums, iron preset 10-bolt hub pilot hubs, slack adjusters	\$0	0#
---------	---	-----	----

3485019	Spring Brake: 2430 single for medium duty T300; maximum capacity 17K.	\$0	0#
---------	---	-----	----

Anti-Lock Brake System

3495226	Bendix 4S/4M anti-lock brake system.	\$0	0#
---------	--------------------------------------	-----	----

REAR SUSPENSION

Single

3626479	Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.6 in. Not rear air disc brake compatible.	\$0	0#
---------	--	-----	----

TIRES & WHEELS

Front & Rear Axle Tires

4079054	Front tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. For P&D & construction vocations. Smartway certified.	\$0	0#
---------	--	-----	----

4279054	Rear Tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. For P&D & construction vocations. Smartway certified. Code is priced per pair of tires.	\$0	0#
---------	---	-----	----

Front & Rear Axle Wheels & Rims

5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#
---------	---	-----	----

5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$0	0#
---------	---	-----	----

FRAME & EQUIPMENT

Rails & Inserts



T270: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
6050615	Frame Rails: 9-7/8 x 1/4 steel 381 in. to 428 in. Truck frame weight is 2.10 lb.-in. per pair of rails. Section modulus is 10 cu in, RBM is 1,254,767 lbs. per rail. 120,000 PSI. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#

Bumpers

6308710	Bumper: Aerodynamic, Painted. Requires a bumper setting code.	\$0	0#
---------	---	-----	----

Front Frame Miscellaneous

6390103	Front mudflaps.	\$0	0#
---------	-----------------	-----	----

Battery Boxes

6404406	Battery box: Steel parallel under w/ aluminum diamond plate cover w/ step w/ aluminum step brackets.	\$0	0#
---------	--	-----	----

Frame Crossmembers & Upgrades

6490122	One-piece welded crossmember assembly with 12mm frame fasteners, center and rear frame. Standard crossmember.	\$0	0#
---------	---	-----	----

Rear Frame Equipment

6742009	Square end-of-frame w/o crossmember; non-towing.	\$0	0#
---------	--	-----	----

FUEL TANKS & EQUIPMENT

Rectangular Steel

7130045	Fuel Tank: 45 US gallon, rectangular steel with step under replacement.	\$0	0#
---------	---	-----	----

DEF Tanks & Equipment

7722008	Rectangular DEF tank. 7.5 gallons of usable volume. The tank will be located just forward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$0	0#
---------	---	-----	----

CAB EXTERIOR

Cabs

8024310	Cab: Curved Glass Conventional. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn standard. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection (excluding T3 series), short and open check diagnostics. Warning alarm will sound when lights are left on.	\$0	0#
---------	---	-----	----

Windows

8871438	Rear Cab Stationary Window 17 in. x 36 in.	\$0	0#
---------	--	-----	----

Hoods, Fenders & Grilles

8090310	Hood: Sloped aerodynamic hood includes grill & separate bumper.	\$0	0#
---------	---	-----	----

Cab Access

8800200	Cab access contoured grabhandles, LH/RH.	\$0	0#
---------	--	-----	----

Mirrors & Equipment

8862101	Mirror: Dual Prutsmann mirror 7 in. x 16 in. polished stainless steel, and non-heated.	\$0	0#
8869005	Mirror brackets 8-1/2 ft load width.	\$0	0#
8850300	Look-Down, Pass. Door, Stainless 8.5x4.4	\$0	0#
8850210	Dual convex mirrors 7-1/2 in. w/ offset mounting, and non-heated.	\$0	0#



T270: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
Window Equipment			
8879200	Manual LH & electric-powered RH door window. Switch located on door.	\$0	0#
Doors & Equipment			
8832115	Daylite Door: LH/RH includes RH peeper window	\$0	0#
CAB INTERIOR			
Cabs & Sleepers			
8330003	Cab interior: Pinnacle. Includes vinyl headliner & cab back panel, slate gray interior, dark slate gray seats, floormats, LH/RH inside sunvisor & door courtesy lights.	\$0	0#
Heaters & Air Conditioning			
8108010	Cab heater: W/integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T660 include filter media.	\$0	0#
Instruments & Controls			
8282009	Instrument package: Includes speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010+ engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	\$0	0#
Seats			
8410081	Driver Seat: Kenworth Air Cushion Plus IB Cloth .Standard features include 7 in. fore and aft slide adjustment with isolator, 6 to 23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide with 2 position tilt and 2 position front cushion extension. Seat material has a horizontal stitch pattern and is 2 tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3 point matching seat belts. Grey seat belts.	\$0	0#
8480080	Rider Seat: Kenworth Toolbox Plus IB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$0	0#
LIGHTS & SIGNALS			
Headlamps			
9010801	Headlamps: Halogen Projector Low Beam, Halogen Complex Reflector High Beam	\$0	0#
Marker Lights			
9020164	Marker Lights: with small round base, Five cab roof mounted.	\$0	0#
Turn Signal Lights			
9030010	Turn Signal Lights: Mounted on fender	\$0	0#
Taillights			
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$0	0#
AIR EQUIPMENT			
Air Drying Equipment			
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#
EXTENDED WARRANTY			
Warranty			
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	\$0	0#

PAINT



T270: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
Paint Designs			
9943050	Day Cab Standard Paint	\$0	0#
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#
Paint Options			
9965510	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#



T270: REQUIRED INFORMATION

Option	Description	Price	Weight
Intended Service			
0093000	Linehaul: Vehicles (trucks or tractors) used in over-the-road freight hauling. Pickup to delivery distance is typically over 300 miles, & annual mileage is typically over 60,000 miles per year. Operation is typically on-highway. Road usage: minimum 1% Class B, do not code for Class D.	\$0	0#
0093005	Local pickup & delivery: Vehicles which haul freight, typically operating within a 100-mile radius, on public streets & highways, & other paved surfaces, including limited Class C roads. Includes package & freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.	\$0	0#
0093007	Regional Haul: Vehicles used to haul freight on public roads consisting of a mixture of over the road, urban and/or suburban hauling. Pickup to delivery distance typically in the 100 to 300 miles range but some LTL applications may exceed 300 mile limit. Road usage: minimum 19% Class B, do not code for Class D.	\$0	0#
0093025	Snowplow: Vehicles which are configured for mounting a snowplow to the front. May also have dump or other body. Typically includes some operation off of paved roads. Road usage: majority of Class A & B, do not code for Class D.	\$0	0#
0093035	Mining service: Vehicles used to service earthmoving & mining equipment. Includes bodies such as mechanic's service bodies, tire hoists, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093090	Utility vehicle: Used to service utility or communication equipment. Typically operates within 100 mile radius on public roads & may or may not have a man lift. Duty cycle includes long engine idle times. Road usage: any combination of A & B, may include some class C roads.	\$0	0#
0093091	Refuse hauler: Vehicles which haul refuse, recycled material, etc. Includes Roll-on/roll-off container movement, as well as hauling refuse from transfer stations to landfills. Typically includes operation in landfills, over rough, uneven surfaces. Road usage: any combination, which includes some Class B.	\$0	0#
0093105	Oil field well servicing: Vehicles which carry well servicing equipment, e.g., pumpers, blenders, cementers, data loggers, etc. Typically involve considerable hours of stationary operation, but low mileage. Typically operate on prepared (although often unpaved) roadways. Road usage: any combination, w/minimum 5% Class C.	\$0	0#
0093111	Wrecker service: Vehicles w/ recovery bodies used for recovering & towing stranded vehicles & equipment. Road usage: minimum 5% Class B & maximum 10% Class D.	\$0	0#
0093122	EMT/rescue service: Vehicles used responding to emergencies & rescue operations. Typically configured for rapid response, & carry medical & other rescue equipment. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093130	Construction: Vehicles used in the construction industry, other than those listed above. Use typically involves operating on the jobsite, to pick up or deliver construction materials, or to position the vehicle for its intended use at the construction site. Includes such activities as delivery of precast concrete, concrete pumpers, flatbeds or roll-offs for delivery of construction materials or equipment, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093135	Agriculture: Vehicles used in the agriculture industry, other than those listed above. Use typically involves transportation of agricultural & dairy products to/from/on/around farm sites, & includes operation off of improved surfaces while on the farm. Includes applications such as milk tankers for farm pickup, feed trucks, grain haulers which load in the field, etc. Can be trucks or tractors. Road usage: any combination, which includes both Class C & D.	\$0	0#

Commodity Hauled

Building Materials

*See PremierSpec for Complete List of Restrictions



T270: REQUIRED INFORMATION

Option Description	Price	Weight
Commodity Hauled		
Building Materials		
0091010 Pre-cast concrete (blocks, pavers, etc.).	\$0	0#
0091020 Ready-mix concrete.	\$0	0#
0091030 Lumber.	\$0	0#
0091040 Other building materials.	\$0	0#
0091041 Asphalt.	\$0	0#
0091042 Gravel/crushed rock/sand.	\$0	0#
0091043 Topsoil/bark.	\$0	0#
Food-Farm Products		
0091130 Grain.	\$0	0#
0091135 Livestock feed.	\$0	0#
0091140 Hay.	\$0	0#
0091150 Livestock.	\$0	0#
0091160 Hanging meat.	\$0	0#
0091170 Other food/farm products.	\$0	0#
Bulk Goods		
0091050 Dry bulk goods.	\$0	0#
0091060 Dairy products - milk.	\$0	0#
0091070 Liquid petroleum products.	\$0	0#
0091080 Other bulk goods.	\$0	0#
0091115 Compressed gas.	\$0	0#
0091121 Water.	\$0	0#
0091122 Crude oil.	\$0	0#
0091123 Liquefied gas.	\$0	0#
0091125 Steel structural/coil.	\$0	0#
Forest Products		
0091180 Logs.	\$0	0#



T270: REQUIRED INFORMATION

Option Description	Price	Weight
Commodity Hauled		
Forest Products		
0091190 Wood chips.	\$0	0#
0091200 Other forest products.	\$0	0#
Minerals		
0091210 Coal.	\$0	0#
0091220 Excavated earth.	\$0	0#
0091230 Rock.	\$0	0#
0091240 Other minerals.	\$0	0#
Dry Goods		
0091090 General freight.	\$0	0#
0091100 Heavy machinery.	\$0	0#
0091110 Oil field equipment.	\$0	0#
0091120 Other dry goods.	\$0	0#
0091124 Auto transporter.	\$0	0#
Miscellaneous		
0091250 Empty cans.	\$0	0#
0091260 Refuse/recycled material.	\$0	0#
0091270 Fire apparatus.	\$0	0#
0091271 EMT/rescue.	\$0	0#
Body Type		
0095010 End dump.	\$0	0#
0095030 Transfer dump.	\$0	0#
0095050 Booster axle mixer w/ approved frame reinforcement.	\$0	0#
0095056 Volumetric mixer.	\$0	0#
0095060 Roll on/roll off.	\$0	0#
0095065 Roll back flatbed.	\$0	0#



T270: REQUIRED INFORMATION

Option Description	Price	Weight
Body Type		
0095070 Refuse loader/packer.	\$0	0#
0095080 Refuse, other.	\$0	0#
0095084 Logger, single bunk.	\$0	0#
0095085 Logger, multiple bunks.	\$0	0#
0095090 Oil field rig-up.	\$0	0#
0095095 Beverage.	\$0	0#
0095100 Oil well servicing equipment.	\$0	0#
0095105 Drilling derrick.	\$0	0#
0095110 Tank.	\$0	0#
0095115 Dry bulk hopper.	\$0	0#
0095120 Van.	\$0	0#
0095125 Service body.	\$0	0#
0095130 Dromedary box or automobile rack.	\$0	0#
0095135 Cotton module.	\$0	0#
0095140 Flatbed.	\$0	0#
0095145 Flatbed with utility crane.	\$0	0#
0095146 Wrecker.	\$0	0#
0095151 Crane/boom.	\$0	0#
0095152 Block body.	\$0	0#
0095153 Logger, self-loading crane/boom. Dealer supplied drawing required.	\$0	0#
0095155 Fire truck-pumper.	\$0	0#
0095160 Other - Narrative Required	\$0	0#
0095165 Vacuum tank.	\$0	0#
0095175 Reefer van.	\$0	0#

Trailer Type



T270: REQUIRED INFORMATION

Option Description	Price	Weight
Trailer Type		
0096010 Doubles.	\$0	0#
* Double trailers are for use in the following services: linehaul, local P&D, regional haul, refuse hauler, construction, or agriculture. * Trailer types, doubles, triples, bottom dump or automobile carrier are for use with tractors only.		
0096015 Triples.	\$0	0#
* Trailer types, doubles, triples, bottom dump or automobile carrier are for use with tractors only. * Triple trailers are for use in the following services: linehaul , regional haul, or local P&D		
0096020 End dump.	\$0	0#
0096025 Side Dump	\$0	0#
0096030 Bottom dump.	\$0	0#
0096040 Flatbed.	\$0	0#
0096045 Beverage.	\$0	0#
0096050 Lowboy.	\$0	0#
0096055 Automobile/marine carrier.	\$0	0#
0096060 Reefer van.	\$0	0#
0096070 Tank.	\$0	0#
0096075 Oil Field Well Service	\$0	0#
0096080 Dry van beverage trailer, curtain trailer, chip trailer.	\$0	0#
0096085 Logger, single bunk or semi-trailer.	\$0	0#
0096090 Other - Narrative Required	\$0	0#

Special Requirements

Operating Area

0098010 California Registry	\$0	0#
0098015 Mexico registry.	\$0	0#
0098025 U.S. Domestic registry, 50-state.	\$0	0#
0098030 Export: Off-highway - exempt from US regulations.	\$0	0#
* Export or 2007 compliant engines do not require a def tank		



T270: REQUIRED INFORMATION

Option Description	Price	Weight
Special Requirements		
Operating Area		
0098032 Export: On-highway chassis.	\$0	0#
* Export or 2007 compliant engines do not require a def tank		
0098033 On-highway chassis for use in off-shore.	\$0	0#
0098050 Canadian registry.	\$0	0#
* Chassis registered in Canada and specifying air conditioning require air conditioning excise tax. Add code 8190564 from the HVAC Options section.		
* Vehicles registered in Canada are typically spec'd with a metric gauge cluster.		
0098060 Quebec registry.	\$0	0#
* Chassis registered in Canada and specifying air conditioning require air conditioning excise tax. Add code 8190564 from the HVAC Options section.		
* Vehicles registered in Canada are typically spec'd with a metric gauge cluster.		
Export Destination		
9400071 Specify Ship Destination by Narrative.	\$0	0#
9400072 Ship to Dealer.	\$0	0#
9400073 Ship to Specific Address.	\$0	0#
9400074 Ship to Multi Locs - Shipping Spreadst If your fleet is being shipped to multiple locations, you have 3 days (GRACE) from order entry to send your shipping spreadsheet to your Sales Coordinator.	\$0	0#
9400075 Local PDI then Ship to Dealer.	\$0	0#
9400076 Local PDI then Ship to Spec. Address	\$0	0#
9400077 Probilt then Ship to Dealer.	\$0	0#
9400078 Probilt then Ship to Specific Address.	\$0	0#
9400080 Fontaine then ship to Dealer	\$0	0#
9400081 Fontaine then Ship to Specific Address	\$0	0#
9481000 Export Destination: Chile.	\$0	0#
9481001 Export Destination: Colombia.	\$0	0#
9481002 Export Destination: Ecuador.	\$0	0#
9481003 Export Destination: Indonesia.	\$0	0#
9481004 Export Destination: Peru.	\$0	0#



T270: REQUIRED INFORMATION

Option Description	Price	Weight
Special Requirements		
Export Destination		
9481005 Export Destination: Puerto Rico.	\$0	0#
9481006 Export Destination: Thailand.	\$0	0#
9481007 Export Destination: U.S. Pacific Islands, Guam, Saipan, North Mariana Island, & American Samoa.	\$0	0#
9481008 Export Destination: U.S. Virgin Islands.	\$0	0#
9481010 Export Destination: Venezuela.	\$0	0#
9481011 Export Destination: Algeria.	\$0	0#
9481012 Export Destination: China.	\$0	0#
9481013 Export Destination: Dominican Republic.	\$0	0#
9481014 Export Destination: Guatemala.	\$0	0#
9481015 Export Destination: India.	\$0	0#
9481016 Export Destination: Libya.	\$0	0#
9481017 Export Destination: Oman.	\$0	0#
9481018 Export Destination: Panama.	\$0	0#
9481019 Export Destination: Saudi Arabia.	\$0	0#
9481022 Export Destination: United Arab Emirates.	\$0	0#
9481023 Export Destination: Iraq.	\$0	0#
9481024 Export Destination: Ghana.	\$0	0#
9481025 Export Destination: Kazakhstan.	\$0	0#
9481026 Export Destination: Nigeria.	\$0	0#
9481027 Export Destination: Egypt.	\$0	0#
9481028 Export Destination: Qatar.	\$0	0#
9481029 Export Destination: Pakistan.	\$0	0#
9481030 Export Destination: Kuwait.	\$0	0#
9481031 Export Destination: Argentina.	\$0	0#
9481032 Export Destination: Bahamas.	\$0	0#

*See PremierSpec for Complete List of Restrictions



T270: REQUIRED INFORMATION

Option Description	Price	Weight
Special Requirements		
Export Destination		
9481033 Export Destination: Australia	\$0	0#
9481034 Export Destination: Brazil	\$0	0#
9481035 Export Destination: Guyana	\$0	0#
9481036 Export Destination: Philippines	\$0	0#
9481037 Export Destination: Trinidad	\$0	0#
9481095 Export Destination: Jordan.	\$0	0#
9481196 Export Destination: Israel.	\$0	0#
9481197 Export Destination: Russia.	\$0	0#
9481198 Export Destination: Western Europe.	\$0	0#
9481199 Export Destination: country not specified. Export country not otherwise specified	\$0	0#

Stationary Application

0072000 Chassis operation will not include a stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001 Chassis operation will include stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
* Only these codes have been determined to meet the databook definition of a stationary application, 0093105, 0095055, 0095100, 0095105, 0095155, & 0095165, 0095110.		
0072002 Chassis operation will include stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
* Only these codes have been determined to meet the databook definition of a stationary application, 0093105, 0095055, 0095100, 0095105, 0095155, & 0095165, 0095110.		
0072003 Chassis operation will include export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
* Only these codes have been determined to meet the databook definition of a stationary application, 0093105, 0095055, 0095100, 0095105, 0095155, & 0095165, 0095110.		

Model Series



T270: REQUIRED INFORMATION

Option	Description	Price	Weight
--------	-------------	-------	--------

Model Series

0070005	T270 Class 6: medium-duty Conventional.	\$0	0#
---------	---	-----	----

- * Class 6 vehicles are not for use on class C roads over 10% or operation on more than 2% class D roads. Narratives can be added for OAR/T-Supt review if these conditions exist and are questionable.
- * T270 is available w/ 8k lb air braked front axle w/ 16k - 18k lb rear axle, 9k lb air braked front axle w/ 17k lb rear axle, or 10k lb air braked front axle w/ 16k lb rear axle. Available w/ 8k lb hydraulic braked front axle w/ 16k - 17k lb rear axle.

Model Configurations

0090011	Class 6 4x2 automatic.	\$0	0#
0090014	Class 6 4x2 manual.	\$0	0#
0090089	Class 6 4x4 automatic.	\$0	0#
0090090	Class 6 4x4 manual.	\$0	0#



T270: ENGINES

Option Description	Price	Weight
CARB Emission Reduction Feature		
0080050 CARB Idle Emissions Reduction Feature for PX-7 and PX-9	\$100	0#
* Emergency service vehicles do not require CARB-compliant exterior badging to meet CARB/50-state compliance. Add code 0080070 with this service.		
0080070 CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080075 Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.	\$0	0#

PACCAR

PX-7

0120202 PACCAR PX-7 200 2017 200@2400 195@2600 520@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	STD	0#
0120221 PACCAR PX-7 220 2017 220@2400 215@2600 520@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$577	0#
0120222 PACCAR PX-7 220 2017 220@2400 215@2600 600@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$1,332	-130#
0120241 PACCAR PX-7 240 2017 240@2400 235@2600 560@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$1,596	0#
0120251 PACCAR PX-7 250 2017 250@2400 245@2600 660@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$2,178	0#
0120262 PACCAR PX-7 260 2017 260@2400 250@2600 660@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$2,424	0#
0120282 PACCAR PX-7 280 2017 280@2400 270@2600 660@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$2,726	0#
0120283 PACCAR PX-7 280EV 2017 280@2400 270@2600 660@1600 Emergency Vehicle includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$3,243	0#
* The PX9 and PX7 "EV" series engines are for use only in Fire or EMT service only.		
0120301 PACCAR PX-7 300 2017 300@2600 660@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$3,288	0#
0120331 PACCAR PX-7 325 2017 325@2400 315@2600 750@1800 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$3,848	0#
0120340 PACCAR PX-7 340EV 2017 340@2600 700@1600 Emergency Vehicle, includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing	\$4,130	-130#
* The PX9 and PX7 "EV" series engines are for use only in Fire or EMT service only.		
0120341 PACCAR PX-7 360EV 2017 360@2600 800@1800 Emergency Vehicle, includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing	\$4,941	-130#
* The PX9 and PX7 "EV" series engines are for use only in Fire or EMT service only.		

PX-9



T270: ENGINES

Option	Description	Price	Weight
PACCAR			
PX-9			
0129461	PACCAR PX-9 260 2017 260@2200 720@1300 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$8,192	564#
0129471	PACCAR PX-9 270 2017 270@2000 260@2200 800@1300 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$8,860	564#
0129472	PACCAR PX-9 270EV 2017 270@2000 800@1300 Emergency Vehicle includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$9,899	564#
* The PX9 and PX7 "EV" series engines are for use only in Fire or EMT service only.			
0129502	PACCAR PX-9 300 2017 300@2000 285@2200 860@1300 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$9,683	564#
0129503	PACCAR PX-9 300EV 2017 300@2000 285@2200 860@1300 Emergency Vehicle includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$10,126	564#
* The PX9 and PX7 "EV" series engines are for use only in Fire or EMT service only.			
0129532	PACCAR PX-9 330 2017 330@2000 320@2200 1000@1400 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$10,909	564#
0129533	PACCAR PX-9 330EV 2017 330@2000 320@2200 1000@1400 Emergency Vehicle includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$10,501	564#
* The PX9 and PX7 "EV" series engines are for use only in Fire or EMT service only.			
0129546	PACCAR PX-9 350 2017 350@2000 321@2200 1150@1400 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$13,748	564#
* Not for use with Allison 3500 transmissions.			
* PX-9 engines (0129545, 0129546) n/a with clog resistant cooling module.			
0129552	PACCAR PX-9 350 2017 350@2000 340@2100 1000@1400 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$13,195	564#
* Not for use with Allison 3500 transmissions.			
0129553	PACCAR PX-9 350EV 2017 350@2000 320@2200 1000@1400 There Emergency Vehicle includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$11,653	564#
* The PX9 and PX7 "EV" series engines are for use only in Fire or EMT service only.			
0129583	PACCAR PX-9 380EV 2017 380@2000 368@2100 1150@1400 Emergency Vehicle includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$12,761	564#
* Not for use with Allison 3500 transmissions.			
* The PX9 and PX7 "EV" series engines are for use only in Fire or EMT service only.			

Cummins

ISC



T270: ENGINES

Option	Description	Price	Weight
Cummins			
ISC			
0128241	ISC Export 240 Gov@2400 240@2200 660 @ 1300 Export only. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	(\$15,678)	283#
	* Non-Catalytic converter exhaust systems are used only for export operating areas.		
	* Pre-2010 engines do not use DEF or SCR.		
0128265	ISC260 Export Gov@2400 260@2200 660@1300 Export only. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	(\$15,308)	283#
	* Non-Catalytic converter exhaust systems are used only for export operating areas.		
	* Pre-2010 engines do not use DEF or SCR.		
0128314	ISC315 Export Gov@2200 315@2000 950@1300 Export only. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	(\$13,480)	283#
	* Non-Catalytic converter exhaust systems are used only for export operating areas.		
	* Pre-2010 engines do not use DEF or SCR.		



T270: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Engine Idle Shutdown Timers			
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
Vehicle Speed Limiters			
1000611	Highest Efficiency VSL Settings	\$0	0#
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#

*See PremierSpec for Complete List of Restrictions



T270: ENGINE EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

Engine Parameters

Vehicle Speed Limiters

1000643 Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644 Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645 Effective VSL Setting 61.2 MPH (USA)	\$0	0#
1000646 Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647 Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648 Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649 Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650 Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651 Effective VSL Setting 61.8 MPH (USA)	\$0	0#
1000652 Effective VSL Setting 61.9 MPH (USA)	\$0	0#
1000653 Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654 Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655 Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656 Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657 Effective VSL Setting 62.4 MPH (USA)	\$0	0#
1000658 Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659 Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660 Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661 Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662 Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663 Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664 Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665 Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666 Effective VSL Setting 63.3 MPH (USA)	\$0	0#
1000667 Effective VSL Setting 63.4 MPH (USA)	\$0	0#

*See PremierSpec for Complete List of Restrictions



T270: ENGINE EQUIPMENT

Option Description	Price	Weight
Engine Parameters		
Vehicle Speed Limiters		
1000668 Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669 Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670 Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671 Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672 Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673 Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674 Effective VSL Setting 64.1 MPH (USA)	\$0	0#
1000675 Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676 Effective VSL Setting 64.3 MPH (USA)	\$0	0#
1000677 Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678 Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679 Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680 Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681 Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682 Effective VSL Setting 64.9 MPH (USA)	\$0	0#
1000683 Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684 Effective VSL Setting NA	\$0	0#
1000685 Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686 Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687 Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688 Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689 Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#
1000690 Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691 Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#
1000692 Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#

*See PremierSpec for Complete List of Restrictions



T270: ENGINE EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

Engine Parameters

Vehicle Speed Limiters

1000693 Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694 Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695 Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696 Effective VSL Setting 60.2 MPH (CAN)	\$0	0#
1000697 Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698 Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699 Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700 Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701 Effective VSL Setting 60.7 MPH (CAN)	\$0	0#
1000702 Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703 Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704 Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705 Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706 Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707 Effective VSL Setting 61.3 MPH (CAN)	\$0	0#
1000708 Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709 Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710 Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711 Effective VSL Setting 61.7 MPH (CAN)	\$0	0#
1000712 Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713 Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714 Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715 Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716 Effective VSL Setting 62.2 MPH (CAN)	\$0	0#
1000717 Effective VSL Setting 62.3 MPH (CAN)	\$0	0#

*See PremierSpec for Complete List of Restrictions



T270: ENGINE EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

Engine Parameters

Vehicle Speed Limiters

1000718 Effective VSL Setting 62.4 MPH (CAN)	\$0	0#
1000719 Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720 Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721 Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722 Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723 Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724 Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725 Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726 Effective VSL Setting 63.2 MPH (CAN)	\$0	0#
1000727 Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728 Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729 Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730 Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731 Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732 Effective VSL Setting 63.8 MPH (CAN)	\$0	0#
1000733 Effective VSL Setting 63.9 MPH (CAN)	\$0	0#
1000734 Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735 Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736 Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737 Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738 Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739 Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740 Effective VSL Setting 64.6 MPH (CAN)	\$0	0#
1000741 Effective VSL Setting 64.7 MPH (CAN)	\$0	0#
1000742 Effective VSL Setting 64.8 MPH (CAN)	\$0	0#

*See PremierSpec for Complete List of Restrictions



T270: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Engine Parameters

Vehicle Speed Limiters

1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#

Air Compressor

1002060	Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	STD	0#
* Air compressor for use with an air system on PACCAR PX-7 or PX-9 engines only. n/a on the T170.			
1002065	Air compressor: Cummins 30.4 CFM ISL, PX-8, PX-9 replacing 18.7.	\$2,053	30#
* 30.4 CFM air compressor is n/a with any of the following: Dual steering gears, Hydraulic brakes, overspeed shutdown.			
1006800	Delete air compressor for hydraulic brakes.	\$0	0#
* Hydraulic braked chassis require brake codes 2603007 and 3300001 when an air compressor is not specified.			

Air Intake System

Air Cleaner

Firewall-Mounted

1031130	Air Cleaner: Dry-type firewall mounted w/filter restriction indicator.	STD	0#
* Air intake system (1031130) is for Cummins or PACCAR engines.			

Air Intake Equipment

1098005	Filter minder air restriction indicator mounted on air cleaner replacing standard pop-up indicator.	\$49	0#
1099300	Air inlet ember separator NFPA compliant for fire applications.	\$206	8#
* An ember separator is for use on fire trucks or emergency service vehicles only.			
* The ember separator and air cleaner pre-filter cannot be used in combination. Both components occupy the same location.			
1099301	Pre-filter hood mounted for air cleaner & HVAC.	\$225	13#
* The ember separator and air cleaner pre-filter cannot be used in combination. Both components occupy the same location.			
1600130	Overspeed shutdown for PX-8 PX-9 Includes manual switch and test switch. Currently not available on the T4 series	\$4,344	0#
* Engine overspeed shutdown for use on PX-9 engines.			

Cooling System



T270: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Cooling System

1121200	Cooling module: 1000 square inches T170/T270/T370/T470. Includes metal surge tank on T170/T270/T370.	STD	0#
---------	--	-----	----

* EPA compliant or Export engines requires the use of a 1000 square in radiator.

1121210	Cooling module: 1000 square inches. Clog resistant. Includes metal surge tank on T170/T270/T370.	\$398	0#
---------	--	-------	----

* EPA compliant or Export engines requires the use of a 1000 square in radiator.

Cooling System Equipment

1105230	Fan Hub: Horton 2-Speed for ISL9, ISL-G, PX-8 or PX-9	\$371	0#
---------	---	-------	----

* Horton (1105230, 1105231) OR Borg Warner (1107060) fan hubs for PX-9 only.

1105231	Fan Hub: Horton On/Off for PX-9 or ISLG	(\$68)	0#
---------	---	--------	----

* Horton (1105230, 1105231) OR Borg Warner (1107060) fan hubs for PX-9 only.

* Horton on/off fan hubs are available in Linehaul, Regional Haul and Pickup & Delivery intended services.

1105260	Fan Hub: Horton 2-Speed for PX-7	\$214	0#
---------	----------------------------------	-------	----

1105261	Fan Hub: Horton On/Off for PX-7	STD	0#
---------	---------------------------------	-----	----

* Horton on/off fan hubs are available in Linehaul, Regional Haul and Pickup & Delivery intended services.

1107060	Fan Hub: Borg Warner On/Off for PX-9 or ISLG	(\$42)	0#
---------	--	--------	----

* Horton (1105230, 1105231) OR Borg Warner (1107060) fan hubs for PX-9 only.

1107170	Fan Hub: Borg Warner On/Off for PX-7	(\$70)	0#
---------	--------------------------------------	--------	----

1160205	Bug screen: Front of grille on C500, T800, T880, and W900. Behind grille on T680 and T300 (Medium Duty).	\$167	2#
---------	--	-------	----

Exhaust Systems

1247137	Exhaust: 2017 EPA Horizontal Under Rail DPF/SCR for PX-7 w/ Horizontal Tailpipe Below RH Rail, BOC.	STD	0#
---------	---	-----	----

* Exhaust system for use with PACCAR PX-7 engines only.

* Horizontal under rail exhaust with a PX-7 or with a PX-9 with a 260-350 horsepower rating is n/a with 22 inch by 100 gallon fuel tanks right hand back of cab.

* Horizontal under rail style exhaust is n/a with the DEF tank located on the right hand rail behind the cab.

1247138	Exhaust: 2017 EPA RH Under Cab DPF/SCR For PX-7 w/ Horizontal Tailpipe.	\$1,174	0#
---------	---	---------	----

* Exhaust system for use with PACCAR PX-7 engines only.

* This exhaust is n/a with either 22 inch by 56 gallon fuel tanks right hand back of cab or 45 gallon rectangular fuel tanks right hand back of cab except with a front drive axle or a right-hand DEF tank.



T270: ENGINE EQUIPMENT

Option	Description	Price	Weight
Exhaust Systems			
1247142	Exhaust: 2017 EPA Horizontal Series DPF/SCR For PX-9 w/ Horizontal Tailpipe Below RH Rail.	\$532	2#
	<ul style="list-style-type: none"> * Horizontal under rail exhaust with a PX-7 or with a PX-9 with a 260-350 horsepower rating is n/a with 22 inch by 100 gallon fuel tanks right hand back of cab. * Horizontal under rail style exhaust is n/a with the DEF tank located on the right hand rail behind the cab. 		
1247147	Exhaust: 2017 EPA RH Under Cab DPF/SCR For PX-9 w/ Single Horizontal Tailpipe.	\$1,562	170#
	<ul style="list-style-type: none"> * This exhaust is n/a with either 22 inch by 56 gallon fuel tanks right hand back of cab or 45 gallon rectangular fuel tanks right hand back of cab except with a front drive axle or a right-hand DEF tank. 		
1247193	Exhaust:2017 EPA RH Under Cab DPF/SCR For PX-7 w/ Single Vertical RH Side of Cab Tailpipe.	\$1,217	220#
	<ul style="list-style-type: none"> * Exhaust system for use with PACCAR PX-7 engines only. 		
1247194	Exhaust:2017 EPA RH Under Cab DPF/SCR For PX-9 w/ Single Vertical RH Side of Cab Tailpipe.	\$1,548	215#

Export Exhaust Systems

1201308	Exhaust: single cab side-mount RH side export only vertical muffler & tailpipe.	\$374	6#
	<ul style="list-style-type: none"> * Aerodynamic mirrors are not for use with this exhaust system. * Side of cab exhaust requires a 22 inch x 56 gallon tank when the fuel tank is located under the cab on the same side. * Single side of cab exhaust for export engines only requires the use of a muffler shield. * The 24.5 inch x 75/90/100 gallon fuel tanks are n/a for right hand under cab with export exhaust 1201308 or 1241317. * The single side of cab exhaust with vertical RH tailpipe is for use only with round 22 inch x 56 gallon fuel tank RH under the cab. 		
1241317	Exhaust: horizontal w/vertical pipe RH cab side export.	\$486	6#
	<ul style="list-style-type: none"> * Horizontal w/ vertical pipe exhaust (1241317, 1241328) not for use with front drive axle. * Side of cab exhaust requires a 22 inch x 56 gallon tank when the fuel tank is located under the cab on the same side. * The 24.5 inch x 75/90/100 gallon fuel tanks are n/a for right hand under cab with export exhaust 1201308 or 1241317. 		
1241328	Exhaust: horizontal w/vertical pipe BOC cab export.	\$651	6#
	<ul style="list-style-type: none"> * Horizontal w/ vertical pipe exhaust (1241317, 1241328) not for use with front drive axle. 		

Exhaust Accessories

Single Tailpipes

1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	(\$36)	-2#
	<ul style="list-style-type: none"> * Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions. 		



T270: ENGINE EQUIPMENT

Option Description	Price	Weight
Exhaust Accessories		
Single Tailpipes		
1290130 Tailpipe: 5 in. single 30 in. 45 degree curved.	\$0	0#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290136 Tailpipe: 5 in. single 36 in. 45 degree curved.	\$22	1#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290142 Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$45	3#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290148 Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$67	5#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290154 Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$90	7#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290160 Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$125	8#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290336 Tailpipe: 7 in. single 36 in. 45 degree curved.	\$185	5#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290342 Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$211	8#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290348 Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$238	10#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290354 Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$262	12#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		
1290360 Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$260	15#
* Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.		



T270: ENGINE EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

Exhaust Accessories

Single Tailpipes

1290524 Tailpipe: 5 in. single 24 in. 45 degree curved.	(\$5)	-2#
---	-------	-----

- * Single five inch diameter vertical tailpipes are for use with DPF/SCR back of cab independent mounted tailpipe positions.
- * Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.

1290530 Tailpipe: 5 in. single 30 in. 45 degree curved.	\$31	-1#
---	------	-----

- * Single five inch diameter vertical tailpipes are for use with DPF/SCR back of cab independent mounted tailpipe positions.
- * Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.

1290536 Tailpipe: 5 in. single 36 in. 45 degree curved. For use with SCR Independent Exhaust.	\$53	1#
---	------	----

- * Single five inch diameter vertical tailpipes are for use with DPF/SCR back of cab independent mounted tailpipe positions.
- * Single five or seven inch diameter vertical tailpipes are for use with RH DPF/SCR exhaust and side of cab mounted tailpipe positions.

1291736 Tailpipe: single 36 in. curved vertical polished.	\$33	0#
---	------	----

Miscellaneous

1000039 Catalytic converter muffler not installed.	\$0	0#
--	-----	----

- * Catalytic converter is not for use in Export areas. The delete catalytic converter defines the export exhaust

1291321 Export muffler shield: full length perforated single stainless steel.	\$247	2#
---	-------	----

- * Muffler shield for use with export engine only. 2007+ engines utilize exhausts styles that include a shield when applicable.

Filters

Fuel-Water Separator

1321109 Fuel Filter:PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions	STD	0#
---	-----	----

1321121 Fuel Filter:Davco 245 Fuel/Water Separator	\$474	8#
--	-------	----

1321145 Fuel Filter:Fleetguard FS1003 Fuel/Water Separator for PX-9	\$0	0#
---	-----	----

1321200 Run Aid:None *For Fuel Filter	STD	0#
---------------------------------------	-----	----

1321300 Start Aid:None *For Fuel Filter	STD	0#
---	-----	----

1321305 Start Aid:12V Heat *For Fuel Filter	\$65	1#
---	------	----

1323109 Fleetguard filter/Water separator FS1003 w/WIF (water in fuel) sensor. For PACCAR PX-8/PX-9 or Cummins ISL engines.	\$0	0#
---	-----	----



T270: ENGINE EQUIPMENT

Option	Description	Price	Weight
Heating & Starting Aids			
Block Heater			
1504006	Block heater, PACCAR 750 watt 120V for PX-6 and PX-7, 1000 watt for PX-8 and PX-9 or ISL9 engines .	\$117	2#
* Engine block heater for Medium-Duty PACCAR engines. 120 volt /750 watt heater on PX-7 and 120 volt /1000 watt heater on PX-9. n/a on the T170.			
Oil Pan Heater			
1506055	Engine oil pan heater 120V 300W w/plug under door on C500, T660, T800 & W900.	\$78	0#
In-tank Fuel Heater			
1509058	Fuel tank heater: single Arctic Fox w/thermostat.	\$465	6#
* Arctic Fox in-tank fuel heater requires a minimum tank size of 22 inch X 75 gallon or 24.5 inch X 75 gallon n/a with rectangular fuel tanks			
Heater Accessories			
1500035	Engine block heater plug mounted LH fender bracket.	\$23	0#
Governors & Controls			
1405074	Ambient temperature sensor for idle shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX engines.	\$0	0#
Engine Equipment Miscellaneous			
1000170	Enable engine regeneration in PTO mode Cummins	\$0	0#
1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#
1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#
1000245	Customer's Typical Operating Spd: 50 MPH.	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH.	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH.	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#
1000254	Customer's Typical Operating Spd: 65 mph.	\$0	0#
1000255	Customer's Typical Operating Spd: 68 mph.	\$0	0#
1000257	Customer's Typical Operating Spd: 70 mph.	\$0	0#



T270: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Equipment Miscellaneous			
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1000306	T300: 4x2 truck w/hydraulic brakes.	\$0	0#
1000307	Accessory air system T300 4 x 2 hydraulic brakes. Includes an air system pressure gauge.	\$1,611	0#
	* The accessory air option is required for hydraulic brake chassis requesting an air driver's seat. Add code 1000307 or use seat with suspension air compressor. * This option provides an air system to run air controlled options such as air horns or air seats on hydraulic brakes vehicles. Accessory air is not for use on the T170. * When optional air accessory system is specified an air compressor is required.		
1600713	Oil pressure sender for pump panel gauge VDO 360-009.	\$56	0#
1900082	Multi-function engine connector for body builder interface for Cummins.	\$43	0#
1900976	Body Builder Control Harness coiled EOF for customer installed remote throttle and remote PTO controls. Harness includes Remote PTO control and Remote Throttle controls. T680/T880 models do not require 12-way engine connector sales codes. All other models require (1900082 or 1900084).	\$76	2#
	* 500mm body builder connector (1901008) cannot be used with body builder control harness (1900976) * Remote throttle controls when used with an Allison transmission are available only with the auto neutral feature or when a split-shaft PTO will be installed. Add code 2410244 or 2410072. * Remote throttle requires a multi-function engine connector. Applicable to full trucks, not tractors.		
1901008	Body Builder Connector 500mm Back of Cab Requires 1900082	\$241	0#
	* 500mm back of cab body builder connector (1901008) requires 1900082. * 500mm body builder connector (1901008) cannot be used with body builder control harness (1900976)		
1901084	Body Builder Battery Power Prewire	\$85	2#
Retarders			
1700149	Retarder Jacobs for PX-8/9 ISL w/ 3-way switch.. Replaces the standard turbo brake for PX-8 engines.	\$2,277	57#
	* This compression brake is available for the PACCAR PX-9 engine. The engine brakes requires an accessory air system when specified on hydraulic braked chassis.		
1700364	Pacbrake for Cummins ISC. Export engines only.	\$1,129	15#
	* Optional engine brake for use with ISC export engines only. Requires accessory air on hydraulic braked chassis.		
Starting & Recharging			
Alternator			
1812162	Alternator: 160 amp brushless with battery voltage sense. *This code replaced 1812160.	\$272	9#
	* 160 brushless alternator n/a with in-cab battery box for medium duty chassis.		



T270: ENGINE EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

Starting & Recharging

Alternator

1812451 Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$1,158	13#
1816160 Alternator: 160 amp brush type T3	STD	0#
1816200 Alternator: Bosch 200 amp, brush type	\$199	0#
1816260 Alternator: PACCAR 160 amp, brush type	(\$2)	0#

Battery

1821210 Batteries: 3 PACCAR GP31 threaded post (700-730) 2100-2190 CCA dual purpose.	\$191	57#
1821215 Batteries: 4 PACCAR GP31 threaded post (700-730) 2800-2920 CCA dual purpose.	\$373	114#

* Selection of four batteries requires either the standard T3 left-hand under cab battery box or the BOC cantilever battery box.

1821220 Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.	STD	0#
1821225 Batteries: 2 PACCAR GP31 threaded post (1000) 2000 CCA starting.	\$14	4#
1825006 Batteries: 4 Odyssey GP 31 AGM threaded post (1150) 4600 CCA	\$1,527	188#

* Selection of four batteries requires either the standard T3 left-hand under cab battery box or the BOC cantilever battery box.

1825612 Batteries: 2 Optima 31A Threaded post (900) 1800 CCA.	\$373	6#
---	-------	----

* Optima batteries are required with in-cab battery box when AGM style is not specified. They are n/a for other configurations.

1825623 Batteries: 3 Optima 31A Threaded post (900) 2700 CCA.	\$747	66#
---	-------	-----

* Optima batteries are required with in-cab battery box. They are n/a for other configurations.

Battery Equipment

1840005 Battery disconnect switches 2, mounted on battery box.	\$339	2#
--	-------	----

* Battery disconnect switch (1840005) only available with the standard left hand under cab battery box or back of cab cantilever battery box

1840006 Battery disconnect switches 2, mounted in cab Requires battery box LH under.	\$403	0#
--	-------	----

* Battery disconnect switches located on the driver's side cab floor require that the battery box be located LH under the cab due to proximity. The temporary across rails installation is also acceptable on class 7.

* Battery disconnect switches on the cab floor are for use only with a battery box under the cab on the same side.

* The fire extinguisher (9490404) and battery disconnect switch (1840006) options are n/a together as both occupy the same location outboard of the driver seat.

1840066 Cab Power Cutoff SW on Cab Floor NFPA Compliant - Engine Shut off	\$199	2#
---	-------	----

* Battery Disconnect Switch on floor is only available with Fire truck or EMT/rescue intended service.



T270: ENGINE EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Battery Equipment			
1900996	Jump start terminals under hood.	\$176	0#
1901005	Jump start terminals frame mounted BOC below top of frame flange.	\$209	0#
Starter			
1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$70	0#
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	STD	0#
* 1836107 starter is for PX-7 only and standard for PX-7.			



T270: TRANSMISSIONS

Option Description	Price	Weight
Eaton		
6-Speed		
2050121 Transmission: Eaton Fuller FS5406A 6-spd synchro. *Torque Limit: 560 pound-feet.	STD	0#
* This transmission is available with a maximum engine torque of 560 ft lbs.		
2051121 Transmission: Fuller FSO6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	\$932	0#
* Overdrive transmissions require a minimum wheelbase of 141 inches.		
* This transmission is available with a maximum engine torque of 660 ft lbs.		
2051122 Transmission: Fuller FSO8406A 6-speed synchro. *Torque Limit: 860 pound-feet.	\$1,637	0#
* Overdrive transmissions require a minimum wheelbase of 141 inches.		
* This transmission is available with a maximum engine torque of 860 ft lbs.		
2051123 Transmission: Fuller FS6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	\$827	0#
* This transmission is available with a maximum engine torque of 660 ft lbs.		
9-Speed		
2051302 Transmission: Fuller RT8709B 9-speed. *Torque Limit: 860 pound-feet.	\$1,439	182#
* RT/FRO transmissions used on hydraulic brake chassis require the addition of the accessory air system. Add sales code 1000307.		
* The RT8709B or RT8908LL transmissions are available with a maximum engine torque of 860 ft lbs.		
* This transmission is available with a maximum engine torque of 860 ft lbs.		
10-Speed		
2051362 Transmission: Fuller RT8908LL 10-speed. *Torque Limit: 860 pound-feet.	\$2,976	291#
* Long transmissions, such as RT8908LL (2051362) and RTO14908LL (2057371), require bolted rear cab support crossmember 6490430.		
* The RT8709B or RT8908LL transmissions are available with a maximum engine torque of 860 ft lbs.		
* This transmission is available with a maximum engine torque of 860 ft lbs.		
2052360 Transmission: Fuller FR9210B 10-speed. *Torque Limit: 950 pound-feet.	\$1,908	191#
* RT/FRO transmissions used on hydraulic brake chassis require the addition of the accessory air system. Add sales code 1000307.		
* This transmission is available with a maximum engine torque of 950 ft lbs.		
2057360 Transmission: Fuller FRO14210C 10-speed Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$3,353	0#
* Overdrive transmissions require a minimum wheelbase of 141 inches.		
* RT/FRO transmissions used on hydraulic brake chassis require the addition of the accessory air system. Add sales code 1000307.		



T270: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

Eaton

10-Speed

2057371 Transmission: Fuller RTO14908LL 10-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$4,749	0#
* Long transmissions, such as RT8908LL (2051362) and RTO14908LL (2057371), require bolted rear cab support crossmember 6490430.		

2058421 Fuller Advantage Automated FAM-14810B-EA3 10SPD No Cooler w/ HSA *Use w/ 2250385 Only.	\$8,936	367#
* Fuller Advantage EA3 transmissions are not compatible with PX7 engines or export.		

2058422 Fuller Advantage Automated FAO-14810C-EA3 10SPD No Cooler w/ HSA *Use w/ 2250385 Only.	\$8,278	367#
* Fuller Advantage Automated transmissions are not allowed with Class D road usage.		
* Fuller Advantage EA3 transmissions are not compatible with PX7 engines or export.		

Allison

5-Speed

2010822 Transmission: Allison 2100HS 5-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,177	8#
* Allison 2000 series transmissions are n/a with SPL170 drivelines.		
* Allison 2000 series transmissions are not for use with PX-9 engines.		
* Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915.		
* Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872.		
* Allison transmissions without a PTO provision cannot add a PTO in the future without replacing the transmission.		
* The 2000HS series Allison transmission is not for use in vocational applications. Consider the 2100RDS/2200RDS with this intended service.		
* The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches.		
* This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs.		
* This transmission is available with a maximum engine torque of 660 ft lbs.		



T270: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

Allison

5-Speed

2010830 Transmission: Allison 2500HS 5-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,305	15#
---	----------------	------------

- * Allison 2000 series transmissions are n/a with SPL170 drivelines.
- * Allison 2000 series transmissions are not for use with PX-9 engines.
- * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915.
- * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872.
- * Allison 2500-series transmissions are limited to a GCW of 33,000 lbs. Please select a higher rated transmission.
- * Allison transmissions without a PTO provision cannot add a PTO in the future without replacing the transmission.
- * The 2000HS series Allison transmission is not for use in vocational applications. Consider the 2100RDS/2200RDS with this intended service.
- * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches.
- * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs.
- * This transmission is available with a maximum engine torque of 660 ft lbs.

2010844 Transmission: Allison 2200HS 5-speed w/o PTO drive gear w/park pawl. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,778	15#
---	----------------	------------

- * Allison 2000 series transmissions are n/a with SPL170 drivelines.
- * Allison 2000 series transmissions are not for use with PX-9 engines.
- * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915.
- * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872.
- * Allison transmissions without a PTO provision cannot add a PTO in the future without replacing the transmission.
- * The 2000HS series Allison transmission is not for use in vocational applications. Consider the 2100RDS/2200RDS with this intended service.
- * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches.
- * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs.
- * This transmission is available with a maximum engine torque of 660 ft lbs.



T270: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

Allison

5-Speed

2010851 Transmission: Allison 2100RDS 5-speed w/PTO drive gear. 5th Gen Controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,553	48#
--	----------------	------------

- * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment.
- * Allison 2000 series transmissions are n/a with SPL170 drivelines.
- * Allison 2000 series transmissions are not for use with PX-9 engines.
- * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915.
- * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872.
- * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches.
- * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs.
- * This transmission is available with a maximum engine torque of 660 ft lbs.

2010859 Transmission: Allison 2500RDS 5-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,681	48#
--	----------------	------------

- * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment.
- * Allison 2000 series transmissions are n/a with SPL170 drivelines.
- * Allison 2000 series transmissions are not for use with PX-9 engines.
- * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915.
- * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872.
- * Allison 2500-series transmissions are limited to a GCW of 33,000 lbs. Please select a higher rated transmission.
- * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches.
- * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs.
- * This transmission is available with a maximum engine torque of 660 ft lbs.



T270: TRANSMISSIONS

Option Description	Price	Weight
Allison		
5-Speed		
2010862 Transmission: Allison 2200RDS 5-speed w/PTO drive gear. 5th Gen controls. Limited to 550 lb.-ft. w/ park pawl, Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,159	55#
<ul style="list-style-type: none"> * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment. * Allison 2000 series transmissions are n/a with SPL170 drivelines. * Allison 2000 series transmissions are not for use with PX-9 engines. * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915. * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872. * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches. * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs. * This transmission is available with a maximum engine torque of 660 ft lbs. 		
2011192 Transmission: Allison 3000HS 5-speed w/o PTO drive gear. 5th Gen Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. CTransynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$11,003	244#
<ul style="list-style-type: none"> * Allison transmissions without a PTO provision cannot add a PTO in the future without replacing the transmission. * The 2000HS series Allison transmission is not for use in vocational applications. Consider the 2100RDS/2200RDS with this intended service. * The 3000HS Allison transmission is not for use in vocational applications. Consider the 3000RDS with the selected intended service. * This transmission is n/a for use in fire or EMT/rescue service. 		
2011203 Transmission: Allison 3000RDS 5-speed w/PTO drive gear. 5th Gen Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models.	\$12,446	291#
<ul style="list-style-type: none"> * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment. * This transmission is n/a for use in fire or EMT/rescue service. * Transmission support spring required with Allison 3000/3500-series transmissions with PTO provisions. 		



T270: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

Allison

5-Speed

2011228	Transmission: Allison 3500RDS 5-speed w/PTO drive gear. Limited to 860 lb.-ft. 5th Gen controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,372	291#
----------------	---	-----------------	-------------

- * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment.
- * This transmission is n/a for use in fire or EMT/rescue service.
- * Transmission support spring required with Allison 3000/3500-series transmissions with PTO provisions.

2012193	Transmission: Allison 3000EVS 5-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$14,998	291#
----------------	--	-----------------	-------------

- * Allison 3000EVS transmission available only with fire or EMT/rescue service.
- * EVS transmissions require auto neutral since they are only for use on emergency service vehicles.
- * Transmission support spring required with Allison 3000/3500-series transmissions with PTO provisions.

6-Speed

2010823	Transmission: Allison 2100HS 6-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,177	0#
----------------	--	----------------	-----------

- * Allison 2000 series transmissions are n/a with SPL170 drivelines.
- * Allison 2000 series transmissions are not for use with PX-9 engines.
- * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915.
- * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872.
- * Allison transmissions without a PTO provision cannot add a PTO in the future without replacing the transmission.
- * The 2000HS series Allison transmission is not for use in vocational applications. Consider the 2100RDS/2200RDS with this intended service.
- * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches.
- * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs.
- * This transmission is available with a maximum engine torque of 660 ft lbs.



T270: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

Allison

6-Speed

2010831 Transmission: Allison 2500HS 6-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,305	0#
---	----------------	-----------

- * Allison 2000 series transmissions are n/a with SPL170 drivelines.
- * Allison 2000 series transmissions are not for use with PX-9 engines.
- * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915.
- * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872.
- * Allison 2500-series transmissions are limited to a GCW of 33,000 lbs. Please select a higher rated transmission.
- * Allison transmissions without a PTO provision cannot add a PTO in the future without replacing the transmission.
- * The 2000HS series Allison transmission is not for use in vocational applications. Consider the 2100RDS/2200RDS with this intended service.
- * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches.
- * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs.
- * This transmission is available with a maximum engine torque of 660 ft lbs.

2010852 Transmission: Allison 2100RDS 6-speed w/PTO drive gear. 5th Gen Controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,553	0#
--	----------------	-----------

- * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment.
- * Allison 2000 series transmissions are n/a with SPL170 drivelines.
- * Allison 2000 series transmissions are not for use with PX-9 engines.
- * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915.
- * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872.
- * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches.
- * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs.
- * This transmission is available with a maximum engine torque of 660 ft lbs.



T270: TRANSMISSIONS

Option Description	Price	Weight
Allison		
6-Speed		
2010860 Transmission: Allison 2500RDS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. <ul style="list-style-type: none"> * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment. * Allison 2000 series transmissions are n/a with SPL170 drivelines. * Allison 2000 series transmissions are not for use with PX-9 engines. * Allison 2000 series transmissions require 1710 drivelines with S21/23/26-172/190 rear axles. See codes 2401405, 2401905, or 2401915. * Allison 2000 series transmissions require SPL170 series drivelines with S21/23/26-172/190 rear axles. See codes 2406862, 2406867 or 2406872. * Allison 2500-series transmissions are limited to a GCW of 33,000 lbs. Please select a higher rated transmission. * The minimum wheelbase for hydraulic braked vehicles using Allison 2000 series transmissions is 141 inches. * This transmission cannot be used with a pre-2010 emission engine with a torque rating greater than 575 ft.lbs. * This transmission is available with a maximum engine torque of 660 ft lbs. 	\$6,681	0#
2011194 Transmission: Allison 3000HS 6-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. <ul style="list-style-type: none"> * Allison 6-speed transmissions used on hydraulic braked chassis with wheelbases of 206 inches or greater require a 2 centerbearing driveline configuration. * Allison transmissions without a PTO provision cannot add a PTO in the future without replacing the transmission. * The 2000HS series Allison transmission is not for use in vocational applications. Consider the 2100RDS/2200RDS with this intended service. * The 3000HS Allison transmission is not for use in vocational applications. Consider the 3000RDS with the selected intended service. * This transmission is n/a for use in fire or EMT/rescue service. 	\$11,003	244#
2011205 Transmission: Allison 3000RDS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. <ul style="list-style-type: none"> * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment. * Allison 6-speed transmissions used on hydraulic braked chassis with wheelbases of 206 inches or greater require a 2 centerbearing driveline configuration. * This transmission is n/a for use in fire or EMT/rescue service. * Transmission support spring required with Allison 3000/3500-series transmissions with PTO provisions. 	\$12,446	291#



T270: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

Allison

6-Speed

2011232 Transmission: Allison 3500RDS 6-speed w/PTO drive gear. 5th Gen Controls. Limited to 860 lb.-ft. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,372	291#
--	-----------------	-------------

- * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment.
- * Allison 6-speed transmissions used on hydraulic braked chassis with wheelbases of 206 inches or greater require a 2 centerbearing driveline configuration.
- * This transmission is n/a for use in fire or EMT/rescue service.
- * Transmission support spring required with Allison 3000/3500-series transmissions with PTO provisions.

2012195 Transmission: Allison 3000EVS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$14,722	291#
---	-----------------	-------------

- * Allison 3000EVS transmission available only with fire or EMT/rescue service.
- * Allison 6-speed transmissions used on hydraulic braked chassis with wheelbases of 206 inches or greater require a 2 centerbearing driveline configuration.
- * EVS transmissions require auto neutral since they are only for use on emergency service vehicles.
- * Transmission support spring required with Allison 3000/3500-series transmissions with PTO provisions.

2012196 Transmission: Allison 3500EVS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$15,040	291#
---	-----------------	-------------

- * Allison 3000EVS transmission available only with fire or EMT/rescue service.
- * Allison 6-speed transmissions used on hydraulic braked chassis with wheelbases of 206 inches or greater require a 2 centerbearing driveline configuration.
- * EVS transmissions require auto neutral since they are only for use on emergency service vehicles.
- * Transmission support spring required with Allison 3000/3500-series transmissions with PTO provisions.

Transmission Equipment

2410047 High Capacity Input Shaft Bearing for High PTO Duty Cycle	\$24	0#
--	-------------	-----------

- * 2410047 (High Capacity Input Shaft Bearing for High PTO Duty Cycle) not allowed with Allison Transmissions.

2410072 Auto neutral not required this application.	\$0	0#
--	------------	-----------

2410114 Left hand Pto access, right hand dip stick tube Allison 3000 series only.	\$8	0#
--	------------	-----------

- * LH PTO Access, RH dipstick (2410114) for use on Allison 3000RDS or 3500RDS with PTO provision (2011203, 2011205, 2011228, 2011232).

2410244 J1939 Park Brake Auto Neutral	\$0	0#
--	------------	-----------

- * The J1939 auto neutral park brake is restricted to Allison transmissions only.



T270: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

Transmission Equipment

Allison Software

2410204 Delete Allison Fuel Sense	\$0	0#
2410310 Allison Neutral at Stop Stand-Alone Not applicable with Allison Fuel Sense	\$419	0#
* Allison Fuel Sense requires an Allison HS or RDS OR TC10 transmission.		
2410311 Decline Allison Neutral at Stop Stand-Alone	\$0	0#
* Allison Fuel Sense requires an Allison HS or RDS OR TC10 transmission.		
2410320 Allison Fuel Sense 2.0: Basic	\$578	0#
* Allison Fuel Sense 2.0 requires Decline Neutral Stop (2410311). Neutral at Stop (2410310) is only available with Delete Allison Fuel Sense		
2410321 Allison Fuel Sense 2.0: Plus	\$630	0#
* Allison Fuel Sense 2.0 requires Decline Neutral Stop (2410311). Neutral at Stop (2410310) is only available with Delete Allison Fuel Sense		
2410322 Allison Fuel Sense 2.0: Max Base Economy	\$682	0#
* Allison Fuel Sense 2.0 requires Decline Neutral Stop (2410311). Neutral at Stop (2410310) is only available with Delete Allison Fuel Sense		
2410323 Allison Fuel Sense 2.0: Max High Economy	\$682	0#
* Allison Fuel Sense 2.0 requires Decline Neutral Stop (2410311). Neutral at Stop (2410310) is only available with Delete Allison Fuel Sense		
2410324 Allison Fuel Sense 2.0: Max Ultra Economy	\$682	0#
* Allison Fuel Sense 2.0 requires Decline Neutral Stop (2410311). Neutral at Stop (2410310) is only available with Delete Allison Fuel Sense		

Eaton Software

2038252 Eaton AMT LSM Package - Linehaul Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#
* Eaton Low Speed Maneuverability (LSM) feature. Available on EATON automated transmissions only		
2038253 Eaton AMT LSM Package - Vocational Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#
* Eaton Low Speed Maneuverability (LSM) feature. Available on EATON automated transmissions only		

Transfer Case



T270: TRANSMISSIONS

Option	Description	Price	Weight
Transfer Case			
2322238	FABCO TC-237 2-Speed Transfer Case W/O PTO, W/O Neutral (873-1144-004). *Use with SPL140 Main Driveline.	\$18,677	503#
	<ul style="list-style-type: none"> * T3 with FABCO TC 237 is n/a with Allison 6-speed transmission due to overspeed concerns, heat (no pump for a cooler) durability, driveline torsionals, vibration, ride complaints warranty, etc. * This transfer case is n/a with 9 and 10 speed manual transmissions due to torque capacity. * Transfer Case 2322238 requires one of the following Drivelines: 2406860, 2406865, OR 2406870. A minimum of one centerbearing will be required in all cases. * Transfer case is required and only available w/ front drive axles. 		
2322239	FABCO TC-237 2-Speed Transfer Case W/O PTO, W/O Neutral (873-2144-004) *Use with SPL170 Main Driveline.	\$17,465	503#
	<ul style="list-style-type: none"> * T3 with FABCO TC 237 is n/a with Allison 6-speed transmission due to overspeed concerns, heat (no pump for a cooler) durability, driveline torsionals, vibration, ride complaints warranty, etc. * This transfer case is n/a with 9 and 10 speed manual transmissions due to torque capacity. * Transfer case is required and only available w/ front drive axles. 		
2322247	Fabco TC-237 2-speed Transfer Case with PTO, and with neutral 873-0061-008.	\$24,222	530#
	<ul style="list-style-type: none"> * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment. * Requires PTO interlock for parking brake. For chassis coded for both TC-237 PTO and C/I PTO controls, all PTOs will be interlocked with parking brake. * T3 with FABCO TC 237 is n/a with Allison 6-speed transmission due to overspeed concerns, heat (no pump for a cooler) durability, driveline torsionals, vibration, ride complaints warranty, etc. * This transfer case is n/a with 9 and 10 speed manual transmissions due to torque capacity. * Transfer case is required and only available w/ front drive axles. 		
2349060	Namco Trans Case 105-2SR-SXSPXS-Y-174 For SPL140/SPL170, 2-speed, W/ Pump, 12" drop, W/O PTO	\$18,620	20#
	<ul style="list-style-type: none"> * Transfer case is required and only available w/ front drive axles. 		
Split-Shaft PTO			
2410073	Customer-installed split shaft PTO Informational only, nothing additional is provided.	\$0	0#
	<ul style="list-style-type: none"> * Not for use with a front drive axle. 		
Clutch			
Manually Adjusting			
2240001	Clutch: ceramic to 605 lb-ft 14 in. Fuller. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	STD	0#
	<ul style="list-style-type: none"> * Manual and automated manual transmissions require the selection of a clutch. 		



T270: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

Clutch

Manually Adjusting

2240012 Clutch: ceramic low inertia 606 to 860 lb-ft 14 in. Fuller required for export. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$154	30#
--	--------------	------------

* Manual and automated manual transmissions require the selection of a clutch.

2240035 Clutch: Eaton Fuller 14in. medium-duty manual adjustment 606-1000. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$377	0#
---	--------------	-----------

* Clutch (2240035) is for use with engine torque 606 - 1000 lbs.

* Manual and automated manual transmissions require the selection of a clutch.

2240113 Clutch: Eaton 14 in. Ceramic, Easy Pedal, Manual Adjust, *Use with 1250 LB-FT Engines Only.	\$159	0#
--	--------------	-----------

* EATON Ceramic Clutch is only available on engines rated at 1250 lb-ft.

2250385 Clutch:UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$0	0#
---	------------	-----------

* Clutch (2250385) requires a Fuller Advantage EA3 series transmission

* Manual and automated manual transmissions require the selection of a clutch.

Solo

2240023 Clutch: Fuller 14 in. solo severe 606 to 860 lb-ft. For severe service. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$262	30#
---	--------------	------------

* Clutch (2240023) is limited to engine torque range of 620 - 860 ft lbs.

* Manual and automated manual transmissions require the selection of a clutch.

2240040 Clutch: Fuller 14 in. MD solo 606-1050 lb-ft. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$481	30#
---	--------------	------------

* Manual and automated manual transmissions require the selection of a clutch.

Torque Converter

2410018 Torque converter included w/Allison Transmission.	\$0	0#
--	------------	-----------

* Manual and automated manual transmissions do not utilize a torque converter.

PTO

PTO Misc

2429065 PTO interlock for parking brakes.	\$123	2#
--	--------------	-----------

2429358 Rear transmission support springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$77	0#
---	-------------	-----------

* Rear transmission support springs (2429358) are n/a on PACCAR or Eaton Endurant transmissions.

* Transmission support spring on a T3 n/a with Allison 1000, 2000 or Fuller FS series.



T270: TRANSMISSIONS

Option Description	Price	Weight
Driveline		
Centerbearing Crossmembers		
2409916 One bolted centerbearing crossmember. This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$140	11#
<ul style="list-style-type: none"> * Bolted centerbearing crossmembers are required/only available with 10-3/4" frame rail, frame rail insert, front drive axle, 13K+ front axle. * Driveline length optimization. FDA with 200" WB or less doesn't need CB to the rear axle. * Single centerbearing crossmember is only available with a Driveline applicable to 1 centerbearing. 		
2409917 Two bolted centerbearing crossmembers. This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$159	19#
<ul style="list-style-type: none"> * Bolted centerbearing crossmembers are required/only available with 10-3/4" frame rail, frame rail insert, front drive axle, 13K+ front axle. * Heavy-duty x-mbr s are only available w/ 13.2K - 20K front axles, front drive axles, or inserted rails. These codes switch from the medium-duty welded x-mbr s to heavy-duty style bolted x-mbr s, and are not optional w/ other Medium-Duty configurations. 		
2409918 Three bolted centerbearing crossmembers. This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$239	19#
<ul style="list-style-type: none"> * Bolted centerbearing crossmember required on units spec'd with 13.2K or greater front axle, any front drive axle, 10-3/4 rail material, or with a frame insert. Add code 2409918. * Bolted centerbearing crossmembers are required/only available with 10-3/4" frame rail, frame rail insert, front drive axle, 13K+ front axle. * Upgrade to heavy-duty crossmembers for use with drivelines that include three centerbearings. 		
Dana		
2401205 Driveline:1 Dana standard-duty; no centerbearing. *Standard duty is 1710 series.	STD	0#
2401405 Driveline: 2 Dana standard-duty; 1 centerbearing. *Standard duty is 1710 series.	\$723	78#
2401905 Driveline: 3 Dana standard-duty; 2 centerbearing. *Standard duty is 1710 series.	\$1,449	155#
2401915 Driveline: 4 Dana standard-duty 3 centerbearings *Standard duty is 1710 series.	\$2,189	233#
2406204 Driveline: 1 SPL170XL no centerbearing requires 3500057 interaxle driveline.	\$196	10#
2406419 Driveline: 2 Dana SPL100 1 centerbearing light duty.	\$490	11#
<ul style="list-style-type: none"> * Available with any hydraulic brake configuration or with air brakes only when an Allison 2000 series transmission is specified. SPL100 drivelines n/a with Allison 3000HS transmissions. 		
2406440 Driveline: 2 Dana SPL140 1 centerbearing.	\$813	97#
<ul style="list-style-type: none"> * SPL 140 drivelines n/a with Meritor rear axles * SPL140 drivelines, 2406440 or 2406840 are for use with hydraulic brakes only. 		
2406452 Driveline: 2 SPL170XL 1 centerbearing requires 3500057 interaxle driveline.	\$1,007	94#



T270: TRANSMISSIONS

Option Description	Price	Weight
Driveline		
Dana		
2406802 Driveline: 3 SPL170XL 2 centerbearing requires 3500057 interaxle driveline.	\$1,840	179#
2406804 Driveline: 4 Dana SPL100; 3 centerbearings light duty.	\$1,655	105#
* Available with any hydraulic brake configuration or with air brakes only when an Allison 2000 series transmission is specified. SPL100 drivelines n/a with Allison 3000HS transmissions.		
2406811 Driveline: 3 Dana SPL100a 2 centerbearings light duty	\$1,065	58#
* Available with any hydraulic brake configuration or with air brakes only when an Allison 2000 series transmission is specified. SPL100 drivelines n/a with Allison 3000HS transmissions.		
2406820 Driveline: 4 SPL170XL 3 centerbearing requires 3500057 interaxle driveline.	\$2,678	263#
2406840 Driveline: 3 SPL140 2 centerbearing.	\$1,542	159#
* SPL 140 drivelines n/a with Meritor rear axles		
* SPL140 drivelines, 2406440 or 2406840 are for use with hydraulic brakes only.		
2406860 Driveline:4 SPL140 For Transfer Case w/1 C/B	\$1,937	249#
* Front drive axles combined with an S21-172, S23-172, S23-190 or S26-190 rear axle are n/a with this drivelines 2406860, 2406865, 2406870 OR Transfer Case 2322238.		
* SPL 140 drivelines n/a with Meritor rear axles		
2406862 Driveline:3 Dana SPL140 F/ T/C w/1 C/B & 1 SPL170 to rear axle.	\$2,140	260#
2406865 Driveline:5 SPL140 For Transfer Case w/2 C/B	\$2,673	328#
* Front drive axles combined with an S21-172, S23-172, S23-190 or S26-190 rear axle are n/a with this drivelines 2406860, 2406865, 2406870 OR Transfer Case 2322238.		
* SPL 140 drivelines n/a with Meritor rear axles		
2406867 Driveline:3 SPL140 for T/C w/1 C/B & 2 SPL170 with one centerbearing to rear axle.	\$2,978	344#
2406870 Driveline:6SPL140 For Transfer Case w/3 C/B	\$3,370	408#
* Front drive axles combined with an S21-172, S23-172, S23-190 or S26-190 rear axle are n/a with this drivelines 2406860, 2406865, 2406870 OR Transfer Case 2322238.		
* SPL 140 drivelines n/a with Meritor rear axles		
2406872 Driveline:3 SPL140 for T/C w/1 C/B & 3 SPL170 with two centerbearing to rear axle.	\$3,810	429#



T270: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
10K & Under			
2500811	Front Axle 10K derated to 9K Dana Spicer E-1002IL 6KPI 3-1/2 inch drop. Use w/ air brakes only.	\$76	0#
	<ul style="list-style-type: none"> * 9K air braked Dana E-1002IL front axles are available with 15 x 4 inch front brakes. * Dana E-1002IL (2500811) front axle only available with 10K front springs. * Dana E-1002IL (2500811) only available with 17K rear axles. * Dana E-1002IL front axle is only for use on full trucks. 		
2500881	Dana Spicer D800F Front Axle rated 8K 3-1/2in. drop, hydraulic brakes.	\$833	-82#
	<ul style="list-style-type: none"> * D800 axle n/a with PX-9 engine. * Dana D800F (2500881) front axle can be used with front springs rated to 12K. * Dana Spicer D800F 8K front axle 2500881 is only for use with hydraulic brakes. * The D800F axle is available only with 8-bolt hydraulic brake/hub combination on T170 or 10-bolt hydraulic brake/hub combination on T270/370. 		
2501008	Dana Spicer D-800F Front Axle rated 8K 3-1/2in. drop.	\$164	-82#
	<ul style="list-style-type: none"> * Air Braked Dana D800F front axle is available with a front spring capacity of 8K, 10K and 12K. * D800 axle n/a with PX-9 engine. * Selected front axle is n/a on RSD-compliant vehicles or with air disc brakes. * The D800F air braked 8K front axle is available on full trucks with single rear axles only. * The D800F air braked front axle is available with P20060S rear axles only. * The D800F axle is restricted from use in logging, mixer, oil field well service, fire truck, crane and refuse packer applications. No class C or D road use is permitted. * This front axle (2501008) is available with a 10K hub package with 8-bolt or 10-bolt mounting style on a T370 or with a 8K air brake package with 8-bolt mounting style or with a 10K air brake package with 10-bolt mounting style on a T270. * This front axle (2501008) must be selected with a 8K hub package with 8-bolt mounting style (2703050). 		
2501010	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop. Use w/ air brakes only.	STD	0#
	<ul style="list-style-type: none"> * 10K air braked front axle with 16,000 lb or 17,000 lb rear axles requires 15x4 inch front brakes. * Air Braked Dana E-1002IL front axles is available with 15 x 4 inch or 16.5 x 5 inch front brakes or air disc brakes. * Dana E-1002IL front axle is only for use on full trucks. 		
2501011	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop, hydraulic brakes.	\$755	29#
	<ul style="list-style-type: none"> * For use with hydraulic brakes only. * Hydraulic braked Dana Spicer E-1002IL or E-1202IL front axles are available with 2 x 73 mm front brakes rated to 12K. * This front axle has the brake code included with the hub package. 		

12K to 13.2K



T270: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Front Axles

12K to 13.2K

2502230	Dana Spicer E-1202IL Front Axle rated 12K 3-1/2in. drop. Use W/Air Brakes Only. Medium Duty Only.	(\$121)	0#
<ul style="list-style-type: none"> * Air Braked Dana E-1202IL front axle is available with 15 x 4 inch or 16.5 x 5 inch front brakes or air disc brakes. 			

2512044	Meritor MFS12E PLUS 12.5K rated at 12K 3.5in. drop standard track.	(\$110)	0#
<ul style="list-style-type: none"> * Meritor 12k front axle is only available with 10k, 12k and 13.2k front springs. * MFS Plus front axle with air disc brakes requires integral knuckle S/C 2690028. * MFS Plus front axle with drum brakes requires drum brake knuckle S/C 2690029. 			

Front Drive Axles

2561010	Fabco FSD-10A Front Drive Axle at 10,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$15,429	823#
<ul style="list-style-type: none"> * A RH under cab battery box, toolbox, or DPF/SCR cab access assembly requires that a step 6409716 be added for cab ingress/egress when a front drive axle is specified. * A RH under cab fuel tank requires that a step 7839716 be added for cab ingress/egress when a front drive axle is specified. * Cab door bearing blocks are required when a front drive axle is specified. * Fabco FSD-10-14A front axles requires bolted crossmembers w/ 12 mm frame fasteners: center and rear frame. s/c 6490123 OR bolted rear cab support crossmember. s/c 6490430. * Front Drive axle and a transfer case are required together. * Front drive axles are n/a for use on tractors. * Front drive axles are n/a with Allison 6-speed transmission. Engineering approval is required through OAR for any exceptions. * Front Drive Axles are n/a with EATON Ultrashift Transmission * Front drive axles are restricted from use with exhaust styles that do not have a DPF/SCR combined in right hand in the cab access assembly (1247137, 1247142). * Front drive axles rated at 10K - 14K can be used with a PX-7 or PX-9 engine. * Front drive axles require the Kenworth Driver Information Center. Operator will receive a warning when vehicle is traveling faster than 25 mph with front drive axle engaged. * Front frame raised 1.5" is n/a for front drive axles. * Heavy-duty centerbearing crossmembers are required when a front drive axle is specified. * Selected front axle is n/a on RSD-compliant vehicles or with air disc brakes. * Single 13.5K steering gear is required for use with the FSD-10A, -12A front drive axles. * The combination of PX-9 or ISC engine, front drive axle, and single rear axle requires a minimum wheelbase of 180 inches when used with a PX-9 or ISC engine. * Vehicles with front drive axles include dust shields on all axles. There are no options. 			
2589900	Dealer/Customer Acknowledges Specified Components Fail Supplier Blanket Approvals	\$0	0#

Axle Ratios

*See PremierSpec for Complete List of Restrictions



T270: FRONT AXLE

Option Description	Price	Weight
Front Drive Axles		
Axle Ratios		
2590307 Front Drive Axle Ratio: 3.07	\$0	0#
2590331 Front Drive Axle Ratio: 3.31	\$0	0#
2590358 Front Drive Axle Ratio: 3.58	\$0	0#
2590373 Front Drive Axle Ratio: 3.73	\$0	0#
2590391 Front Drive Axle Ratio: 3.91	\$0	0#
2590410 Front Drive Axle Ratio: 4.10	\$0	0#
2590430 Front Drive Axle Ratio: 4.30	\$0	0#
2590456 Front Drive Axle Ratio: 4.56.	\$0	0#
2590478 Front Drive Axle Ratio: 4.78.	\$0	0#
2590488 Front Drive Axle Ratio: 4.88.	\$0	0#
2590513 Front Drive Axle Ratio: 5.13.	\$0	0#
2590538 Front Drive Axle Ratio: 5.38.	\$0	0#
2590557 Front Drive Axle Ratio: 5.57	\$0	0#
2590586 Front Drive Axle Ratio: 5.86.	\$0	0#
2590614 Front Drive Axle Ratio: 6.14.	\$0	0#
2590650 Front Drive Axle Ratio: 6.50.	\$0	0#

Outer End Equipment

Brakes

2703012 Front Brake: 16.5x5 air brake package for FDA rated up to 14,000 lbs. Axle determines rating. Includes cast drums, iron 10-bolt hub pilot hubs, & slack adjusters. For use with 22.5 inch wheels. Oil seals and hubcaps are not available. Dustshields included with front drive axles for T270/T370.	\$0	0#
2703050 Front Brake: 8,000 lb. Bendix air brake package 15x4 brakes, cast drums, iron preset 8-bolt hub pilot hubs, hub caps, oil seals & slack adjusters.	\$262	3#

- * Hub package for use with air brakes on full trucks. Not for use on tractors.
- * The 15 x 4 inch air braked hub packages are available with rear axles capacities up to 19K. When specifying a 10K front axle with rear axles over 19K the 16.5 x 5 inch front hub package should be used.
- * This front axle (2501008) must be selected with a 8K hub package with 8-bolt mounting style (2703050).



T270: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Outer End Equipment

Brakes

2703053	Front Brake: 10,000 lb. Bendix Air Brake package 15x4 brakes, cast drums, alum preset 8-bolt hub pilot hubs, hub caps, oil seals & slack adjusters. For use w/ 19.5 x 6.75in. wheels.	\$110	-20#
<ul style="list-style-type: none"> * Front brake (2703053) is for use only with E-1002IL front axle (2500811, 2501010 or 2501011). * Hub package for use with air brakes on full trucks. Not for use on tractors. * The 15 x 4 inch air braked hub packages are available with rear axles capacities up to 19K. When specifying a 10K front axle with rear axles over 19K the 16.5 x 5 inch front hub package should be used. 			

10K & Under

2703000	Front Brake: 8,000 lb. hydraulic brake package 2x66mm. disc brakes, rotors, iron 10-bolt hub pilot hubs, hub caps, oil seals & dust shields. For use w/ 22.5in. wheels or alcoa aluminum 19.5in.x7.5in. wheels, code 5042236.	(\$951)	-111#
<ul style="list-style-type: none"> * Front axle 8K hub package for use with hydraulic brakes. 2 x 66 mm 10-bolt style for use with 22.5 inch wheels. 2 x 66 mm 8-bolt style for use with 19.5 inch wheels. * FRONT AXLE HUBS , The hydraulic braked front hub packages include dust shields, no code required. * The specification of 2 x 66 mm 10-bolt hubs on one axle requires matching hub size on the other axle. 			

2703002	Front Brake: 10,000 lb. Bendix air brake package 15x4 brakes, cast drums, iron 8-bolt hub pilot hubs, hub caps, oil seals & slack adjusters. For use w/ 19.5 x 6.75in. wheels.	\$334	0#
<ul style="list-style-type: none"> * Hub package for use with air brakes on full trucks. Not for use on tractors. * The 15 x 4 inch air braked hub packages are available with rear axles capacities up to 19K. When specifying a 10K front axle with rear axles over 19K the 16.5 x 5 inch front hub package should be used. 			

2703003	Front Brake: 10,000 lb. Bendix air brake package 15x4 brakes, cast drums, iron 10-bolt hub pilot hubs, hub caps, oil seals & slack adjusters. For use w/ 22.5in. wheels.	\$220	0#
<ul style="list-style-type: none"> * Hub package for use with air brakes on full trucks. Not for use on tractors. * The 15 x 4 inch air braked hub packages are available with rear axles capacities up to 19K. When specifying a 10K front axle with rear axles over 19K the 16.5 x 5 inch front hub package should be used. 			

2703051	Front Brake: 10,000 lb. Bendix air brake package 15x4 brakes, cast drums, iron preset 10-bolt hub pilot hubs, hub caps, oil seals & slack adjusters.	STD	0#
<ul style="list-style-type: none"> * Hub package for use with air brakes on full trucks. Not for use on tractors. * The 15 x 4 inch air braked hub packages are available with rear axles capacities up to 19K. When specifying a 10K front axle with rear axles over 19K the 16.5 x 5 inch front hub package should be used. 			

12K to 13.2K



T270: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brakes			
12K to 13.2K			
2703001	Front Brake: 12000 lb. hydraulic brake package 2x73mm. disc brakes, rotors, iron 10-bolt hub pilot hubs, hub caps, oil seals & dust shields. For use w/ 22.5in. wheels.	(\$889)	-45#
	<ul style="list-style-type: none"> * 12k lb brake package (2703001) only for use with 22.5in wheels. * FRONT AXLE HUBS , The hydraulic braked front hub packages include dust shields, no code required. * The specification of 2 x 73 mm 10-bolt hubs on one axle requires matching hub size on the other axle. * This hub package is rated at 12K for use with hydraulic brakes. 2 x 73 mm 10-bolt for use with 22.5 wheels. 		
14K to 18K			
2701000	Air Brake: 14,600 lb. package includes Bendix 16-1/2 x5 brakes, cast drums, aluminum 10-bolt hub pilot Preset hubs, hubcaps, oil seals & automatic slack adjusters. For use w/ 22-1/2in. wheels.	\$323	48#
2701001	Air Brake: 14,600 lb. Meritor package includes 16.5X5Q+brakes cast drums, aluminum 10-bolt hub pilot Preset hubs, hub caps, oil seals.	\$671	48#
	<ul style="list-style-type: none"> * Meritor hub packages. Front and rear hub manufacturers must match. 		
2701015	Front Brake: 14,600 lb. Bendix air brake package 16.5x5 brakes, cast drums, iron preset 10-bolt hub pilot hubs, hub caps & slack adjusters.	\$260	68#
2703013	Front Brake: 16.5x6 air brake package for FDA rated 16,000 lbs. Axle determines rating. Includes cast drums, iron 10-bolt hub pilot hubs, & slack adjusters. For use with 22.5 inch wheels. Oil seals and hubcaps are not available. Dustshields included with front drive axles for T270/T370.	\$0	0#
2703016	Front Brake:Bendix 16.5x6 air brake package for 16K non-driving front axle. Includes cast drums, iron 10-bolt hub pilot Preset hubs, hub caps, oil seals & slack adjusters. For use with 22.5 inch wheels	\$791	123#
	<ul style="list-style-type: none"> * Front brake packages (2703016, 2703021, 2703022) only for use with 16,000 lb rated Dana Spicer front axles only. * This air brake package is only available with 2010+ EPA engine installations. 		
Miscellaneous			
2603006	Front brakes included w/ front hub package.	STD	0#
	<ul style="list-style-type: none"> * Front hub caps are included with front outer end package codes. * New standard front brake code (2603006) for use only with air hub packages. 		
2603007	Front brakes included w/ front hub package for hydraulic brakes only. Brakes included w/ front hub package hydraulic brakes only.	\$0	0#
	<ul style="list-style-type: none"> * Front hub caps are included with front outer end package codes. 		
2659047	Front dustshield: for drum brakes: all front axles.	\$73	6#
	<ul style="list-style-type: none"> * Optional dust shields are n/a on the D-800F front axle. Dustshields n/a with the following brake packages: 2703002, 2703003, 2703006, 2703051, 2703052, 2703053. 		



T270: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Outer End Equipment

Miscellaneous

2790006	Freewheel locking hubs for Fabco front drive axle FSD-1XA series only 10 through 16K.	\$2,707	14#
	* Manually operated locking hub is available only with Fabco FSD-1XA front drive axles and is n/a with 18k-20k front drive axles. Drive axle operation requires the transfer case to be engaged as well.		
2900903	Front air disc brake dustshield includes pad air disc brakes only.	\$60	1#
	* Front air disc brake dustshield only for use with front air disc brakes		
3495361	Lane Departure Warning Radio Mute W/ Bendix Fusion	\$0	0#

Front Springs

8K to 10K Capacity

2860004	Front Springs: Taperleaf 8K w/ shock absorbers for use on 2010+ chassis w/ 22.5in. wheels only. Not for use on T170.	\$0	-14#
	* Selected front spring is n/a on RSD-compliant vehicles or with air disc brakes.		
2860006	Front Springs: Taperleaf 8K w/ shock absorbers for use on 2010+ chassis w/ 19.5in. wheels only. Not for use on T170.	\$0	-14#
	* Selected front spring is n/a on RSD-compliant vehicles or with air disc brakes.		
2862010	Front Springs Taperleaf 10K w/shock absorbers for use on T270/T370 with FDA only.	\$357	0#
	* Selected front spring is n/a on RSD-compliant vehicles or with air disc brakes.		
2862090	Front Springs: Taperleaf 10K w/ shock absorbers for use on 2010+ chassis w/ 22.5in. wheels only.	STD	0#
	* Selected front spring is n/a on RSD-compliant vehicles or with air disc brakes.		
2862091	Front Springs: Taperleaf 10K w/ shock absorber for use on 2010+ chassis w/ 19.5in. wheels only.	\$0	0#
	* Selected front spring code is n/a on RSD-Compliant Tractors (all US, Canada, or Mexico [with EPA2010+ engines] chassis with factory- or customer-installed fifth wheel with air brakes). Use 2863003 instead.		
	* Selected front spring is n/a on RSD-compliant vehicles or with air disc brakes.		

12K to 14.6K Capacity

2863015	Front Springs: Taperleaf 12K w/ shock absorber for use on 2010+ chassis w/ 22.5in. wheels only.	\$93	12#
	* Front spring code 2863015 is n/a on RSD-Compliant Tractors (all US, Canada, or Mexico [with EPA2010+ engines] chassis with factory- or customer-installed fifth wheel with air brakes). Use 2863003 instead.		
	* Selected front spring is n/a on RSD-compliant vehicles or with air disc brakes.		

Front Spring Equipment

2900004	Front Frame Raised 0.6 inches. for ground clearance with 19.5 in. tires	\$0	0#
	* FRONT FRAME RAISED: 0.6" FOR GROUND CLEARANCE WITH 19.5" TIRES. USE TO MEET GROUND CLEARANCE REQUIREMENTS FOR 19.5" TIRES WITH 22" ROUND FUEL TANKS RAISED 1". USE ONLY FOR 8K/10K FRONT SUSPENSIONS.		



T270: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Front Springs

Front Spring Equipment

2900022	Front frame raised 0.8 inches. for ground clearance with 22.5 in. tires	\$0	0#
---------	---	-----	----

* FRONT FRAME RAISED: 0.8" FOR GROUND CLEARANCE WITH 22.5" TIRES. USE TO MEET GROUND CLEARANCE REQUIREMENTS FOR 22.5" TIRES WITH 24.5" ROUND FUEL TANKS OR FRAME RAKE REQUIREMENTS WITH 22.5" TIRES. USE ONLY FOR 10K/12K FRONT SUSPENSIONS.

Power Steering

Single Gear

2895003	Single power steering gear: 8K for air brakes.	\$64	-23#
---------	--	------	------

* 8,000 lb rated steering gear for use on T270/T370 with air brakes and a D-800f 8,000 lb front axle.

2895004	Single power steering gear: 8K for hydraulic brakes.	\$276	-23#
---------	--	-------	------

* 8,000 lb rated steering gear for use on T170/T270/T370 with hydraulic brakes and a D-800F 8,000 lb front axle.

* 8,000 lb steering gear available only with the D800F front axle.

2895219	Single power steering gear: 12K for hydraulic brakes.	\$287	0#
---------	---	-------	----

* 12,000 lb rated steering gear for use on T270/T370 with hydraulic brakes and an E-1002IL 10,000 lb or E-1202IL 12,000 lb front axle.

* The E-1002IL or E-1202IL front axles are for use with a 12k power steering gear.

2895223	Single power steering gear: 13.2K for air brakes.	STD	0#
---------	---	-----	----

* 13,200 lb rated steering gear for use on T270/T370 with air brakes and an E-1002IL, D-1001IL, E-1202IL, D-1201IL, D-1301IL, E-1302IL, E-1322IL, MFS12E Plus, MFS13B Plus non-driving front axle, or FSD-10A and -12A front drive axles.

Miscellaneous

2790035	Maximum length wheel studs for hub pilot wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#
---------	---	------	----

* Longer studs are for use only with steel wheels. Aluminum wheels have the longer length studs as standard.

* Longer studs on the front axle are available only with the hub-piloted wheel mounting style.



T270: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3011023	Single Dana Spicer P20060S single reduction rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 17K.	\$2,173	117#
	<ul style="list-style-type: none"> * Rear axle for use with hydraulic brakes only. * REAR AXLE OUTER ENDS This rear axle includes oil seals. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available only with Reyco 79KB or Hendrickson HAS210L suspensions. * The P20060S rear axle family is not approved for suspensions over 21k capacity. 		
3011024	Single Dana Spicer P20060S single reduction rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 17K.	\$662	117#
	<ul style="list-style-type: none"> * 10K air braked front axle with 16,000 lb or 17,000 lb rear axles requires 15x4 inch front brakes. * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available only with Reyco 79KB or Hendrickson HAS210L suspensions. * The P20060S air brake rear axle is available with 19K or 26K hub packages in U.S. or Canada. Available in export operating areas with Meritor hub packages as well. * The P20060S rear axle family is not approved for suspensions over 21k capacity. * This axles has a brake drum included with the hub package. 		
3011025	Single Dana Spicer P20060S single reduction rear axle for T300/K300 w/ air brakes. Single rear axle 20K capacity rated at 16K.	\$662	117#
	<ul style="list-style-type: none"> * 10K air braked front axle with 16,000 lb or 17,000 lb rear axles requires 15x4 inch front brakes. * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available only with Reyco 79KB or Hendrickson HAS210L suspensions. * The P20060S rear axle family is not approved for suspensions over 21k capacity. 		
3011026	Single Dana Spicer P20060S single reduction rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 16K.	\$2,173	117#
	<ul style="list-style-type: none"> * For use with hydraulic brakes only. * Rear axle for use with hydraulic brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available only with Reyco 79KB or Hendrickson HAS210L suspensions. * The P20060S rear axle family is not approved for suspensions over 21k capacity. 		



T270: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3011031	Single Dana Spicer P22060S single reduction 16K rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 16K.	\$2,173	117#
	<ul style="list-style-type: none"> * Rear axle for use with hydraulic brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3011032	Single Dana Spicer P22060S single reduction 17K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 17K.	\$286	117#
	<ul style="list-style-type: none"> * 10K air braked front axle with 16,000 lb or 17,000 lb rear axles requires 15x4 inch front brakes. * Dana Spicer P22060S rear axle is for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * Spring brake (3485019) is required for use with P22060S axles rated at 16,000 or 17,000 lbs. 		
3011033	Single Dana Spicer P22060S single reduction 17K rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 17K.	\$2,173	117#
	<ul style="list-style-type: none"> * Rear axle for use with hydraulic brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3011046	Dana S17-140 17K rated at 16k-single rear axle w/air brakes.	STD	0#
	<ul style="list-style-type: none"> * 10K air braked front axle with 16,000 lb or 17,000 lb rear axles requires 15x4 inch front brakes. * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3011047	Dana S17-140 17K rated at 16k-single rear axle w/ hydraulic brakes.	\$1,093	44#
	<ul style="list-style-type: none"> * For use with hydraulic brakes only. * Rear axle for use with hydraulic brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3011048	Dana S17-140 17K Rated Capacity-single rear axle w/air brakes.	(\$40)	0#
	<ul style="list-style-type: none"> * 10K air braked front axle with 16,000 lb or 17,000 lb rear axles requires 15x4 inch front brakes. * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available with 19K or 26K hub packages in U.S. or Canada. Available in export operating areas with Meritor hub packages as well. * This axles has a brake drum included with the hub package. 		
3011049	Dana S17-140 17K Rated Capacity-single rear axle w/hydraulic brakes.	\$1,093	44#
	<ul style="list-style-type: none"> * Rear axle for use with hydraulic brakes only. * REAR AXLE OUTER ENDS This rear axle includes oil seals. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		



T270: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3011080	Single Dana Spicer S21-172 single reduction rear axle for T300 w/ air brakes. Single rear axle 21K capacity rated at 16K.	\$1,079	234#
	<ul style="list-style-type: none"> * The 21K capacity rear axle rated at 16K is for use on a Class 6 air braked chassis only and requires a 10K front axle and 16.5 x7 inch rear brake and hub package. No other outer end codes are required. * The S21/S23/S26 rear axles cannot be used with SPL100 or SPL140 [aside from the SPL140 used for transfer cases] series drivelines. 		
3021062	Single Dana Spicer P20060S single reduction rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 19K.	\$662	117#
	<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available only with Reyco 79KB or Hendrickson HAS210L suspensions. * The P20060S rear axle family is not approved for suspensions over 21k capacity. 		
3021063	Single Dana Spicer P20060S single reduction rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 18K.	\$662	117#
	<ul style="list-style-type: none"> * 18K rated rear axle is available on air braked chassis with 19K-23K air braked hub packages. No outer end codes required. * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available only with Reyco 79KB or Hendrickson HAS210L suspensions. * The P20060S rear axle family is not approved for suspensions over 21k capacity. 		
3021065	Single Dana Spicer P20060S single reduction rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 18K.	\$2,173	117#
	<ul style="list-style-type: none"> * Rear axle for use with hydraulic brakes only. * Rear axle is available with Reyco 79KB, Hendrickson HAS210L/230L, or AG210L suspensions. * REAR AXLE OUTER ENDS This rear axle includes oil seals. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available only with Reyco 79KB or Hendrickson HAS210L suspensions. 		
3021070	Single Dana Spicer P22060S single reduction 18K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 18K.	\$286	117#
	<ul style="list-style-type: none"> * Dana Spicer P22060S rear axle is for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		



T270: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3021080	Dana S19-140 19K rated at 18K, single rear axle w/ air brakes.	\$10	0#
	<ul style="list-style-type: none"> * 18K rated rear axle is available on air braked chassis with 19K-23K air braked hub packages. No outer end codes required. * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3021081	Dana S19-140 19K rated at 18K, single rear axle w/ hydraulic brakes.	\$1,093	44#
	<ul style="list-style-type: none"> * Rear axle for use with hydraulic brakes only. * Rear axle is available with Reyco 79KB, Hendrickson HAS210L/230L, or AG210L suspensions. * REAR AXLE OUTER ENDS This rear axle includes oil seals. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3031000	Dana S20-140 20K Rated Capacity-single rear axle w/air brakes.	\$82	0#
	<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3031052	Single Dana Spicer P20060S single reduction rear axle, single rear axle rated at 20K.	\$662	117#
	<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * The P20060S air brake rear axle is available only with Reyco 79KB or Hendrickson HAS210L suspensions. * The P20060S rear axle family is not approved for suspensions over 21k capacity. 		
3031096	Single Dana Spicer P22060S single reduction rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 20K.	\$286	117#
	<ul style="list-style-type: none"> * Dana Spicer P22060S rear axle is for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3031097	Single Dana Spicer P22060S single reduction 19K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 19K.	\$286	117#
	<ul style="list-style-type: none"> * Dana Spicer P22060S rear axle is for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3037062	Single Dana Spicer 21065T 2-spd single reduction rear axle. Single rear axle rated at 16K.	\$1,799	166#
	<ul style="list-style-type: none"> * The 21K capacity rear axle rated at 16K is for use on a Class 6 air braked chassis only and requires a 10K front axle and 16.5 x7 inch rear brake and hub package. No other outer end codes are required. * Two-speed rear axles are n/a with a front drive axle. 		

21K to 23K



T270: REAR AXLE

Option Description	Price	Weight
Single Drive Rear Axles		
21K to 23K		
3011030 Single Dana Spicer P22060S single reduction 16K rear axle for T300 w/ air brakes. Single rear axle 22K capacity rated at 16K.	\$286	117#
<ul style="list-style-type: none"> * 10K air braked front axle with 16,000 lb or 17,000 lb rear axles requires 15x4 inch front brakes. * Dana Spicer P22060S rear axle is for use with air brakes only. * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. * Spring brake (3485019) is required for use with P22060S axles rated at 16,000 or 17,000 lbs. * The 21K capacity rear axle rated at 16K is for use on a Class 6 air braked chassis only and requires a 10K front axle and 16.5 x7 inch rear brake and hub package. No other outer end codes are required. 		
3031001 Dana S21-140 21K Rated Capacity-single rear axle w/air brakes.	\$67	6#
<ul style="list-style-type: none"> * Rear axle for use with air brakes only. 		
3031094 Single Dana Spicer P22060S single reduction rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 21K.	\$286	117#
<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axles P20060S or P22060S or SXX-140 cannot be used with a 315 hp/950 torque engine rating. 		
3032200 Single Meritor MS21-14x4 rear axle rated at 21K.	\$367	132#
<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axle is available with Reyco 79KB, Hendrickson HAS210L/230L, or AG210L suspensions. 		
3032201 Single Meritor MS21-14x4 rear axle rated at 16K.	\$367	132#
<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axle is available with Reyco 79KB, Hendrickson HAS210L/230L, or AG210L suspensions. * The selected 21K capacity rear axle rated at 16K (3032201) is for use on a Class 6 air braked chassis only and requires a 10K front axle and 16.5 x7 inch rear brake and hub package. No other outer end codes are required. 		
3032202 Single Meritor MS21-14x4 rear axle rated at 17K.	\$367	132#
<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axle is available with Reyco 79KB, Hendrickson HAS210L/230L, or AG210L suspensions. 		
3032203 Single Meritor MS21-14x4 rear axle rated at 18K.	\$367	132#
<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axle is available with Reyco 79KB, Hendrickson HAS210L/230L, or AG210L suspensions. 		
3032204 Single Meritor MS21-14x4 rear axle rated at 19K.	\$367	132#
<ul style="list-style-type: none"> * Rear axle for use with air brakes only. * Rear axle is available with Reyco 79KB, Hendrickson HAS210L/230L, or AG210L suspensions. 		



T270: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Single Drive Rear Axles

21K to 23K

3032205	Single Meritor MS21-14x4 rear axle rated at 20K.	\$367	132#
---------	--	-------	------

- * Rear axle for use with air brakes only.
- * Rear axle is available with Reyco 79KB, Hendrickson HAS210L/230L, or AG210L suspensions.

Single Axle Outer End Equipment

Brakes

3300000	Single rear brakes included w/rear hub package.	STD	0#
---------	---	-----	----

- * Brake included with hub for single rear axle chassis.
- * No code for drums is required with standard brake code.

3300001	Single rear brakes included w/rear hub package for hydraulic brakes only.	\$0	0#
---------	---	-----	----

- * Brake included with hub for single rear axle chassis.
- * Front and rear brake sizes must match.
- * No code for drums is required with standard brake code.

Hubs

3401001	23K air brake package includes 16-1/2x7 in. brakes, cast drums, aluminum 10-bolt hub pilot Preset hubs, automatic slack adjusters and oil seals for use w/ 22.5 in. wheels.	\$46	0#
---------	---	------	----

- * Hub package for use with single rear axles only.

3401007	23K Meritor air brake package includes 16.5X7Q+ brakes, cast drums, aluminum 10-bolt hub pilot Preset hubs, slack adjusters.	\$145	55#
---------	--	-------	-----

- * Hub package for use with single rear axles only.
- * Meritor hub packages which use brake package for single rear axle installation.

3401012	19K air brake package: Bendix 15x8-5/8 in. brakes, cast drums, iron preset 8-bolt hub pilot hubs, slack adjusters	\$867	40#
---------	---	-------	-----

- * 19k air brake package with 15x8-5/8 inch brakes is not compatible with dust shields on the axle.
- * Hub package for use with single rear axles only.
- * The 19k air brake package with 15 x 8-5/8 inch brakes and 8-bolt aluminum hubs is for use on the P20060, P22060 and SXX-140 axles.

3401019	19K air brake package includes 15x8-5/8 in. brakes, cast drums, aluminum 8-bolt hub pilot hubs, slack adjusters and oil seals for use w/ 19.5 in. wheels.	\$954	-25#
---------	---	-------	------

- * 19k air brake package with 15x8-5/8 inch brakes is not compatible with dust shields on the axle.
- * Hub package for use with single rear axles only.
- * The 19k air brake package with 15 x 8-5/8 inch brakes and 8-bolt aluminum hubs is for use on the P20060, P22060 and SXX-140 axles.



T270: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Hubs			
3403000	18K hydraulic brake package includes 2x66 mm. disc brakes, rotors, iron 10-bolt hub pilot hubs, hub caps, oil seals and Dust Shields for use w/ 22.5in. wheels or Alcoa aluminum 19.5in.x7.5in. wheels, code 5242236.	\$0	-171#
	* Hub package for use with single rear axles only.		
	* REAR AXLE HUBS , The hydraulic braked rear hub packages include dust shields, no code required.		
	* Rear axle hubs for use with P20060 or P22060 rear axles only.		
3403001	21K hydraulic brake package includes 2x73 mm. disc brakes, rotors, iron 10-Bolt hub pilot hubs, hub caps, oil seals and dust shields for use w/ 22.5 in. wheels.	\$0	-105#
	* 21k hydraulic brake package (3403001) only for use with 22.5in wheels.		
	* Hub package for use with single rear axles only.		
	* REAR AXLE HUBS , The hydraulic braked rear hub packages include dust shields, no code required.		
	* Rear axle hubs for use with P20060 or P22060 rear axles only.		
3403003	26K air brake package includes 16-1/2x7 in. brakes, cast drums, iron 10-bolt hub pilot hubs, slack adjusters and oil seals for use w/ 22.5 in. wheels.	(\$94)	0#
	* 26k air brake package (s/c 3403003 or 3403042) and spring brake (s/c 3485007 or 3485008 or 3485009 or 3485012) are required in combination with Dana S30-190 30k rear axle (s/c 3081093) when the chassis has a rear axle rating of 26k or less.		
	* Hub package for use with single rear axles only.		
3403042	26K air brake package includes 16-1/2x7 in. brake , cast drums, iron preset 10-bolt hub pilot hubs, slack adjusters	STD	0#
	* 26k air brake package (s/c 3403003 or 3403042) and spring brake (s/c 3485007 or 3485008 or 3485009 or 3485012) are required in combination with Dana S30-190 30k rear axle (s/c 3081093) when the chassis has a rear axle rating of 26k or less.		
	* Hub package for use with single rear axles only.		
3403043	23K Meritor Air Brake package includes 16-1/2 x7 Brakes, Cast Drums, Iron Preset 10-Bolt Hub Pilot Hubs, Slack Adjusters.	(\$70)	57#
	* Hub package for use with single rear axles only.		
	* Meritor hub packages which use brake package for single rear axle installation.		
Spring Brakes & Parking Brakes			
3485001	Bosch Parking Brake 3x12 in. high lever actuated. Axle mounted for medium duty.	(\$145)	2#
	* Bosch axle mounted parking brake for use with hydraulic brake systems only.		
	* The axle mounted parking brake is for use with hydraulic braked chassis, and requires an SPL100 or SPL140 driveline series.		
3485007	Spring Brake: 3030 long stroke single 3 in. travel. Helps keep brakes in adjustment longer.	(\$19)	4#
	* 3030 spring brake chambers (3485007, 3485012) for use on a single rear axle installation. Not for use on axles with capacity over 26k.		



T270: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Single Axle Outer End Equipment

Spring Brakes & Parking Brakes

3485008	Spring Brake: 3036 single.	\$85	11#
---------	----------------------------	------	-----

- * Single, dual, and long stroke spring brakes not for use with rear air disc brakes
- * Spring brake (3485008) only available with Neway ADZ suspensions, due to clearance issues with 3036 Longstroke chambers.

3485019	Spring Brake: 2430 single for medium duty T300; maximum capacity 17K.	STD	0#
---------	---	-----	----

- * Single, dual, and long stroke spring brakes not for use with rear air disc brakes
- * The 2430 spring brake chambers are n/a with rear axle capacities exceeding 19K.

3485214	Spring Brake: 3036 long stroke single 30 square inches; 36 square inches spring chamber.	\$99	0#
---------	--	------	----

- * 3485214 is allowed with single rear axles.

Wheel Differential Locks & Limited Slip

3511080	Meritor driver controlled differential lock for single rear axle.	\$810	0#
---------	---	-------	----

3531000	Wheel Differential Lock for Dana Spicer Axle P22060S; changes S to D to the axle part number.	\$1,188	15#
---------	---	---------	-----

- * Diff lock requires accessory air when used on hydraulic braked chassis.
- * P22060S or SXX-140 single reduction rear axles are n/a with the wheel differential lock due to the smaller housing. Use P22060S or SXX-140 single reduction rear axles with similar weight rating for diff lock.

3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$965	28#
---------	---	-------	-----

Anti-Lock Brake System

4-Channel

3495013	WABCO 4S/4M anti-lock brake system. T300: w/ hydraulic brakes only. K300 all configurations.	\$1,175	0#
---------	--	---------	----

- * For use with hydraulic brakes only.
- * Hydraulic brakes must have hydraulic brake compatible front and rear axles, as well as ABS code 3495013.

3495226	Bendix 4S/4M anti-lock brake system.	STD	0#
---------	--------------------------------------	-----	----

- * This anti-lock brake system is n/a for use on hydraulic braked chassis.

3495228	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC).	\$552	2#
---------	--	-------	----

- * This anti-lock brake system is n/a for use on hydraulic braked chassis.



T270: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Anti-Lock Brake System

4-Channel

3495233	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$2,802	0#
<ul style="list-style-type: none"> * 4S/4M ABS with ESP codes 3495229 or 3495233 are available with tractors or single rear axle full trucks. * Antilock brake systems (3495229, 3495231, 3495232, 3495233) n/a with pre-2010 EPA emission engines. * T3 with ESP air brakes requires the bolted rear cab support crossmember and 10-5/8" or 10-3/4" frame rails. 			

Other

3495238	Bendix Side Object Detection System	\$1,298	0#
<ul style="list-style-type: none"> * Bendix Side Object Detection is n/a with the RH inside door frame grabhandles. 			
3495332	Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)	\$1,028	22#
<ul style="list-style-type: none"> * Bendix Wingman Advanced and Bendix Wingman Fusion require Kenworth Driver Information Center to display warnings. * Bendix Wingman cannot be used with a bumper delete from the factory. Proper operation of the radar cannot be guaranteed with bumper delete. * Bendix Wingman is not available with Steel channel bumper * Bendix Wingman is only available with PX7 OR PX9 engines. 			
3495500	Delete standard anti-lock brake system.	(\$866)	-33#
<ul style="list-style-type: none"> * Anti-lock brakes are required for chassis operating in the US and Canada specing Medium-Duty products. Allowed on class 8 units when axle capacity dictates full time off highway use. 			

Body Builder ESP Information

3500072	Tanker height less than 75 in. from top of frame rail	\$0	0#
<ul style="list-style-type: none"> * ESP tanker build notes is only applicable with tanker body type (0095110, 0095155, 0095165). 			
3500073	Tanker height between 75 in. and 85 in. from top of frame rail.	\$0	0#
<ul style="list-style-type: none"> * ESP tanker build notes is only applicable with tanker body type (0095110, 0095155, 0095165). 			
3500096	Flatbed top of deck not more than 20 in. above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van body top of deck not more than 20 in. above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
<ul style="list-style-type: none"> * ESP van build notes (3500097) is only applicable with van body type (0095120, 0095175). 			

Miscellaneous



T270: REAR AXLE

Option	Description	Price	Weight
Miscellaneous			
3407046	Longer studs for aluminum wheels w/ steel hub pilot wheels.	\$20	6#
	<ul style="list-style-type: none"> * Longer studs are for use only with steel wheels. Aluminum wheels have the longer length studs as standard. * Longer studs for use on tandem rear axles with hub-pilot steel wheels facilitate the change to aluminum wheels in field. Aluminum material thickness is greater so standard length steel wheel studs are too short accommodate the after market swap. 		
3490046	Dustshields for drum brakes: all rear axles, required and only available with T270/T370 front drive axles	\$0	11#
3490047	Dustshields for drum brakes: all rear axles.	\$104	11#
	<ul style="list-style-type: none"> * Drum brake rear dust shields are for use with drum brakes only. 		
3495352	Bendix Collision Mitigation System Following Distance Alerts- CONFIGURATION 5	\$0	0#
	<ul style="list-style-type: none"> * Increased following distance Option for Bendix Collision Mitigation System requires Wingman Advanced or Fusion. 		
3495353	BENDIX WINGMAN FUSION ADAPTIVE CC W/ACB	\$4,211	0#
	<ul style="list-style-type: none"> * Bendix Fusion is n/a with a split windshield because a camera is mtd on the windshield or the Navplus display because the display is mtd in the same place as NavPlus * Bendix Wingman cannot be used with a bumper delete from the factory. Proper operation of the radar cannot be guaranteed with bumper delete. * Bendix Wingman is not available with Steel channel bumper 		
3495354	BENDIX WINGMAN FUSION ADAPTIVE CC W/ACB W/O VIDEO RECORDING	\$4,211	0#
	<ul style="list-style-type: none"> * Bendix Fusion is n/a with a split windshield because a camera is mtd on the windshield or the Navplus display because the display is mtd in the same place as NavPlus * Bendix Wingman cannot be used with a bumper delete from the factory. Proper operation of the radar cannot be guaranteed with bumper delete. * Bendix Wingman is not available with Steel channel bumper 		
3495355	Bendix Collision Mitigation System Following Distance Alerts- Configuration 4	\$0	0#
	<ul style="list-style-type: none"> * Increased following distance Option for Bendix Collision Mitigation System requires Wingman Advanced or Fusion. 		
3495356	Bendix Collision Mitigation System Following Distance Alerts - CONFIGURATION 2	\$0	0#
	<ul style="list-style-type: none"> * Increased following distance Option for Bendix Collision Mitigation System requires Wingman Advanced or Fusion. 		
3495357	Bendix Collision Mitigation System Following Distance Alerts - CONFIGURATION 3	\$0	0#
	<ul style="list-style-type: none"> * Increased following distance Option for Bendix Collision Mitigation System requires Wingman Advanced or Fusion. 		
3495362	Enhanced Automated Emergency Braking Deceleration Rate	\$0	0#



T270: REAR SUSPENSION

Option Description	Price	Weight
--------------------	-------	--------

Single

31K & Under

<p>3622215 Rear suspension: single Hendrickson HAS210L 21K. Welded steel crossmember and gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.</p> <ul style="list-style-type: none"> * Air suspensions are not a good choice for body types which will have a high CoG (roll on/roll off, mixer, oil field rig-up, oil well servicing equipment, crane/boom, concrete pump, logger). Hendrickson HAS suspensions are n/a with these body types. * Hendrickson (3622215, 3632277, 3632015, 3632026, 3652026), Reyco (3626430, 3626431, 3636433, 3656427, 3666436), or Chalmers (3739203) suspensions not compatible with rear air disc brakes. * Hendrickson HAS suspensions are n/a with refuse packer applications. * Hendrickson HAS210L rear susp. req's. use of accessory air system w/ hydraulic brakes. Hendrickson air susp. n/a in fire service. N/A w/ logger, mixer, roll-off, concrete pump, oil field rig-up, oil well service, drilling derrick, crane/boom operation. * Reyco 20-23K, Hendrickson 21/23/40K, and Chalmers 40K suspensions are not compatible with rear air disc brakes. * Roll on/off body type (s/c 0095060) used with air suspensions requires auto suspension dump when PTO is engaged. This allows the suspension to deflate while body is up and helps alleviate tipping and imbalance that can occur with air bags inflated. 	\$1,214	-121#
<p>3626430 Rear suspension: single Reyco 79KB multileaf 20K. Medium duty FDA only. Without helper spring. Unladen height: 16.5 in. Laden height: 14.7 in. Not rear air disc brake compatible.</p> <ul style="list-style-type: none"> * Hendrickson (3622215, 3632277, 3632015, 3632026, 3652026), Reyco (3626430, 3626431, 3636433, 3656427, 3666436), or Chalmers (3739203) suspensions not compatible with rear air disc brakes. * Rear suspension (3739209, 3626431, 3636433, 3656427, 3626430, 3632015, 3652026, 3666436) is required with and only for use with a front drive axle on the T3 series models. * Reyco 20-23K, Hendrickson 21/23/40K, and Chalmers 40K suspensions are not compatible with rear air disc brakes. * Reyco 79KB multileaf rear suspensions are only for use with a single rear axle and air brakes. They are n/a with body types of fire pumper or tank. * Reyco 79KB with front drive axle and PX-7 engine has a minimum wheelbase of 190 inches. 	\$853	90#
<p>3626431 Rear suspension: single Reyco 79KB multileaf 21K. Medium duty FDA only. Without helper spring. Unladen height: 16.5 in. Laden height: 14.6 in. Not rear air disc brake compatible.</p> <ul style="list-style-type: none"> * Hendrickson (3622215, 3632277, 3632015, 3632026, 3652026), Reyco (3626430, 3626431, 3636433, 3656427, 3666436), or Chalmers (3739203) suspensions not compatible with rear air disc brakes. * Rear suspension (3739209, 3626431, 3636433, 3656427, 3626430, 3632015, 3652026, 3666436) is required with and only for use with a front drive axle on the T3 series models. * Reyco 20-23K, Hendrickson 21/23/40K, and Chalmers 40K suspensions are not compatible with rear air disc brakes. * Reyco 79KB multileaf rear suspensions are only for use with a single rear axle and air brakes. They are n/a with body types of fire pumper or tank. * Reyco 79KB with front drive axle and PX-7 engine has a minimum wheelbase of 190 inches. 	\$853	90#
<p>3626479 Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.6 in. Not rear air disc brake compatible.</p> <ul style="list-style-type: none"> * Reyco 20-23K, Hendrickson 21/23/40K, and Chalmers 40K suspensions are not compatible with rear air disc brakes. 	STD	0#



T270: REAR SUSPENSION

Option Description	Price	Weight
Single		
31K & Under		
3630021 Rear suspension: single Kenworth Airglide 210L 21K. 6.5 in. ride height w/single leveling valve. Includes air suspension dump valve.	\$1,050	-145#
<ul style="list-style-type: none"> * Kenworth AG210L and AG400L rear suspensions (sales codes 3630021 and 3730028) cannot be used in any class D road service when specified on a T3 series chassis. * Kenworth AG210L and AG400L rear suspensions (sales codes 3630021 and 3730028) cannot be used with greater than 3% class C road service when specified on a T3 series chassis. * Meritor RS23, RS26, and RS30 rear axles are not for use with the Kenworth AG210L rear suspension. * Roll on/off body type (s/c 0095060) used with air suspensions requires auto suspension dump when PTO is engaged. This allows the suspension to deflate while body is up and helps alleviate tipping and imbalance that can occur with air bags inflated. * The Kenworth AG210L rear suspension is limited to 60,000 lbs GCW. 		
3632010 Rear suspension: Single Hendrickson Primaax EX232 23K, 8.5 in. ride height.	\$3,378	-10#
<ul style="list-style-type: none"> * Air suspensions are not a good choice for body types which will have a high CoG (roll on/roll off, mixer, oil field rig-up, oil well servicing equipment, crane/boom, concrete pump, logger). Hendrickson HAS suspensions are n/a with these body types. * Hendrickson Primaax EX232/EX262 single axle rear suspensions with 8.5" ride height require a bolted rear crossmember (sales code 3832320). * Primaax EX232/262 single 23K/26K rear suspensions with 8.5" ride height are only available with Dana S21-170/172, S23-170/172/190, and S26-190 series rear axles or Meritor RS23-160 series rear axles. * Roll on/off body type (s/c 0095060) used with air suspensions requires auto suspension dump when PTO is engaged. This allows the suspension to deflate while body is up and helps alleviate tipping and imbalance that can occur with air bags inflated. 		
3632015 Rear suspension: Single Hendrickson Primaax EX232 23K, 15.5 in. ride height. Not rear air disc brake compatible.	\$5,068	243#
<ul style="list-style-type: none"> * Air suspensions are not a good choice for body types which will have a high CoG (roll on/roll off, mixer, oil field rig-up, oil well servicing equipment, crane/boom, concrete pump, logger). Hendrickson HAS suspensions are n/a with these body types. * Hendrickson (3622215, 3632277, 3632015, 3632026, 3652026), Reyco (3626430, 3626431, 3636433, 3656427, 3666436), or Chalmers (3739203) suspensions not compatible with rear air disc brakes. * Rear suspension (3739209, 3626431, 3636433, 3656427, 3626430, 3632015, 3652026, 3666436) is required with and only for use with a front drive axle on the T3 series models. * Roll on/off body type (s/c 0095060) used with air suspensions requires auto suspension dump when PTO is engaged. This allows the suspension to deflate while body is up and helps alleviate tipping and imbalance that can occur with air bags inflated. 		



T270: REAR SUSPENSION

Option Description	Price	Weight
--------------------	-------	--------

Single

31K & Under

3632277 Rear suspension: single Hendrickson HAS230L 23K. Welded steel crossmember & gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$1,250	-59#
---	----------------	-------------

- * Air suspensions are not a good choice for body types which will have a high CoG (roll on/roll off, mixer, oil field rig-up, oil well servicing equipment, crane/boom, concrete pump, logger). Hendrickson HAS suspensions are n/a with these body types.
- * Hendrickson (3622215, 3632277, 3632015, 3632026, 3652026), Reyco (3626430, 3626431, 3636433, 3656427, 3666436), or Chalmers (3739203) suspensions not compatible with rear air disc brakes.
- * Hendrickson HAS rear susp. for use w/ single drive axle and air brakes. N/A w/ hydraulic brakes. Also n/a w/ fire service, logger, mixer, roll on/roll off, concrete pump, oil field rig-up, oil well service, drilling derrick, crane/boom operation.
- * Hendrickson HAS suspensions are n/a with refuse packer applications.
- * Reyco 20-23K, Hendrickson 21/23/40K, and Chalmers 40K suspensions are not compatible with rear air disc brakes.
- * Roll on/off body type (s/c 0095060) used with air suspensions requires auto suspension dump when PTO is engaged. This allows the suspension to deflate while body is up and helps alleviate tipping and imbalance that can occur with air bags inflated.
- * Single axle Hendrickson HAS rear suspensions require either 10-5/8 inch or 10-3/4 inch parent rail material.

3636421 Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.5 in. Not rear air disc brake compatible.	\$0	0#
---	------------	-----------

- * Reyco 20-23K, Hendrickson 21/23/40K, and Chalmers 40K suspensions are not compatible with rear air disc brakes.

3636422 Rear suspension: single Reyco 79KB taperleaf 23K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.	\$475	57#
---	--------------	------------

- * Reyco 20-23K, Hendrickson 21/23/40K, and Chalmers 40K suspensions are not compatible with rear air disc brakes.

3652012 Rear suspension: Single Hendrickson Primaax EX262 26K, 8.5 in. ride height.	\$3,664	-10#
--	----------------	-------------

- * Air suspensions are not a good choice for body types which will have a high CoG (roll on/roll off, mixer, oil field rig-up, oil well servicing equipment, crane/boom, concrete pump, logger). Hendrickson HAS suspensions are n/a with these body types.
- * Hendrickson Primaax EX232/EX262 single axle rear suspensions with 8.5" ride height require a bolted rear crossmember (sales code 3832320).
- * Primaax EX232/262 single 23K/26K rear suspensions with 8.5" ride height are only available with Dana S21-170/172, S23-170/172/190, and S26-190 series rear axles or Meritor RS23-160 series rear axles.
- * Roll on/off body type (s/c 0095060) used with air suspensions requires auto suspension dump when PTO is engaged. This allows the suspension to deflate while body is up and helps alleviate tipping and imbalance that can occur with air bags inflated.

Suspension Equipment

3830313 Bolted rear suspension crossmembers for AG210L. Replaces T3 standard.	\$45	0#
--	-------------	-----------

3830502 Delete dash mounted control for air suspension dump valve. Only available with an air suspension.	\$0	0#
--	------------	-----------



T270: REAR SUSPENSION

Option	Description	Price	Weight
Suspension Equipment			
3830505	Dual leveling valves for single air suspension. Dual leveling valves on single rear suspensions on only available on Neway ADZ for class 8 or Hendrickson HAS for medium duty. Dual leveling valves will not be approved on any other suspensions on T3. * Dual leveling values requires dual suspension pressure gauges * Dual leveling valves (3830505) only applicable with Hendrickson HAS 21k and 23k rear suspensions. * Hendrickson PRIMAAAX-EX232/262 single suspension w/ 8.5" ride height is n/a with dual leveling valves.	\$154	0#
3832033	Inboard mounted shock absorbers for Hendrickson HAS single or dual. Mounted outboard on forward rear & inboard on rear rear axle. * Inboard mounted shock absorbers are only for use on End Dumps which haul/spread asphalt. * Optional equipment for use with air suspensions only.	\$50	0#
3832100	Track rods: heavy duty for Hendrickson PRIMAAAX EX single. Replaces standard duty track rods. * Heavy-duty track rods are required for use w/ Hendrickson Primaax EX232/262 rear suspensions when used in services other than linehaul, regional haul, pick-up and delivery, wrecker, and EMT/rescue or when the vehicle will operate outside the U.S.	\$61	12#
3832313	Bolted rear suspension crossmembers for HAS 210/210L or 230/230L. Replaces T3 standard. * Bolted rear suspension crossmembers (3832313, 3832315) only available with air brakes.	\$198	4#
3832320	Bolted rear suspension crossmember for PRIMAAAX EX single. Replaces T270, T370 standard.	\$0	16#
3836300	Rear axle stabilizer bar for Reyco 79KB. * Rear suspension equipment for use on Reyco 79KB rear suspensions. n/a with Reyco 79KB Single or front drive axles.	\$1,172	66#
3836310	Rear shock absorbers for Reyco 79KB. * Rear suspension equipment for use on Reyco 79KB rear suspensions. n/a with Reyco 79KB Single or front drive axles.	\$274	35#
3836315	Bolted rear suspension crossmembers for Reyco 79KB. Replaces T3 standard. * Bolted rear suspension crossmember 3836315 is selected without a Reyco 79KB rear suspension. * Bolted rear suspension crossmembers (3836315) n/a with hydraulic brakes. * Reyco bolted rear suspension crossmembers (s/c 3836315) are only available with front axles 13K and greater, an inserted rail, FDA, or 10-3/4 inch rails	\$106	41#
3839140	Chalmers 40K severe service upgrade. Use with Chalmers 8xx-40 series suspensions. Separate suspension code required.	\$465	16#



T270: TIRES & WHEELS

Option Description	Price	Weight
Front & Rear Axle Tires		
Tubeless Type Standard Profile 22.5		
4030011 Front Tires: Goodyear G182 RSD GHG 11R22.5 16PR	\$289	32#
4030020 Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16P	\$213	-4#
4030023 Front Tires: Goodyear Endurance RSA 11R22.5 14PR	\$152	13#
4030024 Front Tires: Goodyear Endurance RSA 11R22.5 16PR	\$195	7#
4030025 Front Tires: Goodyear Endurance RSA 10R22.5 14PR	(\$131)	-18#
4038681 Front tires: Goodyear G182 RSD 11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Use For Front Drive Axle Only.	\$216	32#
4038682 Front tires: Goodyear G182 RSD 11R22.5 16PR. 42.1 in. diameter, all position. 19.6 in. SLR.	\$249	32#
4038736 Front tires: Goodyear Fuel Max RSA 11R22.5 14PR	\$162	0#
4038737 Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$205	0#
4038806 Front tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$437	34#
4038816 Front tires: Goodyear Endurance LHS 11R22.5 14PR	\$162	0#
4038820 Front tires: 2 Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. diameter. Steer/all position on/off highway tire. 19.6 SLR.	\$575	51#
4038823 Front tires: Goodyear Endurance LHS 11R22.5 16PR	\$163	-8#
4038849 Front tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$716	62#
4083220 Front Tires: Yokohama 703ZL 11R22.5 14PR	(\$41)	38#
4083231 Front Tires: Yokohama MY507 11R22.5 16PR	\$217	22#
4083242 Front Tires: Yokohama RY023 11R22.5 16PR	(\$74)	-2#
4083246 Front Tires: Yokohama RY023 11R22.5 14PR	(\$100)	-2#
4083250 Front Tires: Yokohama TY517 MC2 11R22.5 14PR	\$2	10#
4083261 Front Tires: Yokohama 709ZL 11R22.5 14PR	(\$23)	24#
4083282 Front Tires: Yokohama RY617 11R22.5 14PR	(\$129)	-6#
4230011 Rear Tires: Goodyear G182 RSD GHG 11R22.5 16PR	\$289	32#
4230023 Rear Tires: Goodyear Endurance RSA 11R22.5 14PR	\$152	13#
4230024 Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	\$195	7#



T270: TIRES & WHEELS

Option Description	Price	Weight
Front & Rear Axle Tires		
Tubeless Type Standard Profile 22.5		
4230025 Rear Tires: Goodyear Endurance RSA 10R22.5 14PR	(\$131)	18#
4238001 Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$358	54#
4238003 Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$615	84#
4238004 Rear Tires: Goodyear Armor Max Pro Grade MSD DuraSeal 11R22.5 16PR	\$499	62#
4238681 Rear tires: Goodyear G182 RSD11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$216	26#
4238682 Rear tires: Goodyear G182 RSD 11R22.5 16PR. 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$249	32#
4238684 Rear tires: Goodyear G182 RSD 12R22.5 16PR. 43.4 in. diameter, all position. 20.4 in. SLR. Code is priced per pair of tires.	\$489	64#
4238704 Rear tires: Goodyear G282 MSD 12R22.5 16PR. 43.4 in. diameter, drive. 20.4 in. SLR.	\$623	74#
4238736 Rear tires: Goodyear Fuel Max RSA 11R22.5 14PR	\$162	0#
4238737 Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$205	0#
4238806 Rear tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$437	34#
4238810 Rear tires: 2 Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$716	64#
4238816 Rear tires: Goodyear Endurance LHS 11R22.5 14PR	\$162	0#
4238817 Rear tires: 2 Goodyear G751 MSA 315/80R22.5 20PR	\$1,005	72#
4238820 Rear Tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. Diameter. Steer/All Position On/Off Highway Tire. 19.6 SLR.	\$575	51#
4238823 Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	\$163	-8#
4238849 Rear tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$716	62#
4238856 Rear tires: Goodyear Endurance LHD 11R22.5 14PR	\$285	33#
4238860 Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$502	48#
4238866 Rear tires: Goodyear Endurance LHD 11R22.5 16PR	\$318	40#
4238867 Rear tires: Goodyear MSA G731 Duraseal 11R22.5 16PR	\$575	48#
4283220 Rear Tires: Yokohama 703ZL 11R22.5 14PR	(\$41)	38#
4283231 Rear Tires: Yokohama MY507 11R22.5 16PR	\$217	22#



T270: TIRES & WHEELS

Option Description	Price	Weight
Front & Rear Axle Tires		
Tubeless Type Standard Profile 22.5		
4283242 Rear Tires: Yokohama RY023 11R22.5 16PR	(\$74)	0#
4283246 Rear Tires: Yokohama RY023 11R22.5 14PR	(\$100)	-2#
4283250 Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	\$2	10#
4283261 Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$23)	24#
4283282 Rear Tires: Yokohama RY617 11R22.5 14PR	(\$129)	-6#
Bridgestone Front		
4070010 Front Tires: Bridgestone R268 Ecopia 295/75R22.5	\$172	0#
4070040 Front Tires: Bridgestone R284 Ecopia 295/75R22.5	\$162	-8#
4070041 Front Tires: Bridgestone R284 Ecopia 295/75R22.5	\$247	-8#
4077413 Front tires: Bridgestone M843 11R22.5 16PR. 42.5 in. diameter, all position. On/off highway. 25/32 tread depth. 19.9 in. SLR.	\$407	44#
4077522 Front tires: Bridgestone M853 11R22.5 16PR. 41.8 in. diameter. 19.4 in. SLR.	\$359	40#
4077545 Front tires: Bridgestone M713 Ecopie 11R22.5 14PR Code is priced per pair of tires.	\$129	8#
4079051 Front tires: Bridgestone R250ED 11R22.5 16PR. 41.4 in. diameter, all position. Side wall protector bar. 19.3 in. SLR.	\$178	-4#
4079058 Front tires: Bridgestone R268 Ecopia 11R22.5 14PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. For P&D & construction vocations. Smartway certified.	\$41	8#
4079059 Front tires: Bridgestone R268 Ecopia 11R22.5 16PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$208	10#
Bridgestone Rear		
4270010 Rear Tires: Bridgestone R268 Ecopia 295/75R22.5 16PR	\$172	0#
4270040 Rear Tires: Bridgestone R284 Ecopia 295/75R22.5 14PR	\$162	0#
4270041 Rear Tires: Bridgestone 284 Ecopia 295/75R22.5 16PR	\$247	-8#
4277382 Rear tires: Bridgestone M843 11R22.5 14PR. 25/32 tread depth all position. On/off highway. 42.5 in. diameter. 19.9 in. SLR. Code is priced per pair of tires.	\$319	0#
4277413 Rear tires: Bridgestone M843 11R22.5 16PR. 42.5 in. diameter, all position. On/off highway. 25/32 tread depth. 19.9 in. SLR. Code is priced per pair of tires.	\$407	44#
4277444 Rear tires: Bridgestone M726ELA 11R22.5 14PR	\$46	30#
4277487 Rear tires: Bridgestone M799 11R22.5 16PR. 42 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$330	12#



T270: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Bridgestone Rear			
4277488	Rear tires: Bridgestone M770 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	\$417	24#
4277495	Rear tires: Bridgestone M770 11R22.5 16PR. 42.2 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	\$328	26#
4277513	Rear tires: Bridgestone M760 Ecopia 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Smartway certified. Code is priced per pair of tires.	\$206	34#
4277522	Rear tires: Bridgestone M853 11R22.5 16PR. 41.8 in. diameter. 19.4 in. SLR. Code is priced per pair of tires.	\$359	40#
4277545	Rear Tires: Bridgestone M713 Ecopia 11R22.5 14PR. Code is priced per pair of tires.	\$129	0#
4278111	Rear tires: Bridgestone L320 11R22.5 16PR. 42.5 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$403	0#
4279051	Rear Tires: Bridgestone R250ED 11R22.5 16PR 41.4in diameter, all position. 19.3in SLR. Side wall protector bar.	\$178	0#
4279058	Rear Tires: Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. For P&D & construction vocations. Smartway certified. Code is priced per pair of tires.	\$41	8#
4279059	Rear Tires: Bridgestone R268 Ecopia 11R22.5 16PR 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$208	10#
Michelin Front			
4010002	Front Tires: Michelin X Works Z 11R22.5 16PR	\$518	34#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	\$312	1#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	\$331	-1#
4010140	Front Tires: Michelin X Line Energy Z 275/80R22.5 14PR	\$239	-3#
4010141	Front Tires: Michelin X Line Energy Z 275/80R22.5 16PR	\$295	9#
4010144	Front Tires: Michelin X Multi Energy Z 11R22.5 16PR	\$389	0#
4010145	FR MICHELIN X MULTI ENERGY Z 275/80R22.5 16PR	\$334	2#
4017099	Front Tires: Michelin XZE2 11R22.5 14PR. 41.3 in. Diameter, All Position. 19.2 in. SLR.	\$246	2#
4017154	Front Tires: Michelin XZE2 11R22.5 16PR. 41.4 in. Diameter, All Position. 19.2 in. SLR.	\$329	16#
Michelin Rear			
4210002	Rear Tires: Michelin X Works Z 11R22.5 16PR	\$518	34#
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$800	64#



T270: TIRES & WHEELS

Option Description	Price	Weight
Front & Rear Axle Tires		
Tubeless Type Standard Profile 22.5		
Michelin Rear		
4210136 Rear Tires: Michelin X Line Energy Z 11R22.5 14PR	\$312	1#
4210137 Rear Tires: Michelin X Line Energy Z 11R22.5 16PR	\$331	-1#
4210140 Rear Tires: Michelin X Line Energy Z 275/80R22.5	\$239	-3#
4210141 Rear Tires: Michelin X Line Energy Z 275/80R22.5	\$295	9#
4210340 Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$822	44#
4211001 Rear tires: Michelin X Multi Energy Z 11R22.5 16PR	\$389	0#
4211341 Rear tires: Michelin X Multi D 11R22.5 14PR	\$273	18#
4211342 Rear tires: Michelin X MULTI D 11R22.5 16PR	\$277	20#
4217094 Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$422	30#
4217099 Rear tires: Michelin XZE2 11R22.5 14PR. 41.3 in. diameter, all position. 19.2 in. SLR. Code is priced per pair of tires.	\$246	10#
4217125 Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$709	68#
4217154 Rear tires: Michelin XZE2 11R22.5 16PR. 41.4 in. diameter, all position. 19.2 in SLR. Code is priced per pair of tires.	\$329	16#
4217218 Rear Tires: Michelin XWorks XDY 11R22.5 16PR 41.9 in. diameter, drive. in. 19.7 SLR. Code is priced per pair of tires	\$524	34#
4217225 Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$349	26#
4217228 Rear tires: Michelin XLineEnergyD 11R22.5 14PR 41.2 in. diameter. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$307	26#
4217402 Rear tires: Michelin XDS2 11R22.5 16PR 41.8 in. diameter, drive. 19.5 in. SLR.DR. Code is priced per pair of tires.	\$607	38#
4217406 Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$470	34#
Tubeless Type Standard Profile 24.5		
4238002 Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$598	82#
4238675 Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$376	26#

Bridgestone Rear



T270: TIRES & WHEELS

Option Description	Price	Weight
Front & Rear Axle Tires		
Tubeless Type Standard Profile 24.5		
Bridgestone Rear		
4230020 Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16P	\$213	-4#
Tubeless Type Low Profile 19.5		
4083255 Front Tires: Yokohama 104ZR 245/70R 19.5 14PR	(\$343)	-76#
4238005 Rear Tires: Goodyear Endurance RSA 245/70R19.5 16	(\$241)	-90#
4238673 Rear tires: Goodyear G622 RSD ULT 245/70R19.5 14PR. 33.5in. diameter. 15.6 SLR.	(\$92)	0#
4283255 Rear Tires: Yokohama 104ZR 245/70R 19.5 14PR	(\$343)	0#
Bridgestone Front		
4070011 Front Tires: Bridgestone R238 245/70R19.5 14PR	(\$176)	-70#
4070012 Front Tires: Bridgestone R238 265/70R19.5 14PR	(\$6)	0#
4070727 Front Tires: Bridgestone R238 245/70R19.5 16PR	(\$116)	-70#
Bridgestone Rear		
4270011 Rear Tires: Bridgestone R238 245/70R19.5 14PR	(\$176)	-76#
4270727 Rear Tires: Bridgestone R238 245/70R19.5 16PR	(\$116)	0#
4277708 Rear tires: Bridgestone M729F 245/70R19.5 16PR. 33.4 in. diameter, all position. 15.5 in. SLR. Code is priced per pair of tires.	(\$57)	-82#
Michelin Rear		
4217166 Rear tires: Michelin XDS2 245/70R19.5 16PR	(\$6)	38#
Tubeless Type Low Profile 22.5		
4017199 Front Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$930	38#
4030019 Front Tires Goodyear Fuel Max RSA 295/75R22.5 14P	\$147	-8#
4030265 Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	\$12	6#
4038673 Front tires: Goodyear G296 MSA 385/65R22.5 18PR. 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. in. SLR.	\$686	102#
4038822 Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$162	-4#
4039945 Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	\$137	-8#
4083245 Front Tires: Yokohama RY023 295/75R22.5 14PR	(\$101)	-8#
4083247 Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$75)	-6#



T270: TIRES & WHEELS

Option Description	Price	Weight
Front & Rear Axle Tires		
Tubeless Type Low Profile 22.5		
4083280 Front Tires: Yokohama RY617 295/75R22.5 14PR	(\$137)	-16#
4211040 Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	\$368	-66#
4217197 Rear tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$1,207	8#
4230012 Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$834	54#
4230013 Rear Tires: Goodyear Endurance WHA DuraSeal 315/80R22.5 20PR.	\$1,066	54#
4230019 Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 14P	\$147	-8#
4238263 Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$630	34#
4238265 Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	\$142	6#
4238641 Rear tires: Goodyear G572 1AD FuelMax 295/75R 22.5 14PR. 40.7 in. diameter. drive tire. 19.0 in. SLR. Smartway certified. Code is priced per pair of tires.	\$246	38#
4238659 Rear tires: Goodyear G622 RSD 255/70R22.5 16PR 37.0 in. diameter, drive tire, 17.3 in. SLR. Code is priced per pair of tires	(\$63)	-44#
4238676 Rear tires: Goodyear G296 MSA 425/65R22.5 20PR. 2-4. 44.4 in. diameter, all position. 20.6 in. SLR. On/Off highway. Wide-base tire. Code is priced per pair of tires.	(\$332)	-96#
4238677 Rear tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR. Code is priced per pair of tires.	\$497	154#
4238678 Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$750	70#
4238707 Rear Tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$30	-48#
4238717 Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLP	\$169	0#
4238822 Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$162	-8#
4238859 Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR	\$270	34#
4239945 Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	\$97	-8#
4283221 Rear Tires: Yokohama 703ZL 295/75R22.5 14PR	(\$68)	24#
4283245 Rear Tires: Yokohama RY023 295/75R22.5 14PR	(\$101)	-8#
4283247 Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$75)	-6#
4283251 Rear Tires: Yokohama TY517 MC2 295/75R22.5 14PR	(\$32)	0#



T270: TIRES & WHEELS

Option Description	Price	Weight
Front & Rear Axle Tires		
Tubeless Type Low Profile 22.5		
4283260 Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$58)	18#
4283280 Rear Tires: Yokohama RY617 295/75R22.5 14PR	(\$137)	-16#
Bridgestone Front		
4070008 Front tires: Bridgestone R268 ECOPIA 295/80R22.5 16PR	\$503	8#
4077406 Front tires: Bridgestone M864 385/65R22.5 18PR All position. On/Off highway. Wide-base tire.	\$871	114#
4079044 Front tires: Bridgestone R250ED 255/70R22.5 16PR. 36.7 in. diameter, all position. 17.2 in. SLR.	\$112	-46#
4079046 Front tires: Bridgestone R250ED 275/70R22.5 18PR. 38.0 in. diameter. 17.6 in. SLR.	\$566	-16#
4079054 Front tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. For P&D & construction vocations. Smartway certified.	STD	0#
Bridgestone Rear		
4270008 Rear Tires: Bridgestone R268 Ecopia 295/80R22.5 16PR	\$503	0#
4270009 Rear Tires: Bridgestone R249 315/80R22.5 20PR	\$912	18#
4270729 Rear Tires: Bridgestone M726ELA 295/75R22.5 14PR	\$105	20#
4277408 Rear tires: Bridgestone M760 Ecopia 295/75R22.5 14PR 40.7in. diameter. 27 tread depth. 19.0in. SLR. EPA SmartWay verified.	\$143	10#
4277489 Rear tires: Bridgestone M770 295/75R22.5 14PR. 41 in. diameter, drive. 19.1 in. SLR. Code is priced per pair of tires.	\$194	22#
4277498 Rear Tires: Bridgestone M713 Ecopia 295/75R22.5 14PR. ***40.6 in. diameter, drive. 18.9 in. SLR. Smartway certified. (Double check this info)*** Code is priced per pair of tires.	\$67	0#
4277515 Rear Tires: Bridgestone Greatec M835A Ecopia 445/ 50R22.5 20PR 2-4	\$90	-110#
4277537 Rear tires: Bridgestone M870 315/80R22.5 20PR All Position	\$766	94#
4277705 Rear tires: Bridgestone M726 255/70R22.5 16PR 37.3 in. diameter, drive tire, 17.4 in. SLR. Code is priced per pair of tires.	\$70	-32#
4279044 Rear tires: Bridgestone R250ED 255/70R22.5 16PR 36.7 in. diameter, all position. 17.2 in. SLR. Code is priced per pair of tires.	\$112	-46#
4279046 Rear tires: Bridgestone R250ED 275/70R22.5 18PR 38.0 in. diameter. 17.6 in. SLR. Code is priced per pair of tires.	\$566	0#
4279054 Rear Tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. For P&D & construction vocations. Smartway certified. Code is priced per pair of tires.	STD	0#
Michelin Front		



T270: TIRES & WHEELS

Option Description	Price	Weight
Front & Rear Axle Tires		
Tubeless Type Low Profile 22.5		
Michelin Front		
4010147 Front Tire: Michelin X Line Energy Z 295/60R22.5 18PR	\$412	-16#
4017072 Front Tires: Michelin XZE 255/70R22.5 16PR 36.7 in. Diameter. 17.2 in. SLR. All Position.	\$101	-48#
4017148 Front Tires: Michelin XZA2 Energy 295/80R 22.5 16PR. 41.3 in. Diameter, All Position. 19.1 in. SLR. Smartway Certified.	\$631	0#
4017156 Front Tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. Diameter, All Position. 18.6 in. SLR.	\$208	-8#
4017181 Front Tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. Diameter, All Position. 19.6 in. SLR.	\$946	122#
4017210 Front Tire: Michelin X Multiway HD XZE 385/65R22.5 20PR Wide Base Tires. 42.4in Diameter. SLR 19.6in. Maximum 68MPH.	\$1,500	128#
4038660 Front tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$30	-42#
Michelin Rear		
4210006 Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$972	88#
4210386 Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	\$383	140#
4210387 Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	\$808	-62#
4211038 Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$557	-50#
4217072 Rear tires: Michelin XZE 255/70R22.5 16PR 36.7 in. diameter. 17.2 in. SLR. All position. Code is priced per pair of tires.	\$101	-48#
4217127 Rear tires: Michelin XDN2 275/80R22.5 14PR Drive tire. 40.6 in. diameter, drive. 18.9 in. SLR. Code is priced per pair of tires.	\$315	16#
4217156 Rear tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. diameter, all position. 18.6 in. SLR. Code is priced per pair of tires.	\$208	-8#
4217169 Rear Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$930	38#
4217209 Rear tires: Michelin XDA ENERGY+ 275/80R22.5 14PR	\$219	6#
4217227 Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$251	16#
4217230 Rear tires: Michelin XLineEnergyD 275/80R22.5 14PR. 40.1 in. diameter. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$251	12#
4217408 Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	\$426	26#
4217415 Rear Tires: Michelin X Multi D 295/60R22.5 18PR	\$472	0#

Tubeless Type Low Profile 24.5

*See PremierSpec for Complete List of Restrictions



T270: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Tires

Tubeless Type Low Profile 24.5

Michelin Rear

4217129	Rear tires: Michelin XDN2 275/80R24.5 14PR DR. 41.8 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	\$355	30#
---------	--	-------	-----

4217232	Rear tires: Michelin XLineEnergyD 275/80R24.5 14PR. 41.4 in. diameter. 19.5 in. SLR. Smartway certified. Code is priced per pair of tires.	\$306	24#
---------	--	-------	-----

Front & Rear Axle Wheels & Rims

Tubeless Type Aluminum 19.5

5245272	Rear wheel: Alcoa 76542 19.5x6.75RW aluminum, 8-bolt hub pilot mount. 5515lb. maximum rating. For use w/air brakes only.	\$408	31#
---------	--	-------	-----

* This wheel is for use only with a Reyco 79KB or Hendrickson HAS210L rear suspension.

* This wheel is n/a with a front drive axle.

5245282	Rear wheel: Alcoa 76542/Accuride 50180 STL 19.5x6.75RW, aluminum outside/steel painted inside, 8-hole hub pilot mount. 5000 lb. maximum rating. Includes wheel guards. Code is priced per pair of wheels.	\$228	-18#
---------	---	-------	------

* This wheel is for use only with a Reyco 79KB or Hendrickson HAS210L rear suspension.

* This wheel is n/a with a front drive axle.

Rear

5245281	Rear wheel: Alcoa 77349 19.5x7.50RW aluminum 8-bolt. Require 8 bolt hub.	\$459	-59#
---------	--	-------	------

Tubeless Type Steel 19.5

Front

5042236	Front Wheel: Accuride 29685 19.5x7.50 aluminum hub-pilot mount, required w/2x66 mm. 10-bolt mounting. For hydraulic brakes only. 6700lb. maximum rating.	\$437	-57#
---------	--	-------	------

* Iron 10-bolt hub (2703000) is only available with 19.5x7.5 wheel (5042236).

5042248	Front Wheel: Accuride 50180 19.5x6.75RW steel Steel Armor[TM] powder coat, hub-pilot mount. 8-bolt hub pilot mount. 5000lb. maximum rating.	\$68	-18#
---------	---	------	------

* This wheel is for use only with a Reyco 79KB or Hendrickson HAS210L rear suspension.

5045272	Front wheel: Alcoa 76542 19.5x6.75RW aluminum, 8-bolt hub pilot mount. 5515lb. maximum rating. For use w/air brakes only.	\$420	-74#
---------	---	-------	------

* This wheel is for use only with a Reyco 79KB or Hendrickson HAS210L rear suspension.

Rear

5242236	Rear Wheel: Accuride 29685 19.5x7.50 aluminum hub-pilot mount, required with 2x66 mm. 10-bolt mounting. For hydraulic brakes only. 6700lb. maximum rating.	\$425	-57#
---------	--	-------	------

* T270 and wheel (5242236) is only available with the iron 10-bolt hub and hydraulic brakes with P20060, P22060 or Sxx-140 rear axles.

* This wheel is n/a with a front drive axle.



T270: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Steel 19.5			
Rear			
5242248	Rear Wheel: Accuride 50180 19.5x6.75RW steel Steel Armor powder coat, 8-bolt hub-pilot mount. 5000lb. maximum rating.	\$60	-18#
* This wheel is for use only with a Reyco 79KB or Hendrickson HAS210L rear suspension.			
* This wheel is n/a with a front drive axle.			
Tubeless Type Aluminum 22.5			
Front			
5042367	Front Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$446	79#
* Not available with a front drive axle due to inset.			
5045139	Front Wheel: Alcoa Ultra 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	\$420	-55#
5045162	Front Wheel: Alcoa 88367 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7,400 lb. maximum rating. Air disc brake compatible.	\$426	-44#
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$739	-11#
* 22.5 x 12.25 wheels for T3 with Front Drive Axle (FDA).			
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra ONE Wheel.	\$512	-24#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$423	-40#
5045295	Front Wheel: Kenworth 10-spoke 88u69 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$507	-40#
Rear			
5245139	Rear Wheel: Alcoa Ultra 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	\$407	-55#
5245162	Rear Wheel: Alcoa 88367 22.5x8.25 aluminum with Level One [TM] finish, hub-pilot mount. 7400 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$381	-44#
5245251	Rear Wheel: Alcoa 88367/Acc 50344 heavy-duty 22.5x8.25, aluminum outside with Lvl One[TM] finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$262	-9#
5245271	Rear Wheel: Alcoa 88367/Accuride 51487 22.5x8.25, aluminum outside with Lvl One[TM] finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$179	-20#
* The rear wheels specified are for use only with intended services of Line haul, Regional Haul, Local Pick-up & Delivery, Wrecker, EMT/Rescue or Crane/Cherry Picker.			
5245278	Rear Wheel: Alcoa 84U60 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish	\$580	-169#



T270: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Aluminum 22.5

Rear

5245279	Rear Wheel: Alcoa 84U62 22.5X14.00 AL 2-4 Ultra ONE Wheel.	\$522	-169#
5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra ONE Wheel.	\$499	-24#
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Lvl One [TM] finish/s/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$232	-6#
5245295	Rear Wheel: Kenworth 10-spoke 88U69	\$495	-40#

Tubeless Type Steel 22.5

5242375	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	(\$11)	-12#
* The rear wheels specified are for use only with intended services of Line haul, Regional Haul, Local Pick-up & Delivery, Wrecker, EMT/Rescue or Crane/Cherry Picker.			

5245285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Lvl One[TM] finish outside/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$184	-40#
---------	---	-------	------

Front

5042275	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	(\$19)	0#
5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$97	20#
5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	STD	0#
5042312	Front Wheel: Accuride 29806 22.5x12.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$836	101#

* 22.5 x 12.25 wheels for T3 with Front Drive Axle (FDA).

Rear

5242251	Rear Wheel: Accuride 29001 22.5x7.5 steel Steel Armor[TM] powder coat, hub-pilot mount. 6610 lb. maximum rating. Code is priced per pair of wheels.	\$54	9#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$84	20#
5242367	Rear Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$433	79#
5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	STD	0#

* The rear wheels specified are for use only with intended services of Line haul, Regional Haul, Local Pick-up & Delivery, Wrecker, EMT/Rescue or Crane/Cherry Picker.



T270: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Steel 22.5

Rear

5245283	Rear Wheel: Kenworth 7-spoke 88u68 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$410	-40#
---------	---	-------	------

Tubeless Type Aluminum 24.5

Rear

5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$88	35#
---------	--	------	-----

Miscellaneous Tires & Wheels

Wheel Equipment

Wheelguards

5850040	Wheelguards: all axles.	\$105	2#
---------	-------------------------	-------	----

Wheel Treatments

5853906	Powder coat white steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
---------	--	-----	----

* Powder coat finish for KCLS7 front or rear wheels.

5853907	Powder coat gray steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
---------	---	-----	----

* Powder coat finish for KCLS7 front or rear wheels.

5853908	Powder coat blacksteel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
---------	---	-----	----

* Powder coat finish for KCLS7 front or rear wheels.

5853909	Powder coat red steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
---------	--	-----	----

* Powder coat finish for KCLS7 front or rear wheels.

5854010	Single Front Axle: 2 Polished wheels. Polished outboard surface of aluminum wheels.	\$145	0#
---------	---	-------	----

* Wheel treatment codes (5854010, 5859010, 5856010, 5854045) require aluminum front wheels.

5854011	Single Rear Axle: 2 Polished wheels. Polished outboard surface of outer dual or single aluminum wheels.	\$187	0#
---------	---	-------	----

* Polished Wheel treatment (5854011) require aluminum wheels on single rear axles.

5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$83	0#
---------	--	------	----

* Wheel treatment codes (5854010, 5859010, 5856010, 5854045) require aluminum front wheels.

5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$20	0#
---------	---	------	----

* Polished Wheel treatment (5854011) require aluminum wheels on single rear axles.



T270: TIRES & WHEELS

Option Description	Price	Weight
--------------------	-------	--------

Miscellaneous Tires & Wheels

Wheel Equipment

Wheel Treatments

5854048 Dual Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only Quantity 4	\$166	0#
* Polished outboard surface of outer wheels is available on aluminum wheels and tandem rear axles.		
5856010 Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin) Long Leadtime	\$233	0#
* Wheel treatment codes (5854010, 5859010, 5856010, 5854045) require aluminum front wheels.		
5856013 Single Rear Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin) Long Leadtime	\$233	0#
5858009 Dual Rear Axle: Dura-Flange (quantity 4) -DF. For super single 2-4 wheels. Not available with Dura-Bright, except 88367.	\$471	0#
5858010 Single Front Axle: 2 wheels Dura-Flange	\$250	0#
* The Dura-flange Wheel treatment is for use on aluminum wheels on single steer axles.		
5858011 Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$471	0#
5858012 Dual Rear Axle: Dura-Flange (quantity 8) -DF	\$921	0#
5859010 Single Front Axle: 2 wheels Dura-Bright Buffed. Dura-Bright outboard surface of aluminum wheels.	\$251	0#
* Wheel treatment codes (5854010, 5859010, 5856010, 5854045) require aluminum front wheels.		
5859011 Single Rear Axle Wheels: 2 wheels Dura-Bright Buffed. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$377	0#
* 2 rear axle wheels with dura-bright finish requires rear wheel codes		
5859013 Single Rear: Dura-Bright Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$627	0#
5859014 Single Front Axle Wheels: Dura-Bright Buffed both outboard & inboard surfaces of aluminum wheels.	\$377	0#
5859028 Single Rear Axle: Dura-Bright Buffed wide base singles, outboard surface (quantity 2) -1DB.	\$251	0#
5859065 Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$480	0#
* Cannot use wheel finish 5859065 with 5856010, 5859004, 5859010, 5859014, OR 5858010		
* This coating is only available for the ULTRA, 98U63, 89U64, 82462, 88U68, 98U68, and 82362. Alcoa wheels and each dura-black sales code can be used w/ its corresponding Alcoa wheel code. N/A w/ any other polish, DuraBright, or DuraFlange codes.		
5859066 Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$959	0#
* Cannot use wheel finish 5859066, 5859067 OR 5859068 with 5856012, 5856013, 5859006, 5859007, 5859011, 5859012, 5859013, 5859015, 5859016, 5859017, 5859024, 5859027, 5859028, 5858009, 5858011, 5858013 OR 5858012		
* This coating is only available for the ULTRA, 98U63, 89U64, 82462, 88U68, 98U68, and 82362. Alcoa wheels and each dura-black sales code can be used w/ its corresponding Alcoa wheel code. N/A w/ any other polish, DuraBright, or DuraFlange codes.		



T270: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Miscellaneous			
5890000	V2B double seal cap valves.	\$60	0#



T270: FRAME & EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

Rails & Inserts

Rail Material

9.875 x 3.5 x 0.25 Steel Frame

6050605	Frame Rails: 9-7/8 x 1/4 in. steel to 308 in. Truck frame weight is 2.10 lb.-in. per pair of rails. Section modulus is 10 cu in, RBM is 1,254,767 lbs. per rail. 120,000 PSI. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	(\$437)	0#
----------------	---	----------------	-----------

* The 9-7/8 inch rail is n/a with fuel capacity greater than 75 gallons.

6050610	Frame Rails: 9-7/8 x 1/4 steel 309 in. to 380 in. Truck frame weight is 2.10 lb.-in. per pair of rails. Section modulus is 10 cu in, RBM is 1,254,767 lbs. per rail. 120,000 PSI. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	(\$148)	0#
----------------	---	----------------	-----------

* The 9-7/8 inch rail is n/a with fuel capacity greater than 75 gallons.

6050615	Frame Rails: 9-7/8 x 1/4 steel 381 in. to 428 in. Truck frame weight is 2.10 lb.-in. per pair of rails. Section modulus is 10 cu in, RBM is 1,254,767 lbs. per rail. 120,000 PSI. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	STD	0#
----------------	---	------------	-----------

* The 9-7/8 inch rail is n/a with fuel capacity greater than 75 gallons.

6050620	Frame Rails: 9-7/8 x 1/4 steel 429 in. to 480 in. Truck frame weight is 2.10 lb.-in. per pair of rails. Section modulus is 10 cu in, RBM is 1,254,767 lbs. per rail. 120,000 PSI. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$302	0#
----------------	---	--------------	-----------

* The 9-7/8 inch rail is n/a with fuel capacity greater than 75 gallons.

10.625 x 3.5 x 0.3125 Steel Frame

6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	(\$163)	0#
----------------	--	----------------	-----------

6054410	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 309 in. to 380 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$276	0#
----------------	---	--------------	-----------



T270: FRAME & EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

Rails & Inserts

Rail Material

10.625 x 3.5 x 0.3125 Steel Frame

6054630 Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 381 in. to 428 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$635	0#
--	--------------	-----------

6054800 Frame Rails: 10-5/8 x 3-1/2 x 5/16in. Steel to 429 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,217	0#
---	----------------	-----------

10.75 x 3.5 x 0.375 Steel Frame

6056200 Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$62	0#
---	-------------	-----------

* 10-3/4 inch rail material is available on the T270 and T370 models with air brakes.

* Steel 10 3/4 or 10 5/8 frame rails requires bolted centerbearing crossmembers (2409916, or 2409917, or 2409918), requires bolted crossmembers: center and rear frame. (6490123, or 6490124), requires bolted rear cab support crossmember. s/c 6490430.

6056400 Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$318	0#
--	--------------	-----------

* 10-3/4 inch rail material is available on the T270 and T370 models with air brakes.

* Steel 10 3/4 or 10 5/8 frame rails requires bolted centerbearing crossmembers (2409916, or 2409917, or 2409918), requires bolted crossmembers: center and rear frame. (6490123, or 6490124), requires bolted rear cab support crossmember. s/c 6490430.

6056600 Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$807	0#
--	--------------	-----------

* 10-3/4 inch rail material is available on the T270 and T370 models with air brakes.

* Steel 10 3/4 or 10 5/8 frame rails requires bolted centerbearing crossmembers (2409916, or 2409917, or 2409918), requires bolted crossmembers: center and rear frame. (6490123, or 6490124), requires bolted rear cab support crossmember. s/c 6490430.



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Rails & Inserts

Rail Material

10.75 x 3.5 x 0.375 Steel Frame

6056680	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 417in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,655	0#
----------------	---	----------------	-----------

- * 10-3/4 inch rail material is available on the T270 and T370 models with air brakes.
- * Steel 10 3/4 or 10 5/8 frame rails requires bolted centerbearing crossmembers (2409916, or 2409917, or 2409918), requires bolted crossmembers: center and rear frame. (6490123, or 6490124), requires bolted rear cab support crossmember. s/c 6490430.

Full Frame Inserts

9.875 x 2.875 x 0.25 Steel Insert

6141450	Full Steel Insert for 10-5/8 in. or 10-3/4 in. main rail. Insert length is 168 - 348 in. Adds 1,149,000 in-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails. Insert length is equal to wheelbase plus rear frame cutoff plus 20.7 in. forward of front axle.	\$1,924	0#
----------------	--	----------------	-----------

- * Frame insert cannot be used on tractors, full trucks only. For use on the T270/T370 with air brakes.
- * Steel 10 3/4 or 10 5/8 frame rails requires bolted centerbearing crossmembers (2409916, or 2409917, or 2409918), requires bolted crossmembers: center and rear frame. (6490123, or 6490124), requires bolted rear cab support crossmember. s/c 6490430.

6141650	Full Steel Insert for 10-5/8 in. or 10-3/4 in. main rail. Insert length is >348 - 480 in. Adds 1,149,000 in-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails. Insert length is equal to wheelbase plus rear frame cutoff plus 20.7 in. forward of front axle.	\$2,256	0#
----------------	---	----------------	-----------

- * Frame insert cannot be used on tractors, full trucks only. For use on the T270/T370 with air brakes.
- * Steel 10 3/4 or 10 5/8 frame rails requires bolted centerbearing crossmembers (2409916, or 2409917, or 2409918), requires bolted crossmembers: center and rear frame. (6490123, or 6490124), requires bolted rear cab support crossmember. s/c 6490430.

Partial Frame Inserts

Inserts for 10.625 or 10.75 Main Rail

6289325	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. main rail. Insert length is 10 - 25 ft. Adds 1,149,000 in-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails.	\$1,720	570#
----------------	--	----------------	-------------

- * Frame insert cannot be used on tractors, full trucks only. For use on the T270/T370 with air brakes.
- * Partial frame insert requires location.
- * Steel 10 3/4 or 10 5/8 frame rails requires bolted centerbearing crossmembers (2409916, or 2409917, or 2409918), requires bolted crossmembers: center and rear frame. (6490123, or 6490124), requires bolted rear cab support crossmember. s/c 6490430.



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Partial Frame Inserts			
Inserts for 10.625 or 10.75 Main Rail			
6289335	Partial Steel Insert for 10-5/8 in. or 10-3/4 in. main rail. Insert length is >25 - 35 ft. Adds 1,149,000 in-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails.	\$2,120	798#
<ul style="list-style-type: none"> * Frame insert cannot be used on tractors, full trucks only. For use on the T270/T370 with air brakes. * Partial frame insert requires location. * Steel 10 3/4 or 10 5/8 frame rails requires bolted centerbearing crossmembers (2409916, or 2409917, or 2409918), requires bolted crossmembers: center and rear frame. (6490123, or 6490124), requires bolted rear cab support crossmember. s/c 6490430. 			
Partial Frame Insert Location			
6279005	Locate Partial Frame Inserts under cab to end-of-frame.	\$0	0#
<ul style="list-style-type: none"> * Frame insert cannot be used on tractors, full trucks only. For use on the T270/T370 with air brakes. 			
Bumpers			
Bumper Style			
Aerodynamic			
6308710	Bumper: Aerodynamic, Painted. Requires a bumper setting code.	STD	0#
6308715	Bumper: Aerodynamic Chrome Requires a bumper setting code.	\$486	0#
Steel Channel			
6301438	Bumper straight heavy duty .25 in. steel, painted channel. Requires a bumper setting code.	\$801	57#
Other Bumper Style			
6309910	Delete bumper: Requires a bumper setting code.	(\$261)	-24#
<ul style="list-style-type: none"> * The deletion of a bumper is applicable only to incomplete vehicles. Only a full truck meets the incomplete vehicle requirements for the Medium-Duty product line. 			
6309912	Delete bumper: For use with heavy duty front frame brackets for customer installed winch bumper. Requires a bumper setting code.	\$0	-24#
<ul style="list-style-type: none"> * The deletion of a bumper is applicable only to incomplete vehicles. Only a full truck meets the incomplete vehicle requirements for the Medium-Duty product line. 			
Bumper Setting			
6319409	40.9 in. Bumper setting. Requires a bumper code.	\$0	0#
Bumper Equipment			
6321005	Removable Front Tow Hooks: 2.	\$257	15#

Front Frame Miscellaneous



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
Front Frame Miscellaneous			
6390031	Steel plate reinforcement .25in. thick. Required with combination of AG210 and 9-7/8 in. steel frame rail.	\$1,708	30#
* Frame reinforcement sales code 6390031 is required and only for use with the combination of 9-7/8" frame rail and Kenworth AG210 rear suspension.			
6390078	Heavy duty front frame brackets provide structure for customer installed winch bumper	\$1,367	101#
* Heavy Duty front frame bracket requires 13K or greater front springs.			
* Heavy duty front frame brackets (6390078), or fuel tank supports raised 1" (78140XX), are n/a with 16K or greater non front drive axles, with front frame raised 1.5".			
* Heavy duty front frame brackets for C/I winch bumper not compatible with the removable front tow hooks code 6321005. Front frame includes a pair of Rams Horn tow hooks.			
* Heavy duty front frame brackets for C/I winch bumper code 6390078 and delete bumper code 6309912 must be used together.			
6390103	Front mudflaps.	STD	0#
Battery Boxes			
Parallel			
6404406	Battery box: Steel parallel under w/ aluminum diamond plate cover w/ step w/ aluminum step brackets.	STD	0#
6404411	Battery box: Narrow steel parallel under cab with aluminum diamond plate cover with step. LH under cab. Battery box is 150 mm narrower than the standard battery box. Use with two or three batteries and small round DEF tank LH under cab. Air tanks will be frame mounted. Air dryer must be frame mounted or under the hood. Use with RH under exhaust.	\$209	-25#
* The combination of the narrow under cab battery box (6404411) and an engine block heater requires the engine block heater receptacle to be mounted to the left hand fender (1500035).			
Cantilever			
6400634	Battery box cantilever aluminum BOC with smooth aluminum cover.	\$64	2#
* Cantilever battery box located RH BOC is only allowed with one of the following exhaust: 1247193 or 1247194.			
6400636	Battery box cantilever aluminum BOC with fiberglass cover.	\$24	0#
* Cantilever battery box located RH BOC is only allowed with one of the following exhaust: 1247193 or 1247194.			
6400641	Battery box cantilever aluminum BOC with polished smooth aluminum cover.	\$623	2#
* Cantilever battery box located RH BOC is only allowed with one of the following exhaust: 1247193 or 1247194.			
Across or Between Rails BOC			
6400631	Battery box: Temporary across the rails.	\$127	-99#

In-Cab



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Battery Boxes

In-Cab

6405000	In-cab steel battery box: under rider seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$1,909	-41#
	* 160 brushless alternator n/a with in-cab battery box for medium duty chassis.		
	* The in-cab battery box must be used with either a passenger side battery box style seat or with deletion of the passenger seat (8489979).		
	* The in-cab battery box requires Optima batteries, quantities of two or three.		

Battery Box Locations

6409901	Battery box location: LH Side.	\$0	0#
6409902	Battery box location: RH Side.	\$94	15#
	* Cantilever battery box located RH BOC is only allowed with one of the following exhaust: 1247193 or 1247194.		
6409906	In-Cab battery box location: Under rider seat.	\$0	0#
	* 160 brushless alternator n/a with in-cab battery box for medium duty chassis.		
6409908	Battery box location: BOC across the rails.	\$0	0#

Center Frame Equipment

Box Step Options

6409715	Ladder-type step LH under cab below battery box or toolbox.	\$197	20#
	* Additional step for cab access is for use with front drive axles only.		
6409716	Ladder-type step RH under cab below battery box or toolbox or DPF - SCR.	\$197	20#
	* Additional step for cab access is for use with front drive axles only.		

Toolboxes

6474349	Steel toolbox: Under cab, aluminum diamond plate cover w/step, w/o lock.	\$786	138#
6474352	Tool box: Narrow steel parallel under cab with aluminum diamond plate cover with step. RH under cab. Tool box is 150 mm narrower than other parallel under tool boxes. Use with small round DEF tank RH under cab. Use with horizontal exhaust.	\$1,433	139#
	* Narrow Battery Box is 150mm narrower than the std battery box and is to be used w/ small round DEF tank LH u/cab. Use w/ exhaust s/c 1247137, 1247138, 1247142, 1247147, 1247193, 1247194.		

Toolbox Locations

6479902	Toolbox location: RH side.	\$0	0#
----------------	----------------------------	------------	-----------

DPF-SCR Covers



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
DPF-SCR Covers			
6451059	T270/370 Non-polished 2010 or later DPF/SCR cover with cab access step assembly, RH under. End plates will be painted standard black frame color.	\$0	0#
6451110	T270/T370 non-polished DPF/SCR cover, diamond plate with cab access step and polished end plates. For use with 2017 or later RH under exhaust systems. For use with frame paint color other than standard black. The cover will be unpolished diamond-plate and the end plates will be polished.	\$124	0#
* DPF/SCR under cab assembly for Medium-Duty chassis with 2010 EPA compliant engines.			
Frame Crossmembers & Upgrades			
6490122	One-piece welded crossmember assembly with 12mm frame fasteners, center and rear frame. Standard crossmember.	STD	0#
* Welded steel crossmember (6490122) n/a with front axles 13K and greater, front drive axles, frame inserts, 10-3/4 in frame rails			
6490123	Five-piece bolted crossmember assembly with 12mm frame fasteners, center and rear frame.	\$154	-32#
6490430	Bolted Rear Cab Support Crossmember. Replaces T3 standard.	\$135	17#
* Bolted rear cab support crossmember, 6490430 not compatible with 9-7/8 frame rails.			
* Bolted style rear cab support crossmember is not for use with hydraulic brakes.			
Center Frame Clear Space			
6491011	One clear frame space area without custom frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$366	0#
6491012	Two clear frame space areas without custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$733	0#
6497020	First clear frame space dimensioned from back of cab.	\$0	0#
6497030	Second clear frame space dimensioned from back of cab.	\$0	0#
First Request Area			
6497101	First - LH outside rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497102	First - RH outside rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497104	First - RH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Area			
6497105	First - LH outside and LH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497106	First - RH outside and RH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - between rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - between and below rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
First Request Length			
6497310	First - 10 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497314	First - 14 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497318	First - 18 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497320	First - 20 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497326	First - 26 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497328	First - 28 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T270: FRAME & EQUIPMENT

Option Description	Price	Weight
Center Frame Clear Space		
First Request Length		
6497332 First - 32 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334 First - 34 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336 First - 36 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338 First - 38 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340 First - 40 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341 First - 41 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350 First - 50 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360 First - 60 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
First Request Location		
6497200 Directly behind the under fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497201 Directly behind the BOC fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497202 Directly forward of the rearmost fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497203 Directly behind DEF tank. First clear frame space location.	\$0	0#
6497204 Directly behind the battery box. First clear frame space location.	\$0	0#
6497205 Directly behind the DPF/SCR box. First clear frame space location.	\$0	0#
6497206 Directly behind the toolbox or temporary cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207 Directly forward of the rear suspension/quarter fender. First clear frame space location.	\$0	0#
6497209 Directly behind the under cab component. First clear frame space location.	\$0	0#
6497210 Directly behind BOC1 fuel/hydraulic tank or box. First clear frame space location.	\$0	0#
6497211 Directly behind BOC2 fuel/hydraulic tank or box. First clear frame space location.	\$0	0#

Second Request Area



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Area			
6497109	Second - LH outside rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497110	Second - RH outside rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497111	Second - LH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497112	Second - RH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497113	Second - LH outside and LH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497114	Second - RH outside and RH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497115	Second - between rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497116	Second - between and below rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
Second Request Length			
6497510	Second - 10 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497512	Second - 12 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497514	Second - 14 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497516	Second - 16 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497518	Second - 18 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Length			
6497520	Second - 20 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497536	Second - 36 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497538	Second - 38 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497541	Second - 41 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
Second Request Location			
6497230	Directly behind the under fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497231	Directly behind the BOC fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497232	Directly forward of the rearmost fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497233	Directly behind DEF tank. Second clear frame space location.	\$0	0#
6497234	Directly behind the battery box. Second clear frame space location.	\$0	0#



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Center Frame Clear Space

Second Request Location

6497235	Directly behind the DPF/SCR box. Second clear frame space location.	\$0	0#
6497236	Directly behind the toolbox or temporary cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly forward of the rear suspension/quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly behind the under cab component. Second clear frame space location.	\$0	0#
6497240	Directly behind BOC1 fuel/hydraulic tank or box. Second clear frame space location.	\$0	0#
6497241	Directly behind BOC2 fuel/hydraulic tank or box. Second clear frame space location.	\$0	0#

Miscellaneous Center Frame Equipment

6679020	Class 6 26K GVWR, for air brakes only. Requires GAWR front 9K, GAWR rear 21K; front axle 9K, front spring 10K, rear axle 21K. Maximum rear suspension is 23K.	\$0	0#
6679021	Class 6 26K GVWR, for air brakes only. Requires GAWR front 10K, GAWR rear 20K; front axle 10K, front spring 10K, rear axle 20K. Maximum rear suspension is 23K.	\$0	0#
6679023	Class 6 26K GVWR, for air brakes only. Requires GAWR front 12K, GAWR rear 18K; front axle 12K, front spring 12K, rear axle 18K. Maximum rear suspension is 23K.	\$0	0#
6679025	Class 6 26K GVWR, for air brakes only. Requires GAWR front 10K, GAWR rear 21K; front axle 10K, front spring 10K, rear axle 21K. Maximum rear suspension is 23K.	\$0	0#
6679027	Class 6 26K GVWR, for air brakes only. Requires GAWR front 12K, GAWR rear 19K; front axle 12K, front spring 12K, rear axle 19K. Maximum rear suspension is 23K.	\$0	0#
6679904	Fifth wheel setting is outside standard range. Required when fifth wheel setting is more than 30 in. from bogie.	\$733	0#

* Fifth wheels with a rear/fixed setting more than 30 inches from bogie centerline are subject to an additional charge. Add fifth wheel mounting option code 6679942 or 6679904

Body Builder Requirements

6390091	Frame layout picture to dealer prior to build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$733	0#
6390097	DXF frame layout to dealer prior to build date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$733	0#
6391201	Custom Frame Layout: one chassis	\$1,380	0#
6391202	Custom Frame Layout: two chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 chassis	\$375	0#



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
Body Builder Requirements			
6391205	Custom Frame Layout: 5-9 chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 chassis	\$100	0#
6391225	Custom Frame Layout: 25-49 chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more chassis	\$30	0#
6679856	Final end-of-frame cut-off dimension will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final end-of-frame cut-off dimension will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final end-of-frame cut-off dimension will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final end-of-frame cut-off dimension will be modified to 56 in. to 60 in.	\$0	0#
6679860	Final end-of-frame cut-off dimension will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final end-of-frame cut-off dimension will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final end-of-frame cut-off dimension will be modified to greater than or equal to 75 in.	\$0	0#
6679915	Customer-installed bulkhead and/or headache rack.	\$0	0#
6679995	Customer will install structural end-of-frame crossmember before vehicle is placed in service.	\$0	0#
	* EOF mod. code 6679995 should only be used w/ > 12K front axles, 10 3/4" rails, or full inserted rail. 6679995 states dealers intent for the body builder to meet the structural EOF requirement associated w/ the installation of a heavy-duty EOF x-mbr .		
6790003	Special frame drill: dealer to provide drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,465	0#

Rear Frame Equipment

Quarter Fenders

6734005	Quarter Fenders: Stainless Steel w/ Painted Steel brackets, single post mounted.	\$324	55#
6737120	Quarter Fenders: Black Polypropylene w/ painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$183	43#

End-Of-Frame Configurations

Non-Towing Configuration

6741011	Square end-of-frame w/ crossmember; non-towing.	\$164	41#
6741023	Square end-of-frame w/ bolted crossmember, non-towing.	\$205	41#

* Hendrickson beam or Chalmers rear suspensions with cutoff under 61 inches require an end of frame crossmember. Use sales code 6741011 or 6741023.



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Rear Frame Equipment

End-Of-Frame Configurations

Non-Towing Configuration

6742009	Square end-of-frame w/o crossmember; non-towing.	STD	0#
---------	--	-----	----

Hooks & Chain Loops

6490144	1 Pro-Tech chain hanger, 35-5950CP LH rail with removable lid & cable pin.	\$180	15#
---------	--	-------	-----

6710080	Two rams horn open rear tow hooks, not for trailer towing.	\$99	17#
---------	--	------	-----

6710157	Holland: PH-30RP41 pintle hook mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$129	11#
---------	---	-------	-----

* Yarding hooks require an end of frame configuration without a crossmember.

6710158	Holland: PH-30RP41 pintle hook mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$272	11#
---------	--	-------	-----

* Yarding hooks require an end of frame configuration without a crossmember.

6792810	Safety chain loops - Dual.	\$94	2#
---------	----------------------------	------	----

* Dual safety chain loops 6792810 should only be used in combination w/ pintle hook codes 6710157 or 6710158

Rear Mudflap Equipment

Arms

6721102	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	\$74	12#
---------	--	------	-----

* Tractors operating in the U.S. or Canada require rear mud flaps. Either 6721102/6722000 need to be selected.

6721144	Rear mudflap arms: Fleetline FF30SS, tapered spring loaded & stainless steel.	\$300	20#
---------	---	-------	-----

6721163	Rear mudflap arms: Fleet Engineers, FB27 shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$123	22#
---------	--	-------	-----

6721164	Rear mudflap arms: Fleet Engineers, FB27 shortie 033-00865. 45 degree angle, polished stainless steel.	\$200	0#
---------	--	-------	----

* 28 inch x 30 inch mud flap shields do not fit a 45 degree mud flap arm.

Shields

6722000	Rear mudflap shields: White plastic antisail w/ Kenworth logo.	\$69	9#
---------	--	------	----

* Tractors operating in the U.S. or Canada require rear mud flaps. Either 6721102/6722000 need to be selected.

6722065	Rear mudflap shields: Fleetline black rib poly. Antispray w/o logo 24 in.X27 in.	\$74	2#
---------	--	------	----

* Rear mudflap shields (6722065) requires mud flap bracket code 6721163.



T270: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Rear Frame Equipment

Rear Mudflap Equipment

Shields

6722094	Rear mudflap shields: Black rubber anti-sail w/o logo. 28 in. x 30 in., 25 in. thickness.	\$123	17#
---------	---	-------	-----

* 28 inch x 30 inch mud flap shields do not fit a 45 degree mud flap arm.

* The selected rear mud flaps (6722094) are for use only with rear tires sizes of 12R24 or 315/80R22.5.

6723287	Rear mudflap shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo. Not for use with Kenworth Aero Package.	\$99	4#
---------	---	------	----

Delivery Restriction Notifications

6679804	Do not drive: Marker lights are deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.	\$0	0#
---------	--	-----	----

6679806	Do not drive: Bumper is deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
---------	---	-----	----

6679812	Speed limited tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
---------	--	-----	----

6679823	Dealer to review delivery restrictions w/ transporter. Units equipped with transfer case.	\$0	0#
---------	---	-----	----

6679828	Chassis too long for delivery in standard 3 way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#
---------	---	-----	----

6679836	Dealer Review Delivery Restrictions w/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#
---------	---	-----	----

6679911	Component Restriction: Do Not Drive- Unit may be decked.	\$0	0#
---------	--	-----	----



T270: FUEL TANKS & EQUIPMENT

Option Description	Price	Weight
Round		
Aluminum Diesel		
22"		
Under - Replace		
7010056 Fuel Tank: 56 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$121)	-19#
7010075 Fuel Tank: 75 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$86)	-11#
7010100 Fuel Tank: 100 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$132	0#
7010120 Fuel Tank: 120 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$236	8#
Under - Add		
7012056 Fuel Tank: 56 US gallon 22in. aluminum under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,269	81#
7012075 Fuel Tank: 75 US gallon 22in. aluminum under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,273	90#
Behind - Replace		
7014056 Fuel Tank: 56 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$170)	-45#
7014075 Fuel Tank: 75 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$146)	-36#
7014100 Fuel Tank: 100 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$121)	-25#
Behind - Add		
7016056 Fuel Tank: 56 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,215	72#
7016075 Fuel Tank: 75 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,218	81#
7016100 Fuel Tank: 100 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,247	119#
24.5"		
Under - Replace		
7210056 Fuel Tank: 56 US gallon 24.5in. aluminum under replace.	(\$55)	-45#



T270: FUEL TANKS & EQUIPMENT

Option Description	Price	Weight
Round		
Aluminum Diesel		
24.5"		
Under - Replace		
7210075 Fuel Tank: 75 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$28	-16#
7210090 Fuel Tank: 90 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$66	-11#
* The 24.5 inch x 90/100 gallon fuel tanks are n/a with 9-7/8 frame rails.		
7210100 Fuel Tank: 100 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$90	-8#
* The 24.5 inch x 90/100 gallon fuel tanks are n/a with 9-7/8 frame rails.		
Under - Add		
7212056 Fuel Tank: 56 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,209	81#
7212075 Fuel Tank: 75 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,293	136#
7212090 Fuel Tank: 90 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,356	141#
* The 24.5 inch x 90/100 gallon fuel tanks are n/a with 9-7/8 frame rails.		
7212100 Fuel Tank: 100 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,380	144#
* The 24.5 inch x 90/100 gallon fuel tanks are n/a with 9-7/8 frame rails.		
Rectangular Steel		
Under - Replace		
7130045 Fuel Tank: 45 US gallon, rectangular steel with step under replacement.	STD	0#
Under - Add		
7132045 Fuel Tank: 45 US gallon, rectangular steel w/ step under add. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,340	119#
Behind - Replace		
7134045 Fuel Tank: 45 US gallon rectangular steel BOC replace.	(\$135)	0#



T270: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Rectangular Steel			
Behind - Replace			
7134545	Fuel Tank: 45 US gallon rectangular steel inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,336	10#
	<ul style="list-style-type: none"> * In-frame fuel tanks are n/a with the combination of HAS210/210L/230/230L, Primaax with 8.5 in. ride height, or AG210L rear suspensions with 19.5 inch diameter tires. * In-frame fuel tanks are only available with a single rear drive axle. * In-frame fuel tanks n/a with mudflaps. * In-Frame fuel tanks only for use on trucks. 		
7134570	Fuel Tank: 70 US gallon rectangular steel inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,461	38#
	<ul style="list-style-type: none"> * In-frame fuel tanks are n/a with the combination of HAS210/210L/230/230L, Primaax with 8.5 in. ride height, or AG210L rear suspensions with 19.5 inch diameter tires. * In-frame fuel tanks are only available with a single rear drive axle. * In-frame fuel tanks n/a with mudflaps. * In-Frame fuel tanks only for use on trucks. 		
Behind - Add			
7135045	Fuel Tank: 45 US gallon, rectangular steel BOC. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,115	126#
Bright Finish			
Polished Aluminum			
7840015	Polish only one aluminum tank.	\$253	0#
7840029	Polish only two aluminum tanks.	\$505	0#
Polished Stainless Steel			
7889061	Polished stainless steel tank straps for 1 tank.	\$62	0#
7889062	Polished stainless steel tank straps for 2 tanks.	\$124	0#
Fuel Tank Equipment			
Fuel Tank Steps			
7831008	6 in. wide lower fuel tank step, for one 22 in. or 24.5 in. tank LH.	\$33	2#
	<ul style="list-style-type: none"> * Six inch wide lower step mounted to 22 inch diameter fuel tank LH under the cab requires a 56/75/100 gallon fuel tank on the same side. * Six inch wide lower step mounted to 24.5 in diameter fuel tank LH under the cab requires a 56/75/90/100 gallon fuel tank under the cab on the same side. 		



T270: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Fuel Tank Equipment			
Fuel Tank Steps			
7831016	Lower fuel tank step 6in. wide for one 22in. 56 gallon RH under tank.	\$35	4#
	* The 6 inch wide lower step 7831016 is only for use with a single 56 gallon fuel tank in the RH under cab position.		
7831030	Fuel Tank Steps: 6in. wide upper & lower F/1 RH under round tank 22in. NFPA Compliant.	\$179	8#
	* Not for use with tanks steps extended BOC for frame access.		
7831032	Fuel Tank Steps: 6in. wide upper & lower F/1 LH under round tank 22in. NFPA Compliant.	\$179	8#
	* Not for use with tanks steps extended BOC for frame access.		
7831034	Fuel Tank Steps: 6in.wide upper & lower 1RH/1LH under round tank 22in. Only NFPA Compliant.	\$358	16#
	* Not for use with tanks steps extended BOC for frame access.		
7831040	Fuel Tank Steps: 6in. wide upper & lower F/1 RH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$161	8#
	* 6in wide upper/lower RH fuel tank steps not for use with extended steps on RH under mounted fuel tank		
7831042	Fuel Tank Steps: 6in. wide upper & lower F/1 LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$161	8#
7831044	Fuel Tank Steps: 6in.wide upper & lower 1RH/1LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$322	16#
	* Not for use with tank steps extended BOC for frame access.		
7839715	Ladder-type step below fuel tank under cab - LH side.	\$226	20#
	* Additional step for cab access is for use with front drive axles only.		
7839716	Ladder-type step below fuel tank under cab - RH side.	\$226	20#
	* Additional step for cab access is for use with front drive axles only.		
Tank Supports			
7814003	Steel raised tank supports 1 in.under cab. For T3 two 22in. fuel tanks only.	\$317	0#
	* In-frame fuel tanks n/a with raised fuel tank supports.		
	* Not available with 16K/18K/20K front axle or front drive axle.		
	* Not available with the combination of LH under fuel tank and trailer connections.		
	* Raised tank supports n/a with fuel tanks mounted back of cab on tractors.		
	* Steel raised tank supports n/a with combination of front tires over 42.5 inches in diameter and fuel tank steps.		
	* Steel raised tank supports only available on T270/T370 with 22" round aluminum fuel tanks.		



T270: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Fuel Tank Equipment

Tank Supports

7814004	Steel raised tank supports 1 in.under cab. For T3 one 22in. fuel tank only.	\$158	0#
	<ul style="list-style-type: none"> * In-frame fuel tanks n/a with raised fuel tank supports. * Not available with 16K/18K/20K front axle or front drive axle. * Not available with the combination of LH under fuel tank and trailer connections. * Raised tank supports n/a with fuel tanks mounted back of cab on tractors. * Steel raised tank supports n/a with combination of front tires over 42.5 inches in diameter and fuel tank steps. * Steel raised tank supports only available on T270/T370 with 22" round aluminum fuel tanks. 		

7814013	Steel raised tank supports 1 in BOC. For two T3 22in. fuel tanks only.	\$317	0#
	<ul style="list-style-type: none"> * In-frame fuel tanks n/a with raised fuel tank supports. * Not available with 16K/18K/20K front axle or front drive axle. * Not available with the combination of LH under fuel tank and trailer connections. * Raised tank supports n/a with fuel tanks mounted back of cab on tractors. * Steel raised tank supports n/a with combination of front tires over 42.5 inches in diameter and fuel tank steps. * Steel raised tank supports only available on T270/T370 with 22" round aluminum fuel tanks. 		

7814014	Steel raised tank supports 1 in.BOC. For one T3 22in. fuel tank only.	\$158	0#
	<ul style="list-style-type: none"> * In-frame fuel tanks n/a with raised fuel tank supports. * Not available with 16K/18K/20K front axle or front drive axle. * Not available with the combination of LH under fuel tank and trailer connections. * Raised tank supports n/a with fuel tanks mounted back of cab on tractors. * Steel raised tank supports n/a with combination of front tires over 42.5 inches in diameter and fuel tank steps. * Steel raised tank supports only available on T270/T370 with 22" round aluminum fuel tanks. 		

Tank Miscellaneous

7889021	Fuel tank locking cap(s). Not available w/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$81	0#
	<ul style="list-style-type: none"> * Locking fuel caps are incompatible with the fuel anti-siphon device. When the locking caps are ordered the anti-siphon device will not be present. 		

7889227	Fuel tank caps for a fleet keyed alike. Use w/ locking fuel tank cap code 7889021.	\$25	0#
----------------	--	-------------	-----------

7889245	Anti-siphon device swaged in place. For any number of fuel tanks.	\$54	1#
	<ul style="list-style-type: none"> * Locking fuel caps are incompatible with the fuel anti-siphon device. When the locking caps are ordered the anti-siphon device will not be present. 		

Diesel Fuel Tank Location



T270: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Diesel Fuel Tank Location			
7910030	Location: 30 gal fuel tank RH under cab.	\$0	0#
7910045	Location: 45 gal fuel tank RH under cab.	\$0	0#
7910050	Location: 50 gal fuel tank RH under cab.	\$0	0#
7910056	Location: 56 gal fuel tank RH under cab.	\$0	0#
7910075	Location: 75 gal fuel tank RH under cab.	\$0	0#
7910090	Location: 90 gal fuel tank RH under cab.	\$0	0#
7910100	Location: 100 gal fuel tank RH under cab.	\$0	0#
7910120	Location: 120 gal fuel tank RH under cab.	\$0	0#
7920030	Location: 30 gal fuel tank LH under cab.	\$0	0#
7920040	Location: 40 gal fuel tank LH under cab.	\$0	0#
7920045	Location: 45 gal fuel tank LH under cab.	\$0	0#
7920050	Location: 50 gal fuel tank LH under cab.	\$0	0#
7920056	Location: 56 gal fuel tank LH under cab.	\$0	0#
7920075	Location: 75 gal fuel tank LH under cab.	\$0	0#
7920090	Location: 90 gal fuel tank LH under cab.	\$0	0#
7920100	Location: 100 gal fuel tank LH under cab.	\$0	0#
7920120	Location: 120 gal fuel tank LH under cab.	\$0	0#
7930035	Location: 35 gal fuel tank RH behind cab.	\$0	0#
7930045	Location: 45 gal fuel tank RH behind cab.	\$0	0#
7930050	Location: 50 gal fuel tank RH behind cab.	\$0	0#
7930056	Location: 56 gal fuel tank RH behind cab.	\$0	0#
7930075	Location: 75 gal fuel tank RH behind cab.	\$0	0#
7930100	Location: 100 gal fuel tank RH behind cab.	\$0	0#
7930120	Location: 120 gal fuel tank RH behind cab.	\$0	0#
7940035	Location: 35 gal fuel tank LH behind cab.	\$0	0#
7940040	Location: 40 gal fuel tank LH behind cab.	\$0	0#



T270: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Diesel Fuel Tank Location			
7940045	Location: 45 gal fuel tank LH behind cab.	\$0	0#
7940050	Location: 50 gal fuel tank LH behind cab.	\$0	0#
7940056	Location: 56 gal fuel tank LH behind cab.	\$0	0#
7940075	Location: 75 gal fuel tank LH behind cab.	\$0	0#
7940100	Location: 100 gal fuel tank LH behind cab.	\$0	0#
7940120	Location: 120 gal fuel tank LH behind cab.	\$0	0#
7952045	Location: 45 gal fuel tank inframe behind rear axle.	\$0	0#
7952070	Location: 70 gal fuel tank inframe behind rear axle.	\$0	0#

DEF Tanks & Equipment

Tanks

7722008	Rectangular DEF tank. 7.5 gallons of usable volume. The tank will be located just forward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	STD	0#
7722011	Small round DEF tank. 11 gallons of usable volume. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$140	0#
7722019	Medium round DEF tank. 20.7 gallons of usable volume. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$228	32#

DEF Tank Miscellaneous

7840038	Polished cover for 1 DEF tank any size.	\$281	3#
* This DEF tank polish option is for use only with the round tanks. n/a with the clear BOC or rectangular shaped tanks.			
7889098	Polished straps for 1 DEF Tank any size.	\$45	0#
* The polished DEF tank cover obstructs the view of the DEF tank/straps. There is no provision to order polished straps in combination with the polished cover.			
* This DEF tank polish option is for use only with the round tanks. n/a with the clear BOC or rectangular shaped tanks.			
7889203	DEF to fuel fill ratio 2:1 or greater.	\$0	0#
7889204	DEF to fuel fill ratio between 1:1 and 2:1.	\$0	0#

DEF Tank Location



T270: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
DEF Tanks & Equipment			
DEF Tank Location			
7889603	DEF tank location is RH.	\$0	0#
7889604	DEF tank location is LH.	\$0	0#



T270: CAB EXTERIOR

Option	Description	Price	Weight
Cabs			
8024310	Cab: Curved Glass Conventional. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn standard. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection (excluding T3 series), short and open check diagnostics. Warning alarm will sound when lights are left on.	STD	0#

Windows

Rear Cab

8871438	Rear Cab Stationary Window 17 in. x 36 in.	STD	0#
8873795	Rear cab sliding window 17 in. x 36 in.	\$114	2#
8879922	Solid rear wall. Deletes rear cab window.	\$0	-15#

Corner & Rear Cab

8879911	Two corner & one rear cab stationary windows 17.5 in. x 16 in. (two) & 17 in. x 36 in. (one).	\$617	24#
---------	---	-------	-----

* Rear cab corner windows are not for use with side extenders as the options cover the cab corners.

RH Peeper Door

8879590	Fresnel lens for peeper window, RH door 10-1/8 in. X 11-1/8 in. Replaces standard peeper window.	\$58	0#
---------	--	------	----

Hoods, Fenders & Grilles

Hoods, Fenders & Grilles

8090310	Hood: Sloped aerodynamic hood includes grill & separate bumper.	STD	0#
8890347	Wheelwell FNDR Extension: 4.9in Thermoplastic. Covers Tread Width Up To 102in.	\$292	6#

* Wheelwell fender extensions 8890347 are only available with a front drive axle, or with 22.5x12.25 front wheels. 22.5x12.25 wheels are only available with front drive axle or 16K or greater non-drive front axle.

Cab & Sleeper Aerodynamic Devices

Airshield Roof Fairing

8823010	One piece roof fairing without side trim tabs. Brackets are painted and installed at plant. Roof fairing is shipped to dealer from supplier for paint and installation. *No rubber extender included.	\$998	88#
---------	---	-------	-----

* Marker lights are incompatible with one piece roof fairings.

8824302	Two piece Cab roof fairing without side trim tabs. Fairing has base/clear coat (EB) finish and is nested for delivery. *No rubber extender.	\$2,366	76#
---------	---	---------	-----

* 2 piece cab roof fairings are n/a with metallic/ pearl paint.

* Two piece cab roof fairing without side trim, must be used with sunvisor that includes integrated marker lights.

* Two piece cab roof fairings not for use with cab mounted marker or beacon lights.



T270: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cab & Sleeper Aerodynamic Devices

Airshield Roof Fairing

8824402	Two piece Cab roof fairing without side trim tabs. Fairing has single stage paint (EA) finish (single stage paint with no clear coat) and is nested for delivery. *No rubber extender.	\$2,414	76#
----------------	--	----------------	------------

- * 2 piece cab roof fairings are n/a with metallic/ pearl paint.
- * This roof fairing is for use with single-stage paint. Add 9960011 for single-stage paint, or switch to roof fairing code 8824302 for use with base-coat/clear-coat paint.
- * Two piece cab roof fairing without side trim, must be used with sunvisor that includes integrated marker lights.
- * Two piece cab roof fairings not for use with cab mounted marker or beacon lights.

8824902	Two piece Cab roof fairing without side trim tabs. Fairing has White Gel-coat finish and is nested for delivery. *No rubber extender.	\$2,414	76#
----------------	---	----------------	------------

- * 2 piece cab roof fairings are n/a with metallic/ pearl paint.
- * Two piece cab roof fairing without side trim, must be used with sunvisor that includes integrated marker lights.
- * Two piece cab roof fairings not for use with cab mounted marker or beacon lights.

Other

8821914	Brackets only for Two-piece roof fairing. *Dealer to source roof fairing.	\$256	11#
----------------	---	--------------	------------

- * Two piece cab roof fairing without side trim, must be used with sunvisor that includes integrated marker lights.
- * Two piece cab roof fairings not for use with cab mounted marker or beacon lights.

8821916	Brackets only for One-piece roof fairing. *Dealer to source roof fairing.	\$186	11#
----------------	---	--------------	------------

- * Marker lights are incompatible with one piece roof fairings.

Cab Structure Miscellaneous

8080137	Cab door bearing blocks, top & bottom.	\$33	0#
----------------	--	-------------	-----------

Cab Access

8800200	Cab access contoured grabhandles, LH/RH.	STD	0#
----------------	--	------------	-----------

8800377	LH & RH NFPA Compliant Grabhandles	\$312	4#
----------------	------------------------------------	--------------	-----------

- * NFPA compliant grab handles are not for use with side of cab exhaust.

8800400	Grabhandle: LH inside door frame above dash.	\$33	0#
----------------	--	-------------	-----------

8800401	Grabhandle: RH inside door frame above dash.	\$33	2#
----------------	--	-------------	-----------

8800733	Grabhandle: LH w/ short extension over door.	\$46	4#
----------------	--	-------------	-----------

- * Grab handles with short extension over the doors (8800733, 8800734) are not compatible with cab access grabhandle (8800200), or side of cab exhaust (1201308).



T270: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cab Access

8800734	Grabhandle: RH w/ short extension over door.	\$46	4#
---------	--	------	----

* Grab handles with short extension over the doors (8800733, 8800734) are not compatible with cab access grabhandle (8800200), or side of cab exhaust (1201308).

Horns

Air Horns

8841303	Single Rectangular Air Horn 23 in. LH Top of Roof Includes Air Horn Cover.	\$173	6#
---------	--	-------	----

* Air horns require air brakes or an accessory air system on hydraulic braked chassis.

8841411	Single air horn under cab.	\$108	3#
---------	----------------------------	-------	----

* Air horns require air brakes or an accessory air system on hydraulic braked chassis.

* Single air horn under cab (8841411) n/a on T3 tractor with RH Under DPF/SCR.

8841618	Dual rectangular air horn 23 in. LH & RH top of roof. Includes air horn covers.	\$264	11#
---------	---	-------	-----

* Air horns require air brakes or an accessory air system on hydraulic braked chassis.

8841629	Air Horn Mounted On Rear Side of LHUC Battery Box	\$116	2#
---------	---	-------	----

* Air horn mounted on rear side of battery box requires LH Under Cab Battery Box 6404406

* Air horns require air brakes or an accessory air system on hydraulic braked chassis.

8841630	Air Horn:Single Inbd LH Under On Support Rnd Fuel - Air Horn: Single Mntd Inbd LH Under Cab On Support For Round Fuel Tank	\$116	2#
---------	--	-------	----

* Air horn 8841630 is only for use with round aluminum fuel tanks LH under cab.

* Air horns require air brakes or an accessory air system on hydraulic braked chassis.

Other

8845105	Solenoid, switch & wiring for customer-installed air horn on T300 chassis. If the chassis has hydraulic brakes, it will require code 1000307 for Accessory air system for hydraulic brakes.	\$47	0#
---------	---	------	----

* Air horns require air brakes or an accessory air system on hydraulic braked chassis.

Mirrors & Equipment

Dual Rear View Mirrors

8862101	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, and non-heated.	STD	0#
---------	---	-----	----

8865000	Mirror: Dual Kenworth aerodynamic heated motorized 7 in. x 13 in. mirrors. Mirror shell painted cab color, mirror arms black. LH/RH convex mirrors 5 in. x 7 in. heated. Mirror brackets set for 8-1/2 ft load width. Switch located on door pad.	\$452	26#
---------	---	-------	-----

* Optional convex mirrors cannot be mounted on the bracket of the Aerodynamic mirrors, a style which include integrated convex mirrors.



T270: CAB EXTERIOR

Option	Description	Price	Weight
Mirrors & Equipment			
Dual Rear View Mirrors			
8865001	Mirror: Dual Kenworth aerodynamic heated motorized 7 in. x 13 in. mirror w/ chrome shell. LH/RH convex mirrors 5 in. x 7 in. heated. Mirror brackets set for 8 1/2 ft load width. Switch located on door pad.	\$377	26#
	* Optional convex mirrors cannot be mounted on the bracket of the Aerodynamic mirrors, a style which include integrated convex mirrors.		
8866101	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, thermostatically controlled. switch located on door pad.	\$48	0#
8866102	Mirror: Dual Prutsman Lighted Mirrors 7 in. x 16 in. Polished Stainless Steel, Thermostatically Controlled & Lighted. Switch Located On Door Pad.	\$95	2#
8867200	Mirror: Dual Moto Heated Mirrors 7 in. x 16 in. LH Fixed, RH Remote Controlled. Switch Located On Door Pad.	\$327	-2#
8867202	Mirror: Dual Moto heated mirrors 7 in. x 16 in. LH & RH remote controlled. Switch located on door pad.	\$516	4#
Mirror Brackets			
8869005	Mirror brackets 8-1/2 ft load width.	STD	0#
Diminishing Convex Mirror			
Rider Side			
8850300	Look-Down, Pass. Door, Stainless 8.5x4.4	STD	0#
Bracket Mounted Below Regular Mirror			
8850210	Dual convex mirrors 7-1/2 in. w/ offset mounting, and non-heated.	STD	0#
	* Optional convex mirrors cannot be mounted on the bracket of the Aerodynamic mirrors, a style which include integrated convex mirrors.		
8850235	Dual convex mirror 8.5 inch w/ offset mounting below regular mirror, and non-heated.	\$45	0#
	* Optional convex mirrors cannot be mounted on the bracket of the Aerodynamic mirrors, a style which include integrated convex mirrors.		
8863570	Dual convex heated mirror 8.5 inch w/ offset mounting below regular mirror.	\$51	11#
	* Heated convex mirrors require heated primary mirrors.		
	* Optional convex mirrors cannot be mounted on the bracket of the Aerodynamic mirrors, a style which include integrated convex mirrors.		
Fender Mounted			
8850717	Mirror: RH Fender Mounted, Round Convex	\$105	4#
8850817	Mirror: Dual Fender Mounted, Round Convex	\$233	8#

Window Equipment

Door Window Lifts



T270: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Window Equipment

Door Window Lifts

8879200	Manual LH & electric-powered RH door window. Switch located on door.	STD	0#
8879213	Electric-powered LH & RH door window lifts. Switch located on door.	\$201	0#

Windshield & Equipment

8890105	Two-Piece Roped-In Windshield, W/ Curved Glass.	\$109	2#
---------	---	-------	----

* Bendix Fusion is n/a with a split windshield because a camera is mtd on the windshield or the Navplus display because the display is mtd in the same place as NavPlus

Exterior Sunvisors

8890134	Exterior aerodynamic sunvisor w/ integral marker lights.	\$288	6#
8890135	Exterior stainless steel sunvisor.	\$400	11#

* Stainless steel exterior sunvisor is incompatible with integral mounted cab roof marker lights.

Doors & Equipment

Doors

8832115	Daylite Door: LH/RH includes RH peeper window	STD	0#
---------	---	-----	----

* The Daylite Door requires the RH downward facing convex mirror. This code must be present on all orders.

Door Lock Options

8203060	5 sets of keys. Replaces standard 2 sets of keys.	\$28	0#
8203088	All chassis on this order keyed alike. Only includes ignition & doors.	\$110	0#
8203190	Key Lock: Customer Specified Tumbler Part Number. Only Includes Ignition and Doors.	\$366	0#

Other

8700188	Remote Keyless Entry	\$353	0#
---------	----------------------	-------	----



T270: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cabs & Sleepers

Interior

8330003	Cab interior: Pinnacle. Includes vinyl headliner & cab back panel, slate gray interior, dark slate gray seats, floor mats, LH/RH inside sunvisor & door courtesy lights.	STD	0#
8330013	Cab interior: Apex. Includes cloth headliner & cab back panel, slate gray interior color, dark slate gray seats, floor mats, LH/RH inside sunvisors & door courtesy lights.	\$244	0#

Interior Lights

8700144	Dome lamp over driver door.	\$24	0#
---------	-----------------------------	------	----

Heaters & Air Conditioning

8104004	Cab heater: W/integral defrosters. 5 mode rotary control in dash. 45,000 btu cab heater w/o AC. No sleeper heater/AC. Includes 5 mode rotary control.	(\$266)	-68#
8108010	Cab heater: W/integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T660 include filter media.	STD	0#

Miscellaneous

8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
---------	--	-------	----

- * Canada requires an excise tax on refrigerant when air conditioning is specified.
- * Chassis registered in Canada and specifying air conditioning require air conditioning excise tax. Add code 8190564 from the HVAC Options section.
- * Excise tax for air conditioning refrigerant is required in Canada.

Steering Wheels & Equipment

Other

8201200	Adjustable telescoping tilt steering column.	\$596	10#
---------	--	-------	-----

Instruments & Controls

8240620	Canadian instrument package: KPH speedometer replaces MPH.	\$0	0#
* The KPH instrument package converts the standard speedo/tachograph instrument cluster to metric units. This is n/a for chassis registered in the U.S.			
8282004	KW Driver Information Center: Includes fuel economy, RPM display, trip information, truck information, diagnostics, gear display, alarm clock.	\$242	0#
* Kenworth Driver Information Center can only be used with a 2010 engine.			
8282006	Odometer units locked to match speedometer dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$15	0#



T270: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
8282009	Instrument package: Includes speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010+ engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	STD	0#
Gauges			
8220106	Gauge: Dash mounted air filter restriction gauge. * Dash mounted air filter restriction gauge n/a with hydraulic brakes.	\$122	0#
8220110	Direct drive lockup w/PTO engagement. Locks up in 1:1 gear: 4th gear on 6-speed, 5th gear on 7-speed. * 4th gear lock up is required with Allison RDS transmissions when a transfer case with PTO is specified. See code 8220110 in Transmission Equipment. * 4th gear lockup w/ PTO engagement is only available on Allison 3000 and 3500 series transmissions. * Direct drive lockup with PTO engagement (8220110) is only allowed with Fabco TC-237 transfer case (2322247) and Allison RDS transmissions.	\$238	0#
8221100	Gauge: 2 air suspension pressure gauges. For use w/air suspension w/dual leveling valves.	\$284	0#
8221105	Gauge: Air application gauge. * Air pressure gauge is n/a with hydraulic brakes.	\$49	0#
8221138	Gauge: Air suspension pressure gauge. For dual leveling valves, not dual read. * Not for use with single rear suspensions. Use code 8221100 for single rear suspensions with dual leveling valves.	\$255	0#
8221144	Gauge: Air suspension pressure gauge.	\$82	0#
8222115	Gauge: All metric gauges.	\$0	0#
8222712	Gauge: Fuel filter restriction gauge.	\$147	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$36	0#
Controls			
8203044	Four position ignition switch, keyless. Available for fire truck service & EMT/emergency service only. * The four position keyless ignition switch is available for fire truck or EMT/rescue services only.	\$15	0#
8203072	Flip Valve/LT/Piping To End-of-Frame Air Accessory. Dash Mounted	\$92	0#



T270: CAB INTERIOR

Option Description	Price	Weight
--------------------	-------	--------

Instruments & Controls

Controls

8205021 Flip Valve,Piping:LG Flip Vlv to Apply Front and Rear Service Brakes	\$373	8#
<ul style="list-style-type: none"> * 8205021 available with air brakes only * Flip valve (8205021) n/a with NavPlus due to dash space constraints. * Flip valve (8205021) n/a with tractor application or trailer connections. * Flip valve (8205021) only available with refuse packer, wrecker or End dump. 		

PTO Related

8205087 Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. Required with air suspensions used on dump trucks, trailer dumps, or with no tilt fifth wheels. This allows the suspension to deflate while hoist is up and helps alleviate any imbalance that can occur with air bags inflated. Required with roll back flat bed or roll on/off with air suspensions. This allows the suspension to deflate while body is up and helps alleviate tipping and imbalance that can occur with air bags inflated. Auto air suspension dump with PTO engagement is not for use without a PTO. PTO controls must be installed by the factory.	\$45	2#
<ul style="list-style-type: none"> * Optional equipment for use with air suspensions only. 		
8205093 Information for customer-installed PTO Chelsea 880. 8-bolt. N/A w/ Allison 1000/2000 series transmissions.	\$48	0#
<ul style="list-style-type: none"> * Customer installed Chelsea series PTO for use only with Allison 3000/4000 series. * Information codes for aftermarket PTO installations (8205093, 8205118, 8205149, 8205291, 8205292) require a factory installed PTO control code (8205045, 8205123). * PTOs cannot be used on Allison HS transmissions. 		
8205118 Information for customer-installed PTO Chelsea 277. 10-bolt. Available only with Allison 3000/4000 series transmissions.	\$48	0#
<ul style="list-style-type: none"> * Customer installed Chelsea series PTO for use only with Allison 3000/4000 series. * Information codes for aftermarket PTO installations (8205093, 8205118, 8205149, 8205291, 8205292) require a factory installed PTO control code (8205045, 8205123). * PTOs cannot be used on Allison HS transmissions. 		
8205149 Information for customer-installed PTO Chelsea 230 Series, 6-bolt	\$44	0#
<ul style="list-style-type: none"> * Information codes for aftermarket PTO installations (8205093, 8205118, 8205149, 8205291, 8205292) require a factory installed PTO control code (8205045, 8205123). 		
8205291 Info for C/I PTO: Muncie 6 Bolt	\$0	0#
<ul style="list-style-type: none"> * Information codes for aftermarket PTO installations (8205093, 8205118, 8205149, 8205291, 8205292) require a factory installed PTO control code (8205045, 8205123). * PTO information codes 8205291 and 8205292 are for use only with Allison 2100RDS, 2200RDS, or 2500RDS transmissions. 		



T270: CAB INTERIOR

Option Description	Price	Weight
--------------------	-------	--------

Instruments & Controls

PTO Related

8205292 Info for C/I PTO: Chelsea 6 Bolt	\$0	0#
--	-----	----

* Information codes for aftermarket PTO installations (8205093, 8205118, 8205149, 8205291, 8205292) require a factory installed PTO control code (8205045, 8205123).

* PTO information codes 8205291 and 8205292 are for use only with Allison 2100RDS, 2200RDS, or 2500RDS transmissions.

PTO Controls

8205044 Flip Valve/(Small)Piping/LT: Two. For Two Customer-Installed PTO. Single Speed. Dash Mounted. Includes Guard.	\$265	0#
---	-------	----

8205045 Flip Valve: On Dash For Single Speed PTO. Customer-Installed. Includes Indicator Light & Piping.	\$366	2#
--	-------	----

* Flip valve for an aftermarket installed PTO.

8205123 Switch & Wiring for Customer-Installed PTO. Electric over hydraulic PTO. Includes switch guard. Wiring is routed to LH frame for connection to the customer installed PTO. No air controls are provided with this code.	\$225	0#
---	-------	----

* Allison transmissions without a PTO provision cannot add a PTO in the future without replacing the transmission.

* Selection of sales code 8205123 requires selection of a PTO info code such as 8205118.

Dash Switches

8202996 Manual override switch: For fan hub, w/o warning lamp. For fire truck pumpers only. Option used to request fan on only. The engine may turn fan on and off on regardless of switch.	\$24	1#
---	------	----

8208495 Two spare switches: Wired to power.	\$79	0#
---	------	----

8208496 Three spare switches: Wired to power.	\$116	0#
---	-------	----

8208497 Four Spare Switches: Wired To Power.	\$140	0#
--	-------	----

8208498 Five spare switches: Wired to power.	\$143	0#
--	-------	----

8208500 One additional spare switch.	\$19	0#
--------------------------------------	------	----

8291002 Mute backup alarm w/buzzer in cab.	\$163	0#
--	-------	----

* Backup alarm mute switch (8291002) is only available with a backup alarm.

Turn Signals

8700154 Self cancelling turn signal: W/head light dimmer switch .	\$22	0#
---	------	----

Other

8208615 30 Amp Power Lead With Ground. Wired Through Ignition To Behind Rider Seat.	\$93	1#
---	------	----

* 30 amp power lead (8208615) not compatible with C/I trailer electric brake controller (S/C 9090151).

8228423 Custom Dash Layout	\$1,465	0#
----------------------------	---------	----



T270: CAB INTERIOR

Option Description	Price	Weight
--------------------	-------	--------

Instruments & Controls

Other

8282990 Full burl wood dash panels	\$168	0#
8291301 Warning light: for open trailer ABS fuse	\$184	0#

* Display Prewire (8700693) or Warning Light (8291301) require TruckTech+ Remote Diagnostics (8700663).

Seats

Driver Seats

8412780 Dr Seat: Static HB Mordura With Dual Armrests	(\$211)	-43#
---	---------	------

* Static HB seats (8412780, 8412799) seat is n/a with Jet Black Color (s/c 8490150)

8412799 Dr Seat: Static HB Vinyl With Dual Armrests	(\$272)	-43#
---	---------	------

* Static HB seats (8412780, 8412799) seat is n/a with Jet Black Color (s/c 8490150)

Kenworth AIR-CUSHION Plus

8410081 Driver Seat: Kenworth Air Cushion Plus IB Cloth .Standard features include 7 in. fore and aft slide adjustment with isolator, 6 to 23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide with 2 position tilt and 2 position front cushion extension. Seat material has a horizontal stitch pattern and is 2 tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3 point matching seat belts. Grey seat belts.	STD	0#
---	-----	----

* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.

8410091 Driver seat: Kenworth Air cushion Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$145	0#
--	-------	----

* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.

8410181 Driver seat: Kenworth Air cushion Plus IB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$81	0#
--	------	----

* Accessory air option is required for hydraulic brake chassis requesting an air driver's seat. Add code 1000307.

8410191 Driver seat: Kenworth Air cushion Plus HB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$131	2#
--	-------	----

* Accessory air option is required for hydraulic brake chassis requesting an air driver's seat. Add code 1000307.



T270: CAB INTERIOR

Option Description	Price	Weight
--------------------	-------	--------

Seats

Driver Seats

Kenworth AIR-CUSHION Plus

8410481 Driver seat: Kenworth Air cushion Plus IB Mordura Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$137	0#
--	--------------	-----------

* Accessory air option is required for hydraulic brake chassis requesting an air driver's seat. Add code 1000307.

8410491 Driver seat: Kenworth Air cushion Plus HB Mordura Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$135	2#
--	--------------	-----------

* Accessory air option is required for hydraulic brake chassis requesting an air driver's seat. Add code 1000307.

Kenworth AIR-CUSHION Premium Plus

8410092 Driver seat: Kenworth Air cushion Premium Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-58 degree recline, air suspension w/ cover, dual armrests, and triple chamber air lumbar support. Cushion and back include air adjustment. Seat cushion is 20 inches wide w/ 2-position tilt and 6-position front cushion support. Seat material has a horizontal stitch pattern and is 2-tone in color. Standard storage includes a side bolster pocket and a hanging pocket. Seat back is carpeted, and high back seats include a storage pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$348	0#
--	--------------	-----------

* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.

8410492 Driver Seat: Kenworth Air Cushion Premium Plus HB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-58 degree recline, air suspension w/ cover, dual armrests, and triple chamber air lumbar support. Cushion and back include air adjustment. Seat cushion is 20 inches wide w/ 2-position tilt and 6-position front cushion support. Seat material has a horizontal stitch pattern and is 2-tone in color. Standard storage includes a side bolster pocket and a hanging pocket. Seat back is carpeted, and high back seats include a storage pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$429	0#
--	--------------	-----------

Sears

8412793 Driver Seat: Sears Atlas Series 70 IB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$394	15#
---	--------------	------------

8412795 Driver Seat: Sears Atlas Series 70 HB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$407	17#
---	--------------	------------

Driver Seat Other



T270: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Seats

Driver Seats

Driver Seat Other

8417292	Driver Seat: Seats, Inc. 911 NON-SCBA air suspension HB vinyl/Cordura. Does not include armrests. Includes NFPA compliant air seat height limiter, no code required.	\$644	11#
----------------	--	--------------	------------

* Accessory air option is required for hydraulic brake chassis requesting an air driver's seat. Add code 1000307.

* The 911 seats are for use in emergency vehicle service only.

8420091	Driver seat: Kenworth Air cushion HB cloth. W/suspension air compressor & dual armrests.	\$472	6#
----------------	--	--------------	-----------

* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.

* Driver seat with suspension air compressor for use on hydraulic braked chassis not requesting an accessory air system.

8420191	Driver seat: Kenworth Air cushion HB vinyl. W/suspension air compressor & dual armrests.	\$396	6#
----------------	--	--------------	-----------

* Driver seat with suspension air compressor for use on hydraulic braked chassis not requesting an accessory air system.

Rider Seats

Kenworth Steel Toolbox Plus

8480080	Rider Seat: Kenworth Toolbox Plus IB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	STD	0#
----------------	---	------------	-----------

* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.

8480090	Rider seat: Kenworth Toolbox Plus HB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$116	2#
----------------	---	--------------	-----------

* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.

8480180	Rider seat: Kenworth Toolbox Plus IB vinyl. W/dual armrests.	\$89	-4#
----------------	--	-------------	------------

8480190	Rider seat: Kenworth Toolbox Plus HB vinyl. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$100	2#
----------------	---	--------------	-----------

8480470	Rider Seat: Kenworth Toolbox Plus LB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts. This seat is recommended when corner windows are specified.	\$145	0#
----------------	---	--------------	-----------

8480480	Rider seat: Kenworth Toolbox Plus IB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$118	0#
----------------	---	--------------	-----------



T270: CAB INTERIOR

Option Description	Price	Weight
Seats		
Rider Seats		
Kenworth Steel Toolbox Plus		
8480490 Rider seat: Kenworth Toolbox Plus HB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$171	2#
Kenworth In-Cab Battery Box		
8450080 Rider Seat: Kenworth Plus Battery Box IB Cloth. With dual armrests. Standard features include fixed base and backrest, tool box seat base with door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2 tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3 point matching seat belts. Grey seat belts.	(\$63)	-39#
* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.		
8450090 Rider seat: Kenworth Plus battery box HB cloth. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$12)	-35#
* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.		
8450180 Rider seat: Kenworth Plus battery box IB vinyl. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$51)	-37#
8450190 Rider seat: Kenworth Plus battery box HB vinyl. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$53	-35#
8450470 Rider seat: Kenworth Plus battery box LB Mordura Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$32)	-39#
8450480 Rider seat: Kenworth Plus battery box IB Mordura. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$39	-37#
8450490 Rider seat: Kenworth Plus battery box HB Mordura. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$96	-35#

Kenworth AIR-CUSHION Plus

*See PremierSpec for Complete List of Restrictions



T270: CAB INTERIOR

Option Description	Price	Weight
--------------------	-------	--------

Seats

Rider Seats

Kenworth AIR-CUSHION Plus

8460091 Rider seat: Kenworth Air cushion Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$281	0#
--	--------------	-----------

8480181 Rider seat: Kenworth Air cushion Plus IB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$301	33#
--	--------------	------------

* Accessory air option is required for hydraulic brake chassis requesting an air passenger's seat. Add code 1000307.

8480191 Rider seat: Kenworth Air cushion Plus HB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$308	33#
--	--------------	------------

* Accessory air option is required for hydraulic brake chassis requesting an air passenger's seat. Add code 1000307.

8480481 Rider seat: Kenworth Air cushion Plus IB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$490	33#
--	--------------	------------

* Accessory air option is required for hydraulic brake chassis requesting an air passenger's seat. Add code 1000307.

8480491 Rider seat: Kenworth Air cushion Plus HB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$421	33#
--	--------------	------------

* Accessory air option is required for hydraulic brake chassis requesting an air passenger's seat. Add code 1000307.

Kenworth AIR-CUSHION Premium Plus

8460092 Rider seat: Kenworth Air cushion Premium Plus HB cloth. W/dual armrests.	\$639	25#
---	--------------	------------

* Accessory air option is required for hydraulic brake chassis requesting an air passenger's seat. Add code 1000307.

Sears



T270: CAB INTERIOR

Option Description	Price	Weight
--------------------	-------	--------

Seats

Rider Seats

Sears

8462793	Rider Seat: Sears Atlas Series 70 IB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$562	64#
----------------	---	--------------	------------

8462795	Rider Seat: Sears Atlas Series 70 HB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$544	66#
----------------	---	--------------	------------

Rider Seat Other

8478328	Rider seat: 2 man bench Mordura. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$518	61#
----------------	--	--------------	------------

8478330	Rider seat: 2 man bench vinyl. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$548	61#
----------------	--	--------------	------------

8480060	Rider seat: 2 man bench cloth. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$556	61#
----------------	--	--------------	------------

* Cloth seats are only available in gray. The inset seat panel will be a matching gray patterned fabric.

8481007	Rider Seat: Fixed 911 SCBA HB Vinyl, Cordura, ICBB Includes deletion of 4 in. fore and aft seat adjust.	\$468	11#
----------------	---	--------------	------------

* Fixed 911 SCBA HB Vinyl passenger seat unavailable with beverage holder or fire extinguisher between the seats.

8487394	Rider seat: Fixed 911 SCBA HB vinyl/Cordura. Includes deletion of 4 in. fore & aft seat adjust.	\$464	26#
----------------	---	--------------	------------

8489979	Delete standard Rider seat.	(\$292)	-70#
----------------	-----------------------------	----------------	-------------

Seat Miscellaneous

8489899	Driver air seat height limited: NFPA compliant.	\$0	0#
----------------	---	------------	-----------

* NFPA compliant air seat height limiter for use with air seats in fire or EMT/rescue services only. Not required with 8417292 which includes the feature.

8489901	Rider air seat height limited: NFPA compliant.	\$0	0#
----------------	--	------------	-----------

* Passenger seat air height limiter is for use only with emergency service. Must code for fire or EMT/rescue service.



T270: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Seats

Seat Miscellaneous

8489910	NFPA Compliance Kit: Includes seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$987	60#
* NFPA compliance requires special seatbelts for Fire/EMT/Rescue service.			
8489911	Vehicle data recorder (VDR) Pre-wire Alternative Fire Research VDR harness replacing Weldon harness. Requires code 8489910.	\$0	0#
8490150	Seat color: Jet Black.	\$0	0#
8490170	Seat color: All Jet Black.	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$74	0#
8496562	Driver/Rider Seat Belts: Red, Replace Standard. Extended Length. Not NFPA Compliant.	\$44	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts. (Available for NFPA RD Bench)	\$13	0#
8498452	Delete dual DR seat armrests. Not available on GT703 series seats.	\$0	-6#
8498552	Delete dual rider armrests.	\$0	-6#

* Deleting standard armrests on bench seats is not an option. The bench seat has no armrests.

Cab Accessories

Storage

8700044	Beverage holder between seats.	\$88	0#
* The option for a beverage holder located between the seats is not for use with hydraulic brakes or a full bench seat.			
8700083	Under-dash center console: W/2 cup holders, 1 ashtray, 1 lighter, 1 12V outlet & a storage compartment.	\$100	0#
8700092	Workstation between seats: Includes cupholder, 2 accessory power outlets, hanging file space & writing surface.	\$598	19#
* Not available with Air Cushion Premium Plus rider seats as the seat includes a flip out cup holder that interferes with the workstation.			
* Optional work station between seats n/a with a bench seat, with request for a beverage holder between the seats, or with an in-cab battery box.			
* Work station between seats is not compatible with a bench seat, a 26 inch wide seat, or an in-cab battery box seat.			
8716000	Two holders: For 2 removable front tow hooks. Rider seat must be toolbox style seat.	\$89	0#

* Tow hook holder 8716000 requires a toolbox style passenger seat.

Other



T270: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cab Accessories

Other

8721405	Nameplates shipped loose: French. In addition to standard or optional nameplates.	\$0	0#
* French language nameplates and manuals are not for US or Canada outside of Quebec			
8721410	Spanish nameplates.	\$277	0#
8721455	Delete shipped loose French nameplates. In addition to standard or optional nameplates.	\$0	0#
9399996	Kenworth operator manual: Spanish.	\$0	0#
* Kenworth Spanish Operator Manual is optional for Export destinations only.			
9399997	Kenworth operator manual: Delete French. Replace w/standard English.	\$0	0#
9399998	Kenworth operator manual: French replacing English.	\$0	0#
* French language nameplates and manuals are not for US or Canada outside of Quebec			

Sound Systems

Kenworth Radios

8601420	Kenworth Radio with AM/FM/WB	\$289	4#
8601421	Kenworth Radio with AM/FM/WB/USB and Bluetooth	\$370	4#
8601422	Kenworth Radio with AM/FM/WB/CD/USB and Bluetooth	\$483	4#

Sound System Equipment

8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$42	1#
8699147	Solid post antenna: Mounted on LH cowl. Replaces top-of-cab antenna. Recommended for dump trucks, loggers, & where overcab clearance is limited.	\$79	0#
8699191	Antenna, wiring, radio cutout & bracket: For din-mounted radio. Includes speakers.	\$162	4#

CB & Equipment

CB Installation Kit

8699913	Dash-mounted CB assembly: Includes bracket & binding posts. Dual antenna leads located on mirror bracket.	\$172	4#
8699916	Dash mounted CB assembly: W/leads & antennas. Includes dual antenna leads & dual antennas.	\$205	4#

Information & Communication Systems



T270: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
8700663	Kenworth TruckTech+ The Kenworth Remote Diagnostics system provides the Worlds Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This option is Standard on all Heavy Duty Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine. Optional on Medium Duty Kenworths.	\$1,271	0#
8700693	PREWIRE PEOPLENET PMG FOR BACK WALL INSTALL * Display Prewire (8700693) or Warning Light (8291301) require TruckTech+ Remote Diagnostics (8700663).	\$864	0#
8700966	Kenworth NavPlus HD Navigation System: Vantage, Splendor, APEX, Summit, or Pinnacle interior. System hardware includes: head unit that mounts in radio opening and 7in. high resolution touchscreen display mounted in dash area four. Includes: Truck specific navigation by ALK, Sirius and XM satellite radio receiver. * Bendix Fusion is n/a with a split windshield because a camera is mtd on the windshield or the Navplus display because the display is mtd in the same place as NavPlus * The NavPlus unit includes AM/FM radio with Sirius satellite, CB with weather band, and MP3/USB audio. Please delete additional radio sales code.	\$2,102	0#
9090157	Prewire: Bendix Fusion Safety Direct SDP to PeopleNet with the back wall mount. * The Bendix Fusion Pre wire is only available with Bendix Wingman Fusion	\$193	0#



T270: LIGHTS & SIGNALS

Option	Description	Price	Weight
Headlamps			
9010401	Headlamps: High Intensity Discharge (Xenon) Projector Module Low Beam, Halogen Complex Reflector High Beam.	\$396	0#
	* The high density lamps are for use only with an air rear suspension. The high density lamps are not an option for the T170.		
9010801	Headlamps: Halogen Projector Low Beam, Halogen Complex Reflector High Beam	STD	0#
Marker Lights			
9020164	Marker Lights: with small round base, Five cab roof mounted.	STD	0#
	* Marker lights are incompatible with one piece roof fairings.		
	* One piece roof fairing n/a with any roof mounted lights.		
	* Roof mounted marker lights require an appropriate sunvisor, not aerodynamic with integral lights.		
	* Stainless steel exterior sunvisor is incompatible with integral mounted cab roof marker lights.		
9022135	Marker Lights: Five rectangular.	\$35	0#
	* Marker lights are incompatible with one piece roof fairings.		
	* One piece roof fairing n/a with any roof mounted lights.		
	* Roof mounted marker lights require an appropriate sunvisor, not aerodynamic with integral lights.		
9022137	Marker Lights: Five, rectangular, LED	\$91	0#
	* Marker lights are incompatible with one piece roof fairings.		
	* One piece roof fairing n/a with any roof mounted lights.		
	* Roof mounted marker lights require an appropriate sunvisor, not aerodynamic with integral lights.		
9026200	Marker Lights: Five aerodynamic mounted in sunvisor.	\$5	0#
	* Stainless steel exterior sunvisor is incompatible with integral mounted cab roof marker lights.		
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$61	0#
9090115	Reflectors: Two Midframe	\$20	0#
	* Amber mid-frame reflectors for use on full trucks over 30 feet in length. Compliance with FMVSS 108 is the responsibility of the final stage manufacturer.		
Turn Signal Lights			
9030010	Turn Signal Lights: Mounted on fender	STD	0#
9039110	Turn Signal Flasher: Kysor solid state.	\$44	0#
Taillights			
9030051	LED Stop,Turn,Tail: With One Non LED Backup Light and With An LED License Plate.	\$31	3#



T270: LIGHTS & SIGNALS

Option	Description	Price	Weight
Taillights			
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	\$5	3#
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$151	3#
9030056	Stop,Turn,Taillight: Trucklite 44 Series 6 LED red with two LED backup lights and LED License Plate. Grommet mounted. Taillights come on when fog lights are on.	\$92	4#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	STD	0#
9070144	Additional 6ft Taillamp Harness: In frame	\$64	0#
* Additional 6 ft tail light length (sales code 9070144) is only available on full trucks with a wheelbase under 280 inches.			
9090040	Delete Stop, Tail, Turn & Backup Lights: Only The Lights & Small Jumper That Connects The Lights To The Aft Harness Are Deleted On Medium-Duty. Nothing Is Provided On Gliders.	(\$72)	-6#
Miscellaneous			
8240019	Exter. Audible Alarm:Park Brake Not Set,Door Open	\$286	0#
9090000	Daytime Running Lamps.	\$165	0#
9090126	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	\$106	4#
* Backup alarm (9090126) not compatible with inframe fuel tanks. Use backup alarm (9090180) instead.			
9090151	Wiring:Cust. Install Trlr Elec. Brake Controller. Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area. No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.	\$136	1#
* 30 amp power lead (8208615) not compatible with C/I trailer electric brake controller (S/C 9090151).			
9090180	BACKUP ALARM: TAILLIGHT BRACKET MOUNTED VARIABLE SELF ADJUSTING 82-102 DBA	\$100	0#
9090312	Body Builder Lighting Harness Coiled End Of Frame For Additional Customer Installed Exterior Lighting. Harness Includes Circuits for Additional Customer Installed Tail Lamps, Turn Lamps, Stop Lamps, and Marker Lamps.	\$83	0#
9090845	Circuit Breakers: Replacing fuses. Does not apply to any 5-amp fuse box position. Brakers include stop/brake/turn, tail lamp, high & low beams, marker/clearance lamps, horn, fuel heat, gauges, air dryer, HVAC controls, panel lamps. Some circuits will remain fuses.	\$37	0#

Beacon Lights

Single



T270: LIGHTS & SIGNALS

Option	Description	Price	Weight
Beacon Lights			
Single			
9080026	Amber Beacon Lamp: Single strobe, 12V, daycab roof, mounted at rear on centerline of roof without bracket. SAE J1318 Class 2.	\$301	6#
	* One piece roof fairing n/a with any roof mounted lights.		
Dual			
9080126	Amber Beacon Lamp: Dual strobe, 12V centered over cab door w/ stainless steel brackets. SAE J1318 Class 2.	\$925	11#
	* One piece roof fairing n/a with any roof mounted lights.		
Customer-Installed			
9080202	Switch & Wiring: Customer-installed dual beacon lights w/o insulators. Coiled wire behind dash.	\$91	1#
	* One piece roof fairing n/a with any roof mounted lights.		
Floodlights			
First Set			
9052011	Dual Flush Floodlights: First Set	\$131	2#
	* Dual floods interfere with back of cab mounted exhaust pipes.		
	* Flood lights require a location.		
Switches for Customer-Installed			
9058037	Switch & Wiring for Customer-Installed Floodlight W/O Electrical Pass-Through - 1st Set. Wire Coiled BOC/BOS.	\$108	0#
Location Codes			
9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
	* Floodlight location requires a flood selection.		
9059911	Floodlight Location: Located Mid - First Set	\$0	0#
	* Flood light mid location only available with flush mount.		
Miscellaneous			
9058030	Dual Floodlights: Top-Mirror Mounted - First Set	\$314	11#



T270: AIR EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

Air Drying Equipment

Moisture Ejection Valve

9102040 Moisture ejection valve: Two Bendix DV-2 drain valves on service tanks use w/ AD-IS only. Heated.	\$273	0#
---	-------	----

* DV-2 heated drain valves are for use only with the AD-IS & AD-HF air dryers.

9108001 Moisture ejection valve w/ pull cable drain.	\$14	0#
--	------	----

Air Dryer

9101022 Delete standard air dryer.	(\$337)	-11#
------------------------------------	---------	------

* Cannot delete the air dryer on a hydraulic braked chassis with the accessory air system.

* Deleting the air dryer is available only with anti-lock brake deletion on class 8 chassis. Never for use with Autoshift transmissions.

9101023 Air dryer: Bendix AD-SP heated. With 2010 engine installations the dryer is mounted under the hood.	\$9	0#
---	-----	----

9101215 Air Dryer Bendix AD-IS heated Puraguard	\$39	0#
---	------	----

9101218 Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
--	-----	----

9101219 Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$138	0#
--	-------	----

9101235 Air Dryer: Bendix AD-IS Extended Purge heated. with PuraGuard	\$143	4#
---	-------	----

Air System Miscellaneous

9140236 Locate air dryer outside LH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
---	-----	----

9140238 Locate air dryer outside RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
---	-----	----

9140248 Locate air dryer under LH rail BOC This code requires the use of a custom frame layout code.	\$0	0#
--	-----	----

9140249 Locate air dryer under RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
---	-----	----

9140252 Locate air dryer inside LH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
--	-----	----

9140254 Locate air dryer inside RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
--	-----	----

9140267 Locate air dryer inside RH rail BOC	\$733	0#
---	-------	----

9140268 Locate air dryer inside LH rail BOC	\$733	0#
---	-------	----

9140269 Locate air dryer outside LH rail BOC	\$733	0#
--	-------	----

9140270 Locate air dryer outside RH rail BOC	\$733	0#
--	-------	----

Air Tank Locations

9140286 Air tanks: clear of left side of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
---	-----	----



T270: AIR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Air System Miscellaneous

Air Tank Locations

9140287	Air tanks: clear of right side of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air tanks: clear of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air tanks: mounted inside frame flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#

Air & Electrical Supply Kits

Full Truck

9110020	Full truck kit: Gladhands mounted at end-of- frame. Seven-way female receptacle mounted at end-of- frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$605	15#
---------	--	-------	-----

Air & Light Line Options

9120010	Air & light line length: 10 feet, Straight lines	\$0	0#
9120012	Air & light line length: 12 feet, Straight lines	\$0	0#
9120014	Air & light line length: 14 feet, Straight lines	\$0	0#
9120015	Air & light line length: 15 feet, Straight lines	\$0	0#
9120016	Air & light line length: 16 feet, Straight lines	\$0	0#

Trailer ABS Provisions

9140326	Additional 7-way electrical receptacle mounted end-of-frame.	\$922	2#
9140328	Trailer ABS electric supply through SAE J560 7-pin connector per TMC RP137).	\$0	0#

* This option is for use with trailer connections. There are no trailer connections available for use with hydraulic brakes.



T270: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Safety Equipment			
9490206	Warning triangle reflector kit: Shipped loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$44	4#
9490213	Warning triangle reflector kit: Floor mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$49	12#
	* Warning triangle reflector kit, floor mounted is n/a with beverage holder between seats, code 8700044.		
	* Warning triangle reflector kit floor mtd is n/a with work station between seats, code 8700092.		
	* Warning triangle reflector kit n/a with fire extinguisher mounted inboard of seat, code 9490408.		
	* Warning triangle reflector kit, floor mounted is n/a with in cab battery box, codes 6405000 and 6409906.		
9490404	One 5 lb. dry chemical type fire extinguisher mounted outboard of driver seat. Class ABC.	\$125	11#
	* The fire extinguisher (9490404) and battery disconnect switch (1840006) options are n/a together as both occupy the same location outboard of the driver seat.		
9490406	One 5 lb. dry chemical type fire extinguisher mounted outboard of rider seat. Class ABC.	\$125	11#
	* The fire ext is restricted from use with a toolbox riders seat		
9490408	One 5 lb. dry chemical type fire extinguisher mounted inboard of rider seat. Class ABC.	\$125	11#
	* Fire extinguisher mounted inboard on the passenger seat for use only with in-cab battery box.		
Build Notes			
1000001	Export certification documentation required.	\$0	0#
6679975	Frame access package recommended. Dealer contact declines.	\$0	0#
	* Frame access package recommended code not needed when frame access package selected.		
6679976	Dealer elects to not use wheelwell fender size required by some states.	\$0	0#
9212000	PACCAR International Dealer. International support fee does not apply.	\$0	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409851	GHG Secondary Manufacturer: Other	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409853	GHG Secondary Manufacturer: Indiana Custom Trucks	\$0	0#
9409854	GHG Secondary Manufacturer: Gracie Industries or Bolt Custom Trucks	\$0	0#
9409855	GHG Secondary Manufacturer: Palmer Trucks	\$0	0#
9409856	GHG Secondary Manufacturer: Concept Vehicle Technologies	\$0	0#
9409900	GHG Secondary Manufacturer Exempt.	\$0	0#



T270: SPECIAL EQUIPMENT

Option Description	Price	Weight
Build Notes		
9490003 Additional lead time required for off highway & /or specialty component truck.	\$0	0#
9490645 Zinc Phosphate frame rail paint processing. Requires frame rail code. Code is for 1 pair of rails.	\$321	0#
9490647 Zinc Phosphate frame insert paint processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$321	0#
9999945 Charge chassis in United States dollars.	\$0	0#
9999949 Do not drive.	\$1,000	0#
9999995 Cancel/reorder chassis.	\$0	0#
International Support Fee		
9212001 International support fee.	\$2,700	0#
9212002 International support fee.	\$3,531	0#
9212003 International support fee.	\$4,355	0#



T270: EXTENDED WARRANTY

Option	Description	Price	Weight
Warranty			
9200007	Base Warranty - PACCAR PX-7 Engine 36 months / Unlimited miles & km / Unlimited hours.	\$0	0#
9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	STD	0#
9200113	Severe Service Medium-duty Warranty: 1-year/ 50,000 miles.	\$0	0#
U.S. Extended Warranty			
9202122	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$100	0#
9202123	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$175	0#
9202133	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$200	0#
9202134	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$275	0#
9202322	EW: US Radiator/CAAC, 2 year/200,000 miles, United States only.	\$75	0#
9202323	EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$125	0#
9202333	EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$150	0#
9202334	EW: US Radiator/CAAC 3 year/400,000 miles. United States only.	\$200	0#
9202622	EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$375	0#
9202623	EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$925	0#
9202633	EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$1,100	0#
9202634	EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$1,375	0#
9202759	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$50	0#
9202760	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$250	0#
9202761	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$300	0#
9202762	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$75	0#
9202763	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$125	0#
9202764	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$325	0#
9202765	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$100	0#
9202766	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$175	0#
9202767	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$250	0#

*See PremierSpec for Complete List of Restrictions



T270: EXTENDED WARRANTY

Option Description	Price	Weight
U.S. Extended Warranty		
9202768 EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$300	0#
9202769 EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$350	0#
9202770 EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$150	0#
9202771 EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$200	0#
9202772 EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$300	0#
9202773 EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$350	0#
9202774 EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$400	0#
9202775 EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$175	0#
9202776 EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$225	0#
9202777 EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$250	0#
9202778 EW: US Radiator/CAAC, 2 year/100,000 miles, United States only.	\$25	0#
9202779 EW: US Radiator/CAAC, 2 year/400,000 miles, United States only.	\$175	0#
9202780 EW: US Radiator/CAAC, 2 year/500,000 miles, United States only.	\$225	0#
9202781 EW: US Radiator/CAAC, 3 year/100,000 miles, United States only.	\$50	0#
9202782 EW: US Radiator/CAAC, 3 year/200,000 miles, United States only.	\$100	0#
9202783 EW: US Radiator/CAAC, 3 year/500,000 miles, United States only.	\$250	0#
9202784 EW: US Radiator/CAAC, 4 year/100,000 miles, United States only.	\$75	0#
9202785 EW: US Radiator/CAAC, 4 year/200,000 miles, United States only.	\$125	0#
9202786 EW: US Radiator/CAAC, 4 year/300,000 miles, United States only.	\$175	0#
9202787 EW: US Radiator/CAAC, 4 year/400,000 miles, United States only.	\$225	0#
9202788 EW: US Radiator/CAAC, 4 year/500,000 miles, United States only.	\$275	0#
9202789 EW: US Radiator/CAAC, 5 year/100,000 miles, United States only.	\$100	0#
9202790 EW: US Radiator/CAAC, 5 year/200,000 miles, United States only.	\$150	0#
9202791 EW: US Radiator/CAAC, 5 year/300,000 miles, United States only.	\$200	0#
9202792 EW: US Radiator/CAAC, 5 year/400,000 miles, United States only.	\$250	0#
9202793 EW: US Radiator/CAAC, 5 year/500,000 miles, United States only.	\$300	0#



T270: EXTENDED WARRANTY

Option Description	Price	Weight
U.S. Extended Warranty		
9202794 EW: US Radiator/CAAC, 6 year/100,000 miles, United States only.	\$125	0#
9202795 EW: US Radiator/CAAC, 6 year/200,000 miles, United States only.	\$175	0#
9202796 EW: US Radiator/CAAC, 7 year/200,000 miles, United States only.	\$200	0#
9202797 EW: US Basic Vehicle 2 year/100,000 miles, United States only.	\$150	0#
9202798 EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$1,250	0#
9202799 EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$1,650	0#
9202800 EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$275	0#
9202801 EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$500	0#
9202802 EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$1,800	0#
9202803 EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$425	0#
9202804 EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$675	0#
9202805 EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$1,275	0#
9202806 EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$1,500	0#
9202807 EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$1,925	0#
9202808 EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$725	0#
9202809 EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$1,000	0#
9202810 EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$1,575	0#
9202811 EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$1,875	0#
9202812 EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$2,200	0#
9202813 EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$775	0#
9202814 EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$1,025	0#
9202815 EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$1,050	0#
9202874 EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$240	0#
9202875 EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR Extended Warranty.	\$480	0#
9202876 EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR Extended Warranty.	\$720	0#



T270: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202877	EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR Extended Warranty.	\$935	0#
9202878	EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR Extended Warranty.	\$1,440	0#
Canada Extended Warranty			
9202816	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$75	0#
9202817	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$325	0#
9202818	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$375	0#
9202819	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$100	0#
9202820	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$200	0#
9202821	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$400	0#
9202822	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$175	0#
9202823	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$275	0#
9202824	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$375	0#
9202825	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$425	0#
9202826	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$475	0#
9202827	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$225	0#
9202828	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$350	0#
9202829	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$450	0#
9202830	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$500	0#
9202831	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$550	0#
9202832	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$250	0#
9202833	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$375	0#
9202834	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$400	0#
9202835	EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$75	0#
9202836	EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$300	0#
9202837	EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$400	0#



T270: EXTENDED WARRANTY

Option Description	Price	Weight
Canada Extended Warranty		
9202838 EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$100	0#
9202839 EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$200	0#
9202840 EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$425	0#
9202841 EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$150	0#
9202842 EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$250	0#
9202843 EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$325	0#
9202844 EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$375	0#
9202845 EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$475	0#
9202846 EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$175	0#
9202847 EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$275	0#
9202848 EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$350	0#
9202849 EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$400	0#
9202850 EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$500	0#
9202851 EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$200	0#
9202852 EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$300	0#
9202853 EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$325	0#
9202854 EW: Canada Basic Vehicle 2 year/160,000 km, Canada only.	\$275	0#
9202855 EW: Canada Basic Vehicle 2 year/640,000 km, Canada only.	\$1,600	0#
9202856 EW: Canada Basic Vehicle 2 year/800,000 km, Canada only.	\$1,925	0#
9202857 EW: Canada Basic Vehicle 3 year/160,000 km, Canada only.	\$350	0#
9202858 EW: Canada Basic Vehicle 3 year/320,000 km, Canada only.	\$725	0#
9202859 EW: Canada Basic Vehicle 3 year/800,000 km, Canada only.	\$2,025	0#
9202860 EW: Canada Basic Vehicle 4 year/160,000 km, Canada only.	\$825	0#
9202861 EW: Canada Basic Vehicle 4 year/320,000 km, Canada only.	\$1,225	0#
9202862 EW: Canada Basic Vehicle 4 year/480,000 km, Canada only.	\$1,625	0#
9202863 EW: Canada Basic Vehicle 4 year/640,000 km, Canada only.	\$2,125	0#



T270: EXTENDED WARRANTY

Option Description	Price	Weight
Canada Extended Warranty		
9202864 EW: Canada Basic Vehicle 4 year/800,000 km, Canada only.	\$2,475	0#
9202865 EW: Canada Basic Vehicle 5 year/160,000 km, Canada only.	\$1,225	0#
9202866 EW: Canada Basic Vehicle 5 year/320,000 km, Canada only.	\$1,650	0#
9202867 EW: Canada Basic Vehicle 5 year/480,000 km, Canada only.	\$2,100	0#
9202868 EW: Canada Basic Vehicle 5 year/640,000 km, Canada only.	\$2,625	0#
9202869 EW: Canada Basic Vehicle 5 year/800,000 km, Canada only.	\$2,850	0#
9202870 EW: Canada Basic Vehicle 6 year/160,000 km, Canada only.	\$1,250	0#
9202871 EW: Canada Basic Vehicle 6 year/320,000 km, Canada only.	\$1,675	0#
9202872 EW: Canada Basic Vehicle 7 year/320,000 km, Canada only.	\$1,700	0#
9202879 EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$345	0#
9202880 EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR Extended Warranty.	\$690	0#
9202881 EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR Extended Warranty.	\$1,030	0#
9202882 EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR Extended Warranty.	\$1,340	0#
9202883 EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR Extended Warranty.	\$2,060	0#
9203122 EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$175	0#
9203123 EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$250	0#
9203133 EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$275	0#
9203134 EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$350	0#
9203322 EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$175	0#
9203323 EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$225	0#
9203333 EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$250	0#
9203334 EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$325	0#
9203622 EW: Canada Basic Vehicle 2 year/320,000 km, Canada only.	\$650	0#
9203623 EW: Canada Basic Vehicle 2 year/480,000 km, Canada only.	\$1,025	0#



T270: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9203633	EW: Canada Basic Vehicle 3 year/480,000 km, Canada only.	\$1,125	0#
9203634	EW: Canada Basic Vehicle 3 year/640,000 km, Canada only.	\$1,675	0#
PACCAR Engine Extended Coverage Plans			
9209112	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 3 Year/100,000 Mile (160,935 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$400	0#
9209113	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 3 Year/150,000 Mile (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$550	0#
9209114	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 4 Year/150,000 Mile (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$640	0#
9209115	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 4 Year/200,000 Mile (321,869 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$800	0#
9209116	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 5 Year/100,000 Mile (160,935 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$640	0#
9209117	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 5 Year/150,000 Mile (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$810	0#
9209118	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 5 Year/200,000 Mile (321,869 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$970	0#
9209119	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 5 Year/250,000 Mile (402,336 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,150	0#
9209120	PACCAR PX-9 EW: Aftertreatment 2017, Use W/ PP1, 5 Year/300,000 Mile (482,804 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,400	0#
9209656	PACCAR PX-7 EW: Aftertreat.,W/PP1 2017 4YR/150K mi 241,402 km. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$475	0#



T270: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9209657	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 4YR/200K mi 321,869 km. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$550	0#
9209658	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 5YR/100K mi 160,935 km. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$475	0#
9209659	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 5YR/150K mi 241,402 km. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$550	0#
9209660	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 5YR/200K mi 321,869 km. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$650	0#
9209661	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 5YR/250K mi 402,336 km. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$750	0#
9209662	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 5YR/300K mi 482,804 km. Each code registered between 366 and 546 days after the vehicle's in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$800	0#
Cummins Engine Extended Coverage Plans			
9207800	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$850	0#
9207801	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,000	0#
9207802	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$700	0#
9207803	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$950	0#
9207804	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,250	0#
9207805	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,550	0#
9207806	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,600	0#



T270: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207807	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 6 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,300	0#
9207808	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 6 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,700	0#
9207809	PACCAR EW: PX-7 PROTECT PLAN 1 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,050	0#
9207815	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$600	0#
9207816	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$700	0#
9207817	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$550	0#
9207818	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$700	0#
9207819	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$800	0#
9207820	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$900	0#
9207821	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$950	0#
9207822	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,000	0#
9207823	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 6 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,150	0#
9207824	PACCAR EW: PX-7 PROTECT PLAN 2 EPA17 7 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,200	0#
9207830	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 3 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$800	0#



T270: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207831	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 3 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,050	0#
9207832	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,700	0#
9207833	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,500	0#
9207834	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,650	0#
9207835	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,090	0#
9207836	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,900	0#
9207837	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,900	0#
9207838	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,900	0#
9207839	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 6 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,650	0#
9207840	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 6 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,450	0#
9207841	PACCAR EW: PX-9 PROTECT PLAN 1 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,450	0#
9207844	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 3 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$650	0#
9207845	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 3 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$725	0#
9207846	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,200	0#



T270: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207847	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,450	0#
9207848	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,100	0#
9207849	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,300	0#
9207850	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,550	0#
9207851	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,800	0#
9207852	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,050	0#
9207853	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,900	0#
9207854	PACCAR EW: PX-9 PROTECT PLAN 2 EPA17 7 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,150	0#
9209675	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 6YR/150K mi 241,402 km. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$637	0#
9209676	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 6YR/200K mi 321,869 km. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$804	0#
9209677	PACCAR PX-7 EW:Aftertreat.,W/PP1 2017 6YR/250K mi 402,336 km. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$887	0#



T270: PAINT

Option Description	Price	Weight
Paint Designs		
9943050 Day Cab Standard Paint	STD	0#
9943051 Day Cab Premium Paint	\$100	0#
9943052 Day Cab Pearl Metallic Paint	\$150	0#
9944820 1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944822 2 - Color Cust Design – Day Cab – Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,571	0#
9944824 2 - Color Cust Design – Day Cab – Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,371	0#
9944840 Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,766	0#
9944841 Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,271	0#
9944843 Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,271	0#
9944845 Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,271	0#



T270: PAINT

Option	Description	Price	Weight
Paint Designs			
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,919	0#
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,116	0#
Paint Options			
9700000	Paint color number(s).	\$0	0#
9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$653	0#
9943001	Bumper Painted Color A	\$80	0#
9943002	Bumper Painted Other Than Color A: Specify Color	\$776	0#
9943004	Bumper Unpainted	\$0	0#
9943014	Steel Bumper Painted Frame Color	\$0	0#
9960003	Non-standard paint color.	\$295	0#
9960009	Fleet Paint – Dealer ECO Required	\$0	0#
9960021	Paint design continued BOC/BOS -includes front of side extenders, but does not include back of side extenders.	\$455	0#
9960075	Paint Hood Top Anti-Glare. Top of Hood Will Be Painted With Specified Color. If No Color Is Specified, A Standard Flat-Black Paint Will Be Applied (DuPont 373P27678).	\$1,766	0#
9965510	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#
9999944	Chassis has frame paint color other than black. Taillight brackets not included, bracket painted black.	\$0	0#