

**3/18/2020**

**Pricelist**

Price List 2019-08-12  
Currency USD  
Market USAM  
Created by MIKE COMERFORD  
Approved by RICK PESTO  
Price Type List Price

LR 42R	<b>LR 9 42E</b>	<b>LR 11 42</b>
LR 42R G	219,623.00	225,360.00

**CUSTOMER/VEHICLE INFO  
ENGINE/TRANSMISSIONS**

<b>ENGINE PACKAGE, COMBUSTION</b>		
*****MP7 US17 MAXIDYNE*****	100020D	Option -
MP7-325M MACK 325HP @ 1400-1900 RPM (PE 1001758		Standard -
MP7-355A MACK 355HP @ 1500-1800 RPM (PE. 1001759		958.00
L9N 320 CUMMINS-NZ 320HP @ 2200 RPM (GO 1003107		- Standard
<b>TRANSMISSION</b>		
*****Vendor Automatic Transmissions*****	136004D	Option Option
3000 RDS 6-SP ALLISON GEN5 W/PROGNO: 1364511		-11,145.00 -11,145.00
3000 RDS R 6 SPD ALLISON GEN 5 W/PROG, \ 1364513		-8,096.00 -8,096.00
4500 RDS 6 SP-ALLISON RUGGED DUTY SE 1364540		Standard Standard
4500 RDS R 6 SPD ALLISON GEN 5, W/PROG, 1364573		6,149.00 6,149.00

**EXHAUST/EMISSIONS**

<b>DEF TANK</b>		
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MOU DF13025		Option -
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF14025		Standard -
<b>EXHAUST</b>		
SINGLE VERTICAL RIGHT SIDE OUTBOARD M 1305002		Option -
SINGLE VERTICAL RIGHT SIDE OUTBOARD M 1305021		Standard Standard
<b>EXHAUST HEAT SHIELD, ADD'L (CA)</b>		
EXHAUST HEAT SHIELD FOR TURBO 15A-B1X		-
<b>EXHAUST SYSTEM MATERIAL FINISH</b>		
STANDARD EXHAUST SYSTEM MATERIAL FIN EXMF-STD		Standard Standard
STANDARD EXHAUST SYSTEM FINISH, W/ HE Q0A-A2X		732.00 732.00
<b>REGENERAT CONTROL SWITCH, DPF</b>		
WITHOUT DPF REGENERATION CONTROL SV UDRSWIT		Standard -
DPF REG CONTROL SWITCH NO INHIBIT, ONL W4B-D1X		894.00
<b>EMISSION ON BOARD DIAG CONTROL</b>		
EMISSION OBD, DISPLAY ONLY, USA2018 EOB-D-U18		Standard Standard
EMISSION OBD, DISPLAY ONLY, USA2020 EOB-D-U20		Option -

**ENGINE EQUIPMENT**

<b>AIR CLEANER</b>		
13" SINGLE ELEMENT, DRY TYPE W/SNORKEI 1250409		56.00
13" SINGLE ELEMENT, DRY TYPE W/SNORKEI 1250410		Standard -
15" SINGLE ELEMENT, DRY TYPE, AIR RESTR 1250411		-
15" SINGLE ELEMENT, DRY TYPE, AIR RESTR 1250412		- Standard
<b>WINTERFRONT</b>		
WITHOUT WINTERFRONT UWIFRONT		-
WINTERFRONT, BASIC WIFRONT		- Standard
<b>COMPRESSOR CAPACITY</b>		
2 CYL.860 L/MIN. WABCO COMPRESSOR 2COMP860		- Standard
2 CYL. 900 L/MIN COMPRESSOR 2COMP900		Standard -
<b>AIR DRYER - MANUFACTURER</b>		
BENDIX AIR DRYER AD-IPEP W/O TURBO CUT AIRM-B14		245.00
BENDIX AD-IPEP W/ T CUT OFF VALVE & COA AIRM-B15		-
HALDEX AIR DRYER, DRYEST AIRM-HD1		98.00
WABCO AIR DRYER, SSTWIN WITH COALESC AIRM-W10		793.00
WABCO AIR DRYER, 1800P WITH COALESCIN AIRM-W11		Option Standard
WABCO AIR DR, 1800P W/O T CUT OFF VALVE AIRM-W12		Standard -
WABCO AIR DRYER, 1800P WITH COALESCIN VHX-EHX		112.00
<b>ALTERNATOR</b>		
LEECE NEVILLE 12V 140A BRUSH-TYPE 1321103		73.00
LEECE NEVILLE 12V 145A BRUSH-TYPE 1321108		102.00
LEECE NEVILLE 12V 160A BRUSH-TYPE 1321111		151.00
LEECE NEVILLE 12V 200A BRUSH-TYPE 1321118		683.00
DELCO 12V 130A (24SI) BRUSH-TYPE 1321228		Standard -
DELCO 12V 145A (24SI) BRUSH-TYPE 1321229		32.00
DELCO 12V 165A (36SI) BRUSHLESS 1321233		350.00 266.00
DELCO 12V 165A (36SI) BRUSHLESS W/ REMC 1321235		218.00
DELCO 12V 160A (24SI) BRUSH-TYPE 1321236		84.00
DELCO 12V 240A (40SI) BRUSHLESS W/ REMC 1329006		837.00
DELCO 12V 200A (28SI) BRUSH-TYPE W/ REM 1329007		170.00
<b>BATTERIES</b>		
(3) MACK 12V 760/2280 CCA THREADED STUD 3165104		30.00 30.00
(3) MACK 12V 650/1950 CCA THREADED STUD 3165105		Standard Standard

(3) MACK 12V 1000/3000 CCA THREADED STUI 3165106	97.00	97.00
(3) MACK 12V 800/2400 CCA THREADED STUD 3165108	385.00	385.00
(4) MACK 12V 1000/4000 CCA THREADED STUI 3166105	174.00	174.00
<b>BATTERY BOX - MOUNTING</b>		
PERPENDICULAR TO FRAME 11" FROM NTOF 3939048	Standard	Standard
LH BATT BOX, 4 BATT MAX, 780MM FROM FRC 3939122	72.00	72.00
LH BATT BOX, 4 BATT MAX, 780MM FROM FRC 3939129	90.00	90.00
LH BATT BOX, 3 BATT MAX, 854MM FROM FRC 3939166	145.00	145.00
<b>BATTERY BOX COVER</b>		
POLISHED ALUMINUM BATTERY BOX COVER BBOXC-AP	60.00	60.00
BASIC BATTERY BOX COVER BBOXC-BA	Standard	Standard
STEEL, LOCKABLE, BATTERY BOX COVER BBOXC-SL	34.00	34.00
<b>EMERGENCY START CONNECTIONS</b>		
EMERGENCY START STUDS, BACK OF CAB ESS-BOC	144.00	144.00
EMERGENCY START STUDS, B.O.C. - SPECIAL ESS-BOCS	150.00	150.00
WITHOUT EMERGENCY START CONTACTS UESS	Standard	Standard
<b>BATTERY CABLES SIZE (CA)</b>		
BATTERY CONNECTING CABLES SIZE, HEAVY BATCS-B3	21.00	21.00
<b>BATTERY DISCONNECT SWITCH</b>		
FLAMING RIVER BIG SWITCH WIRED TO POS 3180010	Standard	Standard
FLAMING RIVER BIG SW POSTIVE CONNECT 3180011	40.00	40.00
KISLING #35-314-131-S-901 300AMP BATT CUT 3189026	55.00	55.00
KISSLING FULL POS BATT PWR DISCONNECT 3189027	58.00	58.00
IGN KEY, 200A CIRC BRKR UNDER CAB, DISC 3189031	466.00	466.00
IGN KEY, DISCONNECT ALL POWER EXCEPT 3189033	366.00	366.00
<b>STARTER MOTOR</b>		
12V STANDARD STARTER DELCO 39MTHD 12STR-S2	Standard	-
12 V STANDARD STARTER, (MELCO) MITSUI 12STR-SM	67.00	
<b>ENGINE BRAKE</b>		
W/O ENGINE BRAKE 1100000	Standard	Standard
MACK MP7 POWERLEASH 1100700	990.00	
<b>FAN DRIVE</b>		
BEHR FAN AND ELECTRONIC MODULATING V 1180027	Standard	-
HORTON FAN, "ON-OFF" 1181011	-	Standard
<b>COOLANT PROTECTION</b>		
ETHYLENE GLYCOL EXTENDED LIFE COOLANT 1192003	29.00	
ETHYLENE GLYCOL EXTENDED LIFE COOLANT 1192004	-	Standard
ETHYLENE GLYCOL FULLY FORMULATED COOLANT 1192005	Standard	-
ETHYLENE GLYCOL FULLY FORMULATED COOLANT 1192006	118.00	
ETHYLENE GLYCOL FULLY FORMULATED COOLANT 1192007	-	Option
<b>COOLING PERFORMANCE</b>		
WITH AUXILIARY COOLING 5081007	2,142.00	2,142.00
W/O AUXILIARY COOLING 5081008	Standard	Standard
EXTRA NARROW RADIATOR WITH LENGTH 1 5081012	1,478.00	
<b>HOSES - RADIATOR/HEATER</b>		
SILICONE RADIATOR AND HEATER HOSES 1240002	Standard	Standard
SILICONE W/ SPRING LOADED CLAMPS FOR HOSES 1240009	98.00	98.00
SILICONE HOSES, SPRING CLAMPS ON RAD/HEAT 1249027	123.00	123.00
<b>FUEL-WATER SEPARATOR</b>		
MACK W/MANUAL DRAIN VALVE (INTEGRAL VALVE) 2930001	Standard	-
DAVCO 382, (FLUID HTD) FUEL HEATER/WATER HEATER 2931000	569.00	
MACK W/MANUAL DRAIN VALVE W/ HOT REC 2931014	Option	-
CUMMINS CNG COALESCING FUEL FILTER, SIZE 2933100	-	Standard
DAVCO, 384 BIO-DIESEL FUEL 12V HEAT W/VALVE 2939096	1,112.00	
<b>AUX. FUEL SYSTEM EQUIPMENT</b>		
AUXILIARY FUEL HEATER, HOT RECIRCULATED FUEL	Option	-
WITHOUT AUX. FUEL SYSTEM EQUIPMENT UAFXUEL	Standard	-
<b>FUEL HEATING EQUIPMENT</b>		
FUEL EQUIPMENT, HEATER FOR THE CNG SYSTEM SL E8X-M1X	-	Standard
WITHOUT FUEL HEATER EQUIPMENT UFUEQWH	-	
<b>OIL PAN</b>		
OIL SUMP STEEL OILS-ST	Standard	-
OIL SUMP STEEL, CORROSION RESISTANT OILS-ST2	185.00	
<b>ENGINE HEATERS</b>		
W/O STARTING AID + W/O BLOCK HEATER + 1 MCA0000	-95.00	
W/O STARTING AID + 120v 1000w BLOCK HEATER MCA0001	179.00	
W/O STARTING AID + 120v 1500w BLOCK HEATER MCA0002	201.00	
W/O STARTING AID + 120v 1000w BLOCK HEATER MCA0003	-21.00	
W/O STARTING AID + 120v 1500w BLOCK HEATER MCA0004	Standard	-
W/O STARTING AID + CUMMINS BLOCK HEAT MCA0008	-	
W/O STARTING AID + CUMMINS BLOCK HEAT MCA0009	-	Standard
12v ELECTRIC STARTING AID + W/O BLOCK HEATER MCA0050	-17.00	
12v ELECTRIC STARTING AID + 120v 1000w BLOCK HEATER MCA0051	257.00	
12v ELECTRIC STARTING AID + 120v 1500w BLOCK HEATER MCA0052	278.00	
12v ELECTRIC STARTING AID + 120v 1000w BLOCK HEATER MCA0053	56.00	
12v ELECTRIC STARTING AID + 120v 1500w BLOCK HEATER MCA0054	78.00	
<b>ENGINE BLOCK HEATER RECEPTACLE (CA)</b>		
ENGINE BLOCK HEATER RECEPTACLE, BASIC EBHR-BAS	Standard	-

ENGINE BLOCK HEATER RECEPTACLE, MTD IEBHR-LRC		27.00	27.00
WITHOUT ENGINE BLOCK HEATER RECEPTACLE UEBHR		Option	-
<b>TETHER DEV PKG, CAPS &amp; COVERS</b>			
TETHER PK2: BATT BOX COVER	TDCC-P2	Standard	Standard
TETHER DEV PK7(P1+PS RESV, TRANSM FILL	TDCC-P7	48.00	48.00
<b>PRIME PUMP (CA)</b>			
PRIME-PUMP ELECTRICAL	PRIM-EL	121.00	
<b>ENGINE STOP, EMERGENCY (CA)</b>			
ENGINE STOP, EMERGENCY	ENGSTOP	49.00	49.00

**CLUTCH/TRANS EQUIPMENT**

<b>GEARSHIFT INHIBITOR (CA)</b>			
GEAR SHIFT INHIBITOR	GEARSI	203.00	203.00
WITHOUT GEAR SHIFT INHIBITOR	UGEARSI	Standard	Standard
<b>DRIVELINE - MAIN</b>			
MERITOR 17 MXL "XTENDED LUBE" (PROPS-S 1951201		-46.00	-46.00
MERITOR 176 MXL "XTENDED LUBE" (PROPS- 1951202		Standard	Standard
MERITOR 18 MXL "XTENDED LUBE" (PROPS-L 1951203		1.00	1.00
SPICER 1710 HD W/COATED SPLINES (PROPS 1952002		-45.00	-45.00
SPICER 1760 W/COATED SPLINES (PROPS-M) 1952003		1.00	1.00
SPICER 1810 HD W/COATED SPLINES (PROPS 1952005		126.00	126.00
SPICER SPL170XL "EXTENDED LUBE SERIES" 1952201		403.00	403.00
SPICER SPL250XL "EXTENDED LUBE SERIES" 1952202		462.00	462.00
SPICER SPL250HDXL "EXTENDED LUBE SERII 1952203		474.00	474.00
<b>PROPELLER SHAFT MAIN, UNVSL JNT</b>			
PROPELLER SHAFT MAIN, UNIVERSAL JOINT PSMUJ-FR		Option	Option
PROPELLER SHAFT MAIN, UNIVERSAL JOINT PSMUJ-HR		Standard	Standard
<b>TRANSMISSION OIL MONITORING</b>			
TRANSM OIL MONITORING, REMOTE FITTING TOM		129.00	129.00
WITHOUT TRANSMISSION OIL MONITORING UTOMRF		Standard	Standard

**FRONT AXLE EQUIPMENT**

<b>FRONT AXLE</b>			
20000# (9100 KG) MACK FXL20 WIDE PIVOT CI 2401501		Standard	Standard
<b>SPRINGS - FRONT</b>			
MACK TAPERLEAF 20000# (9100 KG) GROUND 2441011		Standard	Standard
MACK MULTILEAF 20000# (9100 KG) GROUND 2442003		46.00	46.00
<b>FRONT AXLE BRAKES</b>			
MERITOR "S" CAM TYPE 16.5" x 6" Q+	2411105	Standard	Standard
MERITOR "S" CAM 16.5" X 7" Q-PLUS BRAKES 2411115		348.00	348.00
BENDIX NEXT GENERATION DRUM BRAKE, HI 2414209		-118.00	-118.00
<b>FRONT AXLE BRAKE DUST SHIELD</b>			
FRONT BRAKES WITH DUST SHIELDS	FBRDUST	27.00	27.00
FRONT BRAKES DUST SHIELD WITH RUBBER FBRDUSTI		34.00	34.00
FRONT BRAKES WITHOUT DUST SHIELDS UFBRDUST		Standard	Standard
<b>FRONT BRAKE ADJ. MANUFACTURE</b>			
FRONT BRAKE ADJUSTMENT, AUTOMATIC H/FBADJ-AH		Standard	Standard
FRONT BRAKE ADJUSTMENT, AUTOMATIC M/FBADJ-AM		Option	Option
<b>FRONT BRAKE CHAMBER MFG.</b>			
FRONT BRAKE CHAMBER MANUFACTURER, F/FBCM-HAL		Option	Option
FRONT BRAKE CHAMBER MANUFACTURER, M/FBCM-MGM		Standard	Standard
<b>HUB MATERIAL, FRONT</b>			
BASIC MATERIAL HUB (STEEL/CAST IRON), F/HUBF-BAS		Standard	Standard
<b>SHOCK ABSORBER, FRONT</b>			
SHOCK ABSORBER, FRONT	FSHABS	Standard	Standard
WITH SHOCK ABSORBER, FRONT, KONI	FSHABS-K	166.00	166.00
WITHOUT SHOCK ABSORBER, FRONT	UFSHABS	-153.00	-153.00
<b>STEERING</b>			
TAS-65 PLUS RIGHT SIDE ASSIST CYLINDER	2452110	69.00	69.00
M100P PLUS RIGHT SIDE ASSIST CYLINDER	2452209	Standard	Standard
<b>BUMP STOP, FRONT SUSPENSION</b>			
BUMP STOP, FRONT SUSPENSION, FRAME M BUMPSFS		Standard	Standard
WITHOUT BUMP STOP, FRONT SUSPENSION UBUMPSFS		-78.00	-78.00

**REAR AXLE EQUIPMENT**

<b>REAR AXLE - SINGLE</b>			
23000# (10400kg) MACK RA23R DOUBLE REDU 2521010		Standard	Standard
26000# (11800kg) MACK RA26R DOUBLE REDU 2521011		871.00	871.00
23000# (10400kg) MERITOR RS-23-160 SINGLE 2522004		-514.00	-514.00
30000# (13600kg) MERITOR RS-30-185 SINGLE 2522025		2,007.00	2,007.00
<b>CARRIER - REAR AXLE</b>			
VENDOR CARRIER	0180000	Option	Option
CRD151 (USED W/ MACK SINGLE AXLES)	0180151	Standard	Standard
CRD181	0180712	554.00	554.00
CRD1811 W/ INTERWHEEL POWER DIVIDER	0180713	2,810.00	2,810.00
<b>REAR AXLE RATIO</b>			
RATIO 2.80, REAR AXLE	RAT2.80	Option	Option
RATIO 3.08, REAR AXLE	RAT3.08	Option	Option
RATIO 3.56, REAR AXLE	RAT3.56	Option	Option
RATIO 3.58, REAR AXLE	RAT3.58	Option	Option
RATIO 3.73, REAR AXLE	RAT3.73	Option	Option

RATIO 3.79, REAR AXLE	RAT3.79	Option	Option
RATIO 3.90, REAR AXLE	RAT3.90	Option	Option
RATIO 3.91, REAR AXLE	RAT3.91	Option	Option
RATIO 3.94, REAR AXLE	RAT3.94	Option	Option
RATIO 3.98, REAR AXLE	RAT3.98	Option	Option
RATIO 4.10, REAR AXLE	RAT4.10	Option	Option
RATIO 4.11, REAR AXLE	RAT4.11	Option	Option
RATIO 4.19, REAR AXLE	RAT4.19	Option	Option
RATIO 4.30, REAR AXLE	RAT4.30	Option	Option
RATIO 4.33, REAR AXLE	RAT4.33	Option	Option
RATIO 4.35, REAR AXLE	RAT4.35	Option	Option
RATIO 4.45, REAR AXLE	RAT4.45	Option	Option
RATIO 4.50, REAR AXLE	RAT4.50	Option	Option
RATIO 4.56, REAR AXLE	RAT4.56	Option	Option
RATIO 4.63, REAR AXLE	RAT4.63	Option	Option
RATIO 4.68, REAR AXLE	RAT4.68	Option	Option
RATIO 4.73, REAR AXLE	RAT4.73	Option	Option
RATIO 4.80, REAR AXLE	RAT4.80	Option	Option
RATIO 4.88, REAR AXLE	RAT4.88	Option	Option
RATIO 4.89, REAR AXLE	RAT4.89	Option	Option
RATIO 5.00, REAR AXLE	RAT5.00	Option	Option
RATIO 5.02, REAR AXLE	RAT5.02	Option	Option
RATIO 5.04, REAR AXLE	RAT5.04	Option	Option
RATIO 5.13, REAR AXLE	RAT5.13	Option	Option
RATIO 5.29, REAR AXLE	RAT5.29	Option	Option
RATIO 5.31, REAR AXLE	RAT5.31	Option	Option
RATIO 5.38, REAR AXLE	RAT5.38	Option	Option
RATIO 5.46, REAR AXLE	RAT5.46	Option	Option
RATIO 5.57, REAR AXLE	RAT5.57	Option	Option
RATIO 5.63, REAR AXLE	RAT5.63	Option	Option
RATIO 5.66, REAR AXLE	RAT5.66	Option	Option
RATIO 5.81, REAR AXLE	RAT5.81	Option	Option
RATIO 5.86, REAR AXLE	RAT5.86	Option	Option
RATIO 5.95, REAR AXLE	RAT5.95	Option	Option
RATIO 6.12, REAR AXLE	RAT6.12	Option	Option
RATIO 6.14, REAR AXLE	RAT6.14	Option	Option
RATIO 6.41, REAR AXLE	RAT6.41	Option	Option
RATIO 6.43, REAR AXLE	RAT6.43	Option	Option
RATIO 6.53, REAR AXLE	RAT6.53	Option	Option
RATIO 6.83, REAR AXLE	RAT6.83	Option	Option
RATIO 7.08, REAR AXLE	RAT7.08	Option	Option
RATIO 7.17, REAR AXLE	RAT7.17	Option	Option
<b>REAR SUSPENSION - SINGLE</b>			
*****Mack Mechanical Suspensions*****	260000D	Option	Option
*****Mack Air Suspensions*****	260001D	Option	Option
30000# MULTILEAF	2601011	307.00	307.00
23000# AL231 AIR-MACK (NOT FOR USE WITH	2601016	227.00	227.00
30000# MULTILEAF W/HELPER NO ANTI-SWA	2601035	497.00	497.00
23000# (10432kg) MULTILEAF	2601038	Standard	Standard
23000LB MULTILEAF 10400KG - HELPER SP	2601039	108.00	108.00
23000# MULTILEAF SPRINGS, EXTRA THICK	2601040	240.00	240.00
102CC - REYCO 23000LB 10400KG	2603001	301.00	301.00
102CC - REYCO 26000LB 11800KG	2603005	467.00	467.00
<b>SUSPENSION LEVELLING DEVICE</b>			
ELECTRICAL REGULATION LEVELING DEVICE	SUSPL-E	Option	Option
WITHOUT SUSP. LEVELLING DEVICE	USUSPLEV	Standard	Standard
<b>REAR SHOCK ABSORBER</b>			
SHOCK ABSORBER ,REAR	RSHABS	95.00	95.00
SHOCK ABSORBER, REAR, UNDER FRAME FL	RSHABSUF	357.00	357.00
WITHOUT SHOCK ABSORBER ,REAR	URSHABS	Standard	Standard
<b>TRANSVERSE TORQUE RODS, R SUSP</b>			
REAR SUSP TRANSVERSE TORQUE RODS, AI	TTR-AD	470.00	470.00
WITHOUT REAR SUSPENSION TRANSVERSE	UTTROD	Standard	Standard
<b>BRAKES - REAR</b>			
MERITOR CAM 16.5"x7" P BRAKES	2531101	-7.00	-7.00
MERITOR "S" CAM 16.5"x7" Q+	2531104	Standard	Standard
MERITOR HEAVY DUTY "S" CAM 16.5"x7" Q+	2531105	-65.00	-65.00
MERITOR - CAM 16.5"x8 5/8" Q+	2531108	133.00	133.00
BENDIX NEXT GENERATION DRUM BRAKE, HI	2534209	101.00	101.00
BENDIX NEXT GENERATION DRUM BRAKE, HI	2534210	557.00	557.00
<b>BRAKE LINING MATERIAL DRIVE</b>			
BRAKE LINING MATERIAL, DRIVE, FED MOGUI	BLMD-A1	Option	Option
BRAKE LINING MATERIAL DRIVE, EATON EES	BLMD-E1	Option	Option
BRAKE LINING MATERIAL DRIVE, MERITOR / F	BLMD-M3	Option	Option
<b>BRAKE, DRIVE, REAR</b>			
BRAKE DRIVE, REAR, CAST IRON BRAKEDRU	BR-DRCAS	Standard	Standard
CENTRIFUSE BRAKEDRUM, REAR AXLE	BR-DRCEN	-20.00	-20.00
<b>REAR BRAKE ADJ MANUFACTURE</b>			

REAR BRAKE ADJUSTMENT, AUTOMATIC HAL RBADJ-AH	Standard	Standard
REAR BRAKE ADJUSTMENT, AUTOMATIC MEF RBADJ-AM	Option	Option
REAR BRAKE ADJUSTMENT, AUTOMATIC HAL U1A-A5X	Option	Option
<b>DRIVE AXLE BRAKE DUST SHIELD</b>		
REAR DRIVE BRAKES WITH DUST SHIELDS DBRDUST	27.00	27.00
DRIVE BRAKES DUST SHIELD WITH RUBBER DBRDUSTI	34.00	34.00
REAR DRIVE BRAKES WITHOUT DUSTSHIELD UDBRDUST	Standard	Standard
<b>REAR BRAKE CHAMBER SIZE</b>		
REAR BRAKE CHAMBER 30 / 30 SQ INCHES (S RBCS3030	Standard	-
REAR BRAKE CHAMBER 36 / 36 SQ INCHES (S RBCS3636	Option	-
<b>REAR BRAKE CHAMBER</b>		
HALDEX "GOLD SEAL" BRAKE CHAMBERS 3000002	-154.00	-154.00
***** Reference Material Spring Brake Chamber Ir 300000D	-120.00	-120.00
HALDEX "LIFE SEAL PLUS" BRAKE CHAMBER: 3000020	8.00	8.00
MGM TR-T; TAMPER-RESISTANT BRAKE CHAMBER: 3009005	Standard	Standard
MGM TR-T(TAMPER RESIST.BRK CHMBRS)R 3009013	-107.00	-107.00
MGM TR3030LP3THD BRAKE CHAMBERS 3009019	-58.00	-58.00
MGM MODEL TR-TS;TAMPER- RESISTANT BR 3009020	11.00	11.00
MGM TR-T (TAMPER RESISTANT BRAKE CHAMBER) 3009027	-95.00	-95.00
<b>BRAKE CHAMBER DIAPHRAGM MATERIAL (CA)</b>		
BRAKE CHAMBER DIAPHRAGM, BASIC BRCD-BAS	Standard	Standard
BRAKE CHAMBER DIAPHRAGM, NEOPRENE BRCD-NEO	5.00	5.00
<b>HUB MATERIAL, DRIVE</b>		
IRON PRESET HUB, CONMET, WITH 'TIMKEN' HBD-PSI2	318.00	318.00
BASIC MATERIAL HUB (STEEL/CAST IRON) ,DIHUBD-BAS	Option	Option
ALUMINUM PRESET HUB, DRIVE W/ INTEGRA HUBD-PAS	36.00	36.00
IRON PRESET HUB, DRIVE, W/ INTEGRATED HUBD-PIS	Standard	Standard
IRON PRESET HUB, CONMET, WITH GENERIC HUBD-PSI	-65.00	-65.00
<b>LUBRICANTS, REAR AXLE(S)</b>		
PETROLEUM OIL IN REAR AXLE CHEVRON DE LUBER-DE	90.00	90.00
PETROLEUM OIL IN REAR AXLE LUBER-PE	Standard	Standard
SYNTHETIC OIL IN REAR AXLE, 75W-90 LUBER-SN	82.00	82.00
<b>TRACTION DIFFERENTIAL</b>		
OMIT DIFFERENTIAL LOCKS 2540000	Standard	Standard
DRIVER CONTROLLED INTER WHEEL DIFFER 2540400	711.00	711.00
<b>ABS SENSOR &amp; MODULATOR</b>		
ABS 4 SENSORS & 4 MODULATORS (FRONT & ABS4S4M	Standard	Standard
<b>ANTILOCK BRAKE SYSTEM</b>		
MERITOR/WABCO WITHOUT AUTOMATIC TRAC 6980001	202.00	202.00
MERITOR WABCO ABS W/AUTO TRACTION CONTROL 6980004	555.00	555.00
BENDIX WITHOUT TRACTION CONTROL 6980006	Standard	Standard
BENDIX WITH TRACTION CONTROL 6980007	428.00	428.00

**FRAME EQUIPMENT/FUEL TANKS**

<b>WHEELBASE</b>		
*****Reference Material, LR Minimum WB***** 271008D	Option	Option
109" 2710109	-106.00	-106.00
122" 2710122	-106.00	-106.00
133" 2710133	-106.00	-106.00
139" 2710139	-106.00	-106.00
145" 2710145	-106.00	-106.00
147" 2710147	-106.00	-106.00
149" 2710149	-106.00	-106.00
151" 2710151	Option	Option
157" 2710157	Option	Option
161" 2710161	Option	Option
163" 2710163	Option	Option
169" 2710169	Option	Option
173" 2710173	Option	Option
181" 2710181	190.00	190.00
183" 2710183	190.00	190.00
184" 2710184	190.00	190.00
185" 2710185	190.00	190.00
193" 2710193	190.00	190.00
197" 2710197	190.00	190.00
205" 2710205	190.00	190.00
210" 2710210	869.00	869.00
220" 2710220	869.00	869.00
225" 2710225	869.00	869.00
231" 2710231	869.00	869.00
235" 2710235	869.00	869.00
255" 2710255	1,048.00	1,048.00
<b>AF (OVERHANG)</b>		
32" 3740032	Option	Option
33" 3740033	Option	Option
34" 3740034	Option	Option
52" 3740052	Option	Option
56" 3740056	Option	Option
59" 3740059	Option	Option

64"	3740064	Option	Option
67"	3740067	Option	Option
68"	3740068	Option	Option
71"	3740071	Option	Option
75"	3740075	Option	Option
77"	3740077	Option	Option
78"	3740078	Option	Option
79"	3740079	Option	Option
80"	3740080	Option	Option
82"	3740082	Option	Option
83"	3740083	Option	Option
84"	3740084	Option	Option
85"	3740085	Option	Option
86"	3740086	Option	Option
87"	3740087	Option	Option
88"	3740088	Option	Option
89"	3740089	Option	Option
90"	3740090	Option	Option
91"	3740091	Option	Option
92"	3740092	Option	Option
93"	3740093	Option	Option
95"	3740095	Option	Option
96"	3740096	Option	Option
97"	3740097	Option	Option
98"	3740098	Option	Option
99"	3740099	Option	Option
100"	3740100	Option	Option
101"	3740101	Option	Option
102"	3740102	Option	Option
103"	3740103	Option	Option
104"	3740104	Option	Option
105"	3740105	Option	Option
106"	3740106	Option	Option
107"	3740107	Option	Option
108"	3740108	Option	Option
110"	3740110	Option	Option
111"	3740111	Option	Option
112"	3740112	Option	Option
113"	3740113	Option	Option
114"	3740114	Option	Option
115"	3740115	Option	Option
116"	3740116	Option	Option
<b>FRAME RAILS</b>			
***** Reference Material LR Frames	274007D	207.00	207.00
STEEL-3/8" X 13 3/8" X 3 1/4" (CLASS 8)	2741010	Standard	Standard
<b>RUST PROTECTION (for frame), ADDITIONAL (CA)</b>			
RUST PROTECTION BETWEEN FRAME RAILS WITHOUT RUST PROTECTION	RUSTP-F UTRUSTP	800.00 Standard	800.00 Standard
<b>FRAME INNER LINER</b>			
LINER, FULL VERSION 3 (6.35MM THICKNESS) WITHOUT LINER	LINER-F3 ULINER	1,192.00 Standard	1,192.00 Standard
<b>FRONT FRAME EXT. (BOLTED ON)</b>			
100MM, FRONT FRAME EXTENTION, BOLTED	FFE100	359.00	359.00
326MM,FRONT FRAME EXTENSION BOLTED WITHOUT FRONT FRAME EXTENSION, BOLTE	UFFE326B UFFE	1,374.00 Standard	1,374.00 Standard
<b>CROSSMEMBERS</b>			
W/O CROSSMEMBER OPTION	2810000	Option	Option
STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8"	2819017	Standard	Standard
1/2" (12mm) HUCKED & COLLARED BOC AND IN	2819020	189.00	189.00
<b>FRAME RAIL FREE SPACE</b>			
FRAME RAIL FREE SPACE, RIGHT SIDE WITHOUT FRAME RAIL CLEARANCE	FRFS-RS UFRF	34.00 Standard	34.00 Standard
<b>AUX CROSSM. IN REAR OVERHANG</b>			
1 AUX. CROSSMEMBER, SINGLE CHANNEL WITHOUT AUXILILARY CROSSMEMBER IN RE	ACMR1-SC UACMR	35.00 Standard	35.00 Standard
<b>REAR CROSSMEMBER OPTIONS</b>			
REAR CROSSMEMBER, SINGLE-PLATE TYPE, Q5A-N1X		164.00	164.00
REAR CROSSMEMBER, STRAIGHT FRAME EN WITHOUT REAR CROSSMEMBER	RXM-STR URXMBR	Standard -23.00	Standard -23.00
<b>MUDFLAP, FRONT AXLE</b>			
MUDFLAP, FRONT AXLE, BASIC (NO ANTI-SPF	FMUD-BS	Standard	Standard
<b>FRONT BUMPER</b>			
BUMPER, PAINTED STEEL	BUMP-PS	Standard	Standard
BUMPER, HD STEEL PAINTED, 3 PCS (SNOW	BUM-SPS3	Option	Option
BUMPER, STAINLESS STEEL CLAD ALIMINUM	BUM-SSCA	825.00	825.00
<b>LICENSE PLATE HOLDER (CA)</b>			
LICENSE PLATE HOLDER, MOUNTED ON FRO	LICP-FL	46.00	46.00
LICENSE PLATE HOLDER, MOUNTED ON FRO	LICP-FR	46.00	46.00

<b>GUARD, UNDER FRONT</b>				
GUARD - RADIATOR	GUARD-R	Standard	Standard	
<b>TOWING DEVICE, FRONT</b>				
ONE PIN TOWING DEVICE, FRONT	TDF1PIN	Standard	Standard	
WITHOUT TOWING DEVICE, FRONT	UTOWF	Option	Option	
<b>TOWING DEVICE, REAR</b>				
TWO HOOKS FRAME MOUNTED VERSION 1	TOWR2HK1	33.00	33.00	
WITHOUT TOWING DEVICES ,REAR	UTOWR	Standard	Standard	
<b>FUEL LEVEL SENDER UNIT, LIQUID</b>				
BASIC FUEL LEVEL SENDER MOUNTED ON L.	FLS-BASL	Option	-	
BASIC FUEL LEVEL SENDER MOUNTED ON R.	FLS-BASR	Standard	-	
<b>FUEL TANK - LH</b>				
WITHOUT LH FUEL TANK	2880000	Standard	-	
***** Reference Material LR LH Fuel Tanks	288007D	Option	Option	
70 GALLON (265L) STEEL, 24" ROUND	2881070	787.00		
80 GALLON (300L) STEEL, 24" ROUND	2881080	763.00		
70 GALLON (265L) ALUMINUM, 24" ROUND	2882070	887.00		
50 GALLON (190 L) STEEL, 26"x24" RECTANGU	2887050	944.00		
70 GALLON (265 L) STEEL, 26"x24" RECTANGU	2887070	959.00		
80 GALLON (300 L) STEEL, 26"x24" RECTANGU	2887080	1,052.00		
50 GALLON (190 L) ALUMINUM, 26"x24" RECTA	2888050	1,003.00		
70 GALLON (265 L) ALUMINUM, 26"x24" RECTA	2888070	1,108.00		
80 GALLON (300 L) ALUMINUM, 26"x24" RECTA	2888080	1,228.00		
50 GALLON (190L) STEEL, 24" ROUND W4" FIL	2889050	805.00		
DELETE LH FUEL DIESEL TANK - FOR LOCAL	2889300	-	Standard	
<b>FUEL TANK - RH</b>				
W/O RH FUEL TANK	2900000	-760.00		
***** Reference Material LR RH Fuel Tanks	290007D	Option	Option	
70 GALLON (265L) STEEL, 24" ROUND	2901070	-113.00		
80 GALLON (300L) STEEL, 24" ROUND	2901080	-98.00		
70 GALLON (265L) ALUMINUM, 24" ROUND	2902070	Option	-	
100 GAL ALUM (380 L)	2902100	239.00		
70 GALLON STEEL RECT. (APPROX 15"H x 27".	2903070	Option	-	
50 GALLON (190 L) STEEL, 26"x24" RECTANGU	2907050	-12.00		
70 GALLON (265 L) STEEL, 26"x24" RECTANGU	2907070	Standard	-	
80 GALLON (300 L) STEEL, 26"x24" RECTANGU	2907080	90.00		
50 GALLON (190 L) ALUMINUM, 26"x24" RECTA	2908050	45.00		
70 GALLON (265 L) ALUMINUM, 26"x24" RECTA	2908070	147.00		
80 GALLON (300 L) ALUMINUM, 26"x24" RECTA	2908080	268.00		
DELETE RH DIESEL TANK - FOR LOCAL COMF	2909300	-	Standard	
<b>FUEL HOSES, LIQUID</b>				
FUEL HOSES, FIRE RESISTANT	FHOS-FIR	Standard	-	
FUEL HOSES, WIRE BRAIDED	FHOS-WBR	-17.00		
<b>FUEL TANK POSITION (CA)</b>				
FUEL TANK POSITION 2 - FUEL TANK(S) TO B FTP-2		250.00		
FUEL TANK POSITION 36 -FUEL TANK(S) 1515 FTP-36		127.00		
FUEL TANK POSITION BASIC	FTP-BAS	Option	-	
FUEL TANK POSITION, LOWERED LEFT SIDE	FTP-LOWL	Option	-	
FUEL TANK POSITION, LOWERED RIGHT SIDE	FTP-LOWR	Standard	-	
<b>FUEL FILLER NECK OPTIONS</b>				
FOR LH FUEL TANK	8520001	Option	-	
FOR RH FUEL TANK	8520002	Standard	-	
FOR BOTH FUEL TANK(S)	8520003	103.00		
FILLER NECK SCREEN(S) - ALL FUEL TANKS	8520005	101.00		
W/O FILLER NECK SCREEN L.H. FUEL TANK(S)	8520008	14.00		
W/O FILLER NECK SCREEN R.H. FUEL TANK(S)	8520009	14.00		
W/O FILLER NECK SCREEN BOTH FUEL TANK	8520010	83.00		
<b>FUEL TANK STRAPS MTRL</b>				
STAINLESS STEEL FUEL TANK STRAPS	STRAP-SS	134.00	134.00	
<b>FUEL TANK POLISH OPTION</b>				
FUEL TANK, POLISHED	FTNK-POL	115.00		
NOT POLISHED FUEL TANK	UFTNKPOL	Standard	-	
<b>WELDED FRAME PROCESS CODE (CA)</b>				
WELDED FRAME RAILS REQUIRED	U1D-A1X	5,811.00	5,811.00	
WELDED FRAME RAILS AND INNER LINERS R	U1D-B1X	5,811.00	5,811.00	
WELDED INNER LINERS REQUIRED	U1D-C1X	5,811.00	5,811.00	

**AIR/BRAKE**

<b>AIRTANK DRAIN VALVE</b>				
AUTOMATIC DRAIN VALVE, HEATED	DRVA-AH	Standard	Standard	
AUTO DRAIN VLV, HEATED, LANYARDS ON BF	DRVA-AHC	45.00	45.00	
AUTO DRAIN HTD VALVE, SUPPLY TNK, MANU/	DRVA-AMM	27.00	27.00	
IN-TANK AUTO DRAIN VALVE W/LANYARDS O	DRVA-IC	21.00	21.00	
IN-TANK AUTO DRAIN VALVE W/LANYARD ON	DRVA-ICW	-14.00	-14.00	
MANUAL DRAIN VALVES, BRAKE SYS TANKS,	DRVA-MAM	-43.00	-43.00	
MANUAL DRAIN VALVE, LANYARDS ON BRAKI	DRVA-MC	-25.00	-25.00	
MANUAL DRAIN VALVES, PRIMARY & SEC (M/	DRVA-MMM	-60.00	-60.00	
PETCOCK DRAIN VALVE, ON BRAKE SYS TAN	DRVA-P	-60.00	-60.00	
AUTO DRAIN VALVE, HTD, NYC PULL CORD L	UWX-A5X	33.00	33.00	

<b>AIRTANK MATERIAL</b>			
ALUMINUM AIRTANK	ATANK-AL	359.00	359.00
STEEL AIRTANK	ATANK-ST	Standard	Standard
<b>AIR DRYER POSITION (CA)</b>			
AIR DRYER POSITION LH RAIL OUTBOARD	ADP-1	62.00	
AIR DRYER POS RH RAIL OUTBOARD, 747MM	ADP-14	72.00	72.00
AIR DRYER POS RH RAIL OUTBRD, AS CLOSE	ADP-21	62.00	
AIR DRYER POS. LH RAIL INSIDE AS FAR REA	ADP-3	62.00	62.00
AIR DRYER POS RH RAIL OUTBOARD, BEHINI	ADP-47	61.00	61.00
AIR DRYER POSITION STANDARD	ADP-STD	Standard	Standard
<b>CHASSIS PACKAGING (CA)</b>			
CHAS PACK CONFIG 16, AIR TNKS INSIDE & L	CPAK0016	72.00	72.00
CHAS PACK CONFIG 30, AIR TANKS LHS, 1ST	CPAK0030	72.00	72.00
CHAS PACK CONFIG 39, STACKED AIR TANKS	CPAK0039	95.00	95.00
WITHOUT CUSTOMER SPECIFIED CHASSIS P	UCPAK	Standard	Standard
<b>AUXILLIARY AIRTANK</b>			
AUXILIARY AIR TANK CAPACITY FOR ONE EX	AUXATC1A	378.00	378.00
WITHOUT AUX. AIRTANK	UAUXATNK	Standard	Standard
<b>PARKING BRAKE VALVE</b>			
PARKING BRAKE VALVE, 1 YELLOW KNOB, AI	PBV-Y	Standard	Standard
PARK BRAKE VALVE,1 YELLOW KNOB, AUTO	PBV-Y2	288.00	288.00
<b>AUXILIARY BRAKE CONTROL</b>			
AUXILIARY (WORK) BRAKE HAND CONTROL, .	ABR-HCEN	-1,195.00	-1,195.00
AUXILIARY (WORK) BRAKE HAND CONTROL	ABR-HCON	Standard	Standard
WITHOUT AUXILIARY BRAKE CONTROL	UABRCON	-1,589.00	-1,589.00
<b>BODY BUILDER, AIR PREP KIT</b>			
BODY BUILDER, AIR PREPKIT, 7 AIR LINES,	C,BBA-PK7	266.00	266.00
WITHOUT BODY BUILDER AIR PREPKIT	UBBAIR	Standard	Standard
<b>ELECTRICAL</b>			
<b>BACK-UP ALARM</b>			
BACK UP ALARM 90/78 DB (2 LEVELS OF SO	BUPALAR2	145.00	145.00
BACKUP ALARM 87/112 DB, PRECO (ADJ TO	A BUPALAR5	Standard	Standard
WITHOUT BACK-UP ALARM	UBUPALAR	-145.00	-145.00
<b>ROOF MARKER LIGHT</b>			
TRUCKLIGHT LED TYPE ROOF MARKER for	LR 3120019	Standard	Standard
<b>WARNING LAMP</b>			
WARNING LIGHTS, STROBE, AMBER. FORWA	N7X-E1X	565.00	565.00
<b>WARNING LIGHTS BODY</b>			
WITHOUT WARNING LIGHT BODY	UWLB	Standard	Standard
WARNING LIGHTS ON BODY WHEN IN REV.	C WLB-PK	28.00	28.00
<b>AUXILIARY LAMPS</b>			
AUXILIARY LAMPS, SNOW PLOW PREP KIT 2	AL-SPK2	28.00	28.00
<b>HEADLIGHT LAMP TYPE</b>			
HEADLAMP BULB TYPE, HALOGEN	HLB-HAL	-559.00	-559.00
HEADLAMP BULB TYPE, LED	HLB-LED	Standard	Standard
<b>HEADLAMP PROTECTION</b>			
HEADLAMP PROTECTION	HLP-PRO	126.00	126.00
WITHOUT HEADLAMP PROTECTION	UHLPPRO	Standard	Standard
<b>DAYTIME RUNNING LIGHTS</b>			
DRL WHEN PARKING BRAKE OFF	LOWB-DA3	Option	Option
DRL WHEN ENG RUNNING, PARK BRAKE OFF	LOWB-DA7	Option	Option
DAY RUNNING LIGHT, WHEN ENG RUNNING	LOWB-DA8	Standard	Standard
<b>TAIL LAMPS</b>			
TAIL LAMP, MULTIPURPOSE	TL-MULTI	Option	Option
WITHOUT TAIL LAMPS	UTLAMP	Standard	Standard
<b>AUX. POWER OUTLET, INTERIOR</b>			
AUX POWER OUTLET, 12V DOGHOUSE	APO12VDH	Standard	Standard
<b>FRONT &amp; SIDE INDICATOR LMP TYP</b>			
SIDE INDICATOR LAMP TYPE, LED	SIT-LED	Standard	Standard
<b>TRAILER CONNECTIONS</b>			
<b>EXT. INDICATOR LMP, MAIN SWITCH (CA)</b>			
EXTERIOR INDICATOR LAMP, MAIN SWITCH,	EXIL-BAS	Standard	Standard
EXTERIOR INDICATOR LAMP, MAIN SWITCH,	EXIL-ML	4.00	4.00
WITHOUT EXTERIOR INDICATOR LAMP, MAIN	UEXIL	-43.00	-43.00
<b>PTO</b>			
<b>HYDRAULIC PUMP</b>			
WITHOUT HYDRAULIC PUMP	8260000	-234.00	
FURNISH PUMP MTG PROVISIONS FOR LOCA	8260004	-77.00	147.00
FURNISH PUMP MTG PROVISIONS - INCLUDE	8260005	Standard	
FURNISH ENG PUMP MTG PROVISIONS FOR /	8269006	-234.00	
FURNISH ENG PUMP MTG PROVISIONS FOR :	8269008	31.00	265.00
<b>PTO ENGINE MOUNTED, REAR</b>			
POWER TAKE OFF WITH FLANGE SAE 1410 /	PTER1400	2,674.00	2,674.00
WITHOUT PTO ENGINE REAR	UPTER	Standard	Standard
<b>CRANKSHAFT ADAPTER</b>			
W/O FRONT ENGINE PTO DRIVE	1830000	-696.00	
1350 SERIES FLANGE (DOES NOT INCLUDE	FI 1830002	Standard	
<b>PTO TRANSM. MOUNTED</b>			



PTO TRANS MTD REAR, PREP KIT, PARKER-H PTR-CPK WITHOUT PTO TRANSM. MOUNTED UPTOTR	Standard -100.00	Standard -100.00
<b>BODY BUILDER MODULE</b>		
ControlLink III BODY BUILDER EL PREP KIT, REBBM-PK17	Standard 13.00	Standard
EL PREP KIT BODY BUILDER, NYC SANITATIC BBM-PK7		
EL PREP KIT B BUILDER, NYC(1 CONN 21 PIN:L3X-AIX	45.00	

**SPECIALTY EQUIPMENT**

<b>CUSTOMER SPECIFIED HOLE GROUPS (CA)</b>		
CUSTOMER SPEC. HG TIE DOWN BRKT, HEIL CSHG0034	40.00	40.00
CUSTOMER SPEC. HG TIE DOWN BRKT, MCN CSHG0035	40.00	40.00
<b>BRAKE AIR CONN., FRONT TOWING (CA)</b>		
BRAKE AIR CONNECTION, FRONT TOWING, R BRACONF2	191.00	191.00
<b>UNIQUE DECALS MACHINE DIRECTIV</b>		
UNIQUE DECALS FOR MUD/SNOW AND FUSE D5X-J1X	11.00	11.00
UNIQUE DECALS FOR FUSE LABEL SHEET, SI D5X-K1X	156.00	156.00
WITHOUT DECALS USIGNSWC	Standard	Standard

**CAB INTERIOR (A THRU G)**

<b>CAB HEATER UNIT</b>		
HEATER UNIT, NYC SPECIAL HU-NYC	121.00	121.00
STANDARD HEATER UNIT HU-STD	Standard	Standard
<b>CLIMATE UNIT</b>		
MANUAL CONTROLLED CLIMATE CONTROL A CU-MCC	Standard	Standard
WITHOUT CLIMATE UNIT UCU	Option	Option
<b>BLIND SPOT VISION SYS. REAR</b>		
PREP KIT FOR ADV VIDEO SAFETY SYS(AVSS BLVR-PK3	1,364.00	1,364.00
WITHOUT PREP KIT FOR CAMERA UBLVR	Standard	Standard
<b>BRAKE PEDALS (CA)</b>		
BRAKE PEDAL, STAINLESS STEEL PIVOT PIN BPEDALSS	5.00	5.00
<b>DRIVER AUXILIARY FAN</b>		
2 CAB AUXILIARY FAN, OVERHEAD CAFAN2OH	193.00	193.00
CAB AUXILIARY FAN, DASH MTD CAFAN-DA	96.00	96.00
WITHOUT CAB AUXILIAR FAN, UCAFAN	Standard	Standard
<b>CAMERA, SURVEILLANCE</b>		
PREPARATION FOR INSIDE/OUTSIDE CAMER, CAMS-PK2	110.00	110.00
WITHOUT CAMERA UCAMS	Standard	Standard
<b>FLOOR MATS</b>		
FLOOR MAT, RUBBER FMAT-RUB	Standard	Standard
FLOOR MATS - NON-SLIP FABRIC FMAT-TAS	Option	Option
<b>CARBON MONOXIDE DETECTION SYS</b>		
CARBON MONOXIDE DETECTION SYSTEM CMON-DET	-	Standard
WITHOUT CARBON MONOXIDE DECTECTION UCOMDET	-	Option
<b>FUEL LEAK DETECTOR</b>		
FUEL LEAK DETECTOR, GAS FLD-GAS	-	Standard
<b>FIRE EXTINGUISHER</b>		
W/O FIRE EXTINGUISHER 7860000	Standard	Standard
5LB EXTINGUISHER (ABC RATED) MOUNTED 7860002	82.00	82.00
<b>GAUGE - EXHAUST PYROMETER</b>		
EXHAUST PYROMETER GAUGE GEXPYR	105.00	
WITHOUT EXHAUST PYROMETER GAUGE UGEXPYR	Standard	-
<b>GAUGE - TRANSMISSION OIL TEMP</b>		
TRANSMISSION OIL TEMP. GAUGE WITH HIGH GOTR-HTL	Standard	-
<b>TIME COUNTER (CA)</b>		
TIME COUNTER, INDEPENDENT DASH MOUNT TIME-IND	49.00	49.00
WITHOUT TIME COUNTER UTIMEC	Standard	Standard
<b>GAUGES - UNIT OF MEASURE</b>		
U.S. UNITS (PREDOMINANT) 1980001	Standard	Standard
METRIC PREDOMINANT - ROADSPEED W/U.S 1980003	Option	Option
<b>NUMBER OF AUXILIARY GAUGES, 1</b>		
NUMBER OF AUXILIARY GAUGES, 1 AGAUGE01	Option	Option
NUMBER OF AUXILIARY GAUGES, 2 AGAUGE02	Option	Option
WITHOUT AUXILIARY GAUGES UAGAUGE	Standard	Standard

**CAB INTERIOR (H THRU R)**

<b>KEY TYPES FOR DOORS</b>		
ALL CHASSIS KEYED ALIKE- (M-118) KEY-A118	55.00	55.00
KEYED ALIKE 140 (M-140) KEY-A140	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-153) KEY-A153	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-194) KEY-A194	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-203) KEY-A203	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-204) KEY-A204	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-218) KEY-A218	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-000) KEY-A227	55.00	55.00
ALL CHASSIS KEYED AT RANDOM KEY-BAS	Standard	Standard
<b>ON BOARD DIAGNOSTIC PANEL (CA)</b>		
ON BOARD DIAGNOSTIC PANEL, UNDER DASH OBDP-UDC	13.00	13.00
<b>PERSONALIZED NAME PLATE</b>		
PERSONALIZED NAME PLATE, DASH (24 char: PNP-DASH	57.00	57.00
WITHOUT PERSONALIZED NAME PLATE UPNPLATE	Standard	Standard
<b>ELECTRICAL DASH OUTLET</b>		

10

WITHOUT ELECTRICAL OUTLET	UDOUTLET	Standard	Standard
<b>AUDIO ACCOMMODATION</b>			
W/O RADIO OR RADIO ACCOMMODATION PA	1740000	-313.00	-313.00
PREMIUM STEREO, AM/FM, CD-PLAYER, WEA	1746100	-95.00	-95.00
PREMIUM STEREO, AM/FM, CD-PLAYER, MP3,	1746101	Standard	Standard
STEREO, AM/FM, WEATHER BAND	1746104	Option	Option
<b>ANTENNA - RADIO</b>			
ANTENNA, RADIO, CAB COWL MTD, LH, SHOF	ANR-CCL1	Standard	Standard
WITHOUT ANTENNA, RADIO	UANR	Option	Option
<b>AUDIO SHUTOFF</b>			
AUTOMATIC AUDIO SHUTOFF, REVERSE ENG	AUDOFF	Standard	Standard
WITHOUT AUTOMATIC AUDIO SHUTOFF	UAUDOFF	-69.00	-69.00
<b>REAR WALL STORAGE COMPARTMENT</b>			
REAR WALL STORAGE COMPARTMENT, FIXE	RWSTC-FI	274.00	274.00
WITHOUT REAR WALL STORAGE COMPARTM	URWSTC	Standard	Standard
<b>OVERHEAD SWITCH PANEL</b>			
OVERHEAD SWITCH PANEL, BLANK	OHSWP-BL	Option	Option
WITHOUT OVERHEAD SWITCH PANEL	UOHSWP	Standard	Standard

**CAB INTERIOR (S THRU Z)**

<b>SEAT - DRIVER'S</b>			
BOSTROM TALLADEGA 910 (MID-BACK) AIR S	I 1962214	-24.00	-24.00
SEARS SEATING C-2 W/FABRIFORM CUSHION	1962520	Standard	Standard
AIR-SEARS HI-BACK SEAT C-2 WITH LUMBAR	1962524	263.00	263.00
AIR-SEARS HI-BACK SEAT C-2 WITH LUMBAR	1963162	303.00	303.00
AIR-BOSTROM TALLADEGA 910, HIGH BACK	1969030	241.00	241.00
<b>SEAT - PASSENGER'S</b>			
OMIT RIDER SEAT	1970000	-141.00	-141.00
SEARS SEATING C2 W/FABRIFORM CUSHION	1971506	-28.00	-28.00
SEARS SEATING C2 W/FABRIFORM CUSHION	1972520	222.00	222.00
FOLD-UP SEARS SEATING, LOW BACK PASSE	1975102	Standard	Standard
<b>SEAT COVERING</b>			
ALL CLOTH, BLACK W/CORDURA COVERING,	4850003	Option	Option
ALL VINYL, BLACK, BOTH SEATS	4851200	Option	Option
ALL VINYL, BLACK, DRIVER & RIDER SEATS	4853200	Option	Option
ALL CLOTH, BLACK, DRIVER SEATS	4853299	Option	Option
FABRIFORM CLOTH, BLACK, DRIVER AND RID	4856200	Option	Option
DRIVER FABRIFORM, CLOTH, BLACK; RIDER -	4856232	Option	Option
FABRIFORM CLOTH, BLACK, DRIVER SEATS	4856299	Option	Option
DRIVER- FABRIFORM CLOTH, BLACK RIDER- (	4856823	Standard	Standard
FABRIFORM VINYL, BLACK, DRIVER & RIDER	4857200	183.00	183.00
DRIVER FABRIFORM VINYL BLACK; RIDER VI	4857212	142.00	142.00
<b>SEAT BELT(S)</b>			
LAP & SHOULDER BELTS FOR (2) DRIVER SE	5920009	Option	Option
LAP & SHOULDER (BOTH SEATS) ORANGE IN	5929003	35.00	35.00
SEAT BELTS (ORANGE)/RETRACTORS, LAP A	5929005	Standard	Standard
LAP & SHOULDER HEIGHT ADJUSTMENT D-RI	5929008	153.00	153.00
LAP & SHOULDER FOR (2) DRIVER SEATS, W/	5929017	153.00	153.00
<b>STEERING WHEEL</b>			
DIAMETRE 406 MM STEERING WHEEL, RUBBE	STW406R1	36.00	36.00
DIAMETER 450MM STEERING WHEEL, RUBBE	STW450R1	Standard	Standard
<b>STEERING WHEEL ADJUSTMENT</b>			
ADJUSTABLE STG WHL, LH 2 MOTION, RH FIX	STGW-AD3	Standard	Standard
ADJUSTABLE STEERING WHEEL, 2 MOTIONS	STGW-ADJ	Option	Option
<b>TURN SIGNALS</b>			
NON CANCELLING TURN SIGNAL	TSIGN-NC	Option	Option
SELF CANCELLING TURN SIGNAL	TSIGN-SC	Standard	Standard
<b>WASHER RESERVOIR POSITION</b>			
WASHER RESERVOIR BASIC POSITION	WREP-BAS	Standard	Standard
WASHER RESERVOIR BACK OF CAB MOUNTE	WREP-BOP	8.00	8.00
<b>WINDSHIELD PROTECTOR</b>			
WITHOUT WINDSHIELD PROTECTOR	UWINDPRO	-176.00	-176.00
WINDSHIELD PROTECTOR	WIND-PRO	Standard	Standard
<b>SUNVISOR INTERIOR, SIDE</b>			
INTERNAL SUNVISOR ON DRIVER SIDE (ABC	ISUNV-S	279.00	279.00
WITHOUT INTERIOR SUNVISOR SIDE	UISUNS	Standard	Standard

**CAB EXTERIOR**

<b>EMBLEMS OPTION</b>			
EMBLEMS OPTION, COMPLETE	EMB-CPL	Standard	Standard
EMBLEMS OPTION, DELETE BULLDOG	EMB-UBDG	Option	Option
<b>FRONT GRILLE</b>			
BLACK GRILLE	GR-BLACK	Standard	Standard
BRIGHT GRILLE (CHROME PLATED)	GR-BRI	264.00	264.00
<b>CAB</b>			
***** Reference Material LR Seat Package	144001D	Option	Option
LH DRIVE RH SIT DOWN, EXTENDED CAB VEI	1442100	Option	Option
LH DRIVE WITH RH STAND UP OPERATING P	1442101	Standard	Standard
RH & LH SIT DOWN DRIVING POSITION, EXTE	1442102	1,222.00	1,222.00
RH & LH SIT DOWN;RH DRIVE ONLY, EXTEND	1442103	Option	Option

**CAB DOOR OPTIONS**

LH BI-FOLD DOOR REAR-MOST & LOWER FRC 4240022	-501.00	-501.00
LH & RH FRONT HINGED DOORS W/POWER V 4240030	837.00	837.00
FRONT HINGED DOOR W/PWR WINDOW, RH 4240031	118.00	118.00
LH BI-FOLD DOOR REARMOST & LOWER FRO 4240032	118.00	118.00
LH FRONT HINGED DOOR W/PWR WINDOW, 14240033	-108.00	-108.00
LH FRONT HINGED DOOR W/PWR WINDOW: 14240034	Standard	Standard
LH BI-FOLD DOOR REARMOST & LWR FRT W/ 4240035	-421.00	-421.00
LH & RH BI-FOLD DOORS; W/REAR MOST & L 4249004	-602.00	-602.00

**CAB CORNER PROTECTION, FRONT**

FRONT CAB CORNER PROTECTION FCABC-PR	317.00	317.00
WITHOUT FRONT CAB CORNER PROTECTION UFCABCPR	Standard	Standard

**CAB TILT PUMP**

AIR ASSISTED CAB TILT PUMP CTILTP-A	150.00	150.00
MANUAL TILT PUMP CTILTP-M	Standard	Standard

**CABLE KIT XLAMPS FRONT/ROOF**

PREPARED WIRING FOR ROOF MTD FRONT V SPOTP-WF	100.00	100.00
WITHOUT SPOTLAMP PREPARATION KIT USPOTP	Standard	Standard

**COMPR AIR SUPPLY PRE-CLEANER (CA)**

COMPR AIR SUPPLY CONDENSER/SEP HALDI J3C-A1X	Option	Option
--	--------	--------

**CAB INSTEP VERSION**

CAB STEP, LARGE OBLONG HOLES (BUSTIN I CSTEP-B5	Option	Option
CAB STEP,BASIC CSTEP-BA	Standard	Standard

**CAP PEEP WINDOW**

W/O RH DOOR PEEP WINDOW AND W/O LH C 6440000	Standard	Standard
RH & LH PEEP WINDOW IN DOOR EXTENSION 6449003	434.00	434.00

**DOOR WINDOW FRONT**

FURNISH VENT IN DOOR EXTENSION PANEL IAWIND-EB	Option	Option
WITHOUT AUXILIARY WINDOW DOOR UAWIND	Option	Option

**ROOF HATCH OR COOLER**

2 ROOF HATCH MANUAL OPERATED, PLATE RH2MANP	88.00	88.00
2 ROOF HATCH MANUAL OPERATED, 2 WAY I RH2MANP2	361.00	361.00
WITHOUT ROOF HATCH URHATCH	Standard	Standard

**HORN - AIR**

DELETE STANDARD AIR HORN 1540000	-87.00	-87.00
(1) BLACK TWIN TRUMPET, UNDER CAB MOU 1540006	-39.00	-39.00
(1) TWIN-UNDER CAB TRUMPET W/DUAL LAN 1540015	Standard	Standard
(1) TWIN-UNDER CAB TRUMPET W/LH ROOF I 1540017	Option	Option
(1) TWIN-UNDER CAB TRUMPET W/RH ROOF I 1540018	Option	Option

**HORN - ELECTRICAL**

1 SINGLE ELECTRIC HORN SINGLE TONE HORN-E1S	Standard	Standard
2 SINGLE ELECTRIC HORN, DIFFERENT TONE HORN-E2D	8.00	8.00

**MIRRORS - EXTERIOR**

ELECTRIC HEATED, OPERATED WITH MEMOF 1522200	400.00	400.00
LH & RH ELECTRIC HEATED & OPERATED, W, 1522201	Standard	Standard
LH ELECTRIC HEATED & OPERATED, W/O ME 1522211	50.00	50.00
RH ELECTRIC HEATED & OPERATED, W/O ME 1522212	50.00	50.00
RETRACTABLE BF MAIN MIRROR W/ WHITE / 1529027	484.00	484.00

**MIRROR - CLOSE VIEW, FRONT CAB (CA)**

CLOSE VIEW MIRROR, FRONT, BOTH SIDES, CMIRF14B	541.00	541.00
--	--------	--------

**MIRRORS - CONVEX TYPE CAB DOORS**

OMIT CONVEX MIRRORS 1530000	-25.00	-25.00
BLACK SQUARE HEATED CONVEX MIRROR - I 1531001	Standard	Standard
BRIGHT FINISH, LH & RH, 8" DIAMETER CONV 1532002	7.00	7.00
BRIGHT FINISH (LH&RH) 8.0"DIA., MTD ABOVE 1539071	55.00	55.00
FURNISH 8" HEATED CONVEX BRIGHT FINISH 1539072	124.00	124.00

**MIRRORS - PROXIMITY**

CLOSE VIEW MIRROR, BOTH SIDES AMIR-CLB	72.00	72.00
RECTANGULAR CONVEX ABOVE RH DOOR W AMIR-CLO	34.00	34.00
WITHOUT PROXIMITY MIRROR UAMIRCLO	Standard	Standard

**SUNVISOR, EXTERIOR**

EXTERIOR SUNVISOR SUNV-EX	572.00	572.00
WITHOUT EXTERIOR SUNVISOR USUNVIS	Standard	Standard

**MIRRORS - LEFT SIDE EXTERIOR**

LH SS FLAT MANUALLY OPERATED, UN-HEATE MCL0004	246.00	246.00
LH SS FLAT MANUALLY OPERATED, UN-HEATE MCL0005	230.00	230.00
**** LH MIRRORS, MANUALLY OPERATED **** MCL000D	Option	Option
**** LH MIRRORS, ELECTRICAL OPERATED ** MCL002D	Option	Option
LH BLACK AERO MIRROR ELECTRICAL OPER. MCL2003	Standard	Standard
LH BLACK AERO MIRROR ELECTRICAL OPER. MCL3000	200.00	200.00
LH POL SS FLAT EL OPERATED & HTD W/ WE MCL9102	62.00	62.00
LH POL SS FLAT EL OPERATED & HTD W/ WE MCL9103	87.00	87.00

**MIRRORS - RIGHT SIDE EXTERIOR**

RH SS FLAT MANUALLY OPERATED, UN-HEATE MCR0004	258.00	258.00
RH SS FLAT MANUALLY OPERATED, UN-HEATE MCR0005	242.00	242.00
**** RH MIRRORS, MANUALLY OPERATED **** MCR000D	Option	Option
**** RH MIRRORS, ELECTRICAL OPERATED ** MCR00DD	Option	Option
RH BLACK AERO MIRROR ELECTRICAL OPER MCR2003	Standard	Standard

RH BLACK AERO MIRROR ELECTRICAL OPER MCR3000	200.00	200.00
RH POL SS FLAT EL OPERATED & HTD W/ WE MCR9102	62.00	62.00
RH POL SS FLAT EL OPERATED & HTD W/ WE MCR9103	87.00	87.00

**WHEELS & TIRES**

**GHG STEER TIRE CATEGORY (PAWS)**

GHG STEER TIRE CATEGORY, ADVANCED LO 4WC-A1X	Option	Option
GHG STEER TIRE CATEGORY, LOW ROLLING 4WC-C1X	Standard	Standard
GHG STEER TIRE CATEGORY, BASIC ROLLING 4WC-E1X	Option	Option
GHG STEER TIRE CATEGORY, OTHER (NON-S 4WC-G1X	Option	Option

**TIRES BRAND/TYPE - FRONT**

*****BRIDGESTONE FRONT TIRES*****	900001D	Option	Option
*****MICHELIN FRONT TIRES*****	900002D	Option	Option
*****GOODYEAR FRONT TIRES*****	900003D	Option	Option
*****LIST PRICES ON RIGHT ARE PER TIRE, T	900006D	Option	Option
*****TIRE CAPACITIES ARE PER AXLE AT MAX	900007D	Option	Option
*****YOKOHAMA FRONT TIRES*****	900012D	Option	Option
425/65R22.5 L BRIDGESTONE M864 (22800 lbs)	9001411	327.00	327.00
385/65R22.5 J BRIDGESTONE M864 (18740 lbs)	9001412	281.00	281.00
425/65R22.5 L BRIDGESTONE M870 (22800 lbs)	9001414	229.00	229.00
315/80R22.5 L BRIDGESTONE M870 (20000 lbs)	9001415	Standard	Standard
315/80R22.5 L GOODYEAR G289 WHA (20400 lb)	9005406	395.00	395.00
385/65R22.5 J GOODYEAR G296 MSA (18740 lb)	9005414	266.00	266.00
425/65R22.5 L GOODYEAR G296 MSA (22800 lb)	9005415	438.00	438.00
445/65R22.5 L GOODYEAR G296 MSA (24600 lb)	9005416	551.00	551.00
315/80R22.5 L GOODYEAR G751 MSA DURASE	9005460	589.00	589.00
315/80R22.5 L GOODYEAR ENDURANCE WHA	9005488	250.00	250.00
425/65R22.5 L GOODYEAR G296 WHA (22800 lb)	9005501	504.00	504.00
385/65R22.5 J MICHELIN XZY3 (18740 lbs)	9006331	298.00	298.00
425/65R22.5 L MICHELIN XZY3 (22800 lbs)	9006333	496.00	496.00
425/65R22.5 L MICHELIN XFE (22800 lbs)	9006353	605.00	605.00
315/80R22.5 L MICHELIN XZUS2 (20000 lbs)	9006389	277.00	277.00
315/80R22.5 L MICHELIN X WORKS Z (18180 lb)	9006428	252.00	252.00
385/65R22.5 L MICHELIN X MULTIWAY HD XZE	9006432	397.00	397.00
11R22.5 H YOKOHAMA MY507 (13220 lbs)	9007426	-20.00	-20.00
315/80R22.5 L YOKOHAMA MY627W (20000 lbs)	9007443	-4.00	-4.00

**WHEELS - FRONT**

*****ALUMINUM WHEELS*****	531000D	Option	Option
*****STEEL WHEELS*****	531001D	Option	Option
*****LIST PRICES ON RIGHT ARE PER WHEEL	531003D	Option	Option
22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU	5312246	-26.00	-26.00
22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU	5312328	-73.00	-73.00
22.5x12.25 ACCURIDE STEEL DISC 10-HOLE H	5312509	-14.00	-14.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-H	5312721	-32.00	-32.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-H	5312723	-31.00	-31.00
22.5x12.25 HAYES LEMMERZ STEEL DISC 10-H	5312724	-15.00	-15.00
22.5x12.25 ACCURIDE 10-HOLE HUB PILOTED	5313023	88.00	88.00
22.5x9.00 ALCOA ALUM DISC #89363X 3.12" IN	5313517	8.00	8.00
22.5x12.25 ALCOA LVL ONE ALUM DISC, 10-HC	5313774	90.00	90.00
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H	5313789	Standard	Standard
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H	5313791	17.00	17.00
22.5x9.00 ACCURIDE ALUM DISC, 10-HOLE HL	5313792	4.00	4.00

**WHEEL FINISHING, FRONT**

WITHOUT WHEEL FINISHING FRONT	UWFF	Option	Option
WHEEL FINISHING FRONT, BRIGHT, DURA-BR	WFF-DBP	150.00	150.00
WHEEL FINISHING FRONT, MACHINED BUFF	WFF-MB	Standard	Standard
WHEEL FINISHING FRONT, POLISHED	WFF-POL	36.00	36.00
WHEEL FINISHING FRONT, EXTRA POLISHED	WFF-XPOL	55.00	55.00

**FRONT AXLE TIRE & WHEEL QUANTITY**

TWO FRONT TIRES & WHEELS	FWT0002	Standard	Standard
THREE FRONT TIRES & WHEELS	FWT0003	Option	Option
FOUR FRONT TIRES & WHEELS	FWT0004	Option	Option

**GHG DRIVE TIRE CATEGORY (PAWS)**

GHG DRIVE TIRE CATEGORY, ADVANCED LO 4XC-A1X	Option	Option
GHG DRIVE TIRE CATEGORY, LOW ROLLING 4XC-C1X	Standard	Standard
GHG DRIVE TIRE CATEGORY, BASIC ROLLING 4XC-E1X	Option	Option
GHG DRIVE TIRE CATEGORY, OTHER (NON-S 4XC-G1X	Option	Option

**TIRES BRAND/TYPE - REAR**

*****BRIDGESTONE REAR TIRES*****	901001D	Option	Option
*****MICHELIN REAR TIRES*****	901002D	Option	Option
*****GOODYEAR REAR TIRES*****	901003D	Option	Option
*****LIST PRICES ON RIGHT ARE PER TIRE, T	901006D	Option	Option
*****TIRE CAPACITIES ARE PER AXLE AT MAX	901007D	Option	Option
*****YOKOHAMA REAR TIRES*****	901012D	Option	Option
11R22.5 G BRIDGESTONE M843 (23360 lbs) (AL	9011175	244.00	244.00
11R22.5 H BRIDGESTONE M843 (24020 lbs) (AL	9011176	296.00	296.00
11R24.5 H BRIDGESTONE M843 (26440 lbs) (AL	9011178	324.00	324.00
11R24.5 H BRIDGESTONE L320 (26440 lbs) (DR	9011307	455.00	455.00
11R22.5 G BRIDGESTONE L320 (23360 lbs) (DR	9011316	263.00	263.00

11R22.5 H BRIDGESTONE L320 (24020 lbs) (DR 9011317	302.00	302.00
295/75R22.5 G BRIDGESTONE M770 (22700 lbs 9011332	122.00	122.00
11R22.5 H BRIDGESTONE M799 (24020 lbs) (DF 9011333	174.00	174.00
11R22.5 G BRIDGESTONE M770 (23360 lbs) (DF 9011334	137.00	137.00
11R22.5 H BRIDGESTONE M770 (24020 lbs) (DF 9011335	205.00	205.00
11R24.5 G BRIDGESTONE M770 (24020 lbs) (DF 9011336	195.00	195.00
11R24.5 H BRIDGESTONE M799 (26440 lbs) (DF 9011338	211.00	211.00
295/75R22.5 G BRIDGESTONE R268 ECOPIA (2 9011362	15.00	15.00
11R22.5 G BRIDGESTONE R268 ECOPIA (2336 9011366	Standard	Standard
11R22.5 H BRIDGESTONE R268 ECOPIA (2402 9011367	113.00	113.00
11R24.5 G BRIDGESTONE R268 ECOPIA (2402 9011368	98.00	98.00
11R24.5 H BRIDGESTONE R268 ECOPIA (2644 9011369	174.00	174.00
315/80R22.5 L BRIDGESTONE M843 (MAX SPE 9011371	302.00	302.00
12R22.5 H BRIDGESTONE R268 ECOPIA (2712 9011378	299.00	299.00
295/75R22.5 G BRIDGESTONE M726 ELA (2270 9011398	104.00	104.00
11R22.5 G BRIDGESTONE M726 ELA (23360 lbs 9011400	140.00	140.00
11R24.5 G BRIDGESTONE M726 ELA (24020 lbs 9011401	180.00	180.00
11R24.5 H BRIDGESTONE M726 ELA (26440 lbs 9011402	241.00	241.00
315/80R22.5 L BRIDGESTONE M870 (36360 lbs) 9011415	394.00	394.00
295/75R22.5 G BRIDGESTONE R284 ECOPIA (2 9011416	76.00	76.00
11R22.5 G BRIDGESTONE R284 ECOPIA (2336 9011418	79.00	79.00
11R22.5 H BRIDGESTONE R284 ECOPIA (2402 9011419	113.00	113.00
11R24.5 G BRIDGESTONE R284 ECOPIA (2402 9011420	159.00	159.00
11R24.5 H BRIDGESTONE R284 ECOPIA (2644 9011421	177.00	177.00
11R24.5 G GOODYEAR G182 RSD (24020 lbs) (I 9015362	683.00	683.00
11R24.5 H GOODYEAR G182 RSD (26440 lbs) (I 9015363	786.00	786.00
295/75R22.5 G GOODYEAR G182 RSD (22700 lb 9015364	658.00	658.00
11R22.5 H GOODYEAR G282 MSD (24020 lbs) (I 9015393	789.00	789.00
11R24.5 H GOODYEAR G282 MSD (26440 lbs) (I 9015394	855.00	855.00
12R22.5 H GOODYEAR G282 MSD (27120 lbs) (I 9015395	983.00	983.00
295/75R22.5 G GOODYEAR G622 RSD (22700 lb 9015400	379.00	379.00
11R22.5 G GOODYEAR G622 RSD (23360 lbs) (I 9015401	391.00	391.00
11R22.5 H GOODYEAR G622 RSD (24020 lbs) (I 9015402	426.00	426.00
315/80R22.5 L GOODYEAR G289 WHA (36360 lb 9015406	798.00	798.00
12R22.5 H GOODYEAR G622 RSD (27120 lbs) (I 9015413	592.00	592.00
11R22.5 H GOODYEAR G751 MSA DURASEAL 9015459	479.00	479.00
11R22.5 H GOODYEAR G751 MSA (24020 lbs) (/ 9015461	467.00	467.00
12R22.5 H GOODYEAR G751 MSA (27120 lbs) (/ 9015463	645.00	645.00
315/80R22.5 L GOODYEAR G751 MSA (33080 lb 9015465	858.00	858.00
11R22.5 H GOODYEAR G731 MSA DURASEAL 9015467	492.00	492.00
11R22.5 G GOODYEAR ENDURANCE RSA (233 9015478	210.00	210.00
11R22.5 H GOODYEAR ARMOR MAX PRO GRA 9015479	485.00	485.00
11R24.5 H GOODYEAR ARMOR MAX PRO GRA 9015480	557.00	557.00
11R22.5 H GOODYEAR ARMOR MAX PRO GRA 9015481	632.00	632.00
11R24.5 H GOODYEAR ARMOR MAX PRO GRA 9015482	701.00	701.00
11R24.5 H GOODYEAR ENDURANCE RSA (264 9015483	307.00	307.00
11R22.5 H GOODYEAR ENDURANCE RSA (240 9015484	241.00	241.00
295/75R22.5 G GOODYEAR ENDURANCE RSA 9015485	194.00	194.00
315/80R22.5 L GOODYEAR ENDURANCE WHA 9015488	654.00	654.00
11R22.5 G MICHELIN XDN2 (23360 lbs) (DRIVE 9016260	381.00	381.00
12R22.5 H MICHELIN XDN2 (27120 lbs) (DRIVE 9016262	523.00	523.00
11R22.5 H MICHELIN XZE2 (24020 lbs) (ALL PO 9016363	271.00	271.00
11R24.5 G MICHELIN XZE2 (24020 lbs) (ALL PO 9016364	274.00	274.00
11R22.5 H MICHELIN XDS2 (24020 lbs) (DRIVE 9016376	539.00	539.00
315/80R22.5 L MICHELIN XZUS2 (33080 lbs) (AL 9016389	630.00	630.00
11R24.5 H MICHELIN X WORKS XDY (26440 lbs 9016391	580.00	580.00
315/80R22.5 L MICHELIN X WORKS XDY (3308 9016408	660.00	660.00
11R22.5 H MICHELIN X WORKS Z (24020 lbs) (/ 9016423	386.00	386.00
12R22.5 H MICHELIN X WORKS Z (27120 lbs) (/ 9016424	515.00	515.00
11R24.5 H MICHELIN X WORKS Z (26440 lbs) (/ 9016426	468.00	468.00
315/80R22.5 L MICHELIN X WORKS Z (33080 lb 9016428	605.00	605.00
315/80R22.5 L YOKOHAMA MY627W (33020 lbs 9017443	299.00	299.00
<b>WHEELS - REAR</b>		
*****ALUMINUM WHEELS*****	346000D	Option
*****STEEL WHEELS*****	346001D	Option
*****LIST PRICES ON RIGHT ARE PER WHEEL 346003D		Option
24.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU 3462323	-64.00	-64.00
24.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU 3462324	-43.00	-43.00
22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU 3462328	-34.00	-34.00
22.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU 3462353	-46.00	-46.00
22.5x8.25 ACCURIDE STEEL DISC 10-HOLE 5 F 3462354	-76.00	-76.00
22.5x8.25 ACCURIDE ACCU-LITE STEEL DISC 3462356	-70.00	-70.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-HC 3462720	-23.00	-23.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-HC 3462723	-13.00	-13.00
24.5x8.25 HAYES LEMMERZ STEEL DISC 10-HC 3462733	-23.00	-23.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-HC 3462734	-31.00	-31.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-HC 3462735	-31.00	-31.00
22.5x8.25 ACCURIDE ACCU-LITE 10-HOLE HUE 3463767	Option	Option

24.5x8.25 ACCURIDE ACCU-LITE 10-HOLE HUB 3463768		-8.00	-8.00
22.5x8.25 ALCOA ULTRA ONE ALUM DISC 10-H 3463781		Standard	Standard
22.5x8.25 ALCOA LVL ONE ALUM DISC, 10-HOI 3463783		53.00	53.00
24.5x8.25 ALCOA LVL ONE ALUM DISC, 10-HOL 3463784		91.00	91.00
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H 3463789		Option	Option
24.5x8.25 ALCOA ULTRA ONE ALUM DISC 10-H 3463790		43.00	43.00
22.5x9.00 ACCURIDE ALUM DISC, 10 HOLE HU 3463792		74.00	74.00
22.5x8.25 ALCOA ALU DISC OUTER W/ACCURI 3466730		202.00	202.00
<b>REAR DISC WHEEL:POLISH</b>			
W/O REAR DISC WHEEL BRIGHT FINISH 2350000		Option	Option
POLISHED ALUMINUM DISC - ALL WHEELS - C 2350001		Option	Option
POLISHED W/DURA-BRIGHT PROTECTION AL 2350004		245.00	245.00
POLISHED W/DURA-BRIGHT PROTECTION OL 2350006		123.00	123.00
POLISHED ALUMINUM DISC - OUTBOARD OF I 2350007		26.00	26.00
MACHINE CLEAN BUFFED - ALL WHEELS 2350013		Standard	Standard
XTRA POLISHED, ALUMINUM DISC, BOTH SIDI 2350025		55.00	55.00
<b>REAR AXLE TIRE &amp; WHEEL QUANTITY</b>			
TWO REAR AXLE TIRES & WHEELS	RWT0002	Option	Option
THREE REAR AXLE TIRES & WHEELS	RWT0003	Option	Option
FOUR REAR AXLE TIRES & WHEELS	RWT0004	Standard	Standard
FIVE REAR AXLE TIRES & WHEELS	RWT0005	Option	Option
<b>DRIVE WHEEL STUDS</b>			
DRIVE WHEEL STUDS, LONG	DSTUD-L	Standard	Standard
DRIVE WHEEL STUDS, SHORT	DSTUD-S	-76.00	-76.00
<b>TIRE INFLATION VALVE</b>			
VALVE STEM 13 DEG ANGLE, MEYERS V2B IN 15X-F1X		108.00	108.00
TIRE INFLATION VALVE, STANDARD	VALVESTD	Standard	Standard
<b>SPARE WHEEL</b>			
2 SPARE WHEEL WITH TIRE (BOTH SAME AS SPWT-F2		1,738.00	1,738.00
WITHOUT SPARE WHEEL	USPWT	Standard	Standard
<b>HUB/WHEEL ISOLATOR FRONT</b>			
HUD/WHEEL ISOLATOR FRONT - NYLON	HWIF-NYL	6.00	6.00
<b>WRENCH, WHEEL</b>			
WITHOUT WHEEL (LUG) WRENCH	UWRENCH	Standard	Standard
WHEEL (LUG) WRENCH	WRENCH-B	72.00	72.00
<b>COMMUNICATION SYSTEMS</b>			
<b>DIAGNOSTICS DISPLAY IN CLUSTER</b>			
DIAGNOSTICS DISPLAY IN CLUSTER, BASIC DCD-BAS		Standard	-
DIAGNOSTICS DISPLAY IN CLUSTER, MEDIUM DCD-MED		Option	-
<b>TELEMATIC GATEWAY</b>			
TELEMATICS GATEWAY, 4G/LTE AND WLAN § M300004		Standard	-
<b>REMOTE DIAG SERVICES</b>			
REMOTE DIAGONISTIC SERVICES, ENABLED RDS-ENA		Option	-
REMOTE DIAGONISTIC SERVICES, DISABLED URDS		Option	-
<b>SOFTWARE DOWNLOAD PASSWORD</b>			
SOFTWARE DOWNLOAD PASSWORD REQUIF SWPASS		Option	-
WITHOUT SOFTWARE DOWNLOAD PASSWOI USWPASS		Standard	Standard
<b>SOFTWARE DOWNLOAD NOTIFICAQTION</b>			
SOFTWARE DOWNLOAD NOTIFICATION TO D SWDN-IC		Option	-
SOFTWARE DOWNLOAD NOTIFICATION TO D SWDN-PIC		Option	-
WITHOUT SOFTWARE DOWNLOAD NOTIFICA USWDN		Standard	Standard