

3/18/2020

Pricelist

Price List 2019-08-12
 Currency USD
 Market USAM
 Created by MIKE COMERFORD
 Approved by RICK PESTO
 Price Type List Price

LR 64R	LR 9 64E	LR 11 64
LR 64R G	232,070.00	237,534.00

APPLICATION PACKAGES

BODY BUILDER PACKAGE

WITHOUT BODY BUILDER PKG	MBP0000	Standard	-
SINGLE BIN	MBP0004	Option	-
DUAL BIN	MBP0005	Option	-

CUSTOMER/VEHICLE INFO

CHASSIS LAYOUT DRAWING (CA)

CHASSIS LAYOUT DRAWING	CHASDWG	333.00	333.00
------------------------	---------	--------	--------

CHASSIS (BASE MODEL)

LR 64R DAYCAB	0029582	Standard	-
LR 64R G DAYCAB	0029583	-	Standard
***** Chassis Drawing Request Form *****	002DDDD	Option	Option

VEHICLE MODEL YEAR

2020 MODEL YEAR	A192020	Option	Option
2021 MODEL YEAR	A192021	Option	Option

CUSTOMER FLEET SIZE

DEALER FLEET WITH LESS THAN 25 VEHICLE	MP20001	Standard	Standard
REGIONAL FLEET 25 OR MORE VEHICLES IN	MP20002	Option	Option
NATIONAL ACCOUNTS (CORPORATE APPROV)	MP20003	Option	Option
MACK DEFENSE (CORPORATE INTERNAL USE)	MP20005	Option	Option

TYPE OF SERVICE

COMMERCIAL	0130001	Standard	Standard
MUNICIPAL	0130002	Option	Option
MILITARY	0130003	Option	Option

WARRANTY REGISTRATION LOCATION

US - WARRANTY REGISTRATION LOCATION	M981001	Standard	Standard
-------------------------------------	---------	----------	----------

INITIAL REGISTRATION LOCATION

ALL 50 STATES, CARB ENGINE EMISSION (US 5051701		Standard	-
ALL 50 STATES, NON-CARB ENGINE EMISSION (5051702		-	Standard

VEHICLE APPLICATION CLASS

CLASS B HIGHWAY-INNER CITY	APP0002	Standard	Standard
CLASS C ON/OFF HIGHWAY	APP0003	Option	Option

VEHICLE USE & BODY/TRAILER TYPE

DUMP TRUCK	0059351	Option	Option
SNOW PLOW FRONT MOUNTED	0059352	Option	Option
REFUSE FRONT LOADER TRUCK	0059358	Option	Option
REFUSE AUTOMATIC SIDE LOADER TRUCK	0059359	Option	Option
REFUSE REAR LOADER TRUCK	0059361	Option	Option
RECYCLING TRUCK	0059362	Option	Option
FLATBED TRUCK	0059370	Option	Option
MOVING & STORAGE TRUCK	0059375	Option	Option
SERVICE/UTILITY TRUCK	0059378	Option	Option
TANKER or PUMPER TRUCK	0059383	Option	Option
ROLL-OFF TRUCK	0059384	Option	Option
VACUUM TRUCK	0059385	Option	Option

TERRAIN GRADE

TURNPIKE / INTERSTATE, STARTING / OPERA	0320019	Option	Option
TURNPIKE / INTERSTATE, STARTING GRADES	0320029	Option	Option
NORMAL HIGHWAY, STARTING GRADES<12%	0320039	Standard	Standard
MOUNTAINOUS / QUARRY, STARTING GRADE	0320049	Option	Option
OFF HIGHWAY (ROAD), STARTING GRADES>:	0320059	Option	Option
CITY, STARTING GRADES<12%	0320069	Option	Option
ON HIGHWAY, STARTING GRADES<16%	0320079	Option	Option
ON-OFF HIGHWAY, STARTING GRADES<18%	0320089	Option	Option
CITY, STARTING GRADES<6%	0320099	Option	Option

LOADING SURFACE

CONCRETE LOADING AND / OR UNLOADING	S 0330010	Standard	Standard
ASPHALT LOADING AND / OR UNLOADING	SU 0330020	Option	Option
GRAVEL LOADING AND / OR UNLOADING	SUR 0330030	Option	Option
HARD DIRT LOADING AND / OR UNLOADING	S 0330040	Option	Option
SOFT DIRT LOADING AND / OR UNLOADING	S 0330050	Option	Option
LANDFILL LOADING AND / OR UNLOADING	SU 0330060	Option	Option
PACKED SAND LOADING AND / OR UNLOADIN	0330070	Option	Option
LOOSE SAND LOADING AND / OR UNLOADING	0330080	Option	Option

VEHICLE VOCATION

***** HEAVY DUTY WARRANTY CLASS	0340200	Option	Option
CONSTRUCTION SERVICE	0340202	Option	Option

REFUSE / NON LANDFILL OPERATION	0340203	Option	Option
REFUSE / LANDFILL OPERATION	0340204	Standard	Standard
FIRE AND RESCUE SERVICE	0340205	Option	Option
***** SEVERE DUTY WARRANTY CLAS	0340300	Option	Option
HEAVY CONST / REFUSE OR OFF-ROAD SER	0340301	Option	Option
HEAVY HAUL SERVICE	0340302	Option	Option
HEAVY MINING SERVICE	0340303	Option	Option
HEAVY LOGGING SERVICE	0340304	Option	Option
OIL FIELD SERVICE	0340305	Option	Option

SALES PROMOTION

RAPID QUOTE MANAGEMENT PROGRAM - US	0260078	Option	Option
RAPID QUOTE MANAGEMENT PROGRAM - CA	0260079	Option	Option

MARKETING PROMOTION

DEALER RETAIL DEMO PROGRAM	0120125	Option	Option
TRADEBACK COMMITMENT	0120200	Option	Option
FAIR MARKET VALUE LEASE COMMITMENT	0120201	Option	Option
TRADE PACKAGE COMMITMENT	0120202	Option	Option
BUYBACK COMMITMENT	0120203	Option	Option
INTERNAL DEMONSTRATOR VEHICLE (CORP)	0129000	Option	Option

LEASING PROGRAM

USA LEASING PROGRAM - 25 OR FEWER VEH	MAK0902	Option	Option
USA LEASING PROGRAM - 26 TO 49 VEHICLE	MAK0903	Option	Option
USA LEASING PROGRAM - 50 TO 99 VEHICLE	MAK0904	Option	Option
USA LEASING PROGRAM - 100 OR MORE VEH	MAK0905	Option	Option
CANADA LEASING PROGRAM	MAK0906	Option	Option

CUSTOMER ADAPTATION CTR

PRODUCT ADAPTATION,EXTRA AXLES INSTA	MOD0002	Option	Option
PRODUCT ADAPTATION, ADDITIONAL INSTAL	MOD0100	Option	Option

PRODUCT ADAPTATION

WITHOUT PRODUCT ADAPTATION ADDITION	5YC-Z1X	Option	Option
-------------------------------------	---------	--------	--------

PILOT INSPECTION

NO PILOT REQUESTED	0220000	Standard	Standard
REQUESTED	0220001	Option	Option
INTERNALLY REQUESTED	0220003	Option	Option

SPECIAL PROJECTS

COPPER FREE BRAKE PADS	PRJ6565	Option	Option
------------------------	---------	--------	--------

ENGINE/TRANSMISSIONS

ENGINE PACKAGE, COMBUSTION

*****MP7 US17 MAXIDYNE*****	100020D	Option	-
MP7-325M MACK 325HP @ 1400-1900 RPM (PE	1001758	Standard	-
MP7-355A MACK 355HP @ 1500-1800 RPM (PE.	1001759	958.00	-
L9N 320 CUMMINS-NZ 320HP @ 2200 RPM (GC	1003107	-	Standard

TRANSMISSION

*****Vendor Automatic Transmissions*****	136004D	Option	Option
3000 RDS 6-SP ALLISON GEN5 W/PROGNO	1364511	-11,145.00	-11,145.00
3000 RDS R 6 SPD ALLISON GEN 5 W/PROG, \	1364513	-8,096.00	-8,096.00
4500 RDS 6 SP-ALLISON RUGGED DUTY SE	1364540	Standard	Standard
4500 RDS R 6 SPD ALLISON GEN 5, W/PROG,	1364573	6,149.00	6,149.00

EXHAUST/EMISSIONS

DEF TANK

11.8 GALLON (45 L) 22" LEFT SIDE FRAME MO	DF11045	Option	-
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MOU	DF13025	Option	-
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO	DF14025	Standard	-
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MOU	DF15125	162.00	-
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MOU	DF17025	Option	-
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MOU	DF18025	Option	-
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO	DF19230	162.00	162.00

EXHAUST

SINGLE VERTICAL RIGHT SIDE OUTBOARD M	1305002	Option	-
SINGLE VERTICAL RIGHT SIDE OUTBOARD M	1305021	Standard	Standard
NO MUFFLER, SINGLE (L/S) VERT STRAIGHT I	1305030	1,297.00	-
NO MUFFLER, SINGLE (R/S) HORIZONTAL DIF	1309062	5,172.00	5,172.00

EXHAUST HEAT SHIELD, ADD'L (CA)

EXHAUST HEAT SHIELD FOR TURBO	15A-B1X	-	-
EXHAUST SYSTEM MATERIAL FINISH			
STANDARD EXHAUST SYSTEM MATERIAL FIN	EXMF-STD	Standard	Standard
STANDARD EXHAUST SYSTEM FINISH, W/ HE	Q0A-A2X	732.00	732.00

REGENERAT CONTROL SWITCH, DPF

WITHOUT DPF REGENERATION CONTROL SV	UDRSWIT	Standard	-
DPF REG CONTROL SWITCH NO INHIBIT, ONL	W4B-D1X	894.00	-

EMISSION ON BOARD DIAG CONTROL

EMISSION OBD, DISPLAY ONLY, USA2018	E0BD-U18	Standard	Standard
EMISSION OBD, DISPLAY ONLY, USA2020	E0BD-U20	Option	-

ENGINE EQUIPMENT

AIR CLEANER

13" SINGLE ELEMENT, DRY TYPE W/SNORKEI	1250409	56.00	-
13" SINGLE ELEMENT, DRY TYPE W/SNORKEI	1250410	Standard	-
15" SINGLE ELEMENT, DRY TYPE, AIR RESTR	1250411	-	-

15" SINGLE ELEMENT, DRY TYPE, AIR RESTR 1250412	-	Standard
WINTERFRONT		
WITHOUT WINTERFRONT	UWIFRONT	-
WINTERFRONT, BASIC	WIFRONT	Standard
COMPRESSOR CAPACITY		
2 CYL.860 L/MIN. WABCO COMPRESSOR	2COMP860	Standard
2 CYL. 900 L/MIN COMPRESSOR	2COMP900	-
AIR DRYER - MANUFACTURER		
BENDIX AIR DRYER AD-IPEP W/O TURBO CUTAIRM-B14	245.00	
BENDIX AD-IPEP W/ T CUT OFF VALVE & COA AIRM-B15	-	
HALDEX AIR DRYER, DRYEST	AIRM-HD1	98.00
WABCO AIR DRYER, SSTWIN WITH COALESC AIRM-W10	793.00	
WABCO AIR DRYER, 1800P WITH COALESCIN AIRM-W11	Option	Standard
WABCO AIR DR, 1800P W/O T CUT OFF VALV AIRM-W12	Standard	-
WABCO AIR DR, 1800P W/ T CUTOFF VLV&CC VHX-EFX	-	
WABCO AIR DRYER, 1800P WITH COALESCIN VHX-EHX	112.00	
ALTERNATOR		
LEECE NEVILLE 12V 140A BRUSH-TYPE	1321103	73.00
LEECE NEVILLE 12V 145A BRUSH-TYPE	1321108	102.00
LEECE NEVILLE 12V 160A BRUSH-TYPE	1321111	151.00
LEECE NEVILLE 12V 200A BRUSH-TYPE	1321118	683.00
DELCO 12V 135A (35SI) BRUSHLESS	1321226	150.00
DELCO 12V 130A (24SI) BRUSH-TYPE	1321228	Standard
DELCO 12V 145A (24SI) BRUSH-TYPE	1321229	32.00
DELCO 12V 165A (36SI) BRUSHLESS	1321233	350.00
DELCO 12V 165A (36SI) BRUSHLESS W/ REMC	1321235	218.00
DELCO 12V 160A (24SI) BRUSH-TYPE	1321236	84.00
DELCO 12V 240A (40SI) BRUSHLESS W/ REMC	1329006	837.00
DELCO 12V 200A (28SI) BRUSH-TYPE W/ REM	1329007	170.00
MITSUBISHI 12V 160A BRUSHLESS, W/ REMO	1329009	320.00
BATTERIES		
(3) MACK 12V 760/2280 CCA THREADED STUD	3165104	30.00
(3) MACK 12V 650/1950 CCA THREADED STUD	3165105	Standard
(3) MACK 12V 1000/3000 CCA THREADED STUI	3165106	97.00
(3) MACK 12V 800/2400 CCA THREADED STUD	3165108	385.00
(4) MACK 12V 1000/4000 CCA THREADED STUI	3166105	174.00
BATTERY BOX - MOUNTING		
PERPENDICULAR TO FRAME 11" FROM NTOF	3939048	Standard
LH BATT BOX, 4 BATT MAX, 780MM FROM FRC	3939122	72.00
LH BATT BOX, 4 BATT MAX, 780MM FROM FRC	3939129	90.00
LH BATT BOX, 3 BATT MAX, 854MM FROM FRC	3939166	145.00
BATTERY BOX COVER		
POLISHED ALUMINUM BATTERY BOX COVER	BBOXC-AP	60.00
BASIC BATTERY BOX COVER	BBOXC-BA	Standard
STEEL, LOCKABLE, BATTERY BOX COVER	BBOXC-SL	34.00
EMERGENCY START CONNECTIONS		
EMERGENCY START STUDS, BACK OF CAB	ESS-BOC	144.00
EMERGENCY START STUDS, B.O.C. - SPECIAL	ESS-BOCS	150.00
WITHOUT EMERGENCY START CONTACTS	UESS	Standard
BATTERY CABLES SIZE (CA)		
BATTERY CONNECTING CABLES SIZE, HEAVY	BATCS-B3	21.00
BATTERY DISCONNECT SWITCH		
FLAMING RIVER BIG SWITCH WIRED TO POS	3180010	Standard
FLAMING RIVER BIG SW POSTIVE CONNECT	3180011	40.00
FLAMING RIVER SW W/LOCK; CHASSIS MOUNT	3180012	347.00
KISLING #35-314-131-S-901 300AMP BATT CUT	3189026	55.00
KISLING FULL POS BATT PWR DISCONNECT	3189027	58.00
IGN KEY, 200A CIRC BRKR UNDER CAB, DISC	3189031	466.00
IGN KEY, DISCONNECT ALL POWER EXCEPT	3189033	366.00
STARTER MOTOR		
12V STANDARD STARTER DELCO 39MTHD	12STR-S2	Standard
12 V STANDARD STARTER, (MELCO) MITSUI	12STR-SM	67.00
ENGINE BRAKE		
W/O ENGINE BRAKE	1100000	Standard
MACK MP7 POWERLEASH	1100700	990.00
FAN DRIVE		
BEHR FAN AND ELECTRONIC MODULATING V	1180027	Standard
HORTON FAN, "ON-OFF"	1181011	-
COOLANT PROTECTION		
ETHYLENE GLYCOL EXTENDED LIFE COOLANT	1192003	29.00
ETHYLENE GLYCOL EXTENDED LIFE COOLANT	1192004	-
ETHYLENE GLYCOL FULLY FORMULATED COOLANT	1192005	Standard
ETHYLENE GLYCOL FULLY FORMULATED COOLANT	1192006	118.00
ETHYLENE GLYCOL FULLY FORMULATED COOLANT	1192007	-
COOLING PERFORMANCE		
WITH AUXILIARY COOLING	5081007	2,142.00
W/O AUXILIARY COOLING	5081008	Standard
EXTRA NARROW RADIATOR WITH LENGTH1	5081012	1,478.00

HOSES - RADIATOR/HEATER

SILICONE RADIATOR AND HEATER HOSES	1240002	Standard	Standard
SILICONE W/ SPRING LOADED CLAMPS FOR I	1240009	98.00	98.00
SILICONE HOSES, SPRING CLMPS ON RAD/H'	1249027	123.00	123.00

FUEL-WATER SEPARATOR

MACK W/MANUAL DRAIN VALVE (INTEGRAL V	2930001	Standard	-
DAVCO 382, (FLUID HTD) FUEL HEATER/WATE	2931000	569.00	
MACK W/MANUAL DRAIN VALVE W/ HOT REC	2931014	Option	-
CUMMINS CNG COALESCING FUEL FILTER, S'	2933100	-	Standard
CUMMINS DUAL PARALLEL PATH FLOW FUEL	2933102	-	
DAVCO, 384 BIO-DIESEL FUEL 12V HEAT W/VI	2939096	1,112.00	

PRIMARY FUEL FILTER POSITION (CA)

FUEL FILTER POS, MOUNTED TOGETHER WIT	FPP-25	55.00	55.00
---------------------------------------	--------	-------	-------

AUX. FUEL SYSTEM EQUIPMENT

AUXILLARY FUEL HEATER, HOT RECIRCULAT	AF-R	Option	-
WITHOUT AUX. FUEL SYSTEM EQUIPMENT	UAUXFUEL	Standard	-

FUEL HEATING EQUIPMENT

FUEL EQUIPMENT, HEATER FOR THE CNG SL	E8X-M1X	-	Standard
WITHOUT FUEL HEATER EQUIPMENT	UFUEQWH	-	

OIL PAN

OIL SUMP STEEL	OILS-ST	Standard	-
OIL SUMP STEEL, CORROSION RESISTANT	OILS-ST2	185.00	

ENGINE HEATERS

W/O STARTING AID + W/O BLOCK HEATER +	MCA0000	-95.00	
W/O STARTING AID + 120v 1000w BLOCK HEA	MCA0001	179.00	
W/O STARTING AID + 120v 1500w BLOCK HEA	MCA0002	201.00	
W/O STARTING AID + 120v 1000w BLOCK HEA	MCA0003	-21.00	
W/O STARTING AID + 120v 1500w BLOCK HEA	MCA0004	Standard	-
W/O STARTING AID + 220v 1500w BLOCK HEA	MCA0006	95.00	
W/O STARTING AID + CUMMINS BLOCK HEAT	MCA0008	-	
W/O STARTING AID + CUMMINS BLOCK HEAT	MCA0009	-	Standard
12v ELECTRIC STARTING AID + W/O BLOCK H	MCA0050	-17.00	
12v ELECTRIC STARTING AID + 120v 1000w	BL MCA0051	257.00	
12v ELECTRIC STARTING AID + 120v 1500w	BL MCA0052	278.00	
12v ELECTRIC STARTING AID + 120v 1000w	BL MCA0053	56.00	
12v ELECTRIC STARTING AID + 120v 1500w	BL MCA0054	78.00	
12v ELECTRIC STARTING AID + 220v 1500w	BL MCA0056	173.00	

ENGINE BLOCK HEATER RECEPTACLE (CA)

ENGINE BLOCK HEATER RECEPTACLE, BASI	EBHR-BAS	Standard	-
ENGINE BLOCK HEATER RECEPTACLE, MTD	IEBHR-LRC	27.00	27.00
WITHOUT ENGINE BLOCK HEATER RECEPTA	UEBHR	Option	-

TETHER DEV PKG, CAPS & COVERS

TETHER PK2: BATT BOX COVER	TDCC-P2	Standard	Standard
TETHER DEV PK7(P1+PS RESV,TRANSM FILL	TDCC-P7	48.00	48.00

OIL SAMPLING VALVE (CA)

OIL SAMPLING VALVE, PUSH BUTTON TYPE	4EC-A1X	167.00	
--------------------------------------	---------	--------	--

PRIME PUMP (CA)

PRIME-PUMP ELECTRICAL	PRIM-EL	121.00	
-----------------------	---------	--------	--

ALCOHOL EVAPORATOR

WITH ALOCHOL EVAPORATOR	ALEVAP	144.00	144.00
-------------------------	--------	--------	--------

ENGINE STOP, EMERGENCY (CA)

ENGINE STOP, EMERGENCY	ENGSTOP	49.00	49.00
------------------------	---------	-------	-------

CLUTCH/TRANS EQUIPMENT

GEARSHIFT INHIBITOR (CA)

WITHOUT GEAR SHIFT INHIBITOR	UGEARSI	Standard	Standard
------------------------------	---------	----------	----------

DRIVELINE - MAIN

MERITOR 17 MXL "XTENDED LUBE" (PROPS-S	1951201	-46.00	-46.00
MERITOR 176 MXL "XTENDED LUBE" (PROPS-	1951202	Standard	Standard
MERITOR 18 MXL "XTENDED LUBE" (PROPS-L	1951203	1.00	1.00
SPICER 1710 HD W/COATED SPLINES (PROP	1952002	-45.00	-45.00
SPICER 1760 W/COATED SPLINES (PROPS-M)	1952003	1.00	1.00
SPICER 1810 HD W/COATED SPLINES (PROP	1952005	126.00	126.00
SPICER SPL170XL "EXTENDED LUBE SERIES"	1952201	403.00	403.00
SPICER SPL250XL "EXTENDED LUBE SERIES"	1952202	462.00	462.00
SPICER SPL250HDXL "EXTENDED LUBE SERII	1952203	474.00	474.00

DRIVELINE - INTERAXLE

MERITOR 17 MXL "XTENDED LUBE"	2041202	Standard	Standard
MERITOR 18 MXL "XTENDED LUBE"	2041203	106.00	106.00
SPICER 1710 HD W/COATED SPLINES	2042003	62.00	62.00
SPICER 1810 W/COATED SPLINES	2042004	126.00	126.00
SPICER SPL170XL "LIFE SERIES"	2042201	64.00	64.00

PROPELLR SHAFT MAIN, UNVSL JNT

PROPELLER SHAFT MAIN, UNIVERSAL JOINT	PSMUJ-FR	Option	Option
PROPELLER SHAFT MAIN, UNIVERSAL JOINT	PSMUJ-HR	Standard	Standard

PROP SHAFT INTERAXL UNIV JOINT

PROP SHAFT INTERAXLE, UNIV JOINT FULL-R	PSIUJ-FR	Option	Option
PROP SHAFT INTERAXLE, UNIV JOINT HALF-F	PSIUJ-HR	Standard	Standard

TRANSMISSION OIL COOLER

FURNISH FOR ALLISON TRANS. W/DIRECT MC 1399009	412.00	384.00
TRANSMISSION OIL MONITORING		
TRANSM OIL MONITORING, REMOTE FITTING TOM	129.00	129.00
WITHOUT TRANSMISSION OIL MONITORING UTO MRF	Standard	Standard

FRONT AXLE EQUIPMENT

FRONT AXLE		
20000# (9100 KG) MACK FXL20 WIDE PIVOT CI 2401501	Standard	Standard
16500# (7500 KG) MACK FXL16.5 STRAIGHT SF 2401508	-52.00	-52.00
20000# (9100 KG) MACK FXL20 TAPERED SPIN 2401523	305.00	305.00
SPRINGS - FRONT		
MACK TAPERLEAF 20000# (9100 KG) GROUND 2441011	Standard	Standard
MACK MULTILEAF 20000# (9100 KG) GROUND 2442003	46.00	46.00
FRONT AXLE BRAKES		
MERITOR "S" CAM TYPE 16.5" x 6" Q+ 2411105	Standard	Standard
MERITOR "S" CAM 16.5" X 7" Q-PLUS BRAKES 2411115	348.00	348.00
BENDIX NEXT GENERATION DRUM BRAKE, HI 2414209	-118.00	-118.00
MERITOR EX+ AIR DISC BRAKES 430MM (17") 2416311	769.00	769.00
FRONT AXLE BRAKE DUST SHIELD		
FRONT BRAKES WITH DUST SHIELDS FBRDUST	27.00	27.00
FRONT BRAKES DUST SHIELD WITH RUBBER FBRDUSTI	34.00	34.00
FRONT BRAKES WITHOUT DUST SHIELDS UFBRDUST	Standard	Standard
FRONT BRAKE ADJ. MANUFACTURE		
FRONT BRAKE ADJUSTMENT, AUTOMATIC HA FBADJ-AH	Standard	Standard
FRONT BRAKE ADJUSTMENT, AUTOMATIC ME FBADJ-AM	Option	Option
FRONT BRAKE ADJUSTMENT, AUTOMATIC PF FBADJ-AP	Option	Option
FRONT BRAKE CHAMBER MFG.		
FRONT BRAKE CHAMBER MANUFACTURER, E FBCM-BEN	Option	Option
FRONT BRAKE CHAMBER MANUFACTURER, F FBCM-HAL	Option	Option
FRONT BRAKE CHAMBER MANUFACTURER, N FBCM-MGM	Standard	Standard
FRONT BRAKE CHAMBER MANUFACTURER, V FBCM-WAB	Option	Option
HUB MATERIAL, FRONT		
BASIC MATERIAL HUB (STEEL/CAST IRON) ,FI HUBF-BAS	Standard	Standard
BASIC HUB UNITIZED (IRON) ,FRONT HUBF-BUN	Option	Option
IRON PRESET-PLUS, CONMET, W/ GENERIC E HUBF-PPI	Option	Option
SHOCK ABSORBER, FRONT		
SHOCK ABSORBER, FRONT FSHABS	Standard	Standard
WITH SHOCK ABSORBER, FRONT, KONI FSHABS-K	166.00	166.00
WITHOUT SHOCK ABSORBER, FRONT UFSHABS	-153.00	-153.00
STEERING		
TAS-65 PLUS RIGHT SIDE ASSIST CYLINDER 2452110	69.00	69.00
M100P PLUS RIGHT SIDE ASSIST CYLINDER 2452209	Standard	Standard
BUMP STOP, FRONT SUSPENSION		
BUMP STOP, FRONT SUSPENSION, FRAME M BUMPSFS	Standard	Standard
WITHOUT BUMP STOP, FRONT SUSPENSION UBUMPSFS	-78.00	-78.00

REAR AXLE EQUIPMENT

REAR AXLES - TANDEM		
38000# (17200kg) MACK SB38 FABRICATED ST 2681003	33.00	33.00
40000# (18100kg) MACK S40 2681018	659.00	659.00
58000# (26300kg) MACK S582 CAST DUCTILE II 2681021	6,443.00	6,443.00
46000# (20900kg) MACK S462R CAST DUCTILE 2681026	2,487.00	2,487.00
38000# (17200kg) MACK S38R FABRICATED ST 2681028	Standard	Standard
52000# (23600kg) MACK S522R CAST DUCTILE 2681030	4,376.00	4,376.00
40000# (18100kg) MACK S402R CAST DUCTILE 2681031	599.00	599.00
46000# (20900kg) MACK S460 FABRICATED ST 2681032	2,560.00	2,560.00
46000# (20900kg) MERITOR RT46-160 (SINGLE) 2682010	1,798.00	1,798.00
46000# (20900kg) MERITOR RT46-164EH 2682021	1,874.00	1,874.00
40000# (18100kg) MERITOR MT40-14X4D HYP 2682114	-535.00	-535.00
44000# (20000kg) MERITOR MT-44-14X5D HYP 2682115	1,042.00	1,042.00
REAR AXLE CASING WIDTH		
REAR AXLE CASING WIDTH, MEDIUM RACWD-M	736.00	736.00
REAR AXLE CASING WIDTH, STANDARD RACWD-ST	Standard	Standard
REAR AXLE CASING WIDTH, WIDE (WIDTH 1) RACWD-W	1,519.00	1,519.00
LUBE PUMP, REAR AXLE		
LUBE PUMP , REAR AXLE RA-LUBEP	222.00	222.00
WITHOUT LUBE PUMP ,REAR AXLE URALUBEP	Standard	Standard
CARRIER - REAR AXLE		
VENDOR CARRIER 0180000	Option	Option
CRDP150/151 AVAILABLE WITH OPTIONAL DR 0180153	Standard	Standard
CRDP1501/1511 WITH MECHANICAL INTERWF 0180154	4,024.00	4,024.00
CRDP180/181 AVAILABLE WITH OPTIONAL DR 0180714	1,109.00	1,109.00
CRDP1801/1811 WITH MECHANICAL INTERWF 0180715	5,347.00	5,347.00
REAR AXLE RATIO		
RATIO 2.64 REAR AXLE RAT2.64	Option	Option
RATIO 3.08, REAR AXLE RAT3.08	Option	Option
RATIO 3.25, REAR AXLE RAT3.25	Option	Option
RATIO 3.36 REAR AXLE RAT3.36	Option	Option
RATIO 3.42, REAR AXLE RAT3.42	Option	Option
RATIO 3.55 REAR AXLE RAT3.55	Option	Option

RATIO 3.56, REAR AXLE	RAT3.56	Option	Option
RATIO 3.58, REAR AXLE	RAT3.58	Option	Option
RATIO 3.70 REAR AXLE	RAT3.70	Option	Option
RATIO 3.73, REAR AXLE	RAT3.73	Option	Option
RATIO 3.79, REAR AXLE	RAT3.79	Option	Option
RATIO 3.90, REAR AXLE	RAT3.90	Option	Option
RATIO 3.91, REAR AXLE	RAT3.91	Option	Option
RATIO 3.94, REAR AXLE	RAT3.94	Option	Option
RATIO 3.98, REAR AXLE	RAT3.98	Option	Option
RATIO 4.10, REAR AXLE	RAT4.10	Option	Option
RATIO 4.11, REAR AXLE	RAT4.11	Option	Option
RATIO 4.19, REAR AXLE	RAT4.19	Option	Option
RATIO 4.30, REAR AXLE	RAT4.30	Option	Option
RATIO 4.33, REAR AXLE	RAT4.33	Option	Option
RATIO 4.35, REAR AXLE	RAT4.35	Option	Option
RATIO 4.45, REAR AXLE	RAT4.45	Option	Option
RATIO 4.50, REAR AXLE	RAT4.50	Option	Option
RATIO 4.56, REAR AXLE	RAT4.56	Option	Option
RATIO 4.63, REAR AXLE	RAT4.63	Option	Option
RATIO 4.68, REAR AXLE	RAT4.68	Option	Option
RATIO4.73, REAR AXLE	RAT4.73	Option	Option
RATIO 4.80, REAR AXLE	RAT4.80	Option	Option
RATIO 4.88, REAR AXLE	RAT4.88	Option	Option
RATIO 4.89, REAR AXLE	RAT4.89	Option	Option
RATIO 5.00, REAR AXLE	RAT5.00	Option	Option
RATIO 5.02, REAR AXLE	RAT5.02	Option	Option
RATIO 5.04, REAR AXLE	RAT5.04	Option	Option
RATIO 5.29, REAR AXLE	RAT5.29	Option	Option
RATIO 5.31, REAR AXLE	RAT5.31	Option	Option
RATIO 5.38, REAR AXLE	RAT5.38	Option	Option
RATIO 5.46, REAR AXLE	RAT5.46	Option	Option
RATIO 5.63, REAR AXLE	RAT5.63	Option	Option
RATIO 5.66, REAR AXLE	RAT5.66	Option	Option
RATIO 5.81, REAR AXLE	RAT5.81	Option	Option
RATIO 5.86, REAR AXLE	RAT5.86	Option	Option
RATIO 5.95, REAR AXLE	RAT5.95	Option	Option
RATIO 6.12, REAR AXLE	RAT6.12	Option	Option
RATIO 6.14, REAR AXLE	RAT6.14	Option	Option
RATIO 6.41, REAR AXLE	RAT6.41	Option	Option
RATIO 6.43, REAR AXLE	RAT6.43	Option	Option
RATIO 6.53, REAR AXLE	RAT6.53	Option	Option
RATIO 6.83, REAR AXLE	RAT6.83	Option	Option
RATIO 7.08, REAR AXLE	RAT7.08	Option	Option
RATIO 7.17, REAR AXLE	RAT7.17	Option	Option
REAR SUSPENSION - TANDEM			
SS582 MACK MULTILEAF (CAMELBACK) 58000 1861039		6,798.00	6,798.00
SS40 -MACK MULTILEAF (W/ Anti-Sway) 1861044		945.00	945.00
SS38 MACK MULTILEAF (CAMELBACK) 38000# 1861072		17.00	17.00
SS38 MACK MULTILEAF (CAMELBACK) 38000# 1861073		Standard	Standard
SS462 MACK MULTILEAF (CAMELBACK) 46000 1861076		529.00	529.00
SS462 MACK MULTILEAF (CAMELBACK) 46000 1861077		635.00	635.00
SS52 MACK MULTILEAF (CAMELBACK) 52000# 1861080		1,590.00	1,590.00
SS52 MACK MULTILEAF (CAMELBACK) 52000# 1861081		1,749.00	1,749.00
MACK AL-461 AIR 46000# (NOT FOR USE W/IT) 1861508		1,443.00	1,443.00
MACK mRIDE 40 PARABOLIC 2-LEAF, 40000# 1861603		934.00	934.00
MACK mRIDE 40 PARABOLIC 3-LEAF, 40000# 1861604		1,062.00	1,062.00
MACK mRIDE 46 PARABOLIC 3-LEAF, 46000# 1861610		1,265.00	1,265.00
MACK mRIDE 52 PARABOLIC 3-LEAF, 52000# 1861630		2,246.00	
MACK mRIDE 52 MULTILEAF 11-LEAF, 52000# 1861631		2,358.00	
HN402 HENDRICKSON STEEL WALKING BEAM 1862405		1,449.00	1,449.00
HN462 HENDRICKSON STEEL WALKING BEAM 1862406		1,487.00	1,487.00
HN522 HENDRICKSON STEEL WALKING BEAM 1862418		2,624.00	
HMX400 HENDRICKSON 40000# 1862419		1,248.00	1,248.00
HMX460 HENDRICKSON HAULMAX RUBBER 1862420		1,721.00	1,721.00
LINK, AL-460-TD, AIR LINK 46K TANDEM DRIVE 1864202		4,090.00	4,090.00
RD202S -RIDEWELL DYNLASTIC 52,000 LB 1866189		7,180.00	7,180.00
REAR SUSP. BEAM BUSHINGS			
BRONZE BUSHINGS	RSBB-BRO	Option	Option
URETHANE BUSHINGS	RSBB-URE	Standard	Standard
WITHOUT REAR SUSP. BEAM BUSHING	URSBB	Option	Option
BOGIE SPREAD, REAR			
BOGIE SPREAD, 1270MM (50.0")	BSR1270	Standard	Standard
BOGIE SPREAD, 1320MM (52.0")	BSR1320	Option	Option
BOGIE SPREAD, 1370MM (54.0")	BSR1370	Option	Option
BOGIE SPREAD, 1397MM (55.0")	BSR1397	180.00	180.00
SUSPENSION LEVELLING DEVICE			
ELECTRICAL REGULATION LEVELING DEVICE SUSPL-E		Option	Option
LEVEL REGULATION MECHANICAL RAISING SUSPL-MR		101.00	101.00

WITHOUT SUSP. LEVELLING DEVICE	USUSPLEV	Standard	Standard
REAR SPRING INSULATOR MAT'L			
REAR SPRING INSULATOR, RUBBER	RSI-RUB	Option	Option
REAR SPRING INSULATOR, URETHANE	RSI-URE	Standard	Standard
WITHOUT REAR SPRING INSULATOR	URSI	Option	Option
REAR SHOCK ABSORBER			
SHOCK ABSORBER ,REAR	RSHABS	192.00	192.00
SHOCK ABSORBER, FORWARD OF 2ND REAF	RSHABSO	229.00	229.00
SHOCK ABSORBER, REAR, UNDER FRAME FL	RSHABSUF	714.00	714.00
WITHOUT SHOCK ABSORBER ,REAR	URSHABS	Standard	Standard
TRANSVERSE TORQUE RODS, R SUSP			
REAR SUSP TRANSVERSE TORQUE RODS, AI	TTR-AD	470.00	470.00
REAR SUSP TRANSVERSE TORQUE RODS, RI	TTR-RD	Standard	Standard
WITHOUT REAR SUSPENSION TRANSVERSE	UTTROD	Option	Option
BRAKES - REAR			
MERITOR CAM 16.5"x7" P BRAKES	2531101	-7.00	-7.00
MERITOR "S" CAM 18"x7.0 P	2531102	-7.00	-7.00
MERITOR "S" CAM 16.5"x7" Q+	2531104	Standard	Standard
MERITOR HEAVY DUTY "S" CAM 16.5"x7" Q+	2531105	-65.00	-65.00
MERITOR - CAM 16.5"x8 5/8" Q+	2531108	133.00	133.00
MERITOR - CAM 16.5"x8.0" Q+	2531109	70.00	70.00
MERITOR CAM HEAVY DUTY 16.5 X 8 5/8"	2531114	127.00	127.00
BENDIX ES165-080D, 16.5x8.0 CAST SPIDER	2534207	79.00	79.00
BENDIX NEXT GENERATION DRUM BRAKE, HI	2534209	101.00	101.00
BENDIX NEXT GENERATION DRUM BRAKE, HI	2534210	557.00	557.00
MERITOR EX+ AIR DISC BRAKES, 430MM (17")	2536311	1,701.00	1,701.00
BRAKE LINING MATERIAL DRIVE			
BRAKE LINING MATERIAL, DRIVE, FED MOGUI	BLMD-A1	Option	Option
BRAKE LINING MATERIAL DRIVE, EATON EES	BLMD-E1	Option	Option
BRAKE LINING MATERIAL DRIVE, MERITOR / F	BLMD-M3	Option	Option
BRAKE LINING MATERIAL, DRIVE, TMD T3030	BLMD-T1	Option	Option
BRAKE LINING MATERIAL, DRIVE, TMD T7600	BLMD-T3	Option	Option
BRAKE, DRIVE, REAR			
BRAKE DRIVE, REAR, DISC LIGHT WEIGHT	BR-DILW	-170.00	-170.00
BRAKE DRIVE, REAR, CAST IRON BRAKEDRU	BR-DRCAS	Standard	Standard
CENTRIFUSE BRAKEDRUM, REAR AXLE	BR-DRCEN	134.00	134.00
REAR BRAKE ADJ MANUFACTURE			
REAR BRAKE ADJUSTMENT, AUTOMATIC HAL	RBADJ-AH	Standard	Standard
REAR BRAKE ADJUSTMENT, AUTOMATIC MEF	RBADJ-AM	Option	Option
REAR BRAKE ADJUSTMENT, AUTOMATIC PRC	RBADJ-AP	Option	Option
REAR BRAKE ADJUSTMENT, AUTOMATIC HAL	U1A-A5X	Option	Option
DRIVE AXLE BRAKE DUST SHIELD			
REAR DRIVE BRAKES WITH DUST SHIELDS	DBRDUST	52.00	52.00
DRIVE BRAKES DUST SHIELD WITH RUBBER	DBRDUSTI	66.00	66.00
REAR DRIVE BRAKES WITHOUT DUSTSHIELD	UDBRDUST	Standard	Standard
REAR BRAKE CHAMBER SIZE			
REAR BRAKE CHAMBER 22 / 24 SQ INCHES (S	RBCS2224	Option	Option
REAR BRAKE CHAMBER 24 / 24 SQ INCHES (S	RBCS2424	Option	Option
REAR BRAKE CHAMBER 30 / 30 SQ INCHES (S	RBCS3030	Standard	Standard
REAR BRAKE CHAMBER			
HALDEX "GOLD SEAL" BRAKE CHAMBERS	3000002	-154.00	-154.00
BENDIX - AIR DISC BRAKE CHAMBERS	3000008	-120.00	-120.00
***** Reference Material Spring Brake Chamber Ir	300000D	-120.00	-120.00
HALDEX "LIFE SEAL PLUS" BRAKE CHAMBER:	3000020	8.00	8.00
WABCO BRAKE CHAMBERS VENDOR	3000100	-120.00	-120.00
MGM TR-T; TAMPER-RESISTANT BRAKE CHAI	3009005	Standard	Standard
MGM TR-T(TAMPER RESIST.BRK CHMBRS)R	3009013	-107.00	-107.00
MGM TR3030LP3THD BRAKE CHAMBERS	3009019	-58.00	-58.00
MGM MODEL TR-TS;TAMPER- RESISTANT BR/	3009020	11.00	11.00
MGM TR-T (TAMPER RESISTANT BRAKE CHAI	3009027	-95.00	-95.00
BRAKE CHAMBER DIAPHRAGM MATERIAL (CA)			
BRAKE CHAMBER DIAPHRAGM, BASIC	BRCD-BAS	Standard	Standard
BRAKE CHAMBER DIAPHRAGM, NEOPRENE	BRCD-NEO	5.00	5.00
HUB MATERIAL, DRIVE			
IRON PRESET HUB, CONMET, WITH 'TIMKEN'	HBD-PSI2	1,239.00	1,239.00
BASIC MATERIAL HUB (STEEL/CAST IRON), DI	HUBD-BAS	Option	Option
ALUMINUM PRESET HUB, DRIVE W/ INTEGRA	HUBD-PAS	681.00	681.00
IRON PRESET HUB, DRIVE, W/ INTEGRATED :	HUBD-PIS	Standard	Standard
IRON PRESET HUB, CONMET, WITH GENERIC	HUBD-PSI	455.00	455.00
POWER DIVIDER LOCKOUT			
DIFFERENTIAL LOCK SWITCH, BUZZER & LIG	DLS-BL	Standard	Standard
WITHOUT DIFFERENTIAL LOCK SWITCH	UDLS	Option	Option
LUBRICANTS, REAR AXLE(S)			
PETROLEUM OIL IN REAR AXLE CHEVRON DE	LUBER-DE	103.00	103.00
PETROLEUM OIL IN REAR AXLE	LUBER-PE	Standard	Standard
SYNTHETIC OIL IN REAR AXLE, 75W-90	LUBER-SN	162.00	162.00
TRACTION DIFFERENTIAL			
OMIT DIFFERENTIAL LOCKS	2540000	Standard	Standard

8

DRIVER CONTROLLED INTER WHEEL DIFFER 2540400	711.00	711.00
DRIVER CONTROLLED INTER WHEEL DIFFER 2540401	1,423.00	1,423.00
ABS SENSOR & MODULATOR		
ABS 4 SENSORS & 4 MODULATORS (FRONT & ABS4S4M	Standard	Standard
ABS 6 SENSORS AND 6 MODULATORS ABS6S6M	646.00	646.00
ANTILOCK BRAKE SYSTEM		
MERITOR/WABCO WITHOUT AUTOMATIC TR 6980001	202.00	202.00
MERITOR WABCO ABS W/AUTO TRACTION C 6980004	555.00	555.00
BENDIX WITHOUT TRACTION CONTROL 6980006	Standard	Standard
BENDIX WITH TRACTION CONTROL 6980007	428.00	428.00

FRAME EQUIPMENT/FUEL TANKS

WHEELBASE

153"	2710153	-154.00	-154.00
157"	2710157	-154.00	-154.00
159"	2710159	-154.00	-154.00
171"	2710171	-154.00	-154.00
172"	2710172	-154.00	-154.00
173"	2710173	Option	Option
174"	2710174	Option	Option
175"	2710175	Option	Option
176"	2710176	Option	Option
177"	2710177	Option	Option
178"	2710178	Option	Option
179"	2710179	Option	Option
180"	2710180	Option	Option
181"	2710181	Option	Option
182"	2710182	Option	Option
183"	2710183	Option	Option
184"	2710184	Option	Option
185"	2710185	Option	Option
186"	2710186	Option	Option
187"	2710187	Option	Option
188"	2710188	Option	Option
189"	2710189	Option	Option
190"	2710190	Option	Option
191"	2710191	Option	Option
192"	2710192	Option	Option
193"	2710193	Option	Option
194"	2710194	Option	Option
195"	2710195	Option	Option
196"	2710196	Option	Option
197"	2710197	Option	Option
198"	2710198	Option	Option
199"	2710199	Option	Option
200"	2710200	Option	Option
201"	2710201	Option	Option
202"	2710202	265.00	265.00
203"	2710203	265.00	265.00
204"	2710204	265.00	265.00
205"	2710205	265.00	265.00
206"	2710206	265.00	265.00
207"	2710207	265.00	265.00
208"	2710208	265.00	265.00
209"	2710209	265.00	265.00
210"	2710210	265.00	265.00
211"	2710211	265.00	265.00
212"	2710212	265.00	265.00
213"	2710213	265.00	265.00
214"	2710214	265.00	265.00
215"	2710215	265.00	265.00
216"	2710216	265.00	265.00
217"	2710217	265.00	265.00
218"	2710218	265.00	265.00
219"	2710219	265.00	265.00
220"	2710220	265.00	265.00
221"	2710221	265.00	265.00
222"	2710222	265.00	265.00
223"	2710223	265.00	265.00
224"	2710224	265.00	265.00
225"	2710225	265.00	265.00
226"	2710226	265.00	265.00
227"	2710227	265.00	265.00
228"	2710228	265.00	265.00
229"	2710229	265.00	265.00
230"	2710230	265.00	265.00
231"	2710231	529.00	529.00
232"	2710232	529.00	529.00
233"	2710233	529.00	529.00

234"	2710234	529.00	529.00
235"	2710235	529.00	529.00
236"	2710236	529.00	529.00
237"	2710237	529.00	529.00
238"	2710238	529.00	529.00
239"	2710239	529.00	529.00
240"	2710240	529.00	529.00
241"	2710241	529.00	529.00
242"	2710242	529.00	529.00
243"	2710243	529.00	529.00
244"	2710244	529.00	529.00
245"	2710245	529.00	529.00
246"	2710246	529.00	529.00
247"	2710247	529.00	529.00
248"	2710248	529.00	529.00
249"	2710249	529.00	529.00
250"	2710250	529.00	529.00
AF (OVERHANG)			
50"	3740050	Option	Option
51"	3740051	Option	Option
52"	3740052	Option	Option
53"	3740053	Option	Option
54"	3740054	Option	Option
55"	3740055	Option	Option
56"	3740056	Option	Option
57"	3740057	Option	Option
58"	3740058	Option	Option
59"	3740059	Option	Option
60"	3740060	Option	Option
61"	3740061	Option	Option
62"	3740062	Option	Option
63"	3740063	Option	Option
64"	3740064	Option	Option
65"	3740065	Option	Option
66"	3740066	Option	Option
67"	3740067	Option	Option
68"	3740068	Option	Option
69"	3740069	Option	Option
70"	3740070	Option	Option
71"	3740071	Option	Option
72"	3740072	Option	Option
73"	3740073	Option	Option
74"	3740074	Option	Option
75"	3740075	Option	Option
76"	3740076	Option	Option
77"	3740077	Option	Option
78"	3740078	Option	Option
79"	3740079	Option	Option
80"	3740080	Option	Option
81"	3740081	Option	Option
82"	3740082	Option	Option
83"	3740083	Option	Option
84"	3740084	Option	Option
85"	3740085	Option	Option
86"	3740086	Option	Option
87"	3740087	Option	Option
88"	3740088	Option	Option
89"	3740089	Option	Option
90"	3740090	Option	Option
91"	3740091	Option	Option
92"	3740092	Option	Option
93"	3740093	Option	Option
94"	3740094	Option	Option
95"	3740095	Option	Option
96"	3740096	Option	Option
97"	3740097	Option	Option
98"	3740098	Option	Option
99"	3740099	Option	Option
100"	3740100	Option	Option
101"	3740101	Option	Option
102"	3740102	Option	Option
103"	3740103	Option	Option
104"	3740104	Option	Option
105"	3740105	Option	Option
106"	3740106	Option	Option
107"	3740107	Option	Option
108"	3740108	Option	Option
109"	3740109	Option	Option

110"	3740110	Option	Option
111"	3740111	Option	Option
112"	3740112	Option	Option
113"	3740113	Option	Option
114"	3740114	Option	Option
115"	3740115	Option	Option
116"	3740116	Option	Option
117"	3740117	Option	Option
118"	3740118	Option	Option
119"	3740119	Option	Option
FRAME RAILS			
***** Reference Material LR Frames	274007D	207.00	207.00
STEEL-3/8" X 13 3/8" X 3 1/4" (CLASS 8)	2741010	Standard	Standard
RUST PROTECTION (for frame), ADDITIONAL (CA)			
RUST PROTECTION BETWEEN FRAME RAILS RUSTP-F		800.00	800.00
WITHOUT RUST PROTECTION	UTRUSTP	Standard	Standard
FRAME INNER LINER			
LINER, FULL VERSION 3 (6.35MM THICKNESS) LINER-F3		1,192.00	1,192.00
WITHOUT LINER	ULINER	Standard	Standard
FRONT FRAME EXT. (BOLTED ON)			
100MM, FRONT FRAME EXTENTION, BOLTED FFE100		359.00	359.00
WITHOUT FRONT FRAME EXTENSION, BOLTE UFFE		Standard	Standard
CROSSMEMBERS			
STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" 2819017		Standard	Standard
1/2" (12mm) HUCKED & COLLARED BOC AND IN 2819020		189.00	189.00
BOC HEX BOLTED & INTERMEDIARY HUCK B 2819103		Option	Option
CROSSMEMBER CONFIGURATION FOR HEIL F 2819105		227.00	227.00
FRAME RAIL FREE SPACE			
FRAME RAIL FREE SPACE, RIGHT SIDE FRFS-RS		34.00	34.00
WITHOUT FRAME RAIL CLEARANCE	UFRF	Standard	Standard
AUX CROSSM. IN REAR OVERHANG			
1 AUX. CROSSMEMBER, BACK TO BACK	ACMR1-BB	Standard	Standard
1 AUX. CROSSMEMBER, SINGLE CHANNEL	ACMR1-SC	-28.00	-28.00
WITHOUT AUXILILARY CROSSMEMBER IN RE UACMR		-32.00	-32.00
REAR CROSSMEMBER OPTIONS			
REAR CROSSMEMBER, SINGLE-PLATE TYPE, Q5A-N1X		164.00	164.00
REAR CROSSMEMBER, STRAIGHT FRAME EN RXM-STR		Standard	Standard
WITHOUT REAR CROSSMEMBER	URXMBR	-23.00	-23.00
MUDFLAP, FRONT AXLE			
MUDFLAP, FRONT AXLE, BASIC (NO ANTI-SPF FMUD-BS		Standard	Standard
FRONT BUMPER			
BUMPER, STEEL PAINTED, 3 PIECES, FOR RE 4DX-L5X		Option	Option
BUMPER, PAINTED STEEL	BUMP-PS	Standard	Standard
BUMPER, PAINTED STEEL FLUSH	BUMP-PSF	65.00	65.00
BUMPER, HD STEEL PAINTED, 3 PCS (SNOW BUM-SPS3		Option	Option
BUMPER, STAINLESS STEEL CLAD ALIMINUM BUM-SSCA		825.00	825.00
LICENSE PLATE HOLDER (CA)			
LICENSE PLATE HOLDER, MOUNTED ON FRO LICP-FL		46.00	46.00
LICENSE PLATE HOLDER, MOUNTED ON FRO LICP-FR		46.00	46.00
GUARD, UNDER FRONT			
GUARD - RADIATOR	GUARD-R	Standard	Standard
WITHOUT GUARD	UGUARD	-306.00	-306.00
TOWING DEVICE, FRONT			
ONE PIN TOWING DEVICE, FRONT	TDF1PIN	Standard	Standard
WITHOUT TOWING DEVICE, FRONT	UTOWF	Option	Option
TOWING DEVICE,REAR			
TWO HOOKS FRAME MOUNTED VERSION 1	TOWR2HK1	33.00	33.00
WITHOUT TOWING DEVICES ,REAR	UTOWR	Standard	Standard
FUEL LEVEL SENDER UNIT, LIQUID			
BASIC FUEL LEVEL SENDER MOUNTED ON L. FLS-BASL		Option	-
BASIC FUEL LEVEL SENDER MOUNTED ON R. FLS-BASR		Standard	-
FUEL TANK - LH			
WITHOUT LH FUEL TANK	2880000	Standard	-
***** Reference Material LR LH Fuel Tanks	288007D	Option	Option
100 GAL.ALUM (378 LITERS)	2882100	1,126.00	
70 GAL.STEEL (265 L) RECT 15 X 27 1/2 X 46"	2883070	1,751.00	
50 GALLON (190 L) STEEL, 26"x24" RECTANGU	2887050	944.00	
70 GALLON (265 L) STEEL, 26"x24" RECTANGU	2887070	959.00	
80 GALLON (300 L) STEEL, 26"x24" RECTANGU	2887080	1,052.00	
50 GALLON (190 L) ALUMINUM, 26"x24" RECTA	2888050	1,003.00	
70 GALLON (265 L) ALUMINUM, 26"x24" RECTA	2888070	1,108.00	
80 GALLON (300 L) ALUMINUM, 26"x24" RECTA	2888080	1,228.00	
50 GALLON (190L) STEEL, 24" ROUND W4" FIL	2889050	805.00	
DELETE LH FUEL DIESEL TANK - FOR LOCAL	2889300	-	Standard
FUEL TANK - RH			
W/O RH FUEL TANK	2900000	-760.00	
***** Reference Material LR RH Fuel Tanks	290007D	Option	Option
70 GALLON (265L) STEEL, 24" ROUND	2901070	-113.00	

70 GALLON (265L) ALUMINUM, 24" ROUND	2902070	Option	-
100 GAL ALUM (380 L)	2902100	239.00	
70 GALLON STEEL RECT. (APPROX 15"H x 27")	2903070	Option	-
50 GALLON (190 L) STEEL, 26"x24" RECTANGU	2907050	-12.00	
70 GALLON (265 L) STEEL, 26"x24" RECTANGU	2907070	Standard	-
80 GALLON (300 L) STEEL, 26"x24" RECTANGU	2907080	90.00	
50 GALLON (190 L) ALUMINUM, 26"x24" RECTA	2908050	45.00	
70 GALLON (265 L) ALUMINUM, 26"x24" RECTA	2908070	147.00	
80 GALLON (300 L) ALUMINUM, 26"x24" RECTA	2908080	268.00	
DELETE RH DIESEL TANK - FOR LOCAL COMF	2909300	-	Standard

FUEL HOSES, LIQUID

FUEL HOSES, FIRE RESISTANT	FHOS-FIR	Standard	-
FUEL HOSES, WIRE BRAIDED	FHOS-WBR	-17.00	

FUEL TANK POSITION (CA)

FUEL TANK POSITION 10 - FUEL TANK(S) 1232	FTP-10	127.00	127.00
FUEL TANK POSITION 2 - FUEL TANK(S) TO B	FTP-2	250.00	
FUEL TANK POSITION 30 - FUEL TANK(S) 2246	FTP-30	127.00	
FUEL TANK POSITION 31 - FUEL TANK(S) 2004	FTP-31	127.00	
FUEL TANK POSITION 315 - FUEL TANK(S) LO	FTP-315	92.00	92.00
FUEL TANK POSITION 356	FTP-356	94.00	
FUEL TANK POSITION 36 -FUEL TANK(S) 1515	FTP-36	127.00	
FUEL TANK POSITION 410	FTP-410	127.00	
FUEL TANK POSITION 56 - FUEL TANK(S) LOC	FTP-56	212.00	
FUEL TANK POSITION BASIC	FTP-BAS	Option	-
FUEL TANK POSITION, LOWERED LEFT SIDE	FTP-LOWL	Option	-
FUEL TANK POSITION, LOWERED RIGHT SIDE	FTP-LOWR	Standard	-
FUEL TANK POSITION AS FAR REARWARD AS	FTP-REAR	220.00	

FUEL FILLER NECK OPTIONS

FOR LH FUEL TANK	8520001	Option	-
FOR RH FUEL TANK	8520002	Standard	-
FOR BOTH FUEL TANK(S)	8520003	103.00	
FILLER NECK SCREEN(S) - ALL FUEL TANKS	8520005	101.00	
W/O FILLER NECK SCREEN L.H. FUEL TANK(S)	8520008	14.00	
W/O FILLER NECK SCREEN R.H. FUEL TANK(S)	8520009	14.00	
W/O FILLER NECK SCREEN BOTH FUEL TANK	8520010	83.00	

FUEL TANK STRAPS MTRL

STAINLESS STEEL FUEL TANK STRAPS	STRAP-SS	134.00	
----------------------------------	----------	--------	--

FUEL TANK POLISH OPTION

FUEL TANK, POLISHED	FTNK-POL	115.00	
NOT POLISHED FUEL TANK	UFTNKPOL	Standard	-

WELDED FRAME PROCESS CODE (CA)

WELDED FRAME RAILS REQUIRED	U1D-A1X	5,811.00	5,811.00
WELDED FRAME RAILS AND INNER LINERS R	U1D-B1X	5,811.00	5,811.00
WELDED INNER LINERS REQUIRED	U1D-C1X	5,811.00	5,811.00

AIR/BRAKE

AIRTANK DRAIN VALVE

AUTOMATIC DRAIN VALVE, HEATED	DRVA-AH	Standard	Standard
AUTO DRAIN VLV, HEATED, LANYARDS ON BF	DRVA-AHC	45.00	45.00
AUTO DRAIN HTD VALVE,SUPPLY TNK,MANU/	DRVA-AMM	27.00	27.00
IN-TANK AUTO DRAIN VALVE W/LANYARDS O	DRVA-IC	21.00	21.00
IN-TANK AUTO DRAIN VALVE W/LANYARD ON	DRVA-ICW	-14.00	-14.00
MANUAL DRAIN VALVES, BRAKE SYS TANKS,	DRVA-MAM	-43.00	-43.00
MANUAL DRAIN VALVE, LANYARDS ON BRAKI	DRVA-MC	-25.00	-25.00
MANUAL DRAIN VALVES, PRIMARY & SEC (M	DRVA-MMM	-60.00	-60.00
PETCOCK DRAIN VALVE, ON BRAKE SYS TAN	DRVA-P	-60.00	-60.00
AUTO DRAIN, HEATED, ALL TANKS	UWX-A2X	169.00	169.00
AUTO DRAIN HEATED ALL TANKS,PLUMBED T	UWX-A3X	-116.00	-116.00
AUTO DRAIN VALVE, HTD, NYC PULL CORD L	UWX-A5X	33.00	33.00

AIRTANK MATERIAL

ALUMINUM AIRTANK	ATANK-AL	359.00	359.00
STEEL AIRTANK	ATANK-ST	Standard	Standard

AIR DRYER POSITION (CA)

AIR DRYER POSITION LH RAIL OUTBOARD	ADP-1	62.00	62.00
AIR DRYER POS RH RAIL OUTBOARD, 1012MM	ADP-11	62.00	62.00
AIR DRYER POS RH RAIL OUTBOARD, 747MM	ADP-14	72.00	72.00
AIR DRYER POS RH RAIL OUTBRD, AS CLOSE	ADP-21	62.00	62.00
AIR DRYER POS LH RAIL OUTB, 140MM(5.5)	BI ADP-23	62.00	62.00
AIR DRYER POS RH RAIL OUTBOARD, 1416MM	ADP-26	62.00	62.00
AIR DRYER POS. LH RAIL INSIDE AS FAR REA	ADP-3	62.00	62.00
AIR DRYER POS RH RAIL OUTBOARD, 1212MM	ADP-42	62.00	62.00
AIR DRYER POS RH RAIL OUTBOARD, BEHINC	ADP-47	61.00	61.00
AIR DRYER POS RH RAIL OUTBOARD, BEHINC	ADP-48	62.00	62.00
AIR DRYER POS LH RAIL OUTBOARD, BEHINC	ADP-65	62.00	62.00
AIR DRYER POSITION ACC TO CUSTOMER RE	ADP-68	72.00	72.00
AIR DRYER POSITION STANDARD	ADP-STD	Standard	Standard

CHASSIS PACKAGING (CA)

CHASS PACK CONFIG 0009, AIRTANKS IN RAI	CPAK0009	112.00	112.00
CHAS PACK CONFIG 16, AIR TNKS INSIDE & L	CPAK0016	72.00	72.00

12

CHAS PACK CONFIG 30, AIR TANKS LHS, 1ST CPAK0030	72.00	72.00
CHAS PACK CONFIG 37, STACKED AIR TANKS CPAK0037	72.00	72.00
CHAS PACK CONFIG 39, STACKED AIR TANKS CPAK0039	95.00	95.00
CPC63, 2 AIR TANKS MTD INSIDE LH/RH RAIL; CPAK0063	213.00	213.00
CPC114, LHS BOMB RACK, 1 EXTRA AIR TANK CPAK0114	198.00	198.00
CPC139, WET TANK UNDER RH RAIL, REMAINII CPAK0139	118.00	118.00
CPC152, LH AIR TANK STD LOC, RH TANK OU CPAK0152	74.00	74.00
CHASS PACK CONFIG 153, AIR TANKS ARRAN CPAK0153	204.00	204.00
WITHOUT CUSTOMER SPECIFIED CHASSIS P UCPAK	Standard	Standard
AUXILLIARY AIRTANK		
AUXILIARY AIR TANK CAPACITY FOR ONE EX AUXATC1A	378.00	378.00
WITHOUT AUX. AIRTANK UAUATNKN	Standard	Standard
PARKING BRAKE VALVE		
PARKING BRAKE VALVE, 1 YELLOW KNOB, AIPBV-Y	Standard	Standard
PARK BRAKE VALVE, 1 YELLOW KNOB, AUTO PBV-Y2	288.00	288.00
AUXILIARY BRAKE CONTROL		
AUXILIARY (WORK) BRAKE HAND CONTROL, ABR-HCEN	-1,195.00	-1,195.00
AUXILIARY (WORK) BRAKE HAND CONTROL ABR-HCON	Standard	Standard
WITHOUT AUXILIARY BRAKE CONTROL UABRCON	-1,589.00	-1,589.00
BODY BUILDER, AIR PREP KIT		
BODY BUILDER, AIR PREPKIT, 7 AIR LINES, C.BBA-PK7	266.00	266.00
WITHOUT BODY BUILDER AIR PREPKIT UBBAIR	Standard	Standard

ELECTRICAL

BACK-UP ALARM		
BACK UP ALARM 90/78 DB (2 LEVELS OF SOBUPALAR2	145.00	145.00
BACKUP ALARM 87/112 DB, PRECO (ADJ TO ABUPALAR5	Standard	Standard
WITHOUT BACK-UP ALARM UBUPALAR	-145.00	-145.00
ROOF MARKER LIGHT		
TRUCKLIGHT LED TYPE ROOF MARKER for LR 3120019	Standard	Standard
WARNING LAMP		
WARNING LIGHTS, STROBE, AMBER. FORWA N7X-E1X	565.00	565.00
WARNING LIGHTS BODY		
WITHOUT WARNING LIGHT BODY UWL B	Standard	Standard
WARNING LIGHTS ON BODY WHEN IN REV. OWL B-PK	28.00	28.00
AUXILIARY LAMPS		
AUXILIARY LAMPS, SNOW PLOW PREP KIT 2 AL-SPK2	28.00	28.00
HEADLIGHT LAMP TYPE		
HEADLAMP BULB TYPE, HALOGEN HLB-HAL	-559.00	-559.00
HEADLAMP BULB TYPE, LED HLB-LED	Standard	Standard
HEADLAMP PROTECTION		
HEADLAMP PROTECTION HLP-PRO	126.00	126.00
WITHOUT HEADLAMP PROTECTION UHLPPRO	Standard	Standard
DAYTIME RUNNING LIGHTS		
DRL WHEN PARKING BRAKE OFF LOWB-DA3	Option	Option
DRL WHEN ENG RUNNING, PARK BRAKE OFF LOWB-DA7	Option	Option
DAY RUNNING LIGHT, WHEN ENG RUNNING LOWB-DA8	Standard	Standard
TAIL LAMPS		
TAIL LAMP, MULTIPURPOSE TL-MULTI	Option	Option
WITHOUT TAIL LAMPS UTLAMP	Standard	Standard
AUX. POWER OUTLET, INTERIOR		
AUX POWER OUTLET, 12V DOGHOUSE APO12VDH	Standard	Standard
FRONT & SIDE INDICATOR LMP TYP		
SIDE INDICATOR LAMP TYPE, LED SIT-LED	Standard	Standard

TRAILER CONNECTIONS

EXT. INDICATOR LMP, MAIN SWITCH (CA)		
EXTERIOR INDICATOR LAMP, MAIN SWITCH, EXIL-BAS	Standard	Standard
EXTERIOR INDICATOR LAMP, MAIN SWITCH, EXIL-ML	4.00	4.00
WITHOUT EXTERIOR INDICATOR LAMP, MAIN UEXIL	-43.00	-43.00

PTO

HYDRAULIC PUMP		
WITHOUT HYDRAULIC PUMP 8260000	-234.00	
FURNISH PUMP MTG PROVISIONS FOR LOCA 8260004	-77.00	147.00
FURNISH PUMP MTG PROVISIONS - INCLUDE 8260005	Standard	
FURNISH ENG PUMP MTG PROVISIONS FOR / 8269006	-234.00	
FURNISH ENG PUMP MTG PROVISIONS FOR / 8269008	31.00	265.00
FURNISH PUMP MTG PROVISIONS FOR A DU/ 8269018	-441.00	-207.00
FURNISH PUMP MTG PROVISIONS FOR DUAL 8269020	-153.00	81.00
PTO ENGINE MOUNTED, REAR		
POWER TAKE OFF WITH FLANGE SAE 1410 / PTER1400	2,674.00	2,674.00
WITHOUT PTO ENGINE REAR UPTER	Standard	Standard
CRANKSHAFT ADAPTER		
W/O FRONT ENGINE PTO DRIVE 1830000	-696.00	
1350 SERIES FLANGE (DOES NOT INCLUDE FI 1830002	Standard	
PTO TRANSM. MOUNTED		
PTO TRANS MTD REAR, PREP KIT, PARKER-H PTR-PKP	Standard	Standard
WITHOUT PTO TRANSM. MOUNTED UPTOTR	-100.00	-100.00
BODY BUILDER MODULE		
ControlLink III BODY BUILDER EL PREP KIT, REBBM-PK17	Standard	Standard

EL PREP KIT BODY BUILDER, NYC SANITATIC BBM-PK7		13.00	13.00
EL PREP KIT B BUILDER, NYC(1 CONN 21 PIN: L3X-AIX		45.00	

SPECIALTY EQUIPMENT

CUSTOMER SPECIFIED HOLE GROUPS (CA)			
CUSTOMER SPEC. HG TIE DOWN BRKT, HEIL CSHG0034		40.00	40.00
CUSTOMER SPEC. HG TIE DOWN BRKT, MCN CSHG0035		40.00	40.00
CUSTOMER SPEC. HG TIE DOWN BRKT, NYC CSHG0043		29.00	29.00
CUST SP TIE DOWN BRKT HG EXCEPT MIDL CSHG0047		55.00	55.00
TRANSPORT ADAPTATION			
GARBAGE PREPARATION	GARB-PRE	8,914.00	8,914.00
UNIFORM LOAD NO ADAPTATION	UNIFORM	Standard	Standard
BRAKE AIR CONN., FRONT TOWING (CA)			
BRAKE AIR CONNECTION, FRONT TOWING, RBRACONF2		191.00	191.00
BREATHER FILTER (rear axle / transmission)			
BREATHER FILTER FOR TRANSMISSION, REM 5MA-C1X		124.00	124.00
BREATHER FILTER FOR DRIVE AXLE, FRAME BREF-RAF		42.00	42.00
UNIQUE DECALS MACHINE DIRECTIV			
UNIQUE DECALS FOR MUD/SNOW AND FUSE D5X-J1X		11.00	11.00
UNIQUE DECALS FOR FUSE LABEL SHEET, SI D5X-K1X		156.00	156.00
WITHOUT DECALS	USIGNSWC	Standard	Standard

CAB INTERIOR (A THRU G)

CAB HEATER UNIT			
HEATER UNIT, NYC SPECIAL	HU-NYC	121.00	121.00
STANDARD HEATER UNIT	HU-STD	Standard	Standard
CLIMATE UNIT			
MANUAL CONTROLLED CLIMATE CONTROL A	CU-MCC	Standard	Standard
WITHOUT CLIMATE UNIT	UCU	Option	Option
BLIND SPOT VISION SYS. REAR			
PREP KIT FOR ADV VIDEO SAFETY SYS(AVSS: BLVR-PK3		1,364.00	1,364.00
WITHOUT PREP KIT FOR CAMERA	UBLVR	Standard	Standard
BRAKE PEDALS (CA)			
BRAKE PEDAL, STAINLESS STEEL PIVOT PIN	BPEDALSS	5.00	5.00
DRIVER AUXILIARY FAN			
2 CAB AUXILIARY FAN, OVERHEAD	CAFAN2OH	193.00	193.00
CAB AUXILIARY FAN, DASH MTD	CAFAN-DA	96.00	96.00
WITHOUT CAB AUXILIAR FAN,	UCAFAN	Standard	Standard
CAMERA, SURVEILLANCE			
PREPARATION FOR INSIDE/OUTSIDE CAMER	CAMS-PK2	110.00	110.00
WITHOUT CAMERA	UCAMS	Standard	Standard
ENGINE TUNNEL TYPE (CA)			
ENGINE TUNNEL, LOW	ETUN-LOW	Option	Option
FLOOR MATS			
FLOOR MAT, RUBBER	FMAT-RUB	Standard	Standard
FLOOR MATS - NON-SLIP FABRIC	FMAT-TAS	Option	Option
CARBON MONOXIDE DETECTION SYS			
CARBON MONOXIDE DETECTION SYSTEM	CMON-DET	-	Standard
WITHOUT CARBON MONOXIDE DECTECTION	UCOMDET	-	Option
FUEL LEAK DETECTOR			
FUEL LEAK DETECTOR, GAS	FLD-GAS	-	Standard
FIRE EXTINGUISHER			
W/O FIRE EXTINGUISHER	7860000	Standard	Standard
5LB EXTINGUISHER (ABC RATED) MOUNTED	7860002	82.00	82.00
5LB FIRE EXTINGUISHER (ABC RATED) MOUN	7860027	82.00	82.00
GAUGE - EXHAUST PYROMETER			
EXHAUST PYROMETER GAUGE	GEXPYR	105.00	
WITHOUT EXHAUST PYROMETER GAUGE	UGEXPYR	Standard	-
TIME COUNTER (CA)			
TIME COUNTER, INDEPENDENT DASH MOUNT	TIME-IND	49.00	49.00
WITHOUT TIME COUNTER	UTIMEC	Standard	Standard
GAUGES - UNIT OF MEASURE			
U.S. UNITS (PREDOMINANT)	1980001	Standard	Standard
METRIC PREDOMINANT - ROADSPEED W/U.S	1980003	Option	Option
NUMBER OF AUXILIARY GAUGES, 1			
NUMBER OF AUXILIARY GAUGES, 1	AGAUGE01	Option	Option
NUMBER OF AUXILIARY GAUGES, 2	AGAUGE02	Option	Option
WITHOUT AUXILIARY GAUGES	UAGAUGE	Standard	Standard

CAB INTERIOR (H THRU R)

KEY TYPES FOR DOORS			
ALL CHASSIS KEYED ALIKE- (M-118)	KEY-A118	55.00	55.00
KEYED ALIKE 140 (M-140)	KEY-A140	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-153)	KEY-A153	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-194)	KEY-A194	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-203)	KEY-A203	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-204)	KEY-A204	55.00	55.00
ALL CHASSIS KEYED ALIKE- (M-218)	KEY-A218	55.00	55.00
ALL CHASSIS KEYED AT RANDOM	KEY-BAS	Standard	Standard
ON BOARD DIAGNOSTIC PANEL (CA)			
ON BOARD DIAGNOSTIC PANEL, UNDER DASI	OBDP-UDC	13.00	13.00

PERSONALIZED NAME PLATE			
PERSONALIZED NAME PLATE, DASH (24 char)	PNP-DASH	57.00	57.00
WITHOUT PERSONALIZED NAME PLATE	UPNPLATE	Standard	Standard
ELECTRICAL DASH OUTLET			
WITHOUT ELECTRICAL OUTLET	UDOUTLET	Standard	Standard
AUDIO ACCOMMODATION			
W/O RADIO OR RADIO ACCOMMODATION PA	1740000	-313.00	-313.00
PREMIUM STEREO, AM/FM, CD-PLAYER, WEA	1746100	-95.00	-95.00
PREMIUM STEREO, AM/FM, CD-PLAYER, MP3,	1746101	Standard	Standard
STEREO, AM/FM, WEATHER BAND	1746104	Option	Option
ANTENNA - RADIO			
ANTENNA, RADIO, CAB COWL MTD, LH, SHOF	ANR-CCL1	Standard	Standard
WITHOUT ANTENNA, RADIO	UANR	Option	Option
AUDIO SHUTOFF			
AUTOMATIC AUDIO SHUTOFF, REVERSE ENG	AUDOFF	Standard	Standard
WITHOUT AUTOMATIC AUDIO SHUTOFF	UAUDOFF	-69.00	-69.00
REAR WALL STORAGE COMPARTMENT			
REAR WALL STORAGE COMPARTMENT, 1 OP	IFX-E3X	587.00	587.00
REAR WALL STORAGE COMPARTMENT, FIXE	RWSTC-FI	274.00	274.00
WITHOUT REAR WALL STORAGE COMPARTM	URWSTC	Standard	Standard
OVERHEAD SWITCH PANEL			
OVERHEAD SWITCH PANEL, BLANK	OHSWP-BL	Option	Option
WITHOUT OVERHEAD SWITCH PANEL	UOHSWP	Standard	Standard

CAB INTERIOR (S THRU Z)

SEAT - DRIVER'S			
BOSTROM TALLADEGA 910 (MID-BACK) AIR S	1962214	-24.00	-24.00
SEARS SEATING C-2 W/FABRIFORM CUSHION	1962520	Standard	Standard
AIR-SEARS HI-BACK SEAT C-2 WITH LUMBAR	1962524	263.00	263.00
AIR-SEARS HI-BACK SEAT C-2 WITH LUMBAR	1963162	303.00	303.00
AIR-BOSTROM TALLADEGA 910, HIGH BACK	1969030	241.00	241.00
SEAT - PASSENGER'S			
OMIT RIDER SEAT	1970000	-141.00	-141.00
SEARS SEATING C2 W/FABRIFORM CUSHION	1971506	-28.00	-28.00
SEARS SEATING C2 W/FABRIFORM CUSHION	1972520	222.00	222.00
FOLD-UP SEARS SEATING, LOW BACK PASSI	1975102	Standard	Standard
SEAT COVERING			
ALL CLOTH, BLACK W/CORDURA COVERING,	4850003	Option	Option
ALL VINYL, BLACK, BOTH SEATS	4851200	Option	Option
ALL CLOTH, BLACK, DRIVER SEATS	4853299	Option	Option
FABRIFORM CLOTH, BLACK, DRIVER AND RID	4856200	Option	Option
DRIVER FABRIFORM, CLOTH, BLACK; RIDER -	4856232	Option	Option
FABRIFORM CLOTH, BLACK, DRIVER SEATS	4856299	Option	Option
DRIVER- FABRIFORM CLOTH, BLACK RIDER- (4856823	Standard	Standard
FABRIFORM VINYL, BLACK, DRIVER & RIDER	4857200	183.00	183.00
DRIVER FABRIFORM VINYL BLACK; RIDER VI	4857212	142.00	142.00
SEAT BELT(S)			
LAP & SHOULDER BELTS FOR (2) DRIVER SE/	5920009	Option	Option
LAP & SHOULDER (BOTH SEATS) ORANGE IN	5929003	35.00	35.00
SEAT BELTS (ORANGE)/RETRACTORS, LAP A	5929005	Standard	Standard
LAP & SHOULDER HEIGHT ADJUSTMENT D-RI	5929008	153.00	153.00
LAP & SHOULDER FOR (2) DRIVER SEATS, W/	5929017	153.00	153.00
STEERING WHEEL			
DIAMETRE 406 MM STEERING WHEEL, RUBBE	STW406R1	36.00	36.00
DIAMETER 450MM STEERING WHEEL, RUBBE	STW450R1	Standard	Standard
STEERING WHEEL ADJUSTMENT			
ADJUSTABLE STG WHL, LH 2 MOTION, RH FIX	STGW-AD3	Standard	Standard
ADJUSTABLE STEERING WHEEL, 2 MOTIONS	STGW-ADJ	Option	Option
TURN SIGNALS			
NON CANCELLING TURN SIGNAL	TSIGN-NC	Option	Option
SELF CANCELLING TURN SIGNAL	TSIGN-SC	Standard	Standard
WASHER RESERVOIR POSITION			
WASHER RESERVOIR BASIC POSITION	WREP-BAS	Standard	Standard
WASHER RESERVOIR BACK OF CAB MOUNTE	WREP-BOP	8.00	8.00
WINDSHIELD PROTECTOR			
WITHOUT WINDSHIELD PROTECTOR	UWINDPRO	-174.00	-174.00
WINDSHIELD PROTECTOR	WIND-PRO	Standard	Standard
SUNVISOR INTERIOR, SIDE			
INTERNAL SUNVISOR ON DRIVER SIDE (ABC	ISUNV-S	279.00	279.00
WITHOUT INTERIOR SUNVISOR SIDE	UISUNS	Standard	Standard

CAB EXTERIOR

EMBLEMS OPTION			
EMBLEMS OPTION, COMPLETE	EMB-CPL	Standard	Standard
EMBLEMS OPTION, DELETE BULLDOG	EMB-UBDG	Option	Option
FRONT GRILLE			
PAINTED SILVER PERFORATED STEEL GRILL	28X-F7X	191.00	191.00
BLACK GRILLE	GR-BLACK	Standard	Standard
BRIGHT GRILLE (CHROME PLATED)	GR-BRI	264.00	264.00

CAB

***** Reference Material LR Seat Package	144001D	Option	Option
LH DRIVE RH SIT DOWN, EXTENDED CAB VEF	1442100	Option	Option
LH DRIVE WITH RH STAND UP OPERATING P	1442101	Standard	Standard
RH & LH SIT DOWN DRIVING POSITION, EXTE	1442102	1,222.00	1,222.00
RH & LH SIT DOWN;RH DRIVE ONLY, EXTEND	1442103	Option	Option
CAB DOOR OPTIONS			
LH BI-FOLD DOOR REAR-MOST & LOWER FRC	4240022	-501.00	-501.00
LH & RH FRONT HINGED DOORS W/POWER V	4240030	837.00	837.00
FRONT HINGED DOOR W/PWR WINDOW, RH	4240031	118.00	118.00
LH BI-FOLD DOOR REARMOST & LOWER FRO	4240032	118.00	118.00
LH FRONT HINGED DOOR W/PWR WINDOW, I	4240033	-108.00	-108.00
LH FRONT HINGED DOOR W/PWR WINDOW: I	4240034	Standard	Standard
LH BI-FOLD DOOR REARMOST & LWR FRT W	4240035	-421.00	-421.00
LH & RH BI-FOLD DOORS; W/REAR MOST & L	4249004	-602.00	-602.00
CAB CORNER PROTECTION, FRONT			
FRONT CAB CORNER PROTECTION	FCABC-PR	317.00	317.00
WITHOUT FRONT CAB CORNER PROTECTION	UFCABCPR	Standard	Standard
CAB TILT PUMP			
AIR ASSISTED CAB TILT PUMP	CTILTP-A	150.00	150.00
MANUAL TILT PUMP	CTILTP-M	Standard	Standard
CABLE KIT XLAMPS FRONT/ROOF			
PREPARED WIRING FOR ROOF MTD FRONT V	SPOTP-WF	100.00	100.00
WITHOUT SPOTLAMP PREPARATION KIT	USPOTP	Standard	Standard
COMPR AIR SUPPLY PRE-CLEANER (CA)			
COMPR AIR SUPPLY CONDENSER/SEP HALDI	J3C-A1X	Option	Option
EXIT LIGHT, OUT SIDE			
EXIT LIGHT, OUT SIDE	EXLIGHT	354.00	354.00
CAB INSTEP VERSION			
CAB STEP, LARGE OBLONG HOLES (BUSTIN	I CSTEP-B5	Option	Option
CAB STEP,BASIC	CSTEP-BA	Standard	Standard
CAP PEEP WINDOW			
W/O RH DOOR PEEP WINDOW AND W/O LH	E 6440000	Standard	Standard
RH & LH PEEP WINDOW IN DOOR EXTENSIO	6449003	434.00	434.00
DOOR WINDOW FRONT			
FURNISH VENT IN DOOR EXTENSION PANEL	AWIND-EB	Option	Option
WITHOUT AUXILIARY WINDOW DOOR	UAWIND	Option	Option
ROOF HATCH OR COOLER			
2 ROOF HATCH MANUAL OPERATED, PLATE	RH2MANP	88.00	88.00
2 ROOF HATCH MANUAL OPERATED, 2 WAY	I RH2MANP2	361.00	361.00
WITHOUT ROOF HATCH	URHATCH	Standard	Standard
HORN - AIR			
DELETE STANDARD AIR HORN	1540000	-87.00	-87.00
(1) BLACK TWIN TRUMPET, UNDER CAB MOU	I 1540006	-39.00	-39.00
(1) TWIN-UNDER CAB TRUMPET W/DUAL LAN	I 1540015	Standard	Standard
(1) TWIN-UNDER CAB TRUMPET W/LH ROOF	I 1540017	Option	Option
(1) TWIN-UNDER CAB TRUMPET W/RH ROOF	I 1540018	Option	Option
HORN - ELECTRICAL			
1 SINGLE ELECTRIC HORN SINGLE TONE	HORN-E1S	Standard	Standard
2 SINGLE ELECTRIC HORN, DIFFERENT TONE	HORN-E2D	8.00	8.00
MIRRORS - EXTERIOR			
ELECTRIC HEATED, OPERATED WITH MEMOF	1522200	400.00	400.00
LH & RH ELECTRIC HEATED & OPERATED, W,	1522201	Standard	Standard
LH ELECTRIC HEATED & OPERATED, W/O ME	1522211	50.00	50.00
RH ELECTRIC HEATED & OPERATED, W/O ME	1522212	50.00	50.00
RETRACTABLE BF MAIN MIRROR W/ WHITE	I 1529027	484.00	484.00
MIRROR - CLOSE VIEW, FRONT CAB (CA)			
CLOSE VIEW MIRROR, FRONT, BOTH SIDES,	CMIRF14B	541.00	541.00
MIRRORS - CONVEX TYPE CAB DOORS			
OMIT CONVEX MIRRORS	1530000	-25.00	-25.00
BLACK SQUARE HEATED CONVEX MIRROR -	I 1531001	Standard	Standard
BRIGHT FINISH, LH & RH, 8" DIAMETER CON	V 1532002	7.00	7.00
BRIGHT FINISH (LH/RH) 8"DIA HAND ADJ.	1539068	16.00	16.00
BRIGHT FINISH (LH&RH) 8.0"DIA., MTD	ABOVE 1539071	55.00	55.00
MIRRORS - PROXIMITY			
CLOSE VIEW MIRROR, BOTH SIDES	AMIR-CLB	72.00	72.00
RECTANGULAR CONVEX ABOVE RH DOOR W	AMIR-CLO	34.00	34.00
WITHOUT PROXIMITY MIRROR	UAMIRCLO	Standard	Standard
SUNVISOR, EXTERIOR			
EXTERIOR SUNVISOR	SUNV-EX	572.00	572.00
WITHOUT EXTERIOR SUNVISOR	USUNVIS	Standard	Standard
MIRRORS - LEFT SIDE EXTERIOR			
LH SS FLAT MANUALLY OPERATED, UN-HEATE	MCL0004	246.00	246.00
LH SS FLAT MANUALLY OPERATED, UN-HEATE	MCL0005	230.00	230.00
**** LH MIRRORS, MANUALLY OPERATED ****	MCL000D	Option	Option
**** LH MIRRORS, ELECTRICAL OPERATED **	MCL002D	Option	Option
LH BLACK AERO MIRROR ELECTRICAL OPER.	MCL2003	Standard	Standard
LH BLACK AERO MIRROR ELECTRICAL OPER.	MCL3000	200.00	200.00
LH POL SS FLAT EL OPERATED & HTD W/ WE	MCL9102	62.00	62.00

LH POL SS FLAT EL OPERATED & HTD W/ WE MCL9103	87.00	87.00
MIRRORS - RIGHT SIDE EXTERIOR		
RH SS FLAT MANUALLY OPERATED, UN-HEATED MCR0004	258.00	258.00
RH SS FLAT MANUALLY OPERATED, UN-HEATED MCR0005	242.00	242.00
**** RH MIRRORS, MANUALLY OPERATED **** MCR000D	Option	Option
**** RH MIRRORS, ELECTRICAL OPERATED * MCR00DD	Option	Option
RH BLACK AERO MIRROR ELECTRICAL OPER MCR2003	Standard	Standard
RH BLACK AERO MIRROR ELECTRICAL OPER MCR3000	200.00	200.00
RH POL SS FLAT EL OPERATED & HTD W/ WE MCR9102	62.00	62.00
RH POL SS FLAT EL OPERATED & HTD W/ WE MCR9103	87.00	87.00

WHEELS & TIRES

GHG STEER TIRE CATEGORY (PAWS)		
GHG STEER TIRE CATEGORY, ADVANCED LO 4WC-A1X	Option	Option
GHG STEER TIRE CATEGORY, LOW ROLLING 4WC-C1X	Standard	Standard
GHG STEER TIRE CATEGORY, BASIC ROLLING 4WC-E1X	Option	Option
GHG STEER TIRE CATEGORY, OTHER (NON-S 4WC-G1X	Option	Option
TIRES BRAND/TYPE - FRONT		
*****BRIDGESTONE FRONT TIRES***** 900001D	Option	Option
*****MICHELIN FRONT TIRES***** 900002D	Option	Option
*****GOODYEAR FRONT TIRES***** 900003D	Option	Option
*****LIST PRICES ON RIGHT ARE PER TIRE, T 900006D	Option	Option
*****TIRE CAPACITIES ARE PER AXLE AT MAX 900007D	Option	Option
*****YOKOHAMA FRONT TIRES***** 900012D	Option	Option
425/65R22.5 L BRIDGESTONE M864 (22800 lbs) 9001411	327.00	327.00
385/65R22.5 J BRIDGESTONE M864 (18740 lbs) 9001412	281.00	281.00
425/65R22.5 L BRIDGESTONE M870 (22800 lbs) 9001414	229.00	229.00
315/80R22.5 L BRIDGESTONE M870 (20000 lbs) 9001415	Standard	Standard
315/80R22.5 L GOODYEAR G289 WHA (20400 lb) 9005406	395.00	395.00
385/65R22.5 J GOODYEAR G296 MSA (18740 lb) 9005414	266.00	266.00
425/65R22.5 L GOODYEAR G296 MSA (22800 lb) 9005415	438.00	438.00
445/65R22.5 L GOODYEAR G296 MSA (24600 lb) 9005416	551.00	551.00
425/65R22.5 L GOODYEAR G296 MSA DURASE 9005431	395.00	395.00
315/80R22.5 L GOODYEAR G289 WHA DURASE 9005457	573.00	573.00
315/80R22.5 L GOODYEAR G751 MSA DURASE 9005460	589.00	589.00
315/80R22.5 L GOODYEAR ENDURANCE WHA 9005488	250.00	250.00
425/65R22.5 L GOODYEAR G296 WHA (22800 lb) 9005501	504.00	504.00
385/65R22.5 J MICHELIN XZY3 (18740 lbs) 9006331	298.00	298.00
425/65R22.5 L MICHELIN XZY3 (22800 lbs) 9006333	496.00	496.00
455/55R22.5 M MICHELIN XONE XZUS 9006342	747.00	747.00
425/65R22.5 L MICHELIN XFE (22800 lbs) 9006353	605.00	605.00
315/80R22.5 L MICHELIN XZUS2 (20000 lbs) 9006389	277.00	277.00
315/80R22.5 L MICHELIN X WORKS Z (18180 lb) 9006428	252.00	252.00
385/65R22.5 L MICHELIN X MULTIWAY HD XZE 9006432	397.00	397.00
11R22.5 H YOKOHAMA MY507 (13220 lbs) 9007426	-20.00	-20.00
315/80R22.5 L YOKOHAMA MY627W (20000 lbs) 9007443	-4.00	-4.00
WHEELS - FRONT		
*****ALUMINUM WHEELS***** 531000D	Option	Option
*****STEEL WHEELS***** 531001D	Option	Option
*****LIST PRICES ON RIGHT ARE PER WHEEL 531003D	Option	Option
22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU 5312246	-26.00	-26.00
22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU 5312328	-73.00	-73.00
22.5 X 9.00 ALUMINUM, 11.25" BC ACCURIDE # 5312365	-6.00	-6.00
22.5x12.25 ACCURIDE STEEL DISC 10-HOLE H 5312509	-14.00	-14.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-HC 5312721	-32.00	-32.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-HC 5312723	-31.00	-31.00
22.5x12.25 HAYES LEMMERZ STEEL DISC 10-H 5312724	-15.00	-15.00
22.5x12.25 ACCURIDE 10-HOLE HUB PILOTTED 5313023	88.00	88.00
22.5x13.0 ALCOA LVL ONE ALUM DISC, 10-HOLE 5313135	179.00	179.00
22.5x9.00 ALCOA ALUM DISC #89363X 3.12" IN: 5313517	8.00	8.00
22.5x12.25 ALCOA LVL ONE ALUM DISC, 10-HC 5313774	90.00	90.00
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H 5313789	Standard	Standard
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H 5313791	17.00	17.00
22.5x9.00 ACCURIDE ALUM DISC, 10-HOLE HL 5313792	4.00	4.00
WHEEL FINISHING, FRONT		
WITHOUT WHEEL FINISHING FRONT UWFF	Option	Option
WHEEL FINISHING FRONT, BRIGHT, DURA-BR WFF-DBP	150.00	150.00
WHEEL FINISHING FRONT, MACHINED BUFF WFF-MB	Standard	Standard
WHEEL FINISHING FRONT, POLISHED WFF-POL	36.00	36.00
WHEEL FINISHING FRONT, EXTRA POLISHED WFF-XPOL	55.00	55.00
FRONT AXLE TIRE & WHEEL QUANTITY		
TWO FRONT TIRES & WHEELS FWT0002	Standard	Standard
THREE FRONT TIRES & WHEELS FWT0003	Option	Option
FOUR FRONT TIRES & WHEELS FWT0004	Option	Option
GHG DRIVE TIRE CATEGORY (PAWS)		
GHG DRIVE TIRE CATEGORY, ADVANCED LO 4XC-A1X	Option	Option
GHG DRIVE TIRE CATEGORY, LOW ROLLING 4XC-C1X	Standard	Standard
GHG DRIVE TIRE CATEGORY, BASIC ROLLING 4XC-E1X	Option	Option
GHG DRIVE TIRE CATEGORY, OTHER (NON-S 4XC-G1X	Option	Option

TIRES BRAND/TYPE - REAR

*****BRIDGESTONE REAR TIRES*****	901001D	Option	Option
*****MICHELIN REAR TIRES*****	901002D	Option	Option
*****GOODYEAR REAR TIRES*****	901003D	Option	Option
*****LIST PRICES ON RIGHT ARE PER TIRE, T	901006D	Option	Option
*****TIRE CAPACITIES ARE PER AXLE AT MAX	901007D	Option	Option
*****YOKOHAMA REAR TIRES*****	901012D	Option	Option
11R22.5 G BRIDGESTONE M843 (23360 lbs) (AL	9011175	244.00	244.00
11R22.5 H BRIDGESTONE M843 (24020 lbs) (AL	9011176	296.00	296.00
11R24.5 H BRIDGESTONE M843 (26440 lbs) (AL	9011178	324.00	324.00
11R24.5 H BRIDGESTONE L320 (26440 lbs) (DR	9011307	455.00	455.00
11R22.5 G BRIDGESTONE L320 (23360 lbs) (DR	9011316	263.00	263.00
11R22.5 H BRIDGESTONE L320 (24020 lbs) (DR	9011317	302.00	302.00
11R22.5 H BRIDGESTONE M799 (24020 lbs) (DF	9011333	174.00	174.00
11R24.5 H BRIDGESTONE M799 (26440 lbs) (DF	9011338	211.00	211.00
295/75R22.5 G BRIDGESTONE R268 ECOPIA (2	9011362	15.00	15.00
11R22.5 G BRIDGESTONE R268 ECOPIA (2336	9011366	Standard	Standard
11R22.5 H BRIDGESTONE R268 ECOPIA (2402	9011367	113.00	113.00
11R24.5 G BRIDGESTONE R268 ECOPIA (2402	9011368	98.00	98.00
11R24.5 H BRIDGESTONE R268 ECOPIA (2644	9011369	174.00	174.00
315/80R22.5 L BRIDGESTONE M843 (MAX SPE	9011371	302.00	302.00
12R22.5 H BRIDGESTONE R268 ECOPIA (2712	9011378	299.00	299.00
295/75R22.5 G BRIDGESTONE M726 ELA (2270	9011398	104.00	104.00
11R22.5 G BRIDGESTONE M726 ELA (23360	9011400	140.00	140.00
11R24.5 G BRIDGESTONE M726 ELA (24020	9011401	180.00	180.00
11R24.5 H BRIDGESTONE M726 ELA (26440	9011402	241.00	241.00
315/80R22.5 L BRIDGESTONE M870 (36360	9011415	394.00	394.00
295/75R22.5 G BRIDGESTONE R284 ECOPIA (2	9011416	76.00	76.00
11R22.5 G BRIDGESTONE R284 ECOPIA (2336	9011418	79.00	79.00
11R22.5 H BRIDGESTONE R284 ECOPIA (2402	9011419	113.00	113.00
11R24.5 G BRIDGESTONE R284 ECOPIA (2402	9011420	159.00	159.00
11R24.5 H BRIDGESTONE R284 ECOPIA (2644	9011421	177.00	177.00
11R24.5 G GOODYEAR G182 RSD (24020 lbs) (I	9015362	683.00	683.00
11R24.5 H GOODYEAR G182 RSD (26440 lbs) (I	9015363	786.00	786.00
295/75R22.5 G GOODYEAR G182 RSD (22700	9015364	658.00	658.00
11R22.5 H GOODYEAR G282 MSD (24020 lbs) (I	9015393	789.00	789.00
11R24.5 H GOODYEAR G282 MSD (26440 lbs) (I	9015394	855.00	855.00
12R22.5 H GOODYEAR G282 MSD (27120 lbs) (I	9015395	983.00	983.00
295/75R22.5 G GOODYEAR G622 RSD (22700	9015400	379.00	379.00
11R22.5 G GOODYEAR G622 RSD (23360 lbs) (I	9015401	391.00	391.00
11R22.5 H GOODYEAR G622 RSD (24020 lbs) (I	9015402	426.00	426.00
315/80R22.5 L GOODYEAR G289 WHA (36360	9015406	798.00	798.00
12R22.5 H GOODYEAR G622 RSD (27120 lbs) (I	9015413	592.00	592.00
11R22.5 H GOODYEAR G751 MSA DURASEAL	9015459	479.00	479.00
11R22.5 H GOODYEAR G751 MSA (24020 lbs) (I	9015461	467.00	467.00
12R22.5 H GOODYEAR G751 MSA (27120 lbs) (I	9015463	645.00	645.00
315/80R22.5 L GOODYEAR G751 MSA (33080	9015465	858.00	858.00
11R22.5 G GOODYEAR ENDURANCE RSA (233	9015478	210.00	210.00
11R22.5 H GOODYEAR ARMOR MAX PRO GRA	9015479	485.00	485.00
11R24.5 H GOODYEAR ARMOR MAX PRO GRA	9015480	557.00	557.00
11R22.5 H GOODYEAR ARMOR MAX PRO GRA	9015481	632.00	632.00
11R24.5 H GOODYEAR ARMOR MAX PRO GRA	9015482	701.00	701.00
11R24.5 H GOODYEAR ENDURANCE RSA (264	9015483	307.00	307.00
11R22.5 H GOODYEAR ENDURANCE RSA (240	9015484	241.00	241.00
295/75R22.5 G GOODYEAR ENDURANCE RSA	9015485	194.00	194.00
315/80R22.5 L GOODYEAR ENDURANCE WHA	9015488	654.00	654.00
11R22.5 G MICHELIN XDN2 (23360 lbs) (DRIVE	9016260	381.00	381.00
12R22.5 H MICHELIN XDN2 (27120 lbs) (DRIVE	9016262	523.00	523.00
455/55R22.5 M MICHELIN X ONE XZUS (23400	9016342	494.00	494.00
11R22.5 H MICHELIN XZE2 (24020 lbs) (ALL	9016363	271.00	271.00
11R24.5 G MICHELIN XZE2 (24020 lbs) (ALL	9016364	274.00	274.00
11R22.5 H MICHELIN XDS2 (24020 lbs) (DRIVE	9016376	539.00	539.00
315/80R22.5 L MICHELIN XZUS2 (33080 lbs) (AL	9016389	630.00	630.00
11R24.5 H MICHELIN X WORKS XDY (26440	9016391	580.00	580.00
315/80R22.5 L MICHELIN X WORKS XDY (3308	9016408	660.00	660.00
11R22.5 H MICHELIN X WORKS Z (24020 lbs) (I	9016423	386.00	386.00
12R22.5 H MICHELIN X WORKS Z (27120 lbs) (I	9016424	515.00	515.00
11R24.5 H MICHELIN X WORKS Z (26440 lbs) (I	9016426	468.00	468.00
315/80R22.5 L MICHELIN X WORKS Z (33080	9016428	605.00	605.00
315/80R22.5 L YOKOHAMA MY627W (33020	9017443	299.00	299.00

WHEELS - REAR

*****ALUMINUM WHEELS*****	346000D	Option	Option
*****STEEL WHEELS*****	346001D	Option	Option
*****LIST PRICES ON RIGHT ARE PER WHEEL	346003D	Option	Option
24.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU	3462323	-64.00	-64.00
24.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU	3462324	-43.00	-43.00
22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU	3462328	-34.00	-34.00
22.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU	3462353	-46.00	-46.00

22.5x8.25 ACCURIDE STEEL DISC 10-HOLE 5 F 3462354		-76.00	-76.00
22.5x8.25 ACCURIDE ACCU-LITE STEEL DISC 3462356		-70.00	-70.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-H 3462720		-23.00	-23.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-H 3462723		-13.00	-13.00
24.5x8.25 HAYES LEMMERZ STEEL DISC 10-H 3462733		-23.00	-23.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-H 3462734		-31.00	-31.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-H 3462735		-31.00	-31.00
22.5x8.25 ACCURIDE ACCU-LITE 10-HOLE HUB 3463767		Option	Option
24.5x8.25 ACCURIDE ACCU-LITE 10-HOLE HUB 3463768		-8.00	-8.00
22.5x12.25 ALCOA LVL ONE ALUM DISC, 10-HC 3463777		-111.00	-111.00
22.5x8.25 ALCOA ULTRA ONE ALUM DISC 10-H 3463781	Standard		Standard
22.5x8.25 ALCOA LVL ONE ALUM DISC, 10-HOL 3463783		53.00	53.00
24.5x8.25 ALCOA LVL ONE ALUM DISC, 10-HOL 3463784		91.00	91.00
22.5x14.00 ALCOA ULTRA ONE ALUM DISC 10- 3463787		-35.00	-35.00
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H 3463789	Option		Option
24.5x8.25 ALCOA ULTRA ONE ALUM DISC 10-H 3463790		43.00	43.00
22.5x9.00 ACCURIDE ALUM DISC, 10 HOLE HU 3463792		74.00	74.00
22.5x8.25 ALCOA ALU DISC OUTER W/ACCURI 3466730		202.00	202.00
REAR DISC WHEEL:POLISH			
W/O REAR DISC WHEEL BRIGHT FINISH 2350000		Option	Option
POLISHED ALUMINUM DISC - ALL WHEELS - C 2350001		Option	Option
POLISHED W/DURA-BRIGHT PROTECTION AL 2350004		245.00	245.00
POLISHED W/DURA-BRIGHT PROTECTION OL 2350006		123.00	123.00
POLISHED ALUMINUM DISC - OUTBOARD OF 12350007		26.00	26.00
MACHINE CLEAN BUFFED - ALL WHEELS 2350013	Standard		Standard
XTRA POLISHED, ALUMINUM DISC, BOTH SID 2350025		55.00	55.00
REAR AXLE TIRE & WHEEL QUANTITY			
FOUR REAR AXLE TIRES & WHEELS RW T0004		Option	Option
FIVE REAR AXLE TIRES & WHEELS RW T0005		Option	Option
EIGHT REAR AXLE TIRES & WHEELS RW T0008	Standard		Standard
NINE REAR AXLE TIRES & WHEELS RW T0009		Option	Option
DRIVE WHEEL STUDS			
DRIVE WHEEL STUDS, LONG DSTUD-L	Standard		Standard
DRIVE WHEEL STUDS, SHORT DSTUD-S		-76.00	-76.00
TIRE INFLATION VALVE			
VALVE STEM 13 DEG ANGLE, MEYERS V2B IN 15X-F1X		108.00	108.00
TIRE INFLATION VALVE, STANDARD VALVESTD	Standard		Standard
SPARE WHEEL			
2 SPARE WHEEL WITH TIRE (BOTH SAME AS SPWT-F2		1,738.00	1,738.00
2 SPARE WHEELS WITH TIRES (1FRONT/1R SPWT-FD		1,738.00	1,738.00
WITHOUT SPARE WHEEL USPWT	Standard		Standard
HUB/WHEEL ISOLATOR FRONT			
HUD/WHEEL ISOLATOR FRONT - NYLON HWIF-NYL		6.00	6.00
HUB/WHEEL ISOLATOR DRIVE			
HUB/WHEEL ISOLATOR DRIVE- NYLON HWID-NYL		44.00	44.00
WITHOUT HUB/WHEEL ISOLATOR DRIVE UHWID	Standard		Standard
WRENCH, WHEEL			
WITHOUT WHEEL (LUG) WRENCH UWRENCH	Standard		Standard
WHEEL (LUG) WRENCH WRENCH-B		72.00	72.00