

3/18/2020

Pricelist

Price List 2019-08-12
Currency USD
Market USAM
Created by MIKE COMERFORD
Approved by RICK PESTO
Price Type List Price

		TERRAPRO 64	TERRAPRO 9 64E
TERRAPRO 64R		222,008.00	
TERRAPRO 64R G			230,223.00
APPLICATION PACKAGES			
BODY BUILDER PACKAGE			
WITHOUT BODY BUILDER PKG	MBP0000	Standard	-
CUSTOMER/VEHICLE INFO			
CHASSIS LAYOUT DRAWING (CA)			
CHASSIS LAYOUT DRAWING	CHASDWG	333.00	333.00
CHASSIS LAYOUT DRAWING	CHASDWG	333.00	333.00
CHASSIS (BASE MODEL)			
TERRAPRO 64R DAYCAB	0029587	Standard	-
TERRAPRO 64R G DAYCAB	0029588	-	Standard
***** Chassis Drawing Request Form *****	002DDDD	Option	Option
***** Chassis Drawing Request Form *****	002DDDD	Option	Option
ENGINE/TRANSMISSIONS			
ENGINE PACKAGE, COMBUSTION			
*****MP7 US17 MAXIDYNE*****	100020D	Option	-
*****MP7 US17 MaxiCruise*****	100030D	Option	-
*****MP8 US21 MAXIDYNE*****	100071D	Option	-
MP7-325M MACK 325HP @ 1400-1900 RPM (PE 1001758		Standard	-
MP7-355A MACK 355HP @ 1500-1800 RPM (PE. 1001759		958.00	
MP7-375M MACK 375HP @ 1500-1900 RPM (PE 1001760		1,652.00	
MP7-425M MACK 425HP @ 1500-1800 RPM (PE 1001761		3,211.00	
MP7-395C MACK 395HP @ 1450-1700 RPM (PE. 1001764		2,277.00	
MP8-425M MACK 425HP @ 1500-1900 RPM (PE 1001822		3,825.00	
MP8-455M MACK 455HP @ 1500-1900 RPM (PE 1001823		4,784.00	
MP8-505M MACK 505HP @ 1500-1800 RPM (PE 1001824		6,139.00	
L9N 320 CUMMINS-NZ 320HP @ 2200 RPM (GO 1003107		-	Standard
TRANSMISSION			
*****Mack Manual Transmissions*****	136002D	Option	-
*****Vendor Manual Transmissions*****	136003D	Option	-
*****Vendor Automatic Transmissions*****	136004D	Option	Option
*****Vendor Automatic Transmissions*****	136004D	Option	Option
*****Eaton/Fuller Transmission Approval Form****	136006D	Option	-
*****Mack Automated Manual HD mDRIVE Transi	136010D	Option	-
MACK T310M (17.35/0.73)	1361311	-12,593.00	
MACK T318LR (16.42/0.71)	1361318	-13,159.00	
MACK T310 (13.81/0.73)	1361326	-13,464.00	
MACK T318 (13.44/0.71)	1361327	-12,822.00	
MACK TMD13AFD-HD mDRIVE HD 13 SP, CREI	1361508	-9,222.00	
MACK TMD13AFO-HD mDRIVE HD 13 SP, CREI	1361509	-8,975.00	
MACK TMD14AFO-HD mDRIVE HD 14 SP, ULTF	1361511	-8,758.00	
3000 RDS 6-SP ALLISON GEN5 W/PROGNO: 1364511		-11,145.00	-11,145.00
3000 RDS R 6 SPD ALLISON GEN 5 W/PROG, \ 1364513		-8,096.00	-8,096.00
4500 RDS 5 SP-ALLISON RUGGED DUTY SE 1364539		Option	Option
4500 RDS 6 SP-ALLISON RUGGED DUTY SE 1364540		Standard	Standard
4500 RDS R 6 SPD ALLISON GEN 5, W/PROG, 1364573		6,149.00	6,149.00
4500 RDS R 5 SPD ALLISON GEN 5, W/PROG, 1364574		6,149.00	
EXHAUST/EMISSIONS			
DPF DIESEL PARTICULATE FILTER			
CLEARTECH VV DPF VERTICAL LH SIDE BAC	DPF0102	Standard	-
CLEARTECH VV DPF VERTICAL LH SIDE BOC	DPF0110	4,620.00	
CLEARTECH W/ DPF VERTICAL LHS, BOC & M	DPF0112	1,108.00	
CUST ADAPTATION MISCELANEOUS (CA)			
EATS RACK ARRANGEMENT MODIFICATION M3E-A1X		41,400.00	41,400.00
DEF TANK			
11.8 GALLON (45 L) 22" LEFT SIDE FRAME MO	DF11045	Option	-
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MO	DF15125	162.00	
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MO	DF17025	Option	-
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MO	DF18025	Option	-
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO	DF19025	504.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO	DF19028	128.00	
11.8 GALLON (45 L) 22" RIGHT SIDE FRAME M	DF19030	790.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO	DF19031	156.00	
11.8 GALLON (45 L) 22" LEFT SIDE FRAME MO	DF19045	638.00	
11.8 GALLON (45 L) 22" RIGHT SIDE FRAME M	DF19046	290.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO	DF19105	150.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO	DF19125	162.00	

6.6 GALLON (25 L) 22" LEFT SIDE FRAME MOU DF19126	160.00	
25L/22" DIA, LH MOUNTED 124.3" (3160MM) FR DF19127	162.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19128	99.00	
11.8 GALLON (45 L) 22" RIGHT SIDE FRAME MDF19145	790.00	
11.8 GALLON (45 L) 22" RIGHT SIDE FRAME MDF19150	790.00	
11.8 GALLON (45 L) 22" LEFT SIDE FRAME MCDF19151	154.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19225	162.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19226	113.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19227	178.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19230	162.00	
11.8 GALLON (45 L) 22" RIGHT SIDE FRAME MDF19246	290.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19325	553.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19326	88.00	
11.8 GALLON (45 L) 22" RIGHT SIDE FRAME M DF19345	331.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19425	832.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19426	162.00	
11.8 GALLON (45 L) 22" RIGHT SIDE FRAME M DF19445	553.00	
11.8 GALLON (45L) 22" DIA RIGHT SIDE FRAME DF19446	790.00	790.00
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19525	1,107.00	
11.8 GALLON (45 L) 22" RIGHT SIDE FRAME M DF19545	224.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19625	1,107.00	
6.6 GALLON (25 L) 22" LEFT SIDE FRAME MOU DF19645	81.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19725	553.00	
6.6 GALLON (25 L) 22" RIGHT SIDE FRAME MO DF19925	162.00	
EXHAUST		
SINGLE VERTICAL RIGHT SIDE OUTBOARD M 1305001	398.00	
SINGLE VERTICAL RIGHT SIDE OUTBOARD M 1305002	Option	-
SINGLE VERTICAL RIGHT SIDE OUTBOARD M 1305021	Standard	Standard
SINGLE VERTICAL RIGHT SIDE OUTBOARD M 1305022	Option	-
EXHAUST HEAT SHIELD, ADD'L (CA)		
EXHAUST HEAT SHIELD FOR TURBO 15A-B1X	-	
EXHAUST SYSTEM MATERIAL FINISH		
STANDARD EXHAUST SYSTEM MATERIAL FIN EXMF-STD	Standard	Standard
STANDARD EXHAUST SYSTEM FINISH, W/ HE Q0A-A2X	732.00	732.00
REGENERAT CONTROL SWITCH, DPF		
DPF REGENERATION CONTROL SWITCH, NO DRS-UI	Standard	-
DPF REG CONTROL SWITCH NO INHIBIT, ONL W4B-D1X	894.00	
EMISSION ON BOARD DIAG CONTROL		
EMISSION OBD, DISPLAY ONLY, USA2018 EOBD-U18	Standard	Standard
EMISSION OBD, DISPLAY ONLY, USA2020 EOBD-U20	Option	-
ENGINE EQUIPMENT		
AIR CLEANER		
13" SINGLE ELEMENT, DRY TYPE W/SNORKEI 1250409	56.00	
13" SINGLE ELEMENT, DRY TYPE W/SNORKEI 1250410	Standard	-
15" SINGLE ELEMENT, DRY TYPE, AIR RESTR 1250411	-	
15" SINGLE ELEMENT, DRY TYPE, AIR RESTR 1250412	-	Standard
WINTERFRONT		
WITHOUT WINTERFRONT UWIFRONT	-	
WINTERFRONT, BASIC WIFRONT	-	Standard
COMPRESSOR CAPACITY		
2 CYL.860 L/MIN. WABCO COMPRESSOR 2COMP860	-	Standard
2 CYL. 900 L/MIN COMPRESSOR 2COMP900	Standard	-
AIR DRYER - MANUFACTURER		
BENDIX AIR DRYER AD-IPEP W/O TURBO CUT AIRM-B14	245.00	245.00
BENDIX AD-IPEP W/ T CUT OFF VALVE & COA AIRM-B15	245.00	245.00
HALDEX AIR DRYER, DRYEST AIRM-HD1	98.00	
WABCO AIR DRYER, SSTWIN WITH COALESC AIRM-W10	793.00	
WABCO AIR DRYER, 1800P WITH COALESCIN AIRM-W11	-	Standard
WABCO AIR DR, 1800P W/O T CUT OFF VALV AIRM-W12	Standard	-
WABCO AIR DRYER, 1800P WITH COALESCIN VHX-EHX	112.00	
ALTERNATOR		
LEECE NEVILLE 12V 145A BRUSH-TYPE 1321108	102.00	
LEECE NEVILLE 12V 160A BRUSH-TYPE 1321111	151.00	
LEECE NEVILLE 12V 200A BRUSH-TYPE 1321118	683.00	
LEECE NEVILLE 12V 270A BRUSH-TYPE 1321119	969.00	
LEECE NEVILLE 12V 160A BRUSHLESS 1321120	154.00	
DELCO 12V 135A (35SI) BRUSHLESS 1321226	150.00	
DELCO 12V 130A (24SI) BRUSH-TYPE 1321228	Standard	-
DELCO 12V 145A (24SI) BRUSH-TYPE 1321229	32.00	
DELCO 12V 165A (36SI) BRUSHLESS W/ REMC 1321235	218.00	134.00
DELCO 12V 160A (24SI) BRUSH-TYPE 1321236	84.00	
DELCO 12V 160A (24SI) BRUSH-TYPE 1321236	84.00	
LEECE NEVILLE 12V 320A BRUSH-TYPE 1329003	908.00	
DELCO 12V 240A (40SI) BRUSHLESS W/ REMC 1329006	837.00	
DELCO 12V 200A (28SI) BRUSH-TYPE W/ REM 1329007	170.00	
MITSUBISHI 12V 160A BRUSHLESS, W/ REMO 1329009	320.00	236.00
BATTERIES		
(3) MACK 12V 760/2280 CCA THREADED STUD 3165104	30.00	30.00

(3) MACK 12V 650/1950 CCA THREADED STUD 3165105	Standard	Standard
(3) MACK 12V 1000/3000 CCA THREADED STUI3165106	97.00	97.00
(3) MACK 12V 800/2400 CCA THREADED STUD 3165108	385.00	385.00
(4) MACK 12V 1000/4000 CCA THREADED STUI3166105	268.00	268.00
BATTERY BOX - MOUNTING		
LH BATT BOX, 3 BATT MAX, 3250MM FROM FR 3930030	74.00	74.00
LH BATT BOX, 3 BATT MAX, 1314MM FROM FR 3939039	131.00	131.00
PERPENDICULAR TO FRAME 11" FROM NTOF 3939048	Standard	Standard
LH BATT BOX, 3 BATT MAX, 3250MM FROM FR 3939069	147.00	147.00
RH BATT BOX, 3 BATT MAX, 713MM FROM FR 3939073	107.00	107.00
LH BATT BOX, 3 BATT MAX, 1855MM FROM FR 3939074	72.00	72.00
LH BATT BOX, 3 BATT MAX, 1600MM FROM FR 3939081	107.00	107.00
LH BATT BOX, 3 BATT MAX, 1552MM FROM FR 3939082	172.00	172.00
RH BATT BOX, 3 BATT MAX, 2845MM FROM FF 3939083	182.00	182.00
LH BATT BOX, 3 BATT MAX, 744MM FROM FRC 3939086	127.00	127.00
RH BATT BOX, 3 BATT MAX, 2820MM FROM FF 3939112	72.00	72.00
LH BATT BOX, 4 BATT MAX, 780MM FROM FRC 3939122	72.00	72.00
RH BATT BOX, 4 BATT MAX, 780MM FROM FRC 3939123	72.00	72.00
RH BATT BOX, 3 BATT MAX, 1448MM FROM FF 3939126	172.00	172.00
LH BATT BOX, 3 BATT MAX, 3493MM FROM FR 3939130	147.00	147.00
LH BATT BOX, 3 BATT MAX, 3160MM FROM FR 3939131	72.00	72.00
LH BATT BOX, 3 BATT MAX, 1524MM FROM FR 3939132	93.00	93.00
LH BATT BOX, 3 BATT MAX, 3345MM FROM FR 3939135	147.00	147.00
RH BATT BOX, 3 BATT MAX, 2872MM FROM FF 3939137	93.00	93.00
RH BATT BOX, 3 BATT MAX, 2648MM FROM FF 3939144	93.00	93.00
RH BATT BOX, 3 BATT MAX, 2755MM FROM FF 3939146	74.00	74.00
LH BATT BOX, 3 BATT MAX, 1865MM FROM FR 3939147	107.00	107.00
LH BATT BOX, 3 BATT MAX, 735MM FROM FRC 3939148	145.00	145.00
LH BATT BOX, 3 BATT MAX, 716MM FROM FRC 3939151	181.00	181.00
RH BATT BOX, 3 BATT MAX, 1400MM FROM FF 3939152	81.00	81.00
LH BATT BOX, 3 BATT MAX, 3045MM FROM FR 3939153	133.00	133.00
LH BATT BOX, 3 BATT MAX, 2394MM FROM FR 3939164	147.00	147.00
LH BATT BOX, 3 BATT MAX, 2394MM FROM FR 3939164	147.00	147.00
LH BATT BOX, 3 BATT MAX, 854MM FROM FRC 3939166	145.00	145.00
RH BATT BOX, 3 BATT MAX, 2773MM FROM FF 3939167	93.00	93.00
LH BATT BOX, 3 BATT MAX, 1580MM FROM FR 3939169	147.00	147.00
LH BATT BOX, 3 BATT MAX, 1540MM FROM FR 3939170	93.00	93.00
RH BATT BOX, 3 BATT MAX, 2692MM FROM FF 3939172	95.00	95.00
LH BATT BOX, 3 BATT MAX, 3380MM FROM FR 3939173	147.00	147.00
LH BATT BOX, 3 BATT MAX, 3240MM FROM FR 3939175	147.00	147.00
LH BATT BOX, 3 BATT MAX, 1310MM FROM FR 3939176	72.00	72.00
LH BATT BOX, 3 BATT MAX, 1293MM FROM FR 3939177	150.00	150.00
LH BATT BOX, 3 BATT MAX, 1752MM FROM FR 3939178	107.00	107.00
LH BATT BOX, 3 BATT MAX, 3493MM FROM FR 3939179	147.00	147.00
LH BATT BOX, 3 BATT MAX, 3290MM FROM FR 3939180	147.00	147.00
LH BATT BOX, 3 BATT MAX, 705MM FROM FRC 3939181	145.00	145.00
BATTERY BOX COVER		
POLISHED ALUMINUM BATTERY BOX COVER BBOXC-AP	60.00	60.00
BASIC BATTERY BOX COVER BBOXC-BA	Standard	Standard
STEEL, LOCKABLE, BATTERY BOX COVER BBOXC-SL	34.00	34.00
EMERGENCY START CONNECTIONS		
EMERGENCY START STUDS, BATTERY BOX ESS-BBM	162.00	162.00
EMERGENCY START STUDS, BATTERY BOX ESS-BBM	162.00	162.00
EMERGENCY START STUD,WHITAKER CABLE ESS-BOCB	150.00	150.00
EMERGENCY START STUD,WHITAKER CABLE ESS-BOCB	150.00	150.00
EMERGENCY START STUDS, B.O.C. - SPECIAL ESS-BOCS	150.00	150.00
EMERGENCY START STUDS, B.O.C. - SPECIAL ESS-BOCS	150.00	150.00
WITHOUT EMERGENCY START CONTACTS UESS	Standard	Standard
WITHOUT EMERGENCY START CONTACTS UESS	Standard	Standard
BATTERY CABLES SIZE (CA)		
BATTERY CONNECTING CABLES SIZE, HEAVY BATCS-B3	21.00	21.00
BATTERY CONNECTING CABLES SIZE, HEAVY BATCS-B3	21.00	21.00
BATTERY DISCONNECT SWITCH		
W/O BATTERY DISCONNECT SWITCH 3180000	Standard	Standard
W/O BATTERY DISCONNECT SWITCH 3180000	Standard	Standard
FLAMING RIVER BIG SWITCH WIRED TO POS 3180010	131.00	131.00
FLAMING RIVER BIG SWITCH WIRED TO POS 3180010	131.00	131.00
FLAMING RIVER BIG SW POSTIVE CONNECT 3180011	183.00	183.00
FLAMING RIVER BIG SW POSTIVE CONNECT 3180011	183.00	183.00
FLAMING RIVER SW W/LOCK; CHASSIS MOUNT 3180012	490.00	490.00
FLAMING RIVER SW W/LOCK; CHASSIS MOUNT 3180012	490.00	490.00
SWITCH MOUNTED ON FRONT SIDE OF BATT 3189022	219.00	219.00
KISSLING #35-314-131-S-901 300AMP BATT CUT 3189026	198.00	198.00
KISSLING FULL POS BATT PWR DISCONNECT 3189027	201.00	201.00
STARTER MOTOR		
12V STANDARD STARTER DELCO 39MTHD 12STR-S2	Standard	-
12 V STANDARD STARTER, (MELCO) MITSUI 12STR-SM	67.00	
ENGINE BRAKE		

W/O ENGINE BRAKE	1100000	-204.00	
ENGINE BRAKE LIGHTING (CA)			
ENGINE BRAKE LIGHTING ON WITH ENGINE BRAKE	BRLI-EB	261.00	261.00
FAN DRIVE			
BEHR FAN AND ELECTRONIC MODULATING V	1180027	Standard	-
HORTON FAN, "ON-OFF"	1181011	-	Standard
COOLANT PROTECTION			
ETHYLENE GLYCOL EXTENDED LIFE COOLAN	1192003	29.00	
ETHYLENE GLYCOL EXTENDED LIFE COOLAN	1192004	-	Standard
ETHYLENE GLYCOL FULLY FORMULATED CO	1192005	Standard	-
ETHYLENE GLYCOL FULLY FORMULATED CO	1192006	118.00	
ETHYLENE GLYCOL FULLY FORMULATED CO	1192007	-	Option
COOLING PERFORMANCE			
WITH AUXILIARY COOLING	5081007	2,142.00	5,256.00
W/O AUXILIARY COOLING	5081008	Standard	Standard
HOSES - RADIATOR/HEATER			
SILICONE RADIATOR AND HEATER HOSES	1240002	Standard	Standard
SILICONE W/ SPRING LOADED CLAMPS FOR I	1240009	98.00	98.00
SILICONE W/ LOOM ON HEATER HOSE ONLY	1249000	21.00	21.00
SILICONE W/FULL-LENGTH LOOM ON ALL HE	1249020	32.00	
SILICONE HOSES, SPRING CLMPS ON RAD/H	1249027	123.00	
FUEL-WATER SEPARATOR			
MACK W/MANUAL DRAIN VALVE (INTEGRAL V	2930001	Standard	-
DAVCO 382, (FLUID HTD) FUEL HEATER/WATE	2931000	569.00	
RACOR FUEL FILTER 1000 FH, 12V/ELECTRIC	2931003	550.00	
RACOR FUEL FILTER 1000 FH NON-HEATED	2931004	358.00	
DAVCO 382 (W/ FLUID HEAT) 120V HEATER EI	2939088	471.00	
DAVCO, 384 BIO-DIESEL FUEL 12V HEAT W/VI	2939096	1,112.00	
PRIMARY FUEL FILTER POSITION (CA)			
FUEL FILTER POS, MOUNTED TOGETHER WI	FPP-25	55.00	55.00
FUEL FILTER POSITION, MTD OUTSIDE RH RA	FPP-3	63.00	63.00
FUEL FILTER POS, MTD OUTSIDE LH RAIL AS	FPP-9	63.00	63.00
AUX. FUEL SYSTEM EQUIPMENT			
AUXILLARY FUEL HEATER, HOT RECIRCULAT AF-R		Option	-
WITHOUT AUX. FUEL SYSTEM EQUIPMENT	UAUXFUEL	Standard	-
FUEL HEATING EQUIPMENT			
FUEL EQUIPMENT, HEATER FOR THE CNG SL	E8X-M1X	-	Standard
WITHOUT FUEL HEATER EQUIPMENT	UFUEQWH	-	
OIL PAN			
OIL SUMP STEEL	OILS-ST	Standard	-
OIL SUMP STEEL, CORROSION RESISTANT	OILS-ST2	185.00	
ENGINE HEATERS			
W/O STARTING AID + W/O BLOCK HEATER +	MCA0000	Standard	-
W/O STARTING AID + 120v 1000w BLOCK HEA	MCA0001	274.00	
W/O STARTING AID + 120v 1500w BLOCK HEA	MCA0002	296.00	
W/O STARTING AID + 120v 1000w BLOCK HEA	MCA0003	74.00	
W/O STARTING AID + 120v 1500w BLOCK HEA	MCA0004	95.00	
W/O STARTING AID + 220v 1500w BLOCK HEA	MCA0006	190.00	
W/O STARTING AID + CUMMINS BLOCK HEAT	MCA0008	-	
W/O STARTING AID + CUMMINS BLOCK HEAT	MCA0009	-	Standard
12v ELECTRIC STARTING AID + W/O BLOCK H	MCA0050	78.00	
12v ELECTRIC STARTING AID + 120v 1000w BL	MCA0051	352.00	
12v ELECTRIC STARTING AID + 120v 1500w BL	MCA0052	373.00	
12v ELECTRIC STARTING AID + 120v 1000w BL	MCA0053	151.00	
12v ELECTRIC STARTING AID + 120v 1500w BL	MCA0054	173.00	
12v ELECTRIC STARTING AID + 220v 1500w BL	MCA0056	268.00	
ENGINE BLOCK HEATER RECEPTACLE (CA)			
ENGINE BLOCK HEATER RECEPTACLE, BASI	EBHR-BAS	Option	Standard
ENGINE BLOCK HEATER RECEPTACLE, MTD	IEBHR-LRC	27.00	27.00
WITHOUT ENGINE BLOCK HEATER RECEPTA	UEBHR	Standard	-
ENGINE OIL DRAIN KIT			
ENGINE OIL DRAIN KIT, FLOCS, SAE 100R2 H	KHZX-BEX	199.00	199.00
WITHOUT ENGINE OIL DRAIN KIT	UENGDRFL	Standard	-
TETHER DEV PKG, CAPS & COVERS			
TETHER PK2: BATT BOX COVER	TDCC-P2	Option	Standard
TETHER PK5:ENG/TRANS OIL FILL,EXP TNK,P	TDCC-P5	34.00	34.00
TETHER DEV PK7(P1+PS RESV,TRANSM FILL	TDCC-P7	48.00	48.00
WITHOUT TETHER DEVICE PKG FOR CAPS &	UTDCC	Standard	Option
OIL SAMPLING VALVE (CA)			
OIL SAMPLING VALVE, PUSH BUTTON TYPE	4EC-A1X	167.00	
PRIME PUMP (CA)			
PRIME-PUMP ELECTRICAL	PRIM-EL	121.00	
ALCOHOL EVAPORATOR			
WITH ALOCHOL EVAPORATOR	ALEVAP	144.00	144.00

CLUTCH/TRANS EQUIPMENT

GEARSHIFT INHIBITOR (CA)			
GEAR SHIFT INHIBITOR	GEARSI	203.00	203.00
WITHOUT GEAR SHIFT INHIBITOR	UGEARSI	Standard	Standard

CLUTCH

OMIT CLUTCH	1330000	Standard	-
ZF/SACHS SINGLE PLATE 17" (430MM) ORGAN	1335201	Option	-
EATON ADVANTAGE EZ-PEDAL VCT+ 7-SPRIN	1335500	934.00	
EATON ADVANTAGE EZ-PEDAL 9-SPRING,2PL	1335503	Option	-
EATON ADVANTAGE SOLO VCT+ 7-SPRING, 2	1335600	1,091.00	
EATON ADVANTAGE SOLO 9-SPRING,2PLATE	1335603	184.00	

CLUTCH PEDAL PAD

CLUTCH PEDAL PAD, OPEN GRATED	CPPAD-OG	19.00	
-------------------------------	----------	-------	--

DRIVELINE - MAIN

MERITOR RPL25HD W/ PERMALUBE U-JOINT:	1951104	2,138.00	2,138.00
MERITOR 17 MXL "XTENDED LUBE" (PROPS-S	1951201	-46.00	-46.00
MERITOR 176 MXL "XTENDED LUBE" (PROPS-	1951202	Standard	Standard
MERITOR 18 MXL "XTENDED LUBE" (PROPS-L	1951203	1.00	1.00
MERITOR MXL "XTENDED LUBE" 18 DOUBLE E	1951205	1,495.00	1,495.00
MERITOR RPL35, WITH CROSS SERRATED YC	1951301	756.00	
MERITOR RPL35, WITH SERRATED JOINT W/I	1951305	2,280.00	2,280.00
SPICER 1710 HD W/COATED SPLINES (PROP:	1952002	-45.00	-45.00
SPICER 1760 W/COATED SPLINES (PROPS-M)	1952003	1.00	1.00
SPICER 1810 HD W/COATED SPLINES (PROP:	1952005	126.00	126.00
DANA/SPICER 1760 W/DOUBLE BEARING DE:	1952009	1,463.00	1,463.00
SPICER SPL170XL "EXTENDED LUBE SERIES"	1952201	403.00	403.00
SPICER SPL250XL "EXTENDED LUBE SERIES"	1952202	462.00	462.00
SPICER SPL250HDXL "EXTENDED LUBE SERII	1952203	474.00	474.00
SPICER SPL350XL "EXTENDED LUBE SERIES"	1952204	485.00	
DANA/SPICER SPL350XL W/DOUBLE BEARINC	1952305	1,685.00	1,685.00
DANA/SPICER 1810 DOUBLE BEARING DESIGI	1959019	1,331.00	1,331.00

DRIVELINE - INTERAXLE

MERITOR RPL20 W/PERMALUBE	2041101	359.00	359.00
MERITOR 17 MXL "XTENDED LUBE"	2041202	Standard	Standard
MERITOR 18 MXL "XTENDED LUBE"	2041203	106.00	106.00
MERITOR RPL25	2041301	347.00	347.00
SPICER 1710 HD W/COATED SPLINES	2042003	62.00	62.00
SPICER 1810 W/COATED SPLINES	2042004	126.00	126.00
SPICER SPL170XL "LIFE SERIES"	2042201	308.00	308.00
SPICER SPL250HDXL EXTENDED LUBE SERIE	2042203	343.00	

PROP SHAFT BEARING GUARD

PROP SHAFT CENTER BEARING GUARD	PSBG-C	41.00	41.00
WITHOUT PROP SHAFT BEARING GUARD	UPSBG	Standard	Standard

LUBRICANTS, TRANSMISSION

PETROLEUM OIL IN TRANSMISSION	LUBET-PE	-546.00	-546.00
SYNTHETIC OIL IN TRANSMISSION, 75W-90	LUBET-S3	-443.00	-443.00
SYNTHETIC OIL IN TRANSMISSION	LUBET-SN	-443.00	-443.00
SYNTHETIC OIL IN TRANSMISSION, TRANSYN	LUBET-ST	Standard	Standard

TRANSMISSION OIL COOLER

TRANS OIL COOLER (INTEGRAL OIL PUMP)	1390001	468.00	
INTERNAL TRANSMISSION OIL COOLER FOR I	1390019	468.00	
MACK mDRIVE TRANSMISSION OIL COOLER I	1390026	28.00	
REMOTE MOUNTED OIL COOLER FURNISH FC	1393100	-	Standard
FURNISH FOR ALLISON TRANSMISSION W/DII	1399006	Standard	-
FURNISH FOR ALLISON TRANS. W/DIRECT MC	1399009	412.00	384.00

TRANSMISSION OIL MONITORING

TRANSM OIL MONITORING, REMOTE FITTING TOM		129.00	129.00
WITHOUT TRANSMISSION OIL MONITORING	UTOMRF	Standard	Standard

FRONT AXLE EQUIPMENT

FRONT AXLE

18000# (8200 KG) MACK FXL18 (WIDE PIVOT C	2401500	Option	Option
20000# (9100 KG) MACK FXL20 WIDE PIVOT CI	2401501	Standard	Standard
23000# (10400 KG) MACK FXL23 WIDE PIVOT	2401505	368.00	368.00
12000# (5400 KG) MACK FXL12 STRAIGHT SPII	2401506	-985.00	-985.00
14600# (6600 KG) MACK FXL14.6 STRAIGHT SF	2401507	-804.00	
16500# (7500 KG) MACK FXL16.5 STRAIGHT SF	2401508	-52.00	-52.00
20000# (9100 KG) MACK FXL20 TAPERED SPIN	2401523	305.00	305.00
FXL20 STD LOC W/2ND FXL20 (same beams) TI	2401600	7,027.00	7,027.00
FXL20 STD LOC W/2ND FXL20 (different beams)	2401650	7,027.00	7,027.00
FXL20 STD LOC W/ (2) FXL20 AXLES TEMP MT	2401750	14,053.00	14,053.00
FXL20 STD LOC W/ (2) FXL20 AXLES (DIFFERE	2401850	14,053.00	14,053.00

VEHICLE PREP, ADDITIONAL AXLES

VEHICLE PREP 1 ADDITIONAL AXLE, DIFF. AX	7QB-A3X	Option	Option
VEHICLE PREP, 2 ADDITIONAL AXLES, FRON1	7QB-A7X	Option	Option
VEHICLE PREPARATION, 1 ADDITIONAL AXLE	VPA-1FS	Option	Option

SPRINGS - FRONT

MACK TAPERLEAF 20000# (9100 KG) GROUND	2441011	Standard	Standard
MACK MULTILEAF 18000# (8200 KG) GROUND	2442002	Option	Option
MACK MULTILEAF 20000# (9100 KG) GROUND	2442003	46.00	46.00
MACK MULTILEAF HD 18000# (8200 KG) GROU	2442008	47.00	47.00
MACK MULTILEAF 14600# (6600 KG) GROUND	2442009	Option	-
MACK MULTILEAF HD 20000# (9100 KG) GROU	2442011	94.00	94.00

MACK MULTILEAF 23000# (10400 KG) GROUNE 2442014	Option	Option
FRONT AXLE BRAKES		
MERITOR "S" CAM TYPE 16.5" x 6" Q+ 2411105	Standard	Standard
MERITOR "S" CAM TYPE 16.5" x 5" Q+ 2411108	-38.00	-38.00
MERITOR "S" CAM 16.5" X 7" Q-PLUS BRAKES 2411115	348.00	348.00
BENDIX NEXT GENERATION DRUM BRAKE, HI 2414208	-192.00	-192.00
BENDIX NEXT GENERATION DRUM BRAKE, HI 2414209	-118.00	-118.00
MERITOR EX+ AIR DISC BRAKES 430MM (17") 2416311	769.00	769.00
FRONT AXLE BRAKE DUST SHIELD		
FRONT BRAKES WITH DUST SHIELDS FBRDUST	27.00	27.00
FRONT BRAKES DUST SHIELD WITH RUBBER FBRDUSTI	34.00	34.00
FRONT BRAKES WITHOUT DUST SHIELDS UFBRDUST	Standard	Standard
SHOCK ABSORBER, FRONT		
SHOCK ABSORBER, FRONT FSHABS	Standard	Standard
SHOCK ABSORBER, FRONT FSHABS	Standard	Standard
WITH SHOCK ABSORBER, FRONT, KONI FSHABS-K	166.00	166.00
WITHOUT SHOCK ABSORBER, FRONT UFSHABS	-153.00	-153.00
STEERING		
SHEPPARD M100P POWER 2452206	-218.00	-218.00
SHEPPARD XD120 STEERING GEAR (RATIO 2: 2452217	Standard	Standard
POWER STEERING, COOLER		
POWER STEERING, COOLER PSCOOOL	1,142.00	
WITHOUT POWER STEERING, COOLER UPSCOOOL	Standard	-
BUMP STOP, FRONT SUSPENSION		
BUMP STOP, FRONT SUSPENSION, FRAME M BUMPSFS	220.00	220.00
WITHOUT BUMP STOP, FRONT SUSPENSION UBUMPSFS	Standard	Standard

REAR AXLE EQUIPMENT

REAR AXLES - TANDEM		
44000# (20000kg) MACK S440 FABRICATED ST 2681004	1,901.00	1,901.00
40000# (18100kg) MACK S40 2681018	659.00	659.00
58000# (26300kg) MACK S582 CAST DUCTILE II 2681021	6,443.00	
65000# (29500kg) MACK S652 CAST DUCTILE II 2681022	10,044.00	10,044.00
46000# (20900kg) MACK S462R CAST DUCTILE 2681026	2,487.00	2,487.00
46000# (20900kg) MACK S462R CAST DUCTILE 2681026	2,487.00	2,487.00
38000# (17200kg) MACK S38R FABRICATED ST 2681028	Standard	Standard
52000# (23600kg) MACK S522R CAST DUCTILE 2681030	4,376.00	4,376.00
40000# (18100kg) MACK S402R CAST DUCTILE 2681031	599.00	599.00
46000# (20900kg) MACK S460 FABRICATED ST 2681032	2,560.00	
46000# (20900kg) MERITOR RT46-160 (SINGLE 2682010	1,798.00	1,798.00
46000# (20900kg) MERITOR RT46-164EH 2682021	1,874.00	1,874.00
40000# (18100kg) MERITOR MT40-14X4D HYPC 2682114	-535.00	-535.00
44000# (20000kg) MERITOR MT-44-14X5D HYP 2682115	1,042.00	1,042.00
CAC S462R 46000LB-MACK 20900KG PREPAR 268C121	12,041.00	12,041.00
REAR AXLE CASING WIDTH		
REAR AXLE CASING WIDTH, MEDIUM RACWD-M	736.00	736.00
REAR AXLE CASING WIDTH, STANDARD RACWD-ST	Standard	Standard
REAR AXLE CASING WIDTH, WIDE (WIDTH 1) RACWD-W	1,519.00	1,519.00
LUBE PUMP, REAR AXLE		
LUBE PUMP , REAR AXLE RA-LUBEP	222.00	222.00
WITHOUT LUBE PUMP ,REAR AXLE URALUBEP	Standard	Standard
CARRIER - REAR AXLE		
CRDP150/151 AVAILABLE WITH OPTIONAL DR 0180153	Standard	Standard
CRDP150/1511 WITH MECHANICAL INTERWF 0180154	4,024.00	4,024.00
CRDP95/CRD96 0180601	Option	Option
CRDP180/181 AVAILABLE WITH OPTIONAL DR 0180714	1,109.00	1,109.00
CRDP180/1811 WITH MECHANICAL INTERWF 0180715	5,347.00	5,347.00
REAR SUSPENSION - TANDEM		
SS582 MACK MULTILEAF (CAMELBACK) 58000 1861039	6,798.00	
SS652 MACK MULTILEAF (CAMELBACK) 65000 1861040	7,864.00	7,864.00
SS40 -MACK MULTILEAF (W/ Anti-Sway) 1861044	945.00	945.00
SS440 MACK MULTILEAF (CAMELBACK) 44000 1861074	357.00	357.00
SS440 MACK MULTILEAF (CAMELBACK) 44000 1861075	389.00	389.00
SS462 MACK MULTILEAF (CAMELBACK) 46000 1861076	529.00	529.00
SS462 MACK MULTILEAF (CAMELBACK) 46000 1861077	635.00	635.00
SS52 MACK MULTILEAF (CAMELBACK) 52000# 1861080	1,590.00	1,590.00
SS52 MACK MULTILEAF (CAMELBACK) 52000# 1861081	1,749.00	1,749.00
MACK AL-461 AIR 46000# (NOT FOR USE WITI 1861508	1,443.00	1,443.00
MACK mRIDE 40 PARABOLIC 2-LEAF, 40000# † 1861603	934.00	934.00
MACK mRIDE 40 PARABOLIC 3-LEAF, 40000# § 1861604	1,062.00	1,062.00
MACK mRIDE 46 PARABOLIC 3-LEAF, 46000# 1861610	1,265.00	1,265.00
MACK mRIDE 52 PARABOLIC 3-LEAF, 52000# 1861630	2,246.00	
MACK mRIDE 52 MULTILEAF 11-LEAF, 52000# 1861631	2,358.00	
S440 MACK MULTILEAF (CAMELBACK) 46000# 1861934	679.00	679.00
HN402 HENDRICKSON STEEL WALKING BEAM 1862405	1,449.00	1,449.00
HN462 HENDRICKSON STEEL WALKING BEAM 1862406	1,487.00	1,487.00
HN522 HENDRICKSON STEEL WALKING BEAM 1862418	2,624.00	
HMX400 HENDRICKSON 40000# 1862419	1,248.00	1,248.00
HMX460 HENDRICKSON HAULMAX RUBBER 1862420	1,721.00	1,721.00

HMX 460 HENDRICKSON WITH REBOUND STF 1862425		1,806.00	1,806.00
PAX 460 HIGH STABILITY HENDRICKSON PRII 1862501		2,919.00	2,919.00
BOGIE SPREAD, REAR			
BOGIE SPREAD, 1270MM (50.0")	BSR1270	Standard	Standard
BOGIE SPREAD, 1397MM (55.0")	BSR1397	180.00	180.00
BOGIE SPREAD, 1397MM (55.0")	BSR1397	180.00	180.00
BOGIE SPREAD, 1422MM (56.0")	BSR1422	Option	Option
BOGIE SPREAD, 1473MM (58.0")	BSR1473	180.00	
BOGIE SPREAD, 1500MM (59.0")	BSR1500	465.00	465.00
BOGIE SPREAD, 1524MM (60.0")	BSR1524	465.00	465.00
BOGIE SPREAD, 1600MM (63.0")	BSR1600	267.00	267.00
BOGIE SPREAD, 1670MM (66.0")	BSR1670	465.00	
BOGIE SPREAD, 1778MM (70.0")	BSR1778	267.00	
BOGIE SPREAD, 1803MM (71.0")	BSR1803	267.00	
BOGIE SPREAD, 1829MM (72.0")	BSR1829	305.00	305.00
BOGIE SPREAD, 1841MM (72.5")	BSR1841	305.00	305.00
BOGIE SPREAD, 1854MM (73.0")	BSR1854	277.00	277.00
BOGIE SPREAD, 1981MM (78.0")	BSR1981	420.00	
BOGIE SPREAD, 2007MM (79.0")	BSR2007	420.00	
BOGIE SPREAD, 2032MM (80.0")	BSR2032	478.00	
BOGIE SPREAD, 2160MM (85.0")	BSR2160	515.00	
BOGIE SPREAD, 2438MM (96.0")	BSR2438	550.00	550.00
SUSPENSION LEVELLING DEVICE			
LEVEL REGULATION MECHANICAL RAISING WITHOUT SUSP. LEVELLING DEVICE	SUSPL-MR USUSPLEV	101.00 Standard	101.00 Standard
MANUAL REGULATION LEVELLING DEVICE, O	ZAX-G3X	793.00	793.00
MANUAL REG LEVELLING W/AIR RETENTION	ZAX-G5X	1,089.00	1,089.00
REAR SPRING INSULATOR MAT'L			
REAR SPRING INSULATOR, RUBBER	RSI-RUB	Standard	Standard
REAR SPRING INSULATOR, URETHANE	RSI-URE	194.00	194.00
WITHOUT REAR SPRING INSULATOR	URSI	Option	Option
REAR SHOCK ABSORBER			
SHOCK ABSORBER, REAR	RSHABS	192.00	192.00
SHOCK ABSORBER, FORWARD OF 2ND REAF	RSHABSO	229.00	229.00
SHOCK ABSORBER, REAR, UNDER FRAME FL	RSHABSUF	714.00	714.00
WITHOUT SHOCK ABSORBER, REAR	URSHABS	Standard	Standard
BUMP STOP EXTENSION, REAR SUSP (CA)			
BUMP STOP EXTENSION, REAR SUSPENSION	BUMPSR	Option	Option
BUMP STOP, REAR SUSPENSION, 2ND AXLE	BUMPSR2	42.00	42.00
TRANSVERSE TORQUE RODS, R SUSP			
REAR SUSP TRANSVERSE TORQUE RODS, AI	TTR-AD	470.00	470.00
BRAKES - REAR			
MERITOR CAM 16.5"x7" P BRAKES	2531101	-7.00	-7.00
MERITOR "S" CAM 18"x7.0 P	2531102	-7.00	-7.00
MERITOR "S" CAM 16.5"x7" Q+	2531104	Standard	Standard
MERITOR HEAVY DUTY "S" CAM 16.5"x7" Q+	2531105	-65.00	-65.00
MERITOR - CAM 16.5"x8 5/8" Q+	2531108	133.00	133.00
MERITOR - CAM 16.5"x8.0" Q+	2531109	70.00	70.00
MERITOR CAM HEAVY DUTY 16.5 X 8 5/8"	2531114	127.00	127.00
BENDIX ES165-080D, 16.5x8.0 CAST SPIDER	2534207	79.00	79.00
BENDIX NEXT GENERATION DRUM BRAKE, HI	2534209	101.00	101.00
BENDIX NEXT GENERATION DRUM BRAKE, HI	2534210	557.00	557.00
MERITOR EX+ AIR DISC BRAKES, 430MM (17")	2536311	1,701.00	1,701.00
BRAKE, DRIVE, REAR			
BRAKE DRIVE, REAR, DISC LIGHT WEIGHT	BR-DILW	-170.00	-170.00
BRAKE DRIVE, REAR, CAST IRON BRAKEDRU	BR-DRCAS	Standard	Standard
CENTRIFUSE BRAKEDRUM, REAR AXLE	BR-DRCEN	134.00	134.00
DRIVE AXLE BRAKE DUST SHIELD			
REAR DRIVE BRAKES WITH DUST SHIELDS	DBRDUST	49.00	49.00
DRIVE BRAKES DUST SHIELD WITH RUBBER	DBRDUSTI	66.00	66.00
REAR DRIVE BRAKES WITHOUT DUSTSHIELD	UDBRDUST	Standard	Standard
REAR BRAKE CHAMBER SIZE			
REAR BRAKE CHAMBER 24 / 24 SQ INCHES (S	RBCS2424	Option	Option
REAR BRAKE CHAMBER 30 / 30 SQ INCHES (S	RBCS3030	Standard	Standard
REAR BRAKE CHAMBER			
HALDEX "GOLD SEAL" BRAKE CHAMBERS	3000002	-154.00	-154.00
***** Reference Material Spring Brake Chamber Ir	300000D	-120.00	-120.00
HALDEX "LIFE SEAL PLUS" BRAKE CHAMBER:	3000020	8.00	8.00
WABCO BRAKE CHAMBERS VENDOR	3000100	-120.00	-120.00
MGM TR-T; TAMPER-RESISTANT BRAKE CHAI	3009005	Standard	Standard
MGM TR-T(TAMPER RESIST.BRK CHMBRS)F	3009013	-107.00	-107.00
MGM TR3030LP3THD BRAKE CHAMBERS	3009019	-58.00	-58.00
MGM MODEL TR-TS;TAMPER- RESISTANT BR/	3009020	11.00	11.00
MGM TR-T (TAMPER RESISTANT BRAKE CHAI	3009027	-95.00	-95.00
TSE HIGH OUTPUT REAR BRAKE CHAMBER	3009030	31.00	31.00
BRAKE CHAMBER DIAPHRAGM MATERIAL (CA)			
BRAKE CHAMBER DIAPHRAGM, BASIC	BRCD-BAS	Standard	Standard
BRAKE CHAMBER DIAPHRAGM, NEOPRENE	BRCD-NEO	5.00	5.00

HUB MATERIAL, DRIVE

IRON TRUE-SET HUB, GUNITE WITH TIMKEN : 0LX-E8X	133.00	133.00
IRON PRESET HUB, CONMET, WITH 'TIMKEN' HBD-PSI2	1,239.00	1,239.00
BASIC MATERIAL HUB (STEEL/CAST IRON) ,DIHUBD-BAS	Option	Option
ALUMINUM PRESET HUB, DRIVE W/ INTEGRA HUBD-PAS	681.00	681.00
IRON PRESET HUB, DRIVE, W/ INTEGRATED : HUBD-PIS	Standard	Standard
IRON PRESET HUB, CONMET, WITH GENERIC HUBD-PSI	455.00	455.00

POWER DIVIDER LOCKOUT

DIFFERENTIAL LOCK SWITCH, BUZZER & LIG DLS-BL	Standard	Standard
WITHOUT DIFFERENTIAL LOCK SWITCH UDLS	Option	Option

LUBRICANTS, REAR AXLE(s)

PETROLEUM OIL IN REAR AXLE CHEVRON DE LUBER-DE	103.00	103.00
PETROLEUM OIL IN REAR AXLE LUBER-PE	Standard	Standard
SYNTHETIC OIL IN REAR AXLE, 75W-90 LUBER-SN	162.00	162.00

TRACTION DIFFERENTIAL

OMIT DIFFERENTIAL LOCKS 2540000	Standard	Standard
DRIVER CONTROLLED INTER WHEEL DIFFER 2540400	711.00	711.00
DRIVER CONTROLLED INTER WHEEL DIFFER 2540401	1,423.00	1,423.00
DRIVER CONTROLLED INTER WHEEL DIFFER 2540402	711.00	711.00

ABS SENSOR & MODULATOR

ABS 4 SENSORS & 4 MODULATORS (FRONT & ABS4S4M	Standard	Standard
ABS 6 SENSORS AND 6 MODULATORS ABS6S6M	646.00	646.00

ABS/ATC DRIVER OPTION (CA)

ABS DRIVER "LIGHT ON" DIAGNOSTIC SWITC ABTD-LOD	40.00	40.00
---	-------	-------

ANTILOCK BRAKE SYSTEM

MERITOR/WABCO WITHOUT AUTOMATIC TRAP 6980001	202.00	202.00
MERITOR WABCO ABS W/AUTO TRACTION C 6980004	555.00	555.00
BENDIX WITHOUT TRACTION CONTROL 6980006	Standard	Standard
BENDIX WITH TRACTION CONTROL 6980007	428.00	428.00

TRACTION CONTROL DISABLE

TRACTION CONTROL FULL DISABLE TCD-F	1,052.00	1,052.00
-------------------------------------	----------	----------

FRAME EQUIPMENT/FUEL TANKS

WHEELBASE

211"	2710211	265.00	265.00
212"	2710212	265.00	265.00
213"	2710213	265.00	265.00
214"	2710214	265.00	265.00
215"	2710215	265.00	265.00
216"	2710216	265.00	265.00
217"	2710217	265.00	265.00
218"	2710218	265.00	265.00
219"	2710219	265.00	265.00
220"	2710220	265.00	265.00
221"	2710221	265.00	265.00
222"	2710222	265.00	265.00
223"	2710223	265.00	265.00
224"	2710224	265.00	265.00
225"	2710225	265.00	265.00
226"	2710226	265.00	265.00
227"	2710227	265.00	265.00
228"	2710228	265.00	265.00
229"	2710229	265.00	265.00
230"	2710230	529.00	529.00
231"	2710231	529.00	529.00
232"	2710232	529.00	529.00
233"	2710233	529.00	529.00
234"	2710234	529.00	529.00
235"	2710235	529.00	529.00
236"	2710236	529.00	529.00
237"	2710237	529.00	529.00
238"	2710238	529.00	529.00
239"	2710239	529.00	529.00
240"	2710240	529.00	529.00
241"	2710241	529.00	529.00
242"	2710242	529.00	529.00
243"	2710243	529.00	529.00
244"	2710244	529.00	529.00
245"	2710245	529.00	529.00
246"	2710246	529.00	529.00
247"	2710247	529.00	529.00
248"	2710248	529.00	529.00
249"	2710249	529.00	529.00
250"	2710250	529.00	529.00
251"	2710251	529.00	529.00
252"	2710252	529.00	529.00
253"	2710253	529.00	529.00
254"	2710254	529.00	529.00
255"	2710255	529.00	529.00

256"	2710256	529.00	529.00
257"	2710257	529.00	529.00
258"	2710258	529.00	529.00
259"	2710259	529.00	529.00
260"	2710260	1,021.00	1,021.00
261"	2710261	1,021.00	1,021.00
262"	2710262	1,021.00	1,021.00
263"	2710263	1,021.00	1,021.00
264"	2710264	1,021.00	1,021.00
265"	2710265	1,021.00	1,021.00
266"	2710266	1,021.00	1,021.00
267"	2710267	1,021.00	1,021.00
268"	2710268	1,021.00	1,021.00
269"	2710269	1,021.00	1,021.00
270"	2710270	1,021.00	1,021.00
271"	2710271	1,021.00	1,021.00
272"	2710272	1,021.00	1,021.00
273"	2710273	1,021.00	1,021.00
274"	2710274	1,021.00	1,021.00
275"	2710275	1,021.00	1,021.00
276"	2710276	1,021.00	1,021.00
277"	2710277	1,021.00	1,021.00
278"	2710278	1,021.00	1,021.00
279"	2710279	1,021.00	1,021.00
280"	2710280	1,021.00	1,021.00
281"	2710281	1,021.00	1,021.00
282"	2710282	1,021.00	1,021.00
283"	2710283	1,021.00	1,021.00
284"	2710284	1,021.00	1,021.00
285"	2710285	1,021.00	1,021.00
286"	2710286	1,021.00	1,021.00
287"	2710287	1,021.00	1,021.00
288"	2710288	1,021.00	1,021.00
289"	2710289	1,129.00	1,129.00
290"	2710290	1,129.00	1,129.00
291"	2710291	1,129.00	1,129.00
292"	2710292	1,129.00	1,129.00
293"	2710293	1,129.00	1,129.00
294"	2710294	1,129.00	1,129.00
295"	2710295	1,129.00	1,129.00
295"	2710295	1,129.00	1,129.00
296"	2710296	1,129.00	1,129.00
296"	2710296	1,129.00	1,129.00
297"	2710297	1,129.00	1,129.00
297"	2710297	1,129.00	1,129.00
298"	2710298	1,129.00	1,129.00
298"	2710298	1,129.00	1,129.00
299"	2710299	1,129.00	1,129.00
299"	2710299	1,129.00	1,129.00
300"	2710300	1,129.00	1,129.00
301"	2710301	1,129.00	1,129.00
302"	2710302	1,129.00	1,129.00
303"	2710303	1,129.00	1,129.00
304"	2710304	1,129.00	1,129.00
305"	2710305	1,129.00	1,129.00
306"	2710306	1,129.00	1,129.00
307"	2710307	1,129.00	1,129.00
308"	2710308	1,129.00	1,129.00
309"	2710309	1,129.00	1,129.00
310"	2710310	1,129.00	1,129.00
FRAME RAILS			
STEEL-3/8" X 13 3/8" X 3 1/4" (CLASS 8)	2741010	-207.00	-207.00
RUST PROTECTION (for frame), ADDITIONAL (CA)			
RUST PROTECTION BETWEEN FRAME RAILS	RUSTP-F	800.00	800.00
WITHOUT RUST PROTECTION	UTRUSTP	Standard	Standard
FRAME INNER LINER			
LINER, FULL VERSION 3 (6.35MM THICKNESS)	LINER-F3	Standard	Standard
WITHOUT LINER	ULINER	-925.00	-925.00
FRONT FRAME EXT. (BOLTED ON)			
255MM, FRONT FRAME EXTENSION, BOLTED	FFE255	359.00	359.00
330MM, FRONT FRAME EXTENSION, BOLTED	FFE330	381.00	381.00
380MM, FRONT FRAME EXTENSION, BOLTED	FFE380	398.00	398.00
WITHOUT FRONT FRAME EXTENSION, BOLTED	UFFE	Standard	Standard
CROSSMEMBERS			
1 BBPL 1829MM BEHIND CL FRONT AXLE, 1 BI	2810001	227.00	227.00
CROSSMEMBER CONFIGURATION FOR CM40:	2810002	227.00	227.00
(3) BBPL @ 1825MM, 2575MM, & 4215MM FROM	2810003	227.00	227.00
3 BBPL @ 1829MM, 2884MM, & 6449MM FROM	2810004	227.00	227.00

CROSSMEMBER CONFIGURATION FOR S58/6	2810005	227.00	227.00
HD STEEL CHANNELS BACK TO BACK BEHIND	2811008	44.00	44.00
STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8"	2819017	Standard	Standard
BOC X-MBR & 2ND INTERM 2 BOLTED VERTIC	2819036	60.00	60.00
XMBR BOC INTERMEDIATES ALL W/ SPECIAL	2819044	189.00	189.00
CROSSMEMBER CONFIGURATION FOR TB11C	2819045	227.00	227.00
2 BBPL 1830MM & 4215MM, & 1 CCH 3060MM F	2819046	227.00	227.00
CROSSMEMBER CONFIGURATION FOR P370-	2819048	227.00	227.00
XMBR#1 BBPL 72"BFA-#2 STD C-CH OEF 110.4	2819050	227.00	227.00
XMBR #1 BBPL, 70.8"BFA,#2 STD C CH@119.5'	2819052	227.00	227.00
1 BBPL 1765 FROM CL FA, 1 CCH OER ADOWI	2819053	400.00	400.00
XMBR #1 BBPL 72",#2 C-CH, OEF,ARCH-UP, 12	2819054	60.00	60.00
CROSSMEMBER CONFIGURATION FOR TB13C	2819055	1,614.00	1,614.00
XMBR #1, BBPL, 72"BFA, #2 STD C CH@119"	2819056	227.00	227.00
CROSSMEMBER CONFIGURATION FOR P411-	2819057	227.00	227.00
1 BB PLATE 1765; 1 C CHNL, OPEN END REAR	2819058	227.00	227.00
1 C CHNL, OPEN END REAR, ARCH DWN,3028	2819059	227.00	227.00
2 BBPL XMBRS@ 1832MM & 4435MM; 1 C CHN	2819060	227.00	227.00
2 C CH, OPEN END REAR, ARCH DWN 2125MM	2819061	227.00	227.00
3 BBPL @ 1829MM, 2875MM, & 5733MM FROM	2819062	227.00	227.00
3 BBPL @ 1829MM, 2875MM, & 5474MM FROM	2819063	227.00	227.00
CROSSMEMBER CONFIGURATION FOR S58/6	2819065	224.00	224.00
1C CHL OPEN END REAR,ARCH DOWN 2125M	2819066	227.00	227.00
1 C CHL, OER ARCH DN 2125MM; 1C CHL, OEI	2819067	227.00	227.00
1 INVERTED BB PLATE 1829MM; 1 BB PLATE	2819068	189.00	189.00
CROSSMEMBER CONFIGURATION FOR PUTZI	2819070	152.00	152.00
CROSSMEMBER CONFIGURATION FOR SCHW	2819072	223.00	223.00
2 BB PLT @ 1829MM & 2875MM FROM CL OF F	2819073	189.00	189.00
CROSSMEMBER CONFIGURATION FOR TRDV.	2819074	227.00	227.00
FRAME RAIL FREE SPACE			
FRAME RAIL FREE SPACE, BOTH SIDES	FRFS-BS	74.00	74.00
FRAME RAIL FREE SPACE, INSIDE RAILS 258	Q9A-E9X	74.00	74.00
WITHOUT FRAME RAIL CLEARANCE	UFRF	Standard	Standard
AUX CROSSM. IN REAR OVERHANG			
1 AUX. CROSSMEMBER, BACK TO BACK	ACMR1-BB	Option	Option
1 AUX. CROSSMEMBER, I-BEAM	ACMR1-I	185.00	185.00
1 AUX. CROSSMEMBER, SINGLE CHANNEL	ACMR1-SC	Standard	Standard
2 AUX. CROSSMEMBER, I-BEAM	ACMR2-I	361.00	361.00
2 AUX. CROSSMEMBER, SINGLE CHANNEL	ACMR2-SC	113.00	113.00
1 AUX XMBR, BBPL 1457MM FROM BOGIE CL	AXX-A7X	39.00	39.00
1 AUX XMBR, BACK TO BACK PLATE, 1795MM	AXX-BDX	67.00	67.00
1 AUX XMBR, BACK TO BACK PLATE, 2721MM	AXX-CDX	67.00	67.00
AUXILIARY XMBR CONFIGURATION ACC TO C	AXX-D7X	168.00	168.00
WITHOUT AUXILIARY CROSSMEMBER IN RE	UACMR	-30.00	-30.00
REAR CROSSMEMBER OPTIONS			
REAR CROSSMEMBER, SINGLE-PLATE TYPE, Q5A-N1X		164.00	164.00
REAR CROSSMEMBER, BASIC, MOUNTED BEI Q5A-N7X		91.00	91.00
REAR CROSSMEMBER, STRAIGHT FRAME EN	RXM-SIB	185.00	185.00
WITHOUT REAR CROSSMEMBER	URXMBR	-23.00	-23.00
MUDFLAP, FRONT AXLE			
MUDFLAP, FRONT AXLE, BASIC (NO ANTI-SPF	FMUD-BS	Standard	Standard
EXTENDED MUDFLAP, FRONT AXLE	FMUD-EXT	32.00	32.00
FRONT BUMPER			
BUMPER, STEEL PAINTED EXTENDED, INCLU	BUM-SPE2	Standard	Standard
BUMPER, ST STL CLAD ALUM, EXT, PAINTED	BUM-SSE2	385.00	385.00
LICENSE PLATE HOLDER (CA)			
LICENSE PLATE HOLDER, MOUNTED ON FRO	LICP-FR	46.00	46.00
GUARD, UNDER FRONT			
GUARD - RADIATOR	GUARD-R	306.00	306.00
GUARD - RADIATOR, LIGHTWEIGHT	GUARD-RL	370.00	370.00
WITHOUT GUARD	UGUARD	Standard	Standard
TOWING DEVICE,REAR			
TWO HOOKS FRAME MOUNTED VERSION 1	TOWR2HK1	33.00	33.00
WITHOUT TOWING DEVICES ,REAR	UTOWR	Standard	Standard
FUEL LEVEL SENDER UNIT, LIQUID			
BASIC FUEL LEVEL SENDER MOUNTED ON L.	FLS-BASL	Option	-
BASIC FUEL LEVEL SENDER MOUNTED ON R.	FLS-BASR	Standard	-
FUEL TANK - LH			
WITHOUT LH FUEL TANK	2880000	Standard	-
***** Reference Material TERRAPRO LH Fuel Tar	288005D	Option	Option
70 GALLON (265L) STEEL, 24" ROUND	2881070	787.00	
80 GALLON (300L) STEEL, 24" ROUND	2881080	763.00	
70 GALLON (265L) ALUMINUM, 24" ROUND	2882070	887.00	
100 GAL.ALUM (378 LITERS)	2882100	1,126.00	
50 GALLON (190 L) STEEL, 26"x24" RECTANGU	2887050	944.00	
70 GALLON (265 L) STEEL, 26"x24" RECTANGU	2887070	959.00	
80 GALLON (300 L) STEEL, 26"x24" RECTANGU	2887080	1,052.00	
50 GALLON (190 L) ALUMINUM, 26"x24" RECTA	2888050	1,003.00	

70 GALLON (265 L) ALUMINUM, 26"x24" RECTA	2888070	1,108.00	
80 GALLON (300 L) ALUMINUM, 26"x24" RECTA	2888080	1,228.00	
80 & 50 GAL ALUM; 26"/24" RECTANGULAR TA	2888081	2,231.00	
50 GALLON (190L) STEEL, 24" ROUND W4" FIL	2889050	805.00	
DELETE LH FUEL DIESEL TANK - FOR LOCAL	2889300	-	Standard
FUEL TANK - RH			
W/O RH FUEL TANK	2900000	-760.00	
70 GALLON (265L) STEEL, 24" ROUND	2901070	-113.00	
80 GALLON (300L) STEEL, 24" ROUND	2901080	-98.00	
70 GALLON (265L) ALUMINUM, 24" ROUND	2902070	Option	-
100 GAL ALUM (380 L)	2902100	239.00	
110 GAL.ALUM (415 LITERS)	2902110	317.00	
88 GALLON (335 L) 22" ALUMINUM D-SHAPE	2906088	237.00	
50 GALLON (190 L) STEEL, 26"x24" RECTANGU	2907050	-12.00	
70 GALLON (265 L) STEEL, 26"x24" RECTANGU	2907070	Standard	-
80 GALLON (300 L) STEEL, 26"x24" RECTANGU	2907080	90.00	
50 GALLON (190 L) ALUMINUM, 26"x24" RECTA	2908050	45.00	
70 GALLON (265 L) ALUMINUM, 26"x24" RECTA	2908070	147.00	
80 GALLON (300 L) ALUMINUM, 26"x24" RECTA	2908080	268.00	
100 GAL ALUM (380 LITERS) 26"/24" RECT	2909102	334.00	
DELETE RH DIESEL TANK - FOR LOCAL COMF	2909300	-	Standard
FUEL HOSES, LIQUID			
FUEL HOSES, FIRE RESISTANT	FHOS-FIR	17.00	
FUEL HOSES, WIRE BRAIDED	FHOS-WBR	Standard	-
FUEL TANK POSITION (CA)			
FUEL TANK POSITION 10 - FUEL TANK(S) 123	FTP-10	127.00	
FUEL TANK POSITION 17	FTP-17	212.00	
FUEL TANK POSITION 18 - LH FUEL TANK LOC	FTP-18	212.00	
FUEL TANK POSITION 2 - FUEL TANK(S) TO B	FTP-2	250.00	
FUEL TANK POSITION 26 - FUEL TANK MOUN	FTP-26	127.00	
FUEL TANK POSITION 28 - FUEL TANK(S) 342	FTP-28	127.00	
FUEL TANK POSITION 296 - FUEL TANK(S) LO	FTP-296	94.00	
FUEL TANK POSITION 3 - FUEL TANK(S) 3048	FTP-3	127.00	
FUEL TANK POSITION 30 - FUEL TANK(S) 224	FTP-30	127.00	
FUEL TANK POSITION 300	FTP-300	257.00	
FUEL TANK POSITION 305 - FUEL TANK(S) LO	FTP-305	94.00	
FUEL TANK POSITION 306 - LH FUEL TANK LO	FTP-306	217.00	
FUEL TANK POSITION 309 - LH FUEL TANK LO	FTP-309	217.00	
FUEL TANK POSITION 315 - FUEL TANK(S) LO	FTP-315	92.00	
FUEL TANK POSITION 319 - FUEL TANK(S) LO	FTP-319	212.00	
FUEL TANK POSITION 32 - FUEL TANK(S) 106	FTP-32	127.00	
FUEL TANK POSITION 323 - FUEL TANK(S) LC	FTP-323	226.00	
FUEL TANK POSITION 324 - FUEL TANK(S) LO	FTP-324	218.00	
FUEL TANK POSITION 326 - FUEL TANK(S) LO	FTP-326	226.00	
FUEL TANK POSITION 329 - FUEL TANK(S) LO	FTP-329	226.00	
FUEL TANK POSITION 33 - FUEL TANK(S) LOC	FTP-33	548.00	
FUEL TANK POSITION 330 - FUEL TANK(S) LO	FTP-330	212.00	
FUEL TANK POSITION 333 - FUEL TANK(S) LO	FTP-333	225.00	
FUEL TANK POSITION 335 - FUEL TANK(S) LO	FTP-335	226.00	
FUEL TANK POSITION 339 - FUEL TANK(S) LO	FTP-339	226.00	
FUEL TANK POSITION 341 - LH FUEL TANK LO	FTP-341	226.00	
FUEL TANK POSITION 349 - FUEL TANK(S) LO	FTP-349	226.00	
FUEL TANK POSITION 355 - FUEL TANK(S) LO	FTP-355	217.00	
FUEL TANK POSITION 356	FTP-356	94.00	
FUEL TANK POSITION 36 -FUEL TANK(S) 1515	FTP-36	127.00	
FUEL TANK POSITION 360 - FUEL TANK(S) LO	FTP-360	473.00	
FUEL TANK POSITION 362 - FUEL TANK(S) LO	FTP-362	740.00	
FUEL TANK POSITION 367	FTP-367	127.00	
FUEL TANK POSITION 38 - FUEL TANK(S) 495	FTP-38	127.00	
FUEL TANK POSITION 390 FUEL TANK(S) LOC	FTP-390	183.00	
FUEL TANK POSITION 391	FTP-391	226.00	
FUEL TANK POSITION 399	FTP-399	266.00	
FUEL TANK POSITION 41 - FUEL TANK(S) 475	FTP-41	250.00	
FUEL TANK POSITION 411	FTP-411	473.00	473.00
RH FUEL TANK MTD DIRECTLY BEHIND RELO	FTP-42	548.00	
FUEL TANK POSITION 43 - FUEL TANK(S) 148	FTP-43	127.00	
FUEL TANK POSITION 44	FTP-44	250.00	
FUEL TANK POSITION 46 - FUEL TANK(S) LOC	FTP-46	127.00	
FUEL TANK POSITION 48 - FUEL TANK(S) LOC	FTP-48	250.00	
FUEL TANK POSITION 49 - FUEL TANK(S) LOC	FTP-49	250.00	
FUEL TANK POSITION 5 - FUEL TANK(S) 2336	FTP-5	92.00	
FUEL TANK POSITION 54 - FUEL TANK(S) LOC	FTP-54	127.00	
FUEL TANK POSITION 55 - LH FUEL TANK LOC	FTP-55	212.00	
FUEL TANK POSITION 56 - FUEL TANK(S) LOC	FTP-56	212.00	
FUEL TANK POSITION 59	FTP-59	217.00	
FUEL TANK POSITION 60 - FUEL TANK(S) LOC	FTP-60	127.00	
FUEL TANK POSITION 9 - FUEL TANK(S) 3860	FTP-9	127.00	
FUEL TANK POSITION BASIC	FTP-BAS	Option	-

FUEL TANK POSITION, LOWERED LEFT SIDE	FTP-LOWL	Option	-
FUEL TANK POSITION, LOWERED RIGHT SIDE	FTP-LOWR	Standard	-
FUEL FILLER NECK OPTIONS			
FOR LH FUEL TANK	8520001	Option	-
FOR RH FUEL TANK	8520002	Standard	-
FOR BOTH FUEL TANK(S)	8520003	103.00	
FILLER NECK SCREEN(S) - ALL FUEL TANKS	8520005	101.00	
W/O FILLER NECK SCREEN L.H. FUEL TANK(S)	8520008	14.00	
W/O FILLER NECK SCREEN R.H. FUEL TANK(S)	8520009	14.00	
W/O FILLER NECK SCREEN BOTH FUEL TANK	8520010	83.00	
FUEL TANK STRAPS MTRL			
STAINLESS STEEL FUEL TANK STRAPS	STRAP-SS	134.00	134.00
FUEL TANK POLISH OPTION			
FUEL TANK, POLISHED	FTNK-POL	115.00	
NOT POLISHED FUEL TANK	UFTNKPOL	Standard	-
WELDED FRAME PROCESS CODE (CA)			
WELDED FRAME RAILS REQUIRED	U1D-A1X	5,811.00	5,811.00
WELDED FRAME RAILS AND INNER LINERS R	U1D-B1X	5,811.00	5,811.00
WELDED INNER LINERS REQUIRED	U1D-C1X	5,811.00	5,811.00
AIRTANK DRAIN VALVE			
AUTOMATIC DRAIN VALVE, HEATED	DRVA-AH	60.00	60.00
AUTO DRAIN VLV, HEATED, LANYARDS ON BF	DRVA-AHC	105.00	105.00
AUTO DRAIN HTD VALVE,SUPPLY TNK,MANU/	DRVA-AMM	87.00	87.00
IN-TANK AUTO DRAIN VALVE W/LANYARDS O	DRVA-IC	81.00	81.00
IN-TANK AUTO DRAIN VALVE W/LANYARD ON	DRVA-ICW	46.00	46.00
MANUAL DRAIN VALVES, BRAKE SYS TANKS,	DRVA-MAM	17.00	17.00
MANUAL DRAIN VALVE, LANYARDS ON BRAKI	DRVA-MC	35.00	35.00
PETCOCK DRAIN VALVE, ON BRAKE SYS TAN	DRVA-P	Standard	Standard
AUTO DRAIN,HEATED,OTHER TANKS MANUA	UWX-ADX	418.00	418.00
AIRTANK MATERIAL			
ALUMINUM AIRTANK	ATANK-AL	359.00	359.00
STEEL AIRTANK	ATANK-ST	Standard	Standard
AIR DRYER POSITION (CA)			
AIR DRYER POSITION LH RAIL OUTBOARD	ADP-1	62.00	62.00
AIR DRYER POS RH RAIL OUTBOARD, BEHIN	ADP-48	62.00	62.00
AIR DRYER POS LH RAIL OUTBOARD, 1360M	ADP-50	61.00	61.00
AIR DRYER POS LH RAIL OUTBOARD, 1416M	ADP-53	62.00	62.00
AIR DRYER POS LH RAIL OUTBOARD, 3150M	ADP-54	72.00	72.00
AIR DRYER POS LH RAIL OUTBOARD, 1170M	ADP-55	65.00	65.00
AIR DRYER POS LH RAIL OUTBOARD, 2940M	ADP-56	100.00	100.00
AIR DRYER POS RH RAIL OUTBOARD, BEHIN	ADP-66	62.00	62.00
AIR DRYER POS LH RAIL OUTBOARD, 2850M	ADP-67	72.00	72.00
AIR DRYER POSITION ACC TO CUSTOMER RE	ADP-68	72.00	72.00
AIR DRYER POSITION STANDARD	ADP-STD	Standard	Standard
CHASSIS PACKAGING (CA)			
CHASS PACK CONFIG 0009, AIRTANKS IN RAI	CPAK0009	112.00	112.00
CHAS PACK CONFIG 16, AIR TNKS INSIDE & L	CPAK0016	72.00	72.00
CHAS PACK CONFIG 17, AIR TANKS BOTH SI	CPAK0017	72.00	72.00
CH PACK CONFIG 18,AIR TANK UNDER BBOX	CPAK0018	142.00	142.00
CHAS PACK CONFIG 37, STACKED AIR TANKS	CPAK0037	72.00	72.00
CHAS PACK CONFIG38, AIR TNKS UNDER RAI	CPAK0038	72.00	72.00
CHAS PACK CONFIG 39, STACKED AIR TANKS	CPAK0039	95.00	95.00
CPC61, MANUALLY LOCATED AIR TANKS UN	CPAK0061	72.00	72.00
CPC63, 2 AIR TANKS MTD INSIDE LH/RH RAI	CPAK0063	213.00	213.00
CPC74, 1 AIR TANK UNDER BBOX, REMAININ	CPAK0074	142.00	142.00
CPC82,1 AIR TNK UNDER BBOX,1 TNK 8"UN	CPAK0082	72.00	72.00
CPC87,1 AIR TNK UNDER BBOX REST INSIDE	CPAK0087	142.00	142.00
CHAS PACK CONFIG 89, STACKED OUTESIDE	CPAK0089	95.00	
CPC90, AIR TANKS UNDER RAILS,RH INBOAR	CPAK0090	95.00	95.00
CPC91,1 AIR TNK UNDER BBOX REST INSIDE	CPAK0091	67.00	67.00
CPC92, 2 AIR TANKS OUTBOARD & PARALLE	CPAK0092	72.00	72.00
CPC93,1 AIR TNK BELOW LH RAIL,REST MTD	CPAK0093	95.00	95.00
CPC98,2 TANKS INSIDE RAIL,2152MM,2 UNDE	CPAK0098	111.00	111.00
CPC99,2 TANKS INSIDE RAIL,2138MM,2 UNDE	CPAK0099	111.00	111.00
CPC101,2 TANKS IN RAIL,2142MM,2 UNDER	R/CPAK0101	98.00	98.00
CPC102,1 AIR TANK BELOW RH RAIL; REST	M/CPAK0102	72.00	72.00
CPC104, STACKED AIR TANKS, OUTBOARD O	CPAK0104	368.00	368.00
CPC106 STD TANK LOC.2 IN FRAME,1 BELOW	CPAK0106	285.00	285.00
CPC110, 2 TANKS IN RAILS 1930MM,2 UN	CPAK0110	110.00	110.00
CPC114, LHS BOMB RACK, 1 EXTRA AIR TAN	CPAK0114	198.00	198.00
CPC122, AIR TANKS UNDER BBOX & RH RAIL,	CPAK0122	142.00	142.00
CPC126, TANK UNDER BBOX,REMAINING UN	CPAK0126	72.00	72.00
CPC132, AIR TANKS CONFIGURATION FOR KC	CPAK0132	111.00	111.00
CPC139,WET TANK UNDER RH RAIL,REMAIN	CPAK0139	118.00	118.00
CPC144,TNKS UNDER BBOX, BOMBRACK BEF	CPAK0144	95.00	95.00
CHASS PACK CONFIG 153, AIR TANKS ARRAN	CPAK0153	204.00	204.00
CPC155,WET TANK UNDER LH RAIL,REMAIN	CPAK0155	118.00	118.00

AUXILLIARY AIRTANK			
AUXILIARY AIR TANK CAPACITY FOR ONE EX AUXATC1A		378.00	378.00
AUX AIR TANK CAPACITY FOR 2 EXTRA STEE VSX-F1X		174.00	
PARKING BRAKE VALVE			
PARK BR VALVE 1 YELLOW (ALL)& 1 RED TR# 1JA-D1X		81.00	81.00
PARK BRAKE VALVE,1 YELLOW KNOB, AUTO PBV-Y2		288.00	288.00
BODY BUILDER, AIR PREP KIT			
BODY BUILDER, AIR PREPKIT, 7 AIR LINES, C.BBA-PK7		266.00	266.00
WITHOUT BODY BUILDER AIR PREPKIT	UBBAIR	Standard	Standard
PARKING BRAKE LIGHTING			
PARKING BRAKE LIGHTING	PBRLIGHT	Option	Option
WITHOUT PARKING BRAKE LIGHTING	UPBRLIGH	Standard	Standard
BACK-UP ALARM			
BACK UP ALARM 87/112 DB, ECCO 450 (ADJ T 5RX-D1X		133.00	133.00
BACK UP ALARM 90/78 DB (2 LEVELS OF SO BUPALAR2		297.00	297.00
BACK UP ALARM, 107DB, POLLAK (CONSTANT BUPALAR4		118.00	118.00
BACKUP ALARM 87/112 DB, PRECO (ADJ TO A BUPALAR5		152.00	152.00
BACK UP ALARM 77/97DB, ECCO SA951 (ADJ BUPALAR7		115.00	115.00
BACK UP ALARM 87/112 DB ECCO SMART (AD BUPALARS		115.00	115.00
WITHOUT BACK-UP ALARM	UBUPALAR	Standard	Standard
ROOF MARKER LIGHT			
(7) MARKER AND CLEARANCE	3120001	Option	Option
TRUCKLITE LED ROOF MARKER FOR TERRAF 3120021		Standard	Standard
WARNING LAMP			
WARNING LIGHTS, STROBE, AMBER. FORWA N7X-E1X		565.00	565.00
WARNING LIGHTS BODY			
WITHOUT WARNING LIGHT BODY	UWLB	Standard	Standard
WARNING LIGHTS ON BODY WHEN IN REV. C WLB-PK		28.00	28.00
AUXILIARY LAMPS			
AUXILIARY LAMPS, SNOW PLOW PREP KIT 2 AL-SPK2		28.00	28.00
HEADLIGHT LAMP TYPE			
HEADLAMP BULB TYPE, HALOGEN	HLB-HAL	Standard	Standard
HEADLAMP BULB TYPE, LED	HLB-LED	559.00	559.00
DAYTIME RUNNING LIGHTS			
DRL WHEN PARKING BRAKE OFF, INCLUDE C LOWB-D3S		60.00	60.00
DRL WHEN PARKING BRAKE OFF	LOWB-DA3	Standard	Standard
DRL WHEN ENG RUNNING, PARK BRAKE OFF LOWB-DA7		Option	Option
STANDARD LOW BEAM	LOWB-STD	-29.00	-29.00
TAIL LAMPS			
CABLE W/ 6 POLE CONN, INDEPENDENT STO NEX-D8X		76.00	76.00
TAIL LAMP, MULTIPURPOSE	TL-MULTI	Standard	Standard
TAIL LAMP PREP KIT, LONGER WIRING HARN	TL-PK	21.00	21.00
TAIL LAMP, SERIES 44 LED	TL-SER44	292.00	292.00
TAIL LAMP, DUAL TRUCKLITE, MDL45 SERIES	TL-SER45	110.00	110.00
WITHOUT TAIL LAMPS	UTLAMP	Option	Option
AUX. POWER OUTLET, INTERIOR			
AUX POWER OUTLET, 12V DOGHOUSE	APO12VDH	Standard	Standard
WITHOUT AUX POWER OUTLET	UAPO	-50.00	-50.00
FRONT & SIDE INDICATOR LMP TYP			
SIDE INDICATOR LAMP TYPE BASIC	SIT-BAS	-82.00	-82.00
SIDE INDICATOR LAMP TYPE, LED	SIT-LED	Standard	Standard
EXT. INDICATOR LMP, MAIN SWITCH (CA)			
EXTERIOR INDICATOR LAMP, MAIN SWITCH, EXIL-BAS		43.00	43.00
EXTERIOR INDICATOR LAMP, MAIN SWITCH, EXIL-ML		47.00	47.00
WITHOUT EXTERIOR INDICATOR LAMP, MAIN UEXIL		Standard	Standard
TRAILER BRAKE VALVE			
1 VALVE, TRAILER BRAKE	TRBRAKE1	58.00	58.00
WITHOUT TRAILER BRAKE VALVE	UTRBRAKE	Standard	Standard
TRAILER CONNECTION POSITION			
TRAILER BRAKE CONNECTIONS POSITION, E TBCP-E0F		468.00	468.00
WITHOUT TRAILER CONNECTION POSITION	UTCP	Standard	Standard
TRAILER ELECTRICAL RECEP			
SINGLE 7 PINS STD SAE TYPE, END OF FRAM 3210002		175.00	175.00
HYDRAULIC PUMP			
WITHOUT HYDRAULIC PUMP	8260000	Standard	Standard
FURNISH PUMP MTG PROVISIONS FOR LOCA	8260004	147.00	147.00
FURNISH PUMP MTG PROVISIONS - INCLUDE	8260005	234.00	234.00
PTO ENGINE MOUNTED, REAR			
POWER TAKE OFF WITH FLANGE SAE 1410 / PTER1400		2,674.00	2,674.00
POWER TAKE OFF WITH SPLINED SHAFT GR PTER-DIN		2,674.00	2,674.00
WITHOUT PTO ENGINE REAR	UPTER	Standard	Standard
POWER TAKE OFF CONTROL			
POWER TAKE OFF TRANSMISSION CONTROL PTOTC1PK		229.00	229.00
POWER TAKE OFF TRANSMISSION CONTROL PTOTC-D		344.00	344.00
POWER TAKE OFF TRANS CONTROL, SINGLE PTOTC-S2		666.00	666.00
WITHOUT POWER TAKE OFF CONTROL	UPTOCONT	Standard	Standard

CRANKSHAFT ADAPTER			
W/O FRONT ENGINE PTO DRIVE	1830000	Standard	Standard
1350 SERIES FLANGE (DOES NOT INCLUDE FI 1830002		696.00	696.00
PTO TRANSM. MOUNTED			
REAR PTO TRANS., DIN-CONN.PUMP,MEDIUM PTR-DM		844.00	844.00
PTO TRANS MTD REAR,DUAL,FLG3 (SAE 1350 PTR-F3DL		174.00	174.00
PTO TRANS MTD REAR, PREP KIT, PARKER-H PTR-CPK		Standard	Standard
WITHOUT PTO TRANSM. MOUNTED	UPTOTR	-100.00	-100.00
BODY BUILDER MODULE			
EL PREP KIT BODY BUILDER MODULE, CMPL1BBM-PK10		-67.00	-67.00
ControlLink III BODY BUILDER EL PREP KIT, REBBM-PK17		Standard	Standard
EL PREP KIT, BAS PUMPER(1 CON 9 PINS,BOI	BBM-PK4	-89.00	
EL PREP KIT, PUMPER, DUAL PTO (2 CON 9 P	BBM-PK5	-141.00	
EL PREP KIT, PUMPER, SING PTO (1CON 31 P	BBM-PK6	-133.00	
EL PK,PUMPER,DUAL PTO (2 CONN 9 PINS,BC	L3X-AUX	-48.00	
EL PREP KIT BODY BUILDER MOD, 9 & 29 PIN:	L3X-BAX	-48.00	-48.00
EL PREP KIT, 1 CONN 31 PINS BOC, PUTZMEI:	L3X-BBX	29.00	29.00
EL PREP KIT, RP170 ELECTR. INTERFACE (3 C	L3X-N2X	327.00	327.00
CORROSION PROTECTION (CA)			
CORROSION PROT,NEVER-SIEZE TO BRAKE :CORPROT		18.00	18.00
BRAKE AIR CONN., FRONT TOWING (CA)			
BRAKE AIR CONNECTION, FRONT TOWING, R	BRACONF2	191.00	191.00
ADDITIONAL ELECTRICAL SCHEMATIC			
ADDITIONAL ELECTRICAL SCHEMATIC, MANU	ELSCH-M	Option	Option
WITHOUT ADDITIONAL ELECTRICAL SCHEMA	UELSCH	Standard	Standard
BREATHER FILTER (rear axle / transmission)			
BREATHER FILTER FOR TRANSMISSION, REM	5MA-C1X	124.00	124.00
BREATHER FILTER COMPLETE PACKAGE	BREF-C	166.00	166.00
BREATHER FILTER FOR DRIVE AXLE, FRAME	BREF-RAF	42.00	42.00
UNIQUE DECALS MACHINE DIRECTIV			
UNIQUE DECALS FOR MUD/SNOW AND FUSE	D5X-J1X	11.00	11.00
UNIQUE DECALS FOR FUSE LABEL SHEET, SI	D5X-K1X	156.00	156.00
WITHOUT DECALS	USIGNSWC	Standard	Standard
CAB HEATER UNIT			
HI-PERFORMANCE HEATER UNIT	HU-HIP	109.00	109.00
STANDARD HEATER UNIT	HU-STD	Option	Option
WITHOUT HEATER UNIT	UHEATUN	Standard	Standard
CLIMATE UNIT			
MANUAL CONTROLLED CLIMATE CONTROL A	CU-MCC	Standard	Standard
WITHOUT CLIMATE UNIT	UCU	Option	Option
BLIND SPOT VISION SYS. REAR			
PREP KIT FOR ADV VIDEO SAFETY SYS(AVSS:	BLVR-PK3	1,364.00	1,364.00
WITHOUT PREP KIT FOR CAMERA	UBLVR	Standard	Standard
DRIVER AUXILIARY FAN			
2 CAB AUXILIARY FAN, OVERHEAD	CAFAN2OH	193.00	193.00
CAB AUXILIARY FAN, DASH MTD	CAFAN-DA	96.00	96.00
WITH CAB AUXILIAR FAN, OVERHEAD	CAFAN-OH	96.00	96.00
WITHOUT CAB AUXILIAR FAN,	UCAFAN	Standard	Standard
CAMERA, SURVEILLANCE			
PREPARATION FOR INSIDE/OUTSIDE CAMER:	CAMS-PK2	110.00	110.00
WITHOUT CAMERA	UCAMS	Standard	Standard
DOOR STORAGE COMPARTMENT			
DOOR STORAGE COMPARTMENT, DRIVER SII	DSC-DS	51.00	51.00
CARBON MONOXIDE DETECTION SYS			
CARBON MONOXIDE DETECTION SYSTEM	CMON-DET	-	Standard
WITHOUT CARBON MONOXIDE DECTECTION	UCOMDET	-	Option
FUEL LEAK DETECTOR			
FUEL LEAK DETECTOR, GAS	FLD-GAS	-	Standard
FIRE EXTINGUISHER			
W/O FIRE EXTINGUISHER	7860000	Standard	Standard
5LB.FIRE EXT.(ABC RATED) MTD HORIZ ON D,	7860025	88.00	88.00
GAUGE - EXHAUST PYROMETER			
EXHAUST PYROMETER GAUGE	GEXPYR	105.00	
WITHOUT EXHAUST PYROMETER GAUGE	UGEXPYR	Standard	-
GAUGE - MANIFOLD PRESSURE			
MANIFOLD PRESSURE GAUGE-ELECTRICAL	GPMFLD-E	53.00	
WITHOUT MANIFOLD PRESSURE GAUGE	UGPMFOLD	Standard	-
GAUGE - TRANSMISSION OIL TEMP			
TRANSMISSION OIL TEMP GAUGE	GOTR-BAS	-102.00	
TRANSMISSION OIL TEMP. GAUGE WITH HIGH	GOTR-HTL	Standard	-
TIME COUNTER (CA)			
TIME COUNTER, INDEPENDENT DASH MOUNT	TIME-IND	63.00	63.00
WITHOUT TIME COUNTER	UTIMEC	Standard	Standard
GAUGES - UNIT OF MEASURE			
U.S. UNITS (PREDOMINANT)	1980001	Standard	Standard
KEY TYPES FOR DOORS			

15

ALL CHASSIS KEYED ALIKE- (H-638)	KEY-A224	55.00	55.00
ALL CHASSIS KEYED ALIKE- (H-661)	KEY-A225	55.00	55.00
ALL CHASSIS KEYED ALIKE- (H-610)	KEY-A228	55.00	55.00
ALL CHASSIS KEYED ALIKE- (H-634)	KEY-A229	55.00	55.00
ALL CHASSIS KEYED ALIKE- (H-650)	KEY-A231	55.00	55.00
KEYED ALIKE 232 (H-676)	KEY-A232	55.00	55.00
KEYED ALIKE 233O (H-676)	KEY-A233	55.00	55.00
ALL CHASSIS KEYED AT RANDOM	KEY-BAS	Standard	Standard
IGNITION TYPE			
IGNITION TYPE, PUSH BUTTON	IGT-BUT	18.00	18.00
IGNITION TYPE, KEY	IGT-KEY	Standard	Standard
ON BOARD DIAGNOSTIC PANEL (CA)			
ON BOARD DIAGNOSTIC PANEL, UNDER DASI OBDP-UDC		13.00	13.00
FORWARD OVERHEAD STORAGE			
FORWARD OVERHEAD STORAGE, RADIO SHI FOHSRCBB		Standard	-
FORWARD OVERHEAD STORAGE, RADIO SHI FOHSRCCS		-	Option
FORWARD OVERHEAD STORAGE, RADIO SHI FOHSRCSS		134.00	134.00
FORWARD OVERHEAD STORAGE, RADIO SHI FOHSRSBB		90.00	
FORWARD OVERHEAD STORAGE, RADIO SHI FOHSRSSS		167.00	
PERSONALIZED NAME PLATE			
PERSONALIZED NAME PLATE, DASH (24 char: PNP-DASH		57.00	57.00
WITHOUT PERSONALIZED NAME PLATE UPNPLATE		Standard	Standard
AUDIO ACCOMMODATION			
W/O RADIO OR RADIO ACCOMMODATION PA(1740000		-313.00	-313.00
PREMIUM STEREO, AM/FM, CD-PLAYER, WEA 1746100		-95.00	-95.00
PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, 1746101		Standard	Standard
STEREO, AM/FM, WEATHER BAND 1746104		Option	Option
AUDIO SHUTOFF			
AUTOMATIC AUDIO SHUTOFF, REVERSE ENG AUDOFF		Standard	Standard
WITHOUT AUTOMATIC AUDIO SHUTOFF UAUDOFF		-69.00	-69.00
POWER LEADS			
POWER LEAD 5WAY TYPE, HEADLINER MTD, 1WA-B5X		189.00	189.00
POWER LEAD, 5 WAY TYPE, DASH MTD PWL5WD		72.00	72.00
POWER LEAD, 5WAY TYPE, HEADLINER MTD PWL5WH		165.00	165.00
POWER LEAD, PLUG TYPE, HEADLINER MTD PWL-PH		Standard	Standard
SEAT - DRIVER'S			
BOSTROM TALLADEGA 905 (MID-BACK) AIR SI 1962273		-30.00	-30.00
BOSTROM TALLADEGA 905 (HI-BACK) AIR SU: 1962274		-17.00	-17.00
SEARS SEATING C-2 W/FABRIFORM CUSHION 1962520		Standard	Standard
AIR-SEARS HI-BACK SEAT C-2 WITH LUMBAR 1962524		263.00	263.00
SEAT - PASSENGER'S			
MACK FIXED (HI-BACK) NON-SUSPENSION 1971104		-71.00	-71.00
MACK FIXED (MID-BACK) NON-SUSPENSION 1971107		-75.00	-75.00
SEARS SEATING C2 W/FABRIFORM CUSHION 1971506		Standard	Standard
AIR-BOSTROM TALLADEGA 905 SERIES (MID I 1972273		142.00	142.00
AIR-BOSTROM TALLADEGA 905 SERIES(HIGH 1972274		209.00	209.00
SEARS SEATING C2 W/FABRIFORM CUSHION 1972520		355.00	355.00
SEAT COVERING			
ALL VINYL, CAB INTERIOR DEPENDENT COLC 4850000		Option	Option
CLOTH & VINYL, CAB INTERIOR DEPENDENT 4850002		17.00	17.00
ALL CLOTH, BLACK W/CORDURA COVERING, 4850003		Option	Option
FABRIFORM VINYL, BLACK, DRIVER & RIDER 4857200		183.00	183.00
SEAT BELT(S)			
LAP & SHOULDER (BOTH SEATS) (NOT AVAIL 5920002		Standard	Standard
LAP & SHOULDER HEIGHT ADJUSTMENT D-RI 5929008		118.00	118.00
STEERING WHEEL			
DIAMETER 450MM STEERING WHEEL, RUBBE STW 450R1		Standard	Standard
WINDSHIELD PROTECTOR			
WITHOUT WINDSHIELD PROTECTOR UWINDPRO		-174.00	-174.00
WINDSHIELD PROTECTOR WIND-PRO		Standard	Standard
WINDSHIELD WND DEFLECTOR (CA)			
WITHOUT WINDSCREEN WIND DEFLECTOR UWWINDD		-40.00	-40.00
WINDSCREEN WIND DEFLECTOR, BRIGHT FII WWD-BF		49.00	49.00
WINDSCREEN WIND DEFLECTOR, CAB COLO WWD-CC		Standard	Standard
EMBLEMS OPTION			
EMBLEMS OPTION, COMPLETE EMB-CPL		Standard	Standard
EMBLEMS OPTION, DELETE BULLDOG EMB-UBDG		Option	Option
FRONT GRILLE			
PAINTED GRILLE (SILVER PAINTED FRAME) C GR-SIC		315.00	315.00
PAINTED GRILLE (PAINTED FRAME) SILVER V GR-SISS		400.00	400.00
CAB			
***** Reference Material TERRAPRO Seat Packaj 144002D		Option	Option
***** Reference Material TERRAPRO Seat Packaj 144002D		Option	Option
CA531 LOW-PROFILE COE (WELDED STEEL C 1440602		Standard	Standard
CA531 LOW-PROFILE COE (WELDED STEEL C 1440602		Standard	Standard
CAB DOOR OPTIONS			

DOORS, COMPOSITE, LH SIDE ROLL UP WINE 4240002		72.00	72.00
DOORS, COMPOSITE, LH & RH ROLL UP WINE 4240003		137.00	137.00
DOORS, COMPOSITE INCL SLIDING TYPE SID 4240004		Standard	Standard
CAB EXTERIOR FASTENERS (CA)			
CAB EXTERIOR FASTENERS, STAINLESS STE CFAS-SS		31.00	31.00
CAB TILT PUMP			
AIR ASSISTED CAB TILT PUMP	CTILTP-A	150.00	150.00
MANUAL TILT PUMP	CTILTP-M	Standard	Standard
CAB STEP PANEL PROTECTION			
CAB STEP PANEL PROTECTION	CSPPROT	5.00	5.00
WITHOUT CAB STEP PANEL PROTECTION	UCSPPROT	Standard	Standard
COMPR AIR SUPPLY PRE-CLEANER (CA)			
COMPR AIR SUPPLY CONDENSER/SEP HALDI J3C-A1X		Option	Option
CAB INSTEP VERSION			
CAB STEP, LARGE OBLONG HOLES (BUSTIN I CSTEP-B5		Option	Option
CAB STEP, MAX 457MM (18") GROUND TO TOF CSTEP-B7		72.00	72.00
CAB STEP,BASIC	CSTEP-BA	Standard	Standard
CAB STEP MULTI PCE W/ LOWER STEP LEVE CSTEP-BF		Option	Option
DOOR WINDOW FRONT			
WITHOUT AUXILIARY WINDOW DOOR	UAWIND	Option	Option
CAB GRAB HANDLE			
CAB GRAB HANDLES, OUTER AND INNER, BA CGH-BAS		Standard	Standard
CAB GRAB HANDLES BASIC PLUS 1 EACH SII CGH-BBSE		49.00	49.00
CAB GRAB HANDLES, BASIC W/PASSENGER CGH-PSDB		28.00	28.00
HORN - AIR			
DELETE STANDARD AIR HORN	1540000	-48.00	-48.00
(1) MACK RECTANGULAR SINGLE TRUMPET	1540001	46.00	46.00
(2) MACK RECTANGULAR SINGLE TRUMPET (1	1540002	91.00	91.00
(1) BLACK TWIN TRUMPET, UNDER CAB MOUI	1540006	Standard	Standard
HORN - ELECTRICAL			
1 SINGLE ELECTRIC HORN SINGLE TONE	HORN-E1S	Standard	Standard
2 SINGLE ELECTRIC HORN, DIFFERENT TONE	HORN-E2D	8.00	8.00
MIRRORS - EXTERIOR			
FLAT MIRROR - POLISHED ALUMINUM FINSH, 1522400		Standard	Standard
FLAT MIRROR - POLISHED ALUMINUM FINSH, 1522401		123.00	123.00
MOTO MIRROR PACKAGE (RH - MOTORIZED & 1529003		347.00	347.00
MOTO MIRROR PACKAGE LH & RH MOTORIZED 1529009		395.00	395.00
RETRAC HTD, BR FIN(STAINLESS STEEL MIRF 1529018		92.00	92.00
MIRRORS - CONVEX TYPE CAB DOORS			
OMIT CONVEX MIRRORS	1530000	Standard	Standard
BRIGHT FINISH, LH & RH, 8" DIAMETER CONV 1532002		32.00	32.00
BRIGHT FINISH, LH & RH 8.9" DIA; MOUNTED I 1539002		46.00	46.00
BRIGHT FINISH, LH & RH, 8" DIAMETER HEATI 1539008		81.00	81.00
BRIGHT FINISH (LH/RH) 8"DIA HAND ADJ. 1539068		41.00	41.00
BRIGHT FINISH (LH&RH) 8.0"DIA., MTD ABOVE 1539071		80.00	80.00
MIRRORS - PROXIMITY			
RECTANGULAR CONVEX ABOVE RH DOOR W AMIR-CLO		34.00	34.00
WITHOUT PROXIMITY MIRROR	UAMIRCLO	Standard	Standard
MIRRORS - LEFT SIDE EXTERIOR			
LH POLISHED FLAT MANUALLY OPERATED, UN MCL0001		16.00	16.00
LH POLISHED FLAT MANUALLY OPERATED, UN MCL0002		23.00	23.00
LH POLISHED FLAT MANUALLY OPERATED, UN MCL0003		Standard	Standard
***** LH MIRRORS, MANUALLY OPERATED ***** MCL000D		Option	Option
LH POLISHED FLAT MANUALLY OPERATED, HE MCL1000		78.00	78.00
LH POLISHED FLAT MANUALLY OPERATED, HE MCL1001		85.00	85.00
LH POLISHED FLAT MANUALLY OPERATED, HE MCL1002		62.00	62.00
LH SS FLAT MANUALLY OPERATED, HEATED, \MCL1003		108.00	108.00
LH SS FLAT MANUALLY OPERATED, HEATED, \MCL1004		109.00	109.00
LH SS FLAT MANUALLY OPERATED, HEATED, \MCL1005		86.00	86.00
LH SS FLAT ELECTRICAL OPERATED & HEATI MCL2000		214.00	214.00
LH SS FLAT ELECTRICAL OPERATED & HEATI MCL2001		221.00	221.00
LH SS FLAT ELECTRICAL OPERATED & HEATI MCL2002		198.00	198.00
LH ALUMINUM POLISHED FLAT MANUALLY OPI MCL9001		103.00	103.00
LH ALUMINUM POLISH FLAT MANUALLY OP, HE MCL9003		102.00	102.00
LH SS FLAT MIRROR MANUALLY OPERATED & MCL9004		131.00	131.00
LH SS FLAT MIRROR ELECTRICAL OPERATED MCL9101		239.00	239.00
LH POL SS FLAT EL OPERATED & HTD W/ WE MCL9102		62.00	62.00
LH POL SS FLAT EL OPERATED & HTD W/ WE MCL9103		87.00	87.00
MIRRORS - RIGHT SIDE EXTERIOR			
RH POLISHED FLAT MANUALLY OPERATED, U MCR0001		16.00	16.00
RH POLISHED FLAT MANUALLY OPERATED, U MCR0002		23.00	23.00
RH POLISHED FLAT MANUALLY OPERATED, U MCR0003		Standard	Standard
RH POLISHED FLAT MANUALLY OPERATED, HE MCR1000		78.00	78.00
RH POLISHED FLAT MANUALLY OPERATED, HE MCR1001		85.00	85.00
RH POLISHED FLAT MANUALLY OPERATED, HE MCR1002		62.00	62.00
RH SS FLAT ELECTRICAL OPERATED & HEAT MCR2000		214.00	214.00
RH SS FLAT ELECTRICAL OPERATED & HEAT MCR2001		221.00	221.00
RH SS FLAT ELECTRICAL OPERATED & HEAT MCR2002		198.00	198.00

RH ALUMINUM POLISHED FLAT MANUALY OP MCR9001	103.00	103.00
RH ALUMINUM POLISH FLAT MANUALY OP, HI MCR9003	102.00	102.00
RH SS FLAT MIRROR ELECTRICAL OPERATEI MCR9101	239.00	239.00
RH POL SS FLAT EL OPERATED & HTD W/ WE MCR9102	62.00	62.00
RH POL SS FLAT EL OPERATED & HTD W/ WE MCR9103	87.00	87.00

GHG STEER TIRE CATEGORY (PAWS)

GHG STEER TIRE CATEGORY, ADVANCED LO 4WC-A1X	Option	Option
GHG STEER TIRE CATEGORY, OTHER (NON-5 4WC-G1X	Option	Option

TIRES BRAND/TYPE - FRONT

12R22.5 H BRIDGESTONE R268 ECOPIA (1478l 9001378	-27.00	-27.00
425/65R22.5 L BRIDGESTONE M864 (22800 lbs) 9001411	327.00	327.00
385/65R22.5 J BRIDGESTONE M864 (18740 lbs) 9001412	281.00	281.00
425/65R22.5 L BRIDGESTONE M870 (22800 lbs) 9001414	229.00	229.00
315/80R22.5 L BRIDGESTONE M870 (20000 lbs) 9001415	Standard	Standard
11R22.5 H BRIDGESTONE R284 ECOPIA (1322l 9001419	-80.00	-80.00
315/80R22.5 L GOODYEAR G289 WHA (20400 ll 9005406	395.00	395.00
385/65R22.5 J GOODYEAR G296 MSA (18740 lb 9005414	266.00	266.00
425/65R22.5 L GOODYEAR G296 MSA (22800 lb 9005415	438.00	438.00
445/65R22.5 L GOODYEAR G296 MSA (24600 lb 9005416	551.00	551.00
425/65R22.5 L GOODYEAR G296 MSA DURASE 9005431	395.00	395.00
315/80R22.5 L GOODYEAR G289 WHA DURASl 9005457	573.00	573.00
315/80R22.5 L GOODYEAR ENDURANCE WHA 9005488	250.00	250.00
425/65R22.5 L GOODYEAR G296 WHA (22800 ll 9005501	504.00	504.00
385/65R22.5 J MICHELIN XZY3 (18740 lbs) 9006331	298.00	298.00
425/65R22.5 L MICHELIN XZY3 (22800 lbs) 9006333	496.00	496.00
445/65R22.5 L MICHELIN XZY3 (25600 lbs) 9006334	695.00	695.00
455/55R22.5 M MICHELIN XONE XZUS 9006342	747.00	747.00
295/80R22.5 H MICHELIN XZA2 ENERGY (1566l 9006347	-3.00	-3.00
425/65R22.5 L MICHELIN XFE (22800 lbs) 9006353	605.00	605.00
315/80R22.5 L MICHELIN XZUS2 (20000 lbs) 9006389	277.00	277.00
11R22.5 H MICHELIN X LINE ENERGY Z (13220 9006417	-21.00	-21.00
11R22.5 H MICHELIN X WORKS Z (13220 lbs) 9006423	33.00	33.00
11R24.5 H MICHELIN X WORKS Z (14320 lbs) 9006426	115.00	115.00
315/80R22.5 L MICHELIN X WORKS Z (18180 lb 9006428	252.00	252.00
385/65R22.5 L MICHELIN X MULTIWAY HD XZE 9006432	397.00	397.00
11R22.5 H YOKOHAMA MY507 (13220 lbs) 9007426	-20.00	-20.00
315/80R22.5 L YOKOHAMA MY627W (20000 lbs 9007443	-4.00	-4.00

WHEELS - FRONT

22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU 5312246	-26.00	-26.00
22.5x13.0 ACCURIDE STEEL DISC 10-HOLE HU 5312283	336.00	336.00
24.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU 5312324	-82.00	-82.00
22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU 5312328	-73.00	-73.00
22.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU 5312353	-85.00	-85.00
22.5 X 9.00 ALUMINUM, 11.25" BC ACCURIDE # 5312365	-6.00	-6.00
22.5x12.25 ACCURIDE STEEL DISC 10-HOLE H 5312509	-14.00	-14.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-H 5312720	-41.00	-41.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-H 5312721	-32.00	-32.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-H 5312723	-31.00	-31.00
22.5x12.25 HAYES LEMMERZ STEEL DISC 10-F 5312724	-15.00	-15.00
22.5x12.25 ACCURIDE 10-HOLE HUB PILOTED 5313023	88.00	88.00
22.5x13.0 ALCOA LVL ONE ALUM DISC, 10-HOL 5313135	179.00	179.00
22.5x9.00 ALCOA ALUM DISC #89363X 3.12" IN: 5313517	8.00	8.00
22.5x12.25 ALCOA LVL ONE ALUM DISC, 10-HC 5313774	90.00	90.00
22.5x8.25 ALCOA ULTRA ONE ALUM DISC WHI 5313781	-35.00	-35.00
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H 5313789	Standard	Standard
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H 5313791	17.00	17.00
22.5x9.00 ACCURIDE ALUM DISC, 10-HOLE HL 5313792	4.00	4.00

WHEEL FINISHING, FRONT

WITHOUT WHEEL FINISHING FRONT UWFF	Option	Option
WHEEL FINISHING FRONT, BRIGHT, DURA-BR WFF-DBP	150.00	150.00
WHEEL FINISHING FRONT, MACHINED BUFF WFF-MB	Standard	Standard
WHEEL FINISHING FRONT, POLISHED WFF-POL	36.00	36.00
WHEEL FINISHING FRONT, EXTRA POLISHED WFF-XPOL	55.00	55.00

TIRES BRAND/TYPE - REAR

11R22.5 G BRIDGESTONE M843 (23360 lbs) (AL 9011175	244.00	244.00
11R22.5 H BRIDGESTONE M843 (24020 lbs) (AL 9011176	296.00	296.00
11R24.5 H BRIDGESTONE M843 (26440 lbs) (AL 9011178	324.00	324.00
11R24.5 H BRIDGESTONE L320 (26440 lbs) (DR 9011307	455.00	455.00
11R22.5 G BRIDGESTONE L320 (23360 lbs) (DR 9011316	263.00	263.00
11R22.5 H BRIDGESTONE L320 (24020 lbs) (DR 9011317	302.00	302.00
11R22.5 H BRIDGESTONE M799 (24020 lbs) (DF 9011333	174.00	174.00
11R24.5 H BRIDGESTONE M799 (26440 lbs) (DF 9011338	211.00	211.00
295/75R22.5 G BRIDGESTONE R268 ECOPIA (2 9011362	15.00	15.00
455/55R22.5 M BRIDGESTONE GREATEC M84E 9011363	135.00	135.00
11R22.5 G BRIDGESTONE R268 ECOPIA (2336 9011366	Standard	Standard
11R22.5 H BRIDGESTONE R268 ECOPIA (2402l 9011367	113.00	113.00
11R24.5 G BRIDGESTONE R268 ECOPIA (2402 9011368	98.00	98.00

11R24.5 H BRIDGESTONE R268 ECOPIA (2644i 9011369	174.00	174.00
315/80R22.5 L BRIDGESTONE M843 (MAX SPE 9011371	302.00	302.00
12R22.5 H BRIDGESTONE R268 ECOPIA (2712i 9011378	299.00	299.00
295/75R22.5 G BRIDGESTONE M726 ELA (2270 9011398	104.00	104.00
11R22.5 G BRIDGESTONE M726 ELA (23360 lbs 9011400	140.00	140.00
11R24.5 G BRIDGESTONE M726 ELA (24020 lbs 9011401	180.00	180.00
11R24.5 H BRIDGESTONE M726 ELA (26440 lbs 9011402	241.00	241.00
315/80R22.5 L BRIDGESTONE M870 (36360 lbs) 9011415	394.00	394.00
295/75R22.5 G BRIDGESTONE R284 ECOPIA (2 9011416	76.00	76.00
11R22.5 G BRIDGESTONE R284 ECOPIA (2336 9011418	79.00	79.00
11R22.5 H BRIDGESTONE R284 ECOPIA (2402i 9011419	113.00	113.00
11R24.5 G BRIDGESTONE R284 ECOPIA (2402 9011420	159.00	159.00
11R24.5 H BRIDGESTONE R284 ECOPIA (2644i 9011421	177.00	177.00
11R22.5 G BRIDGESTONE M713 ECOPIA (2336 9011426	49.00	49.00
12R24 J GOODYEAR G177 (MAX SPEED 50 MP 9015226	942.00	942.00
12R24.5 H GOODYEAR G177 (28640 lbs) (DRIVE 9015263	664.00	664.00
11R24.5 G GOODYEAR G182 RSD (24020 lbs) (I 9015362	683.00	683.00
11R24.5 H GOODYEAR G182 RSD (26440 lbs) (I 9015363	786.00	786.00
295/75R22.5 G GOODYEAR G182 RSD (22700 lb 9015364	658.00	658.00
11R22.5 H GOODYEAR G282 MSD (24020 lbs) (I 9015393	789.00	789.00
11R24.5 H GOODYEAR G282 MSD (26440 lbs) (I 9015394	855.00	855.00
12R22.5 H GOODYEAR G282 MSD (27120 lbs) (I 9015395	983.00	983.00
295/75R22.5 G GOODYEAR G622 RSD (22700 lb 9015400	379.00	379.00
11R22.5 G GOODYEAR G622 RSD (23360 lbs) (I 9015401	391.00	391.00
11R22.5 H GOODYEAR G622 RSD (24020 lbs) (I 9015402	426.00	426.00
315/80R22.5 L GOODYEAR G289 WHA (36360 lb 9015406	798.00	798.00
12R22.5 H GOODYEAR G622 RSD (27120 lbs) (I 9015413	592.00	592.00
315/80R22.5 L GOODYEAR G751 MSA DURAS 9015460	993.00	993.00
11R22.5 H GOODYEAR G751 MSA (24020 lbs) (I 9015461	467.00	467.00
12R22.5 H GOODYEAR G751 MSA (27120 lbs) (I 9015463	645.00	645.00
315/80R22.5 L GOODYEAR G751 MSA (33080 lb 9015465	858.00	858.00
11R22.5 H GOODYEAR G731 MSA DURASEAL 9015467	492.00	492.00
11R22.5 G GOODYEAR ENDURANCE RSA (233 9015478	210.00	210.00
11R22.5 H GOODYEAR ARMOR MAX PRO GRA 9015479	485.00	485.00
11R24.5 H GOODYEAR ARMOR MAX PRO GRA 9015480	557.00	557.00
11R22.5 H GOODYEAR ARMOR MAX PRO GRA 9015481	632.00	632.00
11R24.5 H GOODYEAR ARMOR MAX PRO GRA 9015482	701.00	701.00
11R24.5 H GOODYEAR ENDURANCE RSA (264 9015483	307.00	307.00
11R22.5 H GOODYEAR ENDURANCE RSA (240 9015484	241.00	241.00
295/75R22.5 G GOODYEAR ENDURANCE RSA 9015485	194.00	194.00
315/80R22.5 L GOODYEAR ENDURANCE WHA 9015488	654.00	654.00
11R22.5 G MICHELIN XDN2 (23360 lbs) (DRIVE 9016260	381.00	381.00
12R22.5 H MICHELIN XDN2 (27120 lbs) (DRIVE 9016262	523.00	523.00
385/65R22.5 J MICHELIN XZY3 WIDE BASE 9016331	47.00	47.00
445/65R22.5 L MICHELIN XZY3 WIDE BASE (20 9016334	444.00	444.00
455/55R22.5 M MICHELIN X ONE XZUS (23400 l 9016342	494.00	494.00
11R22.5 H MICHELIN XZE2 (24020 lbs) (ALL PO 9016363	271.00	271.00
11R24.5 G MICHELIN XZE2 (24020 lbs) (ALL PO 9016364	274.00	274.00
11R22.5 H MICHELIN XDS2 (24020 lbs) (DRIVE 9016376	539.00	539.00
315/80R22.5 L MICHELIN XZUS2 (33080 lbs) (AL 9016389	630.00	630.00
11R24.5 H MICHELIN X WORKS XDY (26440 lbs 9016391	580.00	580.00
315/80R22.5 L MICHELIN X WORKS XDY (3308i 9016408	660.00	660.00
11R22.5 H MICHELIN X WORKS Z (24020 lbs) (I 9016423	386.00	386.00
12R22.5 H MICHELIN X WORKS Z (27120 lbs) (I 9016424	515.00	515.00
11R24.5 H MICHELIN X WORKS Z (26440 lbs) (I 9016426	468.00	468.00
315/80R22.5 L MICHELIN X WORKS Z (33080 lb 9016428	605.00	605.00
445/50R22.5 L MICHELIN X ONE LINE GRIP D (I 9016451	374.00	374.00
455/55R22.5 L MICHELIN X ONE LINE GRIP D (I 9016452	494.00	494.00
315/80R22.5 L YOKOHAMA MY627W (33020 lbs 9017443	299.00	299.00
315/80R22.5 L YOKOHAMA LY717 9017448	660.00	660.00
12R24.5 H CONTINENTAL HSC1 (28640 lbs) (AL 9017728	273.00	273.00
WHEELS - REAR		
24.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU 3462323	-64.00	-64.00
24.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU 3462324	-43.00	-43.00
22.5x9.00 ACCURIDE STEEL DISC 10-HOLE HU 3462328	-34.00	-34.00
22.5x8.25 ACCURIDE STEEL DISC 10-HOLE HU 3462353	-46.00	-46.00
22.5x8.25 ACCURIDE STEEL DISC 10-HOLE 5 I 3462354	-76.00	-76.00
22.5x8.25 ACCURIDE ACCU-LITE STEEL DISC 3462356	-70.00	-70.00
24x8.5 HAYES LEMMERZ STL DISC TUBED TYI 3462361	381.00	381.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-HC 3462720	-23.00	-23.00
22.5x9.00 HAYES LEMMERZ STEEL DISC 10-HC 3462723	-13.00	-13.00
24.5x8.25 HAYES LEMMERZ STEEL DISC 10-HC 3462733	-23.00	-23.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-HC 3462734	-31.00	-31.00
22.5x8.25 HAYES LEMMERZ STEEL DISC 10-HC 3462735	-31.00	-31.00
22.5x8.25 ACCURIDE ACCU-LITE 10-HOLE HUE 3463767	Option	Option
24.5x8.25 ACCURIDE ACCU-LITE 10-HOLE HUE 3463768	-8.00	-8.00
22.5x12.25 ALCOA LVL ONE ALUM DISC, 10-HC 3463777	-111.00	-111.00
22.5x8.25 ALCOA ULTRA ONE ALUM DISC 10-H 3463781	Standard	Standard

22.5x8.25 ALCOA LVL ONE ALUM DISC, 10-HOI 3463783		53.00	53.00
24.5x8.25 ALCOA LVL ONE ALUM DISC, 10-HOI 3463784		91.00	91.00
22.5x14.00 ALCOA ULTRA ONE ALUM DISC 10- 3463787		-35.00	-35.00
22.5x14.00 ALCOA ULTRA ONE ALUM DISC 10- 3463788		-35.00	-35.00
22.5x9.00 ALCOA ULTRA ONE ALUM DISC 10-H 3463789		Option	Option
24.5x8.25 ALCOA ULTRA ONE ALUM DISC 10-H 3463790		43.00	43.00
22.5x9.00 ACCURIDE ALUM DISC, 10 HOLE HU 3463792		74.00	74.00
22.5x13.00 ALCOA ALUM DISC 83U65, 10 HOLE 3463794		-66.00	-66.00
22.5x8.25 ALCOA ALU DISC OUTER W/ACCURI 3466730		202.00	202.00
REAR DISC WHEEL:POLISH			
W/O REAR DISC WHEEL BRIGHT FINISH 2350000		Option	Option
POLISHED ALUMINUM DISC - ALL WHEELS - C 2350001		Option	Option
POLISHED W/DURA-BRIGHT PROTECTION AL 2350004		245.00	245.00
POLISHED W/DURA-BRIGHT PROTECTION OL 2350006		123.00	123.00
POLISHED ALUMINUM DISC - OUTBOARD OF I 2350007		26.00	26.00
XTRA POLISHED, ALUMINUM DISC, BOTH SIDI 2350025		55.00	55.00
REAR AXLE TIRE & WHEEL QUANTITY			
FOUR REAR AXLE TIRES & WHEELS	RWT0004	Option	Option
NINE REAR AXLE TIRES & WHEELS	RWT0009	Option	Option
DRIVE WHEEL STUDS			
DRIVE WHEEL STUDS, LONG	DSTUD-L	Standard	Standard
DRIVE WHEEL STUDS, SHORT	DSTUD-S	-76.00	-76.00
TIRE INFLATION VALVE			
VALVE STEM 13 DEG ANGLE, MEYERS V2B IN 15X-F1X		108.00	108.00
STANDARD VALVES, ROUND METAL CAPS VAL-STD2		Option	Option
TIRE INFLATION VALVE, STANDARD VALVESTD		Standard	Standard
TIRE INFLATION VALVE, STANDARD VALVESTD		Standard	Standard
HUB/WHEEL ISOLATOR FRONT			
HUD/WHEEL ISOLATOR FRONT - NYLON	HWIF-NYL	6.00	6.00
HUB/WHEEL ISOLATOR DRIVE			
HUB/WHEEL ISOLATOR DRIVE- NYLON	HWID-NYL	44.00	44.00
WITHOUT HUB/WHEEL ISOLATOR DRIVE	UHWID	Standard	Standard
JACK			
JACK 20T (18T METRIC)	JACK18T	146.00	146.00
WRENCH, WHEEL			
WITHOUT WHEEL (LUG) WRENCH	UWRENCH	Standard	Standard
WHEEL (LUG) WRENCH	WRENCH-B	72.00	72.00