

Nobles Price List

SSR

← Click on + or - to hide/unhide Built In Values

NOBLES WARRANTY

**3 YEARS OR 1500 HOURS ON ALL COMPONENTS, 3 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS**

[Additional information on Pre-Configured Machines can be found here.](#)

Base Configuration	Reference Number	2021 List Price
Cleaning Type		
Speed Scrub® Ride-On Scrubber 650 mm/26" - Disk	SSR-650-D	\$19,946.00
Speed Scrub® Ride-On Scrubber 800 mm/32" - Disk	SSR-800-D	\$21,423.00
Cleaning Technology: (conventional is standard, ec-H2O NanoClean™ can also operate in conventional mode)		
ec-H2O NanoClean™	ec-H2ONC-SSR	\$2,602.00
Battery Type (Note 1)		
Wet 240AH C/20 (Kit of 4 batteries)	9000814	N/C
Wet 360AH C/20 (Kit of 4 batteries)	9000815	\$545.00
Sealed/MF AGM 220AH C/20 (Kit of 4 batteries)	9001915	\$1,358.00
Without Battery		(\$450.00)
Manual Battery Watering Kit (Note 2)	9009619	\$468.00
Charger		
19A 100-240V AC 50/60Hz 1Ph - Off-Board for 240AH and 360AH Batteries	1029256	N/C
25A 100-240V AC 50/60Hz 1Ph, - Off-Board for AGM 220AH Battery	9012519	\$175.00
25A 100-240V AC 50/60Hz 1Ph, - Off-Board, in lieu of standard for 360AH Battery	9009486	\$175.00
25A 115V AC 60Hz 1Ph - On-Board, in lieu of standard	9001993	\$549.00
27A 100-240V AC 50/60Hz 1Ph - Off-Board for all Batteries (IRIS Battery Metric Compatible) (Note 3)	1230312	\$335.00



Machine Protection & Safety	Reference Number	
Seat Belt	9018587	\$70.00
Strobe Light On Tank	9000580	\$595.00
Brushes and Pads (Note 4)		
650mm/26" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1220223	N/C
Nylon	1220226	N/C
Pad Driver	1220243	N/C
Pads		
Blue Scrubbing - 3M	89047	\$13.00
Red Cleaning - 3M	89048	\$13.00
White Polishing - 3M	89049	\$13.00
800mm/32" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1220224	N/C
Nylon	1220225	N/C
Pad Driver	1220244	N/C
Pads		
Blue Scrubbing - 3M	63248-2	\$16.40
Red Cleaning - 3M	63248-3	\$16.40
White Polishing - 3M	63248-4	\$16.40
Support (Note 5)		
Speed Scrub® Operator Manual (English)	331140	N/C
Speed Scrub® Operator Manual (Spanish)	331142	N/C
Speed Scrub® Operator Manual (French)	331143	N/C
Additional Operator Manual	see above	\$107.00
Service Manual	331145	\$107.00
Speed Scrub® Rider Parts Manual	331140	\$43.00
Training CD, ec-H2O NanoClean (standard w/ec-H2O NanoClean machine)	9006257	N/C
Machine Communication (Note IRIS)		
IRIS Telemetry Module	9013632	\$1,158.00
Packaging (Note 6)		
Pad Wrap		N/C
Skid w/Carton, Non-Stackable	9000550	\$380.00

[Click here for aftermarket parts for the SSR](#)

Notes

- 1 Customer MUST order Skid w/Carton, Non-Stackable if WITHOUT BATTERY is selected. Continental USA orders ONLY.
In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 2 Only available on wet batteries, not sealed.
- 3 27A 100-240V AC 50/60Hz 1Ph - Off-Board Charger is required to receive IRIS Battery Metrics.
- 4 One set of brushes or pad drivers come standard with a Speed Scrub® Rider.
- 5 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Nobles.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.
 IRIS IRIS Module is required and NOT included in the price of the IRIS Information Service:
 IRIS 3 Year Pre-Paid IRIS Information Service \$250.00
 IRIS 5 Year Pre-Paid IRIS Information Service \$400.00
 IRIS A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
 IRIS IRIS Telemetry Module only covers the price of the hardware.
 IRIS IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
 IRIS 27A 100-240V AC 50/60Hz 1Ph - Off-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
 IRIS **Availability of IRIS Battery Metrics is not guaranteed with third party supplied batteries.**

- 6 Pad wrap available only in the Continental US and is the default packaging method.
Customer MUST order Skid w/Carton, Non-Stackable if WITHOUT BATTERY is selected.
Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

T581

**TENNANT COMPANY WARRANTY
 3 YEARS OR 2000 HOURS - PARTS
 1 YEAR - BATTERY CHARGERS
 2 YEARS - LABOR
 6 MONTHS - TRAVEL
 10 YEARS ON DURAMER™ ROTOMOLD TANKS**

	<u>Reference Number</u>	<u>2021 List Price</u>
T581 - Ride-On Micro-Scrubber - 150AH Wet Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes onboard charger, 2-12V batteries, pad driver, and 1 red pad.	9022008	\$10,374.00
T581 - Ride-On Micro-Scrubber - 140AH Sealed AGM Batteries	9022009	\$11,306.00
T581 - Ride-On Micro Scrubber - NO Batteries	1255470	\$10,024.00
Shipped on skid.		
T581 - Self-Propel - Shipping Weight and Dimensions	Skid w/Carton	
Weight (w/ heaviest batteries)	520 lb / 236 kg	
Length	57 in / 145 cm	
Width	32 in / 82cm	
Height	45 in / 114.5 cm	
Click here for aftermarket		

**Automatic Stand On Scrubber
SS350**

← Click on + or - to hide/unhide Built In Values

NOBLES WARRANTY
3 YEARS OR 2000 HOURS ON ALL COMPONENTS, 2 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS

Base Configuration	Reference Number	2021 List Price
Cleaning Type		
SS350 Stand-On Scrubber 500mm / 20" Disk	SS350-500-D	\$11,207.00
SS350 Stand-On Scrubber 600mm / 24" Disk	SS350-600-D	\$12,404.00
Trim Level		
Pro-Membrane™ Control Panel	MCP-SS350	N/C
Pro-Panel® Control Panel	PPC-SS350	\$766.00
Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)		
ec-H2O NanoClean™	ec-H2ONC-SS350	\$1,759.00
Severe Environment™ Switch (Note 1)	9040107	\$493.00
Severe Environment™ Switch Lockout (Note 2)	9017886	\$50.00
Battery Type (Note 3)		
Wet 210AH C/20	9040050	N/C
Wet 240AH C/20	9040051	\$151.00
Sealed/MF AGM 220AH C/20	9040052	\$1,144.00
Without	9040058	(\$450.00)
Smart-Fill™ Automatic Battery Watering (Note 4)	9040152	\$815.00
Manual Battery Watering (Note 4)	9040150	\$475.00
Charger (Note 5)		
25A 100-240V AC 50/60Hz 1Ph - On-Board	9040060	N/C
Cleaning Performance		
Quiet-Mode™	9040154	\$146.00
Reduced Propel Speed (Note 6)	RPS-SS350	N/C
Machine Protection & Safety		
Audio Back Up Alarm	BU-SS350	N/C
Brushes and Pads		
500mm / 20" Disk Brushes (1 Required)		
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213032	\$295.00
Nylon Brush	1210386	\$295.00
Pad Driver	1209197	\$295.00
Pads		
Blue Scrubbing - 3M	17262	\$21.80
Red Cleaning - 3M	17261	\$21.80
White Polishing - 3M	17260	\$21.80
600mm / 24" Disk Brushes (2 Required)		
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213040	\$190.00
Nylon Brush	1210136	\$190.00
Pad Driver	1209160	\$190.00
Pads		
Blue Scrubbing - 3M	385942	\$11.90
Red Cleaning - 3M	385941	\$11.90
White Polishing - 3M	385940	\$11.90
Support		
Operator Manual - English	9020160	N/C
Operator Manual - Spanish	9020161	N/C
Operator Manual - French	9020162	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
Parts Manual	9020166	\$43.00
Service Manual	9020167	\$107.00
IRIS™ Machine Communication (Note 7)		
IRIS Telemetry Module	9040062	\$1,158.00
Packaging (Note 8)		
Skid w/Carton, Stackable	9040253	\$380.00
Pad Wrap	9040255	N/C

[Click here for Aftermarket parts for SS350](#)

Notes

- 1 Severe Environment™ Switch is only available with ec-H2O NanoClean Cleaning Technology.
- 2 Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
- 3 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Continental USA orders ONLY.
In order to obtain the IRIS™ Battery Metrics, one of the listed Tennant supplied batteries is required.
- 4 Smart-Fill™ Automatic Battery Watering only available with on-board charger.
Smart-Fill Automatic Battery Watering and Manual Battery Watering are not compatible with AGM Batteries.
- 5 25A 100-240V AC 50/60Hz 1Ph - On-Board Charger is required to receive IRIS Battery Manager.
25A 100-240V AC 50/60Hz 1Ph - On-Board Charger is mandatory when ordering Smart-Fill Battery Watering.
- 6 Reduced Propel Speed will reduce the overall Max Scrubbing and Transport Speed from 3.6 mph/5.8 Kph to 2.8 mph/4.5 Kph
- 7 Pre-Paid and Monthly Packages are available for the IRIS Information Service.
IRIS Module is required and NOT included in the price of the IRIS Information Service:
3 Year Pre-Paid IRIS Information Service \$250.00
5 Year Pre-Paid IRIS Information Service \$400.00
A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
25A 100-240V AC 50/60Hz 1Ph - On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
IRIS Battery Metrics are not guaranteed with third party supplied batteries.
- 8 Pad wrap available only in the Continental US and is the default packaging method.
Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

SS500

← Click on + or - to hide/unhide Built In Values

NOBLES WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
3 YEARS OR 2000 HOURS ORBITAL SCRUB HEAD ISOLATORS
2 YEARS - LABOR, 6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS

Base Configuration	Reference Number	2021 List Price
Cleaning Type		
SS500 Walk-Behind Scrubber 650 mm / 26" Disk	SS500-650-D	\$12,536.00
SS500 Walk-Behind Scrubber 700 mm / 28" Disk	SS500-700-D	\$13,191.00
SS500 Walk-Behind Scrubber 800 mm / 32" Disk	SS500-800-D	\$13,907.00
SS500 Walk-Behind Scrubber 700 mm / 28" Cylindrical	SS500-700-C	\$14,503.00
SS500 Walk-Behind Scrubber 700 mm / 28" Orbital	SS500-700-O	\$13,789.00
Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in conventional mode)		
ec-H2O NanoClean™	ec-H2ONC-SS500	\$2,453.00
Squeegee Width (Note 1)		
Standard	STD-SS500	N/C
Narrow Aisle	NR-SS500	N/C
Battery Type (Note 2)		
Wet 225AH C/20	9015372	N/C
Wet 260AH C/20	9015373	\$365.00
Sealed/MF AGM 220AH C/20	9015374	\$1,333.00
Without	9015370	(\$450.00)
Smart-Fill Automatic Battery Watering System (Note3)	9015383	\$791.00
Manual Battery Watering System (Note 3)	9009619	\$461.00
Charger (Note 4)		
25A 100-240V AC 50/60Hz 1Ph - On-Board	9015396	N/C
Machine Protection & Safety		
Parking Brake	9015224	\$156.00

Brushes and Pads (Note 5)	Reference Number	
650mm / 26" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1223989	N/C
Nylon	1223991	N/C
Pad Driver	1220220	N/C
Pads		
Blue Scrubbing - 3M	89047	\$13.00
Red Cleaning - 3M	89048	\$13.00
White Polishing - 3M	89049	\$13.00
700 mm/28" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1220218	N/C
Nylon	1221541	N/C
Pad Driver	1220221	N/C
Pads		
Blue Scrubbing - 3M	222326	\$14.00
Red Cleaning - 3M	222325	\$14.00
White Polishing - 3M	222324	\$14.00
800 mm/32" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1220216	N/C
Nylon	1220215	N/C
Pad Driver	1220222	N/C
Pads		
Blue Scrubbing - 3M	63248-2	\$16.40
Red Cleaning - 3M	63248-3	\$16.40
White Polishing - 3M	63248-4	\$16.40
700mm / 28" Cylindrical Scrubbing Brushes (2 Required)		
Polypropylene	222304	N/C
Nylon	222305	N/C
700mm / 28" Orbital Pads		
Pad Driver	1221839	N/C
Pads		
Blue Scrubbing - 3M	1223247	\$49.00
Red Cleaning - 3M	1218157	\$49.00
White Polishing - 3M	1223246	\$49.00
Support (Note 6)		
Reference Number		
SS500 Operator Manual (English)	9015513	N/C
SS500 Operator Manual (Spanish)	9015514	N/C
SS500 Operator Manual (French)	9015515	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
SS500 Parts Manual	9015512	\$43.00
SS500 Service Manual	9015517	\$107.00
Machine Communication (Note Iris 7)		
IRIS Telemetry Module	9015423	\$1,158.00
Packaging (Note 8)		
Skid w/Carton, Stackable	9015450	\$380.00
Pad Wrap		N/C

Notes

[Click here for Aftermarket parts for SS500](#)

1 Standard Squeegee recovers 100% of water in 180° point turns. If customer has a narrow aisle, the machine can be set-up for a narrow aisle squeegee. The narrow-aisle squeegee is the squeegee that comes standard with the next size smaller head and will not recover 100% of the solution in 180° point turns.

Scrub Head Size	Standard	Narrow Aisle
650 mm / 26" - Disk	9015301 = 38.3 in / 973 mm	9015490 = 30.0 in / 772 mm
700 mm / 28" - Disk	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm
800 mm / 32" - Disk	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Cylindrical	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Orbital	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm

2 Customer MUST order Skid w/Cartron, Stackable if WITHOUT BATTERY is selected. Continental USA orders ONLY.

3 Smart-Fill Automatic Battery Watering only available with on-board charger. Smart-Fill Automatic Battery Watering and Manual Battery Watering are not compatible with AGM Batteries.

4 25A 100-240V AC 50/60Hz 1Ph - On-Board Charger is required to receive IRIS Battery Manager.

5 One set of brushes or pad drivers come standard with a Disk or Cylindrical SS500. Orbital units will come standard with a Pad Driver - Red Backer Pad.

6 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service	\$250.00
5 Year Pre-Paid IRIS Information Service	\$400.00

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

25A 100-240V AC 50/60Hz 1Ph - On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.

Availability of IRIS Battery Metrics is not guaranteed with third party supplied batteries.

8 Pad wrap available only in the Continental US and is the default packaging method.

Customer MUST order Skid w/Cartron, Stackable if WITHOUT BATTERY is selected.

Skid w/Cartron, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

T390

**TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS**

	Reference Number	2021 List Price
T390 Walk Behind Scrubber - Self-Propel - 150AH Wet Batteries 28in (70cm), dual disk cleaning path, Linatex squeegee blades. Includes onboard charger, 2-12V batteries, pad driver, and 1 red pad.	9022006	\$8,892.00
T390 Walk Behind Scrubber - Self-Propel - 140AH Sealed AGM Batteries	9022007	\$9,824.00
T390 - Walk Behind Scrubber - Self-Propel - NO Batteries	1255469	\$8,542.00

Shipped on skid.

T390 - Self-Propel - Shipping Weight and Dimensions

Weight (w/ heaviest batteries)	Skid w/Cartron 438 lb / 199 kg
Length	50 in / 127 cm
Width	33 in / 84cm
Height	45 in / 114.5 cm

[Click here for aftermarket parts](#)

SS300

← Click on + or - to hide/unhide Built In Values

NOBLES WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS

Base Configuration	Reference Number	2021 List Price
Cleaning Type		
SS300 Walk-Behind Scrubber 430 mm/17" - Disk	SS300-430-D	\$4,811.00
SS300 Walk-Behind Scrubber 500 mm/20" - Disk	SS300-500-D	\$5,478.00
SS300 Walk-Behind Scrubber 600 mm/24" - Dual Disk, Self Propel	SS300-600-D	\$5,906.00
SS300 Walk-Behind Scrubber 500 mm/20" - Orbital, Self Propel	SS300-500-O	\$6,193.00
Cleaning Tool Attachment		
Conventional - 3 Lug	CNV-SS300	N/C
Insta-Click	IC-SS300	\$340.00
Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in conventional mode)		
ec-H2O NanoClean™ Technology	ec-H2ONC-SS300	\$1,759.00
Drive Type (Note 1)		
Pad / Brush Assist	Pad-SS300	N/C
Self Propel	Self-SS300	\$1,267.00
Battery Type (Note 2)		
Wet 130AH C/20 (Kit of 2 batteries)	9013852	\$572.00
Wet 150AH C/20 (Kit of 2 batteries)	9013853	\$683.00
Sealed/MF AGM 140AH C/20 (Kit of 2 batteries)	9013854	\$1,615.00
Without		N/C
Manual Battery Watering System - Wet 150AH Battery only (Note 3)	9009619	\$458.00
Charger		
13A 85-265V AC 50/60Hz 1Ph - On Board	9013847	N/C
Down Pressure (Note 4)		
Single	9013833	N/C
Multiple (Dual Down Pressure) - Disk and Orbital	9013831	\$289.00
Machine Protection & Safety		
Parking Brake	9013846	\$156.00

Brushes and Pads (Note 5)	Reference Number	
430mm/17" Disk (1 Required)		
For Conventional Scrub Head:		
Polypropylene Brush	1016765	\$194.00
Nylon Brush	1016764	\$194.00
Pad Driver	1212965	\$194.00
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213035	\$270.00
Nylon Brush	1213034	\$270.00
Pad Driver	1211869	\$270.00
Pads		
Blue Scrubbing - 3M	1050270	\$16.40
Red Cleaning - 3M	1050271	\$16.40
White Polishing - 3M	1050273	\$16.40
500mm/20" Disk (1 Required)		
For Conventional Scrub Head:		
Polypropylene Brush	1016811	\$222.00
Nylon Brush	1016810	\$222.00
Pad Driver	1212960	\$222.00
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213032	\$279.00
Nylon Brush	1210386	\$279.00
Pad Driver	1209197	\$279.00
Pads		
Blue Scrubbing - 3M	17262	\$21.80
Red Cleaning - 3M	17261	\$21.80
White Polishing - 3M	17260	\$21.80
500mm/20" Orbital (Standard)		
Pad Driver		N/C
Pads		
Blue Scrubbing - 3M	1205514	\$21.00
Red Cleaning - 3M	1205513	\$21.00
White Polishing - 3M	1205512	\$21.00
600mm/24" Disk (2 Required)		
For Conventional Scrub Head:		
Polypropylene Brush	1056313	\$182.00
Nylon Brush	1056306	\$182.00
Pad Driver	1213038	\$182.00
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213040	\$182.00
Nylon Brush	1210136	\$182.00
Pad Driver	1209160	\$182.00
Pads		
Blue Scrubbing - 3M	385942	\$11.90
Red Cleaning - 3M	385941	\$11.90
White Polishing - 3M	385940	\$11.90
Support (Note 6)		
Machine Communication (Note IRIS)		
SS300 Operator Manual - English	9014512	N/C
SS300 Operator Manual - Spanish	9014513	N/C
SS300 Operator Manual - French	9014514	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
SS300 Parts Manual	9014511	\$43.00
Service Manual	9014516	\$107.00
IRIS Telemetry Module	9016990	\$1,158.00
Packaging (Note 7)		
Pad Wrap		N/C
Skid w/Carton, Stackable	9013859	\$252.00
Click for SS300 Parts		

Notes

- 1 Pad Assist Drive Type is only available on the 430 mm/17" and 500 mm/20" units.
Self Propel Drive Type is available on all machine types.
The Self Propel price is included in the Cleaning Type section for Dual Disk and Orbital machines
- 2 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Continental USA orders ONLY.

To maximize run time, it is recommend that the Wet 150AH Batteries are ordered.
Sealed/MF AGM 140AH Battery available on all units.
- 3 Manual Battery Watering System is only available Wet 150AH lead acid batteries.
- 4 Multiple Down Pressure (Dual Down Pressure)
430 mm / 17" Single Disk - 21, 39 kg / 47, 86 lbs
500 mm / 20" Single Disk - 23, 41 kg / 51, 90 lbs
600 mm / 24" Dual Disk - 26, 44 kg / 57, 97 lbs
500 mm / 20" Orbital - 29, 50 kg / 63, 109 lbs
- 5 One Pad Driver or Brush can be selected with 430 mm/17" and 500 mm/20" Models
A Set of two Pad Drivers or Brushes can be selected for 600 mm/24" Models
Pad Driver is included in the base machine price of Orbital Models.
If Insta-Click Cleaning Tool Attachment is chosen, a Insta-Click pad driver or brush must be selected
If 3-Lug Cleaning Tool Attachment is chosen, a 3-lug pad driver or brush must be selected
- 6 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Nobles.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.
IRIS Module is required and NOT included in the price of the IRIS Information Service:
3 Year Pre-Paid IRIS Information Service \$250.00
5 Year Pre-Paid IRIS Information Service \$400.00
A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

- 7 Pad wrap available only in the Continental US and is the default packaging method.
Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

T290

**TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS**

	<u>Reference Number</u>	<u>2021 List Price</u>
T290 Walk Behind Scrubber - Pad Assist - 130AH Wet Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes on-board charger, 2-12V batteries, pad driver, and 1 red pad.	9022000	\$5,243.00
T290 Walk Behind Scrubber - Pad Assist - 150AH Wet Batteries	9022001	\$5,355.00
T290 Walk Behind Scrubber - Pad Assist - 140AH Sealed AGM Batteries	9022002	\$6,287.00
T290 - Walk Behind Scrubber - Pad Assist - NO Batteries	1255467	\$4,893.00
T290 Walk Behind Scrubber - Self-Propel - 130AH Wet Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes on-board charger, 2-12V batteries, pad driver, and 1 red pad.	9022003	\$6,420.00
T290 Walk Behind Scrubber - Self Propel - 150AH Wet Batteries	9022004	\$6,532.00
T290 - Walk Behind ScrubberSelf Propel - 140AH Sealed AGM Batteries	9022005	\$7,464.00
T290 - Walk Behind Scrubber - Self Propel - NO Batteries	1255468	\$6,070.00

Shipped on skid.
T290 - Pad Assist - Shipping Weight and Dimensions
Weight (w/ heaviest batteries) Skid w/Carton 390 lb / 177 kg
Length 50 in / 127 cm
Width 27 in / 69cm
Height 45 in / 114.5 cm

T290 - Self-Propel - Shipping Weight and Dimensions
Weight 401 lb / 182 kg
Length 50 in / 127 cm
Width 27 in / 69cm
Height 45 in / 114.5 cm

[Click here for aftermarket parts](#)

Automatic Scrubbers



Cleaning Type	Reference Number	2021 List Price
CS5 Li-ON Battery Micro-scrubber		

11" cleaning path. Includes 5.5 AH Lithium ion battery, removable, fill and dump nearly anywhere 1.3 gallon (5 liter) solution & recovery tanks, forward and reverse dry system, foldable handle, medium polypropylene brush, Linatex squeegees, charger with power cord and multi-language operator manual.
Boxed Dimensions: 31.5" L x 15.74" W x 18.5" H (800 mm x 400 mm x 470 mm)
Shipping Weight 48.62 lbs/ 22 kg

1251580

\$2,461.00

[CS5 Aftermarket Parts](#)



i-mop XL Plus Lithium-Ion Auto Disk Scrubber
18.1" (46 cm) cleaning path. Includes white batteries, removable 1 gal (4 L) solution and 1.5 gal (8 L) recovery tank with ball float, battery safe guard switch, angle switch, Plus charger w/ power cord, 2 medium blue brushes, squeegee, and multi-language operator manual.

1251236

\$5,493.00

Boxed Dimensions: 49.6" H x 22.4" W x 14.6" L (1260 mm x 570 mm x 370 mm)
Shipping Weight with Batteries: 77.2 lbs (35 kg)



i-mop XL Plus Lithium-Ion Auto Disk Scrubber + 2 Sets of Batteries
18.1" (46 cm) cleaning path. Includes TWO sets of batteries, removable 1 gal (4 L) solution and 2 gal (8 L) recovery tank with ball float, battery safe guard switch, angle switch, Plus charger w/ power cord, 2 medium blue brushes, squeegee, and multi-language operator manual.

9020942

\$6,571.00

Note: Batteries do not ship in machine box, but separately.

[Click for iMop XL Parts](#)

iCart L Integrated Work Cart

Transports the i-mop XL, includes ramp, and has storage. i-mop XL only.

1232057

\$1,669.00

Boxed Dimensions: 42.5" x 34.6" x 25.2" (1080 mm x 880 mm x 640 mm)
Shipping Weight: 132.2 lbs (60 kg)

Cabinet Assy, Storage [IMOP]

iMop storage cabinet

1233400

\$1,133.00

i-mop XXL Plus Lithium-Ion Auto Disk Scrubber

24.4" (62 cm) cleaning path. Includes gray batteries, removable 1.25 gal (5 L) solution and 2 gal (8 L) recovery tank with ball float, battery safe guard switch, angle switch, Plus charger w/ power cord, 2 medium blue brushes, squeegee, and multi-language operator manual.

1251235

\$7,595.00

Boxed Dimensions: 49" H x 25" W x 13" L (1240 mm x 640 mm x 330 mm)
Shipping Weight with Batteries: 90.2 lbs (40.9 kg)

i-mop XXL Plus Lithium-Ion Auto Disk Scrubber + 2 Sets of Batteries

24.4" (62 cm) cleaning path. Includes TWO sets of gray batteries, removable 1.25 gal (5 L) solution and 2 gal (8 L) recovery tank with ball float, battery safe guard switch, angle switch, Plus charger w/ power cord, 2 medium blue brushes, squeegee, and multi-language operator manual.

9021099

\$9,009.00

Note: Extra batteries do not ship in machine box, but separately.

[Click for i_mop XXL Plus Parts](#)



Speed Scrub® 15 Cord-Electric Cylindrical Scrubber

15" (380 mm) cleaning path. Complete package includes removable, Hygenic® fully cleanable 3 gallon (11.4 liter) solution/ 4.5 gallon (17 liters) recovery tanks, Insta-Adjust™ handle, nylon brush, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual.

9004200

\$3,885.00

Boxed Dimensions: 34" L x 22" W x 32" H (864 mm x 559 mm x 813 mm). *
Shipping Weight / Volume: 125 lb (57 kg) / 13.9 ft³ (.39 m³)



SS-15 Battery Cylindrical Scrubber - 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 2.5 gallon (9.5 liter) solution/ 3.4 gallon (12.9 liters) recovery tanks, Insta-Adjust™ handle, nylon brush, appropriate off board world charger with power cord and multi-language operator manual.

Boxed Dimensions: 32" L x 24" W x 37" H (813 mm x 610 mm x 940 mm). *
Shipping Weight (see battery options below)

Speed Scrub® 15" - Battery Cylindrical Scrubber (with AGM batteries)

Shipping Weight: 158 lbs/ 72 kg

9008637

\$5,019.00

Speed Scrub® 15" - Battery Cylindrical Scrubber (with Lithium Ion batteries)

Shipping Weight: 143 lbs/ 65 kg

9008640

\$6,476.00

[Click for parts SS15](#)

BURNISHERS
MSGR - SpeedGleam Rider

← Click on + or - to hide/unhide Built In Values

NOBLES WARRANTY
3 YEARS OR 2000 HOURS ON ALL COMPONENTS, 2 YEARS LABOR
3 MONTHS TRAVEL, 10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 List Price
Cleaning Type		
Speed Gleam Battery Rider Burnisher 610mm/24"	SGR-610	\$23,669.00
Speed Gleam Battery Rider Burnisher 690mm/27"	SGR-690	\$24,350.00
Battery Type		
Wet 435AH C/20 (Kit of 6 batteries)	9010885	N/C
Sealed/MF AGM 390AH C/20 (Kit of 6 batteries)	9010886	\$984.00
Manual Battery Watering Kit (Note 1)	9009620	\$649.00
Charger		
25A 120V AC 50/60Hz 1Ph (on board)	9010881	N/C
Cleaning Performance		
Dust Control, Passive	PASSIVE	N/C
Dust Control, Active (HEPA 99.97@.3 microns)	9010877	\$717.00
Machine Protection & Safety		
Strobe Light on Tank	9010878	\$606.00
Support (Note 2)		
SpeedGleam Operator Manual (English)	9010727	N/C
SpeedGleam Operator Manual (French)	9010725	N/C
Packaging (Note 3)		
Pad Wrap		N/C
Skid w/Carton, Non-Stackable	9010888	\$409.00

[Click for parts SpeedGleam Rider](#)

Notes

- 1 Factory installed pricing. Only available on wet batteries, not sealed.
- 2 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Nobles.com. Service manuals can be ordered for free on My Account
- 3 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← Click on + or - to hide/unhide weights

BURNISHERS

Speed Gleam 7

← Click on + or - to hide/unhide Built In Values

NOBLES WARRANTY
 3 YEARS OR 2000 HOURS - PARTS
 1 YEAR - BATTERY CHARGERS
 2 YEARS - LABOR
 6 MONTHS - TRAVEL
 10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 List Price
Cleaning Type		
Speed Gleam 7 Battery Walk-Behind Burnisher 610mm/24"	SG7-610	\$10,864.00
Speed Gleam 7 Battery Walk-Behind Burnisher 690mm/27"	SG7-690	\$12,026.00
Battery Type		
Wet 330AH C/20 (Kit of 6 batteries) (standard on 690mm/27" unit)	9012674	\$693.00
Sealed/MF AGM 312AH C/20 (Kit of 6 batteries)	9012676	\$2,775.00
Battery Watering System		
Manual Battery Watering Kit (Note 1)	9009620	\$649.00
Charger		
25A 85-265V AC 50/60Hz 1Ph (on board)	9012668	N/C
Down Pressure		
Mechanical Set and Forget™ Down Pressure	9012640	N/C
Automated Down Pressure	9012641	\$503.00
Cleaning Performance		
	Reference Number	
Dust Control, Passive - 95% @ .3 microns	PASSIVE	N/C
Dust Control, Active - HEPA Filtration to 99.97% @ .3 microns	9012657	\$443.00
Dust Control Filter, Paper Filter Bag	1210869	N/C
Support (Note 2)		
	Reference Number	
Speed Gleam 7 Operator Manual - English	9011615	N/C
Speed Gleam 7 Operator Manual - French	9011618	N/C
Packaging (Note 3)		
Pad Wrap	44961	N/C
Skid w/Carton, Stackable	9012681	\$289.00

[Click for parts SpeedGleam 7](#)

Notes

- 1 Factory installed pricing. Only available on wet batteries, not sealed.
- 2 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Nobles.com. Service manuals can be ordered for free on My Account
- 3 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← Click on + or - to hide/unhide weights

BURNISHERS
Speed Gleam 5

NOBLES WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 List Price
Cleaning Type		
SpeedGleam 5 Battery Walk-Behind Burnisher 510mm/20" (Note 1)	SG5-510	\$8,522.00
Drive Type		
Pad Assist	Pad-SG5	N/C
Self Propel	Self-SG5	\$1,970.00
Battery Type		
Wet 185AH C/20 (Kit of 3 batteries)	9012670	N/C
Wet 225AH C/20 (Kit of 3 batteries) (Note 2)	9012671	\$336.00
Sealed/MF AGM 234AH C/20 (Kit of 3 batteries)	9012672	\$2,158.00
Manual Battery Watering Kit (Note 3)	9009620	\$649.00
Charger		
25A 85-265V AC 50/60Hz 1Ph On-Board for 185AH and 225AH	9012668	N/C
Down Pressure		
Automated Down Pressure	9012641	\$515.00
Mechanical Set and Forget™ Down Pressure (Note 1)	9012640	N/C
Cleaning Performance		
Dust Control System, Active - HEPA Filtration to 99.97% @ .3 microns	9012657	\$443.00
Dust Control, Passive - 95% @ .3 microns	PASSIVE	N/C
Dust Control Filter, Paper Filter Bag	1210869	N/C
Support (Note 4)		
SpeedGleam 5 Operator Manual - English	9011615	N/C
SpeedGleam 5 Operator Manual - French	9011618	N/C
Packaging (Note 5)		
Pad Wrap	44961	N/C
Skid w/Carton, Stackable	9012678	\$210.00

[Click for parts SpeedGleam 5](#)

Notes

- When pad/brush assist unit is chosen, only mechanical Set and Forget™ down pressure is available. Mechanical down pressure can only be deducted from the self-propelled unit.
- 225AH Battery is standard with Self Propel and will be included at No Charge when that option is selected.
- Factory installed pricing. Only available on wet batteries, not sealed.
- Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Nobles.com.
- Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)



Cleaning Type	Reference Number	2021 List Price
BR-2000-DC Dust Control Burnisher* - 2000 rpm 20" (508mm) Complete package includes flexible pad driver, 75-ft. (23m) power cord, cloth filter bag and 1 pad. CSA US/C* Boxed dimensions: 34L x 27W x 51H (864mm x 686mm x 1295mm) Shipping Weight: 93 lbs. (42 kg) / Cu. Ft.: 27.093 (Cu. M. .76)	9007349	\$3,011.00



BR-1600-NDC Burnisher - 1600 rpm 20" (508mm) Complete package includes flexible pad driver and a 75-ft. (23m) power cord. Boxed dimensions: 31L x 23W x 53H (787mm x 584mm x 1346mm) Shipping Weight: 100 lbs. / Cu. Ft.: 21.868	9007347	\$2,302.00
--	---------	------------

FLOOR MACHINES



Cleaning Type	Reference Number	2021 List Price
FM-20-SS - Heavy Duty 20" (508mm) Floor Machine 175 rpm floor machine (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M. .46)	9007336	\$1,391.00



FM-20-DS - Heavy Duty Dual Speed 20" (508mm) Floor Machine 185/330 rpm floor machine (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: 96 lbs. (44 kg) / Cu. Ft.: 16.25 (Cu. M. .46)	9007334	\$2,163.00
--	---------	------------

[Click for floor machine parts](#)

SWEEPERS



Scout 7 - 28 in (700 mm) Battery Walk-Behind Sweeper

28" (700mm) cleaning path, 1.6 cu. Ft (45 L) hopper capacity, 140AH sealed battery on-board charger.
 Boxed dimensions: 47.25 in x 31.5 in x 41.5 in (L 1200 x W 800 x H 1050)
 Shipping Weight : 319 lb/144.5kg / Cu. Ft.: 35.75

1251274

\$5,368.00



Scout 6 - 25 in (635 mm) Battery Walk-Behind Sweeper

25" (635mm) cleaning path, 1.25 cu. Ft (35 L) hopper capacity, 42 AH sealed battery and on-board charger.
 Boxed dimensions on pallet: 34.25 in x 21.75 in x 25 in (L 870 x W 550 x H 630)
 Shipping Weight : 123lb/56kg / Cu. Ft.: 10.8

1251270

\$2,685.00

[Click for Scout parts](#)

Upright, Portable, and Canister Vacuums



Cleaning Type

Reference Number

2021 List Price

V-WA-30 30" (762mm) Wide Area Vacuum

Certified CRI Bronze Cleaning Performance. Comes standard with HEPA filtration, and spare bag and 75 ft. (23m) safety-yellow power cord. ETL US/C
 Boxed Dimensions: 18"L x 32.25 "W x 43.25 "H (457mm x 819mm x 196mm) *
 Shipping Weight: 100 lbs. (45.36kg)
 Made in the USA with Globally sourced components

1068029

\$3,551.00



Independence Battery Light Weight Upright Commercial Vacuum

Certified CRI Bronze Cleaning Performance. 44 VDC / 2.9 Ah lithium ion powered vacuum. Runtime 50 minutes. Weighs only 11 lbs (4.99 kg). Comes standard with HEPA filtration, spare belt and bag. Comes with battery and charger, UL certified.

Boxed Dimensions: 35"L x 15"W x 7 "H (889mm x 381mm x 178mm)
 Shipping Weight: 17 lbs. (7.7kg)
 Made in the USA with Globally sourced components

1236915

\$834.00

**V-SMU-14 - 14" (356mm) Single Motor Vacuum**

Certified CRI Silver Cleaning Performance. 1.5-gallon (5.5-liter) bag capacity. Comes standard with 3-stage HEPA filtration, easy access crevice tool and dusting brush, 4:1 stretch hose, telescopic aluminum wand, spare belt and bag and 50 ft. (15m) safety-yellow power cord. ETL US/C

1060829

\$544.00

Boxed Dimensions: 42.75"L x 17.25"W x 9.75"H (1090mm x 440mm x 250mm) *
Shipping Weight: 21.75 lbs. (9.9 kg)

Cleaning Type**Reference Number****2021 List Price****V-DMU-14 - 14" (356mm) Dual Motor Vacuum**

Certified CRI Silver Cleaning Performance. 1.5-gallon (5.5-liter) bag capacity. Comes standard with 3-stage HEPA filtration, easy access crevice tool and dusting brush, 4:1 stretch hose, telescopic aluminum wand, spare bag and 50 ft. (15m) safety-yellow power cord. ETL US/C

1068027

\$711.00

Boxed Dimensions: 42.75"L x 17.25"W x 9.75"H (1090mm x 440mm x 250mm) *
Shipping Weight: 22.75 lbs. (9.9 kg)

[Click for Parts Uprights Portable Canisters](#)**DENALI-16 Premium Dry Canister Vacuum Cleaner**

CRI certified Bronze with optional high performance tool. 4.2 gallon (16 liter) capacity with multi-stage filtration including cloth filter, fleece bag and downstream HEPA cartridge. Comes standard with speed regulator, full bag indicator, chrome telescopic tube, wand with air flow regulator, floor tool, flat lance, round brush and small tool, 6.5 ft (2 m) hose, 40 ft (12m) detachable safety-yellow power cord. UL / CSA

1252619

\$462.00

Boxed Dimensions: 16 x 17 x 20 in (400 x 435 x 515 mm)
Shipping Weight: 20 lb / 9 kg

[Click for DENALI-16 parts](#)**DENALI-12 Standard Dry Canister Vacuum Cleaner**

CRI certified Bronze with optional high performance tool. 3.2 gallon (12 liter) capacity with multi-stage filtration including cloth filter, fleece bag and downstream foam filter. Comes standard with chrome tube, wand with air flow regulator, floor tool, flat lance, round brush and small tool, 6.5 ft (2 m) hose, 40 ft (12m) detachable safety-yellow power cord. UL / CSA

1252617

\$375.00

Boxed Dimensions: 15.5 x 15.5 x 20 in (395 x 395 x 510 mm)
Shipping Weight: 19.4 lb / 8.8 kg

[Click here for DENALI-12 parts](#)**DENALI-10 Compact Dry Canister Vacuum Cleaner**

2.6 gallon (10 liter) capacity, comes standard with paper bag, floor tool/crevice tool/dusting brush, 2-piece wand, 5 ft (1.5 m) hose and 26 ft (8 m) yellow power cord. Intertek ETL (US-Can)

1244294

\$271.00

Boxed Dimensions: 13.2 x 13 x 13 in (335 x 330 x 330 mm).
Shipping Weight: 15 lb / 6.7kg

[Click for DENALI-10 parts](#)



Nobles Aspen 6 Backpack Vacuum - Base Kit
Ergonomic Commercial Backpack Vacuum - 10 amp vac motor, 6 qt. (5.7 litre) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 14" (356 mm) hard floor tool, 14" (356mm) carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and lightweight, two-piece aluminum wand, dust brush, crevice and upholstery tool. 50 ft. (15m) safety-yellow power cord. UL-CSA. CRI certified Gold with optional Hi-performance tool.

Reference Number 2021 List Price
 9013476 \$665.00

Vacuum Boxed Dimensions: 26.8"L x 15.2"W x 14.2"H (680mm x 385mm x 360mm)
 Tools Boxed Dimensions: 32"L x 11" W x 4.5"H (813mm x 279mm x 114mm)
 Shipping Weight: vacuum 21.2 lbs. (9.6 kg) + tools 3.6 lbs (1.6 kg) = total 24.8 lbs (11.2 kg)

***3 Total boxes will come with the order (in addition to the two above there will be a small accessory box).**



Nobles Aspen 6 Backpack Vacuum - Standard Kit
Ergonomic Commercial Backpack Vacuum - 10 amp vac motor, 6 qt. (5.7 litre) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 14" (356 mm) hard floor tool, 14" (356mm) carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and robust one-piece chrome telescoping wand, dust brush, crevice and upholstery tool. 50 ft. (15m) safety-yellow power cord. UL-CSA. CRI certified Gold with optional Hi-performance tool.

9013477 \$686.00

Vacuum Boxed Dimensions: 26.8"L x 15.2"W x 14.2"H (680mm x 385mm x 360mm)
 Tools Boxed Dimensions: 44.5"L x 7.5" W x 3.5"H (1130mm x 191mm x 89mm)
 Shipping Weight: vacuum 21.2 lbs. (9.6 kg) + tools 4.8 lbs (2.2 kg) = total 26 lbs (11.8 kg)

***3 Total boxes will come with the order (in addition to the two above there will be a small accessory box).**



Nobles Aspen 6 Backpack Vacuum - Premium Kit (Sidewinder Tools)
Ergonomic Commercial Backpack Vacuum - 10 amp vac motor, 6 qt. (5.7 litre) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 18" (457 mm) Sidewinder branded hard floor tool, 18" (457 mm) Sidewinder branded carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and two-piece anodized aluminum wand, dust brush, crevice and upholstery tool. 50 ft. (15m) safety-yellow power cord. UL-CSA. CRI certified Gold with optional Hi-performance tool.

9013478 \$785.00

Vacuum Boxed Dimensions: 26.8"L x 15.2"W x 14.2"H (680mm x 385mm x 360mm)
 Tools Boxed Dimensions: 32"L x 11" W x 4.5"H (813mm x 279mm x 114mm)
 Shipping Weight: vacuum 21.2 lbs. (9.6 kg) + tools 3.4 lbs (1.5 kg) = total 24.6 lbs (11.2 kg)

***3 Total boxes will come with the order (in addition to the two above there will be a small accessory box).**



Aspen 6B Battery Backpack Vacuum - Base Kit
Ergonomic Commercial Backpack Vacuum - 36 VDC / 10.4 Ah lithium ion powered battery vacuum. Runtime 55 minutes. 6 qt. (5.7 liter) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 14" (356 mm) hard floor tool, 14" (356mm) carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and lightweight, two-piece aluminum wand, dust brush, crevice and upholstery tool. ETL certified. CRI certified Silver with optional Hi-performance tool. Battery and charger included in price, battery ships separately.

9017568 \$1,711.00

Vacuum Boxed Dimensions: 33.25"L x 16"W x 15"H (844.6mm x 406mm x 381mm)
 Tools Boxed Dimensions: 32"L x 11" W x 4.5"H (813mm x 279mm x 114mm)
 Battery Box Dimensions: 13.5"L x 4.5"W x 6.25"H (343mm x 114mm x 159mm)

Shipping Weight: vacuum 23 lbs. (10.4 kg) + tools 3.6 lbs (1.6 kg) + battery box 6.2 lbs (2.8 kg) = total 32.8 lbs (14.8 kg)

***4 Total boxes will come with the order (in addition to the three above there will be a small accessory box).**



Aspen 6B Battery Backpack Vacuum - Standard Kit
Ergonomic Commercial Backpack Vacuum - 36 VDC / 10.4 Ah lithium ion battery powered vacuum. Runtime 55 minutes. 6 qt. (5.7 liter) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 14" (356 mm) hard floor tool, 14" (356mm) carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and chrome telescoping wand, dust brush, crevice and upholstery tool. ETL certified. CRI certified Silver with optional Hi-performance tool. Battery and charger included in price, battery ships separately.

9017569 \$1,769.00

Vacuum Boxed Dimensions: 33.25"L x 16"W x 15"H (844.6mm x 406mm x 381mm)
 Tools Boxed Dimensions: 44.5"L x 7.5" W x 3.5"H (1130mm x 191mm x 89mm)
 Battery Box Dimensions: 13.5"L x 4.5"W x 6.25"H (343mm x 114mm x 159mm)

Shipping Weight: vacuum 23 lbs. (10.4 kg) + tools 3.6 lbs (1.6 kg) + battery box 6.2 lbs (2.8 kg) = total 32.8 lbs (14.8 kg)

***4 Total boxes will come with the order (in addition to the three above there will be a small accessory box).**



Aspen 6B Battery Backpack Vacuum - Premium Kit (Sidewinder Tools)
Ergonomic Commercial Backpack Vacuum - 36 VDC / 10.4 Ah lithium ion powered vacuum. Runtime 55 minutes. 6 qt. (5.7 litre) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 18" (457 mm) Sidewinder branded hard floor tool, 18" (457 mm) Sidewinder branded carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and two-piece anodized aluminum wand, dust brush, crevice and upholstery tool. ETL certified. CRI certified Silver with optional Hi-performance tool. Battery and charger included in price, battery ships separately.

9017572 \$1,887.00




Vacuum Boxed Dimensions: 33.25"L x 16"W x 15"H (844.6mm x 406mm x 381mm)
 Tools Boxed Dimensions: 32"L x 11" W x 4.5"H (813mm x 279mm x 114mm)
 Battery Box Dimensions: 13.5"L x 4.5"W x 6.25"H (343mm x 114mm x 159mm)

Shipping Weight: vacuum 23 lbs. (10.4 kg) + tools 3.4 lbs (1.5 kg) + battery box 6.2 lbs (2.8 kg) = total 32.6 lbs (14.7 kg)

***4 Total boxes will come with the order (in addition to the three above there will be a small accessory box).**

[Click here for Aftermarket Accessories for Nobles Aspen 6](#)

Wet/Dry Vacuums

	Cleaning Type	Reference Number	
	V-WD-24P 24-gal. Wet/Dry Vacuum with Pump & Front Mount Squeegee 24-gallon tank capacity. 100" (2530 mm) waterlift with powerful submersible pump and front mount squeegee. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator and wet floor tool. Options include: dual filtration system, dust floor tool, flat lance, round brush and adaptor.	9019349	\$1,967.00
	Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm) Shipping Weight: 87 lbs. (39.5 kg)		Dual Filtration System sold as option
	V-WD-24P 24-gal. Wet/Dry Vacuum with Pump 24-gallon tank capacity. 100" (2530 mm) waterlift with powerful submersible pump. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator and wet floor tool. Options include: front mount squeegee kit, dual filtration system, dust floor tool, flat lance, round brush and adaptor.	1244346	\$1,584.00
	Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm) Shipping Weight: 65 lbs. (29.6 kg)		Squeegee sold as option Dual Filtration System sold as option
	V-WD-24 24-gal. Wet/Dry Vacuum with front mount squeegee 24-gallon tank capacity. 100" (2530 mm) waterlift with front mount squeegee. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adaptor. Options include: carpet brush tool and upstream HEPA filter.	9019348	\$1,183.00
	Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm) Shipping Weight: 79 lbs. (35.8 kg)		
	V-WD-24 24-gal. Wet/Dry Vacuum 24-gallon tank capacity. 100" (2530 mm) waterlift. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adaptor. Options include: front mount squeegee kit, carpet brush tool and upstream HEPA filter.	1245656	\$800.00
	Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm) Shipping Weight: 59 lbs. (26.8 kg)		Squeegee sold as option
	V-WD-9 9-gal. Wet/Dry Vacuum 9 Gallon Tank capacity. 100" (2530 mm) waterlift. Includes 8-ft. (2.5 m) vacuum hose, a 28-ft. (8.5 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adaptor. Options include: carpet brush tool and upstream HEPA filter.	1244345	\$504.00
	Boxed dimensions: 17L x 17W x 32H (420mm x 420mm x 820mm) Shipping Weight: 31 lbs. (13.9 kg)		
	Nobles Wet Dry Parts		

Dual Technology Carpet Cleaner

Strive[®] Rider

← Click on + or - to hide/unhide Built In Values

NOBLES WARRANTY
3 YEARS OR 1500 HOURS ON ALL COMPONENTS, 3 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 List Price
Cleaning Type		
Strive Rider Dual Technology Carpet Maintainer 700mm/28"	StriveRider-700	\$22,024.00
Battery Type		
Wet 360AH C/20 (Kit of 4 batteries)	9000815	N/C
Without Battery (Note 1)		-\$658.00
Manual Battery Watering Kit (Note 2)	9009619	\$477.00
Charger		
25A 100-240V AC 50/60Hz 1Ph	1043663	N/C
Without Charger		-\$375.00
Machine Protection & Safety		
Seat Belt	9018587	\$72.00
Strobe Light on Tank	9000580	\$599.00
Utility Basket (small storage)	1018315	\$187.00
Support (Note 3)		
Strive Rider Operator Manual (English)	1032130	N/C
Strive Rider Operator Manual (Spanish)	1032132	N/C
Strive Rider Operator Manual (French)	1032133	N/C
Additional Operator Manual	see above	\$129.00
Strive Rider Parts Manual	1032134	\$15.00
Service Manual	1032139	N/C
Packaging (Note 4)		
Pad Wrap		N/C
Skid w/Carton, Non-Stackable	9002882	\$388.00
Skid with Stretch Wrap	9007286	\$266.00

AFTERMARKET ITEMS (ordered separately) :

[Click here for Aftermarket Parts for Strive Rider](#)

Notes

- Customer MUST order Skid w/Carton, Non-stackable if WITHOUT BATTERY is selected. Continental USA orders ONLY.
- Only available as factory-installed when batteries are ordered with machine.
- Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Nobles.com.
- Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Non-Stackable or Skid w/Stretch Wrap if WITHOUT BATTERY is selected. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← Click on + or - to hide/unhide weights

Strive®

← Click on + or - to hide/unhide Built In Values

NOBLES WARRANTY
3 YEARS OR 2500 HOURS ON ALL COMPONENTS, 3 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 List Price
Cleaning Type		
Strive Walk-Behind Dual Technology Carpet Maintainer 560mm / 22"	Strive-560	\$15,287.00
Battery Type		
Wet 240AH C/20 (Kit of 4 batteries)	9012452	N/C
Sealed/MF AGM 200AH C/20 (Kit of 4 batteries)	9012454	\$434.00
Without Battery (Note 2)		-\$952.00
Charger		
19A 120V-240V AC 50/60Hz 1Ph	1029256	N/C
19A 120V-240V AC 50/60Hz 1Ph (for sealed batteries)	1058164	N/C
Without Charger		-\$717.00
Support (Note 3)		
Strive Operator Manual (English/Spanish/French)	9003506	N/C
Additional Operator Manual	see above	\$37.00
Parts Manual (English)	9003507	\$15.00
Packaging (Note 4)		
Pad Wrap		N/C
Skid w/Carton, Stackable	9012455	\$360.00
Skid with Stretch Wrap	9012456	\$273.00

AFTERMARKET ITEMS (ordered separately) :



[Click here for Strive Aftermarket parts](#)

Notes

- Customer MUST order Skid w/Carton, Stackable or Skid with Stretch Wrap if WITHOUT BATTERY is selected. Continental USA orders ONLY.
- Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Nobles.com.
- Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Stackable or Skid w/Stretch Wrap if WITHOUT BATTERY is selected. Skid w/Carton, Stackable or Skid w/Stretch Wrap will both ship via LTL carrier. Pad Wrap will ship via Logix. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.




← Click on + or - to hide/unhide weights

Carpet Extractors

	Cleaning Type	Reference Number	2021 List Price
	Falcon™ Ultra Battery 17 gal., 22" (559mm) cleaning path, 100 psi, 81" (2057mm) waterlift, two 12 volt, 215 amp hours batteries and 24 volt automatic charger. Boxed dimensions: 54L x 30W x 42H (1372mm x 762mm x 1067mm) Shipping Weight: 235 lbs. / Cu. Ft.: 39.97	608351	\$11,651.00
	Falcon™ 2800 Plus 28-gal., 22" (559mm) cleaning path, 100 psi, 137" (3480mm) waterlift, detachable 75-ft. (23m) power cord. Interim/Restorative cleaning modes. Boxed dimensions: 54L x 24W x 46H. (1372mm x 610mm x 1168mm) Shipping Weight: 295 lbs. / Cu. Ft.: 34.5	608352	\$10,713.00
	EX-SC-1020 - Self-Contained Extractor Patented 10-gal. Expansion cavity, 20" (508mm) cleaning path, 100 psi, 137" (3480mm) waterlift. U.S. Patent #4,956,891. ETL US/C* CRI certified, Bronze Cleaning Performance. Boxed dimensions: 41L x 22W x 45H (1041mm x 559mm x 1143mm) Shipping Weight: 142 lbs. / Cu. Ft.: 23.5	9007486	\$3,881.00
	Strive® Compact - Cord Electric 5-gal. ReadySpace® Interim Carpet Cleaner 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 5 gallon (19 liter) solution/recovery tanks, Insta-Adjust™ handle, two ReadySpace® rollers, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual. CRI certified, Bronze Cleaning Performance. Boxed Dimensions: 34" L x 22" W x 37" H (860 mm x 560 mm x 940 mm). * Shipping Weight: 154 lbs. (70 kg)	9004202	\$4,768.00
	Speed Ex™ - Cord Electric 5-gal. Extractor 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 5 gallon (19 liter) solution/recovery tanks, Insta-Adjust™ handle, one double-tuft reverse pattern chevron brush, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual. CRI certified, Silver Cleaning Performance. Boxed Dimensions: 34" L x 22" W x 37" H (860 mm x 560 mm x 940 mm). * Shipping Weight: 138 lbs. (63 kg)	9004201	\$3,779.00
	EH5 Heated Canister Extractor 15 gal. capacity, 50-500 psi, Heated, 13" (330mm) High Airflow Titanium Carpet wand with 2 Unijets, 15-ft. (4.5m) vacuum and solution hoses. 2-40 ft (12.2m) Hospital Grade safety yellow electrical cords (dual cord 15A each cord). Hand tool sold separately. CRI certified - Gold Cleaning Performance with High Airflow Titanium wand & Platinum. ETL-certified to UL & CSA Standards. Boxed Dimensions: 28.5in x 38in x 55in 724mm x 965mm x 1397mm Shipping Weight: 185lb/84kg	9011454	\$6,986.00
	EC2 Canister Extractor 15 gal. capacity, 220 psi, 13" (330mm) Stainless Steel or Titanium Carpet wand with 2 Unijets, 15-ft. (XXm) vacuum and solution hoses, 40 ft (12.2m) Hospital Grade safety yellow electrical cord (single 15A cord). Hand tool sold separately. CRI certified, Gold Cleaning Performance ETL-certified to UL & CSA Standards. Boxed Dimensions: 28.5in x 38in x 55in 724mm x 965mm x 1397mm Shipping Weight: 160lbs/72.5kg		
	EC2, 220 psi (15.2 bar) Canister Extractor w/ Stainless Steel carpet wand and vacuum and solution hoses	9011638	\$4,206.00
	EC2, 220 psi (15.2 bar) Canister Extractor w/ High Airflow Titanium carpet wand and vacuum and solution hoses	9012278	\$4,528.00

[Click for Extractor parts](#)

Specialty Machines

Cleaning Type	Reference Number	2021 List Price
	<p>QuickClean 12 Multi-Surface Cleaner 15 gal. capacity, variable 400-1200 psi, Hard Surface Turbo Tool option, 25-ft. (8 m) vacuum and solution hoses.2-40 ft(12.2m) Hospital Grade safety yellow electrical cords. ETL (US/C) certified to UL & CSA Standards. Boxed Dimensions: 28.5 in x 38 in x 55 in (724 mm x 965 mm x 1397 mm) Shipping Weight: 205 lb (93 kg)</p>	
	1072857	\$8,285.00
	9011459	\$10,105.00
Click for QuickClean parts		
	<p>ASC-15 All Surface Cleaner 15-gal. (57L) solution capacity 19-gal. (72L) recovery capacity. Includes double-bend telescopic aluminum wand, 25-ft. (7.6m) recovery hose, scrub brush, standard 6-ft. (1.8m) to 25-ft. (7.6m) expandable blower hose, 25-ft. (7.6m) high pressure hose with variable pressure gun, floor squeegee tool, hand squeegee tool, blower tool, gulper floor drain tool, fill hose and metering tip packet with 3 different dilution ratio tips. Boxed dimensions: 45L x 22.25W x 42H (1143mm x 565mm x 1067mm) Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M. .54)</p>	\$5,285.00
Click here for ASC 15 parts		
	<p>Blower - Three-speed Air Mover 1/2 Horsepower, 120V, Three speeds, Stackable ETL-certified to UL & CSA Standards. Boxed dimensions: 17.25L x 14.75W x 18.25H (438mm x 375mmx 464mm) Shipping Weight: 24 lbs.</p>	\$341.00
Click here for Blower parts		

United States and Canada Commercial Limited Warrant

<u>Model</u>	<u>Rotationally-Molded Components</u>	<u>Parts</u>	<u>Battery</u>	<u>Labor</u>	
All non-rider machines except those listed below	10 Years	36 Months	12 Months pro-rated	36 Months	(No tr
Speed Scrub Rider, Strive Rider	10 Years	36 Months	12 Months pro-rated	36 Months	
SpeedGleam 5, 7, and Rider, SS300 ³ , SS350, SS500 ³	10 Years	36 Months	12 Months pro-rated	24 Months	
Scout 6 ⁶ & Scout 7 ⁶	N/A	12 Months	12 Months pro-rated	12 Months	
Scout 3, Scout 5, Scout 9	2 Years	24 Months	12 Months pro-rated	12 Months	
Speed SQ-14, Explorer (H1, C2, H2, H5), Quick Clean 12	2 Years	24 Months	N/A	12 Months	
i-mop XL/XXL & i-mop XL/XXL Plus	1 Year	12 Months	12 Months	12 Months	
Speed Scrub 15" Battery Scrubber	10 Years	36 Months	AGM 6 Months pro-rated ²	36 Months	
			Lithium-ion 24 Months		
EX-SPOT-2	10 Years	12 Months	N/A	12 Months	
Blower, Nobles Aspen 6 ¹ , 6B ¹ & 10 ¹ , V-SMU-14 ¹ , V-DMU-14 ¹ , V-LWU-13 ¹ , Independence Battery LWU Commercial Vacuum ¹ , Denali-10 ⁴ , Denali-12 ⁴ , Denali-16 ⁴ , V-WD-9 ⁴ , V-WD-24 ⁴ , V-WD-24P ⁴ , V-WA-30 ^{1&5} (material 1068029)	N/A	12 Months	12 Months pro-rated	12 Months	

¹ Two (2) year limited warranty on electric motors ² Maximum 1 replacement under Warranty ³ Orbital isolators ⁴ 10 years polyethylene tank ⁵ 1 year rotationally-molded components ⁶ 1 year polyethylene parts

NEW MACHINE WARRANTY

Tennant Company warrants to the original purchaser, for the above-stated periods (whichever occurs first), that workmanship and material, provided that machines are installed, operated, and maintained in accordance with Noble

This warranty does not apply to damage or failure caused by accident, freight damage, misuse, negligence, abuse, or machines. Please refer to the Operator Manual for proper machine operation and maintenance instructions.

The warranty period begins on the installation date at the end-user site. A Machine Installation/Warranty Report form is to be completed and returned immediately at the time of purchase. If proof of purchase is unavailable, the warranty begins on the date of purchase. For more information, contact your authorized dealer.

Demonstrator machines purchased from Tennant carry the same warranty as a new machine.

LABOR AND TRAVEL WARRANTY

Tennant will, at its option, provide labor and travel or pay for outside repair for the above-stated periods.

PARTS WARRANTY

Parts replaced or repaired under this warranty are guaranteed for the remainder of the warranty period. The parts warranty begins on the date of purchase. Consumable parts, expected to wear from normal use, are not covered under this warranty. Tires (1 year) on rider machines. Battery chargers and accessories are covered on a prorated basis.

REPAIR PARTS WARRANTY

After the warranty period expires, repair parts supplied by Tennant are warranted against defects for the period of 12 months or 10,000 hours, whichever comes first.

batteries. Lithium-ion and Lead acid batteries are pro-rated for twelve (12) months. TPPL batteries are non-pro-rated. Gel batteries are pro-rated for ninety (90) days. The repair parts warranty only covers parts, not labor or travel (see s

SERVICE LABOR WARRANTY

Labor and travel performed by a Tennant service representative is warranted for thirty (30) days from the date the re not cover work performed by any service company other than Tennant, and is restricted to the specific repair opera made.

DISCLAIMER

TENNANT COMPANY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES EXPRESS OR IMPLIED, ANY IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER DIRECT OR INDIRECT, INCLUDING, BUT NOT MATERIAL OR PROFITS, INCREASED EXPENSE OF OPERATION, BODILY INJURY, LOSS OF USE OF PROPE

Tennant Company reserves the right to change its warranty policy without no

TC-208-05-001 Rev 03 09/20

ity



<u>Travel</u>	<u>Hour meter</u>
3 Months (travel on cord-electric models)	2500
3 Months	1500
6 months	2000
3 Months	N/A
3 Months	N/A
3 Months	N/A
3 Months	N/A
3 Months	2500
None	N/A
None	N/A

covered under 3-year parts warranty

machines will be free from defects in
is written manuals or other instructions.

improper repair, or maintenance of the

ncluded with the Operator Manual must
gins ninety (90) days after original sale

warranty on batteries is pro-rated
nder the parts warranty. Items
warranted for one (1) year.

ninety (90) days, with the exception of

1 for eighteen (18) months. All AGM and
ervice labor section for terms).

epairs are completed. This policy does
ition or component for which a claim is

**, INCLUDING, BUT NOT LIMITED TO,
BLES SHALL NOT BE LIABLE FOR
T LIMITED TO, BUYER'S LOSS OF
ERTY OR DOWNTIME.**

notice.