



Effective October 4, 2021

Revised 07/2021

Tennant Price List

RIDER SCRUBBERS

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
36 MONTHS OR 2000 HOURS - PARTS
24 MONTHS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER TANKS

CUSTOM options may add 1 week or more to standard lead times.



Base Configuration	Reference Number	2021 List Price
Cleaning Type		
T12 Rider - Conventional Disk Scrubbing	T12-D	\$23,304.00
T12 Rider - Conventional Cylindrical Scrubbing	T12-C	\$23,951.00
T12 XP Rider - Conventional Disk Scrubbing	T12-XP-D	\$25,355.00
T12 XP Rider - Conventional Cylindrical Scrubbing	T12-XP-C	\$26,004.00
Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)		
ec-H2O™	ec-H2O-T12	\$3,263.00
Squeegee Material		
Linatex	9009818	N/C
Gum Rubber	9009822	N/C
Urethane	9009820	N/C
Battery Type (Notes 1-5)		
Wet 240 AH C/20 (Kit of 6 batteries)	9009862	N/C
Wet 360 AH C/20 (in lieu of standard) (Kit of 6 batteries)	9009863	\$896.00
Sealed/MF AGM 312AH C/6 (Kit of 6 batteries)	325988	\$3,870.00
Less Battery, DEDUCT (Note 6)		(\$495.00)
Manual Battery Watering Kit (Note 7)	9009620	\$618.00
Charger (Note 8)		
	Reference Number	
21A 85-265V AC 50/60Hz 1Ph - Off-Board (for 240AH Battery)	9001051	N/C
21A 85-265V AC 50/60Hz 1Ph - Off-Board (for 360AH Battery)	9004241	N/C
20A 85-130V AC 50/60Hz 1Ph - On-Board (for all Lead Acid)	9009865	\$683.00
21A 85-265V AC 50/60Hz 1Ph - Off-Board (for AGM 312AH Battery)	314787	\$620.00
Less Charger, DEDUCT		(\$323.00)
UL Rating		
UL® Type E		N/C
UL® Type ES	9009908	\$2,372.00
Packages		
Heavy Duty Protection Package	9009854	\$1,252.00
<i>Includes: Front Bumper & Rear Squeegee Protection</i>		
Productivity Package	9009855	\$4,424.00
<i>Includes: Scrubbing Side Brush, Vac Wand, Spray Hose</i>		
Safety Light Package	9009909	\$720.00
<i>Includes: LED Head Light and AV Backup Alarm w/Strobe Light</i>		
Cleaning Performance		
	Reference Number	
Side Brush, Right Hand Scrubbing	9009824	\$3,621.00
Vacuum Wand	9010355	\$716.00
Spray Nozzle with Hose	9009851	\$1,020.00
Machine Protection & Safety		
	Reference Number	
Heavy Duty Front Bumper	9009856	\$774.00
Heavy Duty Squeegee Protection	9009858	\$605.00
Deluxe Seat (Standard on XP-includes Seat Belt) (Note 9)	9009835	\$470.00
Headlight(s) LED (Standard on XP)	9009849	\$327.00
AV BU Alarm - Strobe on Tank (Standard on XP)	9010352	\$554.00
Strobe Light on OHG	9010350	\$554.00
Fire Extinguisher	9009878	\$281.00
Trailer Transport Kit (cover latches for trailering)	9009907	\$158.00
Brushes and Pads		
	Reference Number	
Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene Brush	1220241	N/C
Heavy Duty Polypropylene	1220236	N/C
Super Abrasive Brush	1221543	\$161.00
Pad Driver	1220199	N/C

Cylindrical Scrubbing Brushes (2 Required)

Polypropylene Brush	1201572	N/C
Heavy Duty Polypropylene	1201926	N/C
Super Abrasive Brush	1201928	\$161.00

Disk Scrubbing Brush/Pad and Sweeping Brush for Side Brush Option (1 Required)

Polypropylene Brush	1220240	N/C
Heavy Duty Polypropylene	1220231	N/C
Super Abrasive Brush	1220232	\$161.00

Pad Driver	1220243	N/C
------------	---------	-----

Support (Note 10)

	Reference Number	
Standard Warranty		N/C
Ultimate Performance Guarantee	50619	N/C
Operator Manual (English)	9009910	N/C
Operator Manual (Spanish)	9009911	N/C
Operator Manual (French)	9009912	N/C
Additional Operator Manual	Select from Above	\$59.00
Parts Manual	9009916	N/C
Service Manual	9009917	\$201.00

Machine Communication (Note IRIS)

IRIS Telemetry Module		\$1,158.00
-----------------------	--	------------

Packaging (Note 11)

Pad Wrap		N/C
Skid w/Carton, Non-Stackable	9009900	\$585.00

[For T12 Aftermarket Click Here](#)

Notes

- 1 The battery compartment will fit six 6-volt batteries of this size:

Battery Size	<u>Length</u>	<u>Width</u>	<u>Height</u>
	11.70 in	6.95 in	14.38 in
	297 mm	177 mm	365 mm

- 2 Overall Battery Compartment Size:

	<u>Length</u>	<u>Width</u>	<u>Height</u>
(these are the "full compartment" dimensions, allow space on top of battery for watering system clearance, etc)	21.5 in	23.89 in	15.5 in
	545 mm	605 mm	390 mm

- 3 Model T12 Continuous Runtime Chart.

	<u>Standard Capacity</u>	<u>High Capacity</u>
	240AH	360AH
T12 Base Unit (economy mode, main scrub only)	2.9 hours	4.5 hours
T12 Base Unit with RH Side brush (economy mode)	2.4 hours	3.8 hours

The above runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration & usage

- 4 To calculate weights with batteries add the following to the product "Net" or "Ship" weights:
 240 AH Battery Pack = + 6 Batteries @ 67 lbs (30.4kg) each = 402 lbs (182.5 kg)
 360 AH Battery Pack = + 6 Batteries @ 98 lbs (45 kg) each = 588 lbs (267 kg)

- 5 Expected Cycle Life: Cycle life is the number of charge cycles a battery is expected to last.
 240 AH Battery = 500 Cycles
 360 AH Battery = 500 Cycles

- 6 Customer MUST order Skid w/Carton, Non-Stackable if LESS BATTERY is selected. Continental USA orders ONLY.

- 7 ONLY available with Wet (Lead Acid) batteries. Cannot be used with Sealed Gel / AGM Batteries.

- 8 The battery charger connector is a 50 amp Anderson (gray). The battery connector is an Anderson 175 amp connector (gray).

- 9 A seatbelt is not offered with the basic seat, but the deluxe seat features a retractable seat belt standard. at an additional charge and will increase the lead time. For pricing and lead time impact information contact our Custom Engineering Group.

- 10 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:	
3 Year Pre-Paid IRIS Information Service	\$250.00
5 Year Pre-Paid IRIS Information Service	\$400.00

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
 IRIS Telemetry Module only covers the price of the hardware.
 IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

- 11 Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Non-Stackable if WITHOUT BATTERY is selected. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.
 The Skid w/Carton, Non-Stackable (PN 9009900) includes the crate and all bracketry for shipping.

[Click on + or - to hide/unhide weights](#)

Rider Scrubbers

T7

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
3 YEARS OR 1500 HOURS ON ALL COMPONENTS, 3 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T7 Ride-On Scrubber 650 mm/26" - Disk	T7-650-D	\$19,946.00
T7 Ride-On Scrubber 800 mm/32" - Disk	T7-800-D	\$21,423.00
Cleaning Technology: (conventional is standard, ec-H2O NanoClean™ can also operate in conventional mode)		
ec-H2O NanoClean™	ec-H2ONC-T7	\$2,602.00
Battery Type (Note 1)		
Wet 240AH C/20 (Kit of 4 batteries)	9000814	N/C
Wet 360AH C/20 (Kit of 4 batteries)	9000815	\$545.00
Sealed/MF AGM 220AH C/20 (Kit of 4 batteries)	9001915	\$1,358.00
Without Battery		(\$450.00)
Manual Battery Watering Kit (Note 2)	9009619	\$468.00
Charger (Note 3)		
	Reference Number	
19A 100-240V AC 50/60Hz 1Ph - Off-Board for 240AH and 360AH Batteries	1029256	N/C
25A 100-240V AC 50/60Hz 1Ph, - Off-Board for AGM 220AH Battery	9012519	\$175.00
25A 100-240V AC 50/60Hz 1Ph, - Off-Board, in lieu of standard for 360AH Battery	9009486	\$175.00
25A 115V AC 60Hz 1Ph - On-Board Charger for All Batteries	9001993	\$549.00
27A 100-240V AC 50/60Hz 1Ph - Off-Board for all Batteries (IRIS Battery Metric Compatible)	1230312	\$335.00
Machine Protection & Safety		
	Reference Number	
Seat Belt	9018587	\$70.00
Strobe Light On Tank	9000580	\$595.00
Brushes and Pads (Note 4)		
	Reference Number	
650mm/26" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1220223	N/C
Nylon	1220226	N/C
Pad Driver	1220243	N/C
Pads		
Blue Scrubbing - 3M	89047	\$13.00
Red Cleaning - 3M	89048	\$13.00
White Polishing - 3M	89049	\$13.00
800mm/32" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1220224	N/C
Nylon	1220225	N/C
Pad Driver	1220244	N/C
Pads		
Blue Scrubbing - 3M	63248-2	\$16.40
Red Cleaning - 3M	63248-3	\$16.40
White Polishing - 3M	63248-4	\$16.40
Support (Note 5)		
	Reference Number	
Ultimate Performance Guarantee (UPG)	50619	N/C
T7 Operator Manual (English)	331040	N/C
T7 Operator Manual (Spanish)	331042	N/C
T7 Operator Manual (French)	331043	N/C
T7 Parts Manual	9013606	\$43.00
Additional Operator Manual	see above	\$107.00
Service Manual	331045	\$107.00
Training CD, ec-H2O NanoClean™ (standard w/ec-H2O machine)	9006257	N/C
Machine Communication (Note IRIS)		
IRIS Telemetry Module	9013632	\$1,158.00
Packaging (Note 6)		
Pad Wrap		N/C
Skid w/Carton, Non-Stackable	9000550	\$380.00

Notes

T7 Aftermarket Parts

- Customer MUST order Skid w/Carton, Non-Stackable if WITHOUT BATTERY is selected. Continental USA orders ONLY. In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- Only available on wet batteries, not sealed.
- 27A 100-240V AC 50/60Hz 1Ph - Off-Board Charger is required to receive IRIS Battery Metrics.
- One set of brushes or pad drivers come standard with a T7.
- Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service. IRIS Module is required and NOT included in the price of the IRIS Information Service:
 3 Year Pre-Paid IRIS Information Service \$250.00
 5 Year Pre-Paid IRIS Information Service \$400.00
 A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment. IRIS Telemetry Module only covers the price of the hardware. IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
 27A 100-240V AC 50/60Hz 1Ph - Off-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
Availability of IRIS Battery Metrics is not guaranteed with third party supplied batteries.

- Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Non-Stackable if WITHOUT BATTERY is selected. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

10 Shipping Weights and Dimensions

Weight (with 235AH batteries)
Length
Width
Height

Pad Wrap

975 lbs / 443 kg
60" / 1,524mm
39" / 991mm
50" / 1,270

Skid w/Carton

1000 lbs / 454 kg
62" / 1,574mm
33" / 838mm
48" / 1,219mm

← [Click on + or - to hide/unhide weights](#)

T581

TENNANT COMPANY WARRANTY
 3 YEARS OR 2000 HOURS - PARTS
 1 YEAR - BATTERY CHARGERS
 2 YEARS - LABOR
 6 MONTHS - TRAVEL
 10 YEARS ON DURAMER™ ROTOMOLD TANKS

	Reference Number	2021 Price List
T581 - Ride-On Micro Scrubber - 150AH Wet Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes onboard charger, 2-12V batteries, pad driver, and 1 red pad.	9022008	\$10,374.00
T581 - Ride-On Micro Scrubber - 140AH Sealed AGM Batteries	9022009	\$11,306.00
T581 - Ride-On Micro Scrubber - NO Batteries	1255470	\$10,024.00
Shipped on skid.		
T581 - Self-Propel - Shipping Weight and Dimensions	Skid w/Carton	
Weight (w/ heaviest batteries)	520 lb / 236 kg	
Length	57 in / 145 cm	
Width	32 in / 82cm	
Height	45 in / 114.5 cm	
Click here for aftermarket parts		

T350

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
 3 YEARS OR 2000 HOURS ON ALL COMPONENTS, 2 YEARS LABOR
 90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T350 Stand-On Scrubber 500mm / 20" Disk	T350-500-D	\$11,207.00
T350 Stand-On Scrubber 600mm / 24" Disk	T350-600-D	\$12,404.00
Trim Level		
Pro-Membrane™ Control Panel	MCP-T350	N/C
Pro-Panel® Control Panel	PPC-T350	\$766.00
Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)		
ec-H2O NanoClean™	ec-H2ONC-T350	\$1,759.00
Severe Environment™ Switch (Note 1)	9040107	\$493.00
Severe Environment™ Switch Lockout (Note 2)	9017886	\$50.00
Battery Type (Note 3)		
Wet 210AH C/20	9040050	N/C
Wet 240AH C/20	9040051	\$151.00
Sealed/MF AGM 220AH C/20	9040052	\$1,144.00
Without	9040058	(\$450.00)
Smart-Fill™ Automatic Battery Watering (Note 4)	9040152	\$815.00
Manual Battery Watering (Note 4)	9040150	\$475.00
Charger (Note 5)		
25A 100-240V AC 50/60Hz 1Ph - On-Board	9040060	N/C
Cleaning Performance		
Quiet-Mode™	9040154	\$146.00
Reduced Speed (Note 6)	RPS-T350	N/C
Machine Protection & Safety		
Audio Back Up Alarm	BU-T350	N/C
Brushes and Pads		
500mm / 20" Disk Brushes (1 Required)		
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213032	\$296.00
Nylon Brush	1210386	\$296.00
Pad Driver	1209197	\$296.00
Pads		
Blue Scrubbing - 3M	17262	\$21.80
Red Cleaning - 3M	17261	\$21.80
White Polishing - 3M	17260	\$21.80
600mm / 24" Disk Brushes (2 Required)		
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213040	\$190.00
Nylon Brush	1210136	\$190.00
Pad Driver	1209160	\$190.00
Pads		
Blue Scrubbing - 3M	385942	\$11.90
Red Cleaning - 3M	385941	\$11.90
White Polishing - 3M	385940	\$11.90

Support	Reference Number	
Operator Manual - English	9016417	N/C
Operator Manual - Spanish	9016418	N/C
Operator Manual - French	9016419	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
Parts Manual	9016416	\$43.00
Service Manual	9016422	\$107.00
IRIS™ Machine Communication (Note 7)		
IRIS Telemetry Module	9040062	\$1,158.00
Packaging (Note 8)		
Skid w/Carton, Stackable	9040253	\$380.00
Pad Wrap	9040255	N/C

[Click for T350 Aftermarket Parts](#)

Notes

- Severe Environment™ Switch is only available with ec-H2O NanoClean Cleaning Technology.
- Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
- Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Continental USA orders ONLY.
In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- Smart-Fill™ Automatic Battery Watering only available with on-board charger.
Smart-Fill Automatic Battery Watering and Manual Battery Watering are not compatible with AGM Batteries.
- 25A 100-240V AC 50/60Hz 1Ph - On-Board Charger is required to receive IRIS Battery Manager.
25A 100-240V AC 50/60Hz 1Ph - On-Board Charger is mandatory when ordering Smart-Fill Battery Watering.
- Reduced Propel Speed will reduce the overall Max Scrubbing and Transport Speed from 3.6 mph/5.6 Kph to 2.8 mph/4.5 Kph
- Pre-Paid and Monthly Packages are available for the IRIS Information Service.
IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service	\$250.00
5 Year Pre-Paid IRIS Information Service	\$400.00

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
25A 100-240V AC 50/60Hz 1Ph - On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
IRIS Battery Metrics are not guaranteed with third party supplied batteries.
- Pad wrap available only in the Continental US and is the default packaging method.
Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

**AUTOMATIC SCRUBBERS
T600**

BUILT-IN "TENANT VALUE" INCLUDES:

**TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
ORBITAL SCRUB HEAD ISOLATORS 3 YEARS or 2000 HOURS
1 YEAR - BATTERY CHARGERS
2 YEARS LABOR, 6 MONTHS TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS**



Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T600 Walk-Behind Scrubber 700 mm / 28" Disk	T600-700D	\$18,362.00
T600 Walk-Behind Scrubber 800 mm / 32" Disk	T600-800D	\$19,050.00
T600 Walk-Behind Scrubber 900 mm / 36" Disk	T600-900D	\$21,682.00
T600 Walk-Behind Scrubber 700 mm / 28" Cylindrical	T600-700C	\$19,736.00
T600 Walk-Behind Scrubber 800 mm / 32" Cylindrical	T600-800C	\$20,426.00
T600 Walk-Behind Scrubber 700 mm / 28" Orbital	T600-700O	\$19,210.00
Trim Level		
Pro Membrane™ Control Panel	MCP-T600	N/C
Pro-Panel™ Control Panel	PPC-T600	\$766.00
Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)		
ec-H2O NanoClean	ec-H2O-T600	\$2,453.00
Severe Environment Switch (Note 1)	9042152	\$493.00
Severe Environment™ Switch Lockout (Note 2)	9017886	\$50.00
Squeegee Width (Note 3)		
Standard	STD-T600	N/C
Narrow Aisle	NR-T600	N/C
Battery Type (Note 4)		
Wet 240AH C/20	9042056	N/C
Wet 360AH C/20	9042058	\$629.00
Sealed/MF Fast Charge 210AH C/20 (TPPL Battery) (Note 5)	9042061	\$1,955.00
Without	9041062	(\$750.00)
Smart-Fill Automatic Battery Watering (Note 6)		\$951.00
Manual Battery Watering (Note 6)	9042064	\$613.00
Charger (Note 7)		
25A 100-240V AC 50/60Hz 1Ph - Off-Board Charger (for Wet / Lead Acid Batteries Only)	9042253	N/C
25A 100-240V AC 50/60Hz 1Ph - On-Board Charger (for Wet / Lead Acid Batteries Only) (IRIS Battery Metric Compatible)	9042250	N/C
33A 100-240V AC 50/60Hz 1Ph - On-Board Charger (for Wet / Lead Acid Batteries Only) (Mandatory with 186AH TPPL Battery)	9042252	\$150.00
Down Pressure (Note 8)		
Standard Down Pressure		N/C
Heavy Duty Down Pressure	9042102	\$1,356.00
UL/ETL Rating		
UL Type E (Note 9)		N/C
Cleaning Performance		
Spray Nozzle with Hose (Note 10)	9042154	\$609.00
Machine Protection & Safety		
Black Foam Filled Rubber (Non-Marking)	9042099	
Black Pneumatic Rubber (Non-Marking)	9042071	N/C
Parking Brake	9042068	\$156.00
Trailer Transport Kit	9042165	\$221.00

Brushes and Pads (Note 11)	Reference Number	
<u>700mm/28" Disk Scrubbing Brushes/Pads (2 Required - 14" each)</u>		
Polypropylene Brush	1234464	N/C
Nylon Brush	1234463	N/C
Pad Driver	1234467	N/C
Pads		
Blue Scrubbing - 3M	222326	\$14.00
Red Cleaning - 3M	222325	\$14.00
White Polishing - 3M	222324	\$14.00
<u>800mm/32" Disk Scrubbing Brushes/Pads (2 Required - 16" each)</u>		
Polypropylene Brush	1234524	N/C
Heavy Duty Polypropylene Brush	1234525	N/C
Nylon Brush	1234523	N/C
Pad Driver	1234527	N/C
Pads		
Blue Scrubbing - 3M	63248-2	\$16.40
Red Cleaning - 3M	63248-3	\$16.40
White Polishing - 3M	63248-4	\$16.40
<u>900mm/36" Disk Scrubbing Brushes/Pads (2 Required - 18" each)</u>		
Polypropylene Brush	1230859	N/C
Nylon Brush	1230858	N/C
Pad Driver	1230881	N/C
Pads		
Blue Scrubbing - 3M	11778	\$18.00
Red Cleaning - 3M	11780	\$18.00
White Polishing - 3M	11781	\$18.00
<u>700mm/28" Cylindrical Scrubbing Brushes (2 Required)</u>		
Polypropylene Brush	222304	N/C
Heavy Duty Polypropylene Brush	374041	N/C
Nylon Brush	222305	N/C
<u>800mm/32" Cylindrical Scrubbing Brushes (2 Required)</u>		
Polypropylene Brush	222307	N/C
Heavy Duty Polypropylene Brush	374042	N/C
Nylon Brush	222308	N/C
<u>700mm/28" Orbital Pads (1 Required)</u>		
Pad Driver	1221839	N/C
Pads		
Blue Scrubbing - 3M	1223247	\$48.00
Red Cleaning - 3M	1218157	\$48.00
White Polishing - 3M	1223246	\$48.00
<u>Support (Note 12)</u>		
Operator Manual - English	9016600	N/C
Operator Manual - Spanish	9016601	N/C
Operator Manual - French	9016602	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
Parts Manual	9016599	\$43.00
Service Manual	9016605	\$107.00
<u>Machine Communication (Note IRIS)</u>		
IRIS Telemetry Module	9042075	\$1,158.00
<u>Packaging (Note 13)</u>		
Skid w/Carton, Stackable	9001553	\$380.00
Pad Wrap		N/C

[Click here for T600 Parts](#)

Notes

- 1 Severe Environment Switch is only available on units equipped with ec-H2O NanoClean cleaning Technology.
- 2 Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
- 3 Narrow Aisle Squeegee is not available on 700mm/28" units.
- 4 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Continental USA orders ONLY.
In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 5 The Sealed/MF Fast Charge 210AH (TPPL) battery requires the 33A 100-240V AC 50/60Hz 1Ph on-board charger.
- 6 Battery Watering is not available with Sealed/MF Fast Charge 186AH Battery options.
Smart-Fill Automatic Battery Watering only available with on-board charger.
- 7 The 25A 100-240V AC 50/60Hz 1Ph On-Board Charger is required to receive IRIS Battery Metrics.
- 8 Down Pressure options are only available on 800mm/32" Disk units.
- 9 UL Type E is not available with Heavy Duty Down Pressure, 900mm/36" units, Orbital units, ec-H2O NanoClean, Smart-Fill, or Spray Nozzle w/ Hose.
- 10 Spray Nozzle w/Hose is not available with the Severe Environment Switch.
- 11 One set of brushes or pad drivers come standard with Disk or Cylindrical units. Orbital units will come standard with a Pad Driver - Red Backer Pad.
- 12 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:	
3 Year Pre-Paid IRIS Information Service	\$250.00
5 Year Pre-Paid IRIS Information Service	\$400.00

A monthly contract can be set up at \$11 per month w/ 12 month minimum commitment.
IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
An On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
IRIS Battery Metrics are not guaranteed with third party supplied batteries.
IRIS Battery Metrics are not compatible with Li-Ion Batteries.

- 13 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← Click on + or - to hide/unhide weights

T600e

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
ORBITAL SCRUB HEAD ISOLATORS 3 YEARS or 2000 HOURS
1 YEAR - BATTERY CHARGERS
2 YEARS LABOR, 6 MONTHS TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T600e Walk-Behind Scrubber 700 mm / 28" Disk	T600e-700D	\$16,019.00
T600e Walk-Behind Scrubber 800 mm / 32" Disk	T600e-800D	\$16,728.00
T600e Walk-Behind Scrubber 900 mm / 36" Disk	T600e-900D	\$18,146.00
T600e Walk-Behind Scrubber 700 mm / 28" Cylindrical	T600e-700C	\$17,437.00
T600e Walk-Behind Scrubber 800 mm / 32" Cylindrical	T600e-800C	\$18,144.00
T600e Walk-Behind Scrubber 700 mm / 28" Orbital	T600e-700O	\$16,869.00
Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)		
ec-H2O NanoClean	ec-H2O-T600e	\$2,453.00
Squeegee Width (Note 1)		
Standard	STD-T600e	N/C
Narrow Aisle	NR-T600e	N/C
Battery Type (Note 2)		
Wet 240AH C/20	9042056	N/C
Wet 360AH C/20	9042058	\$629.00
Sealed/MF Fast Charge 210AH C/20 (TPPL Battery) (Note 3)	9042061	\$1,955.00
Without	9042062	(\$750.00)
Smart-Fill Automatic Battery Watering (Note 4)	9042063	\$951.00
Manual Battery Watering (Note 4)	9042064	\$613.00
Charger (Note 5)		
25A 100-240V AC 50/60Hz 1Ph - Off-Board Charger (for Wet / Lead Acid Batteries Only)	9042253	N/C
25A 100-240V AC 50/60Hz 1Ph - On-Board Charger (for Wet / Lead Acid Batteries Only) (IRIS Battery Metric Compatible)	9042250	N/C
33A 100-240V AC 50/60Hz 1Ph - On-Board Charger (for Wet / Lead Acid Batteries Only) (Mandatory with 186AH TPPL Battery)	9042252	\$150.00
Down Pressure (Note 6)		
Standard Down Pressure		N/C
Heavy Duty Down Pressure		\$1,356.00
UL/ETL Rating		
UL Type E (Note 7)		N/C
Cleaning Performance		
Auto Fill	9042169	\$178.00
Machine Protection & Safety		
Black Foam Filled Rubber (Non-Marking)	9042099	N/C
Black Pneumatic Rubber (Non-Marking)	9042071	N/C
Parking Brake	9042068	\$156.00
Trailer Transport Kit	9042165	\$221.00

Brushes and Pads (Note 8)	Reference Number	
<u>700mm/28" Disk Scrubbing Brushes/Pads (2 Required - 14" each)</u>		
Polypropylene Brush	1234464	N/C
Nylon Brush	1234463	N/C
Pad Driver	1234467	N/C
Pads		
Blue Scrubbing - 3M	222326	\$14.00
Red Cleaning - 3M	222325	\$14.00
White Polishing - 3M	222324	\$14.00
<u>800mm/32" Disk Scrubbing Brushes/Pads (2 Required - 16" each)</u>		
Polypropylene Brush	1234524	N/C
Heavy Duty Polypropylene Brush	1234525	N/C
Nylon Brush	1234523	N/C
Pad Driver	1234527	N/C
Pads		
Blue Scrubbing - 3M	63248-2	\$16.40
Red Cleaning - 3M	63248-3	\$16.40
White Polishing - 3M	63248-4	\$16.40
<u>900mm/36" Disk Scrubbing Brushes/Pads (2 Required - 18" each)</u>		
Polypropylene Brush	1230859	N/C
Nylon Brush	1230858	N/C
Pad Driver	1230881	N/C
Pads		
Blue Scrubbing - 3M	11778	\$18.00
Red Cleaning - 3M	11780	\$18.00
White Polishing - 3M	11781	\$18.00
<u>700mm/28" Cylindrical Scrubbing Brushes (2 Required)</u>		
Polypropylene Brush	222304	N/C
Heavy Duty Polypropylene Brush	374041	N/C
Nylon Brush	222305	N/C

800mm/32" Cylindrical Scrubbing Brushes (2 Required)

Polypropylene Brush	222307	N/C
Heavy Duty Polypropylene Brush	374042	N/C
Nylon Brush	222308	N/C

700mm/28" Orbital Pads (1 Required)

Pad Driver	1221839	N/C
Pads		
Blue Scrubbing - 3M	1223247	\$48.00
Red Cleaning - 3M	1218157	\$48.00
White Polishing - 3M	1223246	\$48.00

Support (Note 9)

Reference Number

Operator Manual - English	9016600	N/C
Operator Manual - Spanish	9016601	N/C
Operator Manual - French	9016602	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
Parts Manual	9016599	\$43.00
Service Manual	9016605	\$107.00

Machine Communication (Note IRIS)

IRIS Telemetry Module	9042203	\$1,158.00
-----------------------	---------	------------

Packaging (Note 10)

Skid w/Carton, Stackable	9001553	\$380.00
Pad Wrap		N/C

Notes

[Click here for T600e Parts](#)

- 1 Narrow Aisle Squeegee is not available on 700mm/28" units.
- 2 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected. Continental USA orders ONLY. In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 3 The Sealed/MF Fast Charge 210AH (TPPL) battery requires the 33A 100-240V AC 50/60Hz 1Ph on-board charger.
- 4 Battery Watering is not available with Sealed/MF Fast Charge 186AH Battery or Li-Ion Battery options. Smart-Fill Automatic Battery Watering only available with on-board charger.
- 5 The 25A 100-240V AC 50/60Hz 1Ph On-Board Charger is required to receive IRIS Battery Metrics.
- 6 Down Pressure options are only available on 800mm/32" Disk units.
- 7 UL Type E is not available with Heavy Duty Down Pressure, 900mm/36" units, Orbital units, ec-H2O NanoClean, or Smart-Fill.
- 8 One set of brushes or pad drivers come standard with Disk or Cylindrical units. Orbital units will come standard with a Pad Driver - Red Backer Pad.
- 9 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:	
3 Year Pre-Paid IRIS Information Service	\$250.00
5 Year Pre-Paid IRIS Information Service	\$400.00

A monthly contract can be set up at \$11 per month w/ 12 month minimum commitment.
 IRIS Telemetry Module only covers the price of the hardware.
 IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
 An On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
 IRIS Battery Metrics are not guaranteed with third party supplied batteries.

- 10 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← Click on + or - to hide/unhide weights

T600EE

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS LABOR, 6 MONTHS TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS

Base Configuration	Reference Number	2021 List Price
Cleaning Type		
T600ee Walk-Behind Scrubber 800 mm / 32" Disk	T600ee-800D	\$28,017.00
Squeegee Width		
Standard	STD-T600ee	N/C
Narrow Aisle	NR-T600ee	N/C
Battery Type		
Wet 240AH C/20	9042056	N/C
Manual Battery Watering	9042064	\$705.00
Charger		
25A 100-240V AC 50/60Hz 1Ph - Off-Board Charger	9042253	N/C
UL/ETL Rating		
UL Type EE		N/C
Machine Protection & Safety		
Black Foam Filled Rubber (Non-Marking)	9042099	N/C
Black Pneumatic Rubber (Non-Marking)	9042071	N/C
Parking Brake	9042068	\$156.00
Trailer Transport Kit	9042165	\$254.00
Brushes and Pads (Note 1)		
800mm/32" Disk Scrubbing Brushes/Pads (2 Required - 16" each)		
Polypropylene Brush	1234524	N/C
Heavy Duty Polypropylene Brush	1234525	N/C
Nylon Brush	1234523	N/C
Pad Driver	1234527	N/C
Pads		
Blue Scrubbing - 3M	63248-2	\$16.40
Red Cleaning - 3M	63248-3	\$16.40
White Polishing - 3M	63248-4	\$16.40
Support (Note 2)		
Operator Manual - English	9016606	N/C
Operator Manual - Spanish	9016607	N/C
Operator Manual - French	9016608	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
Parts Manual	9016609	\$43.00
Service Manual	9016605	\$107.00
Packaging (Note 3)		
Pad Wrap		N/C
Skid w/Carton, Stackable	9001553	\$380.00

[Click here for T600e Parts](#)

Notes

- 1 One set of brushes or pad drivers come standard with machine.
- 2 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 3 Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

AUTOMATIC SCRUBBERS

T500

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
3 YEARS OR 2000 HOURS ORBITAL SCRUB HEAD ISOLATORS
2 YEARS - LABOR, 6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T500 Walk-Behind Scrubber 650 mm / 26" Disk	T500-650-D	\$13,518.00
T500 Walk-Behind Scrubber 700 mm / 28" Disk	T500-700-D	\$14,710.00
T500 Walk-Behind Scrubber 800 mm / 32" Disk	T500-800-D	\$15,507.00
T500 Walk-Behind Scrubber 700 mm / 28" Cylindrical	T500-700-C	\$15,685.00
T500 Walk-Behind Scrubber 700 mm / 28" Orbital	T500-700-O	\$15,278.00
Trim Level		
Pro Membrane™ Control Panel	MCP-T500	N/C
Pro-Panel™ Control Panel	PPC-T500	\$766.00
Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in conventional mode)		
ec-H2O NanoClean™	ec-H2ONC-T500	\$2,453.00
Severe Environment Switch (Note 1)	9015322	\$493.00
Severe Environment™ Switch Lockout (Note 2)	9017886	\$50.00
Squeegee Width (Note 3)		
Standard	STD-T500	N/C
Narrow Aisle	NR-T500	N/C
Battery Type (Note 4)		
Wet 225AH C/20	9015372	N/C
Wet 260AH C/20	9015373	\$365.00
Sealed/MF AGM 220AH C/20	9015374	\$1,333.00
Sealed/MF Fast Charge TPPL 183AH C/20	9021148	\$1,707.00
Without	9015370	-\$450.00
Smart-Fill Automatic Battery Watering System (Note 5)	9015383	\$791.00
Manual Battery Watering System (Note 5)	9009619	\$461.00
Charger (Note 6)		
Reference Number		
25A 100-240V AC 50/60Hz 1Ph - On-Board (IRIS Battery Metric Compatible)	9015396	N/C
27A 100-240V AC 50/60Hz 1Ph - On-Board Charger (Fast Charge TPPL 183AH Battery)	9021169	\$150.00
Cleaning Performance		
Reference Number		
Spray Nozzle with Hose (Tank Rinse Out)	9015323	\$609.00
Auto Fill (Solution Tank)	9015355	\$183.00
Machine Protection & Safety		
Parking Brake	9015224	\$156.00
Brushes and Pads (Note 7)		
Reference Number		
650 mm / 26" Disk Scrubbing Brushes / Pads (2 Required - 13" each)		
Polypropylene Brush	1223989	N/C
Nylon Brush	1223991	N/C
Pad Driver	1220220	N/C
Pads		
Blue Scrubbing - 3M	89047	\$13.00
Red Cleaning - 3M	89048	\$13.00
White Polishing - 3M	89049	\$13.00

700 mm / 28" Disk Scrubbing Brushes / Pads (2 Required - 14" each)

Polypropylene	1220218	N/C
Nylon	1221541	N/C
Pad Driver	1220221	N/C
Pads		
Blue Scrubbing - 3M	222326	\$14.00
Red Cleaning - 3M	222325	\$14.00
White Polishing - 3M	222324	\$14.00

800 mm / 32" Disk Scrubbing Brushes / Pads (2 Required - 16" each)

Polypropylene	1220216	N/C
Nylon	1220215	N/C
Pad Driver	1220222	N/C
Pads		
Blue Scrubbing - 3M	63248-2	\$16.40
Red Cleaning - 3M	63248-3	\$16.40
White Polishing - 3M	63248-4	\$16.40

700 mm / 28" Cylindrical Scrubbing Brushes (2 Required)

Polypropylene	222304	N/C
Nylon	222305	N/C

700 mm / 28" Orbital Pad Driver / Pads (1 Required)

Pad Driver - Red Backer Pad	1221839	N/C
Pads		
Blue Scrubbing - 3M	1223247	\$49.00
Red Cleaning - 3M	1218157	\$49.00
White Polishing - 3M	1223246	\$49.00

Support (Note 8)**Reference Number**

T500 Operator Manual (English)	9015223	N/C
T500 Operator Manual (Spanish)	9015500	N/C
T500 Operator Manual (French)	9015501	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
T500 Parts Manual	9015222	\$43.00
T500 Service Manual	9015504	\$107.00

Machine Communication (Note IRIS)

IRIS Telemetry Module	9015421	\$1,158.00
-----------------------	---------	------------

Packaging (Note 9)

Skid w/Carton, Stackable	9015450	\$380.00
Pad Wrap		N/C

Notes

[Click for T500 Parts](#)

- 1 Severe Environment Switch is only available on units equipped with ec-H2O NanoClean cleaning Technology.
- 2 Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
- 3 Standard Squeegee recovers 100% of water in 180° point turns. If customer has a narrow aisle, the machine can be set-up for a narrow aisle squeegee. The narrow-aisle squeegee is the squeegee that comes standard with the next size smaller head and will not recover 100% of the solution in 180° point turns.

<u>Scrub Head Size</u>	<u>Standard</u>	<u>Narrow Aisle</u>
650 mm / 26" - Disk	9015301 = 38.3 in / 973 mm	9015490 = 30.0 in / 772 mm
700 mm / 28" - Disk	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm
800 mm / 32" - Disk	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Cylindrical	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Orbital	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm

- 4 In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 5 Smart-Fill Automatic Battery Watering only available with on-board charger.
Smart-Fill Automatic Battery Watering and Manual Battery Watering are not compatible with AGM Batteries.
- 6 25A 100-240V AC 50/60Hz 1Ph - On-Board Charger is required to receive IRIS Battery Manager.
- 7 One set of brushes or pad drivers come standard with a Disk or Cylindrical T500. Orbital units will come standard with a Pad Driver - Red Backer Pad.
- 8 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.
 IRIS IRIS Module is required and NOT included in the price of the IRIS Information Service:
 IRIS 3 Year Pre-Paid IRIS Information Service \$250.00
 IRIS 5 Year Pre-Paid IRIS Information Service \$400.00
 IRIS A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
 IRIS IRIS Telemetry Module only covers the price of the hardware.
 IRIS IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
 IRIS 25A 100-240V AC 50/60Hz 1Ph - On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
 IRIS **IRIS Battery Metrics are not guaranteed with third party supplied batteries.**

- 9 Pad wrap available only in the Continental US and is the default packaging method.
Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

T500E

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
3 YEARS OR 2000 HOURS ORBITAL SCRUB HEAD ISOLATORS
2 YEARS - LABOR, 6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T500e Walk-Behind Scrubber 650 mm / 26" Disk	T500e-650-D	\$12,536.00
T500e Walk-Behind Scrubber 700 mm / 28" Disk	T500e-700-D	\$13,191.00
T500e Walk-Behind Scrubber 800 mm / 32" Disk	T500e-800-D	\$13,907.00
T500e Walk-Behind Scrubber 700 mm / 28" Cylindrical	T500e-700-C	\$14,503.00
T500e Walk-Behind Scrubber 700 mm / 28" Orbital	T500e-700-O	\$13,789.00
Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in conventional mode)		
ec-H2O NanoClean™	ec-H2ONC-T500	\$2,453.00
Squeegee Width (Note 1)		
Standard	STD-T500e	N/C
Narrow Aisle	NR-T500e	N/C
Battery Type (Note 2)		
Wet 225AH C/20	9015372	N/C
Wet 260AH C/20	9015373	\$365.00
Sealed/MF AGM 220AH C/20	9015374	\$1,333.00
Sealed/MF Fast Charge TPPL 183AH C/20	9021148	\$1,707.00
Without	9015370	-\$450.00
Smart-Fill Automatic Battery Watering System (Note 3)	9015383	\$791.00
Manual Battery Watering System (Note 3)	9009619	\$461.00
Charger (Note 4)		
Reference Number		
25A 100-240V AC 50/60Hz 1Ph - On-Board (IRIS Battery Metric Compatible)	9015396	N/C
27A 100-240V AC 50/60Hz 1Ph - On-Board Charger (Fast Charge TPPL 183AH Battery)	9021169	\$150.00
Machine Protection & Safety		
Parking Brake	9015224	\$156.00
Brushes and Pads (Note 5)		
Reference Number		
650mm / 26" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1223989	N/C
Nylon	1223991	N/C
Pad Driver	1220220	N/C
Pads		
Blue Scrubbing - 3M	89047	\$13.00
Red Cleaning - 3M	89048	\$13.00
White Polishing - 3M	89049	\$13.00
700 mm/28" Disk Scrubbing Brushes/Pads (2 Required)		
Polypropylene	1220218	N/C
Nylon	1221541	N/C
Pad Driver	1220221	N/C
Pads		
Blue Scrubbing - 3M	222326	\$14.00
Red Cleaning - 3M	222325	\$14.00
White Polishing - 3M	222324	\$14.00
Black Stripping-Hi Pro - 3M	370091	\$17.00

800 mm/32" Disk Scrubbing Brushes/Pads (2 Required)

Polypropylene	1220216	N/C
Nylon	1220215	N/C
Pad Driver	1220222	N/C
Pads		
Blue Scrubbing - 3M	63248-2	\$16.40
Red Cleaning - 3M	63248-3	\$16.40
White Polishing - 3M	63248-4	\$16.40

700mm / 28" Cylindrical Scrubbing Brushes (2 Required)

Polypropylene	222304	N/C
Nylon	222305	N/C

700mm / 28" Orbital Pads

Pad Driver	1221839	N/C
Pads		
Blue Scrubbing - 3M	1223247	\$49.00
Red Cleaning - 3M	1218157	\$49.00
White Polishing - 3M	1223246	\$49.00

Support (Note 6)

	Reference Number	
T500e Operator Manual (English)	9015506	N/C
T500e Operator Manual (Spanish)	9015507	N/C
T500e Operator Manual (French)	9015508	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
T500e Parts Manual	9015505	\$43.00
T500e Service Manual	9015511	\$107.00

Machine Communication (Note 7)

IRIS Telemetry Module	9015423	\$1,158.00
-----------------------	---------	------------

Packaging (Note 8)

Skid w/Carton, Stackable	9015450	\$380.00
Pad Wrap		N/C

[Click for T500 Parts](#)

Notes

1 Standard Squeegee recovers 100% of water in 180° point turns. If customer has a narrow aisle, the machine can be set-up for a narrow aisle squeegee. The narrow-aisle squeegee is the squeegee that comes standard with the next size smaller head and will not recover 100% of the solution in 180° point turns.

<u>Scrub Head Size</u>	<u>Standard</u>	<u>Narrow Aisle</u>
650 mm / 26" - Disk	9015301 = 38.3 in / 973 mm	9015490 = 30.0 in / 772 mm
700 mm / 28" - Disk	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm
800 mm / 32" - Disk	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Cylindrical	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Orbital	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm

- 2 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected. Continental USA orders ONLY. In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 3 Smart-Fill Automatic Battery Watering only available with on-board charger. Smart-Fill Automatic Battery Watering and Manual Battery Watering are not compatible with AGM Batteries.
- 4 25A 100-240V AC 50/60Hz 1Ph - On-Board Charger is required to receive IRIS Battery Manager.
- 5 One set of brushes or pad drivers come standard with a Disk or Cylindrical T500e. Orbital units will come standard with a Pad Driver - Red Backer Pad.
- 6 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service. IRIS IRIS Module is required and NOT included in the price of the IRIS Information Service:
 IRIS 3 Year Pre-Paid IRIS Information Service \$250.00
 IRIS 5 Year Pre-Paid IRIS Information Service \$400.00
 IRIS A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
 IRIS IRIS Telemetry Module only covers the price of the hardware.
 IRIS IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
 IRIS 25A 100-240V AC 50/60Hz 1Ph - On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
IRIS Availability of IRIS Battery Metrics is not guaranteed with third party supplied batteries.

- 8 Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

T390

**TENNANT COMPANY WARRANTY
 3 YEARS OR 2000 HOURS - PARTS
 1 YEAR - BATTERY CHARGERS
 2 YEARS - LABOR
 6 MONTHS - TRAVEL
 10 YEARS ON DURAMER™ ROTOMOLD TANKS**

	Reference Number	2021 Price List
T390 - Walk Behind Scrubber - Self-Propel - 150AH Wet Batteries 28in (70cm), dual disk cleaning path, Linatex squeegee blades. Includes onboard charger, 2-12V batteries, pad driver, and 1 red pad.	9022006	\$8,892.00
T390 - Walk Behind Scrubber - Self-Propel - 140AH Sealed AGM Batteries	9022007	\$9,824.00
T390 - Walk Behind Scrubber - Self-Propel - NO Batteries	1255469	\$8,542.00

Shipped on skid.
T390 - Self-Propel - Shipping Weight and Dimensions
 Weight (w/ heaviest batteries) Skid w/Carton
 438 lb / 199 kg
 Length 50 in / 127 cm
 Width 33 in / 84cm
 Height 45 in / 114.5 cm

[Click for aftermarket parts](#)

T300

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR, 6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T300 Walk-Behind Scrubber 430 mm/17" - Disk	T300-430-D	\$5,860.00
T300 Walk-Behind Scrubber 500 mm/20" - Disk	T300-500-D	\$6,736.00
T300 Walk-Behind Scrubber 600 mm/24" - Dual Disk, Self Propel	T300-600-D	\$9,220.00
T300 Walk-Behind Scrubber 500 mm/20" - Orbital, Self Propel	T300-500-O	\$8,922.00
Trim Level (Note 1)		
Membrane™ Control Panel - With Mechanical Dual Down Pressure	MP-T300	N/C
Pro-Membrane™ Control Panel - With automated push button down pressure	PMC - T300	\$233.00
Pro-Panel™ Control Panel - With automated push button down pressure	PPC - T300	\$766.00
Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in conventional mode)		
ec-H2O NanoClean™ Technology	ec-H2ONC-T300	\$1,759.00
Severe Environment Switch - ec-H2O NanoClean only (Note 2)	9013840	\$493.00
Severe Environment™ Switch Lockout (Note 3)	9017886	\$50.00
Drive Type (Note 4)		
Pad / Brush Assist	Pad-T300	N/C
Self Propel	Self-T300	\$1,267.00
Battery Type (Note 5)		
Wet 130AH C/20 (Kit of 2 batteries)	9013852	\$572.00
Wet 150AH C/20 (Kit of 2 batteries)	9013853	\$683.00
Sealed/MF AGM 140AH C/20 (Kit of 2 batteries)	9013854	\$1,615.00
Without		N/C
Manual Battery Watering System - Wet 150AH Battery only (Note 6)	9009619	\$458.00
Charger (Note 7)		
13A 85-265V AC 50/60Hz 1Ph - On Board (IRIS Battery Metric Compatible)	Reference Number	
	9013847	N/C
Machine Protection & Safety		
Parking Brake	9013846	\$156.00
Brushes and Pads (Note 8)		
430mm/17" Disk (1 Required)		
Polypropylene Brush	1213035	\$270.00
Nylon Brush	1213034	\$270.00
Pad Driver	1211869	\$270.00
Pads		
Blue Scrubbing - 3M	1050270	\$16.40
Red Cleaning - 3M	1050271	\$16.40
White Polishing - 3M	1050273	\$16.40
500mm/20" Disk (1 Required)		
Polypropylene Brush	1213032	\$284.00
Nylon Brush	1210386	\$284.00
Pad Driver	1209197	\$284.00
Pads		
Blue Scrubbing - 3M	17262	\$21.80
Red Cleaning - 3M	17261	\$21.80
White Polishing - 3M	17260	\$21.80
500mm/20" Orbital (Standard)		
Pad Driver		N/C
Pads		
Blue Scrubbing - 3M	1205514	\$21.00
Red Cleaning - 3M	1205513	\$21.00
White Polishing - 3M	1205512	\$21.00

600mm/24" Disk (2 Required)

Polypropylene Brush	1213040	\$182.00
Nylon Brush	1210136	\$182.00
Pad Driver	1209160	\$182.00
Pads		
Blue Scrubbing - 3M	385942	\$11.90
Red Cleaning - 3M	385941	\$11.90
White Polishing - 3M	385940	\$11.90

Support (Note 9)

	Reference Number	
T300 Operator Manual - English	9014501	N/C
T300 Operator Manual - Spanish	9014502	N/C
T300 Operator Manual - French	9014503	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
T300 Parts Manual	9014500	\$43.00
Service Manual	9014510	\$107.00

Machine Communication (Note IRIS)

IRIS Telemetry Module	9013877	\$1,158.00
-----------------------	---------	------------

Packaging (Note 10)

Pad Wrap		N/C
Skid w/Carton, Stackable	9013859	\$252.00

[Click here for aftermarket parts for T300](#)

Notes

- Machines with Membrane control panel have mechanical dual down pressure
Machines with Pro-Membrane and Pro-Panel control panels have actuated push button triple down pressure
Pro-Panel control panel is not available on pad / brush assist machines
 - The Severe Environment Switch can only be chosen when ec-H2O NanoClean Technology has been selected.
 - Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
 - Pad Assist Drive Type is only available on the 430 mm/17" and 500 mm/20" units.
Self Propel Drive Type is available on all machine types.
The Self Propel price is included in the Cleaning Type section for Dual Disk and Orbital machines
Pad Assist Drive Type is not available with the Pro-Panel control panel.
 - Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Continental USA orders ONLY.
In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.

To maximize run time, it is recommend that the Wet 150AH Batteries are ordered.
Sealed/MF AGM 140AH Battery available on all units.
 - Manual Battery Watering System is only available Wet 150AH lead acid batteries.
 - 13A 85-265V AC 50/60Hz 1Ph - On Board Charger is required to receive IRIS Battery Manager.
 - One Pad Driver or Brush can be selected with 430 mm/17" and 500 mm/20" Models
A Set of two Pad Drivers or Brushes can be selected for 24" Models
Pad Driver is included in the base machine price of Orbital Models.
 - Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.
IRIS Module is required and NOT included in the price of the IRIS Information Service:
3 Year Pre-Paid IRIS Information Service \$250.00
5 Year Pre-Paid IRIS Information Service \$400.00
A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
13A 85-265V AC 50/60Hz 1Ph - On Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
Availability of IRIS Battery Metrics is not guaranteed with third party supplied batteries.
- Pad wrap available only in the Continental US and is the default packaging method.
Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

**AUTOMATIC SCRUBBERS
T300E**

BUILT-IN "TENNANT VALUE" INCLUDES:

42L/11 gal Solution Tank & 53 L/14 gal Recovery Tank	Wet 130AH and Wet 150AH Battery options available.
Rugged Duramer™ Rotomold Tank Construction	Emergency Stop (standard on all drive units)
Hygienic™ Recovery Tank	Free Floating Head Skirt (disk machines)
Single Setting Down Pressure (Standard)	Front Water Fill Port w/ Hose Hook
Multiple Setting Down Pressure (Optional)	Integrated Heat Sync for Electronics Protection
Adjustable Solution Flow	Sealed Electrical Connectors
Standard Low Noise Level (≤65 dBA)	Battery Tray
0.50kW/1 HP brush motor, 150 RPM (disk)	On-board Charger with 3m/15 ft power cord
0.45 kW/0.6 HP brush motor, 2200 RPM (orbital)	Closed Machine Venting for Battery Charging
Composite Scrub Deck (Single Disk)	Recovery Tank Debris Tray with deflector
Cast Aluminum Scrub Deck (Dual Disk)	Unsurpassed Ergonomic Design
11 Gauge Steel Scrub Deck (Orbital Only)	Gray Non-Marking Tires
Three Lug Pad Driver System (Standard Disk Machine)	10cm /4" Edge & Reach Under Cleaning
Insta-Click™ Pad Driver Attachment (Option Disk machines)	Anti-Static Straps
Cast Aluminum Squeegee Frame	Key Switch for Safety
Breakaway Squeegee Design w/ Integrated P-Trap	Hour Meter
Factory Set Squeegee Assembly for Maximum Recovery	Operators manual
Linatex Squeegee Blades with Tool-less Replacement	Jacking Points/Shipping Tie Downs
Yellow Maintenance Touch Points	Drain hose with pinch-cuff to control water flow
Integrated Accessory Rails w/ Squeegee & Bag Hang	Available with Optional ec-H2O NanoClean™ Technology

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T300e Walk-Behind Scrubber 430 mm/17" - Disk	T300e-430-D	\$4,811.00
T300e Walk-Behind Scrubber 500 mm/20" - Disk	T300e-500-D	\$5,478.00
T300e Walk-Behind Scrubber 600 mm/24" - Dual Disk, Self Propel	T300e-600-D	\$7,173.00
T300e Walk-Behind Scrubber 500 mm/20" - Orbital, Self Propel	T300e-500-O	\$7,460.00
Cleaning Tool Attachment		
Conventional - 3 Lug	CNV-T300e	N/C
Insta-Click™	IC-T300e	\$340.00
Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in conventional mode)		
ec-H2O NanoClean™ Technology	ec-H2ONC-T300e	\$1,759.00
Drive Type (Note 1)		
Pad / Brush Assist	Pad-T300e	N/C
Self Propel	Self-T300e	\$1,267.00
Battery Type (Note 2)		
Wet 130AH C/20 (Kit of 2 batteries)	9013852	\$572.00
Wet 150AH C/20 (Kit of 2 batteries)	9013853	\$683.00
Sealed/MF AGM 140AH C/20 (Kit of 2 batteries)	9013854	\$1,615.00
Without		N/C
Manual Battery Watering System - Wet 150AH Battery only (Note 3)	9009619	\$458.00
Charger		
13A 85-265V AC 50/60Hz 1Ph - On Board	9013847	N/C
Down Pressure (Note 4)		
Single	9013833	N/C
Multiple (Dual Down Pressure) - Disk and Orbital	9013831	\$289.00
Machine Protection & Safety		
Parking Brake	9013846	\$156.00
Brushes and Pads (Note 5)		
430mm/17" Disk (1 Required)		
For Conventional Scrub Head:		
Polypropylene Brush	1016765	\$190.00
Nylon Brush	1016764	\$190.00
Pad Driver	1212965	\$190.00
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213035	\$270.00
Nylon Brush	1213034	\$270.00
Pad Driver	1211869	\$270.00
Pads		
Blue Scrubbing - 3M	1050270	\$16.40
Red Cleaning - 3M	1050271	\$16.40
White Polishing - 3M	1050273	\$16.40
500mm/20" Disk (1 Required)		
For Conventional Scrub Head:		
Polypropylene Brush	1016811	\$222.00
Nylon Brush	1016810	\$222.00
Pad Driver	1212960	\$222.00
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213032	\$284.00
Nylon Brush	1210386	\$284.00
Pad Driver	1209197	\$284.00

Pads		
Blue Scrubbing - 3M	17262	\$21.80
Red Cleaning - 3M	17261	\$21.80
White Polishing - 3M	17260	\$21.80
500mm/20" Orbital (Standard)		
Pad Driver		N/C
Pads		
Blue Scrubbing - 3M	1205514	\$21.00
Red Cleaning - 3M	1205513	\$21.00
White Polishing - 3M	1205512	\$21.00
600mm/24" Disk (2 Required)		
For Conventional Scrub Head:		
Polypropylene Brush	1056313	\$182.00
Nylon Brush	1056306	\$182.00
Pad Driver	1213038	\$182.00
For Insta-Click™ Scrub Head:		
Polypropylene Brush	1213040	\$182.00
Nylon Brush	1210136	\$182.00
Pad Driver	1209160	\$182.00
Pads		
Blue Scrubbing - 3M	385942	\$11.90
Red Cleaning - 3M	385941	\$11.90
White Polishing - 3M	385940	\$11.90

Support (Note 6)		
	Reference Number	
T300e Operator Manual - English	9014506	N/C
T300e Operator Manual - Spanish	9014507	N/C
T300e Operator Manual - French	9014508	N/C
Additional Operator Manual	SEE ABOVE	\$107.00
T300e Parts Manual	9014500	\$43.00
Service Manual	9014510	\$107.00
Machine Communication (note 7)		
IRIS Telemetry Module	9013877	\$1,158.00
Packaging (Note 8)		
Pad Wrap		N/C
Skid w/Carton, Stackable	9013859	\$252.00

[Click here for T300e aftermarket parts](#)

Notes

- 1 Pad Assist Drive Type is only available on the 430 mm/17" and 500 mm/20" units.
Self Propel Drive Type is available on all machine types.
The Self Propel price is included in the Cleaning Type section for Dual Disk and Orbital machines
- 2 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Continental USA orders ONLY.

To maximize run time, it is recommend that the Wet 150AH Batteries are ordered.
Sealed/MF AGM 140AH Battery available on all units.
- 3 Manual Battery Watering System is only available Wet 150AH lead acid batteries.
- 4 Multiple Down Pressure (Dual Down Pressure)
430 mm / 17" Single Disk - 21, 39 kg / 47, 86 lbs
500 mm / 20" Single Disk - 23, 41 kg / 51, 90 lbs
600 mm / 24" Dual Disk - 26, 44 kg / 57, 97 lbs
500 mm / 20" Orbital - 29, 50 kg / 63, 109 lbs
- 5 One Pad Driver or Brush can be selected with 430 mm/17" and 500 mm/20" Models
A Set of two Pad Drivers or Brushes can be selected for 600 mm/24" Models
Pad Driver is included in the base machine price of Orbital Models.
If Click-Quick Cleaning Tool Attachment is chosen, a Click-Quick pad driver or brush must be selected
If 3-Lug Cleaning Tool Attachment is chosen, a 3-lug pad driver or brush must be selected
- 6 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 7 Pre-Paid and Monthly Packages are available for the IRIS Information Service.
IRIS Module is required and NOT included in the price of the IRIS Information Service:
3 Year Pre-Paid IRIS Information Service \$250.00
5 Year Pre-Paid IRIS Information Service \$400.00
A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.
IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
13A 85-265V AC 50/60Hz 1Ph - On Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
Availability of IRIS Battery Metrics is not guaranteed with third party supplied batteries.
- 8 Pad wrap available only in the Continental US and is the default packaging method.
Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected.
Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

[Click on + or - to hide/unhide weights](#)

T290

**TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ ROTOMOLD TANKS**

	<u>Reference Number</u>	<u>2021 Price List</u>
T290 - Walk Behind Scrubber - Pad Assist - 130AH Wet Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes on-board charger, 2-12V batteries, pad driver, and 1 red pad.	9022000	\$5,243.00
T290 - Walk Behind Scrubber - Pad Assist - 150AH Wet Batteries	9022001	\$5,355.00
T290 - Walk Behind Scrubber - Pad Assist - 140AH Sealed AGM Batteries	9022002	\$6,287.00
T290 - Walk Behind Scrubber - Pad Assist - NO Batteries	1255467	\$4,893.00
T290 - Walk Behind Scrubber - Self-Propel - 130AH Wet Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes on-board charger, 2-12V batteries, pad driver, and 1 red pad.	9022003	\$6,420.00
T290 - Walk Behind Scrubber - Self Propel - 150AH Wet Batteries	9022004	\$6,532.00
T290 - Walk Behind Scrubber - Self Propel - 140AH Sealed AGM Batteries	9022005	\$7,464.00
T290 - Walk Behind Scrubber - Self Propel - NO Batteries	1255468	\$6,070.00
Shipped on skid.		
T290 - Pad Assist - Shipping Weight and Dimensions	Skid w/Cartron	
Weight (w/ heaviest batteries)	390 lb / 177 kg	
Length	50 in / 127 cm	
Width	27 in / 69cm	
Height	45 in / 114.5 cm	
T290 - Self-Propel - Shipping Weight and Dimensions		
Weight (w/ heaviest batteries)	401 lb / 182 kg	
Length	50 in / 127 cm	
Width	27 in / 69cm	
Height	45 in / 114.5 cm	
Click here for parts		

**Automatic Scrubber
T2**

← [Click on + or - to hide/unhide Built In Values](#)

TENNANT COMPANY WARRANTY
3 YEARS OR 2500 HOURS ON ALL COMPONENTS, 3 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
T2 Walk-Behind Scrubber 430 mm/17" - Disk	T2-430-D	\$6,522.00
Battery Type		
Wet 105AH C/20 (Kit of 2 batteries)	1030291	N/C
Sealed/MF Gel 102AH C/20 (Kit of 2 batteries)	1071125	\$284.00
Without Battery (Note 1)		-\$450.00
Charger		
9A 100-240V AC 50/60Hz 1 Ph - on board	1066718	N/C
Pad Driver, Pads and Brushes (Note 2)		
430mm/17" Disk Pad Driver/Pads (1 Required)		
Polypropylene	1016765	\$187.00
Nylon	1016764	\$231.00
Pad Driver	1016813	N/C
Pads		
Blue Scrubbing - 3M	1050270	\$16.40
Red Cleaning - 3M	1050271	\$16.40
White Polishing - 3M	1050273	\$16.40
Support (Note 3)		
T2 Operator Manual (English/Spanish/French)	9008844	N/C
T2 Parts Manual	9008845	\$43.00
Additional Operator Manual	see above	\$107.00
Packaging (Note 4)		
Pad Wrap		N/C
Skid w/Carton, Stackable	9011134	\$252.00





← [Click here for T2 Parts](#)

Notes

- 1 Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected. Continental USA orders ONLY.
- 2 One pad driver comes standard with a T2.
- 3 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 4 Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Stackable if WITHOUT BATTERY is selected. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

Automatic Scrubbers

	Cleaning Type	Reference Number	2021 Price List
	CS5 Li-ON Battery Micro-scrubber 11" cleaning path. Includes 5.5 AH Lithium ion battery, removable, fill and dump nearly anywhere 1.3 gallon (5 liter) solution & recovery tanks, forward and reverse dry system, foldable handle, medium polypropylene brush, Linatex squeegees, charger with power cord and multi-language operator manual.	1251580	\$2,461.00
	Boxed Dimensions: 31.5" L x 15.74" W x 18.5" H (800 mm x 400 mm x 470 mm) Shipping Weight 48.62 lbs/ 22 kg CSS Aftermarket Parts		
	i-mop XL Plus Lithium-Ion Auto Disk Scrubber 18.1" (46 cm) cleaning path. Includes white batteries, removable 1 gal (4 L) solution and 1.5 gal (8 L) recovery tank with ball float, battery safe guard switch, angle switch, Plus charger w/ power cord, 2 medium blue brushes, squeegee, and multi-language operator manual.	1251236	\$5,493.00
	Boxed Dimensions: 49.6" H x 22.4" W x 14.6" L (1260 mm x 570 mm x 370 mm) Shipping Weight with Batteries: 47.4 lbs (21.5 kg) Click here for iMop Plus parts		
	i-mop XL Plus Lithium-Ion Auto Disk Scrubber + 2 Sets of Batteries 18.1" (46 cm) cleaning path. Includes TWO sets of batteries, removable 1 gal (4 L) solution and 2 gal (8 L) recovery tank with ball float, battery safe guard switch, angle switch, Plus charger w/ power cord, 2 medium blue brushes, squeegee, and multi-language operator manual.	9020942	\$6,571.00
	Note: Batteries do not ship in machine box, but separately.		
	iCart L Integrated Work Cart Transports the i-mop XL, includes ramp, and has storage. i-mop XL only.	1232057	\$1,669.00
	Boxed Dimensions: 42.5" x 34.6" x 25.2" (1080 mm x 880 mm x 640 mm) Shipping Weight: 132.2 lbs (60 kg)		
	Cabinet Assy, Storage [IMOP] iMop storage cabinet	1233400	\$1,133.00
	i-mop XXL Plus Lithium-Ion Auto Disk Scrubber 24.4" (62 cm) cleaning path. Includes gray batteries, removable 1.25 gal (5 L) solution and 2 gal (8 L) recovery tank with ball float, battery safe guard switch, angle switch, Plus charger w/ power cord, 2 medium blue brushes, squeegee, and multi-language operator manual.	1251235	\$7,595.00
	Boxed Dimensions: 49" H x 25" W x 13" L (1240 mm x 640 mm x 330 mm) Shipping Weight with Batteries: 52.9 lbs (21.5 kg) i-mop XXL Plus Parts		
	i-mop XXL Plus Lithium-Ion Auto Disk Scrubber + 2 Sets of Batteries 24.4" (62 cm) cleaning path. Includes TWO sets of gray batteries, removable 1.25 gal (5 L) solution and 2 gal (8 L) recovery tank with ball float, battery safe guard switch, angle switch, Plus charger w/ power cord, 2 medium blue brushes, squeegee, and multi-language operator manual.	9021099	\$9,009.00
	Note: Extra batteries do not ship in machine box, but separately.		
	T1 Cord-Electric Cylindrical Scrubber 15" (380 mm) cleaning path. Complete package includes removable, Hygenic® fully cleanable 3 gallon (11.4 liter) solution/ 4.5 gallon (17 liters) recovery tanks, Insta-Adjust™ handle, nylon brush, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual.	9004191	\$3,885.00
	Boxed Dimensions: 34" L x 22" W x 32" H (864 mm x 559 mm x 813 mm). * Shipping Weight / Volume: 125 lb (57 kg) / 13.9 ft ³ (.39 m ³)		
	T1B Battery Cylindrical Scrubber - 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 2.5 gallon (9.5 liter) solution/ 3.4 gallon (12.9 liters) recovery tanks, Insta-Adjust™ handle, nylon brush, appropriate off board world charger with power cord and multi-language operator manual.		
←	Click on + or - to hide/unhide weights T1B Battery Cylindrical Scrubber (with AGM batteries) Shipping Weight: 158 lbs/ 72 kg	9008635	\$5,019.00
	T1B Battery Cylindrical Scrubber (with Li-ion batteries) Shipping Weight: 143 lbs/ 65 kg	9008638	\$6,476.00
	Click here for T1 & T1B Parts		

Burnishers

B10

← [Click on + or - to hide/unhide Built In Values](#)

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS ON ALL COMPONENTS, 2 YEARS LABOR
6 MONTHS TRAVEL, 10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 List Price
Cleaning Type		
B10 Battery Rider Burnisher 610mm/24"	B10-610	\$24,385.00
B10 Battery Rider Burnisher 690mm/27"	B10-690	\$25,068.00
Battery Type		
Wet 435AH C/20 (Kit of 6 batteries)	9010885	N/C
Sealed/MF AGM 390AH C/20 (Kit of 6 batteries)	9010886	\$984.00
Manual Battery Watering Kit (Note 1)	9009620	\$649.00
Charger		
25A 120V AC 50/60Hz 1Ph (on board)	9010881	N/C
Machine Protection & Safety		
Strobe Light on Tank	9010878	\$606.00
Support (Note 2)		
B10 Operator Manual (English)	9010734	N/C
B10 Operator Manual (French)	9010732	N/C
Packaging (Note 3)		
Pad Wrap		N/C
Skid w/Carton, Non-Stackable	9010888	\$409.00

[Click here for B10 Parts](#)

Notes

- 1 Factory installed pricing. Only available on wet batteries, not sealed.
- 2 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com. Service manuals can be ordered on My Account for Free.
- 3 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

Burnishers

B7

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
 3 YEARS OR 2000 HOURS - PARTS
 1 YEAR - BATTERY CHARGERS
 2 YEARS - LABOR
 6 MONTHS - TRAVEL
 10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 Price List
Cleaning Type		
B7 Battery Walk-Behind Burnisher 610mm/24"	B7-610	\$11,799.00
B7 Battery Walk-Behind Burnisher 690mm/27"	B7-690	\$12,959.00
Battery Type		
Wet 330AH C/20 (Kit of 6 batteries) (standard on 690mm/27" unit)	9012674	\$693.00
Sealed/MF AGM 312AH C/20 (Kit of 6 batteries)	9012676	\$2,775.00
Battery Watering System		
Manual Battery Watering Kit (Note 1)	9009620	\$649.00
Charger		
25A 85-265V AC 50/60Hz 1Ph (on board)	9012668	N/C
Down Pressure		
Automated Down Pressure	9012641	N/C
Mechanical Set and Forget™ Down Pressure	9012640	(\$470.00)
Cleaning Performance		
Dust Control, Active - HEPA Filtration to 99.97% @ .3 microns	9012651	N/C
Dust Control, Passive - 95% @ .3 microns	PASSIVE	(\$414.00)
Dust Control Filter, Paper Filter Bag	1210869	N/C
Support (Note 2)		
B7 Operator Manual - English	9011482	N/C
B7 Operator Manual - French	9011486	N/C
Packaging (Note 3)		
Pad Wrap	44961	N/C
Skid w/Carton, Stackable	9012681	\$289.00

[Click here for B7 Parts](#)

Notes

- 1 Factory installed pricing. Only available on wet batteries, not sealed.
- 2 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com. Service manuals can be ordered for free on My Account
- 3 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← Click on + or - to hide/unhide weights

B5

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 Price List
Cleaning Type		
B5 Walk-Behind Battery Burnisher 510 mm/20"	B5-510	\$8,959.00
Drive Type (Note 1)		
Pad Assist	Pad-B5	N/C
Self Propel	Self-B5	\$2,470.00
Battery Type		
Wet 185AH C/20 (Kit of 3 batteries)	9012670	N/C
Wet 225AH C/20 (Kit of 3 batteries) (Note 2)	9012671	\$336.00
Sealed/MF AGM 234AH C/20 (Kit of 3 batteries)	9012672	\$2,158.00
Manual Battery Watering Kit (Note 3)	9009620	\$649.00
Charger		
25A 85-265V AC 50/60Hz 1Ph On-Board for 185AH and 225AH	9012668	N/C
Down Pressure		
Automated Down Pressure	9012641	N/C
Mechanical Set and Forget™ Down Pressure (Note 1)	9012640	(\$470.00)
Cleaning Performance		
Dust Control System, Active - HEPA Filtration to 99.97% @ .3 microns	9012651	N/C
Dust Control, Passive - 95% @ .3 microns	PASSIVE	(\$414.00)
Dust Control Filter, Paper Filter Bag	1210869	N/C
Support (Note 4)		
B5 Operator Manual - English	9011480	N/C
B5 Operator Manual - French	9011486	N/C
Packaging		
Pad Wrap (Note 7)	44961	N/C
Skid w/Carton, Stackable	9012678	\$210.00



[Click here for B5 Parts](#)

Notes



- When pad/brush assist unit is chosen, only mechanical Set and Forget™ down pressure is available. Mechanical down pressure can only be deducted from the self-propelled unit.
- 225AH Battery is standard on units with the Self Propel Drive Type. When Self Propel is selected, this battery will be added at No Charge.
- Factory installed pricing. Only available on wet batteries, not sealed.
- Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com. Service manuals can be ordered for free on My Account
- Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← Click on + or - to hide/unhide weights

Burnishers

<u>Cleaning Type</u>	<u>Reference Number</u>	<u>2021 Price List</u>
 BR-2000-DC Dust Control Burnisher* - 2000 rpm 20" (508mm) Complete package includes flexible pad driver, 75-ft. (23m) power cord, cloth filter bag and 1-pad. CSA US/C* Boxed dimensions: 34L x 27W x 51H (864mm x 686mm x 1295mm) Shipping Weight: 93 lbs. (42 kg) / Cu. Ft.: 27.09 (Cu. M. .76)	9007349	\$3,011.00
 BR-1600-NDC Burnisher - 1600 rpm 20" (508mm) Complete package includes flexible pad driver and a 75-ft. (23m) power cord. Boxed dimensions: 31L x 23W x 53H (787mm x 584mm x 1346mm) Shipping Weight: 100 lbs. (45 kg) / Cu. Ft.: 21.87 (Cu. M. .62)	9007347	\$2,302.00

Floor Machines

 FM-20-SS Heavy Duty 20" (508mm) Floor Machine 175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M .46)	9007336	\$1,391.00
 FM-20-DS Heavy Duty Dual Speed 20" (508mm) Floor Machine 185/330 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 96 lbs. (44 kg) / Cu. Ft.: 16.25 (Cu. M .46)	9007334	\$2,163.00

[Floor Machine Parts](#)

Sweepers

6100



← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
2 YEARS OR 2000 HOURS - PARTS
6 MONTHS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ HOPPER
 CUSTOM Options May Add 1 Week Or More to Standard Lead Times

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
6100 Battery Rider Sweeper	6100-B	\$18,259.00
Battery Type (Note 1 and 2)		
Wet 225 AH C/20 (Kit of 6 batteries)	81698	N/C
Sealed/MF Gel 180AH C/20 (Kit of 6 batteries)	324448	\$2,138.00
Less Battery, DEDUCT (Note 3)	LESS BATTERY	-\$496.00
Manual Battery Watering Kit	9009620	\$637.00
Charger		
Reference Number		
21A 85-265V AC 50/60Hz 1Ph - Off Board for Wet 225AH Battery	9003372	N/C
21A 85-265V AC 50/60Hz 1Ph - Off Board for Gel 180AH Battery	314567	\$361.00
21A 85-265V AC 50/60Hz 1Ph - On Board for Wet 225AH Battery	326246	\$1,664.00
21A 85-265V AC 50/60Hz 1Ph - On Board for Gel 180AH Battery	325736	\$1,474.00
Less Charger, DEDUCT	LESS CHARGER	-\$321.00
Packages		
Reference Number		
HEPA Dust Filter Package - Right Hand Side Brush (Note 4) Right Hand Side Brush, Dry Dust Control (RH), HEPA Filter System	HDR-6100	\$5,878.00
HEPA Dust Filter Package - Dual Side Brush (Note 4) Dual Side Brush, Dry Dust Control (Dual), HEPA Filter System	HDD-6100	\$6,378.00
Cleaning Performance		
Reference Number		
Dual Sweeping Side Brush (Note 5)	83228	\$901.00
Side Brush Dust Control, Dry, Right Hand	326579	\$940.00
Side Brush Dust Control, Dry, Dual	326593	\$1,440.00
High Performance Vacuum Wand (dual vacuum motors) (Note 6)	83436	\$1,762.00
High Performance Vacuum Wand w/On-Board Charger (dual vacuum motors) (Note 6)	83436 & 326589	\$4,026.00
Vacuum Wand (Note 6)	83230	\$1,522.00
Vacuum Wand w/On-Board Charger (Note 6)	83230 & 326589	\$3,788.00
HEPA Filter System (Note 7)	324539	\$4,941.00
Machine Protection & Safety		
Reference Number		
Side Bumper GlideBy™ Protective Side Molding [Not w/rollout 83357]	83434	\$167.00
Adjustable Seat (front/back)	83193	\$127.00
Seat Belt	83266	\$130.00
Rear Tires, Solid, Non-Marking (in lieu of standard)	374178	\$279.00
Audio BU Alarm	w/o vac wand 384497 with vac wand 384498	\$433.00
AV BU Alarm w/ Strobe Light on Lintel	w/o vac wand 374350 with vac wand 374349	\$595.00
Work Light, Single	83202	\$327.00
Fire Extinguisher	83220	\$175.00

Brushes and Pads**Reference Number****Main Sweeping Brushes**

Polypropylene Brush	81888	N/C
Polypropylene, Window Brush	370048	N/C
Union Mix Brush (Note 8)	83031	\$221.00
Sand Wedge Brush	83030	\$221.00

Side Sweeping Brushes

Polypropylene Brush	80042	N/C
Heavy Duty Polypropylene Brush	378804	N/C

Support (Note 11)**Reference Number**

Standard Warranty		N/C
Extended Warranty (Note 9)	42405	\$1,819.00
Ultimate Performance Guarantee	50619	N/C
Operator Manual (English)	330250	N/C
Operator Manual (Spanish)	330252	N/C
Operator Manual (French)	330253	N/C
Additional Operator Manual	SEE ABOVE	\$156.00
6100 Parts Manual	9014885	\$19.00
Service Manual	330255	\$203.00

Machine Communication (Note IRIS)

IRIS Telemetry Module	9009510	\$1,158.00
-----------------------	---------	------------

Packaging (Note 10)

Pad Wrap		N/C
Crate	83353	\$513.00
Skid	375230	\$267.00

Custom Solutions

Custom Color (Note 11)	324138	\$3,326.00
------------------------	--------	------------

[Click here for 6100 parts](#)

Notes

1 According to the manufacturer, new batteries do not develop full energy (run time) potential until after a couple months of use. This "burn-in" period is usually 50 charge cycles.
Average run times are 3.4 hours for standard and 4.8 hours for heavy duty batteries.

Model 6100 Continuous Runtime Chart (220 AH Battery Package):

	Run Time
Sweeping (Main and single side brush)	3.5 hours
Sweeping (Main and dual side brush)	3.25 hours

The above runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration and usage.

2 Should the customer wish to use their own battery supplier, they have two options:

- Buy batteries to fit in our steel case - see below for internal dimensions.
- Buy their own steel case battery (there is no deduction for this) - see below for external dimensions.

External Dimensions:	Width	Height
	22.18 in.	21.24 in
	563 mm	539 mm

Internal Dimensions:	Width	Height
	21.81 in.	20.88 in
	554 mm	530 mm

An extra steel case can be ordered without batteries; part number 369483.

Battery compartment is 21.62 in. (550 mm) x 22.24 in. (565 mm) x 14.50 in. (365 mm).
Max weight 480 lbs (220kg).

3 Customer MUST order shipping crate if LESS BATTERY is selected.
Continental USA orders ONLY.

4 HEPA Dust Filter Package is not available with an On-Board Charger.
Package is not available with either the Vacuum Wand or the High Performance Vacuum Wand.
The HEPA Dust Filter Package will ship with 2 extra HEPA filters for a total of 3 filters at the time of delivery.

5 Dual Side Brush cannot be equipped on units with the HEPA Dust Filter Package - Right Hand

6 Reach of vacuum wand is 11 feet, comes with a box of 10 vacuum bags (p/n1067452).
Cannot be equipped with the HEPA Dust Filter Package.

7 The HEPA Filter System cannot be equipped on units with an On-Board Charger or Vacuum Wand option
HEPA Filter System requires Side Brush Dust Control, Dry also be added to the machine.

8 The Union Mix Brush is commonly used for Carpet

9 Warranty Plus Extended Warranty includes an additional 18 months trip and labor coverage.

IRIS IRIS Telemetry is not available on machines with the Battery Roll Out System.

Pre-Paid and Monthly Packages are available for the IRIS Information Service. IRIS Module is required and NOT included in the price of the IRIS Information Service

3 Year Pre-Paid IRIS Information Service	\$250.00
5 Year Pre-Paid IRIS Information Service	\$400.00

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware. IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

10 Pad wrap available only in the Continental US and is the default packaging method.
Customer MUST order Crate or Skid if WITHOUT BATTERY is selected.
Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

11 CUSTOM PAINT: Customized painting is limited to metal parts only. All non-metal components must remain standard TENNANT colors.
When selling a Custom Color, you will need to confirm that the color falls within the standard colors available from our powder supplier.

Please request a color chart from our Custom Solutions Group and obtain the customer's approval.
For pricing and lead time impact information contact our Custom Solutions Group.

12 Part numbers beginning with "CP" followed by a 6-digit number or a 6-digit number with the first three digits "324 & 325" indicate a CUSTOM option. Please keep in mind that these items may require a longer lead time.

← [Click on + or - to hide/unhide weights](#)

S16L

BUILT-IN "TENNANT VALUE" INCLUDES:

- | | |
|---|--|
| MaxPro™ Sweeping Technology | Wet Sweeping By-Pass |
| 1-Step™ Control Module | UL-Label (Type E) |
| 46" (1170mm) Sweep Path | Tool-less Side Panel Removal |
| No-Tool Brush Change | Soft corner rollers all-around |
| Multi-stage Air Filtration & Dust Control | Hour Meter |
| Stage 1: Perma-filter™ | Battery Discharge Indicator |
| Stage 2: Panel filter | Horn |
| 97.0 ft² (9.0 m2) Pleated Media | Cup Holders |
| Flap and Trap Debris Pedal | Automatic Parking Brake |
| Retractable Right Hand Side Brush | Yellow Maintenance Touch Points |
| Thermo-Sentry™ Hopper Fire Sensor | Seat occupancy interlock safety switch |
| Worn main brush indicator light | Main and right side brush (Standard) |
| 5.3 ft3 (150 L) Hopper Volume Capacity | Onboard Diagnostics |
| 200 lbs (90 kg) Hopper Weight Capacity | Operator and parts manual |
| Duramer™ Hopper Construction | |

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
6 MONTHS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMER™ HOPPER
CUSTOM Options May Add 1 Week Or More to Standard Lead Times

Base Configuration	Reference Number	2021 Price List
Cleaning Type		
S16 Rider Sweeper - Low Dump	S16L	\$25,333.00
Battery Type		
Wet 240AH C/20	9045055	N/C
Wet 360AH C/20	9045056	\$896.00
Li-Ion 36v, 4.1kWh	9045058	\$6,399.00
Li-Ion 36v, 8.2kWh	9045057	\$12,712.00
Li-Ion 36v, 12.2kWh	9045059	\$17,634.00
Without - Less Battery, DEDUCT (Note 2)	9045060	(\$495.00)
Smart-Fill Automatic Battery Watering System (Note 3)	9045062	\$951.00
Manual Battery Watering System (Note 3)	9045073	\$618.00
Charger	Reference Number	
25A 100-240V AC 50/60Hz 1Ph - Off Board (for 240 and 360AH Batteries)	9045257	N/C
25A 100-240V AC 50/60Hz 1Ph - On Board (for 240 and 360AH Batteries)	9045255	\$683.00
33A 100-240V AC 50/60Hz 1Ph - On Board (for 240 and 360AH Batteries)	9045256	\$884.00
33A 100-240V AC 50/60Hz 1Ph - Off Board (for Li-Ion Batteries)	9045259	\$884.00
Without - Less Charger, DEDUCT		(\$199.00)
UL Type ES	9017316	\$2,372.00
Packages	Reference Number	
Productivity Package	PRD-S16	\$2,301.00
<i>Includes: Dual Side Brush, Vacuum Wand</i>		
Safety Light Package	SFY-S16	\$1,803.00
<i>Includes: Headlight & Tail Lights, AV Back Up Alarm w/ Strobe, Blue Light</i>		
Carpet Care Package	9045122	\$534.00
<i>Includes: Natural Fiber main brush, Non-marking skirts, FiberShield™ Lint Screen, Slotted front main brush skirt</i>		
HEPA Dust Filter Package - For Right Hand Side Brush	HDR-S16	\$6,094.00
<i>Includes: Right Hand Side Brush, Dry Dust Control - Right Hand, HEPA Filter System</i>		
HEPA Dust Filter Package - For Dual Side Brush	HDD-S16	\$6,576.00
<i>Includes: Dual Side Brush, Dry Dust Control - Dual, HEPA Filter System</i>		
Cleaning Performance	Reference Number	
Dual Side Brush	9045101	\$901.00
Side Brush Dust Control - Dry (Right Hand Side Brush)	9045105	\$921.00
Side Brush Dust Control - Dry (Dual Side Brush)	9045106	\$1,402.00
Vacuum Wand	9045161	\$1,522.00
HEPA Filter System (Note 4)	9045159	\$5,174.00
Removable Hopper Bins	9045164	\$534.00
Machine Protection & Safety	Reference Number	
Overhead Guard	9045052	\$1,358.00
Deluxe Seat with Armrests and Seat Belt	9045201	\$470.00
Headlight & Tail Lights (Note 5)	9045206	\$494.00
AU BU Alarm-Strobe on Lintel (Note 5)	9045204	\$554.00
Blue Light	9045208	\$851.00
Fire Extinguisher	9045069	\$281.00
Brushes	Reference Number	
Main Sweeping Brushes		
Polypropylene Brush	1240255	N/C
Polypropylene and Wire Brush	1254155	N/C
Polypropylene, Window Brush	1239052	\$188.00
Sand Wedge Brush	1239051	\$188.00
Natural Fiber Brush	1239050	\$188.00
Side Sweeping Brushes		
Polypropylene Brush	1225549	N/C
Support (Note 6)	Reference Number	Price
Standard Warranty		N/C
Ultimate Performance Guarantee		N/C
Operator Manual (English)	9045321	N/C
Operator Manual (Spanish)	9045322	N/C
Operator Manual (French)	9045323	N/C
Additional Operator Manual	SEE ABOVE	\$156.00
Parts Manual	9045325	N/C
Service Manual	9045326	\$201.00

Packaging (Note 7)

Skid w/Carton, Non-Stackable	9045304	\$585.00
Skid	9045305	\$382.00
Pad Wrap		N/C

[Click here for S16L Parts](#)

Notes

- 1 Standard Configurations are set configurations as listed and cannot be altered. However, these are partial configurations which require the selection of Brushes, Operator Manuals, Service Manual, and Shipment Packaging.
- 2 Customer MUST order shipping crate if LESS BATTERY is selected. Continental USA orders ONLY.
- 3 Not available with Li-Ion Batteries.
- 4 HEPA Filter System requires Side Brush Dust Control - Dry.
- 5 Headlight and Tail Lights require the AU BU Alarm-Strobe on Lintel. Headlight and Tail Lights are not available without the AU BU Alarm-Strobe on Lintel
- 6 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 7 Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Crate or Skid w/Carton, Non-Stackable if WITHOUT BATTERY is selected. Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

Sweepers

3640

← Click on + or - to hide/unhide Built In Values

TENNANT COMPANY WARRANTY
3 YEARS OR 2500 HOURS ON ALL COMPONENTS, 3 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS



Base Configuration	Reference Number	2021 Price List
Cleaning Type		
3640 E Battery Powered Walk-Behind Sweeper	3640-E	\$13,295.00
Battery Type		
Wet 130AH C/5 (Kit of 2 batteries)	80128	N/C
Wet 225AH C/6 (Kit of 2 batteries) (Extended Run Time Batteries)		
Requires 19A 100-240V AC 50/60Hz 1PH Charger	80131	\$387.00
Less Battery		(\$262.00)
Manual Battery Watering Kit (Note 1)	9009619	\$480.00
Charger	Reference Number	
11A 100-240V AC 50/60Hz 1 Ph - off board	1056034	N/C
19A 100-240V AC 50/60Hz 1PH - off board	1029256	\$140.00
Less Charger		(\$138.00)
UL Rating/UL	Reference Number	
UL Type E	80452	N/C
UL Type EE	80454	\$2,162.00
Packages (Note 2)	Reference Number	
Carpet Cleaning Equipment Pkg (Note 3)		
Standard Run Time - w/ standard 130 AH batteries	80123	\$493.00
Extended Run Time - w/225 AH batteries	80040	\$493.00
Cleaning Performance	Reference Number	
Side Brush, Right Hand		N/C
Side Brush, Dual (Note 4)	80150	\$715.00
Live Wand (Note 5)	373143	N/C
Accessory Wand Kit (Note 6)	373138	\$251.00
Without Vacuum Wand		
Dust Control Filter, Panel Filter		N/C
Dust Control Filter, Bag Filter (Note 7)	373146	-\$560.00
HEPA Filter (Note 8)	324010	\$5,502.00
Hopper Dump Assist	80285	\$158.00
Machine Protection & Safety	Reference Number	
Emergency Stop	80179	\$262.00
Tires, Solid Rubber		N/C
Tires, Wide Trac Pneumatic (Note 9)	80226	\$514.00
Brushes	Reference Number	
Main Brush (Note 10)		
Polypropylene Brush	80058	N/C
Polypropylene & Wire Brush	378802	N/C
Union Mix Brush (Carpet)	80355	N/C
Sand Wedge Brush	80351	N/C
Side Brush		
Polypropylene Brush	80042	N/C
Support (Note 11)	Reference Number	
Operator Manual English	330560	N/C
Operator Manual Spanish	330562	N/C
Operator Manual French	330563	N/C
Operator Manual Japanese	330564	N/C
Additional Operator Manual	see above	\$75.00
3640 Parts Manual		\$17.00
3640 Operator Video	9009350	N/C
3640 Service Manual	330565	\$173.00
Packaging (Note 12)		
Pad Wrap		N/C
Skid w/Carton, Stackable	9005746	\$376.00
Skid w/Stretch Wrap	9005748	\$255.00

[Click here for 3640 parts](#)

Notes:

1 Only available on 225 AH wet batteries.

2 Configuration Recommendation Criteria:

Standard Configuration -

Panel Filter/Live Wand

Bag Filter/Live Wand

Panel Filter/High Air Flow System

Most Applications, Particularly:
Continual Dust Accumulation
Sensitive to Dusting
Medium to Heavy Dust
Vacuum Wand Available as an Option

(Less High Air Flow System)

Light Applications:
Light Dust
Less Sensitive to Dust
Want Live Vacuum Wand

(Less High Air Flow System)

Light Applications:
Primarily for Carpet
Applications
Light to No Dust
HEPA filter Applications

3 Carpet Cleaning Package includes either standard or extended run time batteries (whichever is chosen) and includes Union Mix (Carpet Brush) and Battery Acid Containment Bags.

4 When dual side brushes are chosen, it is recommended to use the extended run time batteries kit #80131 with this option.

5 Recommended for light dust applications only. Ordering the Live Wand option will reroute the airflow permanently through a "live wand" that is always available to the operator for detailing or edge cleaning. This will remove the High Air Flow system and will replace it with the Live Vacuum Wand. No additional charge.

6 Vacuum wand to be installed on front cover. Order only when purchasing the standard machine with the High Air Flow System. When any of the part numbers 373143 or 373146 are ordered, the Live Vacuum Wand is standard and it is not possible to order this option. Kit supplies a hose and wand that is stored onboard and connects for use.

7 This will remove the Panel Filter System with the Bag Filter System. This is recommended only for carpet applications and very light dust applications.

8 Recommended for use with paper filter collector bag or for an additional level of filtration. This is a "Custom" option. Please keep in mind that this may require a longer delivery time.

9 Wide Trac Pneumatic Tire and Caster Kit is to better equip machines for outdoor use.



10 Only Union Mix Brush is available with Carpet Cleaning Equipment Pkg

11 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.





12 Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Stackable or Skid w/Stretch Wrap if WITHOUT BATTERY is selected. Skid w/Carton, Stackable is mandatory when shipping to AK and HI and added at No Charge when shipping to these locations.




← [Click on + or - to hide/unhide weights](#)

Sweepers

Cleaning Type	Reference Number	2021 Price List
 <p>Click here for Sweeper parts</p> <p>S7 - 28 in (700 mm) Battery Walk-Behind Sweeper 28" (700mm) cleaning path, 1.6 cu. Ft (45 L) hopper capacity, 140AH sealed battery on-board charger. Boxed dimensions: 47.25 in x 31.5 in x 41.5 in (L 1200 x W 800 x H 1050) Shipping Weight : 319 lb/144.5kg / Cu. Ft.: 35.8</p>	1251272	\$5,368.00
 <p>S6 - 25 in (635 mm) Battery Walk-Behind Sweeper 25" (635mm) cleaning path, 1.25 cu. Ft (35 L) hopper capacity, 42 AH sealed battery and on-board charger. Boxed dimensions on pallet: 34.25 in x 21.75 in x 25 in (L 870 x W 550 x H 630) Shipping Weight : 123lb/56kg / Cu. Ft.: 10.8</p>	1251268	\$2,685.00

Upright, Portable, and Canister Vacuums

	Reference Number	2021 Price List
 <p>V-WA-30 30" (762mm) Wide Area Vacuum Certified CRI Bronze Cleaning Performance. Comes standard with HEPA filtration, and spare bag and 75 ft. (23m) safety-yellow power cord. ETL US/C</p> <p>Boxed Dimensions: 18"L x 32.25 "W x 43.25 "H (457mm x 819mm x 196mm) * Shipping Weight: 100 lbs. (45.36kg) <i>Made in the USA with Globally sourced components</i></p>	1068029	\$3,551.00
 <p>V-LWU-13B Battery Light Weight Upright Commercial Vacuum Certified CRI Bronze Cleaning Performance. 44 VDC / 2.9 Ah lithium ion powered vacuum. Runtime 50 minutes. Weighs only 11 lbs (4.99 kg). Comes standard with HEPA filtration, spare belt and bag. Comes with battery and charger, UL certified.</p> <p>Boxed Dimensions: 35"L x 15"W x 7 "H (889mm x 381mm x 178mm) Shipping Weight: 17 lbs. (7.7kg) <i>Made in the USA with Globally sourced components</i></p>	1236914	\$834.00
 <p>V-SMU-14 - 14" (356mm) Single Motor Vacuum Certified CRI Silver Cleaning Performance. 1.5-gallon (5.5-liter) bag capacity. Comes standard with 3-stage HEPA filtration, easy access crevice tool and dusting brush , 4:1 stretch hose, telescopic aluminum wand, spare belt and bag and 50 ft. (15m) safety-yellow power cord. ETL US/C</p> <p>Boxed Dimensions: 42.75"L x 17.25"W x 9.75"H (1090mm x 440mm x 250mm) * Shipping Weight: 21.75 lbs. (9.9 kg)</p>	1060829	\$544.00
 <p>V-DMU-14 - 14" (356mm) Dual Motor Vacuum Certified CRI Silver Cleaning Performance. 1.5-gallon (5.5-liter) bag capacity. Comes standard with 3-stage HEPA filtration, easy access crevice tool and dusting brush , 4:1 stretch hose, telescopic aluminum wand, spare bag and 50 ft. (15m) safety-yellow power cord. ETL US/C</p> <p>Boxed Dimensions: 42.75"L x 17.25"W x 9.75"H (1090mm x 440mm x 250mm) * Shipping Weight: 22.75 lbs. (9.9 kg)</p> <p>Click to return to Vacuum machines</p>	1068027	\$711.00

Description	Reference Number	2021 Price List
 <p>V-CAN-16 Premium Dry Canister Vacuum Cleaner CRI certified Bronze with optional high performance tool. 4.2 gallon (16 liter) capacity with multi-stage filtration including cloth filter, fleece bag and downstream HEPA cartridge. Comes standard with speed regulator, full bag indicator, chrome telescopic tube, wand with air flow regulator, floor tool, flat lance, round brush and small tool, 6.5 ft (2 m) hose, 40 ft (12m) detachable safety-yellow power cord. UL / CSA</p>	1252618	\$462.00
<p>Boxed Dimensions: 16 x 17 x 20 in (400 x 435 x 515 mm) Shipping Weight: 20 lb / 9 kg</p>		
<p>Click for V-CAN-16 parts</p>		
 <p>V-CAN-12 Standard Dry Canister Vacuum Cleaner CRI certified Bronze with optional high performance tool. 3.2 gallon (12 liter) capacity with multi-stage filtration including cloth filter, fleece bag and downstream foam filter. Comes standard with chrome tube, wand with air flow regulator, floor tool, flat lance, round brush and small tool, 6.5 ft (2 m) hose, 40 ft (12m) detachable safety-yellow power cord. UL / CSA</p>	1252616	\$375.00
<p>Boxed Dimensions: 15.5 x 15.5 x 20 in (395 x 395 x 510 mm) Shipping Weight: 19.4 lb / 8.8 kg</p>		
<p>Click here for V-CAN-12 parts</p>		
 <p>V-CAN-10 Compact Dry Canister Vacuum Cleaner 2.6 gallon (10 liter) capacity, comes standard with paper bag, floor tool/crevice tool/dusting brush, 2-piece wand, 5 ft (1.5 m) hose and 26 ft (8 m) yellow power cord. Intertek ETL (US-Can)</p>	1244292	\$271.00
<p>Boxed Dimensions: 13.2 x 13 x 13 in (335 x 330 x 330 mm). Shipping Weight: 15 lb / 6.7kg</p>		
<p>Click here for V_Can_10_parts</p>		



V-BP-6 Backpack Vacuum - Base Kit
Ergonomic Commercial Backpack Vacuum - 10 amp vac motor, 6 qt. (5.7 liter) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 14" (356 mm) hard floor tool, 14" (356mm) carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and lightweight, two-piece aluminum wand, dust brush, crevice and upholstery tool. 50 ft. (15m) safety-yellow power cord. UL-CSA. CRI certified Gold with optional Hi-performance tool.

9013473 \$665.00

Vacuum Boxed Dimensions: 26.8"L x 15.2"W x 14.2"H (680mm x 385mm x 360mm)
 Tools Boxed Dimensions: 32"L x 11" W x 4.5"H (813mm x 279mm x 114mm)
 Shipping Weight: vacuum 21.2 lbs. (9.6 kg) + tools 3.6 lbs (1.6 kg) = total 24.8 lbs (11.2 kg)
***3 Total boxes will come with the order (in addition to the two above there will be a small accessory box).**



V-BP-6 Backpack Vacuum - Standard Kit
Ergonomic Commercial Backpack Vacuum - 10 amp vac motor, 6 qt. (5.7 litre) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 14" (356 mm) hard floor tool, 14" (356mm) carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and robust one-piece chrome telescoping wand, dust brush, crevice and upholstery tool. 50 ft. (15m) safety-yellow power cord. UL-CSA. CRI certified Gold with optional Hi-performance tool.

9013474 \$686.00

Vacuum Boxed Dimensions: 26.8"L x 15.2"W x 14.2"H (680mm x 385mm x 360mm)
 Tools Boxed Dimensions: 44.5"L x 7.5" W x 3.5"H (1130mm x 191mm x 89mm)
 Shipping Weight: vacuum 21.2 lbs. (9.6 kg) + tools 4.8 lbs (2.2 kg) = total 26 lbs (11.8 kg)
***3 Total boxes will come with the order (in addition to the two above there will be a small accessory box).**



V-BP-6 Backpack Vacuum - Premium Kit (Sidewinder Tools)
Ergonomic Commercial Backpack Vacuum - 10 amp vac motor, 6 qt. (5.7 litre) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 18" (457 mm) Sidewinder branded hard floor tool, 18" (457 mm) Sidewinder branded carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and two-piece anodized aluminum wand, dust brush, crevice and upholstery tool. 50 ft. (15m) safety-yellow power cord. UL-CSA. CRI certified Gold with optional Hi-performance tool.

9013475 \$785.00

Vacuum Boxed Dimensions: 26.8"L x 15.2"W x 14.2"H (680mm x 385mm x 360mm)
 Tools Boxed Dimensions: 32"L x 11" W x 4.5"H (813mm x 279mm x 114mm)
 Shipping Weight: vacuum 21.2 lbs. (9.6 kg) + tools 3.4 lbs (1.5 kg) = total 24.6 lbs (11.2 kg)
***3 Total boxes will come with the order (in addition to the two above there will be a small accessory box).**
[Click here for V BP 10 6 Parts](#)



V-BP-6B Battery Backpack Vacuum - Base Kit
Ergonomic Commercial Backpack Vacuum - 36 VDC / 10.4 Ah lithium ion powered battery vacuum. Runtime 55 minutes. 6 qt. (5.7 liter) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 14" (356 mm) hard floor tool, 14" (356mm) carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and lightweight, two-piece aluminum wand, dust brush, crevice and upholstery tool. ETL certified. CRI certified Silver with optional Hi-performance tool. Battery and charger included in price, battery ships separately.

9017567 \$1,711.00

Vacuum Boxed Dimensions: 33.25"L x 16"W x 15"H (844.6mm x 406mm x 381mm)
 Tools Boxed Dimensions: 32"L x 11" W x 4.5"H (813mm x 279mm x 114mm)
 Battery Box Dimensions: 13.5"L x 4.5"W x 6.25"H (343mm x 114mm x 159mm)
 Shipping Weight: vacuum 23 lbs. (10.4 kg) + tools 3.6 lbs (1.6 kg) + battery box 6.2 lbs (2.8 kg) = total 32.8 lbs (14.8 kg)
***4 Total boxes will come with the order (in addition to the three above there will be a small accessory box).**



V-BP-6B Battery Backpack Vacuum - Standard Kit
Ergonomic Commercial Backpack Vacuum - 36 VDC / 10.4 Ah lithium ion battery powered vacuum. Runtime 55 minutes. 6 qt. (5.7 liter) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 14" (356 mm) hard floor tool, 14" (356mm) carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and chrome telescoping wand, dust brush, crevice and upholstery tool. ETL certified. CRI certified Silver with optional Hi-performance tool. Battery and charger included in price, battery ships separately.

9017570 \$1,769.00

Vacuum Boxed Dimensions: 33.25"L x 16"W x 15"H (844.6mm x 406mm x 381mm)
 Tools Boxed Dimensions: 44.5"L x 7.5" W x 3.5"H (1130mm x 191mm x 89mm)
 Battery Box Dimensions: 13.5"L x 4.5"W x 6.25"H (343mm x 114mm x 159mm)
 Shipping Weight: vacuum 23 lbs. (10.4 kg) + tools 3.6 lbs (1.6 kg) + battery box 6.2 lbs (2.8 kg) = total 32.8 lbs (14.8 kg)
***4 Total boxes will come with the order (in addition to the three above there will be a small accessory box).**



V-BP-6B Battery Backpack Vacuum - Premium Kit (Sidewinder Tools)
Ergonomic Commercial Backpack Vacuum - 36 VDC / 10.4 Ah lithium ion powered vacuum. Runtime 55 minutes. 6 qt. (5.7 litre) capacity, comes standard with 4-stage HEPA filtration, Deuter branded hiking harness, 18" (457 mm) Sidewinder branded hard floor tool, 18" (457 mm) Sidewinder branded carpet floor tool, 15-ft (5m) crush proof 4:1 stretch hose and two-piece anodized aluminum wand, dust brush, crevice and upholstery tool. ETL certified. CRI certified Silver with optional Hi-performance tool. Battery and charger included in price, battery ships separately.

9017571 \$1,887.00

Vacuum Boxed Dimensions: 33.25"L x 16"W x 15"H (844.6mm x 406mm x 381mm)
 Tools Boxed Dimensions: 32"L x 11" W x 4.5"H (813mm x 279mm x 114mm)
 Battery Box Dimensions: 13.5"L x 4.5"W x 6.25"H (343mm x 114mm x 159mm)
 Shipping Weight: vacuum 23 lbs. (10.4 kg) + tools 3.4 lbs (1.5 kg) + battery box 6.2 lbs (2.8 kg) = total 32.6 lbs (14.7 kg)
***4 Total boxes will come with the order (in addition to the three above there will be a small accessory box).**

Wet/Dry Vacuums

V-WD-24P 24-gal. Wet/Dry Vacuum with Pump & Front Mount Squeegee 9019349 \$1,967.00
 24-gallon tank capacity. 100" (2530 mm) waterlift with powerful submersible pump and front mount squeegee. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator and wet floor tool.
 Options include: dual filtration system, dust floor tool, flat lance, round brush and adaptor.

Dual Filtration System sold as option

Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm)
 Shipping Weight: 87 lbs. (39.5 kg)



V-WD-24P 24-gal. Wet/Dry Vacuum with Pump 1244346 \$1,584.00
 24-gallon tank capacity. 100" (2530 mm) waterlift with powerful submersible pump. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator and wet floor tool.
 Options include: front mount squeegee kit, dual filtration system, dust floor tool, flat lance, round brush and adaptor.

Squeegee sold as option
 Dual Filtration System sold as option

Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm)
 Shipping Weight: 65 lbs. (29.6 kg)



V-WD-24 24-gal. Wet/Dry Vacuum with front mount squeegee 9019348 \$1,183.00
 24-gallon tank capacity. 100" (2530 mm) waterlift with front mount squeegee. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adaptor.
 Options include: carpet brush tool and upstream HEPA filter.

Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm)
 Shipping Weight: 79 lbs. (35.8 kg)



V-WD-24 24-gal. Wet/Dry Vacuum 1245656 \$800.00
 24-gallon tank capacity. 100" (2530 mm) waterlift. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adaptor.
 Options include: front mount squeegee kit, carpet brush tool and upstream HEPA filter.

Squeegee sold as option

Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm)
 Shipping Weight: 59 lbs. (26.8 kg)



V-WD-9 9-gal. Wet/Dry Vacuum 1244345 \$504.00
 9 Gallon Tank capacity. 100" (2530 mm) waterlift. Includes 8-ft. (2.5 m) vacuum hose, a 28-ft. (8.5 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adaptor.
 Options include: carpet brush tool and upstream HEPA filter.

Boxed dimensions: 17L x 17W x 32H (420mm x 420mm x 820mm)
 Shipping Weight: 31 lbs. (13.9 kg)


[Click here for Wet Dry Vac Parts](#)

Dual Technology Carpet Cleaner
R14 Ride-On Dual Technology Carpet Maintainer

BUILT-IN "TENNANT VALUE" INCLUDES:

ReadySpace® cleaning technology and deep extraction	Standard (4) 6V 360AH battery pack
700mm/28" cleaning path	Battery Tray
121 l/32-gal. solution & 106 l/28-gal. recovery tanks	25 Amp Off-board charger
Hygienic® fully cleanable solution/recovery tanks	One set of ReadySpace® rollers & extraction brushes
Solution tank empty indicator	Rugged Duramer™ Tank Construction
Recovery tank full indicator	Vacuum fan in-line air filter
Touch Panel Controls	Virtual DVD manual
Featuring on-board diagnostics	Operators manual
One-button operation	CRI certified, Bronze Cleaning Performance
E-stop, hour meter and horn	

TENNANT COMPANY WARRANTY
3 YEARS OR 1500 HOURS ON ALL COMPONENTS, 3 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS

<u>Base Configuration</u>	<u>Reference Number</u>	<u>2021 Price List</u>
Cleaning Type		
 R14 Ride-On Dual Technology Carpet Maintainer 700mm/28"	R14-700	\$22,024.00
Battery Type		
Wet 360AH C/20 (Kit of 4 batteries)	9000815	N/C
Without Battery (Note 1)		(\$658.00)
Manual Battery Watering Kit (Note 2)	9009619	\$477.00
Charger		
25A 100-240V AC 50/60Hz 1Ph	1043663	N/C
Without Charger		(\$375.00)
Machine Protection & Safety		
Seat Belt	9018587	\$72.00
Strobe Light on Tank	9000580	\$599.00
Utility Basket (small storage)	1018315	\$187.00
Support (Note 3)		
R14 Operator Manual (English)	1032047	N/C
R14 Operator Manual (Spanish)	1032123	N/C
R14 Operator Manual (French)	1032124	N/C
Additional Operator Manual	see above	\$130.00
R14 Parts Manual	1032125	\$15.00
Service Manual	1032129	N/C
Packaging (Note 4)		
Pad Wrap		N/C
Skid w/Carton, Non-Stackable	9002882	\$388.00
Skid with Stretch Wrap	9007286	\$266.00
Click here for R14 parts		
Notes		
1 Customer MUST order Skid w/Carton, Non-Stackable if WITHOUT BATTERY is selected. Continental USA orders ONLY.		
2 Only available as factory-installed when batteries are ordered with machine.		
3 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.		
4 Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Non-Stackable or Skid w/Stretch Wrap if WITHOUT BATTERY is selected. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.		
← Click on + or - to hide/unhide weights		

1610 Dual Technology Carpet Cleaner

**TENNANT COMPANY WARRANTY
3 YEARS OR 2500 HOURS ON ALL COMPONENTS, 3 YEARS LABOR
90 DAYS TRAVEL, 10 YEARS ON DURAMER™ TANKS**



Base Configuration	Reference Number	2021 Price List
Cleaning Type		
1610 Walk-Behind Dual Technology Carpet Maintainer 560mm/22"	1610-560	\$15,287.00
Battery Type		
Wet 240AH C/20 (Kit of 4 batteries)	9012452	N/C
Sealed/MF AGM 200AH C/20 (Kit of 4 batteries)	9012454	\$434.00
Without Battery (Note 1)		(\$952.00)
Charger		
19A 120V-240V AC 50/60Hz 1Ph	1029256	N/C
19A 120V-240V AC 50/60Hz 1Ph (for sealed batteries)	1058164	N/C
Without Charger		(\$718.00)
Support (Note 2)		
1610 Operator Manual (English/Spanish/French)	9003458	N/C
Additional Operator Manual	see above	\$37.00
Parts Manual (English)	9003456	\$15.00
Packaging (Note 3)		
Pad Wrap		N/C
Skid w/Carton, Stackable	9012455	\$360.00
Skid with Stretch Wrap	9012456	\$273.00





[Click here for 1610 Aftermarket Parts](#)

Notes

- 1 Customer MUST order Skid w/Carton, Stackable or Skid with Stretch Wrap if WITHOUT BATTERY is selected. Continental USA orders ONLY.
- 2 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 3 Pad wrap available only in the Continental US and is the default packaging method. Customer MUST order Skid w/Carton, Stackable or Skid w/Stretch Wrap if WITHOUT BATTERY is selected. Skid w/Carton, Stackable or Skid w/Stretch Wrap will both ship via LTL carrier. Pad Wrap will ship via Logix. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

← [Click on + or - to hide/unhide weights](#)

Carpet Extractors

	Cleaning Type	Reference Number	2021 Price List
	1510 Battery Operated Automatic Extractor 21-gal (80 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning, dual vac motors. Complete package includes four-240 AH 6-volt batteries and 20 amp charger. Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 600 lbs. / Cu. Ft.: 36 Click here for Extractor aftermarket parts	614002	\$13,523.00
	1530 Cord Electric Automatic Extractor 30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36	614000	\$10,634.00
	EX-SC-1020 - Self-Contained Extractor Patented, 10-gal. Expansion cavity, 20" (508mm) cleaning path, 100 psi, 137" (3480mm) waterlift. ETL US/C* CRI certified, Bronze Cleaning Performance. Boxed dimensions: 41L x 22W x 45H (1041mm x 559mm x 1143mm) Shipping Weight: 142 lbs. / Cu. Ft.: 23.5 Click here for aftermarket carpet extractor parts	9007486	\$3,881.00
	R3 - Cord Electric 5-gal. ReadySpace® Interim Carpet Cleaner 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 5 gallon (19 liter) solution/recovery tanks, Insta-Adjust™ handle, two ReadySpace® rollers, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual. CRI certified, Bronze Cleaning Performance. Boxed Dimensions: 34" L x 22" W x 37" H (860 mm x 560 mm x 940 mm). * Shipping Weight: 154 lbs. (70 kg)	9004192	\$4,768.00



E5 - Cord Electric 5-gal. Extractor

9004194

\$3,779.00

15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 5 gallon (19 liter) solution/recovery tanks, Insta-Adjust™ handle, one double-tuft reverse pattern chevron brush, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual. CRI certified, Silver Cleaning Performance.

Boxed Dimensions: 34" L x 22" W x 37" H (860 mm x 560 mm x 940 mm). *
Shipping Weight: 138 lbs. (63 kg)



EH5 Heated Canister Extractor

9011454

\$6,986.00

15 gal. capacity, 50-500 psi, Heated, 13" (330mm) High Airflow Titanium Carpet wand with 2 Unijets, 15-ft. (4.5m) vacuum and solution hoses. 2-40 ft(12.2m) Hospital Grade safety yellow electrical cords (dual cord 15A each cord). Hand tool sold separately. CRI certified - Gold Cleaning Performance with High Airflow Titanium wand & Platinum.

ETL-certified to UL & CSA Standards.
Boxed Dimensions: 28.5in x 38in x 55in 724mm x 965mm x 1397mm
Shipping Weight: 185lb/84kg



EC2 Canister Extractor

15 gal. capacity, 220 psi, 13" (330mm) Stainless Steel or Titanium Carpet wand with 2 Unijets, 15-ft. (XXm) vacuum and solution hoses. 40 ft (12.2m) Hospital Grade safety yellow electrical cord (single 15A cord). Hand tool sold separately. CRI certified, Gold Cleaning Performance

ETL-certified to UL & CSA Standards.
Boxed Dimensions: 28.5in x 38in x 55in 724mm x 965mm x 1397mm
Shipping Weight: 160lb/72.5kg

EC2, 220 psi (15.2 bar) Canister Extractor w/ Stainless Steel carpet wand and vacuum and solution hoses

9011638

\$4,206.00

EC2, 220 psi (15.2 bar) Canister Extractor w/ High Airflow Titanium carpet wand and vacuum and solution hoses

9012278

\$4,528.00

[Click here for EH/EC Extractor aftermarket parts.](#)

Specialty Products

Cleaning Type	Reference Number	2021 Price List
---------------	------------------	-----------------



Q12 Multi-Surface Cleaner

15 gal (57 L) capacity, variable 400-1200 psi (27.6 to 83 bar), Hard Surface Turbo Tool option, 25 ft (8 m) vacuum and solution hoses, and two 40 ft (12 m) hospital grade safety yellow electrical cords.

ETL (US/C) certified to UL & CSA Standards.

Boxed Dimensions: 28.5 in x 38 in x 55 in (724 mm x 965 mm x 1397 mm)

Shipping Weight: 205 lb (93 kg)

Q12, 400-1200psi (27.6 to 83 bar) Multi-Surface Cleaner w/ vacuum and solution hoses.

1072856

\$9,114.00

Q12, 400-1200 psi (27.6 to 83 bar) Multi-Surface Cleaner w/ hard surface turbo tool, vacuum, and solution hoses.

9011458

\$11,116.00

[Click here for Q12 aftermarket parts](#)



ASC-15 All Surface Cleaner

9007354

\$5,285.00

15-gal. (57L) solution capacity 19-gal. (72L) recovery capacity. Includes double-bend telescopic aluminum wand, 25-ft. (7.6m) recovery hose, scrub brush, standard 6-ft. (1.8m) to 25-ft. (7.6m) expandable blower hose, 25-ft. (7.6m) high pressure hose with variable pressure gun, floor squeegee tool, hand squeegee tool, blower tool, gulper floor drain tool, fill hose and metering tip packet with 3 different dilution ratio tips.

Boxed dimensions: 45L x 22.25W x 42H (1143mm x 565mm x 1067mm)

Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M. .54)

[Click here for ASC-15 aftermarket parts](#)



Blower - Three-speed Air Mover

9014819

\$341.00

1/2 Horsepower, 120V, Three speeds, Stackable

ETL-certified to UL & CSA Standards.

Boxed dimensions: 17.25L x 14.75W x 18.25H (438mm x 375mm x 464mm)

Shipping Weight: 24 lbs.

[Click here for aftermarket part for Blower](#)



United States and Canada Commercial Limited Warranty

Model	Rotationally-Molded Components	Parts	Battery	Labor	Travel	Hour meter
All non-rider machines except those listed below	10 Years	36 Months	12 Months pro-rated	36 Months	3 Months (No travel on cord-electric models)	2500
T7, R14	10 Years	36 Months	12 Months pro-rated	36 Months	3 Months	1500
T7AMR ⁴ & ⁶ , T380AMR ⁴	10 Years	36 Months	12 Months pro-rated	24 Months	3 Months	1500
B5, B7, B10, T290, T300 ² , T300e ³ , T350, T390, T500 ³ , T500e ³ , T581, T600 ^{3, 5 & 6} , T600e ^{3, 5 & 6}	10 Years	36 Months	12 Months pro-rated	24 Months	6 Months	2000
6100	10 Years	24 Months	12 Months pro-rated	6 Months	6 Months	1000
S6 ¹⁰ , S7 ¹⁰	N/A	12 Months	12 Months pro-rated	12 Months	3 Months	N/A
S3, S5, S9	2 Years	24 Months	12 Months pro-rated	12 Months	3 Months	N/A
F-14, EH1, EC2, EH2, EH5, Q12	2 Years	24 Months	N/A	12 Months	3 Months	N/A
CS5 ⁹	N/A	12 Months	12 Months	N/A	N/A	N/A
i-mop XL/XXL & i-mop XL/XXL Plus	1 Year	12 Months	12 Months	12 Months	3 Months	N/A
T1 Battery Micro Scrubber	10 Years	36 Months	AGM 6 Months pro-rated ² Lithium-ion 24 Months	36 Months	3 Months	2500
EX-SPOT-2	10 Years	12 Months	N/A	12 Months	None	N/A
Blower, V-BP-6 ¹ , V-BP-6B ¹ , V-BP-10 ¹ , V-LWU-13 ¹ , V-LWU-13B ¹ , V-SMU-14 ¹ , V-DMU-14 ¹ , V-CAN-10 ⁷ , V-CAN-12 ⁷ , V-CAN-16 ⁷ , V-WD-9 ⁷ , V-WD-24 ⁷ , V-WD-24P ⁷ , V-WA-30 ^{1 & 9} (material 1068029)	N/A	12 Months	12 Months pro-rated	12 Months	None	N/A

¹ Two (2) year limited warranty on electric motors ² Maximum 1 replacement under Warranty ³ Orbital isolators covered under 3-year parts warranty ⁴ AMR related autonomy kit, electronics, and sensors: 1 year parts, no labor, and no trip 1500 hours ⁵ Lithium-ion batteries are warranted by the manufacturer for five (5) years non-pro-rated or 2000 charge cycles (whichever comes first). ⁶ TPPL batteries are non-pro-rated for eighteen (18) months. ⁷ 10 years polyethylene tank ⁸ 1 year on rotationally-molded components ⁹ Strategic Account customers only ¹⁰ 1 year polyethylene parts

NEW MACHINE WARRANTY

Tennant Company warrants to the original purchaser, for the above-stated periods (whichever occurs first), that machines will be free from defects in workmanship and material, provided that machines are installed, operated, and maintained in accordance with Tennant written manuals or other instructions.

This warranty does not apply to damage or failure caused by accident, freight damage, misuse, negligence, abuse, improper repair, or maintenance of the machines. Please refer to the Operator Manual for proper machine operation and maintenance instructions.

The warranty period begins on the installation date at the end-user site. A Machine Installation/Warranty Report form included with the Operator Manual must be completed and returned immediately at the time of purchase. If proof of purchase is unavailable, the warranty begins ninety (90) days after original sale to an Authorized Tennant dealer.

Demonstrator machines purchased from Tennant carry the same warranty as a new machine.

LABOR AND TRAVEL WARRANTY

Tennant will, at its option, provide labor and travel or pay for outside repair for the above-stated periods.

PARTS WARRANTY

Parts replaced or repaired under this warranty are guaranteed for the remainder of the warranty period. The parts warranty on batteries is pro-rated from the Tennant Company shipping date. Consumable parts, expected to wear from normal use, are not covered under the parts warranty. Items that are covered on a prorated basis includes tires (1 year) on rider machines. Battery chargers and accessories are warranted for one (1) year.

REPAIR PARTS WARRANTY

After the warranty period expires, repair parts supplied by Tennant are warranted against defects for the period of ninety (90) days, with the exception of batteries. Lithium-ion and Lead acid batteries are pro-rated for twelve (12) months. TPPL batteries are non-pro-rated for eighteen (18) months. T800 & T800e lithium-ion batteries are warranted by the manufacturer for five (5) years non-pro-rated or 2000 charge cycles (whichever comes first). All AGM and Gel batteries are pro-rated for ninety (90) days. The repair parts warranty only covers parts, not labor or travel (see service labor section for terms).

SERVICE LABOR WARRANTY

Labor and travel performed by a Tennant service representative are warranted for thirty (30) days from the date the repairs are completed. This policy does not cover work performed by any service company other than Tennant and is restricted to the specific repair operation or component for which a claim is made.

DISCLAIMER

TENNANT COMPANY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. TENNANT SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER DIRECT OR INDIRECT, INCLUDING, BUT NOT LIMITED TO, BUYER'S LOSS OF MATERIAL OR PROFITS, INCREASED EXPENSE OF OPERATION, BODILY INJURY, LOSS OF USE OF PROPERTY OR DOWNTIME.

Tennant Company reserves the right to change its warranty policy without notice.

TC-208-05-001 Rev 01/21

