

CATERPILLAR MACHINE PRICE LIST

226D

226D SKID STEER LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

- Cat C2.2TA DI diesel engine
- 67 gross horsepower, 50 kW
- 61 net horsepower, 45.5 kW
- Rated engine speed 2800 RPM
- EPA Tier 4 Final
- EU Stage III B Certified with aftertreatment
- Electric fuel priming pump
- Glow plugs starting aid
- Liquid cooled, direct injection
- Air cleaner, dual element, radial seal
- S-O-S sampling valve, hydraulic oil
- Filter, cartridge type, hydraulic
- Filters, cartridge type, fuel and water separator
- Radiator / hydraulic oil Cooler (side-by-side)
- Spring applied, hydraulically released, Parking brakes
- Hydrostatic transmission
- Four wheel chain drive

HYDRAULICS

- Standard flow auxiliary hydraulics with continuous flow
- CONTROLS:
- Electro/hydraulic implement control
- Electro/hydraulic hydrostatic transmission control

ELECTRICAL

- 12 volt electrical system
- 85 ampere alternator
- Ignition key start / stop / aux switch
- Lights:
 - Gauge backlighting
 - Two rear tail lights
 - Dome light
- Backup alarm
- Electrical outlet, beacon

OPERATOR ENVIRONMENT

- Operator warning system indicators:
 - Air filter restriction
 - Alternator output
 - Armrest raised / operator out of seat
 - Engine coolant temperature
 - Engine oil pressure
 - Glow plug activation
 - Hydraulic filter restriction
 - Hydraulic oil temperature
 - Park brake engages
 - Engine emission system
- Gauges: fuel level and hour meter

- Storage compartment with netting
- Adjustable vinyl seat
- Ergonomic contoured armrest
- Adjustable joystick controls
- control interlock system, when operator leaves seat or armrest raised :
 - Hydraulic system disables
 - Hydrostatic transmission disables
 - Parking brake engages
- ROPS cab, open, tilt up
- Anti-theft security system w/6-button keypad
- FOPS, Level I
- Top and rear windows
- Floormat
- Interior rear view mirror
- 12V electric socket
- Horn
- Hand (dial) throttle, electronic

FRAMES

- Lift linkage, radial path
- Chassis, one piece welded
- Machine tie down points (4)
- Belly pan cleanout
- Support, lift arm
- Rear bumper, welded

OTHER STANDARD EQUIPMENT

- Engine enclosure - lockable
- Extended life antifreeze (-37C, -34F)
- Coupler, mechanical
- Hydraulic oil level sight gauge
- Radiator coolant level sight gauge
- Radiator expansion bottle
- Cat tough guard hose
- Heavy duty flat faced quick disconnects
- Split D-ring to route work tool hoses along side of left lift arm
- Variable speed hydraulic cooling fan
- Per SAE J818-2007 and EN 474-3:2006 and ISO 14397-1:2007
- Rated operating capacity:
 - 1550 lb (703 kg)

CATERPILLAR MACHINE PRICE LIST

226D

226D SKID STEER LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

558-2266	226D SSL DCA1 0 LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	\$39,820
-----------------	---	-----------------

- INCLUDES:
- 418-5600 226D SKID STEER LOADER HRC
 - 421-0340 CONVERSION ARRANGEMENT
 - 563-1163 CERTIFICATION ARR, P65
 - 418-6010 PACKAGE, PERFORMANCE, (H1)
 - 485-0411 CONTROL, ISO, PROP
 - 421-0011 ONE SPEED
 - 418-5751 ROPS, OPEN (C1)
 - 345-6349 SEAT,AIR SUSPENSION,VINYL,HEAT
 - 422-5564 DISPLAY, BASIC, ANTI-THEFT
 - 421-0047 BATTERY, HEAVY DUTY, DISC
 - 258-4095 SEAT BELT, 2"
 - 441-5939 FAN, COOLING, DEMAND
 - 416-5901 QUICK COUPLER, MANUAL
 - 495-1672 LIGHTS, HALOGEN
 - 416-6035 ENGINE

NOTE: Please refer to the Lane 1 section to complete your order.

OP-3622	226D MISC MATERIAL 0 ONLY AVAILABLE FROM WACO SERVICE PARTS Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.	NC
----------------	--	-----------

Work Tools are sourced via Caterpillar Parts Distribution system.
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT
 require individual CMOPS order entries and may include both the
 machine and work tool orders.

Refer to WT_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

(MUST CHOOSE ONE FROM EACH CATEGORY)

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER.....	0	NC
---------	-------------------	---	----

WARNING DECALS

L	418-6036	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA.		
L	418-6043	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries except USA.		

PRODUCT LINK

L	441-4818	PRODUCT LINK, CELLULAR PL240	0	NC
		Product Link Basic series PL240 offers expanded coverage including 3G UMTS and HSPA+ as well as 2G GSM and GPRS cellular networks to transmit hour and location information for viewing in Product Link's remote monitorin web interface. The data is updated up to 4 times per day while the engine is running. ONLY FOR USE WITH: US Dealers		
L	515-3153	PRODUCT LINK, CELLULAR PL240	0	NC
		Product Link Basic series PL240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: Canada		

TIRES, RIMS AND WHEELS

P	559-6344	TIRES, 10/16.5 CAT 8PR	0	\$126
		Caterpillar;Bias;Directional chevron tread pattern; Tread Depth=19mm (24/32");1676mm (66") wide Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deepest tread available results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Includes valve stem protection.		

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0	NC
	The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	

PACKING

OP-1176	CAROLINA CDC -- AVAILABILITY 0	\$1 NET
----------------	---	----------------

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION 0	\$210 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.	
OP-6439	CORROSION INHIBITOR. 0	\$1,420 NET
	EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).	

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL price lists.

NOTE: Work Tools are sourced via Caterpillar parts distribution system.

CMOPS orders for Skid Steer Loaders and Work Tools MUST be ordered separately.

FIELD INSTALLED ATTACHMENTS***Available Through Parts Distribution.***

- 345-6070 KIT, FOPS, LEVEL 2**
Falling Object Protective Structure level 2.
Provides additional overhead protection.
Recommended for use in demolition applications.
Not compatible with the roof mounted Auxiliary Hydraulic Cooler.
Meets ISO 3449: 1992
Note: The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS8703 for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**
Contains parts that attach to cab roof and allow machine to be lifted from a single point. The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS9970 parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**
This kit combines the Falling Object Protective Structure level 2 and 4 point lifting functionality. Recommended for use in applications where additional overhead protection and 4 point lifting are both desired (ex. demolition).
Note: The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS9989 for parts list and installation instructions.
- 495-3792 KIT, CCB HEATER**
For proper installation, refer to media number M0079588.
Required for operating in temperatures BELOW -32C (-25F). Provides an insulated closed crankcase breather (CCB) canister and two insulated hoses.
Estimated time to install: 2 hours

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$221 USD Dealer Net (January, 2016). Machine must be equipped with the Electronic Self Level feature, provided in the H2 or H3 performance package to install the SEA.

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through Parts Distribution. (Cont.)

DEDICATED ALTERNATE PATTERN (H-pattern):

As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):

This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$250 USD Dealer Net (January, 2018). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min.

Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

Available Through ANTARES Parts Ordering.

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.

When ordering via CMOPS include top level reference numbers (OP-3622) and OP number for packing.

568-2041	KIT, ADVANCED DISPLAY 0 For proper installation, refer to media number M0077883. Includes: Full color 5 in. LCD screen with digital gauge display. Provides Creep Control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security and Monitoring. Also provides USB charging port. Note: Rear camera ready. Estimated time to install: 1 hour 30 minutes	\$983 NI
388-8284	KIT, CAMERA REAR VIEW 0 For proper installation, refer to media number REHS8711. Note: Requires Advanced Display Estimated time to install: 1 hour	\$465 NI
484-6346	KIT, BATTERY DISCONNECT 0 For proper installation, refer to media number SEHS0192. Provides components needed to install a battery disconnect switch. Estimated time to install: 30 minutes	\$128 NI
504-1553	KIT, LICENSE PLATE 0 For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes	\$52 NI NET

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

499-2684	KIT, LIGHTS, LED 0	For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour		\$356 NI
388-8285	KIT, FOOT THROTTLE 0	For proper installation, refer to media number REHS8712. Estimated time to install: 1 hour 30 minutes		\$336 NI
421-0356	KIT, COUNTERWEIGHT 0	For proper installation, refer to media number SEHS0190. Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 50 - 100 lbs (23 - 45 kg), depending on model. For maximum ROC increase, must order quantity of (2) 4210356 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		\$528 NI
388-8275	KIT, WINDOW, SIDES 0	For proper installation, refer to media number REHS8707. Estimated time to install: 1 hour		\$693 NI
514-9093	KIT, DOOR, CAB, POLYCARBONATE 0	For proper installation, refer to media number M0073170. Estimated time to install: 1.5 hours		\$1,811 NI
422-3297	KIT, DOOR, CAB, GLASS 0	For proper installation, refer to media number REHS9992. Estimated time to install: 1.5 hours		\$1,018 NI
508-1863	KIT, A/C (HEATER/DEFROST) 0	For proper installation, refer to media number M0070240. Estimated time to install: 8.5 hours		\$3,097 NI
421-0357	KIT, A/C CONVERSION 0	For proper installation, refer to media number SEHS0174. Estimated time to install: 8 hours		\$2,067 NI
509-5548	KIT, HEATER 0	For proper installation, refer to media number M0070256. Estimated time to install: 6 hours		\$1,243 NI
523-9850	KIT, QUICK COUPLER, HYDRAULIC 0	For proper installation, refer to media number M0082873. Estimated time to install: 12 hours		\$1,094 NI
421-0261	KIT, WT ELECTRICAL CONTROL 0	For proper installation, refer to media number REHS9965. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours		\$196 NI

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

421-0265		KIT, WT ELECTRICAL CONTROL, DLX 0 For proper installation, refer to media number REHS9996. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours		\$707 NI
421-0122		KIT, DUAL SELF LEVEL 0 For proper installation, refer to media number SEHS0157. Estimated time to install: 3.5 hours Not compatible with H2 and H3 Performance Packages.		\$761 NI
421-0121		KIT, RIDE CONTROL 0 For proper installation, refer to media number REHS9994. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. Estimated time to install: 3 hours		\$1,053 NI
416-5769		KIT, DRAIN, ENGINE COOLANT 0 For proper installation, refer to media number REHS9953. Allows for ecological draining of engine coolant during change intervals.		\$14 NI
388-8283		KIT, RADIO, READY 0 For proper installation, refer to media number REHS8710. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour		\$151 NI
388-8286		KIT, RADIO, AM/FM/BLUETOOTH 0 For proper installation, refer to media number REHS8705. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		\$579 NI
421-0135		KIT, DEBRIS 0 For proper installation, refer to media number REHS6614. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as an exhaust stack cover. Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 8 hours		\$1,138 NI

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

422-3242	KIT, GUARDING 0	For proper installation, refer to media number REHS6615. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 2 hours		\$606 NI
416-5780	KIT,ENG AIR INTAKE, PRECLEANER 0	For proper installation, refer to media number REHS8741. Estimated time to install: 1 hour		\$640 NI
486-3284	KIT, A/C BREATHER 0	For proper installation, refer to media number M0067680. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$463 NI
422-3323	KIT, FRONT ROADING LIGHTS 0	For proper installation, refer to media number REHS7836. Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number REHS7836. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		\$475 NI
422-3322	KIT, LIGHTS, REAR, ROADING 0	For proper installation, refer to media number REHS8748. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		\$236 NI
498-3230	KIT, LIGHTS, REAR, WIDE MOUNT 0	For proper installation, refer to media number M0064888. This kit provides components that allow the rear lights to be relocated to mounting locations on the sides of the rear frame towers in order to meet roading requirements in Italy. Estimated time to install: 1 hour		\$415 NI
421-0274	KIT, LIFTING EYES, FOUR POINT 0	For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER		\$232 NI
421-0263	KIT, HIGH FLOW 0	For proper installation, refer to media number M0067684. This kit provides components required to convert the auxiliary system flow from standard flow to high flow (26 gpm/99 lpm @ 3335 psi). Estimated time to install: 3 hours Requires machine to be configured with 4 button left hand joystick control and electrical work tool harness		\$2,211 NI

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

482-0240	KIT, DOORS, HYD AND FUEL FILL 0	For proper installation, refer to media number SEHS0171. Provides lockable cover for hydraulic oil and fuel fill. Estimated time to install: 30 minutes		\$131 NI
422-3241	KIT, PROD LINK, CELLULAR PL641 0	For proper installation, refer to media number REHS9952 Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. Estimated time to install: 2.5 hours		\$1,039 NI
482-5132	KIT, WATER TANK, 42 US GAL, D 0	Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer		\$1,844 NI
552-4604	KIT, FIRE EXTINGUISHER MOUNTING 0	CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit or Auxiliary Hydraulic Cooler kit For proper installation, refer to media number M0089681. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours		\$176 NI
533-5187	KIT, HAND/FOOT TO ISO (CVRSN) 0	For proper installation, refer to media number M0082286. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours		\$1,486 NI

NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.

Shipments will be within 3 - 5 working days of order receipt for delivery by dealer parts stocking truck to dealer stocking facility.

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

ENDORSED FIELD INSTALLED ATTACHMENTS

Caterpillar does not warrant, service or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

REMOTETASK TM - REMOTE CONTROL SYSTEM

Complete system for use with CAT D Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.
Email: bcp_work_tools@cat.com

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.
Tel. +1(800) 530-9285, +1(540) 443-9262
Email: sales@torcrobotics.com

PACKING

Only to be used when ordering kits via CMOPS

0P-2162	PACKING, KIT	0	NC
---------	--------------------	---	----

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	DCA OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------------	-----------------	----------------------

AM-NORTH INFORMATION

CFG INFORMATION

CONVERSION ARRANGEMENT

L	421-0340	CONVERSION ARRANGEMENT	0	NC
		Information only DO NOT ORDER		

CERTIFICATION ARRANGEMENT

L	563-1163	CERTIFICATION ARR, P65	0	NC
		Information only DO NOT ORDER		

HYDRAULIC PERFORMANCE PACKAGE

L	418-6010	PACKAGE, PERFORMANCE, (H1)	0	NC
		Information only DO NOT ORDER		

All of the following are included in this package:
 Standard Flow - 18 gpm (67 lpm)
 Self Level, None
 Hydraulic Controls - Standard Flow (Must select one below)

HYDRAULIC CONTROLS

L	485-0411	CONTROL, ISO, PROP	0	\$442
		Information only DO NOT ORDER		

Cannot be used with H3. Provides ISO joystick controls (4 button left hand joystick) and electronic foot throttle pedal with decel pedal functionality

POWERTRAIN

L	421-0011	ONE SPEED	0	NC
		Information only DO NOT ORDER		

COMFORT PACKAGE

L	418-5751	ROPS, OPEN (C1)	0	\$445
		Information only DO NOT ORDER		

All of the following are included in this package:
 Deluxe Headliner & rear post trim covers
 Cup Holder
 Seat (Must select one below)

SEAT

L	345-6349	SEAT,AIR SUSPENSION,VINYL,HEAT	0	\$790
		Information only DO NOT ORDER		

High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls.

CATERPILLAR MACHINE PRICE LIST

226D

USE	REF NO.	DCA OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------------	-----------------	----------------------

AM-NORTH INFORMATION (CONT.)

CFG INFORMATION (Cont.)

ADVANCED DISPLAY

L	422-5564	DISPLAY, BASIC, ANTI-THEFT	0	NC
		Information only DO NOT ORDER		

Note: Anti-theft Security System will ship from factory installed but disabled. Dealer must enable.

BATTERY

L	421-0047	BATTERY,HD,DISCONNECT, 850 CCA	0	\$127
		Information only DO NOT ORDER		

850 CCA with Battery Disconnect Switch

SEAT BELT

L	258-4095	SEAT BELT, 2"	0	NC
		Information only DO NOT ORDER		

COOLING FAN

L	441-5939	FAN, COOLING, DEMAND	0	NC
		Information only DO NOT ORDER		

Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.

QUICK COUPLER

L	416-5901	QUICK COUPLER, MANUAL	0	NC
		Information only DO NOT ORDER		

WORK LIGHTS

L	495-1672	LIGHTS, HALOGEN	0	NC
		Information only DO NOT ORDER		

Two (2) forward facing adjustable halogen work lights (cab mounted) and two (2) rear facing halogen work lights (frame mounted).

ENGINE

L	416-6035	ENGINE	0	NC
		Information only DO NOT ORDER		