

## CATERPILLAR MACHINE PRICE LIST

**239D3**239D3 COMPACT TRACK LOADER  
SANFORD, NC, USAShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Cat C2.2TA DI diesel engine  
 -Gross horsepower per SAE J1349  
 67 hp (50 kW) @ 2800 RPM  
 -Electric fuel priming pump  
 -Glow plugs starting aid  
 -Liquid cooled, direct injection  
 Air cleaner, dual element, radial seal  
 S-O-S sampling valve, hydraulic oil  
 Filter, cartridge type, hydraulic  
 Filters, canister type, fuel  
 and water separator  
 Radiator / hydraulic oil  
 cooler (side-by-side)  
 Spring applied, hydraulically released,  
 parking brakes  
 Hydrostatic transmission

**UNDERCARRIAGE**

Dual flange front idler  
 Single flange rear idler  
 Suspension - independent torsion axle(4)  
 Two speed

**HYDRAULICS**

ISO or H pattern controls:  
 Electro/hydraulic implement control  
 Electro/hydraulic hydrostatic  
 transmission control

**ELECTRICAL**

12 volt electrical system  
 85 ampere alternator  
 Ignition key start / stop / aux switch  
 Lights:  
 -LED work lights (2 front, 2 rear)  
 -Gauge backlighting  
 -Two rear tail lights  
 -Dome light  
 Backup alarm  
 Electrical outlet, Beacon

**OPERATOR ENVIRONMENT**

Operator warning system indicators:  
 -Air filter restriction  
 -Alternator output  
 -Armrest raised / operator out of seat  
 -Engine coolant temperature  
 -Engine oil pressure  
 -Glow plug activation  
 -Hydraulic filter restriction  
 -Hydraulic oil temperature  
 -Park brake engages  
 -Engine emission system  
 Gauges: fuel level and hour meter

Storage compartment with netting  
 Ergonomic contoured armrest  
 Adjustable joystick controls  
 Control interlock system, when operator  
 Leaves seat or armrest raised :  
 -Hydraulic system disables  
 -Hydrostatic transmission disables  
 -Parking brake engages  
 ROPS cab, open, tilt up  
 FOPS, Level I  
 Top and rear windows  
 Floor mat  
 Interior rear view mirror  
 USB charging port  
 Horn  
 Hand (dial) throttle, electronic

**FRAMES**

Lift linkage, radial path  
 Chassis, one piece welded  
 Machine tie down points (6)  
 Belly pan cleanout  
 Support, lift arm  
 Rear bumper, welded

**OTHER STANDARD EQUIPMENT**

Engine enclosure - lockable  
 Extended life antifreeze (-37C, -34F)  
 Coupler, mechanical  
 Hydraulic oil level sight gauge  
 Radiator coolant level sight gauge  
 Radiator expansion bottle  
 Cat ToughGuard TM hose  
 Heavy duty flat faced quick disconnects  
 Split d-ring to route work tool hoses  
 along side of left lift arm  
 Variable speed hydraulic cooling fan  
 Per SAE J818-2007 and EN 474-3:2006 and  
 ISO 14397-1:2007

CATERPILLAR MACHINE PRICE LIST

**239D3**

239D3 COMPACT TRACK LOADER  
 SANFORD, NC, USA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management program.**

**596-7693      239D3 CTL DCA1B . . . . . 0      \$53,690**

LANE 1 - AVAILABLE FROM SANFORD PDC  
 LANE 2 - AVAILABLE FROM SANFORD FACTORY  
 LANE 3 - AVAILABLE FROM SANFORD FACTORY  
 USE FBC OR CHECK LA TOOL FOR AVAILABILITY

INCLUDES:

- 568-4728 239D3 COMPACT TRACK LOADER
- 568-4686 CANOPY PACKAGE, PRO
  - 568-4564 HYDRAULICS, PERFORMANCE, (H1)
  - 512-4111 CONTROL, ISO, PROP
  - 495-1671 LIGHTS, LED
  - 420-9760 RUBBER BELT, DUAL/SINGLE IDLER
  - 512-4186 ROPS, OPEN (C1)
  - 422-5564 DISPLAY, BASIC, ANTI-THEFT
  - 441-5939 FAN, COOLING, DEMAND
  - 416-5903 QUICK COUPLER, MANUAL
  - 532-7673 SEAT, SUSPENSION, VINYL
  - 568-4700 FILM, TWO SPEED
- 421-0016 RIDE CONTROL, NONE
- 579-2412 BATTERY, HEAVY DUTY, DISC
- 356-6082 REAR LIGHTS
- 542-6994 SEAT BELT, 2"
- 566-7115 PRODUCT LINK, CELLULAR PL243
- 563-1163 CERTIFICATION ARR, P65

NOTE: Please refer to the Lane 1 section to complete your order.  
 For Lane 2/3 orders refer to mandatory section to select track.

CATERPILLAR MACHINE PRICE LIST

**239D3**

239D3 COMPACT TRACK LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>596-8474</b> <b>239D3 CTL DCA4B</b> ..... 0 LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY USE FBC OR CHECK LA TOOL FOR AVAILABILITY		<b>\$63,180</b>
--	--	-----------------

INCLUDES:  
 568-4728 239D3 COMPACT TRACK LOADER  
 568-4689 CAB PACKAGE, PRO PLUS  
 568-4565 HYDRAULICS, PERFORMANCE, (H2)  
 512-3998 CONTROL, ISO, PROP, WT  
 495-1671 LIGHTS, LED  
 420-9760 RUBBER BELT, DUAL/SINGLE IDLER  
 568-4597 ROPS, ENCLOSED WITH A/C (C3)  
 422-5565 DISPLAY, ADVANCED, LCD, CAMERA  
 441-5939 FAN, COOLING, DEMAND  
 512-3748 QUICK COUPLER, HYDRAULIC  
 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT  
 345-6180 RADIO, AM/FM, BLUETOOTH  
 568-4700 FILM, TWO SPEED  
 421-0016 RIDE CONTROL, NONE  
 579-2412 BATTERY,HD,DISCONNECT, 850 CCA  
 356-6082 REAR LIGHTS  
 545-6277 DOOR, CAB, GLASS  
 542-6994 SEAT BELT, 2"  
 566-7115 PRODUCT LINK, CELLULAR PL243  
 563-1163 CERTIFICATION ARR, P65  
 594-6292 HEATER, ENGINE BLOCK, 120V

NOTE: Please refer to the Lane 1 section to complete your order.  
 For Lane 2/3 orders refer to mandatory section to select track.

<b>568-4728</b> <b>239D3 COMPACT TRACK LOADER</b> ..... 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY		<b>\$52,010</b>
---	--	-----------------

Meets U.S. Tier 4 Final & EU Stage V emission requirements

<b>0P-4755</b> <b>239D3 MISCELLANEOUS MATERIAL</b> ..... 0 ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.		<b>NC</b>
---	--	-----------

Work Tools are sourced via Caterpillar Parts Distribution system.  
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS  
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT  
 require individual CMOPS order entries and may include both the  
 machine and work tool orders.

Refer to WT\_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**WARNING DECALS**

L	512-4445	INSTRUCTIONS, ANSI, USA . . . . .	0	NC
		This package includes picto decals as required for USA.		
L	512-4252	INSTRUCTIONS, ISO . . . . .	0	NC
		This package includes picto decals as required for all countries except USA.		

**TRACKS**

When ordering a DCA through Lane 2 or 3, dealers may choose their track from the offerings shown in the Lane 2/3 track section.

L	420-9886	TRACK,RUBBER,400MM(15.7 IN)BAR . . . . .	0	\$515
		Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,753mm (69 inch) machine width		

**SERVICE INSTRUCTIONS**

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
	The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

**PACKING**

OP-1176	CAROLINA CDC - - AVAILABILITY . . . . .	0	\$1 NET
OP-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC

**PROTECTION**

OP-2266	SHIPPING/STORAGE PROTECTION . . . . .	0	\$213 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		
OP-6439	CORROSION INHIBITOR. . . . .	0	\$1, 440 NET
	EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**FEATURE PACKAGES**

**TRIM PACKAGES**

A trim package is required for Lane 2 and optional for Lane 3.

L	568-4686	<b>CANOPY PACKAGE, PRO</b> . . . . .	0	\$1,555
		INCLUDES:		
		568-4564 HYDRAULICS, PERFORMANCE, (H1)		
		512-4111 CONTROL, ISO, PROP		
		495-1671 LIGHTS, LED		
		420-9760 RUBBER BELT, DUAL/SINGLE IDLER		
		512-4186 ROPS, OPEN (C1)		
		422-5564 DISPLAY, BASIC, ANTI-THEFT		
		441-5939 FAN, COOLING, DEMAND		
		416-5903 QUICK COUPLER, MANUAL		
		532-7673 SEAT, SUSPENSION, VINYL		
		568-4700 FILM, TWO SPEED		
L	568-4687	<b>CAB PACKAGE, PRO</b> . . . . .	0	\$7,330
		INCLUDES:		
		568-4564 HYDRAULICS, PERFORMANCE, (H1)		
		512-4111 CONTROL, ISO, PROP		
		495-1671 LIGHTS, LED		
		420-9760 RUBBER BELT, DUAL/SINGLE IDLER		
		568-4597 ROPS, ENCLOSED WITH A/C (C3)		
		422-5564 DISPLAY, BASIC, ANTI-THEFT		
		441-5939 FAN, COOLING, DEMAND		
		512-3748 QUICK COUPLER, HYDRAULIC		
		532-7673 SEAT, SUSPENSION, VINYL		
		345-6175 RADIO READY		
		568-4700 FILM, TWO SPEED		
		CANNOT BE USED WITH EU Dealers		
L	568-4688	<b>CANOPY PACKAGE, PRO PLUS</b> . . . . .	0	\$4,560
		INCLUDES:		
		568-4565 HYDRAULICS, PERFORMANCE, (H2)		
		512-3998 CONTROL, ISO, PROP, WT		
		495-1671 LIGHTS, LED		
		420-9760 RUBBER BELT, DUAL/SINGLE IDLER		
		512-4186 ROPS, OPEN (C1)		
		422-5565 DISPLAY, ADVANCED, LCD, CAMERA		
		441-5939 FAN, COOLING, DEMAND		
		416-5903 QUICK COUPLER, MANUAL		
		536-9739 SEAT, AIR SUSPENSION, VINYL, HEAT		
		568-4700 FILM, TWO SPEED		

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

**TRIM PACKAGES (Cont.)**

L	568-4689	<b>CAB PACKAGE, PRO PLUS</b> . . . . . 0		\$10,730
		INCLUDES: 568-4565 HYDRAULICS, PERFORMANCE, (H2) 512-3998 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 420-9760 RUBBER BELT, DUAL/SINGLE IDLER 568-4597 ROPS, ENCLOSED WITH A/C (C3) 422-5565 DISPLAY, ADVANCED, LCD, CAMERA 441-5939 FAN, COOLING, DEMAND 512-3748 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 345-6180 RADIO, AM/FM, BLUETOOTH 568-4700 FILM, TWO SPEED		
L	568-4690	<b>CANOPY PACKAGE, ULTRA</b> . . . . . 0		\$6,220
		INCLUDES: 568-4566 HYDRAULICS, PERFORMANCE, (H3) 512-3998 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 420-9760 RUBBER BELT, DUAL/SINGLE IDLER 512-4186 ROPS, OPEN (C1) 422-5565 DISPLAY, ADVANCED, LCD, CAMERA 441-5939 FAN, COOLING, DEMAND 416-5903 QUICK COUPLER, MANUAL 536-9739 SEAT,AIR SUSPENSION,VINYL,HEAT 568-4702 FILM, TWO SPEED WITH HIGH FLOW		
L	568-4691	<b>CAB PACKAGE, ULTRA</b> . . . . . 0		\$12,390
		INCLUDES: 568-4566 HYDRAULICS, PERFORMANCE, (H3) 512-3998 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 420-9760 RUBBER BELT, DUAL/SINGLE IDLER 568-4597 ROPS, ENCLOSED WITH A/C (C3) 422-5565 DISPLAY, ADVANCED, LCD, CAMERA 441-5939 FAN, COOLING, DEMAND 512-3748 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 345-6180 RADIO, AM/FM, BLUETOOTH 568-4702 FILM, TWO SPEED WITH HIGH FLOW		

**UNDERCARRIAGE**

**UNDERCARRIAGE**

L	420-9760	<b>RUBBER BELT, DUAL/SINGLE IDLER</b> . . . . . 0		NC
		FOR USE IN LANE 3 ONLY Included in all Trim packages Provides undercarriage for the steel embed rubber belt with dual flange front idler and single flange rear idler		

**TRACKS**

L	420-9890	<b>TRACK,RUBBER,320MM(12.6IN)BLCK</b> . . . . . 0		NC
		Steel embed rubber track with standard construction block tread. Provides 1,676mm (66 inch) machine width		

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACKS (Cont.)**

L	420-9886	TRACK,RUBBER,400MM(15.7 IN)BAR . . . . . 0 Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,753mm (69 inch) machine width		\$515
---	----------	---	--	-------

**HYDRAULICS**

**HYDRAULIC PERFORMANCE PACKAGES**

L	568-4564	HYDRAULICS, PERFORMANCE (H1) . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages All of the following are included in this package: Standard Flow - 18 gpm (67 lpm) Self Level, None		NC
L	568-4565	HYDRAULICS, PERFORMANCE (H2) . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages All of the following are included in this package: Standard Flow - 18 gpm (67 lpm) Dual Self Level Return To Dig/Wrktl Positioner		\$985
L	568-4566	HYDRAULICS, PERFORMANCE (H3) . . . . . 0 FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages All of the following are included in this package: High Flow - 26 gpm (99 lpm) Dual Self Level Return To Dig/Wrktl Positioner		\$2,650

**HYDRAULIC CONTROLS**

L	512-4111	CONTROL, ISO, PROP . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Provides ISO joystick controls (4 button left hand joystick-Thumb roller only right hand joystick) and electronic foot throttle pedal with decel pedal functionality. Cannot be used with H3		\$449
L	512-3998	CONTROL, ISO, PROP, WT . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab package, Ultra Canopy & Cab package Provides ISO joystick controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick) and 14 pin work tool electrical harness. Also includes electronic foot throttle pedal with decel pedal functionality. Available for H1, H2. Must be selected with H3.		\$865
L	512-4110	CONTROL, ISO, ON/OFF . . . . . 0 FOR USE IN LANE 3 ONLY Provides ISO joystick controls and electronic foot throttle pedal with decel pedal functionality Cannot be used with H3		\$232

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC CONTROLS (Cont.)**

L	512-4113	<b>CONTROL, HAND-FOOT, PROP</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls (4 button left hand joystick - Thumb roller only right hand joystick) and Foot pedal implement controls Cannot be used with H3		\$885
L	512-4006	<b>CONTROL, HAND-FOOT, PROP, WT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls and Foot pedal implement controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick). Also includes 14 pin work tool electrical harness. Available for H1, H2. Must be selected with H3.		\$1,290

**RIDE CONTROL**

L	421-0016	<b>RIDE CONTROL, NONE</b> . . . . . 0		NC
L	421-0017	<b>RIDE CONTROL</b> . . . . . 0		\$1,075

**STARTERS, BATTERIES, & ALTERNATORS**

**BATTERIES**

L	579-2412	<b>BATTERY,HD,DISCONNECT, 850 CCA</b> . . . . . 0 850 CCA with Battery Disconnect Switch REQUIRED BY: EU Dealer		\$129
L	579-2410	<b>BATTERY, 850 CCA, HEAVY DUTY</b> . . . . . 0		NC

**ELECTRICAL**

**WORK LIGHTS**

L	495-1671	<b>LIGHTS, LED</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in all Trim Packages Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		\$287
---	----------	---	--	-------

**REAR/ROADING LIGHTS**

L	356-6082	<b>REAR LIGHTS</b> . . . . . 0 Provides standard tail lights (red) CANNOT BE USED WITH: SOUTH KOREA		NC
L	555-3952	<b>REAR LIGHTS, STOP/TAIL/TURN</b> . . . . . 0 Provides stop/tail/turn lights (amber/red)		\$358
L	555-3956	<b>ROADING LIGHTS</b> . . . . . 0 Provides stop/tail/turn lights (amber/red) with front headlights and lift arm mounted front mirrors.		\$572



CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**COMFORT PACKAGES**

L	512-4186	<b>ROPS, OPEN (C1)</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages All of the following are included in this package: Deluxe Headliner & rear post trim covers Cup Holder		\$452
L	568-4597	<b>ROPS, ENCLOSED WITH A/C (C3)</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Air Conditioner including Heater and Defroster		\$5,040
L	512-4184	<b>ROPS, OPEN (C0)</b> . . . . . 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Vinyl Static Seat Cab Mounted Controls, Adjustable (hand tool required) No Headliner or post trim covers.		NC
L	580-4062	<b>ROPS, ENCLOSED WITH HEAT (C2)</b> . . . . . 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Heater and Defroster		\$2,935

**SEAT**

L	532-7673	<b>SEAT, SUSPENSION, VINYL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Includes: Cab Mounted Controls, Adjustable (hand tool required) REQUIRED BY: C1, C2 and C3 cab package		\$369
L	536-9739	<b>SEAT,AIR SUSPENSION,VINYL,HEAT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Canopy packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C1, C2 and C3 cab package		\$800
L	536-9738	<b>SEAT,AIR SUSPENSION,CLOTH,HEAT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C2 and C3 cab package		\$825

**DOOR**

P	545-6277	<b>DOOR, CAB, GLASS</b> . . . . . 0 REQUIRED BY: C2 and C3 cab package		\$112
P	545-6278	<b>DOOR, CAB, POLYCARBONATE</b> . . . . . 0 REQUIRED BY: C2 and C3 cab package		\$220

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT BELT**

L	542-6994	SEAT BELT, 2" . . . . .	0	NC
L	542-6995	SEAT BELT, 3" . . . . . REQUIRED BY: California	0	\$146

**RADIO**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<https://dealer.cat.com/en/products/technology.html>

L	345-6175	RADIO READY . . . . . FOR USE IN LANE 3 ONLY Included in Pro Cab Package Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. REQUIRED BY: C2 and C3 cab package	0	\$158
L	345-6180	RADIO, AM/FM, BLUETOOTH . . . . . FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices. REQUIRED BY: C2 and C3 cab package	0	\$530

**MACHINE DISPLAY**

L	422-5564	DISPLAY, BASIC, ANTI-THEFT . . . . . FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages (Non-EU) Note: Anti-theft Security System will ship from factory installed but disabled. Dealer must enable. CANNOT BE USED WITH: EU Dealer	0	NC
L	422-5565	DISPLAY, ADVANCED, LCD, CAMERA . . . . . FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages, Ultra Canopy & Cab packages & EU Pro Canopy & Cab packages Includes: Full color 5 in. LCD screen with digital gauge display and rear-view camera. Provides Creep control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security System & Monitoring. Also provides USB charging port. Note: Anti-theft Security System feature will ship from factory installed but disabled. REQUIRED BY: EU dealers	0	\$1,170

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	566-7115	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		NC
L	573-8121	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$482

**COOLING**

**COOLING FAN**

L	441-5939	<b>FAN, COOLING, DEMAND</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in all Trim Packages Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		NC
---	----------	--	--	----

**QUICK COUPLERS**

L	416-5903	<b>QUICK COUPLER, MANUAL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages		NC
L	512-3748	<b>QUICK COUPLER, HYDRAULIC</b> . . . . . 380 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages		\$1,025

**DOCUMENTATION**

**CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE**

L	563-1163	<b>CERTIFICATION ARR, P65</b> . . . . . 0 REQUIRED BY: USA		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**INSTRUCTIONS**

**WARNING DECALS**

L	512-4445	<b>INSTRUCTIONS, ANSI, USA</b> ..... 0 This package includes picto decals as required for USA. REQUIRED BY: 568-4728 239D3 COMPACT TRACK LOADER	NC
---	----------	---	----

**SERVICE INSTRUCTIONS**

	421-8926	<b>SERIALIZED TECHNICAL MEDIA KIT</b> ..... 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	NC
--	----------	--	----

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS**

***CUSTOM PAINT***

C	OP-0528	<b>PAINT, CUSTOM . . . . . 0</b> FOR USE IN LANE 3 ONLY Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information.  Note 1: Florescent colors and matte finishes are not available. Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler and radiator grill will be painted black.	<b>\$1,920 NET</b>
---	---------	--	--------------------

***PROTECTION***

OP-2266	<b>SHIPPING/STORAGE PROTECTION . . . . . 0</b> Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.	<b>\$213 NET</b>
OP-6439	<b>CORROSION INHIBITOR. . . . . 0</b> EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).	<b>\$1,440 NET</b>

**HYDRAULICS**

***TWO SPEED & HIGH FLOW FILMS***

L	568-4700	<b>FILM, TWO SPEED . . . . . 0</b> FOR USE IN LANE 3 ONLY Included in Pro & Pro Plus Canopy & Cab packages REQUIRED BY: 568-4564 HYDRAULICS, PERFORMANCE, (H1) 512-3934 HYDRAULICS, PERFORMANCE, (H1) 568-4565 HYDRAULICS, PERFORMANCE, (H2) 512-3935 HYDRAULICS, PERFORMANCE, (H2)	<b>NC</b>
L	568-4702	<b>FILM, TWO SPEED WITH HIGH FLOW . . . . . 0</b> FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages REQUIRED BY: 568-4566 HYDRAULICS, PERFORMANCE, (H3) 512-3936 HYDRAULICS, PERFORMANCE, (H3)	<b>NC</b>

***FILM GROUP RIDE CONTROL***

L	422-3445	<b>FILM, RIDE CONTROL, ANSI . . . . . 0</b> REQUIRED BY: RIDE CONTROL	<b>NC</b>
---	----------	--	-----------

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

L	594-6292	HEATER, ENGINE BLOCK, 120V . . . . . 1 120 Volt - For additional cold weather startability.		\$201
---	----------	--	--	-------

**ELECTRICAL**

L	309-1325	ROTATING BEACON . . . . . 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$222
---	----------	--	--	-------

**SAFETY AND SECURITY**

L	457-1215	LIFTING EYES, FOUR POINT . . . . . 0 CANNOT BE USED WITH: WATER TANK		\$198
---	----------	---	--	-------

**OTHER ATTACHMENTS**

L	420-9750	COUNTERWEIGHT, MACHINE, EXTERNAL . . . . . 0 Includes 2 pairs of external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed.		\$1,060
L	563-7518	MOUNTING, FIRE EXTINGUISHER . . . . . 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher.		\$206
L	418-9011	OIL, HYDRAULIC, COLD OPERATION . . . . . 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		\$685

**WORK TOOLS**

To view and order all available Work Tool Selections refer to WT-SSL price lists.

NOTE: Work Tools are sourced via Caterpillar parts distribution system.

CMOPS orders for Compact Track Loaders and Work Tools MUST be ordered separately.

**FIELD INSTALLED ATTACHMENTS**

*Available Through Parts Distribution.*

345-6070	KIT, FOPS, LEVEL 2 Falling Object Protective Structure level 2. Provides additional overhead protection. Recommended for use in demolition applications. Not compatible with the roof mounted Auxiliary Hydraulic Cooler. Meets ISO 3449: 1992 Note: The part number provided is for reference only. Individual parts must be ordered. Please reference REHS8703 for parts list and installation instructions.
----------	---

## CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)*****Available Through Parts Distribution. (Cont.)***

- 474-5632 KIT, SINGLE POINT LIFT**  
Contains parts that attach to cab roof and allow machine to be lifted from a single point. The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9970 for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**  
This kit combines the Falling Object Protective Structure level 2 and 4 point lifting functionality. Recommended for use in applications where additional overhead protection and 4 point lifting are both desired (ex. demolition).  
Note: The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9989 for parts list and installation instructions.
- 495-3792 KIT, CCB HEATER**  
For proper installation, refer to media number M0079588. Required for operating in temperatures BELOW -32C (-25F). Provides an insulated closed crankcase breather (CCB) canister and two insulated hoses.  
Estimated time to install: 2 hours
- 580-3680 KIT, PL, CELLULAR PL641**  
Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.  
  
NOTE: The part number provided is for reference only. Individual parts must be ordered. Please reference M0107957 for parts list and installation instructions.
- 421-0122 KIT, DUAL SELF LEVEL**  
NOTE: The part number is provided for reference only. Individual parts must be ordered. Please reference media number SEHS0157 for parts list and proper installation instructions. Not compatible with H2 or H3 performance packages. Estimated time to install: 3.5 hours

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

*Available Through Parts Distribution. (Cont.)*

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$268 USD Dealer Net (July, 2020). Machine must be equipped with the Electronic Self Level Kit to install the SEA. Only compatible with the H1 performance package.

DEDICATED ALTERNATE PATTERN (H-pattern):  
 Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):  
 This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$255 USD Dealer Net (April, 2019). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min.  
 Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

**ALTERNATE SOURCED ATTACHMENTS**

*Available Through ANTARES Parts Ordering.*

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.  
 When ordering via CMOPS include top level reference numbers (OP-4755) and OP number for packing.**

P	388-8275	KIT, WINDOW, SIDES . . . . .	0	\$703 NI
		For proper installation, refer to media number REHS8707.		
		Estimated time to install: 1 hour		
P	594-5976	KIT, DOOR, CAB, GLASS . . . . .	0	\$1,033 NI
		For proper installation, refer to media number M0116195.		
		Estimated time to install: 1.5 hours		
P	594-5977	KIT, DOOR, CAB, POLYCARBONATE . . . . .	0	\$1,646 NI
		For proper installation, refer to media number M0116221.		
		Estimated time to install: 1.5 hours		
P	508-1863	KIT, A/C (HEATER/DEFROST) . . . . .	0	\$3,143 NI
		For proper installation, refer to media number M0070240.		
		Estimated time to install: 8.5 hours		



CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	509-5548	<b>KIT, HEATER</b> . . . . . 0 For proper installation, refer to media number M0070256. Estimated time to install: 6 hours		\$1,261 NI
P	594-6293	<b>KIT,HEATER, ENGINE BLOCK, 120V</b> . . . . . 0 For proper installation, refer to media number M0116887. Estimated time to install: 1 hours		\$172 NI
P	421-0357	<b>KIT, A/C CONVERSION</b> . . . . . 0 For proper installation, refer to media number SEHS0174. Estimated time to install: 8 hours		\$2,097 NI
P	571-6164	<b>KIT, RADIO READY</b> . . . . . 0 For proper installation, refer to media number M0105320. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour		\$154 NI
P	571-6166	<b>KIT, RADIO, AM/FM/BLUETOOTH</b> . . . . . 0 For proper installation, refer to media number M0105322. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		\$588 NI
P	583-9156	<b>KIT, QUICK COUPLER, HYDRAULIC</b> . . . . . 0 For proper installation refer to media number M0107606. Estimated time to install: 12 hours		\$1,111 NI
P	544-4092	<b>KIT, RIDE CONTROL</b> . . . . . 0 For proper installation, refer to media number M0089243. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. Estimated time to install: 3 hours		\$1,068 NI
P	544-4108	<b>KIT, WT ELECTRICAL CONTROL</b> . . . . . 0 For proper installation, refer to media number M0089379. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours		\$199 NI
P	544-4107	<b>KIT,WT ELECTRICAL CONTROL, DLX</b> . . . . . 0 For proper installation, refer to media number M0089377. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours		\$718 NI
P	486-3284	<b>KIT, A/C BREATHER</b> . . . . . 0 For proper installation, refer to media number M0067680. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$469 NI

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	568-2041	<b>KIT, ADVANCED DISPLAY</b> . . . . . 0 For proper installation, refer to media number M0077883. Includes: Full color 5 in. LCD screen with digital gauge display. Provides Creep Control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security and Monitoring. Also provides USB charging port. Note: Rear camera ready. Estimated time to install: 1 hour 30 minutes		\$999 NI
P	388-8284	<b>KIT, CAMERA REAR VIEW</b> . . . . . 0 For proper installation, refer to media number REHS8711. Note: Requires Advanced Display Estimated time to install: 1 hour		\$472 NI
P	484-6346	<b>KIT, BATTERY DISCONNECT</b> . . . . . 0 For proper installation, refer to media number SEHS0192. Provides components needed to install a battery disconnect switch. Estimated time to install: 30 minutes		\$129 NI
P	421-0356	<b>KIT, COUNTERWEIGHT</b> . . . . . 0 For proper installation, refer to media number SEHS0190. Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 50 - 100 lbs (23 - 45 kg), depending on model. For maximum ROC increase, must order quantity of (2) 4210356 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		\$536 NI
P	421-0135	<b>KIT, DEBRIS</b> . . . . . 0 For proper installation, refer to media number REHS6614. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as an exhaust stack cover. Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 8 hours		\$1,154 NI
P	422-3242	<b>KIT, GUARDING</b> . . . . . 0 For proper installation, refer to media number REHS6615. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections and work tool electrical harness connection. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 2 hours		\$615 NI
P	416-5780	<b>KIT,ENG AIR INTAKE, PRECLEANER</b> . . . . . 0 For proper installation, refer to media number REHS8741. Estimated time to install: 1 hour		\$650 NI

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	583-9158	<b>KIT, FRONT ROADING LIGHTS</b> . . . . . 0 Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number M0107929. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		<b>\$482 NI</b>
P	583-9155	<b>KIT, REAR ROADING LIGHTS</b> . . . . . 0 For proper installation, refer to media number M0107786. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		<b>\$240 NI</b>
	416-5769	<b>KIT, DRAIN, ENGINE COOLANT</b> . . . . . 0 For proper installation, refer to media number REHS9953. Allows for ecological draining of engine coolant during change intervals.		<b>\$14 NI</b>
P	504-1553	<b>KIT, LICENSE PLATE</b> . . . . . 0  For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes		<b>\$53 NI NET</b>
P	421-0274	<b>KIT, LIFTING EYES, FOUR POINT</b> . . . . . 0 For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER		<b>\$236 NI</b>
P	499-2684	<b>KIT, LIGHTS, LED</b> . . . . . 0 For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour		<b>\$361 NI</b>
	498-3230	<b>KIT, LIGHTS, REAR, WIDE MOUNT</b> . . . . . 0 For proper installation, refer to media number M0064888. This kit provides components that allow the rear lights to be relocated to mounting locations on the sides of the rear frame towers in order to meet roading requirements in Italy. Estimated time to install: 1 hour		<b>\$421 NI</b>
P	565-3045	<b>KIT, FIRE EXTINGUISHER MOUNTING</b> . . . . . 0 For proper installation, refer to media number M0099033. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours		<b>\$179 NI</b>
P	583-9067	<b>KIT, HIGH FLOW</b> . . . . . 0 For proper installation, refer to media number M0107190. This kit provides components required to convert the auxiliary system flow from standard flow to high flow (26 gpm/99 lpm @ 3335 psi). Estimated time to install: 3 hours Requires machine to be configured with 4 button left hand joystick control and electrical work tool harness		<b>\$2,244 NI</b>

CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	482-5132	KIT, WATER TANK, 42 US GAL, D . . . . . 0 Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer		\$1,872 NI
P	583-6486	KIT, HAND/FOOT TO ISO (CVRSN) . . . . . 0 CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit or Auxiliary Hydraulic Cooler kit For proper installation, refer to media number M0108268. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours		\$1,508 NI

**PACKING**

**DOMESTIC PACKING**

0P-0210	PACK, DOMESTIC TRUCK . . . . . 0	NC
---------	----------------------------------	----

*Only to be used when ordering kits via CMOPS.*

0P-2162	PACKING, KIT . . . . . 0	NC
---------	--------------------------	----

## CATERPILLAR MACHINE PRICE LIST

**239D3**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**AM-NORTH INFORMATION*****ENDORSED FIELD INSTALLED ATTACHMENTS***

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

**REMOTETASK TM - REMOTE CONTROL SYSTEM**

Complete system for use with CAT D3 Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D3 series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.  
Email: [bcp\\_work\\_tools@cat.com](mailto:bcp_work_tools@cat.com)

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.  
Tel. +1(800) 530-9285, +1(540) 443-9262  
Email: [sales@torcrobotics.com](mailto:sales@torcrobotics.com)