

**JOHN DEERE**

Current Date 03Mar2020

700L CRAWLER DOZER**700L Standard Equipment
ENGINE**

John Deere PowerTech Plus
6.8L Certified to EPA FT4 /
EU Stage V
emissions
135 SAE Net hp (101 kw)
Turbocharged with Charged
Air Cooler
No Power Derating up to
10,000 ft Altitude
Wet Sleeve Cylinder Liners
Isolation-Mounted
Electronic Fuel Injection
Electronic Control with
Automatic Engine Protection
Vertical Spin-on Engine Oil
Filter
Vertical Spin-on Dual Stage
Fuel Filter
Oil-to-Water Engine Oil
Cooler
Dual Safety Element Dry-
Type Air Cleaner, Evacuator
Valve
Eco Mode
500 hr. Engine Oil Change
Interval
COOLING SYSTEM
Cool-On-Demand Variable
Speed Engine Fan with
Automatic Reversing
Engine Coolant -34 Degree F
(-37 Degree C)
Coolant Recovery Tank
10-Fin/in. Engine Coolant
Radiator
10-Fin/in.
Hydrostatic/Hydraulic Oil-to-
Air Cooler
10-Fin/in. Air-to-Air Charge
Air Cooler
ELECTRICAL
24 Volt System
115 Amp Alternator for
canopy units / 145 Amp

and Horn
Combined Decelerator/Brake
Pedal
Selectable reverse speed
ratios 100%, 115%, 130%
or independent of
forward ground speed
Electronic Control with
Automatic Transmission
Protection
26.9 Gallon (101.8 Liter)
Reservoir with Sight Gauge
Triple Reduction Final Drives
with Wet Multi-Disk Brakes
Primary and Secondary
Service Brakes (Conforms to
ISO10265)
Automatic Spring-Applied,
Hydraulic Released Park
Brake (Conforms to
ISO 10265)
4000 hr. Oil Change Interval
Transmission Diagnostic
Ports
Selectable Decelerator Mode
UNDERCARRIAGE
Oscillating Undercarriage
Maximum Life Undercarriage
with Moderate Single
Grouser Track Shoes
Adjustable Track Sag
Segmented Sprockets
Front and Rear Chain Guides
OPERATOR STATION:
JDLink Ultimate Machine
Monitoring System w/ 5-year
Message Service
Modular Design ROPS/FOPS
Operator Station (Conforms
to SAE J1040 - ISO
3471)
Viscous Isolated
Left and Right Front Access
Floormat
Large Color Display Located

Transmission Filter
Restriction
Hydraulic Filter Restriction
Water in Fuel
Transmission Pressure Low
Coolant Level Low
Diesel Exhaust Fluid (DEF)
Contaminated Indicator
Engine Emissions Systems
Malfunction Indicator
Indicators
Park Brake
Fasten-Seat-Belt
Operator Presence (Seat
Switch)
Exhaust Filter Cleaning
Indicator
Exhaust Filter Auto Cleaning
Disabled Indicator
Neutral Rotate Mode
Rear Aux Mode Ripper,
Winch, Generic Rear Aux
Transmission Warmup Mode
Blade Float
Auto Blade Control Indicator
Displayed on Main Screen
Tachometer
Hourmeter
Transmission Direction
(F,N,R, RTN to N, P) and
Speed (SIG 1.0-3.0)
Transmission Display
(Forward Setting)
Transmission Display
(Reverse Setting)
Exhaust Filter Status
Ambient Temperature
(Engine Air Inlet Temp)
Clock
Displayed on Secondary
Screen
Machine Diagnostic Service
Code(s)
Fuel Efficiency Runtime
Screen

| | | |
|---|---|---|
| Alternator for cab units | in Front Console | Horn, Electric (Conforms to SAE J994, J1446, ISO 9533) |
| (2) Batteries with 190 Minute Reserve Capacity, 950 CCA | Interior Sound Treatment | Coded Keyless Start with Electric Fuel Shut Off |
| Master Electric Disconnect Switch | Slip-Resistant Steps and Ergonomically Located Handholds for Left, Right Access (Conforms to SAE J185 - ISO 2867) | Interior Mounted Rearview Mirror (Conforms to SAE J985) |
| Bypass Start Safety Cover on Starter | Air-suspension Seat | OVERALL VEHICLE |
| Positive Terminal Battery Covers | Operator Presence System | Unitized Mainframe with: Integrated Front Tow Loop |
| Blade-Type Fuses | Thigh Support | Reinforced Engine and Mid-frame Bottom Guards |
| Electrical Master Disconnect | Lumbar | Integral Transmission Guard |
| Pre-wired for Work Lights and Underseat Heater (canopy) | Backrest Tilt | Hinged Bottom Access Covers (Bolt-On) |
| (2) Cab Mounted and (2) Rear Mounted Halogen Lights w/ (2) reflectors | Height, Weight and Fore-Aft Side Console Leg Cushions | Perforated Engine Side Shields |
| HYDRAULICS | Adjustable Armrests | Heavy-Duty Perforated Front Grille with Hose Protection |
| 28 gpm (106 L/Min) Fixed Displacement Hydraulic Gear Pump | 3 in. (76 mm) Orange Seat Belt with Retractors (Conforms to SAE J386 - ISO 6683) | Lockable Vandal Protection for: |
| 8 micron Vertical Spin-on Hydraulic Oil Filter | Lunch Box Storage | Engine Access Panel |
| Three-Function Electro-Hydraulic (EH) Controls with Proportional Angle Function | Glove (Storage) Box | Rear Service Doors |
| POWER TRAIN | Cupholders (x2) | Fuel tank |
| Dual Path Hydrostatic Transmission | Built-in Operator's Manual | Instrument Panel |
| Variable Displacement Piston Pump and Motor Combination | Storage Compartment and Manual | Hydrostatic/Hydraulic Reservoir - Need wrench to access |
| Automatic Load Sensing for Speed and Power Management | 12 Volt Power Port | Environmental Drains |
| AutoTracking Steering Control | Gauges | 69.2 Gallon (262 Liter) Fuel Tank: |
| 8 Micron Vertical Spin-on Filter | Engine Coolant Temperature | Wide Mouth Fuel Filler Cap |
| Single Lever-Steering, Direction / Speed Control with Counter Rotation | Transmission Oil Temperature | Shut Off Valve at Tank Outlet |
| | Hydraulic Oil Temperature | Ground Level Fueling |
| | Engine Oil Pressure | Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446) |
| | Fuel Level | |
| | DEF Level | |
| | Warnings | |
| | Stop | |
| | Caution | |
| | Low Alternator Voltage | |
| | Engine Air Filter Restriction | |

Required - You must select one from each category
 BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description**Code****Price**

Bid Term - 2/22/19 - 2/21/21

700L CRAWLER DOZER 23DOT \$190,324.00

▼ ENGINE

| Description | Code | Price |
|---|------|------------|
| John Deere 6 Cyl EPA FT4 Engine | 0940 | \$3,453.00 |
| John Deere PowerTech Plus 6 Cyl EPA FT4/EU Stage V Compliant 6.8 L (414 cu. in.) 135 net hp (101 kW) @ 1800 rpm - No power derating up to 10,000 ft altitude | | |

▼ ENGINE FAN DRIVE

| Description | Code | Price |
|-----------------------------------|------|---------------|
| Standard Hydraulic Fan Drive | 3510 | No Added Cost |
| Automatic Reversing Hydraulic Fan | 3520 | \$1,509.00 |

▼ DOZER CONFIGURATION

| Description | Code | Price |
|--|------|---------------|
| XLT PAT (Extra Long Track Power - Angle - Tilt) Dozer | 1055 | No Added Cost |
| 1778 mm (70 in.) Gauge - 7 Roller Track Frame | | |
| LGP PAT (Low Ground Pressure Power - Angle - Tilt) Dozer | 1075 | \$1,332.00 |
| 1981 mm (78 in.) Gauge - 7 Roller Track Frame | | |

▼ TRACK SHOES AND CHAIN

| Description | Code | Price |
|--|------|--------------|
| 22 Inch (559 mm) Moderate Service Shoes - Heavy Duty Undercarriage | 4555 | (\$7,274.00) |
| Sealed and Lubricated Track (SALT) | | |
| 24 Inch (610 mm) Moderate Service Shoes - Heavy Duty Undercarriage | 4570 | (\$7,211.00) |
| Sealed and Lubricated Track (SALT) Availability for this track option is limited and may exceed standard lead time. | | |
| 30 Inch (762 mm) Moderate Service Shoes - Heavy Duty Undercarriage | 4590 | (\$6,547.00) |
| Sealed and Lubricated Track (SALT) | | |
| 22 Inch (559 mm) Moderate Service Shoes - Extended Life Undercarriage | 4655 | (\$7,274.00) |
| Sealed and Lubricated Track (SALT) with SC2 Bushings | | |
| 30 Inch (762 mm) Moderate Service Shoes - Extended Life Undercarriage | 4690 | (\$760.00) |
| Sealed and Lubricated Track (SALT) with SC2 Bushings | | |

| | | |
|--|------|---------------|
| 22 Inch (559 mm) Moderate Service Shoes - Max Life Undercarriage | 4755 | No Added Cost |
|--|------|---------------|

Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers.

| | | |
|--|------|----------|
| 24 Inch (610 mm) Moderate Service Shoes - Max Life Undercarriage | 4770 | \$645.00 |
|--|------|----------|

Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers.
Availability for this track option is limited and may exceed standard lead time.

| | | |
|--|------|------------|
| 30 Inch (762 mm) Moderate Service Shoes - Max Life Undercarriage | 4790 | \$1,340.00 |
|--|------|------------|

Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers.

▼ DOZER BLADE

All Blades include Straight End Bits and Bolt-On Cutting Edges.
Blades are not installed, but shipped with Crawler Dozer.

| Description | Code | Price |
|--------------------------------|------|------------|
| PAT Blade - 121 Inch (3078 mm) | 7074 | \$4,370.00 |

Requires code 1055 (XLT PAT)
3.4 cu. m (4.4 cu. yd.) capacity

| | | |
|--------------------------------|------|------------|
| PAT Blade - 127 Inch (3231 mm) | 7078 | \$4,589.00 |
|--------------------------------|------|------------|

Requires code 1055 (XLT PAT)
3.5 cu. m (4.6 cu. yd.) capacity

| | | |
|--------------------------------|------|------------|
| PAT Blade - 133 Inch (3383 mm) | 7095 | \$5,475.00 |
|--------------------------------|------|------------|

Requires code 1075 (LGP PAT)
3.6 cu. m (4.8 cu. yd.) capacity

| | | |
|--------------------------------|------|------------|
| PAT Blade - 145 Inch (3688 mm) | 7098 | \$5,968.00 |
|--------------------------------|------|------------|

Requires code 1075 (LGP PAT)
3.9 cu. m (5.1 cu. yd.) capacity

▼ HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS

| Description | Code | Price |
|---|------|---------------|
| 3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) | 7750 | No Added Cost |

Does not include auxiliary hydraulics

| | | |
|---|------|------------|
| 4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) | 7760 | \$1,440.00 |
|---|------|------------|

Includes auxiliary plumbing for rear implement

▼ HYDRAULIC PUMP

| Description | Code | Price |
|-------------|------|-------|
|-------------|------|-------|

| | | |
|-------------------------|------|---------------|
| Standard Hydraulic Pump | 7925 | No Added Cost |
|-------------------------|------|---------------|

| | | |
|---|------|----------|
| Thru Drive Hydraulic Pump for use with Direct Drive (PTO) Winch | 7985 | \$530.00 |
|---|------|----------|

For use with Deere 4000S Winch (mechanical drive)
Includes external spline for driveshaft.

GREASES, FUEL, OIL, & COOLANT

| Description | Code | Price |
|--|------|---------------|
| Hydraulic And Hydrostatic Oil - Hydrau | 8010 | No Added Cost |

Standard Factory Fill.
Provides All-Season capability in ambient temperatures ranging from -25C (-13F) to 50C (122F).

| | | |
|---|------|----------|
| Hydraulic and Hydrostatic Oil - Hydrau XR, Final Drive Oil - Low Vis Hygard | 8020 | \$578.00 |
|---|------|----------|

Optional Factory Fill.
Intended for colder climates with extreme cold ambient temperatures, provides All-Season capability in ambient temperature ranging from -40C to 40C (-40F to 104F).

CANOPY OR CAB

| Description | Code | Price |
|-------------|------|---------------|
| Canopy | 5025 | No Added Cost |

| | | |
|--|------|-------------|
| Cab With Roof Mounted Air Conditioner/Heater | 5085 | \$22,995.00 |
|--|------|-------------|

SEAT

| Description | Code | Price |
|---|------|---------------|
| Air Suspension Comfort Control High Back Vinyl Seat | 5855 | No Added Cost |

Vinyl-covered high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt. Requires Code 5025.

| | | |
|--|------|----------|
| Deluxe Seat, Cloth with Air Suspension | 5885 | \$662.00 |
|--|------|----------|

Fabric-covered high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.

| | | |
|---|------|------------|
| Premium Seat, Heated and Ventilated with Air Suspension | 5890 | \$1,020.00 |
|---|------|------------|

Leather-accented high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

| Description | Code | Price |
|--|-------------|----------------------|
| JDLINK Ultimate 5 Year Subscription | 170C | No Added Cost |

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

| | | |
|---|-------------|-------------------|
| JDLINK Ultimate Dual 5 Year Subscription | 170J | \$1,936.00 |
|---|-------------|-------------------|

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions.

| | | |
|---------------------------|-------------|---------------------|
| No JDLINK Ultimate | 1741 | (\$1,232.00) |
|---------------------------|-------------|---------------------|

GRADE CONTROL

| Description | Code | Price |
|---|-------------|-------------------|
| SmartGrade Ready including Slope Control | 2502 | \$6,400.00 |

SmartGrade Ready includes harnesses, sensors, and controls to enable a future upgrade to SmartGrade 3D Mastless Grade Control using field kit.

Slope Control automatically controls the cross slope and/or mainfall angle

without the need for additional equipment (e.g. GNSS, laser reference, etc.).

| | | |
|--|------|-------------|
| SmartGrade 3D Mastless Grade Control including Slope Control | 2503 | \$95,400.00 |
|--|------|-------------|

Mastless 3D GNSS grade control system fully integrated into the cab and structures. Consists of dual-band radio that is capable of receiving both UHF and 915 MHz, sensors, integrated display and Topcon software compatible with Topcon file formats. Includes Auto SmartGrade which automatically adjusts the blade when encountering heavy loads, reducing track slip to improve fuel economy and prolong track life. Also includes Remote Display Access (RDA) and Wireless Data Transfer (WDT) for integrated connectivity and support.

Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.).

| | | |
|----------------------------|------|---------------|
| No Grade Control Installed | 2575 | No Added Cost |
|----------------------------|------|---------------|

▼ OPERATOR'S MANUAL AND DECALS

| Description | Code | Price |
|-------------------------|------|---------------|
| English Operator Manual | 2605 | No Added Cost |
| Spanish Operator Manual | 2610 | No Added Cost |
| French Operator Manual | 2615 | No Added Cost |

Optional - Select as desired

▼ FUEL FILTRATION

| Description | Code | Price |
|-------------------------|------|----------|
| Severe-Duty Fuel Filter | 9060 | \$531.00 |

For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.

▼ EXHAUST

| Description | Code | Price |
|----------------|------|----------|
| Chrome Exhaust | 9065 | \$520.00 |

▼ MISCELLANEOUS

| Description | Code | Price |
|--------------------|------|----------|
| Fluid Sample Ports | 9070 | \$336.00 |

| | | |
|---|------|----------|
| Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes | 9075 | \$900.00 |
|---|------|----------|

Remote service banks are located inside engine and tank compartments; utilizes industry standard quick disconnect couplers.

▼ COOLANT HEATER

| Description | Code | Price |
|--------------------------|------|----------|
| Coolant Heater, Electric | 9530 | \$144.00 |

120 Volt

| ▼ AIR PRE-CLEANER | | | |
|--|------|-------------|--|
| Description | Code | Price | |
| Engine Air Precleaner - Rotary | 9130 | \$501.00 | |
| Intended for high dust applications to extend engine air filter life. Not required in most applications; will negatively impact over-hood visibility. | | | |
| ▼ WINCH | | | |
| Description | Code | Price | |
| Model 4000 Standard Speed Winch - Power In, Freespool Out | 9401 | \$19,065.00 | |
| Model 4000 Standard Speed Winch - Power In, Power Out | 9402 | \$21,516.00 | |
| Winch Fairlead, Four Roller | 9410 | \$3,938.00 | |
| ▼ RADIO | | | |
| Description | Code | Price | |
| Premium Radio with Bluetooth | 9501 | \$1,120.00 | |
| AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port | | | |
| ▼ MIRRORS | | | |
| Description | Code | Price | |
| External Mounted Rear Attachments Mirror | 9365 | \$133.00 | |
| ▼ MISCELLANEOUS | | | |
| Description | Code | Price | |
| Automatic Temperature Control | 9503 | \$530.00 | |
| HVAC system automatically adjusts temperature and fan speed to meet desired in-cab temperature. | | | |
| Camera Rear View | 9504 | \$2,035.00 | |
| Rear camera view is shown on primary machine display. | | | |
| Fire Extinguisher Bracket | 9505 | \$71.00 | |
| Bracket in cab to securely stow 2.5 lbs fire extinguisher. | | | |
| Full Screens for Cab | 9454 | \$8,250.00 | |
| Factory designed/installed option. Includes side screens, rear screen, door screens, front screen, and AC condenser guard. For limb risers, order code 9142. | | | |
| Rear Screen for Cab | 9455 | \$1,815.00 | |
| Factory designed/installed option | | | |

| | | |
|------------------------|------|------------|
| Rear Screen for Canopy | 9450 | \$1,415.00 |
|------------------------|------|------------|

▼ SHIPPING PREPARATION

| Description | Code | Price |
|------------------------------------|-------------|--------------|
| Non-Export Rust Preventive Coating | 9909 | \$151.00 |

Coating protects exposed unpainted surfaces from road salt during shipment.

▼ GRILLE

| Description | Code | Price |
|--------------------|-------------|--------------|
| Heavy Duty Grille | 9325 | \$525.00 |

Reinforced plate grille for increased protection of cooling fan.

▼ WORK LIGHTS

| Description | Code | Price |
|---------------------------|-------------|--------------|
| Premium LED Light Package | 9166 | \$1,300.00 |

6 high output LED lights (16,800 lumens) replace the 4 standard halogen lights.

▼ 12 VOLT POWER

| Description | Code | Price |
|--------------------------|-------------|--------------|
| 2nd - 12 Volt Power Port | 9370 | \$224.00 |

▼ MISCELLANEOUS

| Description | Code | Price |
|--------------------------|-------------|--------------|
| Engine Compartment Light | 9180 | \$114.00 |

▼ BEACON LIGHTING

| Description | Code | Price |
|--------------------|-------------|--------------|
| Beacon Light | 9521 | \$295.00 |

▼ RIPPER

| Description | Code | Price |
|--|-------------|--------------|
| Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth | 9191 | \$16,110.00 |

Requires code 7760 (4 Section PAT Valve)
Not for use with other Rear Attachment

▼ HITCHES

| Description | Code | Price |
|--|-------------|--------------|
| Retrieval Hitch w/ Single Rear Counterweight | 9340 | \$4,291.00 |

501 kg (1106 lb.)
Not for use with other rear attachment

| | | |
|--|------|----------|
| Retrieval Hitch w/o Rear Counterweight | 9343 | \$615.00 |
| 31 kg (68 lb.) Not for use with other rear attachment | | |

▼ COUNTERWEIGHT

| Description | Code | Price |
|---|------|------------|
| Extended Rigid Drawbar w/ Single Rear Counterweight | 9345 | \$5,251.00 |
| 562 kg (1240 lb.) Not for use with other rear attachment | | |
| Single Rear Counterweight | 9250 | \$3,726.00 |
| 469 kg (1035 lb.) Not for use with other rear attachment | | |
| Extended Rigid Drawbar w/o Rear Counterweight | 9347 | \$1,575.00 |
| 93 kg (205 lb.) Includes pin Not for use with other rear attachment | | |
| Rigid Drawbar for use with Winch | 9430 | \$695.00 |
| 33 kg (73 lb.) Only for use with winch | | |

▼ GUARDS

| Description | Code | Price |
|--|------|------------|
| Full Length Rock Guards | 9150 | \$2,100.00 |
| Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1. Not recommended for waste or other material packing applications. | | |
| Limb Risers (Sweeps) | 9142 | \$3,650.00 |
| Factory designed/installed option | | |
| LGP Final Drive Guard | 9139 | \$660.00 |

▼ ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeere.com/techinfo and clicking on Library, or by clicking on this Hyperlink ([Installation Bulletin Search](#)), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

| Description | Code | Price |
|------------------------------------|----------|------------|
| <u>Operator Environment</u> | | |
| Cab Rear View Camera Field Kit | BYT11680 | \$2,035.00 |
| Canopy Rear View Camera Field Kit | BYT11700 | \$2,035.00 |

Copyright © Deere & Company. All Rights Reserved.

[About Our Site](#) | [Privacy and Data](#) | [Legal](#) | |