

CATERPILLAR MACHINE PRICE LIST

246D

246D SKID STEER LOADER
 SANFORD, NC, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.3B diesel engine
 -Gross horsepower per SAE J1349
 74.3 hp (55.4 kW) @ 2400 RPM
 -EPA tier 4f and EU stage IIIB
 certified with aftertreatment
 -Electric fuel priming pump
 -Glow plugs starting aid
 -Liquid cooled, direct injection
 Air cleaner, dual element, radial seal
 S-O-S sampling valve, hydraulic oil
 Filter, cartridge type, hydraulic
 Filters, cartridge type, fuel
 and water separator
 Radiator / hydraulic oil
 cooler (side-by-side)
 Spring applied, hydraulically released,
 parking brakes
 Hydrostatic transmission
 Four wheel chain drive

HYDRAULICS

Standard flow auxiliary hydraulics with
 continuous flow
 CONTROLS:
 Electro/hydraulic implement control
 Electro/hydraulic hydrostatic
 transmission control

ELECTRICAL

12 volt electrical system
 80 ampere alternator
 Ignition key start/stop/aux switch
 Lights:
 -Gauge backlighting
 -Two rear tail lights
 -Dome light
 Backup alarm
 Electrical outlet, beacon

OPERATOR ENVIRONMENT

Operator warning system indicators:
 -Air filter restriction
 -Alternator Output
 -Armrest raised/operator out of seat
 -Engine coolant temperature
 -Engine oil pressure
 -Glow plug activation
 -Hydraulic filter restriction
 -Hydraulic oil temperature
 -Park brake engages
 -Engine emission system

Gauges: fuel level and hour meter
 Storage compartment with netting
 Ergonomic contoured armrest
 Adjustable joystick controls
 Control interlock system, when operator
 leaves seat or armrest raised:
 -Hydraulic system disables
 -Hydrostatic transmission disables
 -Parking brake engages
 ROPS cab, open, tilt up
 Anti-theft security system w/6-button
 keypad
 FOPS, Level I
 Top and rear Windows
 Floormat
 Interior rear view mirror
 12V Electric socket
 Horn
 Hand (dial) throttle, electronic

FRAMES

Lift linkage, radial path
 Chassis, one piece welded
 Machine tie down points (4)
 Belly pan cleanout
 Support, lift arm
 Rear bumper, welded

OTHER STANDARD EQUIPMENT

Engine enclosure - lockable
 Extended life antifreeze (-37C, -34F)
 Coupler, mechanical
 Hydraulic oil level sight gauge
 Radiator coolant level sight gauge
 Radiator expansion bottle
 Cat tough guard hose
 Heavy duty flat faced quick disconnects
 with integrated pressure release
 Split D-ring to route work tool hoses
 along side of left lift arm
 Variable speed hydraulic cooling fan
 Per SAE J818-2007 and EN 474-3:2006 and
 ISO 14397-1:2007
 Rated operating capacity:
 -975 kg (2150 lb)

CATERPILLAR MACHINE PRICE LIST

246D

246D SKID STEER LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

570-1796	246D SSL DCA1A 0 LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	\$50,620
-----------------	--	-----------------

- INCLUDES:
- 345-5246 246D SSL TIER 4 FINAL HRC
 - 421-0340 CONVERSION ARRANGEMENT
 - 563-1163 CERTIFICATION ARR, P65
 - 435-8955 PACKAGE, PERFORMANCE, (H2)
 - 485-0411 CONTROL, ISO, PROP
 - 345-4923 ONE SPEED
 - 345-6157 ROPS, OPEN (C1)
 - 345-6349 SEAT,AIR SUSPENSION,VINYL,HEAT
 - 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
 - 345-4910 QUICK COUPLER, MANUAL
 - 258-4095 SEAT BELT, 2"
 - 486-6957 FAN, COOLING, DEMAND
 - 481-3908 BATTERY, XTRA HVY DUTY, DISC
 - 495-1672 LIGHTS, HALOGEN

NOTE: Please refer to the Lane 1 section to complete your order.

0P-2730	246D MISC MATERIAL SANFORD 0 ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.	NC
----------------	--	-----------

Work Tools are sourced via Caterpillar Parts Distribution system.
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT
 require individual CMOPS order entries and may include both the
 machine and work tool orders.

Refer to WT_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

(MUST CHOOSE ONE FROM EACH CATEGORY)

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
---------	--------------	---	----

WARNING DECALS

L	388-8146	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA.		
L	388-8040	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries except USA.		

FILM GROUP RIDE CONTROL (FOR USE WITH DCA3 ONLY)

L	422-3445	FILM, RIDE CONTROL, ANSI	0	NC
L	422-3446	FILM, RIDE CONTROL, ISO	0	NC

PRODUCT LINK

L	441-4818	PRODUCT LINK, CELLULAR PL240	0	NC
		Product Link Basic series PL240 offers expanded coverage including 3G UMTS and HSPA+ as well as 2G GSM and GPRS cellular networks to transmit hour and location informatin for viewing in Product Link's remote monitorin web interface. The data is updated up to 4 times per day while the engine is running. ONLY FOR USE WITH: US Dealers		
L	515-3153	PRODUCT LINK, CELLULAR PL240	0	NC
		Product Link Basic series PL240 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: Canada		

TIRES

P	185-8667	TIRES, 12/16.5 CAT 10PR	480	\$480
		Caterpillar Tire - Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deepest tread available (26/32") (21mm) results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Directional chevron tread pattern, bias ply. Includes valve stem protection. 72" (1830mm) width		

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0	NC
	The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	

PACKING

OP-1176	CAROLINA CDC -- AVAILABILITY 0	\$1 NET
----------------	---	----------------

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION 0	\$210 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.	
OP-6439	CORROSION INHIBITOR. 0	\$1,420 NET
	EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).	

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL price lists.

NOTE: Work Tools are sourced via Caterpillar parts distribution system.

CMOPS orders for Skid Steel Loaders and Work Tools MUST be ordered separately.

FIELD INSTALLED ATTACHMENTS***Available Through Parts Distribution.***

- 345-6070 KIT, FOPS, LEVEL 2**
 Falling Object Protective Structure level 2.
 Provides additional overhead protection.
 Recommended for use in demolition applications.
 Not compatible with the roof mounted Auxiliary Hydraulic Cooler.
 Meets ISO 3449: 1992
 Note: The part number provided is for reference only.
 Individual parts must be ordered. Please reference REHS8703 for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**
 Contains parts that attach to cab roof and allow machine to be lifted from a single point. The part number provided is for reference only.
 Individual parts must be ordered. Please reference REHS9970 for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**
 This kit combines the Falling Object Protective Structure level 2 and 4 point lifting functionality. Recommended for use in applications where additional overhead protection and 4 point lifting are both desired (ex. demolition).
 Note: The part number provided is for reference only.
 Individual parts must be ordered. Please reference REHS9989 for parts list and installation instructions.
- 466-1959 KIT, CCB HEATER**
 For proper installation, refer to media number REHS6625.
 Required for operating in temperatures BELOW -18C (-0F). Provides a second heater for the engine closed crankcase breather (CCB) system.
 Estimated time to install: 1.0 Hr

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$221 USD Dealer Net (January, 2016). Machine must be equipped with the Electronic Self Level feature, provided in the H2 or H3 performance package to install the SEA.

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through Parts Distribution. (Cont.)

DEDICATED ALTERNATE PATTERN (H-pattern):

As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):

This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$250 USD Dealer Net (January 2018). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min. Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

Available Through ANTARES Parts Ordering.

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.

When ordering via CMOPS include top level reference numbers (OP-2730) and OP number for packing.

568-2041	KIT, ADVANCED DISPLAY 0 For proper installation, refer to media number M0077883. Includes: Full color 5 in. LCD screen with digital gauge display. Provides Creep Control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security and Monitoring. Also provides USB charging port. Note: Rear camera ready. Estimated time to install: 1 hour 30 minutes	\$983 NI
388-8284	KIT, CAMERA REAR VIEW 0 For proper installation, refer to media number REHS8711. Note: Requires Advanced Display Estimated time to install: 1 hour	\$465 NI
484-0292	KIT, BATTERY DISCONNECT 0 For proper installation, refer to media number SESH0524. Provides components needed to install a battery disconnect switch. Estimated time to install: 1 hour 30 minutes	\$128 NI
504-1553	KIT, LICENSE PLATE 0 For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes	\$52 NI NET

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

388-8285	KIT, FOOT THROTTLE	0	\$336 NI
	For proper installation, refer to media number REHS8712. Estimated time to install: 1 hour 30 minutes		
388-7875	KIT, COUNTERWEIGHT, 100 LB ROC	0	\$528 NI
	Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		
508-1865	KIT, AIR CONDITIONER (HTR/DFR)	0	\$3,097 NI
	For proper installation, refer to media number M0070244. Estimated time to install: 8 hours 30 minutes		
388-8266	KIT, AIR CONDITIONER (CONVRN)	0	\$2,067 NI
	For proper installation, refer to media number REHS7807. Estimated time to install: 8 hours		
509-5547	KIT, HEATER	0	\$1,243 NI
	For proper installation, refer to media number M0070254. Estimated time to install: 6 hours		
388-8275	KIT, WINDOW, SIDES	0	\$693 NI
	For proper installation, refer to media number REHS8707. Estimated time to install: 1 hour		
388-8276	KIT, DOOR, CAB, GLASS	0	\$1,018 NI
	For proper installation, refer to media number REHS8708. For use with Serial Number BYF03213 and BELOW. Estimated time to install: 1 hour 30 minutes		
514-9110	KIT, DOOR, CAB, GLASS	0	\$1,018 NI
	For proper installation, refer to media number M0073174. For use with Serial Number BYF03214 and ABOVE. Estimated time to install: 1 hour 30 minutes		
514-9095	KIT, DOOR, CAB, POLYCARBONATE	0	\$1,811 NI
	For proper installation, refer to media number M0073172. For use with Serial Number BYF03213 and BELOW. Estimated time to install: 1 hour 30 minutes		
514-9112	KIT, DOOR, CAB, POLYCARBONATE	0	\$1,811 NI
	For proper installation, refer to media number M0073176. For use with Serial Number BYF03214 and ABOVE. Estimated time to install: 1 hour 30 minutes		
527-3155	KIT, QUICK COUPLER, HYDRAULIC	0	\$1,094 NI
	For proper installation refer to media number M0081347. Estimated time to install: 12 hours		
513-5126	KIT, GUARD, COUPLER	0	\$201 NI
	For proper installation, refer to media number M0072576. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes		

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

528-6229	KIT,S/L & CPLR HARNESS PROTECT 0	\$211 NI
	For proper installation, refer to media number M0081114. Components in this kit provide additional guarding for the self level harness and, if equipped, the electric coupler harness. Suggested for machines working in challenging operating conditions where these items could be exposed to potential damage. Estimated time to install: 4 hours	
388-8265	KIT, WT ELECTRICAL CONTROL 0	\$196 NI
	For proper installation, refer to media number REHS7806. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours	
388-8273	KIT,WT ELECTRICAL CONTROL, DLX 0	\$707 NI
	For proper installation, refer to media number REHS7814. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours	
435-9031	KIT, FAN, DEMAND, REVERSING 0	\$1,128 NI
	For proper installation, refer to media number REHS6604. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours	
435-8858	KIT, RIDE CONTROL 0	\$1,054 NI
	For proper installation, refer to media number REHS6619. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. For use with Serial Numbers BYF01879 AND BELOW. Estimated time to install: 3 hours	
481-5973	KIT, RIDE CONTROL 0	\$1,053 NI
	For proper installation, refer to media number SEHS0161. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. For use with Serial Numbers BYF01880 through BYF02167. Estimated time to install: 3 hours	
490-5119	KIT, RIDE CONTROL 0	\$1,053 NI
	For proper installation, refer to media number SEHS0412. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. For use with Serial Numbers BYF02168 AND ABOVE. Estimated time to install: 3 hours	

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

422-3362	KIT, DUAL SELF LEVEL 0	For proper installation, refer to media number REHS7811. Estimated time to install: 3 hours 30 minutes Note: Not compatible with H2 or H3 Performance Packages		\$761 NI
388-8283	KIT, RADIO, READY 0	For proper installation, refer to media number REHS8710. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour		\$151 NI
388-8286	KIT, RADIO, AM/FM/BLUETOOTH 0	For proper installation, refer to media number REHS8705. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		\$579 NI
471-7023	KIT, DEBRIS 0	For proper installation, refer to media number SEHS0196. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. Also recommended: Turbo Debris Guard Kit Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 10 hours		\$1,340 NI
472-2966	KIT, GUARDING 0	For proper installation, refer to media number SEHS0199. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		\$650 NI
421-0219	KIT, A/C BREATHER 0	For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$463 NI
415-2795	KIT,ENG AIR INTAKE, PRECLEANER 0	For proper installation, refer to media number REHS5798. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		\$756 NI

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

416-5705	KIT, TURBO DEBRIS GUARD 0	For proper installation, refer to media number REHS7828. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. It is recommended that the turbo guard kit be used in conjunction with the debris kit. Estimated time to install: 1 hour 30 minutes		\$364 NI
456-5190	KIT, DOOR, HYD FILL CAP 0	For proper installation, refer to media number REHS9160. Provides lockable cover for hydraulic oil fill. For use with Serial Number BYF02167 and BELOW.		\$82 NI
422-3323	KIT, FRONT ROADING LIGHTS 0	For proper installation, refer to media number REHS7836. Includes front roading lights and 2 lift arm mounted mirrors. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		\$475 NI
422-3322	KIT, LIGHTS, REAR, ROADING 0	For proper installation, refer to media number REHS8748. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		\$236 NI
512-0356	KIT, LIGHTS, REAR, WIDE MOUNT 0	For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes		\$436 NI
421-0274	KIT, LIFTING EYES, FOUR POINT 0	For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER		\$232 NI
452-0239	KIT, WINTER, REAR DOOR COVER 0	Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour		\$260 NI
422-3241	KIT, PROD LINK, CELLULAR PL641 0	For proper installation, refer to media number REHS9952 Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. Estimated time to install: 2.5 hours		\$1,039 NI

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

499-2684	KIT, LIGHTS, LED 0	For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour		\$356 NI
482-5132	KIT, WATER TANK, 42 US GAL, D 0	Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer		\$1,844 NI
533-5187	KIT, HAND/FOOT TO ISO (CVRSN) 0	CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit or Auxiliary Hydraulic Cooler kit For proper installation, refer to media number M0082286. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours		\$1,486 NI
552-4604	KIT, FIRE EXTINGUISHER MOUNTING 0	For proper installation, refer to media number M0089681. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours		\$176 NI
527-2335	KIT, REMOTE GREASE (COUPLER) 0	For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours		\$225 NI

NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.

Shipments will be within 3 - 5 working days of order receipt for delivery by dealer parts stocking truck to dealer stocking facility.

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

ENDORSED FIELD INSTALLED ATTACHMENTS

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

REMOTETASK TM - REMOTE CONTROL SYSTEM

Complete system for use with CAT D Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.
Email: bcp_work_tools@cat.com

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.
Tel. +1(800) 530-9285, +1(540) 443-9262
Email: sales@torcrobotics.com

PACKING

Only to be used when ordering kits via CMOPS.

0P-2162	PACKING, KIT	0	NC
---------	--------------------	---	----

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	DCA OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------------	-----------------	----------------------

AM-NORTH INFORMATION

CFG INFORMATION

CONVERSION ARRANGEMENT

L	421-0340	CONVERSION ARRANGEMENT	0	NC
		Information only DO NOT ORDER		

CERTIFICATION ARRANGEMENT

L	563-1163	CERTIFICATION ARR, P65	0	NC
		Information only DO NOT ORDER		

HYDRAULIC PERFORMANCE PACKAGE

L	435-8955	PACKAGE, PERFORMANCE (H2)	0	\$920
		Information only DO NOT ORDER		

All of the following are included in this package:
 Standard Flow - 23 gpm (87 lpm)
 Dual Self Level
 Hydraulic Controls - Standard Flow (Must select one below)

HYDRAULIC CONTROLS

L	485-0411	CONTROL, ISO, PROP	0	\$442
		Information only DO NOT ORDER		

Cannot be used with H3. Provides ISO joystick controls (4 button left hand joystick) and electronic foot throttle pedal with decel pedal functionality

POWERTRAIN

L	345-4923	ONE SPEED	0	NC
		Information only DO NOT ORDER		

COMFORT PACKAGES

L	345-6157	ROPS, OPEN (C1)	26	\$445
		Information only DO NOT ORDER		

All of the following are included in this package:
 Deluxe Headliner & rear post trim covers
 Cup Holder
 Seat (Must select one below)

SEAT

L	345-6349	SEAT,AIR SUSPENSION,VINYL,HEAT	0	\$790
		Information only DO NOT ORDER		

High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls.
 For Use With: C1, C2 and C3 Cab Package

CATERPILLAR MACHINE PRICE LIST

246D

USE	REF NO.	DCA OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------------	-----------------	----------------------

AM-NORTH INFORMATION (CONT.)

CFG INFORMATION (Cont.)

ADVANCED DISPLAY

L	416-9265	DISPLAY, ADVANCED, LCD, CAMERA 0 Information only DO NOT ORDER		\$1,155
---	----------	---	--	---------

Includes: Full color 5 in. LCD screen with digital gauge display and rear-view camera. Provides Creep control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security System & Monitoring. Also provides USB charging port.
Note: Anti-theft Security System feature will ship from factory installed but disabled.

QUICK COUPLER

L	345-4910	QUICK COUPLER, MANUAL 0 Information only DO NOT ORDER		NC
---	----------	--	--	----

SEAT BELT

L	258-4095	SEAT BELT, 2" 0 Information only DO NOT ORDER		NC
---	----------	--	--	----

COOLING FAN

L	486-6957	FAN, COOLING, DEMAND 0 Information only DO NOT ORDER		NC
---	----------	---	--	----

Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.

BATTERY

L	481-3908	BATTERY, XTRA HVY DUTY, DISC 0 Information only DO NOT ORDER		\$208
---	----------	---	--	-------

1000 CCA with Battery Disconnect Switch
Recommended for cold weather starting.

WORK LIGHTS

L	495-1672	LIGHTS, HALOGEN 0 Information only DO NOT ORDER		NC
---	----------	--	--	----

Two (2) forward facing adjustable halogen work lights (cab mounted) and two (2) rear facing halogen work lights (frame mounted).