

CATERPILLAR MACHINE PRICE LIST

262D3262D3 SKID STEER LOADER
SANFORD, NC, USAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.3B diesel engine
 -Gross horsepower per SAE J1349
 74.3 hp (55.4 kW) @ 2400 RPM
 -Electric fuel priming pump
 -Glow plugs starting aid
 -Liquid cooled, direct injection
 Air cleaner, dual element, radial seal
 S-O-S sampling valve, hydraulic oil
 Filter, cartridge type, hydraulic
 Filters, canister type, fuel
 and water separator
 Radiator / hydraulic oil
 cooler (side-by-side)
 Spring applied, hydraulically released,
 parking brakes
 Hydrostatic transmission
 Four wheel chain drive

HYDRAULICS

ISO or H pattern controls:
 Electro/hydraulic implement control
 Electro/hydraulic hydrostatic
 transmission control

ELECTRICAL

12 volt electrical system
 80 ampere alternator
 Ignition key start/stop/aux switch
 Lights:
 -LED work lights (2 front, 2 rear)
 -Gauge backlighting
 -Two rear tail lights
 -Dome light
 Backup alarm
 Electrical outlet, beacon

OPERATOR ENVIRONMENT

Operator warning system indicators:
 -Air filter restriction
 -Alternator output
 -Armrest raised/operator out of seat
 -Engine coolant temperature
 -Engine oil pressure
 -Glow plug activation
 -Hydraulic filter restriction
 -Hydraulic oil temperature
 -Park brake engages
 -Engine emission system

Gauges: fuel level and hour meter
 Storage compartment with netting
 Ergonomic contoured armrest
 Control interlock system, when operator
 leaves seat or armrest raised:
 -Hydraulic system disables
 -Hydrostatic transmission disables
 -Parking brake engages
 ROPS cab, open, tilt up
 Anti-theft security system w/6-button
 keypad
 FOPS, level I
 Top and rear windows
 Floor mat
 Interior rear view mirror
 USB charging port
 Horn
 Hand (dial) throttle, electronic

FRAMES

Lift linkage, vertical path
 Chassis, one piece welded
 Machine tie down points (6)
 Belly pan cleanout
 Support, lift arm
 Rear bumper, welded

OTHER STANDARD EQUIPMENT

Engine enclosure - lockable
 Extended life antifreeze (-37C, -34F)
 Work tool coupler
 Hydraulic oil level sight gauge
 Radiator coolant level sight gauge
 Radiator expansion bottle
 Cat ToughGuard TM hose
 Heavy duty flat faced quick disconnects
 with integrated pressure release
 Split D-ring to route work tool hoses
 along side of left lift arm
 Variable speed hydraulic cooling fan
 Per SAE J818-2007 and EN 474-3:2006 and
 ISO 14397-1:2007

CATERPILLAR MACHINE PRICE LIST

262D3

262D3 SKID STEER LOADER
 SANFORD, NC, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

588-9170	262D3 SSL DCA3A 0 LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	\$58,030
----------	---	----------

INCLUDES:

- 512-4262 262D3 SKID STEER LOADER
- 588-9088 CANOPY PACKAGE, PRO PLUS
- 512-4318 HYDRAULICS, PERFORMANCE, (H2)
- 512-4115 CONTROL, ISO, PROP, WT
- 512-4178 POWERTRAIN, TWO SPEED
- 495-1671 LIGHTS, LED
- 512-4193 ROPS, OPEN (C1)
- 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
- 486-6957 FAN, COOLING, DEMAND
- 345-4910 QUICK COUPLER, MANUAL
- 536-9739 SEAT,AIR SUSPENSION,VINYL,HEAT
- 568-4700 FILM, TWO SPEED
- 556-5898 RIDE CONTROL, NONE
- 568-5602 BATTERY,HD,DISCONNECT, 850 CCA
- 356-6082 REAR LIGHTS
- 542-6994 SEAT BELT, 2"
- 566-7115 PRODUCT LINK, CELLULAR PL243
- 568-5602 BATTERY,HD,DISCONNECT, 850 CCA

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select tires.

CATERPILLAR MACHINE PRICE LIST

262D3

262D3 SKID STEER LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

588-9176	262D3 SSL DCA4A 0 LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	\$65,670
-----------------	---	-----------------

INCLUDES:

- 512-4262 262D3 SKID STEER LOADER
- 588-9089 CAB PACKAGE, PRO PLUS
 - 512-4318 HYDRAULICS, PERFORMANCE, (H2)
 - 512-4115 CONTROL, ISO, PROP, WT
 - 512-4178 POWERTRAIN, TWO SPEED
- 495-1671 LIGHTS, LED
- 512-4195 ROPS, ENCLOSED WITH A/C (C3)
- 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
- 486-6957 FAN, COOLING, DEMAND
- 512-3404 QUICK COUPLER, HYDRAULIC
- 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT
- 568-4700 FILM, TWO SPEED
- 345-6180 RADIO, AM/FM, BLUETOOTH
- 556-5899 RIDE CONTROL
- 568-5603 BATTERY,EXTRA HD,DISC,1000 CCA
- 356-6082 REAR LIGHTS
- 539-8060 DOOR, CAB, GLASS
- 542-6994 SEAT BELT, 2"
- 566-7115 PRODUCT LINK, CELLULAR PL243
- 563-1163 CERTIFICATION ARR, P65
- 345-3556 HEATER, ENGINE COOLANT, 120V

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select tires.

CATERPILLAR MACHINE PRICE LIST

262D3

262D3 SKID STEER LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

588-9186	262D3 SSL DCA6A 0	\$70,570
	LANE 1 - AVAILABLE FROM SANFORD PDC	
	LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	
	LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2	

- INCLUDES:
- 512-4262 262D3 SKID STEER LOADER
 - 588-9091 CAB PACKAGE, ULTRA
 - 512-4319 HYDRAULICS, PERFORMANCE, (H3)
 - 512-4115 CONTROL, ISO, PROP, WT
 - 512-4178 POWERTRAIN, TWO SPEED
 - 495-1671 LIGHTS, LED
 - 512-4195 ROPS, ENCLOSED WITH A/C (C3)
 - 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
 - 486-6957 FAN, COOLING, DEMAND
 - 512-3404 QUICK COUPLER, HYDRAULIC
 - 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT
 - 568-4704 FILM,TWO SPEED,W/HIGH FLOW XPS
 - 345-6180 RADIO, AM/FM, BLUETOOTH
 - 556-5899 RIDE CONTROL
 - 568-5603 BATTERY,EXTRA HD,DISC,1000 CCA
 - 356-6082 REAR LIGHTS
 - 539-8061 DOOR, CAB, POLYCARBONATE
 - 542-6994 SEAT BELT, 2"
 - 566-7115 PRODUCT LINK, CELLULAR PL243
 - 563-1163 CERTIFICATION ARR, P65
 - 345-3556 HEATER, ENGINE BLOCK, 120V
 - 345-5148 COUNTERWEIGHT,MACHINE,EXTERNAL

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select tires.

512-4262	262D3 SKID STEER LOADER 0	\$51,220
	LANE 2 - AVAILABLE FROM SANFORD FACTORY	
	LANE 3 - AVAILABLE FROM SANFORD FACTORY	

Meets U.S. EPA Tier 4 Final emission standards
 Available for AM-N, Puerto Rico & South Korea

0P-4762	262D3 MISCELLANEOUS MATERIAL 0	NC
	ONLY AVAILABLE FROM WACO PARTS SERVICE	

Use this top level reference number only when ordering KITS in CMOPS
 to be transferred via the bridge to ANTARES Parts Ordering.

Work Tools are sourced via Caterpillar Parts Distribution system.
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT
 require individual CMOPS order entries and may include both the
 machine and work tool orders.

Refer to WT_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

WARNING DECALS

L	512-3741	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA.		
L	512-3751	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries except USA.		

FILM GROUP RIDE CONTROL

L	422-3445	FILM, RIDE CONTROL, ANSI	0	NC
		ONLY FOR USE WITH: DCA4A & DCA6A		
L	422-3446	FILM, RIDE CONTROL, ISO	0	NC
		ONLY FOR USE WITH: DCA4A & DCA6A		

FILM GROUP, SELF LEVEL

L	435-9238	FILM, SELF LEVEL, ANSI	0	NC
L	435-9239	FILM, SELF LEVEL, ISO	0	NC

TIRES

When ordering a DCA through Lane 2 or 3, dealers may choose their tires from the offerings shown in the Lane 2/3 tire section.

P	185-8667	TIRES, 12/16.5 CAT 10PR	480	\$480
		Caterpillar Tire - Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deepest tread available (26/32") (21mm) results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Directional chevron tread pattern, bias ply. Includes valve stem protection. 72" (1830mm) width		

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING

0P-1176	CAROLINA CDC - - AVAILABILITY 0	\$1 NET
---------	---	----------------

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.	\$213 NET
0P-6439	CORROSION INHIBITOR 0 EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).	\$1,440 NET

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

FEATURE PACKAGES

TRIM PACKAGES

A trim package is required for Lane 2 and optional for Lane 3.

L	588-9086	CANOPY PACKAGE, PRO	0	\$2,725
		INCLUDES:		
		512-4317 HYDRAULICS, PERFORMANCE, (H1)		
		512-4111 CONTROL, ISO, PROP		
		512-4176 POWERTRAIN, ONE SPEED		
		495-1671 LIGHTS, LED		
		512-4193 ROPS, OPEN (C1)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		345-4910 QUICK COUPLER, MANUAL		
		532-7673 SEAT, SUSPENSION, VINYL		
L	588-9087	CAB PACKAGE, PRO	0	\$8,500
		INCLUDES:		
		512-4317 HYDRAULICS, PERFORMANCE, (H1)		
		512-4111 CONTROL, ISO, PROP		
		512-4176 POWERTRAIN, ONE SPEED		
		495-1671 LIGHTS, LED		
		512-4195 ROPS, ENCLOSED WITH A/C (C3)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		512-3404 QUICK COUPLER, HYDRAULIC		
		532-7673 SEAT, SUSPENSION, VINYL		
		345-6175 RADIO READY		
L	588-9088	CANOPY PACKAGE, PRO PLUS	0	\$6,680
		INCLUDES:		
		512-4318 HYDRAULICS, PERFORMANCE, (H2)		
		512-4115 CONTROL, ISO, PROP, WT		
		512-4178 POWERTRAIN, TWO SPEED		
		495-1671 LIGHTS, LED		
		512-4193 ROPS, OPEN (C1)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		345-4910 QUICK COUPLER, MANUAL		
		536-9739 SEAT, AIR SUSPENSION, VINYL, HEAT		
		568-4700 FILM, TWO SPEED		

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

TRIM PACKAGES (Cont.)

L	588-9089	CAB PACKAGE, PRO PLUS 0		\$12,850
		INCLUDES: 512-4318 HYDRAULICS, PERFORMANCE, (H2) 512-4115 CONTROL, ISO, PROP, WT 512-4178 POWERTRAIN, TWO SPEED 495-1671 LIGHTS, LED 512-4195 ROPS, ENCLOSED WITH A/C (C3) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 512-3404 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 345-6180 RADIO, AM/FM, BLUETOOTH 568-4700 FILM, TWO SPEED		
L	588-9090	CANOPY PACKAGE, ULTRA 0		\$10,410
		INCLUDES: 512-4319 HYDRAULICS, PERFORMANCE, (H3) 512-4115 CONTROL, ISO, PROP, WT 512-4178 POWERTRAIN, TWO SPEED 495-1671 LIGHTS, LED 512-4193 ROPS, OPEN (C1) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 345-4910 QUICK COUPLER, MANUAL 536-9739 SEAT,AIR SUSPENSION,VINYL,HEAT 568-4704 FILM,TWO SPEED,W/HIGH FLOW XPS		
L	588-9091	CAB PACKAGE, ULTRA 0		\$16,580
		INCLUDES: 512-4319 HYDRAULICS, PERFORMANCE, (H3) 512-4115 CONTROL, ISO, PROP, WT 512-4178 POWERTRAIN, TWO SPEED 495-1671 LIGHTS, LED 512-4195 ROPS, ENCLOSED WITH A/C (C3) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 512-3404 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 345-6180 RADIO, AM/FM, BLUETOOTH 568-4704 FILM,TWO SPEED,W/HIGH FLOW XPS		

HYDRAULICS

HYDRAULIC PERFORMANCE PACKAGES

L	512-4317	HYDRAULICS, PERFORMANCE, (H1) 0		NC
		FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages All of the following are included in this package: Standard Flow - 23 gpm (87 lpm) Self Level, None		

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC PERFORMANCE PACKAGES (Cont.)

L	512-4318	HYDRAULICS, PERFORMANCE, (H2) 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages All of the following are included in this package: Standard Flow - 23 gpm (87 lpm) Dual Self Level Return To Dig/Wrktl Positioner		\$985
L	512-4319	HYDRAULICS, PERFORMANCE, (H3) 0 FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages All of the following are included in this package: High Flow XPS - 32 gpm (120 lpm) Dual Self Level Return To Dig/Wrktl Positioner		\$4,715

HYDRAULIC CONTROLS

L	512-4111	CONTROL, ISO, PROP 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab package Provides ISO joystick controls (4 button left hand joystick-Thumb roller only right hand joystick) and electronic foot throttle pedal with decel pedal functionality.		\$449
L	512-4115	CONTROL, ISO, PROP, WT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab package, Ultra Canopy & Cab package Provides ISO joystick controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick) and 14 pin work tool electrical harness. Also includes electronic foot throttle pedal with decel pedal functionality. Available for H1, H2. Must be selected with H3.		\$865
L	512-4110	CONTROL, ISO, ON/OFF 0 FOR USE IN LANE 3 ONLY Provides ISO joystick controls and electronic foot throttle pedal with decel pedal functionality Cannot be used with H3		\$232
L	512-4113	CONTROL, HAND-FOOT, PROP 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls (4 button left hand joystick - Thumb roller only right hand joystick) and Foot pedal implement controls		\$885
L	512-4116	CONTROL, HAND-FOOT, PROP, WT 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls and Foot pedal implement controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick). Also includes 14 pin work tool electrical harness. Available for H1, H2. Must be selected with H3.		\$1,290

POWERTRAIN

L	512-4176	POWERTRAIN, ONE SPEED 0 FOR USE WITH LANE 3 ONLY Included in Pro Canopy & Cab packages		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

POWERTRAIN (Cont.)

L	512-4178	POWERTRAIN, TWO SPEED 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages, Ultra Canopy & Cab packages		\$2,120
---	----------	--	--	---------

RIDE CONTROL

L	556-5898	RIDE CONTROL, NONE 0		NC
L	556-5899	RIDE CONTROL 0		\$1,075

STARTERS, BATTERIES, & ALTERNATORS

BATTERIES

L	568-5606	BATTERY, HEAVY DUTY, 850 CCA 0 CANNOT BE USED WITH: EU Dealer		NC
L	568-5602	BATTERY,HD,DISCONNECT, 850 CCA 0 850 CCA with Battery Disconnect Switch		\$129
L	568-5601	BATTERY, EXTRA HD, 1000 CCA 0 Recommended for cold weather starting. CANNOT BE USED WITH: EU Dealer		\$81
L	568-5603	BATTERY,EXTRA HD,DISC,1000 CCA 0 1000 CCA with Battery Disconnect Switch Recommended for cold weather starting.		\$211

ELECTRICAL

WORK LIGHTS

L	495-1671	LIGHTS, LED 0 FOR USE IN LANE 3 ONLY Included in all Trim packages Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		\$287
---	----------	--	--	-------

REAR/ROADING LIGHTS

L	356-6082	REAR LIGHTS 0 Provides standard tail lights (red) CANNOT BE USED WITH: South Korea		NC
L	546-4834	REAR LIGHTS, STOP/TAIL/TURN 0 Provides stop/tail/turn lights (amber/red)		\$358
L	532-8843	ROADING LIGHTS 0 Provides stop/tail/turn lights (amber/red) with front headlights and lift arm mounted front mirrors		\$572

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

COMFORT PACKAGES

L	512-4193	ROPS, OPEN (C1) 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages All of the following are included in this package: Deluxe Headliner & rear post trim covers Cup Holder		\$452
L	512-4195	ROPS, ENCLOSED WITH A/C (C3) 210 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Air Conditioner including Heater and Defroster		\$5,040
L	512-4191	ROPS, OPEN (C0) 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Vinyl Static Seat Cab Mounted Controls, Adjustable (hand tool required) No Headliner or post trim covers.		NC
L	512-4194	ROPS, ENCLOSED WITH HEAT (C2) 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Heater and Defroster		\$2,935

SEAT

L	532-7673	SEAT, SUSPENSION, VINYL 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Includes: Cab Mounted Controls, Adjustable (hand tool required) REQUIRED BY: C1, C2 and C3 cab package		\$369
L	536-9739	SEAT,AIR SUSPENSION,VINYL,HEAT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Canopy packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C1, C2 and C3 cab package		\$800
L	536-9738	SEAT,AIR SUSPENSION,CLOTH,HEAT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C2 and C3 cab package		\$825

DOOR

P	539-8060	DOOR, CAB, GLASS 0 REQUIRED BY: C2 and C3 cab package		\$112
P	539-8061	DOOR, CAB, POLYCARBONATE 0 REQUIRED BY: C2 and C3 cab package		\$220

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	542-6994	SEAT BELT, 2"	0	NC
L	542-6995	SEAT BELT, 3"	0	\$146
		REQUIRED BY: California		

RADIO

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/en/products/technology.html>

L	345-6175	RADIO READY	0	\$158
		FOR USE IN LANE 3 ONLY Included in Pro Cab Package Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. REQUIRED BY: C2 and C3 cab package		
L	345-6180	RADIO, AM/FM, BLUETOOTH	0	\$530
		FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices. REQUIRED BY: C2 and C3 cab package		

MACHINE DISPLAY

L	416-9265	DISPLAY, ADVANCED, LCD, CAMERA	0	\$1,170
		FOR USE IN LANE 3 ONLY Included in all Trim Packages Includes: Full color 5 in. LCD screen with digital gauge display and rear-view camera. Provides Creep control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security System & Monitoring. Also provides USB charging port. Note: Anti-theft Security System feature will ship from factory installed but disabled.		

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	566-7115	PRODUCT LINK, CELLULAR PL243 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		NC
L	573-8121	PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$482

COOLING

COOLING FAN

L	486-6957	FAN, COOLING, DEMAND 0 FOR USE IN LANE 3 ONLY Included in all Trim Packages Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		NC
L	544-4101	FAN, COOLING, DEMAND, REVERSING 0 FOR USE IN LANE 3 ONLY Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality.		\$870

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

1676mm (66") Width

P	252-0347	TIRES, 12X16.5 CAT 14PR XD 597 Caterpillar;XD;Tread Depth=35mm (44/32");1676mm (66") wide Provides very deep tread, ultra heavy sidewalls and extra large rim guards. Ideal for concrete, asphalt, demolition work, quarries and recycling. Tread depth is 70% deeper than CAT Premium Conventional Tires. The XD tire features a special tread compound for long wear and durability. Includes valve stem protection.		\$1,310
P	165-4903	TIRES, 12/16.5 GA 10PR 515 Galaxy;Bias;"Beefy Baby";1676mm (66") wide Designed with extra side wall strength to protect against punctures and abuse. Extra wide lug bar and deep tread give good traction in soft conditions. Includes valve stem protection.		\$755
P	185-8666	TIRES, 12/16.5 CAT 10PR 480 Caterpillar;Bias;Directional chevron tread pattern; Tread Depth=21mm (26/32") 1676mm (66") wide Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deep tread results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Includes valve stem protection.		\$480

1830mm (72") Width

P	252-0377	TIRES, 33X6X11 CAT FLEX SOLID 1,100 Caterpillar Flexport;Extreme Duty;Directional chevron tread pattern; Tread Depth=58mm (75/32");1830mm (72") wide The Flexport design incorporates a series of holes molded through the outer ring of the sidewall. The result is a stable and more cushioned ride while maintaining the benefits of a solid tire. Extra large lugs and deep tread depth mean excellent traction on improved and unimproved surfaces. The rubber tire and steel rim are a one-piece bonded assembly, and replaced as a single unit. No specialized tire service is ever required.		\$3,130
P	252-0346	TIRES, 12X16.5 CAT 14PR XD 597 Caterpillar;XD;Tread Depth=35mm (44/32");1830mm (72") wide Provides very deep tread, ultra heavy sidewalls and extra large rim guards. Ideal for concrete, asphalt, demolition work, quarries and recycling. Tread depth is 70% deeper than CAT Premium Conventional Tires. The XD tire features a special tread compound for long wear and durability. Includes valve stem protection.		\$1,310

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

1830mm (72") Width (Cont.)

P	165-4898	TIRES, 12/16.5 GA 10PR	515	\$755
		Galaxy;Bias;"Beefy Baby";1830mm (72") wide Designed with extra side wall strength to protect against punctures and abuse. Extra wide lug bar and deep tread give good traction in soft conditions. Includes valve stem protection.		
P	185-8667	TIRES, 12/16.5 CAT 10PR	480	\$480
		Caterpillar;Bias;Directional chevron tread pattern; Tread Depth=21mm (26/32") 1830mm (72") wide Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deep tread results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Includes valve stem protection.		

QUICK COUPLERS

L	345-4910	QUICK COUPLER, MANUAL	0	NC
		FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages		
L	512-3404	QUICK COUPLER, HYDRAULIC	0	\$1,025
		FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages		

DOCUMENTATION

CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE

L	563-1163	CERTIFICATION ARR, P65	0	NC
		REQUIRED BY: USA		

INSTRUCTIONS

WARNING DECALS

L	512-3741	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA. ONLY FOR USE WITH: 512-4262 262D3 SKID STEER LOADER		

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS

CUSTOM PAINT

C	OP-0528	PAINT, CUSTOM 0		\$1,920 NET
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. FOR USE IN LANE 3 ONLY Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information.		

Note 1: Florescent colors and matte finishes are not available.
 Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler and radiator grill will be painted black.

PROTECTION

	OP-2266	SHIPPING/STORAGE PROTECTION 0		\$213 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		
	OP-6439	CORROSION INHIBITOR. 0		\$1,440 NET
		EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		

HYDRAULICS

TWO SPEED & HIGH FLOW XPS FILMS

L	568-4700	FILM, TWO SPEED 0		NC
		FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages REQUIRED BY: 512-4178 TWO SPEED		
L	568-4704	FILM, TWO SPEED W/HIGH FLOW XPS 0		NC
		FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages REQUIRED BY: 512-4178 TWO SPEED and 512-4319 HYDRAULICS, PERFORMANCE, (H3)		
L	568-4703	FILM, HIGH FLOW XPS 0		NC
		FOR USE IN LANE 3 ONLY REQUIRED BY: 512-4319 HYDRAULICS, PERFORMANCE, (H3)		

FILM GROUP SELF LEVEL

L	435-9238	FILM, SELF LEVEL, ANSI 0		NC
		REQUIRED BY: 512-4318 HYDRAULICS, PERFORMANCE, (H2) 512-4319 HYDRAULICS, PERFORMANCE, (H3)		

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS (CONT.)

FILM GROUP RIDE CONTROL

L	422-3445	FILM, RIDE CONTROL, ANSI 0 REQUIRED BY: RIDE CONTROL		NC
---	----------	---	--	----

STARTERS, BATTERIES, & ALTERNATORS

L	345-3556	HEATER, ENGINE COOLANT, 120V 0 120 Volt - For additional cold weather startability.		\$201
---	----------	--	--	-------

ELECTRICAL

L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$222
---	----------	--	--	-------

SAFETY AND SECURITY

L	457-1215	LIFTING EYES, FOUR POINT 0 CANNOT BE USED WITH: WATER TANK REQUIRED BY: 565-7319 CONVERSION ARRANGEMENT, ROADING 520-6497 CERTIFICATION ARR, (CE)		\$198
---	----------	--	--	-------

OTHER ATTACHMENTS

L	345-5148	COUNTERWEIGHT, MACHINE, EXTERNAL 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed.		\$1,060
L	563-7518	MOUNTING, FIRE EXTINGUISHER 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher.		\$206
L	418-9011	OIL, HYDRAULIC, COLD OPERATION 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		\$685

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL price lists.

NOTE: Work Tools are sourced via Caterpillar parts distribution system.

CMOPS orders for Skid Steer Loaders and Work Tools MUST be ordered separately.

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS***Available Through Parts Distribution.***

- 345-6070 KIT, FOPS, LEVEL 2**
Falling Object Protective Structure level 2.
Provides additional overhead protection.
Recommended for use in demolition applications.
Not compatible with the roof mounted Auxiliary Hydraulic Cooler.
Meets ISO 3449: 1992
Note: The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS8703
for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**
Contains parts that attach to cab roof and allow machine to be lifted
from a single point. The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS9970
for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**
This kit combines the Falling Object Protective Structure level 2 and
4 point lifting functionality. Recommended for use in applications
where additional overhead protection and 4 point lifting are both
desired (ex. demolition).
Note: The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS9989
for parts list and installation instructions.
- 580-3680 KIT, PL, CELLULAR PL641**
Product Link Basic series PL641 uses cellular networks to transmit
location, utilization and health information for viewing in Product
Link user applications. Cellular technology provides capabilities for
frequent transmission and larger volumes of data.

NOTE: The part number provided is for reference only.
Individual parts must be ordered. Please reference M0107957 for
parts list and installation instructions.
- 523-4908 KIT, DUAL SELF LEVEL**
NOTE: The part number is provided for reference only. Individual
parts must be ordered. Please reference media number M0077274 for
parts list and proper installation instructions. Not compatible with
H2 or H3 performance packages. Estimated time to install: 3.5 hours

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through Parts Distribution. (Cont.)

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$268 USD Dealer Net (July, 2020). Machine must be equipped with the Electronic Self Level Kit to install the SEA. Only compatible with the H1 performance package.

DEDICATED ALTERNATE PATTERN (H-pattern):
 As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):
 This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$255 USD Dealer Net (April 2019). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min. Refer to media REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

ALTERNATE SOURCED ATTACHMENTS

Available Through ANTARES Parts Ordering.

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
 When ordering via CMOPS include top level reference numbers (OP-4762) and OP number for packing.**

P	388-8275	KIT, WINDOW, SIDES	0	\$703 NI
		For proper installation, refer to media number REHS8707.		
		Estimated time to install: 1 hour		
P	594-5978	KIT, DOOR, CAB, GLASS	0	\$1,119
			0	\$1,033 NI
		For proper installation, refer to media number M0116223.		
		Estimated time to install: 1.5 hours		
P	594-5979	KIT, DOOR, CAB, POLYCARBONATE	0	\$1,731
			0	\$1,646 NI
		For proper installation, refer to media number M0116226.		
		Estimated time to install: 1.5 hours		
P	540-9334	KIT, A/C (HEATER/DEFROST)	0	\$3,143 NI
		For proper installation, refer to media number M0098736.		
		Estimated time to install: 8 hours 30 minutes		

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	540-9328	KIT, HEATER 0 For proper installation, refer to media number M0098721. Estimated time to install: 6 hours		\$1,261 NI
P	563-7574	KIT, A/C (CONVERSION) 0 For proper installation, refer to media number M0098757. Estimated time to install: 8 hours		\$2,096 NI
P	571-6164	KIT, RADIO READY 0 For proper installation, refer to media number M0105320. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour		\$154 NI
P	571-6166	KIT, RADIO, AM/FM/BLUETOOTH 0 For proper installation, refer to media number M0105322. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		\$588 NI
P	583-9159	KIT, QUICK COUPLER, HYDRAULIC 0 For proper installation refer to media number M0107667. Estimated time to install: 12 hours		\$1,111 NI
P	544-4095	KIT, RIDE CONTROL 0 For proper installation, refer to media number M0089249. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. Estimated time to install: 3 hours		\$1,068 NI
P	544-4110	KIT, WT ELECTRICAL CONTROL 0 For proper installation, refer to media number M0089383. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours		\$199 NI
P	544-4109	KIT, WT ELECTRICAL CONTROL, DLX 0 For proper installation, refer to media number M0089381. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours		\$718 NI
P	484-0292	KIT, BATTERY DISCONNECT 0 For proper installation, refer to media number SESH0524. Provides components needed to install a battery disconnect switch. Estimated time to install: 1 hour 30 minutes		\$129 NI
P	540-9349	KIT, A/C BREATHER 0 For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$469 NI

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	583-9154	KIT, GUARD, COUPLER 0 For proper installation, refer to media number M0107797. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes		\$204 NI
P	388-7875	KIT, COUNTERWEIGHT, 100 LB ROC 0 Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		\$536 NI
P	498-6623	KIT, DEBRIS 0 For proper installation, refer to media number M0067500. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. Also recommended: Turbo Debris Guard Kit Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 9.5 hours		\$2,249 NI
P	584-1926	KIT, GUARDING 0 For proper installation, refer to media number M0107851. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		\$660 NI
P	416-5705	KIT, TURBO DEBRIS GUARD 0 For proper installation, refer to media number REHS7828. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. It is recommended that the turbo guard kit be used in conjunction with the debris kit. Estimated time to install: 1 hour 30 minutes		\$369 NI
P	415-2795	KIT,ENG AIR INTAKE, PRECLEANER 0 For proper installation, refer to media number REHS5798. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		\$767 NI

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	504-1553	KIT, LICENSE PLATE 0		\$53 NI NET
		For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes		
P	421-0274	KIT, LIFTING EYES, FOUR POINT 0		\$236 NI
		For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER		
P	499-2684	KIT, LIGHTS, LED 0		\$361 NI
		For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour		
P	526-4225	KIT, LIGHTS, REAR, WIDE MOUNT 0		\$443 NI
		For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes		
P	527-2335	KIT, REMOTE GREASE (COUPLER) 0		\$228 NI
		For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours		
P	541-3141	KIT, WINTER, REAR DOOR COVER 0		\$264 NI
		Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour		
P	565-3045	KIT, FIRE EXTINGUISHER MOUNTING 0		\$179 NI
		For proper installation, refer to media number M0099033. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours		
P	583-9158	KIT, FRONT ROADING LIGHTS 0		\$482 NI
		Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number M0107929. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		
P	583-9155	KIT, REAR ROADING LIGHTS 0		\$240 NI
		For proper installation, refer to media number M0107786. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering. (Cont.)

P	544-4102	KIT, DEMAND FAN, REVERSING 0 For proper installation, refer to media number M0089365. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours		\$1,144 NI
P	482-5132	KIT, WATER TANK, 42 US GAL, D 0 Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer		\$1,872 NI
P	583-6486	KIT, HAND/FOOT TO ISO (CVRSN) 0 For proper installation, refer to media number M0108268. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours		\$1,508 NI
P	580-8866	KIT, SSL FENDERS 0 For proper installation, refer to media number M0110335. This kit provides four non-metallic fenders and associated mounting hardware. Great for agriculture, snow cleaning or any application where the side windows and machine frame need to be shielded from mud, snow, water or other debris encountered during the operation of a skid steer loader. Note: Please reference the Special Instructions media number above for tire width and size compatibility information. Compatible only with 1830mm (72") wide tire configurations. Estimate time to install: 3.5 hours		\$1,268 NI

PACKING

DOMESTIC PACKING

OP-0210	PACK, DOMESTIC TRUCK 0	NC
---------	---	-----------

Only to be used when ordering kits via CMOPS.

OP-2162	PACKING, KIT 0	NC
---------	---------------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

262D3

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

AM-NORTH INFORMATION***ENDORSED FIELD INSTALLED ATTACHMENTS***

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

REMOTETASK TM - REMOTE CONTROL SYSTEM

Complete system for use with CAT D3 Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D3 series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.
Email: bcp_work_tools@cat.com

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.
Tel. +1(800) 530-9285, +1(540) 443-9262
Email: sales@torcrobotics.com