

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

272D3 XE SKID STEER LOADER  
 SANFORD, NC, USA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Cat C3.8 turbo aftercooled diesel engine
- Gross horsepower per SAE J1349
- 110 hp (82 kW) @ 2400 RPM
- Electric fuel priming pump
- Air inlet heater starting aid
- Liquid cooled, direct injection
- Two speed travel with ride control
- Air cleaner, dual element, radial seal
- S-O-S sampling valve, hydraulic oil
- Filter, cartridge type, hydraulic
- Filters, canister type, fuel and water separator
- Radiator/hydraulic oil cooler (side-by-side)
- Spring applied, hydraulically released, parking brakes
- Hydrostatic transmission
- Four wheel chain drive

**HYDRAULICS**

- HYDRAULICS, XHP
- High flow: 40 gpm (150 lpm) max
- High flow pressure: 4061 psi
- 28000 kPa max
- Continuous flow
- Hydraulics, proportional
- Worktool harness

**CONTROLS:**

- Electro/hydraulic implement control
- Electro/hydraulic hydrostatic transmission control

**STARTERS, BATTERIES, & ALTERNATORS**

- 1000 CCA heavy duty battery w/disconnect

**ELECTRICAL**

- 12 volt electrical system
- 100 ampere alternator
- Ignition key start / stop / aux switch
- Lights:
- LED work lights (2 front, 2 rear)
- Gauge backlighting
- Two rear tail lights
- Dome light
- Backup alarm
- Electrical outlet, beacon

**OPERATOR ENVIRONMENT**

- Operator warning system indicators:
- Air filter restriction
- Alternator output
- Armrest raised / operator out of seat
- Engine coolant temperature
- Engine oil pressure

- Air inlet heater activation
- Hydraulic filter restriction
- Hydraulic oil temperature
- Park brake engages
- Engine emission system
- Gauges: DEF level, fuel level, hour meter and tachometer
- Storage compartment with netting
- Seat, comfort, air suspension, cloth, heat
- High back heated seat with recline
- Lumbar support
- Fully adjustable seat mounted controls
- Ergonomic contoured armrest
- Control interlock system, when operator leaves seat or armrest raised:
- Hydraulic system disables
- Hydrostatic transmission disables
- Parking brake engages
- ROPS Cab, enclosed (C3), tilt up:
- Air conditioner incl heater/defroster
- Side windows
- Cup holder
- FOPS, Level I
- Top and rear windows
- Deluxe headliner
- Floormat
- Interior rear view mirror
- 12V electric socket
- Horn
- Hand (dial) & foot throttle, electronic
- Dual direction electronic self level - (raise and lower)
- Work tool return to dig
- Work tool positioner
- Electronic snubbing (lift)
- Advanced LCD display
- Full color 5 inch LCD screen
- Advanced anti-theft security system, with 50 user code capability
- Rear view camera

**FRAMES**

- Lift linkage, vertical path
- Chassis, one piece welded
- Machine tie down points (6)
- Belly pan cleanout
- Support, lift arm
- Cast rear bumper
- Ventilated rear door with integrated sealing

**OTHER STANDARD EQUIPMENT**

- Engine enclosure - lockable

## CATERPILLAR MACHINE PRICE LIST

**272D3XE**272D3 XE SKID STEER LOADER  
SANFORD, NC, USAShip Weight  
lbsLIST PRICE  
AT DEALER**OTHER STANDARD EQUIPMENT (CONT.)**

Extended life antifreeze (-37C, -34F)  
 Coupler, mechanical  
 Hydraulic oil level sight gauge  
 Radiator coolant level sight gauge  
 Radiator expansion bottle  
 Cat tough guard hose  
 Heavy duty flat faced quick disconnects  
 with integrated pressure release  
 Split d-ring to route work tool hoses  
 along side of left lift arm  
 Variable speed hydraulic cooling fan  
 Per SAE J818-2007 and EN 474-3:2006 and  
 ISO 14397-1:2007

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

272D3 XE SKID STEER LOADER  
 SANFORD, NC, USA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management program.**

**588-9187      272D3 XE SSL DCA6A . . . . . 0      \$85,130**  
 LANE 1 - AVAILABLE FROM SANFORD PDC  
 LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2  
 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2  
 FOR AUSTRALIA & NEW ZEALAND DEALERS ONLY AVAILABLE IN LANE 1

- INCLUDES:  
 512-4273 272D3XE SKID STEER LOADER  
 588-9098 CAB PACKAGE, ULTRA  
     495-1671 LIGHTS, LED  
     579-8782 FAN, COOLING, DEMAND, REVERSING  
     345-6180 RADIO, AM/FM, CD, BLUETOOTH  
 356-6082 REAR LIGHTS  
 539-8061 DOOR, CAB, POLYCARBONATE  
 542-6994 SEAT BELT, 2"  
 566-7115 PRODUCT LINK, CELLULAR PL243  
 512-3401 QUICK COUPLER, HYDRAULIC  
 563-1163 CERTIFICATION ARR, P65  
 345-3556 HEATER, ENGINE BLOCK, 120V

NOTE: Please refer to the Lane 1 section to complete your order.  
 For Lane 2/3 orders refer to mandatory section to select tires.

**512-4273      272D3 XE SKID STEER LOADER . . . . . 0      \$82,000**  
 LANE 2 - AVAILABLE FROM SANFORD FACTORY  
 LANE 3 - AVAILABLE FROM SANFORD FACTORY

EPA Tier 4 Final certified  
 Available for AM-N, Puerto Rico, South Korea, Australia & New Zealand

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

272D3 XE SKID STEER LOADER  
 SANFORD, NC, USA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**0P-4766**

**272D3XE MISCELLANEOUS MATERIAL . . . . . 0**

**NC**

ONLY AVAILABLE FROM WACO PARTS SERVICE

Use this top level reference number only when ordering KITS in CMOPS  
 to be transferred via the bridge to ANTARES Parts Ordering.

Work Tools are sourced via Caterpillar Parts Distribution system.  
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS  
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT  
 require individual CMOPS order entries and may include both the  
 machine and work tool orders.

Refer to WT\_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER	0	NC
---------	--------------	---	----

**WARNING DECALS**

L	512-4282	INSTRUCTIONS, ANSI, USA This package includes picto decals as required for USA.	0	NC
L	512-4292	INSTRUCTIONS, ISO This package includes picto decals as required for all countries except USA.	0	NC

**FILM GROUP SELF LEVEL**

L	435-9238	FILM, SELF LEVEL, ANSI	0	NC
L	435-9239	FILM, SELF LEVEL, ISO	0	NC

**FILM GROUP, RIDE CONTROL**

L	422-3445	FILM, RIDE CONTROL, ANSI	0	NC
L	422-3446	FILM, RIDE CONTROL, ISO	0	NC

**TIRES**

When ordering a DCA through Lane 2 or 3, dealers may choose their tires from the offerings shown in the Lane 2/3 tire section.

P	331-2490	TIRES, 14/17.5 CAT 14PR Caterpillar;Bias;Directional chevron tread pattern; Tread Depth=21mm (26/32") 1930mm (76") wide Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deepest tread available results in a long life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Includes valve stem protection. CANNOT BE USED WITH: Over the Tire Steel Tracks	774	\$1,975
---	----------	--	-----	---------

**SERVICE INSTRUCTIONS**

421-8926	SERIALIZED TECHNICAL MEDIA KIT The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	0	NC
----------	--	---	----

**PDC PACKING**

OP-1176	CAROLINA CDC - - AVAILABILITY	0	\$1 NET
---------	-------------------------------	---	---------

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**PACKING**

0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
---------	--------------------------------	---	----

**PROTECTION**

0P-2266	<b>SHIPPING/STORAGE PROTECTION . . . . .</b>	0	<b>\$213 NET</b>
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		
0P-6439	<b>CORROSION INHIBITOR . . . . .</b>	0	<b>\$1,440 NET</b>
	EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**FEATURE PACKAGES**

**TRIM PACKAGES**

A trim package is required for Lane 2 and optional for Lane 3.

L	588-9098	CAB PACKAGE, ULTRA . . . . .	0	\$1,685
		INCLUDES: 495-1671 LIGHTS, LED 579-8782 FAN, COOLING, DEMAND, REVERSING 345-6180 RADIO, AM/FM, BLUETOOTH		

**HYDRAULICS**

**FILM GROUP SELF LEVEL**

L	435-9238	FILM, SELF LEVEL, ANSI . . . . .	0	NC
---	----------	----------------------------------	---	----

**FILM GROUP RIDE CONTROL**

L	422-3445	FILM, RIDE CONTROL, ANSI . . . . .	0	NC
---	----------	------------------------------------	---	----

**ELECTRICAL**

**WORK LIGHTS**

L	495-1671	LIGHTS, LED . . . . .	0	\$287
		FOR USE IN LANE 3 ONLY Included in Ultra Cab Package Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		

**REAR/ROADING LIGHTS**

L	356-6082	REAR LIGHTS . . . . .	0	NC
		Provides standard tail lights (red) CANNOT BE USED WITH: South Korea		
L	546-4834	REAR LIGHTS, STOP/TAIL/TURN . . . . .	0	\$358
L	532-8843	ROADING LIGHTS . . . . .	0	\$572

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**DOOR**

P	539-8061	DOOR, CAB, POLYCARBONATE . . . . .	0	\$220
P	539-8060	DOOR, CAB, GLASS . . . . .	0	\$112

**RADIO**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<https://dealer.cat.com/en/products/technology.html>

L	345-6180	RADIO, AM/FM, BLUETOOTH . . . . . FOR USE IN LANE 3 ONLY Included in Ultra Cab Package Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices.	0	\$530
L	345-6175	RADIO READY . . . . . FOR USE IN LANE 3 ONLY Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio.	0	\$158

**SEAT BELT**

L	542-6994	SEAT BELT, 2" . . . . .	0	NC
L	542-6995	SEAT BELT, 3" . . . . . Required in California.	0	\$146

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	566-7115	PRODUCT LINK, CELLULAR PL243 . . . . . Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.	0	NC
L	573-8121	PRODUCT LINK, CELLULAR PL641 . . . . . Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	\$482

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**COOLING**

**COOLING FAN**

L	579-8782	<b>FAN, COOLING, DEMAND, REVERSING</b> ..... 0 FOR USE IN LANE 3 ONLY Included in Ultra Cab Package Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality.		\$870
L	457-3167	<b>FAN, COOLING, DEMAND</b> ..... 0 FOR USE IN LANE 3 ONLY Included in Ultra Cab Package Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		NC

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

**1880mm (74") Width**

P	331-2488	<b>TIRES, 14X17.5 CAT 14PR XD</b> ..... 694 Caterpillar XD Tire - 14-ply pneumatic tire with very deep tread, ultra heavy duty sidewalls and extra large rim guards. Ideal for concrete, asphalt, demolition work, quarries and recycling. Tread depth 47/32" (37mm) is 70% deeper than Cat Premium Conventional Tires. The XD Tire features a special tread compound for long wear and durability. Bias ply. Includes valve stem protection. 1880mm (74") Width NOTE: Not compatible with Over the Tire Steel Tracks.		\$2,525
---	----------	--	--	---------

**1930mm (76") Width**

P	331-2490	<b>TIRES, 14/17.5 CAT 14PR</b> ..... 774 Caterpillar Tire - Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deep tread (26/32") (21mm) results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Directional chevron tread pattern, bias ply. Includes valve stem protection. 1930mm (76") Width NOTE: Not compatible with Over the Tire Steel Tracks.		\$1,975
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**QUICK COUPLERS**

L	512-3401	QUICK COUPLER, HYDRAULIC . . . . .	0	\$1,025
L	345-4910	QUICK COUPLER, MANUAL . . . . .	0	NC

**DOCUMENTATION**

***CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE***

L	563-1163	CERTIFICATION ARR, P65 . . . . . REQUIRED for US	0	NC
---	----------	---	---	----

**INSTRUCTIONS**

***WARNING DECALS***

L	512-4282	INSTRUCTIONS, ANSI, USA . . . . . This package includes picto decals as required for USA.	0	NC
---	----------	--	---	----

***SERVICE INSTRUCTIONS***

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	0	NC
--	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS**

C	OP-0528	<b>PAINT, CUSTOM</b> . . . . . 0		<b>\$1,920 NET</b>
---	---------	----------------------------------	--	--------------------

FOR USE IN LANE 3 ONLY  
 Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information.

Note 1: Florescent colors and matte finishes are not available.  
 Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler and radiator grill will be painted black.

**PROTECTION**

	OP-2266	<b>SHIPPING/STORAGE PROTECTION</b> . . . . . 0		<b>\$213 NET</b>
--	---------	--	--	------------------

Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.

	OP-6439	<b>CORROSION INHIBITOR</b> . . . . . 0		<b>\$1,440 NET</b>
--	---------	--	--	--------------------

EquipCoat is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).

**STARTERS, BATTERIES, & ALTERNATORS**

L	345-3556	<b>HEATER, ENGINE COOLANT, 120V</b> . . . . . 0		<b>\$201</b>
---	----------	---	--	--------------

120 Volt - For additional cold weather startability.

**ELECTRICAL**

L	309-1325	<b>ROTATING BEACON</b> . . . . . 0		<b>\$222</b>
---	----------	------------------------------------	--	--------------

Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.

**SAFETY AND SECURITY**

L	457-1215	<b>LIFTING EYES, FOUR POINT</b> . . . . . 0		<b>\$198</b>
---	----------	---	--	--------------

CANNOT BE USED WITH: WATER TANK  
 REQUIRED BY: 520-6519 CERTIFICATION ARR, (CE)

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

### OTHER ATTACHMENTS

L	345-5148	<b>COUNTERWEIGHT,MACHINE,EXTERNAL</b> . . . . . 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed.		\$1,060
L	563-7518	<b>MOUNTING, FIRE EXTINGUISHER</b> . . . . . 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher.		\$206

### WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL price lists.  
 NOTE: Work Tools are sourced via Caterpillar parts distribution system.  
 CMOPS orders for Skid Steer Loaders and Work Tools MUST be ordered separately.

### FLUIDS

L	418-9011	<b>OIL, HYDRAULIC, COLD OPERATION</b> . . . . . 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		\$685
---	----------	---	--	-------

### FIELD INSTALLED ATTACHMENTS

*Available Through Parts Distribution.*

345-6070	<b>KIT, FOPS, LEVEL 2</b> Falling Object Protective Structure level 2. Provides additional overhead protection. Recommended for use in demolition applications. Not compatible with the roof mounted Auxiliary Hydraulic Cooler. Meets ISO 3449: 1992 Note: The part number provided is for reference only. Individual parts must be ordered. Please reference REHS8703 for parts list and installation instructions.
474-5632	<b>KIT, SINGLE POINT LIFT</b> Contains parts that attach to cab roof and allow machine to be lifted from a single point. The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9970 for parts list and installation instructions.
418-5883	<b>KIT, FOPS LEVEL 2 W/ 4 PT LIFT</b> This kit combines the Falling Object Protective Structure level 2 and 4 point lifting functionality. Recommended for use in applications where additional overhead protection and 4 point lifting are both desired (ex. demolition). Note: The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9989 for parts list and installation instructions.

CATERPILLAR MACHINE PRICE LIST

**272D3XE**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

*Available Through Parts Distribution. (Cont.)*

**580-3680 KIT, PL, CELLULAR PL641**

Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.

NOTE: The part number provided is for reference only. Individual parts must be ordered. Please reference M0107957 for parts list and installation instructions.

DEDICATED ALTERNATE PATTERN (H-pattern):

As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):

This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$255 USD Dealer Net (April, 2019). Allow an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min. Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

**ALTERNATE SOURCED ATTACHMENTS**

*Available Through ANTARES Parts Ordering.*

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.**

**When ordering via CMOPS include top level reference numbers (OP-4766) and OP number for packing.**

P	388-8275	KIT, WINDOW, SIDES . . . . .	0	\$703 NI
		For proper installation, refer to media number REHS8707.		
		Estimated time to install: 1 hour		
P	594-5978	KIT, DOOR, CAB, GLASS . . . . .	0	\$1,119
			0	\$1,033 NI
		For proper installation, refer to media number M0116223.		
		Estimated time to install: 1.5 hours		
P	594-5979	KIT, DOOR, CAB, POLYCARBONATE . . . . .	0	\$1,731
			0	\$1,646 NI
		For proper installation, refer to media number M0116226.		
		Estimated time to install: 1.5 hours		

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	571-6166	<b>KIT, RADIO, AM/FM/BLUETOOTH</b> ..... 0 For proper installation, refer to media number M0105322. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		\$588 NI
P	583-9159	<b>KIT, QUICK COUPLER, HYDRAULIC</b> ..... 0 For proper installation refer to media number M0107667. Estimated time to install: 12 hours		\$1,111 NI
P	540-9349	<b>KIT, A/C BREATHER</b> ..... 0 For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$469 NI
P	583-9154	<b>KIT, GUARD, COUPLER</b> ..... 0 For proper installation, refer to media number M0107797. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes		\$204 NI
P	388-7875	<b>KIT, COUNTERWEIGHT, 100 LB ROC</b> ..... 0 Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		\$536 NI
P	584-0828	<b>KIT, DEBRIS</b> ..... 0 For proper installation, refer to media number M0107743. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. The Debris Kit is required in applications where airborne debris is present and should be used in conjunction with the Turbo Debris Guard kit. Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 10 hours		\$1,931 NI

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	584-3877	<b>KIT, GUARDING</b> ..... 0 For proper installation, refer to media number M0107853. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		\$660 NI
P	587-0678	<b>KIT, TURBO DEBRIS GUARD</b> ..... 0 For proper installation, refer to media number M0112238. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. The Turbo Guard kit is required in applications where airborne debris is present and should be used in conjunction with the Debris Kit. Estimated time to install: 1 hour 30 minutes		\$293 NI
P	451-8378	<b>KIT, COOLER, AUXILIARY HYDR</b> ..... 0 For proper installation, refer to media number REHS9189. Roof mounted auxiliary hydraulic cooler provides additional hydraulic cooling capacity. For use in heavy duty applications (i.e. mulching, brush cutting, etc.) where the machine is utilized continuously in XE mode with high demand on the Hystat system at ambient temperatures greater than 38 Celsius (100 Fahrenheit). Not compatible with the FOPS Level 2 guarding. Estimated time to install: 8 hours		\$2,963 NI
P	594-5620	<b>KIT,ENG AIR INTAKE, PRECLEANER</b> ..... 0 For proper installation, refer to media number M0115889. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		\$480 NI NET
P	558-4849	<b>KIT, ENGINE INSULATION</b> ..... 0 For proper installation, refer to media number M0095246. This kit provides parts that lower the surface temperature of certain engine and exhaust components. It is recommended for debris intensive applications and should be used in conjunction with the Debris Kit & Turbo Debris Guard Kit. Estimated time to install: 8.5 hours		\$1,058 NI
P	504-1553	<b>KIT, LICENSE PLATE</b> ..... 0 For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes		\$53 NI NET
P	421-0274	<b>KIT, LIFTING EYES, FOUR POINT</b> ..... 0 For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER		\$236 NI

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	527-2335	<b>KIT, REMOTE GREASE (COUPLER)</b> . . . . . 0 For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours		\$228 NI
P	541-3141	<b>KIT, WINTER, REAR DOOR COVER</b> . . . . . 0 Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour		\$264 NI
P	565-3045	<b>KIT, FIRE EXTINGUISHER MOUNTING</b> . . . . . 0 For proper installation, refer to media number M0099033. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours		\$179 NI
P	512-0356	<b>KIT, LIGHTS, REAR, WIDE MOUNT</b> . . . . . 0 For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes REQUIRED for Italy Rooding		\$443 NI
P	583-9158	<b>KIT, FRONT ROADING LIGHTS</b> . . . . . 0 Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number M0107929. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		\$482 NI
P	583-9155	<b>KIT, REAR ROADING LIGHTS</b> . . . . . 0 For proper installation, refer to media number M0107786. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		\$240 NI
P	544-4103	<b>KIT, DEMAND FAN, REVERSING</b> . . . . . 0 For proper installation, refer to media number M0089365. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours		\$882 NI
P	482-5132	<b>KIT, WATER TANK, 42 US GAL, D</b> . . . . . 0 Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer		\$1,872 NI

CANNOT BE USED WITH: Four Point Lifting Eyes kit,  
 Single Point Lift kit or Auxiliary Hydraulic Cooler kit

CATERPILLAR MACHINE PRICE LIST

# 272D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	572-7968	KIT, CVRSN, SCREW TO CONNECT . . . . . 0		\$886 NI
		For proper installation, refer to media number M0099347. This kit provides parts to convert the 3/4 inch push-to-connect quick disconnect couplings into a screw-to-connect system. Included are the male/female screw-to-connect quick disconnect couplings for the machine and the male/female screw-to-connect quick disconnect couplings for an attachment. Estimated time to install: 30 minutes		

**PACKING**

**DOMESTIC PACKING**

	OP-0210	PACK, DOMESTIC TRUCK . . . . . 0		NC
--	---------	----------------------------------	--	----

*Only to be used when ordering kits via CMOPS.*

	OP-2162	PACKING, KIT . . . . . 0		NC
--	---------	--------------------------	--	----

**AM-NORTH INFORMATION**

**ENDORSED FIELD INSTALLED ATTACHMENTS**

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

**REMOTETASK TM - REMOTE CONTROL SYSTEM**

Complete system for use with CAT D3 Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D3 series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.  
 Email: [bcp\\_work\\_tools@cat.com](mailto:bcp_work_tools@cat.com)

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.  
 Tel. + 1(800) 530-9285, + 1(540) 443-9262  
 Email: [sales@torcrobotics.com](mailto:sales@torcrobotics.com)