

CATERPILLAR MACHINE PRICE LIST

**279D3**

279D3 COMPACT TRACK LOADER  
 SANFORD, NC, USA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Cat C3.3B diesel engine
- Gross horsepower per SAE J1349  
74.3 hp (55.4 kW) @ 2400 RPM
- Electric fuel priming pump
- Glow plugs starting aid
- Liquid cooled, direct injection
- Air cleaner, dual element, radial seal
- S-O-S sampling valve, hydraulic oil
- Filter, cartridge type, hydraulic
- Filters, canister type, fuel  
and water separator
- Radiator / hydraulic oil  
cooler (side-by-side)
- Spring applied, hydraulically released,  
parking brakes
- Hydrostatic transmission

- Gauges: fuel level and hour meter
- Storage compartment with netting
- Adjustable vinyl seat
- Ergonomic contoured armrest
- Adjustable joystick controls
- Control interlock system, when operator  
leaves seat or armrest raised:
- Hydraulic system disables
- Hydrostatic transmission disables
- Parking brake engages
- ROPS cab, open, tilt up
- Anti-theft security system w/6-button  
keypad
- FOPS, Level I
- Top and rear Windows
- Floormat
- Interior rear view mirror
- 12V electric socket
- Horn
- Hand (dial) throttle, electronic

**UNDERCARRIAGE**

- Dual flange front idler, single flange  
rear idler
- Suspension - independent torsion axle(4)
- Two speed motor

**FRAMES**

- Lift linkage, radial path
- Chassis, one piece welded
- Machine tie down points (6)
- Belly pan cleanout
- Support, lift arm
- Rear bumper, welded

**HYDRAULICS**

- ISO or H pattern controls:
- Electro/hydraulic implement control
- Electro/hydraulic hydrostatic  
transmission control
- Speed sensor guarding

**OTHER STANDARD EQUIPMENT**

- Engine enclosure - lockable
- Extended life antifreeze (-37C, -34F)
- Coupler, mechanical
- Hydraulic oil level sight gauge
- Radiator coolant level sight gauge
- Radiator expansion bottle
- Cat tough guard hose
- Heavy duty flat faced quick disconnects  
with integrated pressure release
- Split D-ring to route work tool hoses  
along side of left lift arm
- Variable speed hydraulic cooling fan
- Per SAE J818-2007 and EN 474-3:2006 and  
ISO 14397-1:2007

**ELECTRICAL**

- 12 Volt electrical system
- 80 Ampere alternator
- Ignition key start/stop/aux switch
- Lights:
- LED work lights (2 front, 2 rear)
- Gauge backlighting
- Two rear tail lights
- Dome light
- Backup alarm
- Electrical outlet, beacon

**OPERATOR ENVIRONMENT**

- Operator warning system indicators:
- Air filter restriction
- Alternator output
- Armrest raised / operator out of seat
- Engine coolant temperature
- Engine oil pressure
- Glow plug activation
- Hydraulic filter restriction
- Hydraulic oil temperature
- Park brake engages
- Engine emission system

CATERPILLAR MACHINE PRICE LIST

**279D3**

279D3 COMPACT TRACK LOADER  
 SANFORD, NC, USA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management program.**

**588-9182      279D3 CTL DCA4A ..... 0      \$85,420**

LANE 1 - AVAILABLE FROM SANFORD PDC  
 LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2  
 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2  
 USE FBC or CHECK LA TOOL FOR AVAILABILITY

INCLUDES:

- 512-4279 279D3 COMPACT TRACK LOADER
- 588-9126 CAB PACKAGE, PRO PLUS
  - 512-4315 HYDRAULICS, PERFORMANCE, (H2)
  - 512-4115 CONTROL, ISO, PROP, WT
  - 495-1671 LIGHTS, LED
  - 357-0240 RUBBER BELT, 2 SPD, TF IDLER
  - 512-4195 ROPS, ENCLOSED WITH A/C (C3)
  - 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
  - 486-6957 FAN, COOLING, DEMAND
  - 512-3403 QUICK COUPLER, HYDRAULIC
  - 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT
  - 568-4700 FILM, TWO SPEED
  - 345-6180 RADIO, AM/FM, BLUETOOTH
- 556-5898 RIDE CONTROL, NONE
- 568-5603 BATTERY,EXTRA HD,DISC,1000 CCA
- 356-6082 REAR LIGHTS
- 539-8060 DOOR, CAB, GLASS
- 542-6994 SEAT BELT, 2"
- 566-7115 PRODUCT LINK, CELLULAR PL243
- 563-1163 CERTIFICATION ARR, P65
- 345-3556 HEATER, ENGINE COOLANT, 120V

NOTE: Please refer to the Lane 1 section to complete your order.  
 For Lane 2/3 orders refer to mandatory section to select tracks.

CATERPILLAR MACHINE PRICE LIST

**279D3**

279D3 COMPACT TRACK LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------------------	--------------------	-------------------------

<b>588-9189</b>	<b>279D3 CTL DCA6A</b> . . . . . 0	<b>\$90,320</b>
	LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 USE FBC or CHECK LA TOOL FOR AVAILABILITY	

- INCLUDES:
- 512-4279 279D3 COMPACT TRACK LOADER
  - 588-9128 CAB PACKAGE, ULTRA
    - 512-4316 HYDRAULICS, PERFORMANCE, (H3)
    - 512-4115 CONTROL, ISO, PROP, WT
    - 495-1671 LIGHTS, LED
    - 357-0240 RUBBER BELT, 2 SPD, TF IDLER
    - 512-4195 ROPS, ENCLOSED WITH A/C (C3)
    - 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
    - 486-6957 FAN, COOLING, DEMAND
    - 512-3403 QUICK COUPLER, HYDRAULIC
    - 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT
    - 568-4704 FILM,TWO SPEED W/HIGH FLOW XPS
    - 345-6180 RADIO, AM/FM, BLUETOOTH
  - 556-5898 RIDE CONTROL, NONE
  - 568-5603 BATTERY,EXTRA HD,DISC,1000 CCA
  - 356-6082 REAR LIGHTS
  - 539-8061 DOOR, CAB, POLYCARBONATE
  - 542-6994 SEAT BELT, 2"
  - 566-7115 PRODUCT LINK, CELLULAR PL243
  - 563-1163 CERTIFICATION ARR, P65
  - 345-3556 HEATER, ENGINE COOLANT, 120V
  - 345-5148 COUNTERWEIGHT,MACHINE,EXTERNAL

NOTE: Please refer to the Lane 1 section to complete your order.  
 For Lane 2/3 orders refer to mandatory section to select tracks.

<b>512-4279</b>	<b>279D3 COMPACT TRACK LOADER</b> . . . . . 0	<b>\$73,120</b>
	LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY	

Meets U.S. EPA Tier 4 Final emission standards  
 Available for AM-N, Puerto Rico & South Korea

<b>0P-4763</b>	<b>279D3 MISCELLANEOUS MATERIAL</b> . . . . . 0	<b>NC</b>
	ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.	

Work Tools are sourced via Caterpillar Parts Distribution system.  
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS  
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT  
 require individual CMOPS order entries and may include both the  
 machine and work tool orders.

Refer to WT\_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

	OP-9001	LANE 1 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**WARNING DECALS**

L	512-3743	INSTRUCTIONS, ANSI, USA . . . . .	0	NC
		This package includes picto decals as required for USA.		
L	512-3753	INSTRUCTIONS, ISO . . . . .	0	NC
		This package includes picto decals as required for all countries except USA.		

**TRACKS**

When ordering a DCA through Lane 2 or 3, dealers may choose their track from the offerings shown in the Lane 2/3 track section.

L	454-6059	TRACK,RUBBER,450MM(17.7 IN)BAR . . . . .	0	\$735
		Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width.		

**SERVICE INSTRUCTIONS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

**PACKING**

	OP-1176	CAROLINA CDC - - AVAILABILITY . . . . .	0	\$1 NET
--	---------	-----------------------------------------	---	---------

**PROTECTION**

	OP-2266	SHIPPING/STORAGE PROTECTION . . . . .	0	\$213 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		
	OP-6439	CORROSION INHIBITOR. . . . .	0	\$1,440 NET
		EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**FEATURE PACKAGES**

**TRIM PACKAGES**

A trim package is required for Lane 2 and optional for Lane 3.

L	588-9123	<b>CANOPY PACKAGE, PRO</b> . . . . .	0	\$2,725
		INCLUDES:		
		512-4313 HYDRAULICS, PERFORMANCE, (H1)		
		512-4111 CONTROL, ISO, PROP		
		495-1671 LIGHTS, LED		
		357-0230 RUBBER BELT, 2 SPD, D/S IDLER		
		512-4192 ROPS, OPEN (C1)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		345-4910 QUICK COUPLER, MANUAL		
		532-7673 SEAT, SUSPENSION, VINYL		
		568-4700 FILM, TWO SPEED		
L	588-9124	<b>CAB PACKAGE, PRO</b> . . . . .	0	\$8,500
		INCLUDES:		
		512-4313 HYDRAULICS, PERFORMANCE, (H1)		
		512-4111 CONTROL, ISO, PROP		
		495-1671 LIGHTS, LED		
		357-0230 RUBBER BELT, 2 SPD, D/S IDLER		
		512-4195 ROPS, ENCLOSED WITH A/C (C3)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		512-3403 QUICK COUPLER, HYDRAULIC		
		532-7673 SEAT, SUSPENSION, VINYL		
		345-6175 RADIO READY		
		568-4700 FILM, TWO SPEED		
L	588-9125	<b>CANOPY PACKAGE, PRO PLUS</b> . . . . .	0	\$5,610
		INCLUDES:		
		512-4315 HYDRAULICS, PERFORMANCE, (H2)		
		512-4115 CONTROL, ISO, PROP, WT		
		495-1671 LIGHTS, LED		
		357-0240 RUBBER BELT, 2 SPD, TF IDLERS		
		512-4192 ROPS, OPEN (C1)		
		416-9265 DISPLAY, ADVANCED, LCD, CAMERA		
		486-6957 FAN, COOLING, DEMAND		
		345-4910 QUICK COUPLER, MANUAL		
		536-9739 SEAT, AIR SUSPENSION, VINYL, HEAT		
		568-4700 FILM, TWO SPEED		

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

**TRIM PACKAGES (Cont.)**

L	588-9126	<b>CAB PACKAGE, PRO PLUS</b> . . . . . 0		<b>\$11,780</b>
		INCLUDES: 512-4315 HYDRAULICS, PERFORMANCE, (H2) 512-4115 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 357-0240 RUBBER BELT, 2 SPD, TF IDLERS 512-4195 ROPS, ENCLOSED WITH A/C (C3) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 512-3403 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 345-6180 RADIO, AM/FM, BLUETOOTH 568-4700 FILM, TWO SPEED		
L	588-9127	<b>CANOPY PACKAGE, ULTRA</b> . . . . . 0		<b>\$9,340</b>
		INCLUDES: 512-4316 HYDRAULICS, PERFORMANCE, (H3) 512-4115 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 357-0240 RUBBER BELT, 2 SPD, TF IDLERS 512-4192 ROPS, OPEN (C1) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 345-4910 QUICK COUPLER, MANUAL 536-9739 SEAT,AIR SUSPENSION,VINYL,HEAT 568-4704 FILM,TWO SPEED,W/HIGH FLOW XPS		
L	588-9128	<b>CAB PACKAGE, ULTRA</b> . . . . . 0		<b>\$15,510</b>
		INCLUDES: 512-4316 HYDRAULICS, PERFORMANCE, (H3) 512-4115 CONTROL, ISO, PROP, WT 495-1671 LIGHTS, LED 357-0240 RUBBER BELT, 2 SPD, TF IDLERS 512-4195 ROPS, ENCLOSED WITH A/C (C3) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6957 FAN, COOLING, DEMAND 512-3403 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 345-6180 RADIO, AM/FM, BLUETOOTH 568-4704 FILM,TWO SPEED,W/HIGH FLOW XPS		

**UNDERCARRIAGE**

**UNDERCARRIAGE**

L	357-0230	<b>RUBBER BELT, 2 SPD, D/S IDLER</b> . . . . . 0		<b>NC</b>
		FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Provides undercarriage for the steel embed rubber belt with dual flange front idler and single flange rear idler		
L	357-0240	<b>RUBBER BELT, 2 SPD, TF IDLERS</b> . . . . . 0		<b>\$1,055</b>
		FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages, Ultra Canopy & Cab packages Provides undercarriage for the steel embed rubber belt with triple flange front and rear idlers		

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACKS**

L	372-5790	<b>TRACK,RUBBER,450MM(17.7IN)BLCK</b> . . . . . 0 Steel embed rubber track with standard construction block tread. Provides 1,981mm (78 inch) machine width		\$675
L	454-6059	<b>TRACK,RUBBER,450MM(17.7 IN)BAR</b> . . . . . 0 Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width		\$735

**HYDRAULICS**

**HYDRAULIC PERFORMANCE PACKAGES**

L	512-4313	<b>HYDRAULICS, PERFORMANCE, (H1)</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages All of the following are included in this package: Standard Flow - 23 gpm (87 lpm) Self Level, None		NC
L	512-4315	<b>HYDRAULICS, PERFORMANCE, (H2)</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages All of the following are included in this package: Standard Flow - 23 gpm (87 lpm) Dual Self Level Return To Dig/Wrktl Positioner		\$985
L	512-4316	<b>HYDRAULICS, PERFORMANCE, (H3)</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages All of the following are included in this package High Flow XPS - 32 gpm (120 lpm) Dual Self Level Return To Dig/Wrktl Positioner		\$4,715

**HYDRAULIC CONTROLS**

L	512-4111	<b>CONTROL, ISO, PROP</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab package Provides ISO joystick controls (4 button left hand joystick-Thumb roller only right hand joystick) and electronic foot throttle pedal with decel pedal functionality.		\$449
L	512-4115	<b>CONTROL, ISO, PROP, WT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab package, Ultra Canopy & Cab package Provides ISO joystick controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick) and 14 pin work tool electrical harness. Also includes electronic foot throttle pedal with decel pedal functionality. Available for H1, H2. Must be selected with H3.		\$865
L	512-4110	<b>CONTROL, ISO, ON/OFF</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides ISO joystick controls and electronic foot throttle pedal with decel pedal functionality Cannot be used with H3		\$232

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC CONTROLS (Cont.)**

L	512-4113	<b>CONTROL, HAND-FOOT, PROP</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls (4 button left hand joystick - Thumb roller only right hand joystick) and Foot pedal implement controls		\$885
L	512-4116	<b>CONTROL, HAND-FOOT, PROP, WT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls and Foot pedal implement controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick). Also includes 14 pin work tool electrical harness. Available for H1, H2. Must be selected with H3.		\$1,290

**RIDE CONTROL**

L	556-5898	<b>RIDE CONTROL, NONE</b> . . . . . 0		NC
L	556-5899	<b>RIDE CONTROL</b> . . . . . 0		\$1,075

**STARTERS, BATTERIES, & ALTERNATORS**

**BATTERIES**

L	568-5606	<b>BATTERY, HEAVY DUTY, 850 CCA</b> . . . . . 0 CANNOT BE USED WITH: EU Dealer		NC
L	568-5602	<b>BATTERY,HD,DISCONNECT, 850 CCA</b> . . . . . 0 850 CCA with Battery Disconnect Switch		\$129
L	568-5601	<b>BATTERY, EXTRA HD, 1000 CCA</b> . . . . . 0 Recommended for cold weather starting. CANNOT BE USED WITH: EU Dealer		\$81
L	568-5603	<b>BATTERY,EXTRA HD,DISC,1000 CCA</b> . . . . . 0 1000 CCA with Battery Disconnect Switch Recommended for cold weather starting.		\$211

**ELECTRICAL**

**WORK LIGHTS**

L	495-1671	<b>LIGHTS, LED</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in all Trim packages Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		\$287
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

**REAR/ROADING LIGHTS**

L	356-6082	<b>REAR LIGHTS</b> . . . . . 0 Provides standard tail lights (red) CANNOT BE USED WITH: South Korea		NC
L	546-4834	<b>REAR LIGHTS, STOP/TAIL/TURN</b> . . . . . 0 Provides stop/tail/turn lights (amber/red)		\$358

CATERPILLAR MACHINE PRICE LIST

**279D3**

---

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

---

**ELECTRICAL (CONT.)**

***REAR/ROADING LIGHTS (Cont.)***

L	532-8843	<b>ROADING LIGHTS . . . . . 0</b> Provides stop/tail/turn lights (amber/red) with front headlights and lift arm mounted front mirrors.	<b>\$572</b>
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------	--------------

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**COMFORT PACKAGES**

L	512-4192	<b>ROPS, OPEN (C1)</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages All of the following are included in this package: Deluxe Headliner & rear post trim covers Cup Holder		\$452
L	512-4195	<b>ROPS, ENCLOSED WITH A/C (C3)</b> . . . . . 210 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Air Conditioner including Heater and Defroster		\$5,040
L	512-4190	<b>ROPS, OPEN (C0)</b> . . . . . 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Vinyl Static Seat Cab Mounted Controls, Adjustable (hand tool required) No Headliner or post trim covers.		NC
L	512-4194	<b>ROPS, ENCLOSED WITH HEAT (C2)</b> . . . . . 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Heater and Defroster		\$2,935

**SEAT**

L	532-7673	<b>SEAT, SUSPENSION, VINYL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Includes: Cab Mounted Controls, Adjustable (hand tool required) REQUIRED BY: C1, C2 and C3 cab package		\$369
L	536-9739	<b>SEAT,AIR SUSPENSION,VINYL,HEAT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Canopy packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C1, C2 and C3 cab package		\$800
L	536-9738	<b>SEAT,AIR SUSPENSION,CLOTH,HEAT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C2 and C3 cab package		\$825

**DOOR**

P	539-8060	<b>DOOR, CAB, GLASS</b> . . . . . 0 REQUIRED BY: C2 and C3 cab package		\$112
P	539-8061	<b>DOOR, CAB, POLYCARBONATE</b> . . . . . 0 REQUIRED BY: C2 and C3 cab package		\$220

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT BELT**

L	542-6994	SEAT BELT, 2" .....	0	NC
L	542-6995	SEAT BELT, 3" .....	0	\$146
		REQUIRED BY: California		

**RADIO**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<https://dealer.cat.com/en/products/technology.html>

L	345-6175	RADIO READY .....	0	\$158
		FOR USE IN LANE 3 ONLY Included in Pro Cab Package Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. REQUIRED BY: C2 and C3 cab package		
L	345-6180	RADIO, AM/FM, BLUETOOTH .....	0	\$530
		FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices. REQUIRED BY: C2 and C3 cab package		

**MACHINE DISPLAY**

L	416-9265	DISPLAY, ADVANCED, LCD, CAMERA .....	0	\$1,170
		FOR USE IN LANE 3 ONLY Included in all Trim Packages Includes: Full color 5 in. LCD screen with digital gauge display and rear-view camera. Provides Creep control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security System & Monitoring. Also provides USB charging port. Note: Anti-theft Security System feature will ship from factory installed but disabled.		

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	566-7115	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		NC
L	573-8121	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$482

**COOLING**

**COOLING FAN**

L	486-6957	<b>FAN, COOLING, DEMAND</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in all Trim Packages Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		NC
L	544-4101	<b>FAN, COOLING, DEMAND, REVERSING</b> . . . . . 0 FOR USE IN LANE 3 ONLY Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality.		\$870

**QUICK COUPLERS**

L	345-4910	<b>QUICK COUPLER, MANUAL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages		NC
L	512-3403	<b>QUICK COUPLER, HYDRAULIC</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages		\$1,025

**DOCUMENTATION**

**CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE**

L	563-1163	<b>CERTIFICATION ARR, P65</b> . . . . . 0 REQUIRED BY: USA		NC
---	----------	---------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**INSTRUCTIONS**

**WARNING DECALS**

L	512-3743	INSTRUCTIONS, ANSI, USA . . . . . 0 This package includes picto decals as required for USA. ONLY FOR USE WITH: 512-4279 279D3 COMPACT TRACK LOADER		NC
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

**SERVICE INSTRUCTIONS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS**

***CUSTOM PAINT***

C	0P-0528	<b>PAINT, CUSTOM . . . . . 0</b> FOR USE IN LANE 3 ONLY Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information.  Note 1: Florescent colors and matte finishes are not available. Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler and radiator grill will be painted black.		<b>\$1,920 NET</b>
---	---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------

***PROTECTION***

	0P-2266	<b>SHIPPING/STORAGE PROTECTION . . . . . 0</b> Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		<b>\$213 NET</b>
	0P-6439	<b>CORROSION INHIBITOR. . . . . 0</b> EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		<b>\$1,440 NET</b>

**HYDRAULICS**

***TWO SPEED & HIGH FLOW FILMS***

L	568-4700	<b>FILM, TWO SPEED . . . . . 0</b> FOR USE IN LANE 3 ONLY Included in Pro & Pro Plus Canopy & Cab packages REQUIRED BY: 512-4313 HYDRAULICS, PERFORMANCE, (H1) or 512-4315 HYDRAULICS, PERFORMANCE, (H2)		<b>NC</b>
L	568-4704	<b>FILM, TWO SPEED W/HIGH FLOW XPS . . . . . 0</b> FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages REQUIRED BY: 512-4316 HYDRAULICS, PERFORMANCE, (H3)		<b>NC</b>

***FILM GROUP RIDE CONTROL***

L	422-3445	<b>FILM, RIDE CONTROL, ANSI . . . . . 0</b> REQUIRED BY: RIDE CONTROL		<b>NC</b>
---	----------	--------------------------------------------------------------------------	--	-----------

**STARTERS, BATTERIES, & ALTERNATORS**

L	345-3556	<b>HEATER, ENGINE COOLANT, 120V . . . . . 0</b> 120 Volt - For additional cold weather startability.		<b>\$201</b>
---	----------	---------------------------------------------------------------------------------------------------------	--	--------------

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ELECTRICAL**

L	309-1325	<b>ROTATING BEACON</b> . . . . . 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		<b>\$222</b>
---	----------	---------------------------------------------------------------------------------------------------------------------------	--	--------------

**SAFETY AND SECURITY**

L	457-1215	<b>LIFTING EYES, FOUR POINT</b> . . . . . 0 CANNOT BE USED WITH: WATER TANK REQUIRED BY: 565-7319 CONVERSION ARRANGEMENT,ROADING 520-6513 CERTIFICATION ARR, (CE)		<b>\$198</b>
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------

**OTHER ATTACHMENTS**

L	345-5148	<b>COUNTERWEIGHT,MACHINE,EXTERNAL</b> . . . . . 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed.		<b>\$1,060</b>
L	563-7518	<b>MOUNTING, FIRE EXTINGUISHER</b> . . . . . 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher.		<b>\$206</b>
L	418-9011	<b>OIL, HYDRAULIC, COLD OPERATION</b> . . . . . 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		<b>\$685</b>

**WORK TOOLS**

To view and order all available Work Tool Selections refer to WT-SSL price lists.  
 NOTE: Work Tools are sourced via Caterpillar parts distribution system.  
 CMOPS orders for Compact Track Loaders and Work Tools MUST be ordered separately.

**FIELD INSTALLED ATTACHMENTS**

*Available Through Parts Distribution.*

345-6070	<b>KIT, FOPS, LEVEL 2</b> Falling Object Protective Structure level 2. Provides additional overhead protection. Recommended for use in demolition applications. Not compatible with the roof mounted Auxiliary Hydraulic Cooler. Meets ISO 3449: 1992 Note: The part number provided is for reference only. Individual parts must be ordered. Please reference REHS8703 for parts list and installation instructions.
----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)*****Available Through Parts Distribution. (Cont.)*****474-5632 KIT, SINGLE POINT LIFT**

Contains parts that attach to cab roof and allow machine to be lifted from a single point. The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9970 parts list and installation instructions.

**418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**

This kit combines the Falling Object Protective Structure level 2 and 4 point lifting functionality. Recommended for use in applications where additional overhead protection and 4 point lifting are both desired (ex. demolition).

Note: The part number provided is for reference only.

Individual parts must be ordered. Please reference REHS9989 for parts list and installation instructions.

**580-3680 KIT, PL, CELLULAR PL641**

Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.

NOTE: The part number provided is for reference only.

Individual parts must be ordered. Please reference M0107957 for parts list and installation instructions.

**422-3362 KIT, DUAL SELF LEVEL**

NOTE: The part number is provided for reference only. Individual parts must be ordered. Please reference media number REHS7811 for parts list and proper installation instructions. Not compatible with H2 or H3 performance packages. Estimated time to install: 3.5 hours

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$268 USD Dealer Net (July, 2020). Machine must be equipped with the Electronic Self Level Kit to install the SEA. Only compatible with the H1 performance package.

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

*Available Through Parts Distribution. (Cont.)*

DEDICATED ALTERNATE PATTERN (H-pattern):

As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):

This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$255 USD Dealer Net (April 2019). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min. Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

**ALTERNATE SOURCED ATTACHMENTS**

*Available Through ANTARES Parts Ordering.*

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.**  
**When ordering via CMOPS include top level reference numbers (OP-4763) and OP number for packing.**

P	388-8275	KIT, WINDOW, SIDES . . . . .	0	\$703 NI
		For proper installation, refer to media number REHS8707.		
		Estimated time to install: 1 hour		
P	594-5978	KIT, DOOR, CAB, GLASS . . . . .	0	\$1,119
			0	\$1,033 NI
		For proper installation, refer to media number M0116223.		
		Estimated time to install: 1.5 hours		
P	594-5979	KIT, DOOR, CAB, POLYCARBONATE . . . . .	0	\$1,731
			0	\$1,646 NI
		For proper installation, refer to media number M0116226.		
		Estimated time to install: 1.5 hours		
P	540-9334	KIT, A/C (HEATER/DEFROST) . . . . .	0	\$3,143 NI
		For proper installation, refer to media number M0098736.		
		Estimated time to install: 8 hours 30 minutes		
P	540-9328	KIT, HEATER . . . . .	0	\$1,261 NI
		For proper installation, refer to media number M0098721.		
		Estimated time to install: 6 hours		
P	563-7574	KIT, A/C (CONVERSION) . . . . .	0	\$2,096 NI
		For proper installation, refer to media number M0098757.		
		Estimated time to install: 8 hours		

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	571-6164	<b>KIT, RADIO READY</b> . . . . . 0 For proper installation, refer to media number M0105320. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour		<b>\$154 NI</b>
P	571-6166	<b>KIT, RADIO, AM/FM/BLUETOOTH</b> . . . . . 0 For proper installation, refer to media number M0105322. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		<b>\$588 NI</b>
P	583-9159	<b>KIT, QUICK COUPLER, HYDRAULIC</b> . . . . . 0 For proper installation refer to media number M0107667. Estimated time to install: 12 hours		<b>\$1,111 NI</b>
P	583-9154	<b>KIT, GUARD, COUPLER</b> . . . . . 0 For proper installation, refer to media number M0107797. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes		<b>\$204 NI</b>
P	544-4095	<b>KIT, RIDE CONTROL</b> . . . . . 0 For proper installation, refer to media number M0089249. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. Estimated time to install: 3 hours		<b>\$1,068 NI</b>
P	544-4110	<b>KIT, WT ELECTRICAL CONTROL</b> . . . . . 0 For proper installation, refer to media number M0089383. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours		<b>\$199 NI</b>
P	544-4109	<b>KIT,WT ELECTRICAL CONTROL, DLX</b> . . . . . 0 For proper installation, refer to media number M0089381. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours		<b>\$718 NI</b>
P	484-0292	<b>KIT, BATTERY DISCONNECT</b> . . . . . 0 For proper installation, refer to media number SESH0524. Provides components needed to install a battery disconnect switch. Estimated time to install: 1 hour 30 minutes		<b>\$129 NI</b>
P	540-9349	<b>KIT, A/C BREATHER</b> . . . . . 0 For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		<b>\$469 NI</b>

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	555-7209	<b>KIT, AXLE STOP</b> . . . . . 0 For proper installation, refer to media number M0096169. Limits torsion axle rotation while continuing to isolate the operator from vibrations. This kit may be desired by customers that wish to reduce motion of the bucket edge during truck loading, fine grading or handling heavy material. Estimated time to install: 3 hours		<b>\$421 NI</b>
P	388-7875	<b>KIT, COUNTERWEIGHT, 100 LB ROC</b> . . . . . 0 Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		<b>\$536 NI</b>
P	471-7023	<b>KIT, DEBRIS</b> . . . . . 0 For proper installation, refer to media number SEHS0196. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. Also recommended: Turbo Debris Guard Kit Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 10 hours		<b>\$1,360 NI</b>
P	584-1926	<b>KIT, GUARDING</b> . . . . . 0 For proper installation, refer to media number M0107851. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		<b>\$660 NI</b>
P	416-5705	<b>KIT, TURBO DEBRIS GUARD</b> . . . . . 0 For proper installation, refer to media number REHS7828. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. It is recommended that the turbo guard kit be used in conjunction with the debris kit. Estimated time to install: 1 hour 30 minutes		<b>\$369 NI</b>
P	415-2795	<b>KIT, ENG AIR INTAKE, PRECLEANER</b> . . . . . 0 For proper installation, refer to media number REHS5798. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		<b>\$767 NI</b>

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	504-1553	KIT, LICENSE PLATE . . . . . 0		\$53 NI NET
		For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes		
P	421-0274	KIT, LIFTING EYES, FOUR POINT . . . . . 0		\$236 NI
		For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER		
P	499-2684	KIT, LIGHTS, LED . . . . . 0		\$361 NI
		For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour		
P	512-0356	KIT, LIGHTS, REAR, WIDE MOUNT . . . . . 0		\$443 NI
		For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes REQUIRED for Italy Rooding		
P	527-2335	KIT, REMOTE GREASE (COUPLER) . . . . . 0		\$228 NI
		For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours		
P	541-3141	KIT, WINTER, REAR DOOR COVER . . . . . 0		\$264 NI
		Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour		
P	565-3045	KIT, FIRE EXTINGUISHER MOUNTING . . . . . 0		\$179 NI
		For proper installation, refer to media number M0099033. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours		
P	583-9158	KIT, FRONT ROADING LIGHTS . . . . . 0		\$482 NI
		Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number M0107929. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		
P	583-9155	KIT, REAR ROADING LIGHTS . . . . . 0		\$240 NI
		For proper installation, refer to media number M0107786. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		

CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering. (Cont.)*

P	544-4102	<b>KIT, DEMAND FAN, REVERSING</b> . . . . . 0 For proper installation, refer to media number M0089365. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours		<b>\$1,144 NI</b>
P	576-4430	<b>KIT, GUARD, DRIVELINES</b> . . . . . 0 For proper installation, refer to media number M0106009. This kit provides additional guarding for customers in demanding applications where guarding for the drive lines is desired. Estimated time to install: 4 hours		<b>\$529 NI</b>
P	482-5132	<b>KIT, WATER TANK, 42 US GAL, D</b> . . . . . 0 Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer		<b>\$1,872 NI</b>
P	583-6486	<b>KIT, HAND/FOOT TO ISO (CVRSN)</b> . . . . . 0 CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit or Auxiliary Hydraulic Cooler kit For proper installation, refer to media number M0108268. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours		<b>\$1,508 NI</b>

**PACKING**

**DOMESTIC PACKING**

OP-0210	PACK, DOMESTIC TRUCK	. . . . . 0		<b>NC</b>
---------	----------------------	-------------	--	-----------

*Only to be used when ordering kits via CMOPS.*

OP-2162	PACKING, KIT	. . . . . 0		<b>NC</b>
---------	--------------	-------------	--	-----------

**AM-NORTH INFORMATION**

**PRODUCT LINK**

L	566-7115	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 FOR INFORMATION ONLY - Do Not Order		<b>NC</b>
<p>Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.</p>				

## CATERPILLAR MACHINE PRICE LIST

**279D3**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**AM-NORTH INFORMATION (CONT.)*****ENDORSED FIELD INSTALLED ATTACHMENTS***

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

**REMOTETASK TM - REMOTE CONTROL SYSTEM**

Complete system for use with CAT D3 Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D3 series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.  
Email: [bcp\\_work\\_tools@cat.com](mailto:bcp_work_tools@cat.com)

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.  
Tel. +1(800) 530-9285, +1(540) 443-9262  
Email: [sales@torcrobotics.com](mailto:sales@torcrobotics.com)