

**CATERPILLAR MACHINE PRICE LIST**

**299D3XE**

**299D3 XE SKID STEER LOADER**  
**SANFORD, NC, USA**

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

Cat C3.8 turbo aftercooled diesel engine  
 -Gross horsepower per SAE J1349  
 110 hp (82 kW) @ 2400 RPM  
 -Electric fuel priming pump  
 -Air inlet heater starting aid  
 -Liquid cooled, direct injection  
 Air cleaner, dual element, radial seal  
 S-O-S sampling valve, hydraulic oil  
 Filter, cartridge type, hydraulic  
 Filters, canister type, fuel  
 and water separator  
 Radiator/hydraulic oil  
 cooler (side-by-side)  
 Spring applied, hydraulically released,  
 wet multi disc parking brakes  
 Hydrostatic transmission

-Armrest raised / operator out of seat  
 -Engine coolant temperature  
 -Engine oil pressure  
 -Air inlet heater activation  
 -Hydraulic filter restriction  
 -Hydraulic oil temperature  
 -Park brake engages  
 -Engine emission system  
 Gauges: DEF level, fuel level,  
 hour meter and tachometer  
 Storage compartment with netting  
 Seat, comfort, air suspension, cloth,  
 heat  
 -High back heated seat with recline  
 -Lumbar support  
 -Fully adjustable seat mounted  
 controls  
 Ergonomic contoured armrest  
 Control interlock system, when operator  
 leaves seat or armrest raised :

**UNDERCARRIAGE**

Triple flange idler - front and rear  
 Suspension - independent torsion axle(4)  
 Two speed travel with ride control

-Hydraulic system disables  
 -Hydrostatic transmission disables  
 -Parking brake engages  
 ROPS, Cab, enclosed (C3), tilt up:  
 -Air conditioner incl heater/defroster  
 -Side windows  
 -Cup holder  
 FOPS, Level I  
 Top and rear windows  
 Deluxe headliner  
 Floor mat  
 Interior rear view mirror  
 12V Electric socket  
 Horn  
 Hand (dial) & foot throttle, electronic  
 Dual direction electronic self level -  
 (raise and lower)  
 Work tool return to dig  
 Work tool positioner  
 Electronic snubbing (lift)  
 Advanced LCD display  
 -Full color 5 inch LCD screen  
 -Advanced anti-theft security system  
 with 50 user code capability  
 -Rear view camera

**HYDRAULICS**

High flow: 40 gpm (150 lpm) max  
 High flow Pressure: 4061 psi  
 28000 kPa max

Continuous flow  
 Hydraulics, proportional  
 Worktool harness

**CONTROLS:**

Electro/hydraulic implement control  
 Electro/hydraulic hydrostatic  
 Transmission control  
 Speed Sensor Guarding

**STARTERS, BATTERIES, & ALTERNATORS**

1000 CCA heavy duty battery w/disconnect

**ELECTRICAL**

12 Volt electrical system  
 100 ampere alternator  
 Ignition key start / stop / aux switch  
 Lights:  
 -LED work lights (2 front, 2 rear)  
 -Gauge backlighting  
 -Two rear tail lights  
 -Dome light  
 Backup alarm  
 Electrical outlet, beacon

**FRAMES**

Lift linkage, vertical path  
 Chassis, one piece welded  
 Machine tie down points (6)  
 Belly pan cleanout  
 Support, lift arm  
 Cast rear bumper  
 Ventilated rear door with integrated  
 sealing

**OPERATOR ENVIRONMENT**

Operator warning system indicators:  
 -Air filter restriction  
 -Alternator output

## CATERPILLAR MACHINE PRICE LIST

**299D3XE**299D3 XE SKID STEER LOADER  
SANFORD, NC, USAShip Weight  
lbsLIST PRICE  
AT DEALER**OTHER STANDARD EQUIPMENT**

Engine enclosure - lockable  
 Extended life antifreeze (-37C, -34F)  
 Work tool coupler  
 Hydraulic oil level sight gauge  
 Radiator coolant level sight gauge  
 Radiator expansion bottle  
 Cat ToughGuard TM hose  
 Heavy duty quick disconnects with  
 integrated pressure release  
 Split d-ring to route work tool hoses  
 along side of left lift arm  
 Variable speed hydraulic cooling fan  
 Per SAE J818-2007 and EN 474-3:2006 and  
 ISO 14397-1:2007

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

299D3 XE SKID STEER LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program  
Please use Lane 2 when placing orders that are part of the Base Order  
Management program.**

**568-5578      299D3 XE CTL DCA6B ..... 0      \$120,450**

LANE 1 - AVAILABLE FROM SANFORD PDC  
LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2  
LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2  
FOR AUSTRALIA & NEW ZEALAND DEALERS ONLY AVAILABLE IN LANE 1

**INCLUDES:**

- 512-4300 299D3XE COMPACT TRACK LOADER
- 588-9141 CAB PACKAGE, ULTRA
  - 579-8782 FAN, COOLING, DEMAND, REVERSING
  - 345-6180 RADIO, AM/FM, BLUETOOTH
  - 495-1671 LIGHTS, LED
- 512-3929 RUBBER BELT, 2 SPD, TF IDLERS
- 512-3478 DEBRIS MANAGEMENT PKG, (DM1)
- 356-6082 REAR LIGHTS
- 586-1308 DOOR, CAB, POLYCARBONATE
- 542-6994 SEAT BELT, 2"
- 566-7115 PRODUCT LINK, CELLULAR PL243
- 589-8296 QUICK COUPLER, MANUAL
- 563-1163 CERTIFICATION ARR, P65
- 345-3556 HEATER, ENGINE COOLANT, 120V
- 563-7518 MOUNTING, FIRE EXTINGUISHER

NOTE: Please refer to the Lane 1 section to complete your order.  
For Lane 2/3 orders refer to mandatory section to select track.

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

<b>299D3 XE SKID STEER LOADER</b>	Ship Weight	LIST PRICE
SANFORD, NC, USA	lbs	AT DEALER

<b>568-5579</b>	<b>299D3 XE CTL LM DCA1B</b> ..... 0 LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY FOR AUSTRALIA & NEW ZEALAND DEALERS ONLY AVAILABLE IN LANE 1	<b>\$135,710</b>
-----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------

- INCLUDES:
- 563-3820 299D3 XE CTL LAND MANAGEMENT
  - 588-9141 CAB PACKAGE, ULTRA
    - 579-8782 FAN, COOLING, DEMAND, REVERSING
    - 345-6180 RADIO, AM/FM, BLUETOOTH
    - 495-1671 LIGHTS, LED
  - 512-3929 RUBBER BELT, 2 SPD, TF IDLERS
  - 570-9869 LAND MANAGEMENT PKG, (LM1)
  - 356-6082 REAR LIGHTS
  - 586-1308 DOOR, CAB, POLYCARBONATE
  - 542-6994 SEAT BELT, 2"
  - 566-7115 PRODUCT LINK, CELLULAR PL243
  - 589-8296 QUICK COUPLER, MANUAL
  - 563-1163 CERTIFICATION ARR, P65
  - 345-3556 HEATER, ENGINE COOLANT, 120V
  - 563-7518 MOUNTING, FIRE EXTINGUISHER

NOTE: Please refer to the Lane 1 section to complete your order.  
 For Lane 2/3 orders refer to mandatory section to select track.

<b>568-5580</b>	<b>299D3 XE CTL LM DCA2A</b> ..... 0 LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY FOR AUSTRALIA & NEW ZEALAND DEALERS ONLY AVAILABLE IN LANE 1	<b>\$146,970</b>
-----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------

- INCLUDES:
- 563-3820 299D3 XE CTL LAND MANAGEMENT
  - 588-9141 CAB PACKAGE, ULTRA
    - 579-8782 FAN, COOLING, DEMAND, REVERSING
    - 345-6180 RADIO, AM/FM, BLUETOOTH
    - 495-1671 LIGHTS, LED
  - 512-3929 RUBBER BELT, 2 SPD, TF IDLERS
  - 570-9870 LAND MANAGEMENT PKG, (LM2)
  - 356-6082 REAR LIGHTS
  - 586-1308 DOOR, CAB, POLYCARBONATE
  - 542-6994 SEAT BELT, 2"
  - 566-7115 PRODUCT LINK, CELLULAR PL243
  - 589-8296 QUICK COUPLER, MANUAL
  - 563-1163 CERTIFICATION ARR, P65
  - 345-3556 HEATER, ENGINE COOLANT, 120V
  - 563-7518 MOUNTING, FIRE EXTINGUISHER
  - 558-4898 FIRE SUPPRESSION SYSTEM

NOTE: Please refer to the Lane 1 section to complete your order.  
 For Lane 2/3 orders refer to mandatory section to select track.

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

299D3 XE SKID STEER LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------------------	--------------------	-------------------------

512-4300	<b>299D3 XE COMPACT TRACK LOADER</b> . . . . . 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY	<b>\$112, 690</b>
----------	----------------------------------------------------------------------------------------------------------------------------------------	-------------------

Meets U.S. EPA Tier 4 Final emission standards  
 Configured with rubber track. Requires rubber track selection from  
 Tracks section.  
 Available for AM-N, Puerto Rico, South Korea, Australia & New Zealand

512-4351	<b>299D3 XE COMPACT TRACK LOADER</b> . . . . . 0 LANE 3 - AVAILABLE FROM SANFORD FACTORY	<b>\$119, 010</b>
----------	---------------------------------------------------------------------------------------------	-------------------

Meets U.S. EPA Tier 4 Final emission standards  
 Configured with steel track. Requires steel track selection from  
 Tracks section.  
 Available for AM-N, Puerto Rico, Australia & New Zealand

563-3820	<b>299D3 XE CTL LAND MANAGEMENT</b> . . . . . 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY	<b>\$127, 640</b>
----------	---------------------------------------------------------------------------------------------------------------------------------------	-------------------

Meets U.S. EPA Tier 4 Final and EU Stage IV emission standards  
 Configured with rubber track. Requires rubber track selection from  
 Tracks section.  
 Available for AM-N, Puerto Rico, South Korea, Australia & New Zealand  
 REQUIRES: Selection of LM1 or LM2 package from Special Application  
 Segment Packages section

563-4651	<b>299D3 XE CTL LAND MANAGEMENT</b> . . . . . 0 LANE 3 - AVAILABLE FROM SANFORD FACTORY	<b>\$133, 960</b>
----------	--------------------------------------------------------------------------------------------	-------------------

Meets U.S. EPA Tier 4 Final emission standards  
 Configured with steel track. Requires steel track selection from  
 Tracks section.  
 Available for AM-N,Australia & New Zealand  
 REQUIRES: Selection of LM1 or LM2 package from Special Application  
 Segment Packages section

0P-4768	<b>299D3XE MISCELLANEOUS MATERIAL</b> . . . . . 0 ONLY AVAILABLE FROM WACO PARTS SERVICE	<b>NC</b>
---------	---------------------------------------------------------------------------------------------	-----------

Use this top level reference number only when ordering KITS in CMOPS  
 to be transferred via the bridge to ANTARES Parts Ordering.

Work Tools are sourced via Caterpillar Parts Distribution system.  
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS  
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT  
 require individual CMOPS order entries and may include both the  
 machine and work tool orders.

Refer to WT\_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

	0P-9001	LANE 1 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**WARNING DECALS**

L	512-4284	INSTRUCTIONS, ANSI, USA . . . . .	0	NC
		This package includes picto decals as required for USA.		
L	512-4294	INSTRUCTIONS, ISO . . . . .	0	NC
		This package includes picto decals as required for all countries except USA.		

**FILM GROUP SELF LEVEL**

L	435-9238	FILM, SELF LEVEL, ANSI . . . . .	0	NC
L	435-9239	FILM, SELF LEVEL, ISO . . . . .	0	NC

**FILM GROUP RIDE CONTROL**

L	422-3445	FILM, RIDE CONTROL, ANSI . . . . .	0	NC
L	422-3446	FILM, RIDE CONTROL, ISO . . . . .	0	NC

**TRACKS**

When ordering a DCA through Lane 2 or 3, dealers may choose their track from the offerings shown in the Lane 2/3 track section.

L	389-7673	TRACK,RUBBER,400MM(15.7IN)BLCK . . . . .	0	NC
		Steel embed rubber track with standard construction block tread. Provides 76 inch (1,930 mm) machine width		

**SERVICE INSTRUCTIONS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

**PDC PACKING**

	0P-1176	CAROLINA CDC - - AVAILABILITY . . . . .	0	\$1 NET
--	---------	-----------------------------------------	---	---------

**PACKING**

	0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
--	---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**299D3XE**

USE	REF NO.	<b>LANE 1 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***PROTECTION***

<b>OP-2266</b>	<b>SHIPPING/STORAGE PROTECTION . . . . . 0</b> Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.	<b>\$213 NET</b>
<b>OP-6439</b>	<b>CORROSION INHIBITOR . . . . . 0</b> EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).	<b>\$1,440 NET</b>

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**FEATURE PACKAGES**

**TRIM PACKAGES**

A trim package is required for Lane 2 and optional for Lane 3.  
 Trim packages are not available with Steel Track machines.

L	588-9141	CAB PACKAGE, ULTRA . . . . .	0	\$1,685
		INCLUDES:		
		579-8782 FAN, COOLING, DEMAND, REVERSING		
		345-6180 RADIO, AM/FM, BLUETOOTH		
		495-1671 LIGHTS, LED		
		512-3929 RUBBER BELT, 2 SPD, TF IDLERS		
		CANNOT BE USED WITH: 512-4351 299D3 XE COMPACT TRACK LOADER		
		563-4651 299D3 XE CTL LAND MANAGEMENT		

**SPECIAL ARRANGEMENTS**

**SPECIAL APPLICATION SEGMENT PACKAGES**

L	512-3467	DEBRIS MGMT PKG, NONE (DM0) . . . . .	0	NC
		ONLY FOR USE WITH: 512-4300 299D3 XE COMPACT TRACK LOADER		
		512-4351 299D3 XE COMPACT TRACK LOADER		
		597-4541 299D3 XE COMPACT TRACK LOADER		
		597-4545 299D3 XE COMPACT TRACK LOADER		
L	512-3478	DEBRIS MANAGEMENT PKG, (DM1) . . . . .	0	\$5,451
		DM1 Package provides a rubber Debris Deflector plus the factory installation of components contained in Debris Kit, Debris Guarding kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Kit and Turbo Debris Kit.		
		REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER and		
		589-8296 QUICK COUPLER, MANUAL or		
		589-8297 QUICK COUPLER, HYDRAULIC and		
		586-1308 DOOR, CAB, POLYCARBONATE		
		ONLY FOR USE WITH: 512-4300 299D3 XE COMPACT TRACK LOADER		
		512-4351 299D3 XE COMPACT TRACK LOADER		
L	512-3479	DEBRIS MANAGEMENT PKG, (DM2) . . . . .	0	\$9,272
		DM2 Package provides a rubber Debris Deflector plus the factory installation of components contained in Debris Kit, Debris Guarding kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner kit, Turbo Debris kit and Auxiliary Hydraulic Cooler kit.		
		REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER and		
		589-8296 QUICK COUPLER, MANUAL or		
		589-8297 QUICK COUPLER, HYDRAULIC and		
		586-1308 DOOR, CAB, POLYCARBONATE		
		ONLY FOR USE WITH: 512-4300 299D3 XE COMPACT TRACK LOADER		
		512-4351 299D3 XE COMPACT TRACK LOADER		



CATERPILLAR MACHINE PRICE LIST

**299D3XE**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

**SPECIAL APPLICATION SEGMENT PACKAGES (Cont.)**

L	570-9869	<p><b>LAND MANAGEMENT PKG, (LM1)</b> . . . . . 0</p> <p>LM1 Package provides a fuel capacity of 220 L (58 gal.) along with improved machine sealing and access for cleaning. Equipment includes screw-to-connect auxiliary hydraulic couplings and a rubber front debris deflector plus the factory installation of components contained in Debris Kit, Debris Guarding Kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Kit, Turbo Debris Kit and Drivelines Drivelines Guard Kit. This package includes components that make the machine Fire Suppression System (FSS) Ready, which means many of the FSS system components have been pre-installed at the factory, but the system is NOT complete. Please see the "APPLICATION SPECIFIC COMPONENTS" section if the optional, fully installed and operational Fire Suppression System is desired.</p> <p>REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER and                      589-8296 QUICK COUPLER, MANUAL or                      589-8297 QUICK COUPLER, HYDRAULIC and                      586-1308 DOOR, CAB, POLYCARBONATE and                      579-8782 FAN, COOLING, DEMAND, REVERSING</p> <p>ONLY FOR USE WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT                      563-4651 299D3 XE CTL LAND MANAGEMENT                      CANNOT BE USED WITH: 345-5148 COUNTERWEIGHT,MACHINE,EXTERNAL</p>		\$5,760
L	570-9870	<p><b>LAND MANAGEMENT PKG, (LM2)</b> . . . . . 0</p> <p>LM2 Package provides a fuel capacity of 220 L (58 gal.) along with improved machine sealing and access for cleaning. Equipment includes screw-to-connect auxiliary hydraulic couplings and a rubber front debris deflector plus the factory installation of components contained in Debris Kit, Debris Guarding Kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Kit, Turbo Debris Kit, Drivelines Guard Kit and Auxiliary Hydraulic Cooler Kit. This package includes components that make the machine Fire Suppression System (FSS) Ready, which means many of the FSS system components have been pre-installed at the factory, but the system is NOT complete. Please see the "APPLICATION SPECIFIC COMPONENTS" section if the optional, fully installed and operational Fire Suppression System is desired.</p> <p>REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER and                      589-8296 QUICK COUPLER, MANUAL or                      589-8297 QUICK COUPLER, HYDRAULIC and                      586-1308 DOOR, CAB, POLYCARBONATE and                      579-8782 FAN, COOLING, DEMAND, REVERSING</p> <p>ONLY FOR USE WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT                      563-4651 299D3 XE CTL LAND MANAGEMENT                      CANNOT BE USED WITH: 345-5148 COUNTERWEIGHT,MACHINE,EXTERNAL</p>		\$9,581

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE**

**UNDERCARRIAGE**

L	512-3929	<b>RUBBER BELT, 2 SPD, TF IDLERS</b> . . . . . 0		NC
		FOR USE IN LANE 3 ONLY Included in Ultra Cab package Provides undercarriage for the steel embed rubber belt with triple flange front and rear idlers ONLY FOR USE WITH: 512-4300 299D3 XE COMPACT TRACK LOADER 563-3820 299D3 XE CTL LAND MANAGEMENT 597-4541 299D3 XE COMPACT TRACK LOADER 597-4548 299D3 XE CTL LAND MANAGEMENT		

**TRACKS**

L	389-7673	<b>TRACK,RUBBER,400MM(15.7IN)BLCK</b> . . . . . 0		NC
		Steel embed rubber track with standard construction block tread. Provides 1,930mm (76 inch) machine width ONLY FOR USE WITH: 512-3929 RUBBER BELT, 2 SPD, TF IDLERS		
L	389-7672	<b>TRACK,RUBBER,450MM(17.7IN)BLCK</b> . . . . . 0		\$675
		Steel embed rubber track with standard construction block tread. Provides 1,981mm (78 inch) machine width ONLY FOR USE WITH: 512-3929 RUBBER BELT, 2 SPD, TF IDLERS		
L	454-6079	<b>TRACK,RUBBER,450MM(17.7 IN)BAR</b> . . . . . 0		\$735
		Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width ONLY FOR USE WITH: 512-3929 RUBBER BELT, 2 SPD, TF IDLERS		
L	560-6417	<b>TRACK, STEEL, 355MM (14 IN)</b> . . . . . 0		\$7,280
		FOR USE IN LANE 3 ONLY Sealed and lubricated steel track (SALT) with triple grouser shoes. Provides 1,880mm (74 inch) machine width. ONLY FOR USE WITH: 512-4351 299D3 XE COMPACT TRACK LOADER 563-4651 299D3 XE CTL LAND MANAGEMENT 597-4547 299D3 XE COMPACT TRACK LOADER 597-4549 299D3 XE CTL LAND MANAGEMENT CANNOT BE USED WITH: 512-3929 RUBBER BELT, 2 SPD, TF IDLERS		

**HYDRAULICS**

**FILM GROUP SELF LEVEL**

L	435-9238	<b>FILM, SELF LEVEL, ANSI</b> . . . . . 0		NC
---	----------	-------------------------------------------	--	----

**FILM GROUP RIDE CONTROL**

L	422-3445	<b>FILM, RIDE CONTROL, ANSI</b> . . . . . 0		NC
---	----------	---------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL**

**WORK LIGHTS**

L	495-1671	<b>LIGHTS, LED</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Ultra Cab Package Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		\$287
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

**REAR/ROADING LIGHTS**

L	356-6082	<b>REAR LIGHTS</b> . . . . . 0 Provides standard tail lights (red) CANNOT BE USED WITH: South Korea		NC
L	546-4834	<b>REAR LIGHTS, STOP/TAIL/TURN</b> . . . . . 0 Provides stop/tail/turn lights (amber/red)		\$358
L	532-8843	<b>ROADING LIGHTS</b> . . . . . 0 Provides stop/tail/turn lights (amber/red) with front headlights and lift arm mounted front mirrors		\$572

**OPERATOR ENVIRONMENT**

**SEAT BELT**

L	542-6994	<b>SEAT BELT, 2"</b> . . . . . 0		NC
L	542-6995	<b>SEAT BELT, 3"</b> . . . . . 0 REQUIRED BY: California		\$146

**DOOR**

P	586-1308	<b>DOOR, CAB, POLYCARBONATE</b> . . . . . 0 REQUIRED BY: 512-3478 DEBRIS MANAGEMENT PKG, (DM1) 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9869 LAND MANAGEMENT PKG, (LM1) 570-9870 LAND MANAGEMENT PKG, (LM2)		\$220
P	586-1307	<b>DOOR, CAB, GLASS</b> . . . . . 0		\$112

**RADIO**

L	345-6180	<b>RADIO, AM/FM, BLUETOOTH</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Ultra Cab Package Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices.		\$530
L	345-6175	<b>RADIO READY</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio.		\$158

CATERPILLAR MACHINE PRICE LIST

**299D3XE**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	566-7115	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		NC
L	573-8121	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$482

**COOLING**

**COOLING FAN**

L	457-3167	<b>FAN, COOLING, DEMAND</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		NC
L	579-8782	<b>FAN, COOLING, DEMAND, REVERSING</b> . . . . . 0 FOR USE IN LANE 3 ONLY Included in Ultra Cab package Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality.		\$870

**QUICK COUPLERS**

L	345-4910	<b>QUICK COUPLER, MANUAL</b> . . . . . 0 ONLY FOR USE WITH: 512-3467 DEBRIS MGMT PKG, NONE (DM0)		NC
L	512-3401	<b>QUICK COUPLER, HYDRAULIC</b> . . . . . 0 ONLY FOR USE WITH: 512-3467 DEBRIS MGMT PKG, NONE (DM0)		\$1,025
L	589-8296	<b>QUICK COUPLER, MANUAL</b> . . . . . 0 ONLY FOR USE WITH: 512-3478 DEBRIS MANAGEMENT PKG, (DM1) 592-6353 DEBRIS MANAGEMENT PKG, (DM1) 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9869 LAND MANAGEMENT PKG, (LM1) 592-6356 LAND MANAGEMENT PKG, (LM1) 570-9870 LAND MANAGEMENT PKG, (LM2)		NC

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**QUICK COUPLERS (CONT.)**

L	589-8297	<b>QUICK COUPLER, HYDRAULIC</b> ..... 0 ONLY FOR USE WITH: 512-3478 DEBRIS MANAGEMENT PKG, (DM1) 592-6353 DEBRIS MANAGEMENT PKG, (DM1) 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9869 LAND MANAGEMENT PKG, (LM1) 592-6356 LAND MANAGEMENT PKG, (LM1) 570-9870 LAND MANAGEMENT PKG, (LM2)		\$1,025
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

**DOCUMENTATION**

***CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE***

L	563-1163	<b>CERTIFICATION ARR, P65</b> ..... 0 REQUIRED BY: USA		NC
---	----------	-----------------------------------------------------------	--	----

**INSTRUCTIONS**

***WARNING DECALS***

L	512-4284	<b>INSTRUCTIONS, ANSI, USA</b> ..... 0 This package includes picto decals as required for USA.		NC
---	----------	---------------------------------------------------------------------------------------------------	--	----

***SERVICE INSTRUCTIONS***

	421-8926	<b>SERIALIZED TECHNICAL MEDIA KIT</b> ..... 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS**

**CUSTOM PAINT**

C	OP-0528	PAINT, CUSTOM . . . . . 0 FOR USE IN LANE 3 ONLY Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information.  Note 1: Florescent colors and matte finishes are not available. Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler and radiator grill will be painted black.		\$1,920 NET
---	---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------

**PROTECTION**

	OP-2266	SHIPPING/STORAGE PROTECTION . . . . . 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.		\$213 NET
	OP-6439	CORROSION INHIBITOR. . . . . 0 EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).		\$1,440 NET

**STARTERS, BATTERIES, & ALTERNATORS**

L	345-3556	HEATER, ENGINE COOLANT, 120V . . . . . 0 120 Volt - For additional cold weather startability.		\$201
---	----------	--------------------------------------------------------------------------------------------------	--	-------

**ELECTRICAL**

L	309-1325	ROTATING BEACON . . . . . 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$222
---	----------	--------------------------------------------------------------------------------------------------------------------	--	-------

**SAFETY AND SECURITY**

L	457-1215	LIFTING EYES, FOUR POINT . . . . . 0 CANNOT BE USED WITH: WATER TANK 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9870 LAND MANAGEMENT PKG, (LM2) REQUIRED BY: 520-6567 CERTIFICATION ARR, (CE) 520-6568 CERTIFICATION ARR, (CE) 565-7319 CONVERSION ARRANGEMENT,ROADING		\$198
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

L	345-5148	<b>COUNTERWEIGHT, MACHINE, EXTERNAL</b> . . . . . 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed. CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$1,060
L	563-7518	<b>MOUNTING, FIRE EXTINGUISHER</b> . . . . . 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. REQUIRED BY: 512-3478 DEBRIS MANAGEMENT PKG, (DM1) 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9869 LAND MANAGEMENT PKG, (LM1) 570-9870 LAND MANAGEMENT PKG, (LM2)		\$206
L	418-9011	<b>OIL, HYDRAULIC, COLD OPERATION</b> . . . . . 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		\$685

**APPLICATION SPECIFIC COMPONENTS**

***FIRE SUPPRESSION***

L	558-4898	<b>FIRE SUPPRESSION SYSTEM</b> . . . . . 0 FOR USE IN LANE 3 ONLY Factory installed ANSUL Liquid Vehicle System (LVS) fire suppression for use in applications or environments where combustible material or debris are present. Includes: one 3 gallon tank, engineered lines routing with 6 nozzle locations and an in-cab control module. System activates automatically, or can be activated manually either from inside the cab or from a location in the engine compartment. Installation includes the liquid suppressant agent and one pressure cartridge. LVS Liquid Agent has operating temp of -40 to 140 degrees F (-40 to 60 degrees C). ONLY FOR USE WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT NOTE: A local ANSUL distributor must be contacted for yearly system re-inspection and documentation. (www.ansul.com/en/us/pages/FindaDistributor.aspx?value=FIND A DISTRIBUTOR).		\$7,440
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

**WORK TOOLS**

To view and order all available Work Tool Selections refer to WT-SSL price lists.  
 NOTE: Work Tools are sourced via Caterpillar parts distribution system.  
 CMOPS orders for Compact Track Loaders and Work Tools MUST be ordered separately.

CATERPILLAR MACHINE PRICE LIST

**299D3XE**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS**

*Available Through Parts Distribution.*

- 345-6070 KIT, FOPS, LEVEL 2**  
 Falling Object Protective Structure level 2.  
 Provides additional overhead protection.  
 Recommended for use in demolition applications.  
 Not compatible with the roof mounted Auxiliary Hydraulic Cooler.  
 Meets ISO 3449: 1992  
 Note: The part number provided is for reference only.  
 Individual parts must be ordered. Please reference REHS8703 for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**  
 Contains parts that attach to cab roof and allow machine to be lifted from a single point. The part number provided is for reference only. Individual parts must be ordered. Please reference REHS9970 for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**  
 This kit combines the Falling Object Protective Structure level 2 and 4 point lifting functionality. Recommended for use in applications where additional overhead protection and 4 point lifting are both desired (ex. demolition).  
 Note: The part number provided is for reference only.  
 Individual parts must be ordered. Please reference REHS9989 for parts list and installation instructions.  
 CANNOT BE USED WITH:512-3479 DEBRIS MANAGEMENT PKG, (DM2)  
 570-9870 LAND MANAGEMENT PKG, (LM2)
- 580-3680 KIT, PL, CELLULAR PL641**  
 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.

NOTE: The part number provided is for reference only.  
 Individual parts must be ordered. Please reference M0107957 for parts list and installation instructions.

DEDICATED ALTERNATE PATTERN (H-pattern):  
 As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):  
 This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$255 USD Dealer Net (April, 2019). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min.  
 Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.



CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS**

*Available Through ANTARES Parts Ordering*

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.  
 When ordering via CMOPS include top level reference numbers (OP-4768) and OP number for packing.**

P	388-8275	<b>KIT, WINDOW, SIDES</b> . . . . . 0 For proper installation, refer to media number REHS8707. Estimated time to install: 1 hour		<b>\$703 NI</b>
P	594-5976	<b>KIT, DOOR, CAB, GLASS</b> . . . . . 0 For proper installation, refer to media number M0116195. Estimated time to install: 1.5 hours		<b>\$1,033 NI</b>
P	594-5977	<b>KIT, DOOR, CAB, POLYCARBONATE</b> . . . . . 0 For proper installation, refer to media number M0116221. Estimated time to install: 1.5 hours		<b>\$1,646 NI</b>
P	571-6166	<b>KIT, RADIO, AM/FM/BLUETOOTH</b> . . . . . 0 For proper installation, refer to media number M0105322. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes		<b>\$588 NI</b>
P	583-9159	<b>KIT, QUICK COUPLER, HYDRAULIC</b> . . . . . 0 For proper installation refer to media number M0107667. Estimated time to install: 12 hours		<b>\$1,111 NI</b>
P	540-9349	<b>KIT, A/C BREATHER</b> . . . . . 0 For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		<b>\$469 NI</b>
P	555-7209	<b>KIT, AXLE STOP</b> . . . . . 0 For proper installation, refer to media number M0096169. Limits torsion axle rotation while continuing to isolate the operator from vibrations. This kit may be desired by customers that wish to reduce motion of the bucket edge during truck loading, fine grading or handling heavy material. Estimated time to install: 3 hours		<b>\$421 NI</b>
P	583-9154	<b>KIT, GUARD, COUPLER</b> . . . . . 0 For proper installation, refer to media number M0107797. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes		<b>\$204 NI</b>

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering (Cont.)*

P	388-7875	<b>KIT, COUNTERWEIGHT, 100 LB ROC</b> . . . . . 0 Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		\$536 NI
P	584-0828	<b>KIT, DEBRIS</b> . . . . . 0 For proper installation, refer to media number M0107743. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. The Debris Kit is required in applications where airborne debris is present and should be used in conjunction with the Turbo Debris Guard kit. Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 10 hours		\$1,931 NI
P	584-3877	<b>KIT, GUARDING</b> . . . . . 0 For proper installation, refer to media number M0107853. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		\$660 NI
P	587-0678	<b>KIT, TURBO DEBRIS GUARD</b> . . . . . 0 For proper installation, refer to media number M0112238. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. The Turbo Guard kit is required in applications where airborne debris is present and should be used in conjunction with the Debris Kit. Estimated time to install: 1 hour 30 minutes		\$293 NI
P	451-8378	<b>KIT, COOLER, AUXILIARY HYDR</b> . . . . . 0 For proper installation, refer to media number REHS9189. Roof mounted auxiliary hydraulic cooler provides additional hydraulic cooling capacity. For use in heavy duty applications (i.e. mulching, brush cutting, etc.) where the machine is utilized continuously in high flow mode with high demand on the Hystat system at ambient temperatures greater than 38 Celsius (100 Fahrenheit). Not compatible with the FOPS Level 2 guarding & 4 Point Lifting eyes. Estimated time to install: 8 hours		\$2,963 NI

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering (Cont.)*

P	594-5620	KIT,ENG AIR INTAKE, PRECLEANER . . . . . 0		\$480 NI NET
		For proper installation, refer to media number M0115889. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		
P	558-4849	KIT, ENGINE INSULATION . . . . . 0		\$1,058 NI
		For proper installation, refer to media number M0095246. This kit provides parts that lower the surface temperature of certain engine and exhaust components. It is recommended for debris intensive applications and should be used in conjunction with the Debris Kit & Turbo Debris Guard Kit. Estimated time to install: 8.5 hours		
P	504-1553	KIT, LICENSE PLATE . . . . . 0		\$53 NI NET
		For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		
P	421-0274	KIT, LIFTING EYES, FOUR POINT . . . . . 0		\$236 NI
		For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9870 LAND MANAGEMENT PKG, (LM2) CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		
P	527-2335	KIT, REMOTE GREASE (COUPLER) . . . . . 0		\$228 NI
		For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours		
P	541-3141	KIT, WINTER, REAR DOOR COVER . . . . . 0		\$264 NI
		Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour		
P	565-3045	KIT,FIRE EXTINGUISHER MOUNTING . . . . . 0		\$179 NI
		For proper installation, refer to media number M0099033. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours INCLUDED IN: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering (Cont.)*

P	548-3166	<b>KIT, FUEL TANKS, EXTERNAL</b> ..... 0 For proper installation, refer to media number M0096845. Provides 2 steel external fuel tanks that deliver a total fuel capacity of 219L (58 gallons) Estimated time to install: 40 hours CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$8,192 NI
P	583-9158	<b>KIT, FRONT ROADING LIGHTS</b> ..... 0 Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number M0107929. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		\$482 NI
P	583-9155	<b>KIT, REAR ROADING LIGHTS</b> ..... 0 For proper installation, refer to media number M0107786. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		\$240 NI
P	512-0356	<b>KIT, LIGHTS, REAR, WIDE MOUNT</b> ..... 0 For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes REQUIRED for Italy Roading CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$443 NI
P	544-4103	<b>KIT, DEMAND FAN, REVERSING</b> ..... 0 For proper installation, refer to media number M0089365. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours		\$882 NI
P	584-1927	<b>KIT, GUARD, DRIVELINES</b> ..... 0 For proper installation, refer to media number M0107931. This kit provides additional guarding for customers in demanding applications where guarding for the drive lines is desired. Estimated time to install: 12 hours		\$917 NI

CATERPILLAR MACHINE PRICE LIST

# 299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

*Available Through ANTARES Parts Ordering (Cont.)*

P	548-1650	<b>KIT, FIRE SUPPRESSION</b> . . . . . 0		<b>\$738 NI</b>
<p>For proper installation refer to media number M0108446.                  Kit includes a portion of the components needed to install an ANSUL Liquid Vehicle System (LVS) fire suppression system for use in applications or environments where combustible material or debris are present. This system requires that additional components be installed by a local ANSUL distributor. The ANSUL distributor will also certify and register the system upon completion of the installation.                  Estimated time to install this kit: 1.5 hours                  ONLY FOR USE WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT                  563-4651 299D3 XE CTL LAND MANAGEMENT                  North America Dealers</p>				

NOTE: To locate and contact a local ANSUL distributor see below.  
 (www.ansul.com/en/us/pages/FindaDistributor.aspx?value=FOUND A DISTRIBUTOR).

P	482-5132	<b>KIT, WATER TANK, 42 US GAL, D</b> . . . . . 0		<b>\$1,872 NI</b>
<p>Mounted to top of cab                  42 gallon capacity                  Includes tank, pump, filter, lines, mounting brackets and quick disconnect                  For proper installation, refer to media number SEHS0363.                  Estimated time to install: 9 hours 30 minutes                  For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer</p>				

CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit or Auxiliary Hydraulic Cooler kit

P	572-7968	<b>KIT, CVRSN, SCREW TO CONNECT</b> . . . . . 0		<b>\$886 NI</b>
<p>For proper installation, refer to media number M0099347.                  This kit provides parts to convert the 3/4 inch push-to-connect quick disconnect couplings into a screw-to-connect system. Included are the male/female screw-to-connect quick disconnect couplings for the machine and the male/female screw-to-connect quick disconnect couplings for an attachment.                  Estimated time to install: 30 minutes</p>				

**PACKING**

**DOMESTIC PACKING**

OP-0210	<b>PACK, DOMESTIC TRUCK</b> . . . . . 0	<b>NC</b>
---------	-----------------------------------------	-----------

*Only to be used when ordering kits via CMOPS.*

OP-2162	<b>PACKING, KIT</b> . . . . . 0	<b>NC</b>
---------	---------------------------------	-----------

## CATERPILLAR MACHINE PRICE LIST

**299D3XE**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**AM-NORTH INFORMATION*****ENDORSED FIELD INSTALLED ATTACHMENTS***

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

**REMOTETASK TM - REMOTE CONTROL SYSTEM**

Complete system for use with CAT D3 Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D3 series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.  
Email: [bcp\\_work\\_tools@cat.com](mailto:bcp_work_tools@cat.com)

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.  
Tel. +1(800) 530-9285, +1(540) 443-9262  
Email: [sales@torcrobotics.com](mailto:sales@torcrobotics.com)