

## CATERPILLAR MACHINE PRICE LIST

**301.5**301.5 MINI HYDRAULIC EXCAVATOR  
WUJIANG, CHINAShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**BOOMS, STICKS, AND LINKAGES**One piece boom, 1780mm (70")  
Standard stick, 960mm (37.8")  
Long stick, 1160mm (45.7")**POWERTRAIN**C1.1 engine under Tier 4 Final/  
EU Stage V  
Variable displacement piston pump  
Load sensing hydraulics  
Automatic two speed travel  
Automatic engine idle**UNDERCARRIAGE**Track, 230mm (9")  
Tie downs on track frame  
Blade with float  
Towing eye on base frame**HYDRAULICS**Smart tech electronic pump  
Accumulator  
Bio oil capable  
Hydraulic Lockout Lever, all controls  
One & two way flow**ELECTRICAL**12 volt battery  
Software (machine & monitor)  
Maintenance free battery  
Warning horn  
12 volt power socket**OPERATOR ENVIRONMENT**Canopy only  
Standard LCD monitor  
Cat key with passcode option  
ROPS, ISO 12117-2  
TOPS, ISO 12117  
Top guard, ISO 10262 (Level I)  
Adjustable wrestrests  
Retractable high vis seatbelt 75mm(3")  
Tilt cab/canopy  
Vinyl seat options

CATERPILLAR MACHINE PRICE LIST

**301.5**

301.5 MINI HYDRAULIC EXCAVATOR  
 WUJIANG, CHINA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

**558-1305      301.5 05A MHE DCA1A . . . . . 0      \$34,260**  
 LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:
- 519-8353 301.5 05A HYDRAULIC EXCAVATOR
  - 522-3705 ACCUMULATOR
  - 525-4461 BATTERY DISCONNECT, CANOPY
  - 541-0250 CONTROL, 1ST AUX, JOYSTICK
  - 519-9283 TRAVEL LEVERS AND PEDALS
  - 524-0994 DRAIN, ECOLOGY
  - 528-6405 FILMS, ANSI
  - 515-6068 FLOORMAT, CANOPY, W/TRAVEL
  - 573-0742 NO PRODUCT LINK
  - 525-4426 BOOM LIGHT, STANDARD
  - 525-4443 BOOM LIGHT, BRACKET AND GUARD
  - 519-8306 LINES, BOOM, WITHOUT BLCV
  - 519-8308 LINES, STICK, WITHOUT SLCV
  - 519-8332 LINES, BUCKET, LONG STICK
  - 534-8405 LINKAGE, BUCKET, W/LIFTING EYE
  - 525-4465 CAT KEY, WITH PASS CODE OPTION
  - 519-9354 CANOPY, WITH ROPS
  - 519-9267 SEAT, NON SUSPENSION, VINYL
  - 558-1345 STICK, LONG, W/THUMB BRACKET
  - 541-3377 ENGINE, EPA T4
  - 523-5528 TRACK, 230MM(9"), RUBBER BELT
  - 523-5535 UNDERCARRIAGE, EXPANDABLE
  - 521-9521 ALARM, TRAVEL
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 542-1504 FILM, CANADA
  - 541-4783 FILM, ROPS, ISO
  - 519-8333 LINES, 1ST AUX, LONG STICK
  - 542-1495 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

**301.5**

301.5 MINI HYDRAULIC EXCAVATOR WUJIANG, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>558-1306</b> <b>301.5 05A MHE CFG1A</b> ..... 0 LANE 2 - AVAILABLE FROM WUJIANG FACTORY LANE 3 - AVAILABLE FROM WUJIANG FACTORY LANE 2 IS ONLY AVAILABLE FOR NORTH AMERICA	0	<b>\$34,100</b>
---	---	-----------------

- INCLUDES:
- 519-8353 301.5 05A HYDRAULIC EXCAVATOR
  - 522-3705 ACCUMULATOR
  - 525-4461 BATTERY DISCONNECT, CANOPY
  - 541-0250 CONTROL, 1ST AUX, JOYSTICK
  - 519-9283 TRAVEL LEVERS AND PEDALS
  - 524-0994 DRAIN, ECOLOGY
  - 515-6068 FLOORMAT, CAB, W/TRAVEL
  - 573-0742 NO PRODUCT LINK
  - 525-4426 BOOM LIGHT, STANDARD
  - 525-4443 BOOM LIGHT, BRACKET AND GUARD
  - 519-8306 LINES, BOOM, WITHOUT BLCV
  - 519-8308 LINES, STICK, WITHOUT SLCV
  - 519-8332 LINES, BUCKET, LONG STICK
  - 534-8400 LINKAGE, BUCKET
  - 525-4465 CAT KEY, WITH PASS CODE OPTION
  - 519-9354 CANOPY, WITH ROPS
  - 519-9267 SEAT, NON SUSPENSION, VINYL
  - 558-1345 STICK, LONG, W/THUMB BRACKET
  - 541-3377 ENGINE, EPA T4
  - 523-5528 TRACK, 230MM(9"), RUBBER BELT
  - 523-5535 UNDERCARRIAGE, EXPANDABLE
  - 521-9521 ALARM, TRAVEL
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 541-4783 FILM, ROPS, ISO
  - 519-8333 LINES, 1ST AUX, LONG STICK
  - 542-1495 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START

<b>558-1308</b> <b>301.5 05A MHE CFG14A</b> ..... 0 LANE 3 - AVAILABLE FROM WUJIANG FACTORY	0	<b>\$30,610</b>
---	---	-----------------

- INCLUDES:
- 519-8353 301.5 05A HYDRAULIC EXCAVATOR
  - 522-3705 ACCUMULATOR
  - 519-9283 TRAVEL LEVERS AND PEDALS
  - 524-0994 DRAIN, ECOLOGY
  - 515-6068 FLOORMAT, CANOPY, W/TRAVEL
  - 525-4443 BOOM LIGHT, BRACKET AND GUARD
  - 519-9354 CANOPY, WITH ROPS
  - 541-3377 ENGINE, EPA T4
  - 521-9521 ALARM, TRAVEL
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 541-4783 FILM, ROPS, ISO
  - 542-1495 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**OPERATION AND MAINTENANCE MANUAL**

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

**PROTECTION**

0P-2266	SHIPPING/STORAGE PROTECTION . . . . .	0	\$213 NET
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		
	Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.		

**PACKING**

0P-4299	PACKING, LAST MILE PROGRAM . . . . .	0	NC
---------	--------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**PDC MACHINE PREP**

599-7165	ATHENS DEALER PDI & FUEL . . . . .	0		<b>\$228 NET</b>
	The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.			
0P-4656	DEALER PREP, FINNING . . . . .	0		<b>\$277 NET</b>
	ONLY FOR USE WITH: CANADIAN DEALERS			

**WORK TOOL PACKAGE**

W	547-7075	THUMB, HYD + COUPLER, PG, MAN, 1T . . . . .	0	<b>\$2,725</b>
		Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style		

**QUICK COUPLERS**

W	361-1092	COUPLER, PG, MAN, D, LOCK, 1T . . . . .	26	<b>\$781</b>
		Mechanical pin grabber type quick coupler with a dual lock.		

**BUCKETS**

May select one installed bucket per machine.  
 May select up to 2 not installed buckets per machine.  
 First bucket on machine order must be installed.  
 One set of Bucket Pins recommended for each not installed bucket.

W	147-1014	BUCKET-DG, 9", 0.65 FT3, 1T . . . . .	65	<b>\$451</b>
			65	<b>\$451 NI</b>
		Width 230mm (9"), Heaped Cap. 0.018M3 (0.024YD3), Incl 3 Unitooth		
W	147-1018	BUCKET-DG, 12", 0.78 FT3, 1T . . . . .	69	<b>\$486</b>
			69	<b>\$486 NI</b>
		Width 300mm (12"), Heaped Cap. 0.022M3 (0.029YD3), Incl 3 Unitooth		
W	147-1026	BUCKET-DG, 24", 1.97 FT3, 1T . . . . .	100	<b>\$694</b>
			100	<b>\$694 NI</b>
		Width 600mm (24"), Heaped Cap. 0.056M3 (0.073YD3), Incl 4 Unitooth		
W	190-7387	BUCKET-DG, 18", 1.40 FT3, 1T . . . . .	84	<b>\$597</b>
			84	<b>\$597 NI</b>
		Width 460mm (18"), Heaped Cap. 0.04M3 (0.052YD3), Incl 3 Unitooth		
W	154-2672	PINS, BUCKET, 30MM . . . . .	4	<b>\$76 NI</b>
		INCLUDES: 2 bucket pins and hardware		

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**LANE SELECTION**

<b>0P-9002</b>	<b>LANE 2 ORDER</b> . . . . . 0 Only for dealers enrolled in the Base Orders Management (BOM) program.	<b>NC</b>
<b>0P-9003</b>	<b>LANE 3 ORDER</b> . . . . . 0	<b>NC</b>

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

**STICK**

L	558-1344	STICK, STD, W/THUMB BRACKET . . . . . 0		\$383
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		
L	558-1345	STICK, LONG, W/THUMB BRACKET . . . . . 0		\$585
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		

**BOOM LINES**

L	519-8306	LINES, BOOM, WITHOUT BLCV . . . . . 0		NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
L	519-8307	LINES, BOOM, WITH BLCV . . . . . 0		\$565
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		

**STICK LINES**

L	519-8308	LINES, STICK, WITHOUT SLCV . . . . . 0		NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
L	519-8309	LINES, STICK, WITH SLCV . . . . . 0		\$565
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		

**BUCKET LINKAGE**

L	534-8400	LINKAGE, BUCKET . . . . . 0		NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A		
		CANNOT BE USED WITH: EU DEALERS		
L	534-8405	LINKAGE, BUCKET, W/LIFTING EYE . . . . . 0		\$145
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A		
		CANNOT BE USED WITH: EU DEALERS		

**UNDERCARRIAGE**

L	523-5534	UNDERCARRIAGE, FIXED. . . . . 0		NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B R		
L	523-5535	UNDERCARRIAGE, EXPANDABLE. . . . . 0		\$2,880
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACK PAIRS**

L	523-5528	TRACK, 9", RUBBER BELT . . . . .	0	NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		
L	523-5530	TRACK, 9", STEEL . . . . .	0	\$1,085
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		

**HYDRAULICS**

**AUXILIARY CONTROL**

L	541-0250	CONTROL, 1ST AUX, JOYSTICK . . . . .	0	NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		
L	533-1122	CONTROL, 1ST & 2ND AUX, JSTK . . . . .	0	\$1,200
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		

**BUCKET LINES**

L	519-8328	LINES, BUCKET, STD STICK . . . . .	0	NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B AND		
		522-0666 STICK, STD, NO THUMB BRACKET OR		
		558-1344 STICK, STD, W/THUMB BRACKET		
L	519-8332	LINES, BUCKET, LONG STICK . . . . .	0	NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B AND		
		522-0669 STICK, LONG, NO THUMB BRACKET OR		
		558-1345 STICK, LONG, W/THUMB BRACKET		

**ELECTRICAL**

**BOOM LIGHTS**

L	525-4426	BOOM LIGHT, STANDARD . . . . .	0	NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		
L	525-4427	BOOM LIGHT, LED . . . . .	0	\$101
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		



CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**SEATS**

L	519-9266	SEAT, SUSPENSION, VINYL . . . . .	0	NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		
L	519-9267	SEAT, NON SUSPENSION, VINYL . . . . .	0	\$-73
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	576-1568	PRODUCT LINK, CELLULAR PL243 . . . . .	0	\$333
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		

**PRODUCT LINK FILM**

L	541-4787	FILM, PRODUCT LINK, ANSI . . . . .	0	NC
		REQUIRED BY: 576-1564 PRODUCT LINK, CELLULAR PLE643		
		576-1568 PRODUCT LINK, CELLULAR PL243		

**SAFETY AND SECURITY**

**MACHINE SECURITY KEY**

L	525-4465	CAT KEY, WITH PASS CODE OPTION . . . . .	0	NC
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		
L	525-4466	PUSH TO START, BT FOB SECURITY . . . . .	0	\$486
		ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR		
		558-1308 301.5 05A MHE CFG14A OR		
		582-5069 301.5 05A MHE CFG14B		

**BATTERY DISCONNECT**

L	525-4461	BATTERY DISCONNECT, CANOPY . . . . .	0	\$63
		ONLY FOR USE WITH: 558-1308 301.5 05A MHE CFG14A		
L	525-4462	NO BATTERY DISCONNECT, CANOPY . . . . .	0	NC
		ONLY FOR USE WITH: 558-1308 301.5 05A MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**INSTRUCTIONS**

L	528-6405	FILMS, ANSI .....	0	NC
---	----------	-------------------	---	----

***OPERATION AND MAINTENANCE MANUALS***

	0P-3380	INSTRUCTIONS, ENGLISH .....	0	NC
--	---------	-----------------------------	---	----

	0P-3404	INSTRUCTIONS, SPANISH .....	0	NC
--	---------	-----------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**HYDRAULICS**

**1ST AUXILIARY LINES.**

L	519-8329	<b>LINES, 1ST AUX, STD STICK</b> ..... 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A OR 582-5069 301.5 05A MHE CFG14B AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET CANNOT BE USED WITH: 541-0249 NO AUX LINES REQUIRED BY: 533-6294 LINES, BKT, DIVERT AUX, ST STK		\$53
---	----------	--	--	------

L	519-8333	<b>LINES, 1ST AUX, LONG STICK</b> ..... 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A OR 582-5069 301.5 05A MHE CFG14B AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET CANNOT BE USED WITH: 541-0249 NO AUX LINES REQUIRED BY: 533-6295 LINES, BKT, DIVERT AUX, LG STK		\$53
---	----------	---	--	------

**2ND AUXILIARY LINES**

L	519-8417	<b>LINES, 2ND AUX, STD STICK</b> ..... 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A OR 582-5069 301.5 05A MHE CFG14B AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET AND 533-1122 CONTROL, 1ST & 2ND AUX, JSTK 519-8329 LINES, 1ST AUX, STD STICK		\$53
---	----------	---	--	------

L	519-8419	<b>LINES, 2ND AUX, LONG STICK</b> ..... 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A OR 582-5069 301.5 05A MHE CFG14B AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET AND 533-1122 CONTROL, 1ST & 2ND AUX, JSTK 519-8333 LINES, 1ST AUX, LONG STICK		\$53
---	----------	---	--	------

**ELECTRICAL**

**FRONT LIGHTS**

L	521-9511	<b>LIGHTS, LED, FRONT</b> ..... 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A OR 582-5069 301.5 05A MHE CFG14B		\$363
---	----------	---	--	-------

L	521-9512	<b>LIGHTS, LED, FRONT&amp;REAR</b> ..... 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A OR 582-5069 301.5 05A MHE CFG14B		\$515
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**ROTATING BEACON**

L	260-5501	BEACON, ROTATING, MAGNET (HAL) . . . . . 0 CANNOT BE USED WITH: EU DEALERS		\$399
---	----------	---	--	-------

**OPERATOR ENVIRONMENT**

**MIRRORS**

L	519-9280	MIRRORS, LEFT AND RIGHT . . . . . 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A OR 582-5069 301.5 05A MHE CFG14B		\$180
---	----------	---	--	-------

**GUARDS**

**FRONT GUARDS**

L	519-9269	GUARD, CANOPY, SOLID, HALF . . . . . 0 Upper half polycarbonate guard (not designed for a particular regulation). ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG 14A OR 558-1308 301.5 05A MHE CFG 14A OR 582-5069 301.5 05A MHE CFG14B		\$655
---	----------	--	--	-------

**OTHER ATTACHMENTS**

**WATER JACKET HEATER**

L	519-8302	WATER JACKET HEATER, 100V . . . . . 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A		\$220
L	519-8303	WATER JACKET HEATER, 220V . . . . . 0 ONLY FOR USE WITH: 558-1304 301.5 05A MHE CFG14A OR 558-1308 301.5 05A MHE CFG14A OR 582-5069 301.5 05A MHE CFG14B		\$220

**PACKING**

**PROTECTION**

	OP-2266	SHIPPING/STORAGE PROTECTION . . . . . 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Export Orders		\$213 NET
--	---------	--	--	-----------

NOTE: Optional for EU Dealers

CATERPILLAR MACHINE PRICE LIST

**301.5**

USE	REF NO.	<b>LANE 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

**PACKING (CONT.)**

***PACKING***

<b>0P-4299</b>	<b>PACKING, LAST MILE PROGRAM . . . . .</b> 0 REQUIRED BY: LAST MILE DEALERS	0	<b>NC</b>
<b>0P-4263</b>	<b>PACK, MISCELLANEOUS MATERIAL . . . . .</b> 0 REQUIRED BY: MISC ORDERS	0	<b>NC</b>