

CATERPILLAR MACHINE PRICE LIST

301.7301.7 MINI HYDRAULIC EXCAVATOR
WUJIANG, CHINAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGESOne piece boom, 1780mm(70")
Standard stick, 960mm(37.8")
Long stick, 1160mm(45.7")**POWERTRAIN**C1.1 engine under Tier 4 Final/
EU Stage V
Variable displacement piston pump
Load sensing hydraulics
Automatic two speed travel
Automatic engine idle**UNDERCARRIAGE**Expanded
Track, 230mm(9")
Tie downs on track frame
Blade with float
Towing eye on base frame**HYDRAULICS**Smart tech electronic pump
Accumulator
Bio oil capable
Hydraulic lockout lever, all controls
One & two way flow**ELECTRICAL**12 volt battery
Software (machine and monitor)
Maintenance free battery
Warning horn
12 volt power socket**OPERATOR ENVIRONMENT**Canopy only
Standard LCD monitor
Cat key with passcode option
ROPS, ISO 12117-2
TOPS, ISO 12117
Top guard, ISO 10262 (Level I)
Adjustable wrestrests
Retractable high vis seatbelt 75mm(3")
Tilt canopy
Vinyl seat options

CATERPILLAR MACHINE PRICE LIST

301.7

301.7 MINI HYDRAULIC EXCAVATOR
 WUJIANG, CHINA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

584-6881 301.7 05A CR MHE DCA1B 0 \$38,030
 LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:
- 519-8352 301.7 05A CR HYDRAULIC EXCAVATOR
 - 522-3705 ACCUMULATOR
 - 525-4461 BATTERY DISCONNECT, CANOPY
 - 519-8311 CONTROL, 1ST AUX, JOYSTICK
 - 519-9283 TRAVEL LEVERS AND PEDALS
 - 524-0994 DRAIN, ECOLOGY
 - 523-0115 FILMS, ANSI
 - 515-6068 FLOORMAT, CANOPY, W/TRAVEL
 - 573-0742 NO PRODUCT LINK
 - 525-4426 BOOM LIGHT, STANDARD
 - 525-4443 BOOM LIGHT, BRACKET AND GUARD
 - 519-8306 LINES, BOOM, WITHOUT BLCV
 - 519-8308 LINES, STICK, WITHOUT SLCV
 - 519-8332 LINES, BUCKET, LONG STICK
 - 534-8405 LINKAGE, BUCKET, W/LIFTING EYE
 - 525-4465 CAT KEY, WITH PASS CODE OPTION
 - 519-9354 CANOPY, WITH ROPS
 - 519-9267 SEAT, NON SUSPENSION, VINYL
 - 558-1345 STICK, LONG, W/THUMB BRACKET
 - 541-3377 ENGINE, EPA T4
 - 523-5529 TRACK, 230MM(9"), RUBBER BELT
 - 521-4020 UNDERCARRIAGE, EXPANDABLE
 - 521-9521 ALARM, TRAVEL
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 542-1504 FILM, CANADA
 - 541-4783 FILM, ROPS, ISO
 - 519-8333 LINES, 1ST AUX, LONG STICK
 - 542-1495 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START
 - 519-9383 COUNTERWEIGHT, HD, CAST, 67KG

CATERPILLAR MACHINE PRICE LIST

301.7

301.7 MINI HYDRAULIC EXCAVATOR WUJIANG, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

584-6882	301.7 05A CR MHE CFG1B 0	\$37,660
	LANE 2 - AVAILABLE FROM WUJIANG FACTORY	
	LANE 3 - AVAILABLE FROM WUJIANG FACTORY	
	LANE 2 IS ONLY AVAILABLE FOR NORTH AMERICA	

- INCLUDES:
- 519-8352 301.7 05A CR HYDRAULIC EXCAVATOR
 - 522-3705 ACCUMULATOR
 - 525-4461 BATTERY DISCONNECT, CANOPY
 - 519-8311 CONTROL, 1ST AUX, JOYSTICK
 - 519-9283 TRAVEL LEVERS AND PEDALS
 - 524-0994 DRAIN, ECOLOGY
 - 515-6068 FLOORMAT, CANOPY, W/TRAVEL
 - 525-4426 BOOM LIGHT, STANDARD
 - 525-4443 BOOM LIGHT, BRACKET AND GUARD
 - 519-8306 LINES, BOOM, WITHOUT BLCV
 - 519-8308 LINES, STICK, WITHOUT SLCV
 - 519-8332 LINES, BUCKET, LONG STICK
 - 534-8400 LINKAGE, BUCKET
 - 525-4465 CAT KEY, WITH PASS CODE OPTION
 - 519-9354 CANOPY, WITH ROPS
 - 519-9267 SEAT, NON SUSPENSION, VINYL
 - 558-1345 STICK, LONG, W/THUMB BRACKET
 - 541-3377 ENGINE, EPA T4
 - 523-5529 TRACK, 230MM(9"), RUBBER BELT
 - 521-4020 UNDERCARRIAGE, EXPANDABLE
 - 521-9521 ALARM, TRAVEL
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 541-4783 FILM, ROPS, ISO
 - 519-8333 LINES, 1ST AUX, LONG STICK
 - 542-1495 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START
 - 519-9382 COUNTERWEIGHT, W/TIE DOWN

558-1318	301.7 05A CR MHE CFG14A 0	\$37,030
	LANE 3 - AVAILABLE FROM WUJIANG FACTORY	

- INCLUDES:
- 519-8352 301.7 05A CR HYDRAULIC EXCAVATOR
 - 522-3705 ACCUMULATOR
 - 519-9283 TRAVEL LEVERS AND PEDALS
 - 524-0994 DRAIN, ECOLOGY
 - 515-6068 FLOORMAT, CANOPY, W/TRAVEL
 - 525-4443 BOOM LIGHT, BRACKET AND GUARD
 - 519-9354 CANOPY, WITH ROPS
 - 541-3377 ENGINE, EPA T4
 - 521-4020 UNDERCARRIAGE, EXPANDABLE
 - 521-9521 ALARM, TRAVEL
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 541-4783 FILM, ROPS, ISO
 - 542-1495 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER 0 Order from Product Distribution Center (PDC)	NC
---------	---	-----------

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.	NC
----------	---	-----------

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION 0 Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage. Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.	\$213 NET
---------	--	------------------

PACKING

0P-4299	PACKING, LAST MILE PROGRAM 0	NC
---------	---	-----------

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PDC MACHINE PREP

599-7165	ATHENS DEALER PDI & FUEL	0		\$228 NET
	The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.			
0P-4656	DEALER PREP, FINNING	0		\$277 NET
	ONLY FOR USE WITH: CANADIAN DEALERS			

WORK TOOL PACKAGE

W	547-7075	THUMB, HYD + COUPLER, PG, MAN, 1T	0	\$2,725
		Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style		

QUICK COUPLERS

W	361-1092	COUPLER, PG, MAN, D. LOCK, 1T	26	\$781
		Mechanical pin grabber type quick coupler with a dual lock.		

BUCKETS

May select one installed bucket per machine.
 May select up to 2 not installed buckets per machine.
 First bucket on machine order must be installed.
 One set of Bucket Pins recommended for each not installed bucket.

W	147-1014	BUCKET-DG, 9", 0.65 FT3, 1T	65	\$451
			65	\$451 NI
		Width 230mm (9"), Heaped Cap. 0.018M3 (0.024YD3), Incl 3 Unitooth		
W	147-1018	BUCKET-DG, 12", 0.78 FT3, 1T	69	\$486
			69	\$486 NI
		Width 300mm (12"), Heaped Cap. 0.022M3 (0.029YD3), Incl 3 Unitooth		
W	147-1026	BUCKET-DG, 24", 1.97 FT3, 1T	100	\$694
			100	\$694 NI
		Width 600mm (24"), Heaped Cap. 0.056M3 (0.073YD3), Incl 4 Unitooth		
W	190-7387	BUCKET-DG, 18", 1.40 FT3, 1T	84	\$597
			84	\$597 NI
		Width 460mm (18"), Heaped Cap. 0.04M3 (0.052YD3), Incl 3 Unitooth		
W	154-2672	PINS, BUCKET, 30MM	4	\$76 NI
		INCLUDES: 2 bucket pins and hardware		

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

LANE SELECTION

0P-9002	LANE 2 ORDER 0 Only for dealers enrolled in the Base Orders Management (BOM) program.	NC
0P-9003	LANE 3 ORDER 0	NC

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

STICK

L	558-1344	STICK, STD, W/THUMB BRACKET 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A OR 589-6805 301.7 05A CR MHE CFG14C		\$383
L	558-1345	STICK, LONG, W/THUMB BRACKET 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A OR 589-6805 301.7 05A CR MHE CFG14C		\$585

BOOM LINES

L	519-8306	LINES, BOOM, WITHOUT BLCV 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A		NC
L	519-8307	LINES, BOOM, WITH BLCV 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A		\$565

STICK LINES

L	519-8308	LINES, STICK, WITHOUT SLCV 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A OR		NC
L	519-8309	LINES, STICK, WITH SLCV 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A AND 519-8507 LINES, BOOM, WITH BLCV		\$565

BUCKET LINKAGE

L	534-8400	LINKAGE, BUCKET 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A CANNOT BE USED WITH: EU DEALERS		NC
L	534-8405	LINKAGE, BUCKET, W/LIFTING EYE 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A CANNOT BE USED WITH: EU DEALERS		\$145

UNDERCARRIAGE

TRACK PAIRS

L	523-5529	TRACK, 9", RUBBER BELT 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A OR 589-6805 301.7 05A CR MHE CFG14C		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK PAIRS (Cont.)

L	523-5531	TRACK, 9", STEEL 0		\$1,085
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		

HYDRAULICS

AUXILIARY CONTROL

L	519-8311	CONTROL, 1ST AUX, JOYSTICK 0		NC
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		
L	519-8312	CONTROL, 1ST & 2ND AUX, JSTK 0		\$1,200
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A		

BUCKET LINES

L	519-8328	LINES, BUCKET, STD STICK 0		NC
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C AND		
		522-0666 STICK, STD, NO THUMB BRACKET OR		
		558-1344 STICK, STD, W/THUMB BRACKET		
L	519-8332	LINES, BUCKET, LONG STICK 0		NC
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C AND		
		522-0669 STICK, LONG, NO THUMB BRACKET OR		
		558-1345 STICK, LONG, W/THUMB BRACKET		

ELECTRICAL

BOOM LIGHTS

L	525-4426	BOOM LIGHT, STANDARD 0		NC
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		
L	525-4427	BOOM LIGHT, LED 0		\$101
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		

OPERATOR ENVIRONMENT

SEATS

L	519-9266	SEAT, SUSPENSION, VINYL 0		NC
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEATS (Cont.)

L	519-9267	SEAT, NON SUSPENSION, VINYL	0	\$-73
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	576-1568	PRODUCT LINK, CELLULAR PL243	0	\$333
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		

PRODUCT LINK FILM

L	541-4787	FILM, PRODUCT LINK, ANSI	0	NC
		REQUIRED BY: 576-1564 PRODUCT LINK, CELLULAR PLE643		
		576-1568 PRODUCT LINK, CELLULAR PL243		

SAFETY AND SECURITY

MACHINE SECURITY KEY

L	525-4465	CAT KEY, WITH PASS CODE OPTION	0	NC
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		
L	525-4466	PUSH TO START, BT FOB SECURITY	0	\$486
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		

BATTERY DISCONNECT

L	525-4461	BATTERY DISCONNECT, CANOPY	0	\$63
		ONLY FOR USE WITH: 558-1318 301.7 05A CR MHE CFG14A		
L	525-4462	NO BATTERY DISCONNECT, CANOPY	0	NC
		ONLY FOR USE WITH: 558-1318 301.7 05A CR MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

OTHER ATTACHMENTS

COUNTERWEIGHTS

L	519-9382	COUNTERWEIGHT, SHEET METAL	0	NC
		FOR USE IN LANE 3 ONLY		
L	519-9383	COUNTERWEIGHT, HD, CAST, 94KG	0	\$238
		FOR USE IN LANE 3 ONLY		

INSTRUCTIONS

L	523-0115	FILMS, ANSI	0	NC
---	----------	-----------------------	---	----

OPERATION AND MAINTENANCE MANUALS

	0P-3380	INSTRUCTIONS, ENGLISH	0	NC
	0P-3404	INSTRUCTIONS, SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

HYDRAULICS

1ST AUXILIARY LINES.

L	519-8329	LINES, 1ST AUX, STD STICK 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET CANNOT BE USED WITH: 519-8310 NO AUX LINES REQUIRED BY: 533-6294 LINES, BKT, DIVERT AUX, ST STK		\$53
---	----------	---	--	------

L	519-8333	LINES, 1ST AUX, LONG STICK 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET CANNOT BE USED WITH: 519-8310 NO AUX LINES REQUIRED BY: 533-6295 LINES, BKT, DIVERT AUX, LG STK		\$53
---	----------	--	--	------

2ND AUXILIARY LINES

L	519-8417	LINES, 2ND AUX, STD STICK 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET AND 519-8312 CONTROL, 1ST & 2ND AUX, JSTK 519-8329 LINES, 1ST AUX, STD STICK		\$53
---	----------	--	--	------

L	519-8419	LINES, 2ND AUX, LONG STICK 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET AND 519-8312 CONTROL, 1ST & 2ND AUX, JSTK 519-8333 LINES, 1ST AUX, LONG STICK		\$53
---	----------	--	--	------

ELECTRICAL

FRONT LIGHTS

L	521-9511	LIGHTS, LED, FRONT 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A OR 589-6805 301.7 05A CR MHE CFG14C		\$363
---	----------	---	--	-------

L	521-9512	LIGHTS, LED, FRONT&REAR 0 ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR 558-1318 301.7 05A CR MHE CFG14A OR 589-6805 301.7 05A CR MHE CFG14C		\$515
---	----------	--	--	-------

ROTATING BEACON

L	260-5501	BEACON, ROTATING, MAGNET (HAL) 0 CANNOT BE USED WITH: EU DEALERS		\$399
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

301.7

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT

MIRRORS

L	519-9280	MIRRORS, LEFT AND RIGHT 0		\$180
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		

GUARDS

FRONT GUARDS

L	519-9269	GUARD, CANOPY, SOLID, HALF 0		\$655
		Upper half polycarbonate guard (not designed for a particular regulation).		
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG 14A		

OTHER ATTACHMENTS

WATER JACKET HEATER

L	519-8302	WATER JACKET HEATER, 100V 0		\$220
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A		
L	519-8303	WATER JACKET HEATER, 220V 0		\$220
		ONLY FOR USE WITH: 584-6880 301.7 05A CR MHE CFG14B OR		
		558-1318 301.7 05A CR MHE CFG14A OR		
		589-6805 301.7 05A CR MHE CFG14C		

PACKING

PROTECTION

	OP-2266	SHIPPING/STORAGE PROTECTION 0		\$213 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods.		
		This product will need to be power washed with soapy water prior to shipment to the customer.		
		REQUIRED BY: Export Orders		

NOTE: Optional for EU Dealers

PACKING

	OP-4299	PACKING, LAST MILE PROGRAM 0		NC
		REQUIRED BY: LAST MILE DEALERS		
	OP-4263	PACK, MISCELLANEOUS MATERIAL 0		NC
		REQUIRED BY: MISC ORDERS		