

## CATERPILLAR MACHINE PRICE LIST

**301.8**301.8 MINI HYDRAULIC EXCAVATOR  
WUJIANG, CHINAShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**BOOMS, STICKS, AND LINKAGES**One piece boom, 1850mm(73")  
Standard stick, 960mm(37.8")  
Long stick, 1160mm(45.7")**POWERTRAIN**C1.1 engine under Tier 4 Final/  
EU Stage V  
Variable displacement piston pump  
Load sensing hydraulics  
Automatic two speed travel  
Automatic engine idle**UNDERCARRIAGE**Track, 230mm(9")  
Tie downs on track frame  
Blade with float  
Towing eye on base frame**HYDRAULICS**Smart tech electronic pump  
Accumulator  
Bio oil capable  
Hydraulic Lockout lever, all controls  
One & two way flow**ELECTRICAL**12 volt battery  
Software (machine & monitor)  
Maintenance free battery  
Warning horn  
12 volt power socket**OPERATOR ENVIRONMENT**Cab sound pressure 93 dB(A) ISO 6395  
Standard LCD monitor  
Cat key with passcode option  
ROPS, ISO 12117-2  
TOPS, ISO 12117  
Top guard, ISO 10262 (Level I)  
Adjustable wrestrests  
Retractable high vis seatbelt 75mm(3")  
Tilt operation station

CATERPILLAR MACHINE PRICE LIST

**301.8**

301.8 MINI HYDRAULIC EXCAVATOR  
 WUJIANG, CHINA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

558-1323      **301.8 05A MHE DCA1A** ..... 0      **\$37,770**  
 LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC

INCLUDES:

- 519-8354 301.8 05A HYDRAULIC EXCAVATOR
- 522-3705 ACCUMULATOR
- 525-4468 BATTERY DISCONNECT, CANOPY
- 524-5789 CONTROL, 1ST AUX, JOYSTICK
- 519-9283 TRAVEL LEVERS AND PEDALS
- 524-0994 DRAIN, ECOLOGY
- 528-6407 FILMS, ANSI
- 515-6065 FLOORMAT, CANOPY, W/TRAVEL
- 573-0742 NO PRODUCT LINK
- 525-4426 BOOM LIGHT, STANDARD
- 525-4443 BOOM LIGHT, BRACKET AND GUARD
- 519-8542 LINES, BOOM, WITHOUT BLCV
- 519-8550 LINES, STICK, WITHOUT SLCV
- 519-8560 LINES, BUCKET, LONG STICK
- 522-0651 LINKAGE, BUCKET, W/LIFTING EYE
- 525-4465 CAT KEY, WITH PASS CODE OPTION
- 519-9355 CANOPY, WITH ROPS
- 519-9267 SEAT, NON SUSPENSION, VINYL
- 558-1345 STICK, LONG, W/THUMB BRACKET
- 541-3377 ENGINE, EPA T4
- 523-5529 TRACK, 230MM(9"), RUBBER BELT
- 521-4159 UNDERCARRIAGE, EXPANDABLE
- 521-9521 ALARM, TRAVEL
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 542-1504 FILM, CANADA
- 541-4787 FILM, PRODUCT LINK, ANSI
- 541-4783 FILM, ROPS, ISO
- 519-8333 LINES, 1ST AUX, LONG STICK
- 542-1495 2 WAY CONTROL
- 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

**301.8**

<b>301.8 MINI HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
WUJIANG, CHINA	lbs	AT DEALER

<b>591-9430</b>	<b>301.8 05A MHE DCA3B</b> ..... 0 LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC	<b>\$43,650</b>
-----------------	--	-----------------

- INCLUDES:
- 519-8354 301.8 05A HYDRAULIC EXCAVATOR
  - 522-3705 ACCUMULATOR
  - 521-9576 BATTERY DISCONNECT, CAB
  - 524-5789 CONTROL, 1ST AUX, JOYSTICK
  - 519-9283 TRAVEL LEVERS AND PEDALS
  - 524-0994 DRAIN, ECOLOGY
  - 528-6407 FILMS, ANSI
  - 515-6062 FLOORMAT, CAB, W/TRAVEL
  - 573-0742 NO PRODUCT LINK
  - 525-4426 BOOM LIGHT, STANDARD
  - 525-4443 BOOM LIGHT, BRACKET AND GUARD
  - 519-8542 LINES, BOOM, WITHOUT BLCV
  - 519-8550 LINES, STICK, WITHOUT SLCV
  - 519-8560 LINES, BUCKET, LONG STICK
  - 522-0651 LINKAGE, BUCKET, W/LIFTING EYE
  - 525-4465 CAT KEY, WITH PASS CODE OPTION
  - 519-9347 CAB, WITH A/C
  - 519-9265 SEAT, SUSPENSION, FABRIC
  - 558-1345 STICK, LONG, W/THUMB BRACKET
  - 541-3377 ENGINE, EPA T4
  - 523-5529 TRACK, 230MM(9"), RUBBER BELT
  - 521-4159 UNDERCARRIAGE, EXPANDABLE
  - 521-9521 ALARM, TRAVEL
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 521-9517 RADIO, BT/USB/AUX/MIC
  - 541-4757 FILM, CAB A/C
  - 542-1504 FILM, CANADA
  - 541-4783 FILM, ROPS, ISO
  - 521-9512 LIGHTS, LED, FRONT&REAR
  - 519-8333 LINES, 1ST AUX, LONG STICK
  - 542-1495 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

**301.8**

301.8 MINI HYDRAULIC EXCAVATOR WUJIANG, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p><b>558-1324</b>      <b>301.8 05A MHE CFG1A</b> . . . . . 0                      LANE 2 - AVAILABLE FROM WUJIANG FACTORY                      LANE 3 - AVAILABLE FROM WUJIANG FACTORY                      LANE 2 IS ONLY AVAILABLE FOR NORTH AMERICA</p>	<p>0</p>	<p><b>\$37,630</b></p>
--	----------	------------------------

- INCLUDES:
- 519-8354 301.8 05A HYDRAULIC EXCAVATOR
  - 522-3705 ACCUMULATOR
  - 525-4468 BATTERY DISCONNECT, CANOPY
  - 524-5789 CONTROL, 1ST AUX, JOYSTICK
  - 519-9283 TRAVEL LEVERS AND PEDALS
  - 524-0994 DRAIN, ECOLOGY
  - 515-6065 FLOORMAT, CANOPY, W/TRAVEL
  - 573-0742 NO PRODUCT LINK
  - 525-4426 BOOM LIGHT, STANDARD
  - 525-4443 BOOM LIGHT, BRACKET AND GUARD
  - 519-8542 LINES, BOOM, WITHOUT BLCV
  - 519-8550 LINES, STICK, WITHOUT SLCV
  - 519-8560 LINES, BUCKET, LONG STICK
  - 522-0650 LINKAGE, BUCKET
  - 525-4465 CAT KEY, WITH PASS CODE OPTION
  - 519-9355 CANOPY, WITH ROPS
  - 519-9267 SEAT, NON SUSPENSION, VINYL
  - 558-1345 STICK, LONG, W/THUMB BRACKET
  - 541-3377 ENGINE, EPA T4
  - 523-5529 TRACK, 230MM(9"), RUBBER BELT
  - 521-4159 UNDERCARRIAGE, EXPANDABLE
  - 521-9521 ALARM, TRAVEL
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 541-4783 FILM, ROPS, ISO
  - 519-8333 LINES, 1ST AUX, LONG STICK
  - 542-1495 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

**301.8**

301.8 MINI HYDRAULIC EXCAVATOR WUJIANG, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

558-1327	301.8 05A MHE CFG3A . . . . . 0	\$43,070
	LANE 2 - AVAILABLE FROM WUJIANG FACTORY	
	LANE 3 - AVAILABLE FROM WUJIANG FACTORY	
	LANE 2 IS ONLY AVAILABLE FOR NORTH AMERICA	

- INCLUDES:
- 519-8354 301.8 05A HYDRAULIC EXCAVATOR
  - 522-3705 ACCUMULATOR
  - 521-9576 BATTERY DISCONNECT, CAB
  - 524-5789 CONTROL, 1ST AUX, JOYSTICK
  - 519-9283 TRAVEL LEVERS AND PEDALS
  - 524-0994 DRAIN, ECOLOGY
  - 515-6062 FLOORMAT, CAB, W/TRAVEL
  - 573-0742 NO PRODUCT LINK
  - 525-4426 BOOM LIGHT, STANDARD
  - 525-4443 BOOM LIGHT, BRACKET AND GUARD
  - 519-8542 LINES, BOOM, WITHOUT BLCV
  - 519-8550 LINES, STICK, WITHOUT SLCV
  - 519-8560 LINES, BUCKET, LONG STICK
  - 522-0650 LINKAGE, BUCKET
  - 525-4465 CAT KEY, WITH PASS CODE OPTION
  - 519-9347 CAB, WITH A/C
  - 519-9265 SEAT, SUSPENSION, FABRIC
  - 558-1345 STICK, LONG, W/THUMB BRACKET
  - 541-3377 ENGINE, EPA T4
  - 523-5529 TRACK, 230MM(9"), RUBBER BELT
  - 521-4159 UNDERCARRIAGE, EXPANDABLE
  - 521-9521 ALARM, TRAVEL
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 541-4794 FILM, AC
  - 541-4757 FILM, CAB A/C
  - 541-4783 FILM, ROPS, ISO
  - 521-9512 LIGHTS, LED, FRONT&REAR
  - 519-8333 LINES, 1ST AUX, LONG STICK
  - 542-1495 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START

558-1329	301.8 05A MHE CFG14A . . . . . 0	\$34,120
	LANE 3 - AVAILABLE FROM WUJIANG FACTORY	

- INCLUDES:
- 519-8354 301.8 05A HYDRAULIC EXCAVATOR
  - 522-3705 ACCUMULATOR
  - 519-9283 TRAVEL LEVERS AND PEDALS
  - 524-0994 DRAIN, ECOLOGY
  - 525-4443 BOOM LIGHT, BRACKET AND GUARD
  - 541-3377 ENGINE, EPA T4
  - 521-9521 ALARM, TRAVEL
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 541-4783 FILM, ROPS, ISO
  - 542-1495 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**OPERATION AND MAINTENANCE MANUAL**

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

**PROTECTION**

0P-2266	SHIPPING/STORAGE PROTECTION . . . . .	0	\$213 NET
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		
	Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.		

**PACKING**

0P-4299	PACKING, LAST MILE PROGRAM . . . . .	0	NC
---------	--------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**PDC MACHINE PREP**

599-7166	ATHENS DEALER PDI & FUEL . . . . .	0	\$228 NET
	The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		
0P-4656	DEALER PREP, FINNING . . . . .	0	\$277 NET
	ONLY FOR USE WITH: CANADIAN DEALERS		

**WORK TOOL PACKAGE**

W	547-7075	THUMB, HYD + COUPLER, PG, MAN, 1T . . . . .	0	\$2,725
		Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style		

**QUICK COUPLERS**

W	361-1092	COUPLER, PG, MAN, D, LOCK, 1T . . . . .	26	\$781
		Mechanical pin grabber type quick coupler with a dual lock.		

**BUCKETS**

May select one installed bucket per machine.  
 May select up to 2 not installed buckets per machine.  
 First bucket on machine order must be installed.  
 One set of Bucket Pins recommended for each not installed bucket.

W	147-1014	BUCKET-DG, 9", 0.65 FT3, 1T . . . . .	65	\$451
			65	\$451 NI
		Width 230mm (9"), Heaped Cap. 0.018M3 (0.024YD3), Incl 3 Unitooth		
W	147-1018	BUCKET-DG, 12", 0.78 FT3, 1T . . . . .	69	\$486
			69	\$486 NI
		Width 300mm (12"), Heaped Cap. 0.022M3 (0.029YD3), Incl 3 Unitooth		
W	147-1026	BUCKET-DG, 24", 1.97 FT3, 1T . . . . .	100	\$694
			100	\$694 NI
		Width 600mm (24"), Heaped Cap. 0.056M3 (0.073YD3), Incl 4 Unitooth		
W	190-7387	BUCKET-DG, 18", 1.40 FT3, 1T . . . . .	84	\$597
			84	\$597 NI
		Width 460mm (18"), Heaped Cap. 0.04M3 (0.052YD3), Incl 3 Unitooth		
W	154-2672	PINS, BUCKET, 30MM . . . . .	4	\$76 NI
		INCLUDES: 2 bucket pins and hardware		

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

**LANE SELECTION**

<b>0P-9002</b>	<b>LANE 2 ORDER</b> . . . . . 0 Only for dealers enrolled in the Base Orders Management (BOM) program.	<b>NC</b>
<b>0P-9003</b>	<b>LANE 3 ORDER</b> . . . . . 0	<b>NC</b>



CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

**STICK**

L	558-1344	STICK, STD, W/THUMB BRACKET . . . . . 0		\$383
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		
L	558-1345	STICK, LONG, W/THUMB BRACKET . . . . . 0		\$585
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		

**BOOM LINES**

L	519-8542	LINES, BOOM, WITHOUT BLCV . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A		
L	519-8543	LINES, BOOM, WITH BLCV . . . . . 0		\$565
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A		

**STICK LINES**

L	519-8550	LINES, STICK, WITHOUT SLCV . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A		
L	519-8551	LINES, STICK, WITH SLCV . . . . . 0		\$565
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A AND 519-8543 LINES, BOOM, WITH BLCV		

**BUCKET LINKAGES**

L	522-0650	LINKAGE, BUCKET . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A CANNOT BE USED WITH: EU DEALERS		
L	522-0651	LINKAGE, BUCKET, W/LIFTING EYE . . . . . 0		\$145
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A CANNOT BE USED WITH: EU DEALERS		

**UNDERCARRIAGE**

L	521-4016	UNDERCARRIAGE, FIXED. . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		
L	521-4159	UNDERCARRIAGE, EXPANDABLE. . . . . 0		\$2,880
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		

**TRACK PAIRS**

L	523-5529	TRACK, 9", RUBBER BELT . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		
L	523-5531	TRACK, 9", STEEL . . . . . 0		\$1,085
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS**

**AUXILIARY CONTROL**

L	524-5789	CONTROL, 1ST AUX, JOYSTICK . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		
L	524-5790	CONTROL, 1ST & 2ND AUX, JSTK . . . . . 0		\$1,200
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		

**BUCKET LINES**

L	519-8559	LINES, BUCKET, STD STICK . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET		
L	519-8560	LINES, BUCKET, LONG STICK . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET		

**ELECTRICAL**

**BOOM LIGHTS**

L	525-4426	BOOM LIGHT, STANDARD . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A REQUIRED BY: 519-9347 CAB WITH A/C 519-9348 CAB, WITH HEATER		
		NOTE: OPTIONAL FOR 519-9355 CANOPY, WITH ROPS		
L	525-4427	BOOM LIGHT, LED . . . . . 0		\$101
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A REQUIRED BY: 519-9347 CAB WITH A/C 519-9348 CAB, WITH HEATER		
		NOTE: OPTIONAL FOR 519-9355 CANOPY, WITH ROPS		

**OPERATOR ENVIRONMENT**

L	519-9347	CAB, WITH A/C . . . . . 0		\$4,860
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		
L	519-9348	CAB, WITH HEATER . . . . . 0		\$3,355
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

L	519-9355	CANOPY, WITH ROPS . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		

**CAB FILMS**

L	541-4757	FILM, CAB A/C . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A REQUIRED BY: 519-9347 CAB, WITH AIR CONDITIONER		
L	541-4759	FILM, CAB HEATER . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A REQUIRED BY: 519-9348 CAB, WITH HEATER		

**SEATS**

L	519-9265	SEAT, SUSPENSION, FABRIC . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 519-9348 CAB. WITH HEATER OR 519-9347 CAB, WITH AIR CONDITIONER		
L	519-9266	SEAT, SUSPENSION, VINYL . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 558-1322 301.8 05A MHE CFG14A OR 519-9355 CANOPY, WITH ROPS		
L	519-9267	SEAT, NON SUSPENSION, VINYL . . . . . 0		\$-73
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 519-9355 CANOPY, WITH ROPS		

**FLOORMATS**

L	515-6065	FLOORMAT, CANOPY, W/TRAVEL . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 519-9355 CANOPY, WITH ROPS AND 519-9283 TRAVEL LEVERS AND PEDALS		
L	515-6062	FLOORMAT, CAB, W/TRAVEL . . . . . 0		NC
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER AND 519-9283 TRAVEL LEVERS AND PEDALS		

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	576-1562	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: 519-9348 CAB, WITH HEATER OR 519-9347 CAB, WITH A/C		\$333
L	576-1568	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: 519-9355 CANOPY, WITH ROPS		\$333

**PRODUCT LINK FILM**

L	541-4787	<b>FILM, PRODUCT LINK, ANSI</b> . . . . . 0 REQUIRED BY: 576-1559 PRODUCT LINK, CELLULAR PLE643 576-1562 PRODUCT LINK, CELLULAR PL243 576-1564 PRODUCT LINK, CELLULAR PLE643 576-1568 PRODUCT LINK, CELLULAR PL243		NC
---	----------	--	--	----

**SAFETY AND SECURITY**

**MACHINE SECURITY KEY**

L	525-4465	<b>CAT KEY, WITH PASS CODE OPTION</b> . . . . . 0 ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		NC
L	525-4466	<b>PUSH TO START, BT FOB SECURITY</b> . . . . . 0 ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		\$486

**BATTERY DISCONNECT**

L	521-9576	<b>BATTERY DISCONNECT, CAB</b> . . . . . 0 ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		\$63
L	521-9577	<b>NO BATTERY DISCONNECT, CAB</b> . . . . . 0 ONLY FOR USE WITH: 558-1329 301.8 05A MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		NC

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**SAFETY AND SECURITY (CONT.)**

***BATTERY DISCONNECT (Cont.)***

L	525-4468	BATTERY DISCONNECT, CANOPY . . . . . 0		\$63
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR		
		558-1329 301.8 05A MHE CFG14A AND		
		519-9355 CANOPY, WITH ROPS		
L	525-4469	NO BATTERY DISCONNECT, CANOPY . . . . . 0		NC
		ONLY FOR USE WITH: 558-1329 301.8 05A MHE CFG14A AND		
		519-9355 CANOPY, WITH ROPS		

**INSTRUCTIONS**

L	528-6407	FILMS, ANSI . . . . . 0		NC
---	----------	-------------------------	--	----

***OPERATION AND MAINTENANCE MANUALS***

	OP-3380	INSTRUCTIONS, ENGLISH . . . . . 0		NC
	OP-3404	INSTRUCTIONS, SPANISH . . . . . 0		NC

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**HYDRAULICS**

**1ST AUXILIARY LINES.**

L	519-8329	LINES, 1ST AUX, STD STICK . . . . . 0		\$53
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET CANNOT BE USED WITH: 519-9584 NO AUX LINES REQUIRED BY: 534-1395 LINES, BKT, DIVERT AUX, ST STK		

L	519-8333	LINES, 1ST AUX, LONG STICK . . . . . 0		\$53
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET CANNOT BE USED WITH: 519-9584 NO AUX LINES REQUIRED BY: 534-1396 LINES, BKT, DIVERT AUX, LG STK		

**2ND AUXILIARY LINES**

L	519-8417	LINES, 2ND AUX, STD STICK . . . . . 0		\$53
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET AND 524-5790 CONTROL, 1ST & 2ND AUX, JSTK 519-8329 LINES, 1ST AUX, STD STICK		

L	519-8419	LINES, 2ND AUX, LONG STICK . . . . . 0		\$53
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET AND 524-5790 CONTROL, 1ST & 2ND AUX, JSTK 519-8333 LINES, 1ST AUX, LONG STICK		

**ELECTRICAL**

**FRONT LIGHTS**

L	521-9511	LIGHTS, LED, FRONT . . . . . 0		\$363
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		
L	521-9512	LIGHTS, LED, FRONT&REAR . . . . . 0		\$515
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**LIGHT COVER**

L	541-4688	LIGHT COVER, CAB . . . . . 0		\$53
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER CANNOT BE USED WITH: 521-9512 LIGHTS, LED, FRONT&REAR REQUIRED BY: 521-9511 LIGHTS, LED, FRONT If no front lights selected.		

**ROTATING BEACON**

L	260-5501	BEACON, ROTATING, MAGNET (HAL) . . . . . 0		\$399
		CANNOT BE USED WITH: EU DEALERS		

**OPERATOR ENVIRONMENT**

**RADIOS**

L	521-9517	RADIO, BT/USB/AUX/MIC . . . . . 0		\$418
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		
L	521-9518	RADIO, BT/USB/AUX/MIC/DAB . . . . . 0		\$525
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		

**MIRRORS**

L	519-9280	MIRRORS, LEFT AND RIGHT . . . . . 0		\$180
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR 558-1329 301.8 05A MHE CFG14A		

**GUARDS**

**FRONT GUARDS**

L	568-1660	GUARD, CAB, FRONT, SOLID, FULL . . . . . 0		\$5,760
		Polycarbonate guard that meets EN 356 P5A window protection and ISO 10262 Level I front guard requirements. ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG 14A OR 558-1329 301.8 05A MHE CFG 14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		
L	519-9269	GUARD, CANOPY, SOLID, HALF . . . . . 0		\$655
		Upper half polycarbonate guard (not designed for a particular regulation). ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG 14A OR 558-1329 301.8 05A MHE CFG 14A AND 519-9355 CANOPY, WITH ROPS		

CATERPILLAR MACHINE PRICE LIST

**301.8**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**OTHER ATTACHMENTS**

***WATER JACKET HEATER***

L	519-8302	WATER JACKET HEATER, 100V . . . . . 0		\$220
		ONLY FOR USE WITH: 558-1322 301.8 05A MHE CFG14A OR		
		558-1329 301.8 05A MHE CFG14A		

**PACKING**

***PROTECTION***

	0P-2266	SHIPPING/STORAGE PROTECTION . . . . . 0		\$213 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods.		
		This product will need to be power washed with soapy water prior to shipment to the customer.		
		REQUIRED BY: Export Orders		

NOTE: Optional for EU Dealers

***PACKING***

	0P-4299	PACKING, LAST MILE PROGRAM . . . . . 0		NC
		REQUIRED BY: LAST MILE DEALERS		