

CATERPILLAR MACHINE PRICE LIST

302302 MINI HYDRAULIC EXCAVATOR
WUJIANG, CHINAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGESOne piece boom, 1850mm(73")
Standard stick, 960mm(37.8")
Long stick, 1160mm(45.7")**POWERTRAIN**C1.1 engine under Tier 4 Final/
EU Stage V
Variable displacement piston pump
Load sensing hydraulics
Automatic two speed travel
Automatic engine idle**UNDERCARRIAGE**Track, 250mm(10")
Tie downs on track frame
Blade with float
Towing eye on base frame**HYDRAULICS**Smart tech electronic pump
Accumulator
Bio oil capable
Hydraulic lockout lever, all controls
One & two way flow**ELECTRICAL**12 volt battery
Software (machine & monitor)
Maintenance free battery
Warning horn
12 volt power socket**OPERATOR ENVIRONMENT**Cab sound pressure 93 dB(A) ISO 6395
Standard LCD monitor
Cat key with passcode option
ROPS, ISO 12117-2
TOPS, ISO 12117
Top guard, ISO 10262 (Level I)
Adjustable wrestrests
Retractable high vis seatbelt 75mm(3")
Tilt operator station

CATERPILLAR MACHINE PRICE LIST

302

302 MINI HYDRAULIC EXCAVATOR
 WUJIANG, CHINA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

584-6886 **302 05A CR MHE DCA1B** 0 **\$43,420**
 LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC

- INCLUDES:
- 593-1166 302 05A CR HYDRAULIC EXCAVATOR
 - 522-3705 ACCUMULATOR
 - 525-4468 BATTERY DISCONNECT, CANOPY
 - 519-9588 CONTROL, 1ST AUX, JOYSTICK
 - 519-9283 TRAVEL LEVERS AND PEDALS
 - 524-0994 DRAIN, ECOLOGY
 - 528-6409 FILMS, ANSI
 - 515-6065 FLOORMAT, CANOPY, W/TRAVEL
 - 573-0742 NO PRODUCT LINK
 - 525-4426 BOOM LIGHT, STANDARD
 - 525-4443 BOOM LIGHT, BRACKET AND GUARD
 - 519-8542 LINES, BOOM, WITHOUT BLCV
 - 519-8550 LINES, STICK, WITHOUT SLCV
 - 519-8560 LINES, BUCKET, LONG STICK
 - 522-0651 LINKAGE, BUCKET, W/LIFTING EYE
 - 525-4465 CAT KEY, WITH PASS CODE OPTION
 - 519-9355 CANOPY, WITH ROPS
 - 519-9267 SEAT, NON SUSPENSION, VINYL
 - 558-1345 STICK, LONG, W/THUMB BRACKET
 - 541-3377 ENGINE, EPA T4
 - 521-4085 TRACK, 250MM(10"), RUBBER BELT
 - 521-4021 UNDERCARRIAGE, EXPANDABLE
 - 521-9521 ALARM, TRAVEL
 - 525-4426 BOOM LIGHT, STANDARD
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 542-1504 FILM, CANADA
 - 541-4783 FILM, ROPS, ISO
 - 519-8333 LINES, 1ST AUX, LONG STICK
 - 542-1495 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

302

302 MINI HYDRAULIC EXCAVATOR WUJIANG, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>591-9431</p> <p>302 05A CR MHE DCA3C 0</p> <p>LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC</p>	<p>0</p>	<p>\$49,300</p>
---	----------	------------------------

- INCLUDES:
- 593-1166 302 05A CR HYDRAULIC EXCAVATOR
 - 522-3705 ACCUMULATOR
 - 521-9576 BATTERY DISCONNECT, CAB
 - 519-9588 CONTROL, 1ST AUX, JOYSTICK
 - 519-9283 TRAVEL LEVERS AND PEDALS
 - 524-0994 DRAIN, ECOLOGY
 - 528-6409 FILMS, ANSI
 - 515-6062 FLOORMAT, CAB, W/TRAVEL
 - 573-0742 NO PRODUCT LINK
 - 525-4426 BOOM LIGHT, STANDARD
 - 525-4443 BOOM LIGHT, BRACKET AND GUARD
 - 519-8542 LINES, BOOM, WITHOUT BLCV
 - 519-8550 LINES, STICK, WITHOUT SLCV
 - 519-8560 LINES, BUCKET, LONG STICK
 - 522-0651 LINKAGE, BUCKET, W/LIFTING EYE
 - 525-4465 CAT KEY, WITH PASS CODE OPTION
 - 519-9347 CAB, WITH A/C
 - 519-9265 SEAT, SUSPENSION, FABRIC
 - 558-1345 STICK, LONG, W/THUMB BRACKET
 - 541-3377 ENGINE, EPA T4
 - 521-4085 TRACK, 250MM(10"), RUBBER BELT
 - 521-4021 UNDERCARRIAGE, EXPANDABLE
 - 521-9521 ALARM, TRAVEL
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 541-4794 FILM, AC
 - 542-1504 FILM, CANADA
 - 541-4757 FILM, CAB A/C
 - 541-4783 FILM, ROPS, ISO
 - 521-9512 LIGHTS, LED, FRONT&REAR
 - 519-8333 LINES, 1ST AUX, LONG STICK
 - 542-1495 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START
 - 521-9517 RADIO, BT/USB/AUX/MIC

CATERPILLAR MACHINE PRICE LIST

302

302 MINI HYDRAULIC EXCAVATOR WUJIANG, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>584-6887</p> <p>302 05A CR MHE CFG1B 0</p> <p>LANE 2 - AVAILABLE FROM WUJIANG FACTORY</p> <p>LANE 3 - AVAILABLE FROM WUJIANG FACTORY</p> <p>LANE 2 IS ONLY AVAILABLE FOR NORTH AMERICA</p>	<p>0</p>	<p>\$43,290</p>
---	----------	------------------------

- INCLUDES:
- 593-1166 302 05A CR HYDRAULIC EXCAVATOR
 - 522-3705 ACCUMULATOR
 - 525-4468 BATTERY DISCONNECT, CANOPY
 - 519-9588 CONTROL, 1ST AUX, JOYSTICK
 - 519-9283 TRAVEL LEVERS AND PEDALS
 - 524-0994 DRAIN, ECOLOGY
 - 515-6065 FLOORMAT, CANOPY, W/TRAVEL
 - 573-0742 NO PRODUCT LINK
 - 525-4426 BOOM LIGHT, STANDARD
 - 525-4443 BOOM LIGHT, BRACKET AND GUARD
 - 519-8542 LINES, BOOM, WITHOUT BLCV
 - 519-8550 LINES, STICK, WITHOUT SLCV
 - 519-8560 LINES, BUCKET, LONG STICK
 - 522-0650 LINKAGE, BUCKET
 - 525-4465 CAT KEY, WITH PASS CODE OPTION
 - 519-9355 CANOPY, WITH ROPS
 - 519-9267 SEAT, NON SUSPENSION, VINYL
 - 558-1345 STICK, LONG, W/THUMB BRACKET
 - 541-3377 ENGINE, EPA T4
 - 521-4085 TRACK, 250MM(10"), RUBBER BELT
 - 570-2230 UNDERCARRIAGE, EXPANDABLE
 - 521-9521 ALARM, TRAVEL
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 541-4783 FILM, ROPS, ISO
 - 519-8333 LINES, 1ST AUX, LONG STICK
 - 542-1495 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

302

302 MINI HYDRAULIC EXCAVATOR WUJIANG, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>584-6889</p> <p>302 05A CR MHE CFG3B 0</p> <p>LANE 2 - AVAILABLE FROM WUJIANG FACTORY LANE 3 - AVAILABLE FROM WUJIANG FACTORY LANE 2 IS ONLY AVAILABLE FOR NORTH AMERICA</p>	<p>\$48,740</p>
---	------------------------

- INCLUDES:
- 593-1166 302 05A CR HYDRAULIC EXCAVATOR
 - 522-3705 ACCUMULATOR
 - 521-9576 BATTERY DISCONNECT, CAB
 - 519-9588 CONTROL, 1ST AUX, JOYSTICK
 - 519-9283 TRAVEL LEVERS AND PEDALS
 - 524-0994 DRAIN, ECOLOGY
 - 515-6062 FLOORMAT, CAB, W/TRAVEL
 - 573-0742 NO PRODUCT LINK
 - 525-4426 BOOM LIGHT, STANDARD
 - 525-4443 BOOM LIGHT, BRACKET AND GUARD
 - 519-8542 LINES, BOOM, WITHOUT BLCV
 - 519-8550 LINES, STICK, WITHOUT SLCV
 - 519-8560 LINES, BUCKET, LONG STICK
 - 522-0650 LINKAGE, BUCKET
 - 525-4465 CAT KEY, WITH PASS CODE OPTION
 - 519-9347 CAB, WITH A/C
 - 519-9265 SEAT, SUSPENSION, FABRIC
 - 558-1345 STICK, LONG, W/THUMB BRACKET
 - 541-3377 ENGINE, EPA T4
 - 521-4085 TRACK, 250MM(10"), RUBBER BELT
 - 521-4021 UNDERCARRIAGE, EXPANDABLE
 - 521-9512 LIGHTS, LED, FRONT&REAR
 - 521-9521 ALARM, TRAVEL
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 541-4757 FILM, CAB A/C
 - 541-4783 FILM, ROPS, ISO
 - 519-8333 LINES, 1ST AUX, LONG STICK
 - 542-1495 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START

<p>558-1339</p> <p>302 05A CR MHE CFG14A 0</p> <p>LANE 3 - AVAILABLE FROM WUJIANG FACTORY</p>	<p>\$39,790</p>
---	------------------------

- INCLUDES:
- 593-1166 302 05A CR HYDRAULIC EXCAVATOR
 - 522-3705 ACCUMULATOR
 - 519-9283 TRAVEL LEVERS AND PEDALS
 - 524-0994 DRAIN, ECOLOGY
 - 525-4443 BOOM LIGHT, BRACKET AND GUARD
 - 541-3377 ENGINE, EPA T4
 - 521-9521 ALARM, TRAVEL
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 541-4783 FILM, ROPS, ISO
 - 542-1495 2 WAY CONTROL
 - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$213 NET
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		
	Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.		

PACKING

0P-4299	PACKING, LAST MILE PROGRAM	0	NC
---------	--------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PDC MACHINE PREP

599-7166	ATHENS DEALER PDI & FUEL 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.	\$228 NET
0P-4656	DEALER PREP, FINNING 0 ONLY FOR USE WITH: CANADIAN DEALERS	\$277 NET

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

WORK TOOL PACKAGE

W	547-7075	THUMB, HYD + COUPLER, PG, MAN, 1T 0 Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style		\$2,725
---	----------	---	--	---------

QUICK COUPLERS

W	361-1092	COUPLER, PG, MAN.D.LOCK, 1T 26 Mechanical pin grabber type quick coupler with a dual lock.		\$781
---	----------	---	--	-------

BUCKETS

May select one installed bucket per machine.
 May select up to 2 not installed buckets per machine.
 First bucket on machine order must be installed.
 One set of Bucket Pins recommended for each not installed bucket.

W	147-1014	BUCKET-DG, 9", 0.65 FT3, 1T 65 Width 230mm (9"), Heaped Cap. 0.018M3 (0.024YD3), Incl 3 Unitooth	65	\$451 \$451 NI
W	147-1018	BUCKET-DG, 12", 0.78 FT3, 1T 69 Width 300mm (12"), Heaped Cap. 0.022M3 (0.029YD3), Incl 3 Unitooth	69	\$486 \$486 NI
W	147-1026	BUCKET-DG, 24", 1.97 FT3, 1T 100 Width 600mm (24"), Heaped Cap. 0.056M3 (0.073YD3), Incl 4 Unitooth	100	\$694 \$694 NI
W	190-7387	BUCKET-DG, 18", 1.40 FT3, 1T 84 Width 460mm (18"), Heaped Cap. 0.04M3 (0.052YD3), Incl 3 Unitooth	84	\$597 \$597 NI
W	154-2672	PINS, BUCKET, 30MM 4 INCLUDES: 2 bucket pins and hardware		\$76 NI

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

LANE SELECTION

OP-9003	LANE 3 ORDER 0	NC
---------	--------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

STICK

L	558-1344	STICK, STD, W/THUMB BRACKET 0		\$383
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D		
L	558-1345	STICK, LONG, W/THUMB BRACKET 0		\$585
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D		

BOOM LINES

L	519-8542	LINES, BOOM, WITHOUT BLCV 0		NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A		
L	519-8543	LINES, BOOM, WITH BLCV 0		\$565
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A		

STICK LINES

L	519-8550	LINES, STICK, WITHOUT SLCV 0		NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A		
L	519-8551	LINES, STICK, WITH SLCV 0		\$565
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A AND		
		519-8543 LINES, BOOM, WITH BLCV		

BUCKET LINKAGE

L	522-0650	LINKAGE, BUCKET 0		NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A		
		CANNOT BE USED WITH: EU DEALERS		
L	522-0651	LINKAGE, BUCKET, W/LIFTING EYE 0		\$145
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A		
		CANNOT BE USED WITH: EU DEALERS		

UNDERCARRIAGE

L	521-4017	UNDERCARRIAGE, FIXED. 0		NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A		
L	521-4021	UNDERCARRIAGE, EXPANDABLE. 0		\$2,880
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK PAIRS

L	521-4085	TRACK, 10", RUBBER BELT	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D		
L	521-4091	TRACK, 10", STEEL	0	\$1,085
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D		

HYDRAULICS

AUXILIARY CONTROL

L	519-9588	CONTROL, 1ST AUX, JOYSTICK	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D		
L	519-9589	CONTROL, 1ST & 2ND AUX, JSTK	0	\$1,200
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D		

BUCKET LINES

L	519-8559	LINES, BUCKET, STD STICK	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D AND		
		522-0666 STICK, STD, NO THUMB BRACKET OR		
		558-1344 STICK, STD, W/THUMB BRACKET		
L	519-8560	LINES, BUCKET, LONG STICK	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D AND		
		522-0669 STICK, LONG, NO THUMB BRACKET OR		
		558-1345 STICK, LONG, W/THUMB BRACKET		

ELECTRICAL

BOOM LIGHTS

L	525-4426	BOOM LIGHT, STANDARD	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR		
		558-1339 302 05A CR MHE CFG14A OR		
		584-6908 302 05A CR MHE CFG14C OR		
		584-6882 302 05A CR MHE CFG14D		

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

BOOM LIGHTS (Cont.)

L	525-4427	BOOM LIGHT, LED	0	\$101
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C OR 584-6882 302 05A CR MHE CFG14D		

OPERATOR ENVIRONMENT

L	519-9347	CAB, WITH A/C	0	\$4,860
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A		
L	519-9348	CAB, WITH HEATER	0	\$3,355
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A		
L	519-9355	CANOPY, WITH ROPS	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A		

CAB FILMS

L	541-4757	FILM, CAB A/C	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND REQUIRED BY: 519-9347 CAB, WITH AIR CONDITIONER		
L	541-4759	FILM, CAB HEATER	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A REQUIRED BY: 519-9348 CAB, WITH HEATER		

SEATS

L	519-9265	SEAT, SUSPENSION, FABRIC	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND 519-9348 CAB, WITH HEATER OR 519-9347 CAB, WITH AIR CONDITIONER		
L	519-9266	SEAT, SUSPENSION, VINYL	0	NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND 519-9355 CANOPY, WITH ROPS		
L	519-9267	SEAT, NON SUSPENSION, VINYL	0	\$-73
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND 519-9355 CANOPY, WITH ROPS		

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

FLOORMATS

L	515-6065	FLOORMAT, CANOPY, W/TRAVEL 0 ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND 519-9355 CANOPY, WITH ROPS AND 519-9283 TRAVEL LEVERS AND PEDALS		NC
L	515-6062	FLOORMAT, CAB, W/TRAVEL 0 ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER AND 519-9283 TRAVEL LEVERS AND PEDALS		NC

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	576-1562	PRODUCT LINK, CELLULAR PL243 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: 519-9347 CAB, WITH A/C OR 519-9348 CAB, WITH HEATER		\$333
L	576-1568	PRODUCT LINK, CELLULAR PL243 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: 519-9355 CANOPY, WITH ROPS		\$333

PRODUCT LINK FILM

L	541-4787	FILM, PRODUCT LINK, ANSI 0 REQUIRED BY: 576-1559 PRODUCT LINK, CELLULAR PLE643 589-7253 PRODUCT LINK, CELLULAR PLE643 576-1562 PRODUCT LINK, CELLULAR PL243 589-7254 PRODUCT LINK, CELLULAR PL243		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY

MACHINE SECURITY KEY

L	525-4465	CAT KEY, WITH PASS CODE OPTION 0		NC
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C		
L	525-4466	PUSH TO START, BT FOB SECURITY 0		\$486
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 558-1341 302 05A CR MHE CFG14A		

BATTERY DISCONNECT

L	521-9576	BATTERY DISCONNECT, CAB 0		\$63
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1341 302 05A CR MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		
L	521-9577	NO BATTERY DISCONNECT, CAB 0		NC
		ONLY FOR USE WITH: 558-1339 302 05A CR MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		
L	525-4468	BATTERY DISCONNECT, CANOPY 0		\$63
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND 519-9355 CANOPY, WITH ROPS		
L	525-4469	NO BATTERY DISCONNECT, CANOPY 0		NC
		ONLY FOR USE WITH: 558-1339 302 05A CR MHE CFG14A AND 519-9355 CANOPY, WITH ROPS		

INSTRUCTIONS

L	528-6409	FILMS, ANSI 0		NC
---	----------	-------------------------	--	----

OPERATION AND MAINTENANCE MANUALS

	OP-3380	INSTRUCTIONS, ENGLISH 0		NC
	OP-3404	INSTRUCTIONS, SPANISH 0		NC

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

HYDRAULICS

1ST AUXILIARY LINES.

L	519-8329	LINES, 1ST AUX, STD STICK 0		\$53
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET CANNOT BE USED WITH: 519-9584 NO AUX LINES REQUIRED BY: 534-1395 LINES, BKT, DIVERT AUX, ST STK		

L	519-8333	LINES, 1ST AUX, LONG STICK 0		\$53
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET CANNOT BE USED WITH: 519-9587 NO AUX LINES REQUIRED BY: 534-1396 LINES, BKT, DIVERT AUX, LG STK		

2ND AUXILIARY LINES

L	519-8417	LINES, 2ND AUX, STD STICK 0		\$53
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C AND 522-0666 STICK, STD, NO THUMB BRACKET OR 558-1344 STICK, STD, W/THUMB BRACKET AND 524-5789 CONTROL, 2ND AUX/2 WAY, JSTK AND 519-8329 LINES, 1ST AUX, STD STICK		

L	519-8419	LINES, 2ND AUX, LONG STICK 0		\$53
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C AND 522-0669 STICK, LONG, NO THUMB BRACKET OR 558-1345 STICK, LONG, W/THUMB BRACKET AND 524-5789 CONTROL, 2ND AUX/2 WAY, JSTK AND 519-8333 LINES, 1ST AUX, LONG STICK		

ELECTRICAL

FRONT LIGHTS

L	521-9511	LIGHTS, LED, FRONT 0		\$363
		ONLY FOR USE WITH: 558-1332 302 05A MHE CFG14A OR 558-1339 302 05A MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C		

L	521-9512	LIGHTS, LED, FRONT&REAR 0		\$515
		ONLY FOR USE WITH: 558-1332 302 05A MHE CFG14A OR 558-1339 302 05A MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C		

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHT COVER

L	541-4688	LIGHT COVER, CAB 0		\$53
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER CANNOT BE USED WITH: 521-9512 LIGHTS, LED, FRONT&REAR REQUIRED BY: 521-9511 LIGHTS, LED, FRONT If no front lights selected.		

ROTATING BEACON

L	260-5501	BEACON, ROTATING, MAGNET (HAL) 0		\$399
		CANNOT BE USED WITH: EU DEALERS		

OPERATOR ENVIRONMENT

RADIOS

L	521-9517	RADIO, BT/USB/AUX/MIC 0		\$418
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		
L	521-9518	RADIO, BT/USB/AUX/MIC/DAB 0		\$525
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		

MIRRORS

L	519-9280	MIRRORS, LEFT AND RIGHT 0		\$180
		ONLY FOR USE WITH: 558-1332 302-05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C		

GUARDS

FRONT GUARDS

L	568-1660	GUARD, CAB, FRONT, SOLID, FULL 0		\$5,760
		Polycarbonate guard that meets EN 356 P5A window protection and ISO 10262 Level I front guard requirements. ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C AND 519-9347 CAB, WITH AIR CONDITIONER OR 519-9348 CAB, WITH HEATER		

CATERPILLAR MACHINE PRICE LIST

302

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

GUARDS (CONT.)

FRONT GUARDS (Cont.)

L	519-9269	GUARD, CANOPY, SOLID, HALF 0		\$655
		Upper half polycarbonate guard (not designed for a particular regulation). ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 584-6908 302 05A CR MHE CFG14C AND 519-9355 CANOPY, WITH ROPS		

OTHER ATTACHMENTS

WATER JACKET HEATER

L	519-8302	WATER JACKET HEATER, 100V 0		\$220
		ONLY FOR USE WITH: 558-1332 302 05A CR MHE CFG14A OR 558-1339 302 05A CR MHE CFG14A		

PACKING

PROTECTION

	0P-2266	SHIPPING/STORAGE PROTECTION 0		\$213 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Export Orders		

NOTE: Optional for EU Dealers

PACKING

	0P-4299	PACKING, LAST MILE PROGRAM 0		NC
		REQUIRED BY: LAST MILE DEALERS		
	0P-4263	PACK, MISCELLANEOUS MATERIAL 0		NC
		REQUIRED BY: MISC ORDERS		