

## CATERPILLAR MACHINE PRICE LIST

**303E CR**


---

**303E CR MINI HYDRAULIC EXCAVATOR**  
**SAGAMI, JAPAN**
**Ship Weight**  
**lbs**
**LIST PRICE**  
**AT DEALER**


---

Standard Equipment:

**POWERTRAIN**

C1.3 <19kW mechanical engine  
Automatic two speed travel  
B5 fuel/ bio fuel compatible  
Mechanical throttle  
Load sensing hydraulic system

**ELECTRICAL**

12 volt electrical system  
40 ampere alternator  
Beacon socket  
Boom work light  
Warning horn

**OPERATOR ENVIRONMENT**

100% pilot control ergonomic joysticks  
Cup holder  
Basic diagnostics monitor  
-Fuel level  
-Engine coolant temperature  
-Hour meter  
-Engine oil pressure  
-Air cleaner, alternator and  
glow plugs service interval  
Hydraulic neutral lockout system

**OTHER STANDARD EQUIPMENT**

1-way and 2-way (combined function)  
Accumulator  
Auxiliary hydraulic lines  
Adjustable auxiliary relief  
Auxiliary line quick disconnects  
Caterpillar corporate "one key" system  
Compact radius design package  
Dozer blade with float function  
Heavy duty counterweight  
High ambient cooling package  
Hydraulic oil cooler  
Load sensing hydraulics  
Roll over protective structure (ROPS)  
(ISO 12117-2)  
Swing boom design  
Swivel guard  
Thumb ready stick  
Tip over protective structure (TOPS)  
(ISO 12117)  
Top guard - ISO 10262 (level 1)

CATERPILLAR MACHINE PRICE LIST

# 303E CR

| 303E CR MINI HYDRAULIC EXCAVATOR<br>SAGAMI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|---|--------------------|-------------------------|
|---|--------------------|-------------------------|

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

**581-8306      303E CR HEXMN DCA 1.1A. . . . . 0      \$50,460**  
 LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC

- INCLUDES:  
 449-0425 303E CR MINI HYD EXCAVATOR  
 449-0430 CANOPY, TOPS  
 540-4555 HYDRAULICS, W/O 2ND AUX, STD  
 308-2831 TRACK, 300MM(12"), RUBBER BELT  
 296-1626 COUNTERWEIGHT, EXTRA  
 540-4557 STICK, STD, W/THUMB BRACKET  
 574-1445 PRODUCT LINK, CELLULAR PL243  
 576-6980 HOOD, REAR, SOLID  
 449-0414 INSTRUCTIONS, ANSI

**581-8307      303E CR HEXMN DCA 2.1A. . . . . 0      \$55,880**  
 LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC

- INCLUDES:  
 449-0425 303E CR MINI HYD EXCAVATOR  
 449-0431 CAB, WITH HEATER  
 540-4557 STICK, STD WITH THUMB BRACKET  
 308-2831 TRACK, 300MM(12"), RUBBER BELT  
 296-1626 COUNTERWEIGHT, EXTRA  
 540-4555 HYDRAULICS, W/O 2ND AUX, STD  
 574-1446 PRODUCT LINK, CELLULAR PL243  
 576-6980 HOOD, REAR, SOLID  
 449-0414 INSTRUCTIONS, ANSI

**586-7899      303E CR HEXMN CFG 1.2. . . . . 0      \$49,990**  
 LANE 2 - AVAILABLE FROM SAGAMI FACTORY  
 LANE 3 - AVAILABLE FROM SAGAMI FACTORY

- INCLUDES:  
 449-0425 303E CR MINI HYD EXCAVATOR  
 449-0430 CANOPY, TOPS  
 448-8288 CONTROL, PATTERN CHANGER  
 448-8290 DRAIN, STANDARD  
 449-0428 BLADE, STAIGHT  
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE  
 416-6065 ENGINE, HIGH AMBIENT  
 308-2831 TRACK, 300MM(12"), RUBBER BELT  
 444-9934 ALARM, TRAVEL

CATERPILLAR MACHINE PRICE LIST

# 303E CR

| 303E CR MINI HYDRAULIC EXCAVATOR<br>SAGAMI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|---|--------------------|-------------------------|
|---|--------------------|-------------------------|

|                 |  |                 |
|-----------------|--|-----------------|
| <b>586-7900</b> | <b>303E CR HEXMN CFG 2.2</b> . . . . . 0 | <b>\$50,710</b> |
|                 | LANE 2 - AVAILABLE FROM SAGAMI FACTORY   |                 |
|                 | LANE 3 - AVAILABLE FROM SAGAMI FACTORY   |                 |

INCLUDES:  
 449-0425 303E CR MINI HYD EXCAVATOR  
 449-0430 CANOPY, TOPS  
 448-8288 CONTROL, PATTERN CHANGER  
 448-8290 DRAIN, STANDARD  
 449-0428 BLADE, STAIGHT  
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE  
 416-6065 ENGINE, HIGH AMBIENT  
 347-2135 TRACK, 300MM(12"), DOUBLE GROUSER  
 444-9934 ALARM, TRAVEL

|                 |  |                 |
|-----------------|--|-----------------|
| <b>586-7901</b> | <b>303E CR HEXMN CFG 3.2</b> . . . . . 0 | <b>\$55,410</b> |
|                 | LANE 2 - AVAILABLE FROM SAGAMI FACTORY   |                 |
|                 | LANE 3 - AVAILABLE FROM SAGAMI FACTORY   |                 |

INCLUDES:  
 449-0425 303E CR MINI HYD EXCAVATOR  
 449-0431 CAB, WITH HEATER  
 448-8288 CONTROL, PATTERN CHANGER  
 448-8290 DRAIN, STANDARD  
 449-0428 BLADE, STAIGHT  
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE  
 416-6065 ENGINE, HIGH AMBIENT  
 308-2831 TRACK, 300MM(12"), RUBBER BELT  
 355-3411 LIGHT, CAB  
 355-3416 MIRROR, CAB, LEFT  
 355-3417 MIRROR, CAB, RIGHT  
 450-1774 HEATER, WATER JACKET  
 444-9934 ALARM, TRAVEL

|                 |  |                 |
|-----------------|--|-----------------|
| <b>586-7902</b> | <b>303E CR HEXMN CFG 4.2</b> . . . . . 0 | <b>\$56,130</b> |
|                 | LANE 2 - AVAILABLE FROM SAGAMI FACTORY   |                 |
|                 | LANE 3 - AVAILABLE FROM SAGAMI FACTORY   |                 |

INCLUDES:  
 449-0425 303E CR MINI HYD EXCAVATOR  
 449-0431 CAB, WITH HEATER  
 448-8288 CONTROL, PATTERN CHANGER  
 448-8290 DRAIN, STANDARD  
 449-0428 BLADE, STAIGHT  
 449-0429 LINKAGE, BUCKET W/ LIFTING EYE  
 416-6065 ENGINE, HIGH AMBIENT  
 347-2135 TRACK, 300MM(12"), DOUBLE GROUSER  
 355-3411 LIGHT, CAB  
 355-3416 MIRROR, CAB, LEFT  
 355-3417 MIRROR, CAB, RIGHT  
 450-1774 HEATER, WATER JACKET  
 444-9934 ALARM, TRAVEL

CATERPILLAR MACHINE PRICE LIST

**303E CR**

| USE | REF NO. | MANDATORY ATTACHMENTS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------------|-----------------|----------------------|
|-----|---------|-----------------------|-----------------|----------------------|

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

|  |         |  |   |    |
|--|---------|--|---|----|
|  | 0P-9001 | LANE 1 ORDER . . . . .                       | 0 | NC |
|  |         | Order from Product Distribution Center (PDC) |   |    |

**Product Link Film**

|   |          |                                 |   |    |
|---|----------|---------------------------------|---|----|
| L | 509-7000 | INSTRUCTIONS, ANSI PL . . . . . | 0 | NC |
|---|----------|---------------------------------|---|----|

**Operation and Maintenance Manual**

|  |          |  |   |    |
|--|----------|--|---|----|
|  | 421-8926 | SERIALIZED TECHNICAL MEDIA KIT . . . . .   | 0 | NC |
|  |          | The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com. |   |    |

**PROTECTION**

|  |         |  |   |           |
|--|---------|--|---|-----------|
|  | 0P-2266 | SHIPPING/STORAGE PROTECTION . . . . .  | 0 | \$213 NET |
|  |         | Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Protection added from factory |   |           |

**PACKING**

|  |         |                                |   |    |
|--|---------|--------------------------------|---|----|
|  | 0P-0210 | PACK, DOMESTIC TRUCK . . . . . | 0 | NC |
|--|---------|--------------------------------|---|----|

CATERPILLAR MACHINE PRICE LIST

**303E CR**

| USE | REF NO. | LANE 1 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***PDC MACHINE PREP***

|          |  |   |  |                  |
|----------|--|---|--|------------------|
| 599-7167 | <b>ATHENS DEALER PDI &amp; FUEL</b> . . . . .  | 0 |  | <b>\$228 NET</b> |
|          | The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups. |   |  |                  |
| 0P-4656  | <b>DEALER PREP, FINNING</b> . . . . .  | 0 |  | <b>\$277 NET</b> |
|          | ONLY FOR USE WITH: CANADIAN DEALERS  |   |  |                  |

***WORK TOOL PACKAGE***

|   |          |  |     |                |
|---|----------|--|-----|----------------|
| W | 464-9942 | <b>THUMB, HYD + COUPLER, PG, MAN, 3T</b> . . . . .                   | 231 | <b>\$3,813</b> |
|   |          | Hydraulic Thumb with Manual Dual Lock Coupler<br>No-Link Style Thumb |     |                |

***QUICK COUPLERS***

|   |          |  |    |                |
|---|----------|--|----|----------------|
| W | 444-7494 | <b>COUPLER, PG, MAN, D. LOCK, 3-4T</b> . . . . .   | 76 | <b>\$1,410</b> |
|   |          | Mechanical Quick Coupler<br>Base machine includes one set of pins and hardware to attach one bucket. |    |                |

***BUCKETS***

May select one installed bucket per machine.  
 May select up to 2 not installed buckets per machine.  
 First bucket on machine order must be installed.  
 One set of Bucket Pins recommended for each not installed bucket.

|   |          |   |     |                   |
|---|----------|---|-----|-------------------|
| W | 464-9900 | <b>BUCKET-HD, 12", 1.7 FT3, 3T</b> . . . . .  | 142 | <b>\$958</b>      |
|   |          |   | 142 | <b>\$958 NI</b>   |
|   |          | INCLUDES: 3 J200 long tooth tips              |     |                   |
| W | 464-9902 | <b>BUCKET-HD, 18", 2.9 FT3, 3T</b> . . . . .  | 180 | <b>\$1,083</b>    |
|   |          |   | 180 | <b>\$1,083 NI</b> |
|   |          | INCLUDES: 4 J200 long tooth tips              |     |                   |
| W | 464-9904 | <b>BUCKET-HD, 24", 4.2 FT3, 3T</b> . . . . .  | 216 | <b>\$1,208</b>    |
|   |          |   | 216 | <b>\$1,208 NI</b> |
|   |          | INCLUDES: 4 J200 long tooth tips              |     |                   |
| W | 521-8538 | <b>PINS, BUCKET, 40MM</b> . . . . .           | 0   | <b>\$97 NI</b>    |
|   |          | Includes one set of bucket pins and hardware. |     |                   |

CATERPILLAR MACHINE PRICE LIST

**303E CR**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**LANE SELECTION**

|         |  |   |    |
|---------|--|---|----|
| OP-9002 | LANE 2 ORDER . . . . .   | 0 | NC |
|         | Only for dealers enrolled in the Base Orders Management (BOM) program. |   |    |
| OP-9003 | LANE 3 ORDER . . . . .   | 0 | NC |

**BOOMS, STICKS, AND LINKAGES**

*Stick*

|   |          |  |   |       |
|---|----------|--|---|-------|
| L | 540-4557 | STICK, STD, W/THUMB BRACKET . . . . .  | 0 | NC    |
| L | 540-4550 | STICK, LONG, W/THUMB BRACKET . . . . . | 0 | \$535 |

**HYDRAULICS**

*Auxiliary Lines*

ONLY AVAILABLE FOR LANE 3 ORDERS

|   |          |   |   |    |
|---|----------|---|---|----|
| L | 540-4555 | HYDRAULICS, W/O 2ND AUX, STD . . . . .  | 0 | NC |
| L | 540-4556 | HYDRAULICS, W/O 2ND AUX, LONG . . . . . | 0 | NC |

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country.

Please contact your Cat marketing representative with questions

Product Link Basic series PL 240 offers expanded coverage including 3G UMTS and HSPA+ as well as 2G GSM and GPRS cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface. The data is updated up to 4 times per day while the engine is running.

|   |          |   |   |    |
|---|----------|---|---|----|
| L | 574-1446 | PRODUCT LINK, CELLULAR PL243 . . . . .  | 0 | NC |
|   |          | Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. |   |    |
|   |          | ONLY FOR USE WITH: CAB  |   |    |
| L | 574-1445 | PRODUCT LINK, CELLULAR PL243 . . . . .  | 0 | NC |
|   |          | Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. |   |    |
|   |          | ONLY FOR USE WITH: CANOPY   |   |    |

CATERPILLAR MACHINE PRICE LIST

**303E CR**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK FILMS**

|   |          |                                 |   |    |
|---|----------|---------------------------------|---|----|
| L | 509-7000 | INSTRUCTIONS, ANSI PL . . . . . | 0 | NC |
|---|----------|---------------------------------|---|----|

**OTHER ATTACHMENTS**

**COUNTERWEIGHTS**

|   |          |                                   |   |       |
|---|----------|-----------------------------------|---|-------|
| L | 200-4682 | COUNTERWEIGHT, STANDARD . . . . . | 0 | NC    |
| L | 296-1626 | COUNTERWEIGHT, EXTRA . . . . .    | 0 | \$469 |

**BODY**

|   |          |   |   |       |
|---|----------|---|---|-------|
| L | 576-6980 | HOOD, REAR, SOLID . . . . .   | 0 | NC    |
| L | 576-4468 | HOOD, REAR, VENTED . . . . .<br>For Improved Cooling - In Higher Elevations above 5000ft. | 0 | \$770 |

**INSTRUCTIONS**

**Decal Package**

|  |          |                              |   |    |
|--|----------|------------------------------|---|----|
|  | 449-0414 | INSTRUCTIONS, ANSI . . . . . | 0 | NC |
|--|----------|------------------------------|---|----|

**OPERATION AND MAINTENANCE MANUAL**

|  |          |  |   |    |
|--|----------|--|---|----|
|  | 421-8926 | SERIALIZED TECHNICAL MEDIA KIT . . . . .<br>The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com. | 0 | NC |
|--|----------|--|---|----|

**PACKING**

**Packing for Machine**

|  |         |  |   |           |
|--|---------|--|---|-----------|
|  | 0P-2266 | SHIPPING/STORAGE PROTECTION . . . . .<br>REQUIRED: FOR ALL AREAS<br>Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. | 0 | \$213 NET |
|  | 0P-4299 | PACKING, LAST MILE PROGRAM . . . . .<br>ONLY FOR USE WITH: EU LAST MILE DEALERS  | 0 | NC        |

CATERPILLAR MACHINE PRICE LIST

**303E CR**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**HYDRAULICS**

***Quick Coupler Control***

NOTE: This is the quick coupler ready option. It will contain all necessary wiring, hoses, and valves installed on the machine that are necessary to run the hydraulic quick coupler. The coupler and jumper lines should be ordered through the MHE work tool price pages, and installed at the dealer.

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 473-4920 | <b>LINES, QUICK COUPLER, STD</b> . . . . . 0   |  | \$1,520 |
|   |          | REQUIRES: 372-9589 FILM, QUICK COUPLER, ISO OR<br>372-9588 FILM, QUICK COUPLER, ANSI |  |         |
| L | 540-4553 | <b>LINES, QUICK COUPLER, LONG</b> . . . . . 0  |  | \$1,595 |
|   |          | REQUIRES: 372-9589 FILM, QUICK COUPLER, ISO OR<br>372-9588 FILM, QUICK COUPLER, ANSI |  |         |

***Film for Quick Coupler***

|  |          |  |  |    |
|--|----------|--|--|----|
|  | 372-9588 | <b>FILM, QUICK COUPLER, ANSI</b> . . . . . 0 |  | NC |
|--|----------|--|--|----|