

CATERPILLAR MACHINE PRICE LIST

304E2304E2 MINI HYDRAULIC EXCAVATOR
ATHENS, GA, USA (SAP)Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C2.4 diesel engine
 -U.S. EPA tier 4 final (US-A/CNDA)
 -EU stage IIIA/tier 4 interim
 -ISO 9249/EEC 80/1269
 -Rated net power 30.0kW/ 40.2hp
 Automatic engine idle
 Automatic engine shut-off
 Automatic swing park brake
 Automatic two speed travel
 Fuel and water separator

Roll over protective structure (ROPS)
 (ISO 12117-2)
 Swing boom design
 Swivel guard
 Tie down eyes on track frame
 Tip over protective structure (TOPS)
 (ISO 12117)
 Tool storage area
 Top guard - ISO 10262 (level 1)
 Towing eye on base frame

ELECTRICAL

12 volt electrical system
 60 ampere alternator
 650 CCA maintenance free battery
 Fuse box
 Ignition key start / stop switch
 Slow blow fuse
 Warning horn
 Work lights
 -Courtesy Safety lights

OPERATOR ENVIRONMENT

100% pilot control ergonomic joysticks
 Adjustable arm rests
 Anti-theft system
 COMPASS:
 -Complete operation
 -Maintenance performance and
 Security system
 -Multiple languages
 -Site reference system
 Cup holder
 Hydraulic neutral lockout system
 Literature holder
 Travel control pedals with hand levers
 Washable floor mat

OTHER STANDARD EQUIPMENT

Accumulator certification
 Auxiliary hydraulic lines
 -1-way and 2-way (combined function)
 Adjustable auxiliary relief
 Auxiliary line quick disconnects
 Caterpillar corporate "one key" system
 Continuous flow
 Door locks
 Dozer blade with float function
 Ecology drain - engine and hydraulic
 Hydraulic Oil cooler
 High definition hydraulics
 -Load sensing/flow sharing
 Lockable fuel cap
 Power on demand

CATERPILLAR MACHINE PRICE LIST

304E2

304E2 MINI HYDRAULIC EXCAVATOR
 ATHENS, GA, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

580-9744 304E2 HEXMN DCA1.1 0 \$63,550
 LANE 1 - AVAILABLE FROM ATHENS PDC

INCLUDES:

- 452-5618 304E2 HYDRAULIC EXCAVATOR
 - 456-2628 CANOPY, TOPS
 - 397-7122 CONTROL, PATTERN CHANGER
 - 397-7119 LINES, BOOM
 - 397-7062 LINES, STICK
 - 463-9122 STICK PACKAGE, LONG W/O 2ND AUX
 - 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
 - 419-4783 ALARM, TRAVEL
 - 436-2492 TRACK, RUBBER BELT
 - 463-8031 BLADE, STRAIGHT, BOLT-ON EDGE
 - 379-4690 DRAIN, ECOLOGY
 - 454-0241 CABLE, GROUND
 - 428-7873 SEAT VINYL
 - 456-2652 ENGINE, EPA TIER 4F
 - 512-5611 LIGHTS, STANDARD
 - 579-3613 PRODUCT LINK, CELLULAR PL243
- NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

580-9751 304E2 HEXMN DCA2.1 0 \$71,520
 LANE 1 - AVAILABLE FROM ATHENS PDC

INCLUDES:

- 452-5618 304E2 HYDRAULIC EXCAVATOR
 - 456-2642 CAB, WITH AIR CONDITIONER
 - 437-3272 RADIO, READY
 - 428-7870 MIRROR, REAR
 - 397-7122 CONTROL, PATTERN CHANGER
 - 397-7119 LINES, BOOM
 - 397-7062 LINES, STICK
 - 463-9122 STICK PACKAGE, LONG W/O 2ND AUX
 - 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
 - 419-4783 ALARM, TRAVEL
 - 436-2492 TRACK, RUBBER BELT
 - 463-8031 BLADE, STRAIGHT, BOLT-ON EDGE
 - 379-4690 DRAIN, ECOLOGY
 - 454-0241 CABLE, GROUND
 - 428-7874 SEAT, FABRIC, HIGH BACK
 - 456-2652 ENGINE, EPA TIER 4F
 - 470-6522 HEATER, JACKET WATER
 - 512-5611 LIGHTS, STANDARD
 - 579-3613 PRODUCT LINK, CELLULAR, PL243
- NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

304E2

304E2 MINI HYDRAULIC EXCAVATOR	Ship Weight	LIST PRICE
ATHENS, GA, USA (SAP)	lbs	AT DEALER

580-9755	304E2 HEXMN DCA3.1 0	\$76,530
	LANE 1 - AVAILABLE FROM ATHENS PDC	

INCLUDES:
 452-5618 304E2 HYDRAULIC EXCAVATOR
 456-2642 CAB, WITH AIR CONDITIONER
 437-3272 RADIO, READY
 428-7870 MIRROR, REAR
 397-7122 CONTROL, PATTERN CHANGER
 397-7119 LINES, BOOM
 397-7062 LINES, STICK
 463-9122 STICK PACKAGE, LONG W/O 2ND AUX
 425-8087 LINES, QUICK COUPLER
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
 419-4783 ALARM, TRAVEL
 436-2492 TRACK, RUBBER BELT
 463-8034 BLADE, POWER ANGLE
 379-4690 DRAIN, ECOLOGY
 454-0241 CABLE, GROUND
 428-7874 SEAT, FABRIC, HIGH BACK
 456-2652 ENGINE, EPA TIER 4F
 470-6522 HEATER, JACKET WATER
 512-5611 LIGHTS, STANDARD
 579-3613 PRODUCT LINK, CELLULAR, PL243
 NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

580-9760	304E2 HEXMN DCA4.1 0	\$68,560
	LANE 1 - AVAILABLE FROM ATHENS PDC	

INCLUDES:
 452-5618 304E2 HYDRAULIC EXCAVATOR
 456-2628 CANOPY, TOPS
 397-7122 CONTROL, PATTERN CHANGER
 397-7119 LINES, BOOM
 397-7062 LINES, STICK
 463-9122 STICK PACKAGE, LONG W/O 2ND AUX
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
 419-4783 ALARM, TRAVEL
 436-2492 TRACK, RUBBER BELT
 463-8034 BLADE, POWER ANGLE
 379-4690 DRAIN, ECOLOGY
 454-0241 CABLE, GROUND
 428-7873 SEAT VINYL
 456-2652 ENGINE, EPA TIER 4F
 425-8087 LINES, QUICK COUPLER
 512-5611 LIGHTS, STANDARD
 579-3613 PRODUCT LINK, CELLULAR, PL243
 NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

304E2

304E2 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

515-6925 304E2 HEXMN CFG 1 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY INCLUDES: 452-5618 304E2 HYDRAULIC EXCAVATOR 397-7122 CONTROL, PATTERN CHANGER 419-4783 ALARM, TRAVEL 456-2652 ENGINE, EPA TIER 4F 456-2628 CANOPY, TOPS 428-7873 SEAT, VINYL, W/ SUSPENSION 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE 379-4690 DRAIN, ECOLOGY		\$63,550
--	--	-----------------

515-6926 304E2 HEXMN CFG 2 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY INCLUDES: 452-5618 304E2 HYDRAULIC EXCAVATOR 397-7122 CONTROL, PATTERN CHANGER 419-4783 ALARM, TRAVEL 456-2652 ENGINE, EPA TIER 4F 456-2635 CAB W/ HEATER 428-7874 SEAT, FABRIC, HIGH BACK SUSPENSION 428-7870 MIRROR, CAB, RIGHT 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE 379-4690 DRAIN, ECOLOGY		\$69,240
--	--	-----------------

515-6927 304E2 HEXMN CFG 3 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY INCLUDES: 452-5618 304E2 HYDRAULIC EXCAVATOR 397-7122 CONTROL, PATTERN CHANGER 419-4783 ALARM, TRAVEL 456-2652 ENGINE, EPA TIER 4F 456-2642 CAB W/ AIR CONDITIONER 428-7874 SEAT, FABRIC, HIGH BACK SUSPENSION 428-7870 MIRROR, CAB, RIGHT 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE 379-4690 DRAIN, ECOLOGY		\$71,290
---	--	-----------------

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

Operation and Maintenance Manual

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$213 NET
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		

Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PDC MACHINE PREP

	590-9285	ATHENS DEALER PDI & FUEL 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		\$279 NET
	0P-4656	DEALER PREP, FINNING 0 ONLY FOR USE WITH: CANADIAN DEALERS		\$277 NET

ELECTRICAL

	511-9898	KIT, REAR VIEW CAMERA 0		\$592
L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. ONLY FOR USE WITH: 515-6922 304E2 HEXMN DCA2 OR 580-9751 304E2 HEXMN DCA2.1 OR 580-9755 304E2 HEXMN DCA3.1		\$222

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

LANE 1 NACD WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

WORK TOOL PACKAGE

Packages below include Hydraulic Thumb and Hydraulic Coupler

W	485-5270	THUMB,HYD + COUPLER,PG,HYD, 3T	239	\$4,882
		Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb ONLY FOR USE WITH: 580-9755 304E2 HEXMN DCA 3.1 OR 580-9760 304E2 HEXMN DCA 4.1		

Packages below include Hydraulic Thumb and Manual Coupler

W	464-9942	THUMB,HYD + COUPLER,PG,MAN, 3T	231	\$3,813
		Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb		

COUPLERS

W	485-5300	COUPLER, PG, HYDR.D.LOCK, 3-4T	91	\$2,479
		Base machine includes one set of pins and hardware to attach one bucket. REQUIRES: 521-8538 PINS, BUCKET ONLY FOR USE WITH: 580-9755 304E2 HEXMN DCA 3.1 OR 580-9760 304E2 HEXMN DCA 4.1		
W	444-7494	COUPLER, PG, MAN.D.LOCK, 3-4T	76	\$1,410
		Base machine includes one set of pins and hardware to attach one bucket. REQUIRES: 521-8538 PINS, BUCKET		

BUCKETS

May select up to 3 buckets per machine order
 One set Bucket Pins allowed for EACH ADDITIONAL bucket.

P	464-9900	BUCKET-HD, 12", 1.7 FT3, 3T	142	\$958
		INCLUDES: 3 J200 long tooth tips	142	\$958 NI
P	464-9902	BUCKET-HD, 18", 2.9 FT3, 3T	180	\$1,083
		INCLUDES: 4 J200 long tooth tips	180	\$1,083 NI
P	464-9904	BUCKET-HD, 24", 4.2 FT3, 3T	216	\$1,208
		INCLUDES: 5 J200 long tooth tips	216	\$1,208 NI

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

BUCKET PINS

P	521-8538	PINS, BUCKET, 40MM 0 One additional set of pins is allowed with each additional Not Installed Bucket Extra pins will be installed in the extra buckets when ordered! One Extra Set of Pins per Extra Bucket All Installed Buckets include Bucket Pins.	\$97 NI
----------	-----------------	--	----------------

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

LANE SELECTION

0P-9002	LANE 2 ORDER 0 Only for dealers inrolled in the Base Orders Management (BOM) program.	NC
0P-9003	LANE 3 ORDER 0	NC

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

Stick Package

Secondary auxiliary lines are NOT required to operate a thumb.
 Secondary auxiliary lines are only required when a positioning function is used by a work tool in addition to the primary function (example: shears, open/close & rotate)

L	463-9118	STICK PKG STD W/O 2ND AUX	0	NC
		Stick Length(1350mm)		
		464-8568 STICK, STD, W/THUMB BRACKET		
		415-5073 LINES, BUCKET, STD STICK		
		355-4740 LINES, AUXILIARY, STD STICK		
		463-8014 HYDRAULICS, W/O 2ND AUX		
		397-7074 LINKAGE, BUCKET, W/LIFTING EYE		
L	463-9122	STICK PKG LONG W/O 2ND AUX	0	NC
		464-8572 STICK, LONG W/ThUMB BRACKET		
		415-5074 LINES, BUCKET, LONG STICK		
		379-4688 LINES, AUXILIARY, LONG STICK		
		463-8014 HYDRAULICS, W/O 2ND AUX		
		397-7074 LINKAGE, BUCKET, W/LIFTING EYE		
L	463-9126	STICK PKG STD W/2ND AUX	0	\$1,015
		464-8568 STICK, STD, W/THUMB BRACKET		
		415-5073 LINES, BUCKET, STD STICK		
		355-4740 LINES, AUXILIARY, STD STICK		
		463-8018 HYDRAULICS W/2ND AUX		
		397-7074 LINKAGE, BUCKET, W/LIFTING EYE		
L	463-9130	STICK PKG LONG W/ 2ND AUX	0	\$1,015
		464-8572 STICK, LONG W/THUMB BRACKET		
		415-5074 LINES, BUCKET, LONG STICK		
		379-4688 LINES, AUXILIARY, LONG STICK		
		463-8022 HYDRAULICS, W/ 2ND AUX		
		397-7074 LINKAGE, BUCKET, W/LIFTING EYE		

Boom Lines

L	397-7119	LINES, BOOM	0	NC
L	397-7083	LINES BOOM W/ BLCV	0	\$800
		Provides Boom Lowering Check Valve		

Stick Lines

L	397-7062	LINES, STICK	0	NC
L	397-7172	LINES STICK W/ SLCV	0	\$800
		Provides Stick Lowering Check Valve		

UNDERCARRIAGE

Track Pairs

L	436-2492	TRACK, RUBBER BELT	0	NC
		350mm / 14" width		
L	436-2491	TRACK, DOUBLE GROUSER	0	\$730
		350mm / 14" width		

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

BATTERY

L	453-4770	BATTERY, DISCONNECT 0 Provides remote switch to disconnect battery		\$128
L	454-0241	CABLE, GROUND 0 Provides standard battery cable		NC

OPERATOR ENVIRONMENT

Radio

L	432-2774	RADIO 0 Provides factory installed radio. Includes USB and auxiliary inputs to connect external devices CANNOT BE USED WITH: 456-2628 CANOPY, TOPS		\$319
L	437-3272	RADIO, READY 0 Provides speakers, wiring harness and antenna. CANNOT BE USED WITH: 456-2628 CANOPY, TOPS		NC

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	579-3613	PRODUCT LINK, CELLULAR PL243 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		NC
L	577-6180	PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$858
L	497-9191	PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$1,310

PRODUCT LINK FILM

L	502-6610	FILM, PRODUCT LINK, ANSI 0 REQUIRED BY: 579-3613 PRODUCT LINK, CELLULAR PL243 497-9191 PRODUCT LINK, SATELLITE PL631 577-6180 PRODUCT LINK, CELLULAR PL641		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

LIGHTS

L	512-5611	LIGHTS, STANDARD	0	NC
L	512-5612	LIGHTS, LED	0	\$283

BLADES

Blade

L	463-8031	BLADE, 77", BOLT-ON	0	NC
		Blade Width: 77", 1950 MM		
L	463-8034	BLADE, 77", ANGLE, BOLT-ON	0	\$3,495
		Blade Width: 77", 1950 MM		

INSTRUCTIONS

Operation and Maintenance Manual

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM)). based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

Quick Coupler Control

NOTE: This is the quick coupler ready option. It will contain all necessary wiring, hoses, and valves installed on the machine that are necessary to run the hydraulic quick coupler.

L	425-8087	LINES, QUICK COUPLER (LONG)	0	\$1, 510
L	425-8083	LINES, QUICK COUPLER (STD)	0	\$1, 510

Film for Quick Coupler

L	397-7142	FILM, QUICK COUPLER, ANSI	0	NC
---	----------	-------------------------------------	---	----

ELECTRICAL

Block Heater

L	470-6522	HEATER, WATER JACKET Engine block heater for additional cold weather start	0	\$231
---	----------	---	---	-------

BEACON

	309-1325	ROTATING BEACON Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		
--	----------	--	--	--

OPERATOR ENVIRONMENT

Mirrors

L	380-7150	MIRROR, CANOPY, LEFT ONLY FOR USE WITH: 456-2628 CANOPY, TOPS	0	\$45
L	380-7151	MIRROR, CANOPY, RIGHT ONLY FOR USE WITH: 456-2628 CANOPY, TOPS	0	\$45
P	428-7872	MIRROR, CAB, REAR ONLY FOR USE WITH: 456-2642 CAB W/ AIR CONDITIONER OR 456-2635 CAB W/ HEATER CANNOT BE USED WITH: 460-7683 CAMERA, REAR VIEW	0	\$45

Camera, Rear View

L	495-0379	CAMERA, REAR VIEW ONLY FOR USE WITH: 456-2628 CANOPY, TOPS	0	\$384
L	460-7683	CAMERA, REAR VIEW ONLY FOR USE WITH: 456-2642 CAB W/ AIR CONDITIONER OR 456-2635 CAB W/ HEATER CANNOT BE USED WITH: 428-7872 MIRROR, CAB, REAR	0	\$384

Beacon Socket

L	419-4832	BEACON SOCKET Includes wiring and socket mounted on canopy post. Beacon not included. ONLY FOR USE WITH: 456-2628 CANOPY, TOPS	0	\$79
---	----------	---	---	------

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS

L	432-1500	GUARD, CAB 0 Front Wire Mesh ONLY FOR USE WITH: 456-2642 CAB W/ AIR CONDITIONER OR 456-2635 CAB W/ HEATER		\$1,025
L	432-1501	GUARD, CANOPY 0 Front Wire Mesh ONLY FOR USE WITH: 456-2628 CANOPY, TOPS		\$370
L	446-1569	GUARD GP VANDAL 0 ONLY FOR USE WITH: 456-2628 CANOPY, TOPS		\$57

WORK TOOLS

WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST.

WORK TOOL PACKAGE

Packages below include Hydraulic Thumb and Hydraulic Coupler

W	485-5270	THUMB, HYD + COUPLER, PG, HYD, 3T 239 Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb REQUIRES: 425-8087 LINES, QUICK COUPLER (LONG) OR 425-8083 LINES, QUICK COUPLER (STD)		\$4,882
---	----------	---	--	---------

Packages below include Hydraulic Thumb and Manual Coupler

W	464-9942	THUMB, HYD + COUPLER, PG, MAN, 3T 231 Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb		\$3,813
---	----------	--	--	---------

COUPLERS

W	485-5300	COUPLER, PG, HYDR.D.LOCK, 3-4T 91 Hydraulic Quick Coupler Base machine includes one set of pins and hardware to attach one bucket. REQUIRES: 521-8538 BUCKET PINS for EACH ADDITIONAL bucket REQUIRES: 425-8087 LINES, QUICK COUPLER (LONG) OR 425-8083 LINES, QUICK COUPLER (STD)		\$2,479
W	444-7494	COUPLER, PG, MAN.D.LOCK, 3-4T 76 Mechanical Quick Coupler Base machine includes one set of pins and hardware to attach one bucket. REQUIRES: 521-8538 BUCKET PINS for EACH ADDITIONAL bucket		\$1,410

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

WORK TOOLS (CONT.)

BUCKETS - Installed

P	464-9900	BUCKET-HD, 12", 1.7 FT3, 3T	142	\$958
		INCLUDES: 3 J200 long tooth tips		
P	464-9902	BUCKET-HD, 18", 2.9 FT3, 3T	180	\$1,083
		INCLUDES: 4 J200 long tooth tips		
P	464-9904	BUCKET-HD, 24", 4.2 FT3, 3T	216	\$1,208
		INCLUDES: 4 J200 long tooth tips		

Buckets - Not Installed

May select up to 3 buckets per machine order.
 When ordering Not Installed Buckets, order the widest bucket installed

P	464-9900	BUCKET-HD, 12", 1.7 FT3, 3T	142	\$958 NI
		INCLUDES: 3 J200 long tooth tips		
P	464-9902	BUCKET-HD, 18", 2.9 FT3, 3T	180	\$1,083 NI
		INCLUDES: 4 J200 long tooth tips		
P	464-9904	BUCKET-HD, 24", 4.2 FT3, 3T	216	\$1,208 NI
		INCLUDES: 4 J200 long tooth tips		

BUCKET PINS

P	521-8538	PINS, BUCKET, 40MM	0	\$97 NI
		Includes one set of bucket pins and hardware. 1 set of pins can be ordered with each extra bucket!		

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

	284-6393	STOP AS 1 (Decreases Boom Swing Left by 25 degrees) REQUIRES: 8T-4183 Bolt QTY 3 8T-4223 Hard Washer QTY 3		
	309-1325	ROTATING BEACON Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		
	384-5013	KIT, HYDRAULIC QC LINES, 3 TON ONLY FOR USE WITH: Hydraulic Quick Coupler		
W	511-9898	KIT, REAR VIEW CAMERA Compatible Machine Serial Numbers: H5M_1-Up (Cab) H5M_1687-Up (Canopy)	0	\$489 NI

CATERPILLAR MACHINE PRICE LIST

304E2

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS

Operation and Maintenance Manual - NOT INSTALLED

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0		NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.			

PACKING

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION	0		\$213 NET
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.			

Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.

PDC MACHINE PREP

590-9285	ATHENS DEALER PDI & FUEL	0		\$279 NET
	The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.			

PACKING

OP-0210	PACK, DOMESTIC TRUCK	0		NC
	Mandatory in U.S.A. and Canada			
OP-4263	PACK, MISCELLANEOUS MATERIAL	0		NC
	REQUIRED BY: MISC ORDERS			