

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

305.5E2 HYDRAULIC EXCAVATOR  
ATHENS, GA, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Cat C2.4 diesel engine  
-U.S. EPA tier 4 final (US-A/CNDA)  
-EU stage IIIA/tier 4 interim  
-ISO 9249/EEC 80/1269  
-Rated net power 32.9kW/ 44.1hp  
Automatic engine idle  
Automatic engine shut-off  
Automatic swing park brake  
Automatic two speed travel  
Fuel and water separator

Roll over protective structure (ROPS)  
(ISO 12117-2)  
Swing boom design  
Swivel guard  
Tie down eyes on track frame  
Tip Over protective structure (TOPS)  
(ISO 12117)  
Tool storage area  
Top guard - ISO 10262 (level 1)  
Towing eye on base frame

**ELECTRICAL**

12 volt electrical system  
60 ampere alternator  
650 CCA maintenance free battery  
Fuse box  
Ignition key start / stop switch  
Slow blow fuse  
Warning horn  
Work lights  
-Courtesy safety lights

**OPERATOR ENVIRONMENT**

100% pilot control ergonomic joysticks  
Adjustable arm rests  
Anti-theft system  
COMPASS:  
-Complete operation  
-Maintenance performance and  
  Security system  
-Multiple languages  
-Site reference system  
Cup holder  
Hydraulic neutral lockout system  
Literature holder  
Travel control pedals with hand levers  
Washable floor mat

**OTHER STANDARD EQUIPMENT**

Accumulator certification  
Auxiliary hydraulic lines  
-1-way and 2-way (combined function)  
Adjustable auxiliary relief  
Auxiliary line quick disconnects  
Caterpillar corporate "one key" system  
Continuous flow  
Door locks  
Dozer blade with float function  
ecology drain - engine and hydraulic  
hydraulic oil Cooler  
High definition hydraulics  
-Load sensing/flow sharing  
Lockable fuel cap  
Power on demand

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

305.5E2 HYDRAULIC EXCAVATOR  
 ATHENS, GA, USA (SAP)

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Orders Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

515-6981      **305.5E2 HEXMN DCA1** . . . . . 0      **\$80,360**  
 LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:  
 452-5620 305.5E2 HYDRAULIC EXCAVATOR  
 456-2629 CANOPY, TOPS  
 397-7126 CONTROL, PATTERN CHANGER  
 397-7086 LINES, BOOM  
 397-7064 LINES, STICK  
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE  
 463-9124 STICK PACKAGE LONG W/O 2ND AUX  
 436-2494 TRACK, RUBBER BELT  
 463-8033 BLADE, STRAIGHT, BOLT-ON EDGE  
 367-0949 COUNTERWEIGHT, STANDARD  
 377-4520 DRAIN, ECOLOGY  
 454-0241 CABLE, GROUND  
 428-7873 SEAT, VINYL W/ SUSPENSION  
 419-4783 ALARM, TRAVEL  
 452-5632 ENGINE, EPA TIER 4F  
 512-5611 LIGHTS, STANDARD  
 544-1872 HOOD, REAR, STANDARD  
 507-2636 PRODUCT LINK, CELLULAR, PL 240  
 NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

515-6982      **305.5E2 HEXMN DCA2** . . . . . 0      **\$88,210**  
 LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:  
 452-5620 305.5E2 HYDRAULIC EXCAVATOR  
 456-2643 CAB, WITH AIR CONDITIONER  
 397-7126 CONTROL, PATTERN CHANGER  
 397-7086 LINES, BOOM  
 397-7064 LINES, STICK  
 434-2092 BELT, SEAT, 3" RETRACTABLE  
 463-9124 STICK PACKAGE LONG W/O 2ND AUX  
 436-2494 TRACK, RUBBER BELT, 400MM  
 463-8033 BLADE, STRAIGHT, BOLT-ON EDGE  
 367-0949 COUNTERWEIGHT, STANDARD  
 377-4520 DRAIN, ECOLOGY  
 454-0241 CABLE, GROUND  
 428-7874 SEAT, FABRIC, HIGH BACK  
 419-4783 ALARM, TRAVEL  
 452-5632 ENGINE, EPA TIER 4F  
 428-7870 MIRROR, CAB, RIGHT  
 437-3272 RADIO, READY  
 470-6522 HEATER, JACKET WATER  
 512-5611 LIGHTS, STANDARD  
 544-1872 HOOD, REAR, STANDARD  
 507-2636 PRODUCT LINK, CELLULAR, PL 240  
 NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

<b>305.5E2 HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
<b>ATHENS, GA, USA (SAP)</b>	lbs	AT DEALER

<b>515-6983</b>	<b>305.5E2 HEXMN DCA3 . . . . . 0</b>	<b>\$93,140</b>
	LANE 1 - AVAILABLE FROM ATHENS PDC	

INCLUDES:

- 452-5620 305.5E2 HYDRAULIC EXCAVATOR
  - 456-2643 CAB, WITH AIR CONDITIONER
  - 397-7126 CONTROL, PATTERN CHANGER
  - 425-8089 LINES, QUICK COUPLER (LONG)
  - 397-7086 LINES, BOOM
  - 397-7064 LINES, STICK
  - 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
  - 463-9124 STICK PACKAGE LONG W/O 2ND AUX
  - 436-2494 TRACK, RUBBER BELT
  - 463-8036 BLADE, POWER ANGLE
  - 367-0949 COUNTERWEIGHT, STANDARD
  - 377-4520 DRAIN, ECOLOGY
  - 454-0241 CABLE, GROUND
  - 428-7874 SEAT, FABRIC, HIGH BACK
  - 419-4783 ALARM, TRAVEL
  - 452-5632 ENGINE, EPA TIER 4F
  - 428-7870 MIRROR, CAB, RIGHT
  - 437-3272 RADIO, READY
  - 470-6522 HEATER, JACKET WATER
  - 512-5611 LIGHTS, STANDARD
  - 544-1872 HOOD, REAR, STANDARD
  - 507-2636 PRODUCT LINK, CELLULAR, PL 240
- NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

<b>580-9762</b>	<b>305.5E2 HEXMN DCA4.1 . . . . . 0</b>	<b>\$85,290</b>
	LANE 1 - AVAILABLE FROM ATHENS PDC	

INCLUDES:

- 452-5620 305.5E2 HYDRAULIC EXCAVATOR
  - 456-2629 CANOPY, TOPS
  - 397-7126 CONTROL, PATTERN CHANGER
  - 425-8089 LINES, QUICK COUPLER (LONG)
  - 397-7086 LINES, BOOM
  - 397-7064 LINES, STICK
  - 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
  - 463-9124 STICK PACKAGE LONG W/O 2ND AUX
  - 436-2494 TRACK, RUBBER BELT
  - 463-8036 BLADE, POWER ANGLE
  - 367-0949 COUNTERWEIGHT, STANDARD
  - 377-4520 DRAIN, ECOLOGY
  - 454-0241 CABLE, GROUND
  - 428-7873 SEAT, VINYL W/ SUSPENSION
  - 419-4783 ALARM, TRAVEL
  - 452-5632 ENGINE, EPA TIER 4F
  - 512-5611 LIGHTS, STANDARD
  - 544-1872 HOOD, REAR, STANDARD
  - 579-3613 PRODUCT LINK, CELLULAR, PL 243
- NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

305.5E2 HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>546-5488</b> <b>305.5E2 HEXMN CFG 1.1</b> ..... 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY	0	<b>\$80,360</b>
--	---	-----------------

INCLUDES:  
 452-5620 305.5E2 HYDRAULIC EXCAVATOR  
 397-7126 CONTROL, PATTERN CHANGER  
 419-4783 ALARM, TRAVEL  
 452-5632 ENGINE, EPA TIER 4F  
 456-2629 CANOPY, TOPS  
 428-7873 SEAT, VINYL, W/ SUSPENSION  
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE  
 377-4520 DRAIN, ECOLOGY

<b>546-5489</b> <b>305.5E2 HEXMN CFG 2.1</b> ..... 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY	0	<b>\$85,960</b>
--	---	-----------------

INCLUDES:  
 452-5620 305.5E2 HYDRAULIC EXCAVATOR  
 397-7126 CONTROL, PATTERN CHANGER  
 419-4783 ALARM, TRAVEL  
 452-5632 ENGINE, EPA TIER 4F  
 456-2636 CAB W/ HEATER  
 428-7874 SEAT, FABRIC, HIGH BACK W/ SUSPENSION  
 428-7870 MIRROR, CAB, RIGHT  
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE  
 377-4520 DRAIN, ECOLOGY

<b>546-5490</b> <b>305.5E2 HEXMN CFG 3.1</b> ..... 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY	0	<b>\$87,980</b>
--	---	-----------------

INCLUDES:  
 452-5620 305.5E2 HYDRAULIC EXCAVATOR  
 397-7126 CONTROL, PATTERN CHANGER  
 419-4783 ALARM, TRAVEL  
 452-5632 ENGINE, EPA TIER 4F  
 456-2643 CAB W/ AIR CONDITIONER  
 428-7874 SEAT, FABRIC, HIGH BACK W/ SUSPENSION  
 428-7870 MIRROR, CAB, RIGHT  
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE  
 377-4520 DRAIN, ECOLOGY

<b>0P-4170</b> <b>305.5E2 MISC MATERIAL</b> ..... 0 AVAILABLE FROM ATHENS FACTORY	0	<b>NC NI</b>
--	---	--------------

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

<b>OP-9001</b>	<b>LANE 1 ORDER</b> . . . . .	0	<b>NC</b>
	Order from Product Distribution Center (PDC)		

**Operation and Maintenance Manual**

<b>421-8926</b>	<b>SERIALIZED TECHNICAL MEDIA KIT</b> . . . . .	0	<b>NC</b>
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

**PROTECTION**

<b>OP-2266</b>	<b>SHIPPING/STORAGE PROTECTION</b> . . . . .	0	<b>\$210 NET</b>
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

**PDC MACHINE PREP**

<b>OP-6845</b>	<b>ATHENS DEALER PDI &amp; FUEL</b> . . . . .	0	<b>\$279 NET</b>
	The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		

**PACKING**

<b>OP-0210</b>	<b>PACK, DOMESTIC TRUCK</b> . . . . .	0	<b>NC</b>
	Mandatory in U.S.A. and Canada		

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**ELECTRICAL**

<b>511-9898</b>	<b>KIT, REAR VIEW CAMERA</b> . . . . .	0	<b>\$583</b>
-----------------	--	---	--------------

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	<b>LANE 1</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------	--------------------	-------------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

***ELECTRICAL (Cont.)***

L	309-1325	ROTATING BEACON ..... 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. ONLY FOR USE WITH: 515-6982 305.5E2 HEXMN DCA2 OR 515-6983 305.5E2 HEXMN DCA2	\$219
---	----------	---	-------

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

***LANE 1 NACD WORK TOOL CUSTOMIZATION***

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

***WORK TOOL PACKAGE***

Packages below include Hydraulic Thumb and Hydraulic Coupler

W	485-5271	THUMB,HYD + COUPLER,PG,HYD, 5T . . . . .	389	\$5, 979
		Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth ONLY FOR USE WITH: 515-6983 305.5E2 HEXMN DCA3 OR 580-9762 305.5E2 HEXMN DCA4.1		

Packages below include Hydraulic Thumb and Manual Coupler

W	464-9944	THUMB,HYD + COUPLER,PG,MAN, 5T . . . . .	381	\$4, 431
		Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth		

***COUPLERS***

W	485-5301	COUPLER, PG, HYDR.D.LOCK, 5T . . . . .	91	\$3, 576
		Hydraulic Quick Coupler Includes one set of 45mm diameter pins and hardware to attach one bucket. REQUIRES: 282-2785 Bucket Pins for EACH ADDITIONAL bucket ONLY FOR USE WITH: 515-6983 305.5E2 HEXMN DCA3 OR 580-9762 305.5E2 HEXMN DCA4.1		
W	444-7496	COUPLER, PG, MAN.D.LOCK, 5T . . . . .	113	\$2, 028
		Mechanical Quick Coupler Includes one set of 45mm diameter pins and hardware to attach one bucket REQUIRES: 282-2785 Bucket Pins for EACH ADDITIONAL bucket		

***BUCKETS***

P	464-9907	BUCKET-HD, 12", 2.1 FT3, 5T . . . . .	156 156	\$1, 125 \$1, 125 NI
		INCLUDES: 3 J200 long tooth tips		
P	464-9909	BUCKET-HD, 18", 3.1 FT3, 5T . . . . .	194 194	\$1, 236 \$1, 236 NI
		INCLUDES: 4 J200 long tooth tips		
P	464-9911	BUCKET-HD, 24", 4.6 FT3, 5T . . . . .	234 234	\$1, 375 \$1, 375 NI
		INCLUDES: 5 J200 long tooth tips		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	<b>LANE 1</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------	--------------------	-------------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

***BUCKET PINS***

P	282-2785	<b>PINS, BUCKET, 45MM</b> ..... 11 One additional set of pins is recommended with each additional Not Installed Bucket Extra Pins are only allowed when Ordered with Extra Buckets! One Extra Set of Pins per Extra Bucket All Installed Buckets include Bucket Pins.	11	<b>\$111</b>
---	----------	--	----	--------------



CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**LANE SELECTION**

<b>0P-9002</b>	<b>LANE 2 ORDER</b> . . . . . 0 Only for dealers enrolled in the Base Orders Management (BOM) program.	<b>NC</b>
<b>0P-9003</b>	<b>LANE 3 ORDER</b> . . . . . 0	<b>NC</b>

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

**Stick Package**

Secondary auxiliary lines are NOT required to operate a thumb.  
 Secondary auxiliary lines are only required when a positioning function is used by a work tool in addition to the primary function (example: shears, open/close & rotate)

L	463-9120	STICK PKG STD W/O 2ND AUX . . . . .	0	NC
		Stick Length(1418mm)		
		464-8570 STICK, STD, W/ THUMB BRACKET		
		344-0636 LINES, AUXILIARY, STD STICK		
		415-5107 LINES, BUCKET, STD STICK		
		463-8016 HYDRAULICS, W/O 2ND AUX		
		397-7078 LINKAGE, BUCKET, W/ LIFTING EYE		
L	463-9124	STICK PKG LONG W/O 2ND AUX . . . . .	0	NC
		Stick Length(1818mm)		
		464-8574 STICK, LONG, W/ THUMB BRACKET		
		379-4677 LINES, AUXILIARY, LONG STICK		
		415-5078 LINES, BUCKET, LONG STICK		
		463-8016 HYDRAULICS, W/O 2ND AUX		
		397-7078 LINKAGE, BUCKET, W/ LIFTING EYE		
L	463-9128	STICK PKG STD W/ 2ND AUX . . . . .	0	\$1,000
		Stick Length(1418mm)		
		464-8570 STICK, STD, W/ THUMB BRACKET		
		344-0636 LINES, AUXILIARY, STD STICK		
		415-5107 LINES, BUCKET, STD STICK		
		463-8020 HYDRAULICS, W/ 2ND AUX		
		397-7078 LINKAGE, BUCKET, W/ LIFTING EYE		
L	463-9132	STICK PKG LONG W/ 2ND AUX . . . . .	0	\$1,000
		Stick Length(1818mm)		
		464-8574 STICK, LONG, W/ THUMB BRACKET		
		379-4677 LINES, AUXILIARY, LONG STICK		
		415-5078 LINES, BUCKET, LONG STICK		
		463-8024 HYDRAULICS, W/ 2ND AUX		
		397-7078 LINKAGE, BUCKET, W/ LIFTING EYE		

**Boom Lines**

L	397-7086	LINES, BOOM . . . . .	0	NC
L	397-7087	LINES BOOM W/ BLCV . . . . .	0	\$790
		Provides Boom Lowering Check Valve		

**STICK LINES**

L	397-7064	LINES, STICK . . . . .	0	NC
L	397-7174	LINES STICK W/ SLCV . . . . .	0	\$790
		Provides Stick Lowering Check Valve		

**UNDERCARRIAGE**

**Track Pairs**

L	436-2494	TRACK, RUBBER BELT . . . . .	0	NC
		400mm / 16" width		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

*Track Pairs (Cont.)*

L	436-2493	TRACK, TRIPLE GROUSER SHOE . . . . .	0	\$1, 225
		400mm / 16" width		
L	436-2495	TRACK, TG W/RUBBER PAD . . . . .	0	\$4, 935
		400mm / 16" width		

**ELECTRICAL**

*BATTERY*

L	453-4770	BATTERY, DISCONNECT . . . . .	0	\$126
		Provides remote switch to disconnect battery		
L	454-0241	CABLE, GROUND . . . . .	0	NC
		Provides standard battery cable		

**OPERATOR ENVIRONMENT**

*Radio*

L	432-2774	RADIO . . . . .	0	\$314
		Provides factory installed radio. Includes USB and auxiliary inputs to connect external devices CANNOT BE USED WITH: 456-2629 CANOPY, TOPS		
L	437-3272	RADIO, READY . . . . .	0	NC
		Provides speakers, wiring harness and antenna. CANNOT BE USED WITH: 456-2629 CANOPY, TOPS		

**TECHNOLOGY PRODUCTS**

*PRODUCT LINK*

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	579-3613	PRODUCT LINK, CELLULAR PL243 . . . . .	0	NC
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		
L	577-6180	PRODUCT LINK, CELLULAR PL641 . . . . .	0	\$846
		Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	497-9191	PRODUCT LINK, SATELLITE PL631 . . . . .	0	\$1, 290
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

*Counterweight*

L	367-0949	COUNTERWEIGHT,STANDARD . . . . .	0	NC
L	367-0945	COUNTERWEIGHT,EXTRA . . . . .	0	\$760

*LIGHTS*

L	512-5611	LIGHTS, STANDARD . . . . .	0	NC
L	512-5612	LIGHTS, LED . . . . .	0	\$279

**BODY**

	544-1872	HOOD, REAR, SOLID . . . . .	0	NC
	544-1873	HOOD, REAR, VENTED . . . . . For Improved Cooling - In Higher Elevations above 5000ft.	0	\$105

**BLADES**

L	463-8033	BLADE, 78", BOLT-ON . . . . . Blade Width: 78", 1980 MM	0	NC
L	463-8036	BLADE, 78", ANGLE, BOLT-ON . . . . . Blade Width: 78", 1980 MM	0	\$3,445

**INSTRUCTIONS**

*Operation and Maintenance Manual*

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.	0	NC
--	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**HYDRAULICS**

***Quick Coupler Control***

NOTE: This is the quick coupler ready option. It will contain all necessary wiring, hoses, and valves installed on the machine that are necessary to run the hydraulic quick coupler.

L	425-8085	<b>LINES, QUICK COUPLER (STD)</b> . . . . . 0		\$1,490
		ONLY FOR USE WITH: 464-8570 STICK, STD, W/ THUMB BRACKET		
L	425-8089	<b>LINES, QUICK COUPLER (LONG)</b> . . . . . 0		\$1,490
		ONLY FOR USE WITH: 464-8574 STICK, LONG, W/ THUMB BRACKET		

**ELECTRICAL**

***Block Heater***

L	470-6522	<b>HEATER, WATER JACKET</b> . . . . . 0		\$228
		Engine block heater for additional cold weather start		

***BEACON***

L	309-1325	<b>ROTATING BEACON</b> . . . . . 0		\$219
		Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		

**OPERATOR ENVIRONMENT**

***Mirrors***

L	380-7150	<b>MIRROR, CANOPY, LEFT</b> . . . . . 0		\$44
		ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		
L	380-7151	<b>MIRROR, CANOPY, RIGHT</b> . . . . . 0		\$44
		ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		
P	428-7872	<b>MIRROR, CAB, REAR</b> . . . . . 0		\$44
		ONLY FOR USE WITH: 456-2643 CAB W/ AIR CONDITIONER OR 456-2636 CAB W/ HEATER CANNOT BE USED WITH: 4607683 CAMERA, REAR VIEW		

***Camera - Rear View***

L	495-0379	<b>CAMERA, REAR VIEW</b> . . . . . 0		\$378
		ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		
L	460-7683	<b>CAMERA, REAR VIEW</b> . . . . . 0		\$378
		ONLY FOR USE WITH: 456-2643 CAB W/ AIR CONDITIONER OR 456-2636 CAB W/ HEATER CANNOT BE USED WITH: 428-7872 MIRROR, CAB, REAR		

***Beacon Socket***

L	419-4832	<b>BEACON SOCKET</b> . . . . . 0		\$78
		Includes wiring and socket mounted on canopy post. Beacon not included. ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS**

L	432-1500	GUARD, CAB . . . . . 0 Front Wire Mesh ONLY FOR USE WITH: 456-2643 CAB W/ AIR CONDITIONER OR 456-2636 CAB W/ HEATER		\$1,010
L	432-1501	GUARD, CANOPY . . . . . 0 Front Wire Mesh ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		\$365
L	446-1569	GUARD GP VANDAL . . . . . 0 FOR USE WITH: COMPASS MONITOR ONLY FOR USE WITH: 456-2629 CANOPY, TOPS		\$56

**WORK TOOLS**

**WORK TOOL CUSTOMIZATION**

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST.

**WORK TOOL PACKAGE**

Packages below include Hydraulic Thumb and Hydraulic Coupler

W	485-5271	THUMB, HYD + COUPLER, PG, HYD, 5T . . . . . 389 FOR USE IN LANE 2 ONLY Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth REQUIRES: 425-8085 LINES, QUICK COUPLER (STD) OR 425-8089 LINES, QUICK COUPLER (LONG)		\$5,979
W	575-0494	THUMB, HYD + COUPLER, PG, HYD, 5T . . . . . 328 FOR USE IN LANE 3 ONLY Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth REQUIRES: 425-8085 LINES, QUICK COUPLER (STD) OR 425-8089 LINES, QUICK COUPLER (LONG)		\$5,979

NOTE: Work Tool Packages below include Hyd Thumb and Manual Coupler

W	464-9944	THUMB, HYD + COUPLER, PG, MAN, 5T . . . . . 381 FOR USE IN LANE 2 ONLY Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth		\$4,431
W	575-0493	THUMB, HYD + COUPLER, PG, MAN, 5T . . . . . 322 FOR USE IN LANE 3 ONLY Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth		\$4,431

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

**COUPLERS**

W	485-5301	COUPLER, PG, HYDR.D.LOCK, 5T . . . . .	91	\$3,576
		Hydraulic Quick Coupler INCLUDES: one set of Bucket Pins to attach one Work Tool REQUIRES: One set of Bucket Pins for EACH ADDITIONAL Work Tool INCLUDED IN: 464-9945 Work Tool Package REQUIRES: 425-8085 LINES, QUICK COUPLER (STD) OR 425-8089 LINES, QUICK COUPLER (LONG)		
W	444-7496	COUPLER, PG, MAN.D.LOCK, 5T . . . . .	113	\$2,028
		Mechanical Quick Coupler Includes one set of 45mm diameter pins and hardware to attach one bucket REQUIRES: 282-2785 Bucket Pins for EACH ADDITIONAL bucket INCLUDED IN: 464-9944 Work Tool Package		

**BUCKETS INSTALLED**

May select one installed bucket per machine order only

P	464-9907	BUCKET-HD, 12", 2.1 FT3, 5T . . . . .	156	\$1,125
		INCLUDES: 3 J200 long tooth tips		
P	464-9909	BUCKET-HD, 18", 3.1 FT3, 5T . . . . .	194	\$1,236
		INCLUDES: 4 J200 long tooth tips		
P	464-9911	BUCKET-HD, 24", 4.6 FT3, 5T . . . . .	234	\$1,375
		INCLUDES: 5 J200 long tooth tips		

**BUCKETS NOT INSTALLED**

May select up to 3 buckets per machine

One set Bucket Pins allowed for EACH ADDITIONAL bucket.

When ordering Not Installed Buckets, order the widest bucket installed

W	464-9907	BUCKET-HD, 12", 2.1 FT3, 5T . . . . .	156	\$1,125 NI
		INCLUDES: 3 J200 long tooth tips		
W	464-9909	BUCKET-HD, 18", 3.1 FT3, 5T . . . . .	194	\$1,236 NI
		INCLUDES: 4 J200 long tooth tips		
W	464-9911	BUCKET-HD, 24", 4.6 FT3, 5T . . . . .	234	\$1,375 NI
		INCLUDES: 5 J200 long tooth tips		

**BUCKET PINS**

W	282-2785	PINS, BUCKET, 45MM . . . . .	11	\$111 NI
		One additional set of pins is recommended with each additional bucket or Work Tool Extra Pins are only allowed when Ordered with Extra Buckets!! One Extra Set of Pins per Bucket		

CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS**

*Available Through Parts Distribution.*

	281-0895	<b>STOP AS 1</b> (Decreases Boom Swing Left by 25 degrees) REQUIRES: 8T-4183 Bolt QTY 3 8T-4223 Hard Washer QTY 3		
	309-1325	<b>ROTATING BEACON</b> Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		
W	511-9898	<b>KIT, REAR VIEW CAMERA</b> . . . . . 0 Compatible Machine Serial Numbers: H5M_1-Up (Cab) H5M_1687-Up (Canopy)		<b>\$482 NI</b>
	163-7093	<b>PAD ASSEMBLY</b> Single Rubber Pad - 400 TG No Hardware Included		
	384-5015	<b>KIT, HYDRAULIC QC LINES, 5 TON</b> FOR USE WITH: Hydraulic Quick Coupler		

**INSTRUCTIONS**

*Operation and Maintenance Manual*

	421-8926	<b>SERIALIZED TECHNICAL MEDIA KIT</b> . . . . . 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		<b>NC</b>
--	----------	---	--	-----------

**PACKING**

**PROTECTION**

	0P-2266	<b>SHIPPING/STORAGE PROTECTION</b> . . . . . 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		<b>\$210 NET</b>
--	---------	--	--	------------------

**PDC MACHINE PREP**

	590-9286	<b>ATHENS DEALER PDI &amp; FUEL</b> . . . . . 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		<b>\$275 NET</b>
--	----------	---	--	------------------



CATERPILLAR MACHINE PRICE LIST

**305.5E2**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**PACKING (CONT.)**

***PACKING***

0P-0210	<b>PACK, DOMESTIC TRUCK</b>	0	<b>NC</b>
	Mandatory in U.S.A. and Canada		
0P-4263	<b>PACK, MISCELLANEOUS MATERIAL</b>	0	<b>NC</b>
	REQUIRED BY: MISC ORDERS		