

CATERPILLAR MACHINE PRICE LIST

305E2305E2 MINI HYDRAULIC EXCAVATOR
ATHENS, GA, USA (SAP)Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Cat C2.4 diesel engine
 -U.S. EPA tier 4 final (US-A/CNDA)
 -EU stage IIIA/Tier 4 interim
 -ISO 9249/EEC 80/1269
 -Rated net power 30.0kW/ 40.2hp
 Automatic engine idle
 Automatic engine shut-off
 Automatic swing park brake
 Automatic two speed travel
 Fuel and water separator

Roll over protective structure (ROPS)
 (ISO 12117-2)
 Swing boom design
 Swivel guard
 Tie down eyes on track frame
 Tip over protective structure (TOPS)
 (ISO 12117)
 Tool storage area
 Top guard - ISO 10262 (level 1)
 Towing eye on base frame

ELECTRICAL

12 volt electrical system
 60 ampere alternator
 650 CCA maintenance free battery
 Fuse box
 Ignition key start / stop switch
 Slow blow fuse
 Warning horn
 Work lights
 -Courtesy safety light

OPERATOR ENVIRONMENT

100% pilot control ergonomic joysticks
 Adjustable arm rests
 Anti-theft system
 COMPASS: complete, operation,
 -Complete operation
 -Maintenance performance and
 security system
 -Multiple languages
 -Site reference system
 Cup holder
 Hydraulic neutral lockout system
 Literature holder
 Travel control pedals with hand levers
 Washable floor mat

OTHER STANDARD EQUIPMENT

Accumulator certification
 Auxiliary hydraulic lines
 -1-way and 2-way (combined function)
 Adjustable auxiliary relief
 Auxiliary line quick disconnects
 Caterpillar corporate "one key" system
 Continuous flow
 Door locks
 Dozer blade with float function
 Ecology drain - engine and hydraulic
 Hydraulic oil cooler
 High definition hydraulics
 -Load sensing/flow sharing
 Lockable fuel cap
 Power on demand

CATERPILLAR MACHINE PRICE LIST

305E2

305E2 MINI HYDRAULIC EXCAVATOR
ATHENS, GA, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

580-9745 305E2 HEXMN DCA1.1..... 0 \$73,050
LANE 1 - AVAILABLE FROM ATHENS PDC

INCLUDES:

- 452-5619 305E2 MINI HYD EXCAVATOR
 - 456-2629 CANOPY, TOPS
 - 397-7126 CONTROL, PATTERN CHANGER
 - 397-7086 LINES, BOOM
 - 397-7063 LINES, STICK
 - 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
 - 463-9123 STICK PACKAGE, LONG W/O 2ND AUX
 - 436-2494 TRACK, RUBBER BELT
 - 579-3613 PRODUCT LINK, CELLULAR PL243
 - 463-8032 BLADE, STRAIGHT, BOLT-ON EDGE
 - 377-4520 DRAIN, ECOLOGY
 - 454-0241 CABLE, GROUND
 - 428-7873 SEAT, VINYL W/ SUSPENSION
 - 456-2653 ENGINE, EPA TIER 4F
 - 419-4783 ALARM, TRAVEL
 - 512-5611 LIGHTS, STANDARD
 - 544-1872 HOOD, REAR, STANDARD
 - 456-2671 ELECTRICAL ARRANGEMENT
- NOTE: PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

305E2

| | | |
|---------------------------------------|-------------|------------|
| 305E2 MINI HYDRAULIC EXCAVATOR | Ship Weight | LIST PRICE |
| ATHENS, GA, USA (SAP) | lbs | AT DEALER |

| | | |
|-----------------|---|-----------------|
| 580-9752 | 305E2 HEXMN DCA2.1 0 LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC | \$81,020 |
|-----------------|---|-----------------|

INCLUDES:
 452-5619 305E2 HYDRAULIC EXCAVATOR
 456-2643 CAB, WITH AIR CONDITIONER
 397-7126 CONTROL, PATTERN CHANGER
 456-2679 ELECTRICAL ARRANGEMENT
 397-7086 LINES, BOOM
 397-7063 LINES, STICK
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
 428-7870 MIRROR, CAB, RIGHT
 463-9123 STICK PACKAGE LONG W/O 2ND AUX
 436-2494 TRACK, RUBBER BELT
 579-3613 PRODUCT LINK, CELLULAR PL243
 419-4783 ALARM, TRAVEL
 463-8032 BLADE, 78", BOLT-ON
 454-0241 CABLE, GROUND
 428-7874 SEAT, FABRIC, HIGH BACK
 377-4520 DRAIN, ECOLOGY
 437-3272 RADIO, READY
 456-2653 ENGINE, EPA TIER 4F
 470-6522 HEATER, WATER JACKET
 512-5611 LIGHTS, STANDARD
 544-1872 HOOD, REAR, STANDARD
 NOTE: PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER.

| | | |
|-----------------|---|-----------------|
| 580-9757 | 305E2 HEXMN DCA3.1 0 LANE 1 - AVAILABLE FROM ATHENS PDC | \$86,030 |
|-----------------|---|-----------------|

INCLUDES:
 452-5619 305E2 HYDRAULIC EXCAVATOR
 456-2643 CAB, WITH AIR CONDITIONER
 397-7126 CONTROL, PATTERN CHANGER
 425-8088 LINES, QUICK COUPLER (LONG)
 397-7086 LINES, BOOM
 397-7063 LINES, STICK
 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
 428-7870 MIRROR, CAB, RIGHT
 463-9123 STICK PACKAGE LONG W/O 2ND AUX
 436-2494 TRACK, RUBBER BELT
 579-3613 PRODUCT LINK, CELLULAR PL243
 419-4783 ALARM, TRAVEL
 463-8035 BLADE, POWER ANGLE
 454-0241 CABLE, GROUND
 428-7874 SEAT, FABRIC, HIGH BACK
 377-4520 DRAIN, ECOLOGY
 437-3272 RADIO, READY
 456-2653 ENGINE, EPA TIER 4F
 470-6522 HEATER, WATER JACKET
 512-5611 LIGHTS, STANDARD
 544-1872 HOOD, REAR, STANDARD
 456-2679 ELECTRICAL ARRANGEMENT
 NOTE: PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

305E2

| 305E2 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP) | Ship Weight lbs | LIST PRICE AT DEALER |
|---|--------------------|-------------------------|
|---|--------------------|-------------------------|

| | | |
|---|--|-----------------|
| 580-9761 305E2 HEXMN DCA4.1 0 | | \$78,060 |
|---|--|-----------------|

LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:
- 452-5619 305E2 MINI HYD EXCAVATOR
 - 456-2629 CANOPY, TOPS
 - 397-7126 CONTROL, PATTERN CHANGER
 - 425-8088 LINES, QUICK COUPLER (LONG)
 - 397-7086 LINES, BOOM
 - 397-7063 LINES, STICK
 - 434-2092 BELT, SEAT, 76MM(3") RETRACTABLE
 - 463-9123 STICK PACKAGE, LONG W/O 2ND AUX
 - 436-2494 TRACK, RUBBER BELT
 - 579-3613 PRODUCT LINK, CELLULAR PL243
 - 463-8035 BLADE, POWER ANGLE
 - 377-4520 DRAIN, ECOLOGY
 - 454-0241 CABLE, GROUND
 - 428-7873 SEAT, VINYL W/ SUSPENSION
 - 456-2653 ENGINE, EPA TIER 4F
 - 419-4783 ALARM, TRAVEL
 - 512-5611 LIGHTS, STANDARD
 - 544-1872 HOOD, REAR, STANDARD
 - 456-2671 ELECTRICAL ARRANGEMENT
- NOTE: PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

| | | |
|--|--|-----------------|
| 546-5479 305E2 HEXMN CFG 1.1 0 | | \$73,050 |
|--|--|-----------------|

LANE 2 - AVAILABLE FROM ATHENS FACTORY
 LANE 3 - AVAILABLE FROM ATHENS FACTORY

- INCLUDES:
- 452-5619 305E2 HYDRAULIC EXCAVATOR
 - 397-7126 CONTROL, PATTERN CHANGER
 - 419-4783 ALARM, TRAVEL
 - 456-2653 ENGINE, EPA TIER 4F
 - 456-2629 CANOPY, TOPS
 - 428-7873 SEAT, VINYL, W/ SUSPENSION
 - 434-2092 BELT, SEAT, 3" RETRACTABLE
 - 377-4520 DRAIN, ECOLOGY
 - 456-2671 ELECTRICAL ARRANGEMENT

| | | |
|--|--|-----------------|
| 546-5480 305E2 HEXMN CFG 2.1 0 | | \$78,740 |
|--|--|-----------------|

LANE 2 - AVAILABLE FROM ATHENS FACTORY
 LANE 3 - AVAILABLE FROM ATHENS FACTORY

- INCLUDES:
- 452-5619 305E2 HYDRAULIC EXCAVATOR
 - 397-7126 CONTROL, PATTERN CHANGER
 - 419-4783 ALARM, TRAVEL
 - 456-2653 ENGINE, EPA TIER 4F
 - 456-2636 CAB W/ HEATER
 - 428-7874 SEAT, FABRIC, HIGH BACK SUSPENSION
 - 428-7870 MIRROR, CAB, RIGHT
 - 434-2092 BELT, SEAT, 3" RETRACTABLE
 - 377-4520 DRAIN, ECOLOGY
 - 456-2679 ELECTRICAL ARRANGEMENT

CATERPILLAR MACHINE PRICE LIST

305E2

| 305E2 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP) | Ship Weight lbs | LIST PRICE AT DEALER |
|---|--------------------|-------------------------|
|---|--------------------|-------------------------|

| | | |
|-----------------|--|-----------------|
| 546-5481 | 305E2 HEXMN CFG 3.1 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY | \$80,790 |
|-----------------|--|-----------------|

INCLUDES:

- 452-5619 305E2 HYDRAULIC EXCAVATOR
- 397-7126 CONTROL, PATTERN CHANGER
- 419-4783 ALARM, TRAVEL
- 456-2653 ENGINE, EPA TIER 4F
- 456-2643 CAB W/ AIR CONDITIONER
- 428-7874 SEAT, FABRIC, HIGH BACK SUSPENSION
- 428-7870 MIRROR, CAB, RIGHT
- 434-2092 BELT, SEAT, 3" RETRACTABLE
- 377-4520 DRAIN, ECOLOGY
- 456-2679 ELECTRICAL ARRANGEMENT

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|--------|-----------------|----------------------|
|-----|---------|--------|-----------------|----------------------|

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

| | | | |
|----------------|--|---|-----------|
| 0P-9001 | LANE 1 ORDER | 0 | NC |
| | Order from Product Distribution Center (PDC) | | |

Operation and Maintenance Manual

English Operation and Maintenance Manuals are sent on every machine sourced from the PDC and must be selected on every PDC order.

| | | | |
|-----------------|--|---|-----------|
| 421-8926 | SERIALIZED TECHNICAL MEDIA KIT | 0 | NC |
| | The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com. | | |

PROTECTION

| | | | |
|----------------|--|---|------------------|
| 0P-2266 | SHIPPING/STORAGE PROTECTION | 0 | \$213 NET |
| | Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage. | | |

Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.

PACKING

| | | | |
|----------------|---------------------------------------|---|-----------|
| 0P-0210 | PACK, DOMESTIC TRUCK | 0 | NC |
| | Mandatory in U.S.A. and Canada | | |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 1 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PDC MACHINE PREP

| | | | |
|--|-----------------|---|------------------|
| | 590-9286 | ATHENS DEALER PDI & FUEL 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups. | \$279 NET |
| | 0P-4656 | DEALER PREP, FINNING 0 ONLY FOR USE WITH: CANADIAN DEALERS | \$277 NET |

ELECTRICAL

| | | | |
|----------|-----------------|---|--------------|
| | 511-9898 | KIT, REAR VIEW CAMERA 0 | \$592 |
| L | 309-1325 | ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. ONLY FOR USE WITH: 580-9752 305E2 HEXMN DCA2.1 OR 580-9787 305E2 HEXMN DCA3.1 | \$222 |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|--------|-----------------|----------------------|
|-----|---------|--------|-----------------|----------------------|

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

LANE 1 NACD WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

WORK TOOL PACKAGE

Packages below include Hydraulic Thumb and Hydraulic Coupler
 All Thumbs and Couplers require Film, Quick Coupler!

| | | | | |
|---|----------|--|-----|-----------------|
| W | 575-0494 | THUMB,HYD + COUPLER,PG,HYD, 5T | 328 | \$5, 979 |
| | | Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth ONLY FOR USE WITH: 580-9757 305E2 HEXMN DCA3.1 OR 580-9761 305E2 HEXMN DCA4.1 | | |

NOTE: Packages below include Hydraulic Thumb and Manual Coupler

| | | | | |
|---|----------|--|-----|-----------------|
| W | 575-0493 | THUMB,HYD + COUPLER,PG,MAN, 5T | 322 | \$4, 431 |
| | | Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style | | |

COUPLERS

| | | | | |
|---|----------|--|-----|-----------------|
| W | 485-5301 | COUPLER, PG, HYDR.D.LOCK, 5T | 91 | \$3, 576 |
| | | Hydraulic Quick Coupler Includes one set of Bucket Pins to attach one Work Tool REQUIRES: one set of Bucket Pins for EACH ADDITIONAL Work Tool ONLY FOR USE WITH: 580-9757 305E2 HEXMN DCA3.1 OR 580-9761 305E2 HEXMN DCA4.1 | | |
| W | 444-7496 | COUPLER, PG, MAN.D.LOCK, 5T | 113 | \$2, 028 |
| | | Manual Quick Coupler Includes one set of Bucket Pins to attach one Work Tool REQUIRES: one set of Bucket Pins for EACH ADDITIONAL Work Tool | | |

BUCKETS

| | | | | |
|---|----------|--|------------|---------------------------------------|
| P | 464-9907 | BUCKET-HD, 12", 2.1 FT3, 5T | 156 156 | \$1, 125 \$1, 125 NI |
| | | INCLUDES: 3 J200 long tooth tips | | |
| P | 464-9909 | BUCKET-HD, 18", 3.1 FT3, 5T | 194 194 | \$1, 236 \$1, 236 NI |
| | | INCLUDES: 4 J200 long tooth tips | | |
| P | 464-9911 | BUCKET-HD, 24", 4.6 FT3, 5T | 234 234 | \$1, 375 \$1, 375 NI |
| | | INCLUDES: 5 J200 long tooth tips | | |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------|--------------------|-------------------------|
|-----|------------|---------------|--------------------|-------------------------|

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

BUCKET PINS

| | | | | |
|---|----------|--------------------------|----|----------|
| P | 282-2785 | PINS, BUCKET, 45MM | 11 | \$111 |
| | | | 11 | \$111 NI |

One additional set of pins is recommended with each additional bucket
 or Work Tool used with a coupler
 Extra Pins are only allowed when Ordered with Extra Buckets!
 One Extra Set of Pins per Extra Bucket
 All Installed Buckets include Bucket Pins.

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|-----------------------------|--------------------|-------------------------|
|-----|------------|-----------------------------|--------------------|-------------------------|

LANE SELECTION

| | | |
|---------|---|-----------|
| 0P-9002 | LANE 2 ORDER 0 Only for dealers enrolled in the Base Orders Management (BOM) program. | NC |
| 0P-9003 | LANE 3 ORDER 0 | NC |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

BOOMS, STICKS, AND LINKAGES

Stick Package

Secondary auxiliary lines are NOT required to operate a thumb.
 Secondary auxiliary lines are only required when a positioning function is used by a work tool in addition to the primary function (example: shears, open/close & rotate)

| | | | | |
|---|----------|---|---|----------|
| L | 463-9119 | STICK PKG STD W/O 2ND AUX | 0 | NC |
| | | Stick Length(1350mm) | | |
| | | 464-8569 Stick, STD, W/THUMB BRACKET | | |
| | | 415-5076 LINES, BUCKET, STD STICK | | |
| | | 344-0632 LINES, AUXILIARY, STD STICK | | |
| | | 463-8015 HYDRAULICS, W/O 2ND AUX | | |
| | | 397-7076 LINKAGE, BUCKET, W/LIFTING EYE | | |
| L | 463-9123 | STICK PKG LONG W/O 2ND AUX | 0 | NC |
| | | Stick Length(1750mm) | | |
| | | 464-8573 STICK, LONG W/THUMB BRACKET | | |
| | | 415-5077 LINES, BUCKET, LONG STICK | | |
| | | 377-8877 LINES, AUXILIARY, LONG STICK | | |
| | | 463-8015 HYDRAULICS, W/O 2ND AUX | | |
| | | 397-7076 LINKAGE, BUCKET, W/LIFTING EYE | | |
| L | 463-9127 | STICK PKG STD W/ 2ND AUX | 0 | \$1, 015 |
| | | Stick Length(1350mm) | | |
| | | 464-8569 STICK, STD, W/ThUMB BRACKET | | |
| | | 415-5076 LINES, BUCKET, STD STICK | | |
| | | 344-0632 LINES, AUXILIARY, STD STICK | | |
| | | 463-8019 HYDRAULICS W/2ND AUX. STD | | |
| | | 397-7076 LINKAGE, BUCKET, W/LIFTING EYE | | |
| L | 463-9131 | STICK PKG LONG W/ 2ND AUX | 0 | \$1, 015 |
| | | Stick Length(1750mm) | | |
| | | 464-8573 STICK, LONG W/THUMB BRACKET | | |
| | | 415-5077 LINES, BUCKET, LONG STICK | | |
| | | 377-8877 LINES, AUXILIARY, LONG STICK | | |
| | | 463-8023 HYDRAULICS W/2ND AUX. LONG | | |
| | | 397-7076 LINKAGE, BUCKET, W/LIFTING EYE | | |

Boom Lines

| | | | | |
|---|----------|------------------------------------|---|-------|
| L | 397-7086 | LINES, BOOM | 0 | NC |
| L | 397-7087 | LINES BOOM W/ BLCV | 0 | \$800 |
| | | Provides Boom Lowering Check Valve | | |

Stick Lines

| | | | | |
|---|----------|-------------------------------------|---|-------|
| L | 397-7063 | LINES, STICK | 0 | NC |
| L | 397-7173 | LINES STICK W/ SLCV | 0 | \$800 |
| | | Provides Stick Lowering Check Valve | | |

UNDERCARRIAGE

Track Pairs

| | | | | |
|---|----------|------------------------------|---|----|
| L | 436-2494 | TRACK, RUBBER BELT | 0 | NC |
| | | 400mm / 16" width | | |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

UNDERCARRIAGE (CONT.)

Track Pairs (Cont.)

| | | | | |
|---|----------|--------------------------------------|---|---------|
| L | 436-2493 | TRACK, TRIPLE GROUSER SHOE | 0 | \$1,245 |
| | | 400mm / 16" width | | |
| L | 436-2495 | TRACK, TG W/RUBBER PAD | 0 | \$5,010 |
| | | 400mm / 16" width | | |

ELECTRICAL

BATTERY

| | | | | |
|---|----------|--|---|-------|
| L | 453-4770 | BATTERY, DISCONNECT | 0 | \$128 |
| | | Provides remote switch to disconnect battery | | |
| L | 454-0241 | CABLE, GROUND | 0 | NC |
| | | Provides standard battery cable | | |

OPERATOR ENVIRONMENT

Radio

| | | | | |
|---|----------|--|---|-------|
| L | 432-2774 | RADIO | 0 | \$319 |
| | | Provides factory installed radio. Includes USB and auxiliary inputs to connect external devices CANNOT BE USED WITH: 456-2629 CANOPY, TOPS | | |
| L | 437-3272 | RADIO, READY | 0 | NC |
| | | Provides speakers, wiring harness and antenna. CANNOT BE USED WITH: 456-2629 CANOPY, TOPS | | |

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

| | | | | |
|---|----------|--|---|-------|
| L | 579-3613 | PRODUCT LINK, CELLULAR PL243 | 0 | NC |
| | | Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. | | |
| L | 577-6180 | PRODUCT LINK, CELLULAR PL641 | 0 | \$858 |
| | | Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data. | | |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 497-9191 | PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. | | \$1,310 |
|---|----------|---|--|---------|

PRODUCT LINK FILM

| | | | | |
|---|----------|---|--|----|
| L | 502-6610 | FILM, PRODUCT LINK, ANSI 0 REQUIRED BY: 579-3613 PRODUCT LINK, CELLULAR PL243 497-9191 PRODUCT LINK, SATELLITE PL631 577-6180 PRODUCT LINK, CELLULAR PL641 | | NC |
|---|----------|---|--|----|

OTHER ATTACHMENTS

LIGHTS

| | | | | |
|---|----------|------------------------------|--|-------|
| L | 512-5611 | LIGHTS, STANDARD 0 | | NC |
| L | 512-5612 | LIGHTS, LED 0 | | \$283 |

BODY

| | | | | |
|--|----------|---|--|-------|
| | 544-1872 | HOOD, REAR, SOLID 0 | | NC |
| | 544-1873 | HOOD, REAR, VENTED 0 For Improved Cooling - In Higher Elevations above 5000ft. | | \$107 |

BLADES

| | | | | |
|---|----------|---|--|---------|
| L | 463-8032 | BLADE, 78", BOLT-ON 0 Blade Width: 77", 1950 MM | | NC |
| L | 463-8035 | BLADE, 78", ANGLE, BOLT-ON 0 Blade Width: 78", 1980 MM | | \$3,495 |

INSTRUCTIONS

Operation and Maintenance Manual

| | | | | |
|--|----------|--|--|----|
| | 421-8926 | SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com. | | NC |
|--|----------|--|--|----|

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

HYDRAULICS

Quick Coupler Control

NOTE: This is the quick coupler ready option. It will contain all necessary wiring, hoses, and valves installed on the machine that are necessary to run the hydraulic quick coupler.

| | | | | |
|---|----------|---|--|----------|
| L | 425-8084 | LINES, QUICK COUPLER (STD) 0 | | \$1, 510 |
| | | ONLY FOR USE WITH: 464-8569 STICK, STD, W/THUMB BRACKET | | |
| L | 425-8088 | LINES, QUICK COUPLER (LONG) 0 | | \$1, 510 |
| | | ONLY FOR USE WITH: 464-8573 STICK, LONG W/THUMB BRACKET | | |

Film for Quick Coupler

| | | | | |
|---|----------|---------------------------------------|--|----|
| L | 397-7142 | FILM, QUICK COUPLER, ANSI 0 | | NC |
|---|----------|---------------------------------------|--|----|

ELECTRICAL

Block Heater

| | | | | |
|---|----------|---|--|-------|
| L | 470-6522 | HEATER, WATER JACKET 0 | | \$231 |
| | | Engine block heater for additional cold weather start | | |

BEACON

| | | | | |
|---|----------|---|--|-------|
| L | 309-1325 | ROTATING BEACON 0 | | \$222 |
| | | Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. | | |

OPERATOR ENVIRONMENT

Mirrors

| | | | | |
|---|----------|---|--|------|
| L | 380-7150 | MIRROR, CANOPY, LEFT 0 | | \$45 |
| | | ONLY FOR USE WITH: 456-2629 CANOPY, TOPS | | |
| L | 380-7151 | MIRROR, CANOPY, RIGHT 0 | | \$45 |
| | | ONLY FOR USE WITH: 456-2629 CANOPY, TOPS | | |
| P | 428-7872 | MIRROR, CAB, REAR 0 | | \$45 |
| | | ONLY FOR USE WITH: 456-2643 CAB, WITH AIR CONDITIONER OR 456-2636 CAB W/ HEATER | | |
| | | CANNOT BE USED WITH: 460-7683 CAMERA, REAR VIEW | | |

Camera - Rear View

| | | | | |
|---|----------|---|--|-------|
| L | 495-0379 | CAMERA, REAR VIEW 0 | | \$384 |
| | | ONLY FOR USE WITH: 456-2629 CANOPY, TOPS | | |
| L | 460-7683 | CAMERA, REAR VIEW 0 | | \$384 |
| | | ONLY FOR USE WITH: 456-2643 CAB, WITH AIR CONDITIONER OR 456-2636 CAB W/ HEATER | | |
| | | CANNOT BE USED WITH: 428-7872 MIRROR, CAB, REAR | | |

Beacon Socket

| | | | | |
|---|----------|---|--|------|
| L | 419-4832 | BEACON SOCKET 0 | | \$79 |
| | | Includes wiring and socket mounted on canopy post. Beacon not included. | | |
| | | ONLY FOR USE WITH: 456-2629 CANOPY, TOPS | | |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

GUARDS

| | | | | |
|---|----------|---|--|---------|
| L | 432-1500 | GUARD, CAB 0 Front Wire Mesh FOR USE WITH: CAB ONLY FOR USE WITH: 456-2643 CAB, WITH AIR CONDITIONER OR 456-2636 CAB W/ HEATER | | \$1,025 |
| L | 432-1501 | GUARD, CANOPY 0 Front Wire Mesh ONLY FOR USE WITH: 456-2629 CANOPY, TOPS | | \$370 |
| L | 446-1569 | GUARD GP VANDAL 0 ONLY FOR USE WITH: 456-2629 CANOPY, TOPS | | \$57 |

WORK TOOLS

WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST.

WORK TOOL PACKAGE

NOTE: Work Tools Packages below include Hyd Thumb and Hyd Coupler

| | | | | |
|---|----------|--|--|---------|
| W | 575-0494 | THUMB, HYD + COUPLER, PG, HYD, 5T 328 Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth REQUIRES: 425-8084 LINES, QUICK COUPLER (STD) OR 425-8088 LINES, QUICK COUPLER (LONG) | | \$5,979 |
|---|----------|--|--|---------|

NOTE: Work Tools Packages below include Hyd Thumb and Man Coupler

| | | | | |
|---|----------|---|--|---------|
| W | 575-0493 | THUMB, HYD + COUPLER, PG, MAN, 5T 322 Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth | | \$4,431 |
|---|----------|---|--|---------|

COUPLERS

| | | | | |
|---|----------|--|--|---------|
| W | 485-5301 | COUPLER, PG, HYDR.D.LOCK, 5T 91 Hydraulic Quick Coupler INCLUDES: one set of Bucket Pins to attach one Work Tool REQUIRES: One set of Bucket Pins for EACH ADDITIONAL Work Tool INCLUDED IN: 464-9945 Work Tool Package REQUIRES: 425-8084 LINES, QUICK COUPLER (STD) OR 425-8088 LINES, QUICK COUPLER (LONG) | | \$3,576 |
| W | 444-7496 | COUPLER, PG, MAN.D.LOCK, 5T 113 Mechanical Quick Coupler INCLUDES: one set of Bucket Pins to attach one Work Tool REQUIRES: one set of Bucket Pins for EACH ADDITIONAL Work Tool INCLUDED IN: 464-9944 Work Tool Package | | \$2,028 |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

WORK TOOLS (CONT.)

BUCKETS

May select one installed bucket per machine order

| | | | | |
|---|----------|---|-----|---------|
| P | 464-9907 | BUCKET-HD, 12", 2.1 FT3, 5T INCLUDES: 3 J200 long tooth tips | 156 | \$1,125 |
| P | 464-9909 | BUCKET-HD, 18", 3.1 FT3, 5T INCLUDES: 4 J200 long tooth tips | 194 | \$1,236 |
| P | 464-9911 | BUCKET-HD, 24", 4.6 FT3, 5T INCLUDES: 5 J200 long tooth tips | 234 | \$1,375 |

BUCKETS NOT INSTALLED

May select up to 3 buckets per machine order.

When ordering Not Installed Buckets, order the widest bucket installed

| | | | | |
|---|----------|---|-----|------------|
| P | 464-9907 | BUCKET-HD, 12", 2.1 FT3, 5T INCLUDES: 3 J200 long tooth tips | 156 | \$1,125 NI |
| P | 464-9909 | BUCKET-HD, 18", 3.1 FT3, 5T INCLUDES: 4 J200 long tooth tips | 194 | \$1,236 NI |
| P | 464-9911 | BUCKET-HD, 24", 4.6 FT3, 5T INCLUDES: 5 J200 long tooth tips | 234 | \$1,375 NI |

BUCKET PINS

| | | | | |
|---|----------|---|----|----------|
| P | 282-2785 | PINS, BUCKET, 45MM One additional set of pins is recommended with each additional bucket or Work Tool Extra Pins are only allowed when Ordered with Extra Buckets!! One Extra Set of Pins per Bucket | 11 | \$111 NI |
|---|----------|---|----|----------|

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

| | | | | |
|---|----------|---|--|--|
| | 281-0895 | STOP AS 1 (Decreases Boom Swing Left by 25 degrees) REQUIRES: 8T-4183 Bolt QTY 3 8T-4223 Hard Washer QTY 3 | | |
| | 309-1325 | ROTATING BEACON Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. | | |
| | 163-7093 | PAD ASSEMBLY Single Rubber Pad - 400 TG No Hardware Included | | |
| | 384-5015 | KIT, HYDRAULIC QC LINES, 5 TON FOR USE WITH: Hydraulic Quick Coupler | | |
| W | 511-9898 | KIT, REAR VIEW CAMERA Compatible Machine Serial Numbers: H5M_1-Up (Cab) H5M_1687-Up (Canopy) | | |

CATERPILLAR MACHINE PRICE LIST

305E2

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

INSTRUCTIONS

Operation and Maintenance Manual

| | | |
|----------|---|----|
| 421-8926 | SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com. | NC |
|----------|---|----|

PACKING

PROTECTION

| | | |
|---------|--|-----------|
| 0P-2266 | SHIPPING/STORAGE PROTECTION 0 Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage. Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions. REQUIRED for Ocean Shipments | \$213 NET |
|---------|--|-----------|

PDC MACHINE PREP

| | | |
|----------|---|-----------|
| 590-9286 | ATHENS DEALER PDI & FUEL 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups. | \$279 NET |
|----------|---|-----------|

PACKING

| | | |
|---------|---|----|
| 0P-0210 | PACK, DOMESTIC TRUCK 0 Mandatory in U.S.A. and Canada | NC |
|---------|---|----|