

## CATERPILLAR MACHINE PRICE LIST

**306****306 MINI HYDRAULIC EXCAVATOR**  
ATHENS, GA, USA (SAP)Ship Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

CAT C2.4T diesel engine  
U.S. EPA tier 4 final  
EU stage V  
ISO 9249/EEC 80/1270  
Rated net power 41.7 kW - 2,400 rpm -  
ISO 9249/EEC 80/1269  
Electronic engine, turbo, DPF (diesel  
particulate filter)  
Automatic engine idle  
Automatic engine shut-off  
Automatic swing brake  
Automatic two speed travel  
Fuel and water separator with indicator  
Radial seal air filter, double element  
with warning indicator

**UNDERCARRIAGE**

Greased and lubricated track  
Hydraulic track adjusters  
Tie down eyes on track frame

**HYDRAULICS**

Smart tech electronic pump  
Variable displacement piston pump  
Load sensing/flow sharing hydraulics  
Hydraulic temperature monitoring  
Accumulator certified

**ELECTRICAL**

60 ampere alternator  
650 CCA maintenance free battery  
Battery disconnect  
Circuit breaker  
Ignition key stop switch  
Signaling/warning horn  
Work lights:  
-Cab, boom left

**OPERATOR ENVIRONMENT**

Ergonomic joysticks control levers  
Adjustable wrist rests  
Pattern changer  
Color LCD monitor:  
- Fuel level, coolant temp, & warning  
indicators  
- Maintenance and machine monitoring  
- Performance & machine adjustments  
- Numeric security code  
- Multiple languages  
- Hour meter  
- Ground level wakeup switch  
- Camera ready  
Cup holder  
Hydraulic lockout for all controls

Literature holder  
Molded footrests  
Removable washable floor mat  
Retractable fluorescent seat belt  
Travel control pedals with hand levers  
Utility space for mobile phone  
Skylight  
Mounting bosses for front & top guard

**FLUIDS**

Extended life coolant - 37C  
Hydro advanced hydraulic oil

**OTHER STANDARD EQUIPMENT**

Caterpillar corporate "one key" system  
Locks on external enclosure doors  
Lockable fuel cap  
Beacon socket  
Ecology drain - engine  
Radial seal engine air filter, double  
element with restriction indicator  
Side by side engine & hydraulic oil  
cooler  
Stick steer mode  
Cruise control mode  
Power on demand  
Rear reflectors  
Roll over protective structure (ROPS)  
(ISO 12117-2)  
Auxiliary hydraulic lines  
- 1-way and 2-way (combined function)  
- Auxiliary line quick disconnects  
- Adjustable auxiliary flow  
- Continuous flow  
- Adjustable auxiliary relief  
Thumb ready stick

CATERPILLAR MACHINE PRICE LIST

**306**

306 MINI HYDRAULIC EXCAVATOR  
 ATHENS, GA, USA (SAP)

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

**579-2600      306 07A CR MHE DCA1A . . . . . 0      \$84,390**

LANE 1 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC  
 LANE 2 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM ATHENS FACTORY  
 LANE 3 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM ATHENS FACTORY

INCLUDES:

- 523-7568 306 07A CR MINI EXCAVATOR
- 593-8757 ELECTRICAL ARR, C2.4 HRC
- 591-2340 ENGINE, EPA TIER 4 FINAL
- 579-2604 BLADE, STD, BOCE
- 527-2800 TRACK, 400MM(16"), RUBBER BELT
- 579-2625 STICK, LONG
- 549-9090 SEAT, SUSPENSION, VINYL, CANOPY
- 522-6460 CAT KEY, WITH PASSCODE OPTION
- 579-2595 MONITOR NEXT GEN, CANOPY
- 523-7583 BOOM, SWING
- 532-7892 LINES, BOOM
- 532-7890 LINES, STICK
- 538-2663 NO EXTRA COUNTERWEIGHT
- 382-8757 DRAIN, ECOLOGY
- 511-6170 ALARM, TRAVEL
- 522-6498 LIGHTS, STANDARD
- 557-5067 PRODUCT LINK, CELLULAR PL243
- 545-6721 NO CAMERA
- 538-2697 LINKAGE, BUCKET W/ LIFTING EYE
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 557-1711 KIT, 2 WAY CONTROL
- 557-1713 SOFTWARE, CODED START
- 510-6078 TRAVEL PEDALS
- 535-8483 INSTRUCTIONS, ANSI
- 552-5984 FILM, CANADA
- 555-8731 FILM, COUPLER, ISO

NOTE: 306CR straight blade canopy model  
 PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**306**

<b>306 MINI HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
ATHENS, GA, USA (SAP)	lbs	AT DEALER

<b>579-2601</b>	<b>306 07A CR MHE DCA2A</b> . . . . . 0	<b>\$88,000</b>
-----------------	---	-----------------

LANE 1 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC  
 LANE 2 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM ATHENS FACTORY  
 LANE 3 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM ATHENS FACTORY

INCLUDES:

- 523-7568 306 07A CR MINI EXCAVATOR
- 593-8757 ELECTRICAL ARR, C2.4 HRC
- 591-2340 ENGINE, EPA TIER 4 FINAL
- 579-2605 BLADE, ANGLE, BOCE
- 527-2800 TRACK, 400MM(16"), RUBBER BELT
- 579-2627 STICK, LONG, ANG BLD
- 549-9090 SEAT, SUSPENSION, VINYL, CANOPY
- 522-6460 CAT KEY, WITH PASSCODE OPTION
- 579-2595 MONITOR NEXT GEN, CANOPY
- 523-7583 BOOM, SWING
- 532-7892 LINES, BOOM
- 532-7890 LINES, STICK
- 538-2663 NO EXTRA COUNTERWEIGHT
- 382-8757 DRAIN, ECOLOGY
- 511-6170 ALARM, TRAVEL
- 522-6498 LIGHTS, STANDARD
- 557-5067 PRODUCT LINK, CELLULAR PL243
- 545-6721 NO CAMERA
- 538-2697 LINKAGE, BUCKET W/ LIFTING EYE
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 557-1711 KIT, 2 WAY CONTROL
- 557-1713 SOFTWARE, CODED START
- 510-6078 TRAVEL PEDALS
- 535-8483 INSTRUCTIONS, ANSI
- 552-5984 FILM, CANADA
- 555-8731 FILM, COUPLER, ISO

NOTE: 306CR angle blade canopy model  
 PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**306**

306 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>601-3838</b></p> <p><b>306 07A CR MHE DCA3C</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM ATHENS PDC                      LANE 2 - AVAILABLE FROM ATHENS FACTORY                      LANE 3 - AVAILABLE FROM ATHENS FACTORY</p>	<p>0</p>	<p><b>\$94,890</b></p>
---	----------	------------------------

- INCLUDES:
- 523-7568 306 07A CR MINI EXCAVATOR
  - 522-6505 CAMERA, REAR VIEW
  - 523-8003 ELECTRICAL ARR, C2.4T HRC
  - 523-7593 ENGINE, EPA TIER 4 FINAL
  - 579-2604 BLADE, STD, BOCE
  - 527-2800 TRACK, 400MM(16"), RUBBER BELT
  - 579-2625 STICK, LONG, W/THUMB BRACKET
  - 569-7627 SEAT, MECH SUSP, FABRIC, CAB
  - 522-6460 CAT KEY, WITH PASSCODE OPTION
  - 557-5068 MONITOR NEXT GEN, CAMERA READY
  - 523-7583 BOOM, SWING
  - 532-7892 LINES, BOOM
  - 532-7890 LINES, STICK
  - 532-8634 LINES, AUX, QC, LONG STK
  - 532-8607 CONTROL, QUICK COUPLER
  - 538-2663 NO EXTRA COUNTERWEIGHT
  - 382-8757 DRAIN, ECOLOGY
  - 510-6085 BELT, SEAT, 3" RETRACTABLE
  - 511-6170 ALARM, TRAVEL
  - 522-6498 LIGHTS, STANDARD
  - 511-6219 RADIO
  - 557-5067 PRODUCT LINK, CELLULAR PL243
  - 566-0462 HEATER, WATER JACKET
  - 538-2697 LINKAGE, BUCKET W/ LIFTING EYE
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1711 KIT, 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START
  - 541-4573 TRAVEL PEDALS
  - 535-8483 INSTRUCTIONS, ANSI
  - 552-5984 FILM, CANADA
  - 555-8731 FILM, COUPLER, ISO

NOTE: 306CR straight blade cab model  
 PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**306**

306 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>601-3882</b></p> <p><b>306 07A CR MHE DCA3.1C</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM ATHENS PDC                      LANE 2 - AVAILABLE FROM ATHENS FACTORY                      LANE 3 - AVAILABLE FROM ATHENS FACTORY</p>	<p>0</p>	<p><b>\$100,050</b></p>
---	----------	-------------------------

- INCLUDES:
- 523-7568 306 07A CR MINI EXCAVATOR
  - 522-6505 CAMERA, REAR VIEW
  - 523-8003 ELECTRICAL ARR, C2.4T HRC
  - 523-7593 ENGINE, EPA TIER 4 FINAL
  - 579-2604 BLADE, STD, BOCE
  - 527-2802 TRACK, 16", TG W/RUBBER PAD
  - 579-2625 STICK, LONG, W/THUMB BRACKET
  - 569-7627 SEAT, MECH SUSP, FABRIC, CAB
  - 522-6460 CAT KEY, WITH PASSCODE OPTION
  - 557-5068 MONITOR NEXT GEN, CAMERA READY
  - 523-7583 BOOM, SWING
  - 532-7892 LINES, BOOM
  - 532-7890 LINES, STICK
  - 532-8634 LINES, AUX, QC, LONG STK
  - 532-8607 CONTROL, QUICK COUPLER
  - 538-2663 NO EXTRA COUNTERWEIGHT
  - 382-8757 DRAIN, ECOLOGY
  - 510-6085 BELT, SEAT, 3" RETRACTABLE
  - 511-6170 ALARM, TRAVEL
  - 522-6498 LIGHTS, STANDARD
  - 511-6219 RADIO
  - 557-5067 PRODUCT LINK, CELLULAR PL243
  - 566-0462 HEATER, WATER JACKET
  - 538-2697 LINKAGE, BUCKET W/ LIFTING EYE
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1711 KIT, 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START
  - 541-4573 TRAVEL PEDALS
  - 535-8483 INSTRUCTIONS, ANSI
  - 552-5984 FILM, CANADA
  - 555-8731 FILM, COUPLER, ISO

NOTE: 306CR straight blade cab model  
 Steel track with pad  
 PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**306**

306 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>601-3839</b></p> <p><b>306 07A CR MHE DCA4C</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM ATHENS PDC                      LANE 2 - AVAILABLE FROM ATHENS FACTORY                      LANE 3 - AVAILABLE FROM ATHENS FACTORY</p>	<p>0</p>	<p><b>\$98,490</b></p>
---	----------	------------------------

- INCLUDES:
- 523-7568 306 07A CR MINI EXCAVATOR
  - 522-6505 CAMERA, REAR VIEW
  - 523-8003 ELECTRICAL ARR, C2.4T HRC
  - 523-7593 ENGINE, EPA TIER 4 FINAL
  - 579-2605 BLADE, ANGLE, BOCE
  - 527-2800 TRACK, 400MM(16"), RUBBER BELT
  - 579-2627 STICK, LONG, ANG BLD
  - 569-7627 SEAT, MECH SUSP, FABRIC, CAB
  - 522-6460 CAT KEY, WITH PASSCODE OPTION
  - 557-5068 MONITOR NEXT GEN, CAMERA READY
  - 523-7583 BOOM, SWING
  - 532-7892 LINES, BOOM
  - 532-7890 LINES, STICK
  - 532-8634 LINES, AUX, QC, LONG STK
  - 532-8607 CONTROL, QUICK COUPLER
  - 538-2663 NO EXTRA COUNTERWEIGHT
  - 382-8757 DRAIN, ECOLOGY
  - 510-6085 BELT, SEAT, 3" RETRACTABLE
  - 511-6170 ALARM, TRAVEL
  - 522-6498 LIGHTS, STANDARD
  - 511-6219 RADIO
  - 557-5067 PRODUCT LINK, CELLULAR PL243
  - 566-0462 HEATER, WATER JACKET
  - 538-2697 LINKAGE, BUCKET W/ LIFTING EYE
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1711 KIT, 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START
  - 541-4573 TRAVEL PEDALS
  - 535-8483 INSTRUCTIONS, ANSI
  - 552-5984 FILM, CANADA
  - 555-8731 FILM, COUPLER, ISO
- NOTE: 306CR angle blade cab model  
 PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**306**

306 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>601-3883</b></p> <p><b>306 07A CR MHE DCA4.1C</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM ATHENS PDC                      LANE 2 - AVAILABLE FROM ATHENS FACTORY                      LANE 3 - AVAILABLE FROM ATHENS FACTORY</p>	<p>0</p>	<p><b>\$103,650</b></p>
---	----------	-------------------------

INCLUDES:

- 523-7568 306 07A CR MINI EXCAVATOR
- 522-6505 CAMERA, REAR VIEW
- 523-8003 ELECTRICAL ARR, C2.4T HRC
- 523-7593 ENGINE, EPA TIER 4 FINAL
- 527-2802 TRACK, 16", TG W/RUBBER PAD
- 569-7627 SEAT, MECH SUSP, FABRIC, CAB
- 522-6460 CAT KEY, WITH PASSCODE OPTION
- 557-5068 MONITOR NEXT GEN, CAMERA READY
- 523-7583 BOOM, SWING
- 532-7892 LINES, BOOM
- 532-7890 LINES, STICK
- 532-8634 LINES, AUX, QC, LONG STK
- 532-8607 CONTROL, QUICK COUPLER
- 538-2663 NO EXTRA COUNTERWEIGHT
- 382-8757 DRAIN, ECOLOGY
- 510-6085 BELT, SEAT, 3" RETRACTABLE
- 511-6170 ALARM, TRAVEL
- 522-6498 LIGHTS, STANDARD
- 511-6219 RADIO
- 557-5067 PRODUCT LINK, CELLULAR PL243
- 579-2605 BLADE, ANGLE, BOCE
- 566-0462 HEATER, WATER JACKET
- 538-2697 LINKAGE, BUCKET W/ LIFTING EYE
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 557-1711 KIT, 2 WAY CONTROL
- 557-1713 SOFTWARE, CODED START
- 541-4573 TRAVEL PEDALS
- 535-8483 INSTRUCTIONS, ANSI
- 552-5984 FILM, CANADA
- 555-8731 FILM, COUPLER, ISO
- 579-2627 STICK, LONG, ANGLE BLADE

NOTE: 306CR angle blade cab model  
 Steel track with pad  
 PLEASE REFER TO LANE 1 SECTION TO COMPLETE YOUR ORDER.

CATERPILLAR MACHINE PRICE LIST

**306**

306 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>579-2613</b>      <b>306 07A CR MHE CFG14A</b> . . . . . 0</p> <p>LANE 3 - AVAILABLE FROM ATHENS FACTORY                      Available to North America, Canada, Australia, New Zealand,                      and Pacific Islands.</p>	<p>0</p>	<p><b>\$91,950</b></p>
---	----------	------------------------

INCLUDES:  
 523-7568 306 07A CR MINI EXCAVATOR  
 523-8003 ELECTRICAL ARR, C2.4T HRC  
 523-7593 ENGINE, EPA TIER 4 FINAL  
 523-7583 BOOM, SWING  
 382-8757 DRAIN, ECOLOGY  
 510-6085 BELT, SEAT, 3" RETRACTABLE  
 511-6170 ALARM, TRAVEL  
 557-1709 SOFTWARE, PROPORTIONAL CONTROL  
 557-1710 SOFTWARE, STICK STEER CONTROL  
 557-1711 KIT, 2 WAY CONTROL  
 557-1713 SOFTWARE, CODED START  
 541-4573 TRAVEL PEDALS  
 555-8731 FILM, COUPLER, ISO  
 NOTE: 306CR "Ala Cart" cab Unit

<p><b>579-2620</b>      <b>306 07A CR MHE CFG14A</b> . . . . . 0</p> <p>LANE 3 - AVAILABLE FROM ATHENS FACTORY                      XTC MHE</p>	<p>0</p>	<p><b>\$101,660</b></p>
---	----------	-------------------------

INCLUDES:  
 523-7568 306 07A CR MINI EXCAVATOR  
 523-8003 ELECTRICAL ARR, C2.4T HRC  
 523-7593 ENGINE, EPA TIER 4 FINAL  
 579-2606 COUPLER, XTC, CAB  
 523-7583 BOOM, SWING  
 382-8757 DRAIN, ECOLOGY  
 510-6085 BELT, SEAT, 3" RETRACTABLE  
 511-6170 ALARM, TRAVEL  
 557-1709 SOFTWARE, PROPORTIONAL CONTROL  
 557-1710 SOFTWARE, STICK STEER CONTROL  
 557-1711 KIT, 2 WAY CONTROL  
 557-1713 SOFTWARE, CODED START  
 541-4573 TRAVEL PEDALS  
 555-8731 FILM, COUPLER, ISO  
 NOTE: 306CR "Ala Cart" XTC Unit



CATERPILLAR MACHINE PRICE LIST

**306**

306 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>579-2603</b>	<b>306 07A CR MHE CFG14A</b> ..... 0	<b>\$84,110</b>
	LANE 3 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM ATHENS FACTORY	

INCLUDES:  
 523-7568 306 07A CR MINI EXCAVATOR  
 593-8757 ELECTRICAL ARR, C2.4 HRC  
 591-2340 ENGINE, EPA TIER 4 FINAL  
 523-7583 BOOM, SWING  
 382-8757 DRAIN, ECOLOGY  
 549-9090 SEAT, SUSPENSION, VINYL, CANOPY  
 511-6170 ALARM, TRAVEL  
 557-1709 SOFTWARE, PROPORTIONAL CONTROL  
 557-1710 SOFTWARE, STICK STEER CONTROL  
 557-1711 KIT, 2 WAY CONTROL  
 557-1713 SOFTWARE, CODED START  
 510-6078 TRAVEL PEDALS  
 555-8731 FILM, COUPLER, ISO  
 NOTE: 306CR "Ala Cart" canopy Unit

<b>0P-7374</b>	<b>306 MISC MATERIAL</b> ..... 0	<b>NC</b>
	Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.	

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	<b>LANE 1 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	--------------------	-------------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER . . . . . 0	<b>NC</b>
	Select this option when ordering from the PDC.	

**OPERATION AND MAINTENANCE MANUAL**

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . 0	<b>NC</b>
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.	

**PROTECTION**

0P-2266	SHIPPING/STORAGE PROTECTION . . . . . 0	<b>\$213 NET</b>
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.	
	Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.	
	REQUIRED BY: ALL ORDERS	

**PACKING**

0P-4299	PACKING, LAST MILE PROGRAM . . . . . 0	<b>NC</b>
---------	--	-----------

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	<b>LANE 1 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***PDC MACHINE PREP***

<b>590-9288</b>	<b>ATHENS DEALER PDI &amp; FUEL</b> . . . . . 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.	<b>\$315 NET</b>
<b>0P-4656</b>	<b>DEALER PREP, FINNING</b> . . . . . 0 ONLY FOR USE WITH: CANADIAN DEALERS	<b>\$277 NET</b>

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**LANE 1 NACD WORK TOOL CUSTOMIZATION**

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

**WORK TOOL PACKAGE**

W	575-0492	<b>THUMB, HYD + COUPLER, PG, HYD, 5T</b> ..... 328 Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth ONLY FOR USE WITH: 601-3838 306 07A CR MHE DCA3C OR 601-3839 306 07A CR MHE DCA4C OR 601-3882 306 07A CR MHE DCA3.1C OR 601-3883 306 07A CR MHE DCA4.1C		<b>\$5,979</b>
W	575-0491	<b>THUMB, HYD + COUPLER, PG, MAN, 5T</b> ..... 322 Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth		<b>\$4,431</b>
W	485-5301	<b>COUPLER, PG, HYDR.D.LOCK, 5T</b> ..... 91 Hydraulic Quick Coupler ONLY FOR USE WITH: 601-3838 306 07A CR MHE DCA3C OR 601-3839 306 07A CR MHE DCA4C OR 601-3882 306 07A CR MHE DCA3.1C OR 601-3883 306 07A CR MHE DCA4.1C		<b>\$3,576</b>
W	444-7496	<b>COUPLER, PG, MAN.D.LOCK, 5T</b> ..... 113 Mechanical Quick Coupler		<b>\$2,028</b>

**BUCKETS**

May select one installed bucket per machine.  
 May select up to 2 not installed buckets per machine.  
 First bucket on machine order must be installed.  
 One set of Bucket Pins recommended for each not installed bucket.

W	464-9907	<b>BUCKET-HD, 12", 2.1 FT3, 5T</b> ..... 156 INCLUDES: 3 J200 long tooth tips	156	<b>\$1,125</b> <b>\$1,125 NI</b>
W	464-9909	<b>BUCKET-HD, 18", 3.1 FT3, 5T</b> ..... 194 INCLUDES: 4 J200 long tooth tips	194	<b>\$1,236</b> <b>\$1,236 NI</b>
W	464-9911	<b>BUCKET-HD, 24", 4.6 FT3, 5T</b> ..... 234 INCLUDES: 5 J200 long tooth tips	234	<b>\$1,375</b> <b>\$1,375 NI</b>
W	282-2785	<b>PINS, BUCKET, 45MM</b> ..... 11 INCLUDES: 2 bucket pins and hardware		<b>\$111 NI</b>

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**BOOMS, STICKS, AND LINKAGES**

**STICK PACKAGES**

L	579-2615	STICK, STANDARD . . . . .	0	NC
		INCLUDES: 523-7585 2 WAY CONTROL, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7894 LINES, AUXILIARY, STD STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A OR 579-2603 306 07A CR MHE CFG14A OR 579-2621 306 07A CR MHE CFG10A AND 579-2604 BLADE, STD, BOCE		
L	579-2625	STICK, LONG . . . . .	0	NC
		INCLUDES: 523-7585 2 WAY CONTROL, HAND CONTROL 523-7590 STICK, LONG W/ THUMB BRACKET 532-7835 LINES, AUXILIARY, LONG STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A OR 579-2603 306 07A CR MHE CFG14A OR 579-2621 306 07A CR MHE CFG10A AND 579-2604 BLADE, STD, BOCE		
L	579-2616	STICK, STANDARD, WITH 2ND AUX . . . . .	0	\$1,045
		INCLUDES: 523-7586 2ND AUXILIARY, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7896 LINES, 2ND AUX, STD STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A OR 579-2603 306 07A CR MHE CFG14A OR 579-2621 306 07A CR MHE CFG10A AND 579-2604 BLADE, STD, BOCE		
L	579-2626	STICK, LONG, WITH 2ND AUX . . . . .	0	\$1,045
		INCLUDES: 523-7586 2ND AUXILIARY, HAND CONTROL 523-7590 STICK, LONG W/ THUMB BRACKET 532-7897 LINES, 2ND AUX, LONG STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A OR 579-2603 306 07A CR MHE CFG14A OR 579-2621 306 07A CR MHE CFG10A AND 579-2604 BLADE, STD, BOCE		

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**STICK PACKAGES (Cont.)**

L	579-2617	STICK, STD, ANGLE BLADE . . . . . 0		NC
		INCLUDES: 538-7787 2 WAY CONTROL, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7894 LINES, AUXILIARY, STD STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A OR 579-2603 306 07A CR MHE CFG14A OR 579-2621 306 07A CR MHE CFG10A AND 579-2605 BLADE, ANGLE, BOCE		
L	579-2627	STICK, LONG, ANGLE BLADE . . . . . 0		NC
		INCLUDES: 538-7787 2 WAY CONTROL, HAND CONTROL 523-7590 STICK, LONG W/ THUMB BRACKET 532-7835 LINES, AUXILIARY, LONG STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A OR 579-2603 306 07A CR MHE CFG14A OR 579-2621 306 07A CR MHE CFG10A AND 579-2605 BLADE, ANGLE, BOCE		
L	579-2619	STICK, STD, 2ND AUX, ANGLE BLD . . . . . 0		\$1,045
		INCLUDES: 538-7788 2ND AUXILIARY, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7896 LINES, 2ND AUX, STD STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A OR 579-2603 306 07A CR MHE CFG14A OR 579-2621 306 07A CR MHE CFG10A AND 579-2605 BLADE, ANGLE, BOCE		
L	579-2629	STICK, LNG, 2ND AUX, ANGLE BLD . . . . . 0		\$1,045
		INCLUDES: 538-7788 2ND AUXILIARY, HAND CONTROL 523-7590 STICK, LONG W/ THUMB BRACKET 532-7897 LINES, 2ND AUX, LONG STICK ONLY FOR USE WITH: 579-2613 306 07A CR MHE CFG14A OR 579-2631 306 07A CR MHE CFG14A OR 579-2603 306 07A CR MHE CFG14A OR 579-2621 306 07A CR MHE CFG10A AND 579-2605 BLADE, ANGLE, BOCE		
L	579-2622	STICK, STD, 2ND AUX, XTC ONLY . . . . . 0		\$1,045
		INCLUDES: 525-7829 2ND AUXILIARY, HAND CONTROL 523-7589 STICK, STD W/ THUMB BRACKET 532-7896 LINES, 2ND AUX, STD STICK ONLY FOR USE WITH: 579-2620 306 07A CR MHE CFG14A OR 579-2633 306 07A CR MHE CFG14A		

NOTE: ONLY SELECTABLE FOR XTC ORDERS

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**STICK PACKAGES (Cont.)**

L	579-2632	STICK, LONG, 2ND AUX, XTC ONLY . . . . .	0	\$1,045
		INCLUDES: 523-7829 2 WAY CONTROL, HAND CONTROL 523-7590 STICK, LONG, W/ THUMB BRACKET 532-7897 LINES, AUXILIARY, LONG STICK ONLY FOR USE WITH: 579-2620 306 07A CR MHE CFG14A OR 579-2633 306 07A CR MHE CFG14A		

NOTE: ONLY SELECTABLE FOR XTC ORDERS

**BOOM LINES**

L	532-7892	LINES, BOOM . . . . .	0	NC
L	532-7893	LINES, BOOM W/ BLCV . . . . .	0	\$820

**STICK LINES**

L	532-7890	LINES, STICK . . . . .	0	NC
L	532-7891	LINES, STICK W/ SLCV . . . . . REQUIRES: 532-7893 LINES, BOOM W/ BLCV FOR EU DEALERS	0	\$820

**BUCKET LINKAGES**

L	538-2696	LINKAGE BUCKET . . . . .	0	NC
L	538-2697	LINKAGE BUCKET W/ LIFTING EYE . . . . .	0	\$284

**UNDERCARRIAGE**

**TRACKS**

L	527-2801	TRACK, 16", TRIPLE GROUSER . . . . .	0	\$1,280
L	527-2802	TRACK, 16", TG W/RUBBER PAD . . . . .	0	\$5,160
L	527-2800	TRACK, 16", RUBBER BELT . . . . .	0	NC

**ELECTRICAL**

**LIGHTS**

L	522-6498	LIGHTS, STANDARD . . . . .	0	NC
L	522-6499	LIGHTS, LED . . . . .	0	\$280

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CAB HEAT AND A/C SEATS**

L	569-7626	SEAT, AIR SUSP, FABRIC, HEATED . . . . . 0 CANNOT BE USED WITH: 579-2621 306 07A CR MHE CFG10A AND 579-2603 306 07A CR MHE CFG14A		\$880
L	569-7627	SEAT, MECH SUSP, FABRIC, CAB . . . . . 0 CANNOT BE USED WITH: 579-2621 306 07A CR MHE CFG10A AND 579-2603 306 07A CR MHE CFG14A		NC

**RADIOS**

L	511-6219	RADIO . . . . . 0 CANNOT BE USED WITH: 579-2603 306 07A CR MHE CFG14A CANOPY MACHINE		\$422
---	----------	--	--	-------

**MONITOR**

L	579-2595	MONITOR NEXT GEN, CANOPY . . . . . 0 ONLY FOR USE WITH: 579-2603 306 07A CR MHE CFG14A		NC
L	557-5068	MONITOR NEXT GEN, CAMERA READY . . . . . 0 CANNOT BE USED WITH: 579-2603 306 07A CR MHE CFG14A		NC
L	557-5082	MONITOR NEXT GEN, ADVANCED, CR . . . . . 0 The Advanced Monitor is a full 8 inch screen with "Touch Screen" capabilities. The monitor offers enhanced HD images when used with a rear view camera. The Advanced Monitor also comes with the "Site Reference" system, similar to the system on the COMASS monitor. The Advanced Monitor enhances the operator experience when using it in conjunction with the Cat TRS system but it is not required. Future "Ease of Use" features will be supported by the Advanced Monitor. CANNOT BE USED WITH: 579-2603 306 07A CR MHE CFG14A		\$1,110

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	522-6503	PRODUCT LINK, CELLULAR PLE643 . . . . . 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link used applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		\$860
---	----------	--	--	-------



CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK (Cont.)**

L	557-5067	PRODUCT LINK, CELLULAR PL243 . . . . . 0		NC
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		
L	557-5080	NO PRODUCT LINK . . . . . 0		\$-240 NET
		NOTE: Only selectable for 301.5, 301.6, 301.7, 301.8, 302, and for regions not approved for Product Link usage.		

**SAFETY AND SECURITY**

**REARVIEW CAMERA**

L	522-6505	CAMERA, REAR VIEW . . . . . 0		\$441
		CANNOT BE USED WITH: 579-2603 306 07A CR MHE CFG14A CANOPY MACHINE		
L	545-6721	NO CAMERA . . . . . 0		NC

**MACHINE SECURITY KEY**

L	522-6460	CAT KEY, WITH PASSCODE OPTION . . . . . 0		NC
L	522-6461	PUSH TO START, BT FOB SECURITY . . . . . 0		\$491

**OTHER ATTACHMENTS**

**COUNTERWEIGHTS**

L	538-2663	NO EXTRA COUNTERWEIGHT . . . . . 0		NC
L	542-6391	COUNTERWEIGHT, EXTRA . . . . . 0		\$790
		NOTE: Adds 250kg / 550lbs.		

**BLADES**

L	579-2604	BLADE, STD, BOCE . . . . . 0		NC
L	579-2605	BLADE, ANGLE, BOCE . . . . . 0		\$3,605

**INSTRUCTIONS**

**FILMS**

L	535-8483	INSTRUCTIONS, ANSI . . . . . 0		NC
---	----------	--------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

**INSTRUCTIONS (CONT.)**

***OPERATION AND MAINTENANCE MANUALS***

<b>421-8926</b>	<p><b>SERIALIZED TECHNICAL MEDIA KIT . . . . . 0</b></p> <p>The technical media kit will include the Operation &amp; Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation &amp; Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.</p>	<b>NC</b>
-----------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL**

L	522-6502	LIGHTS, REAR . . . . .	0	\$171
---	----------	------------------------	---	-------

**OTHER ATTACHMENTS**

**WATER JACKET HEATER**

L	566-0462	HEATER, WATER JACKET . . . . .	0	\$234
---	----------	--------------------------------	---	-------

**BEACON**

L	309-1325	ROTATING BEACON . . . . . Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. CANNOT BE USED WITH: EU DEALERS	0	\$222
---	----------	---	---	-------

**MIRRORS**

L	380-7150	MIRROR, CANOPY, LEFT . . . . . ONLY FOR USE WITH: 579-2603 306 07A CR MHE CFG14A	0	\$45
L	380-7151	MIRROR, CANOPY, RIGHT . . . . . ONLY FOR USE WITH: 579-2603 306 07A CR MHE CFG14A	0	\$45
L	523-6409	MIRROR, CAB, RIGHT . . . . .	0	\$72

**QUICK COUPLERS**

**QUICK COUPLER CONTROL**

L	532-8607	CONTROL, QUICK COUPLER . . . . .	0	\$785
---	----------	----------------------------------	---	-------

**QUICK COUPLER LINES**

L	532-8632	LINES, AUX, QC, STD STICK . . . . . REQUIRES: 532-8607 CONTROL, QUICK COUPLER ONLY FOR USE WITH: STANDARD STICK	0	\$770
L	532-8634	LINES, AUX, QC, LONG STK . . . . . REQUIRES: 532-8607 CONTROL, QUICK COUPLER ONLY FOR USE WITH: LONG STICK	0	\$770

**QUICK COUPLERS**

W	575-0492	THUMB, HYD + COUPLER, PG, HYD, 5T . . . . . Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style Thumb group has 2 teeth REQUIRES: 532-8607 CONTROL, QUICK COUPLER AND 532-8632 LINES, AUX, QC, STD STICK OR 532-8634 LINES, AUX, QC, LONG STK	328	\$5,979
W	575-0491	THUMB, HYD + COUPLER, PG, MAN, 5T . . . . . Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb group has 2 teeth	322	\$4,431

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**QUICK COUPLERS (CONT.)**

**QUICK COUPLERS (Cont.)**

W	485-5301	COUPLER, PG, HYDR.D.LOCK, 5T . . . . .	91	\$3,576
		Hydraulic Quick Coupler REQUIRES: 532-8607 CONTROL, QUICK COUPLER AND 532-8632 LINES, AUX, QC, STD STICK OR 532-8634 LINES, AUX, QC, LONG STK		
W	444-7496	COUPLER, PG, MAN.D.LOCK, 5T . . . . .	113	\$2,028
		Mechanical Quick Coupler		

**WORK TOOLS**

**XTC MHE SELECTIONS**

Dealer may select installed bucket or blade for MHE XTC. Not installed blade is only available if installed bucket is selected.

L	426-6548	BUCKET-MP, 80", BOCE . . . . .	1,016	\$4,972
		Width over base edge 2036mm (80"), 0.40 m3 (0.52 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge, spillguard to prevent material spillage over back of bucket.		
L	487-2025	BLADE, 78", WELD-ON . . . . .	0	\$1,333
			0	\$1,333 NI

**BUCKETS**

W	464-9907	BUCKET-HD, 12", 2.1 FT3, 5T . . . . .	156	\$1,125
		INCLUDES: 3 J200 long tooth tips	156	\$1,125 NI
W	464-9909	BUCKET-HD, 18", 3.1 FT3, 5T . . . . .	194	\$1,236
		INCLUDES: 4 J200 long tooth tips	194	\$1,236 NI
W	464-9911	BUCKET-HD, 24", 4.6 FT3, 5T . . . . .	234	\$1,375
		INCLUDES: 5 J200 long tooth tips	234	\$1,375 NI

**FIELD INSTALLED ATTACHMENTS**

**Available Through Parts Distribution.**

- 309-1325 **ROTATING BEACON**  
 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.
- 561-8108 **KIT, PUSH TO START**  
 Paper Kit Only - Provides consist of parts required to convert a key start system to a push to start system.

NOTE: The part number provided is for reference only. Individual parts must be ordered from the parts network.

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

*Available Through Parts Distribution. (Cont.)*

- 595-6541 **KIT, CASE DRAIN**  
 Paper Kit Only- Provides consist of parts required and instructions to add a case drain to a machine that may require one for certain hydromechanical attachments.
- NOTE: The part number provided is for reference only. Individual parts must be ordered from the parts network.

**ALTERNATE SOURCED ATTACHMENTS**

*Available Through ANTARES Parts Ordering.*

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.  
 When ordering via CMOPS include top level reference numbers (OP-7374) and OP-4263 number for packing.**

**NEXT GEN CAB KITS**

P	561-8100	<b>KIT, MONITOR, ADVANCED</b> . . . . . 0 Next Gen Advanced 8 inch Screen Monitor, Site Reference, HD Camera Kit includes C8 Display & IMU for Site Reference - IMU Harness sold separately(IMU Harnesses: 306CR - 557-5131 / Fixed Boom- 557-5135 / Swing Boom - 557-5133		<b>\$1,654 NI</b>
P	561-8204	<b>KIT, MIRROR, CAB, RIGHT</b> . . . . . 0 Added to right side of the machine for additional visibility		<b>\$419 NI</b>
P	561-8103	<b>KIT, VISOR, RAIN</b> . . . . . 0 Protective rain visor on top of cab front window		<b>\$317 NI</b>
P	581-3800	<b>KIT, CAMERA, REAR VIEW</b> . . . . . 0 Rear view camera including the required harness, mounting plate, and hardware.		<b>\$440 NI</b>
	557-5114	<b>KIT, CAMERA, MONITOR, CANOPY</b> . . . . . 0 Provides a rear view camera and a camera ready Next Gen Monitor, along with required harness, mooting plate and all hardware for a canopy unit. ONLY FOR USE WITH: NACD & CNDA		<b>\$1,320 NI NET</b>
P	561-8104	<b>KIT, LIGHT, LED, REAR</b> . . . . . 0 One (1) rear facing LED adjustable work light (frame mounted). Include the harness and all necessary hardware. Highly recommended when equipped with rear-view camera.		<b>\$260 NI</b>
P	581-3808	<b>KIT, LIGHTS, LED, FRONT</b> . . . . . 0 Three (3) forward facing LED adjustable lights(cab and boom mounted) LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		<b>\$322 NI</b>

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

***NEXT GEN CAB KITS (Cont.)***

P	571-3698	<b>KIT, WINDOW, FRONT, POLYCARB</b> . . . . . 0 Polycarbonate front window kit that replaces the factory installed tempered glass upper and lower front windows while maintaining full front window functionality. Requires GUARD AR. 567-4592 or 567-4593		\$1,560 NI
P	567-4593	<b>KIT, GRD, FRONT, MESH</b> . . . . . 0 Hinged mesh guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 1 requirements.		\$2,947 NI
P	567-4592	<b>KIT, GRD, FRONT, HEAVY DUTY</b> . . . . . 0 Hinged heavy duty front guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		\$2,840 NI
P	567-4594	<b>KIT, GRD, CAB, OVERHEAD</b> . . . . . 0 Hinged heavy duty top guarding with gas cylinder offered for easy access to the top window for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		\$3,097 NI

***HYDRAULIC KITS***

P	581-3793	<b>KIT, CTRL, 2ND AUX, STD STK</b> . . . . . 0 2nd Auxiliary Hydraulic Lines for Standard Stick equipped machines. Supply and return lines are included in this kit. 2nd Aux circuit is primarily used for rotational attachments such as a shear. 2nd Aux is not to be confused with the 1- and 2-way flow auxiliaries, which already comes standard on the machine and will run most attachments.		\$1,300 NI
P	581-3794	<b>KIT, CTRL, 2ND AUX, LONG STK</b> . . . . . 0 2nd Auxiliary Hydraulic Lines for Long Stick equipped machines. Supply and return lines are included in this kit. 2nd Aux circuit is primarily used for rotational attachments such as a shear. 2nd Aux is not to be confused with the 1- and 2-way flow auxiliaries, which already comes standard on the machine and will run most attachments.		\$1,300 NI
P	581-3795	<b>KIT, CTRL, QUICK CPLR, STD STK</b> . . . . . 0 Includes all required components to prepare for the installation of a hydraulic quick coupler. Standard stick equipped machines.		\$1,558 NI
P	581-3796	<b>KIT, CTRL, QUICK CPLR, LNG STK</b> . . . . . 0 Includes all required components to prepare for the installation of a hydraulic quick coupler. Long stick equipped machines.		\$1,558 NI

***MISCELLANEOUS KITS***

P	566-6978	<b>KIT, HEATER, WATER JACKET</b> . . . . . 0 Jacket water heater (aka: engine block heater) for increased cold-starting capability. Recommended for applications in temperatures less than "20 degrees Fahrenheit / -6 degrees Celsius"		\$367 NI
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

**306**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

**MISCELLANEOUS KITS (Cont.)**

P	567-4596	<b>KIT, GRD, RADIATOR SCREEN</b> . . . . . 0 Recommended for high dust or fine debris applications. Provides an additional filter that is placed between the radiator can condenser that provides additional air filtering in dusty/dry conditions.		<b>\$207 NI</b>
P	561-8205	<b>KIT, COUNTERWEIGHT, EXTRA</b> . . . . . 0 Extra Counterweight adds more stability and 6in/152mm more overhang Kit includes - Extra Counterweight (550lbs / 250kg) and Hardware		<b>\$1,250 NI</b>

**PACKING**

**PROTECTION**

	OP-2266	<b>SHIPPING/STORAGE PROTECTION</b> . . . . . 0 Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		<b>\$213 NET</b>
--	---------	--	--	------------------

Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.  
 REQUIRED BY: ALL ORDERS

**PDC MACHINE PREP**

	590-9288	<b>ATHENS DEALER PDI &amp; FUEL</b> . . . . . 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		<b>\$315 NET</b>
--	----------	---	--	------------------

**PACKING**

	OP-4299	<b>PACKING, LAST MILE PROGRAM</b> . . . . . 0 REQUIRED BY: LAST MILE DEALERS		<b>NC</b>
	OP-4263	<b>PACK, MISCELLANEOUS MATERIAL</b> . . . . . 0 REQUIRED BY: MISC ORDERS		<b>NC</b>