

CATERPILLAR MACHINE PRICE LIST

307.5307.5 MINI HYDRAULIC EXCAVATOR
WUJIANG, CHINAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C2.4B diesel engine
Automatic engine idle
Automatic swing brake
Automatic two speed travel
Fuel water separator with indicator
Radial seal - double element air filter
Extended life coolant - 37C

UNDERCARRIAGE

Greased and lubricated track
Hydraulic track adjusters
Tie down eyes on track frame

HYDRAULICS

Smart tech electronic pump
Variable displacement piston pump
Load sensing/flow sharing hydraulics
Power on demand
Hydraulic temperature monitoring
Accumulator - certified
Hydro advanced hydraulic oil

ELECTRICAL

12 volt electrical system
60 ampere alternator
850 CCA maintenance free battery
Battery disconnect
Circuit breaker
Traditional Cat key ignition switch
Signaling/warning horn

OPERATOR ENVIRONMENT

Sealed and pressurized cab
Operator sound pressure 72 dB(A)
ISO 6396
Stick steer mode
Travel cruise control
Adjustable wristrests
Molded footrests
Removable, washable floor mat
Travel pedals and hand levers
CAT key with passcode option
HVAC with automatic temperature control
Hydraulic lockout controls
Integrated lower front window
Assisted front window overhead storage
Rear window emergency exit
Seat - fabric, high back, suspension
Retractable seat belt
Coat hook
Cup holder
LED interior light
Literature holder
12V power socket

Radio - bluetooth, USB, aux, mic
Skylight
Mounting bosses for top and front guards
ROPS - ISO 12117-2
TOPS - ISO 12117
Top guard - ISO 10262 (Level II)
Color LCD monitor includes:
-Fuel level and coolant temp gauges
-Maintenance and machine monitoring
-Performance and machine adjustments
-Numeric security code
-Multiple languages
-Hour meter with wake up switch
-Jog dial control interface

CATERPILLAR MACHINE PRICE LIST

307.5

307.5 MINI HYDRAULIC EXCAVATOR
 WUJIANG, CHINA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

593-4739 307.5 07A MHE DCA7C 0 \$111,550
 LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC
 LANE 2 - AVAILABLE FROM WUJIANG FACILITY USING PRIORITY CODE L2
 LANE 3 - AVAILABLE FROM WUJIANG FACILITY USING PRIORITY CODE L2
 ONLY LANE 2 AND 3 ARE AVAILABLE FOR SOUTH AMERICA

INCLUDES:

- 512-1398 307.5 07A STD MINI EXCAVATOR
- 510-6085 BELT, SEAT, 76MM(3") RETRACTABLE
- 512-2571 BOOM, FIXED
- 582-6840 COUNTERWEIGHT, EXTRA
- 522-6475 MONITOR, STD, CAMERA READY
- 511-6247 ELECTRICAL ARR, C2.4 HRC
- 523-3990 INSTRUCTIONS, ANSI
- 522-6471 LIGHTS, STD
- 514-8053 LINES, BOOM
- 514-8066 LINES, STICK
- 521-7590 LINKAGE BUCKET W/ LIFTING EYE
- 510-6086 SEAT, AIR SUSP, FABRIC
- 511-6219 RADIO
- 523-9008 ENGINE, US EPA TIER 4 FINAL
- 522-6469 CAMERA, REAR VIEW
- 522-6460 CAT KEY, WITH PASSCODE OPTION
- 552-5984 FILM, CANADA
- 558-9100 CONTROL, HYDRAULIC, COUPLER
- 516-1611 LINES, AUX, QC, LONG STK
- 555-8731 FILM, COUPLER, ISO
- 566-0462 HEATER, WATER JACKET
- 511-6157 ALARM, TRAVEL
- 382-8757 DRAIN, ECOLOGY
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 557-1711 SOFTWARE, 2 WAY CONTROL
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1713 SOFTWARE, CODED START
- 562-4371 KIT, STD BLADE, TRACK W/PADS
- 562-9470 STICK, LONG, W/THUMB BRACKET
- 557-5123 PRODUCT LINK, CELLULAR, PLE643

CATERPILLAR MACHINE PRICE LIST

307.5

307.5 MINI HYDRAULIC EXCAVATOR	Ship Weight	LIST PRICE
WUJIANG, CHINA	lbs	AT DEALER

562-1268	307.5 07A MHE CFG14A 0 LANE 3 - AVAILABLE FROM WUJIANG FACTORY	\$98,040
-----------------	--	-----------------

- INCLUDES:
- 512-1398 307.5 07A STD MINI EXCAVATOR
 - 510-6085 BELT, SEAT, 76MM(3") RETRACTABLE
 - 512-2571 BOOM, FIXED
 - 511-6247 ELECTRICAL ARR, C2.4 HRC
 - 514-8053 LINES, BOOM
 - 514-8066 LINES, STICK
 - 521-7590 LINKAGE BUCKET W/ LIFTING EYE
 - 511-6219 RADIO
 - 523-9008 ENGINE, US EPA TIER 4 FINAL
 - 555-8731 FILM, COUPLER, ISO
 - 511-6157 ALARM, TRAVEL
 - 382-8757 DRAIN, ECOLOGY
 - 557-1710 SOFTWARE, STICK STEER CONTROL
 - 557-1711 SOFTWARE, 2 WAY CONTROL
 - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 - 557-1713 SOFTWARE, CODED START

0P-7482	307.5 MISC MATERIAL 0 Use this number as a top level reference number when ordering miscellaneous material without machine.	NC
----------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$213 NET
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		
	Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.		

PACKING

0P-4299	PACKING, LAST MILE PROGRAM	0	NC
----------------	---	---	-----------

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PDC MACHINE PREP

599-7168	ATHENS DEALER PDI & FUEL	0		\$355 NET
	The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.			
0P-4656	DEALER PREP, FINNING	0		\$277 NET
	ONLY FOR USE WITH: CANADIAN DEALERS			

LANE 1 NACD WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

WORK TOOL PACKAGE

W	504-6174	THUMB,HYD + COUPLER,PG,MAN, 8T	491	\$6,465
		Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style		
W	504-6175	THUMB,HYD + COUPLER,PG,HYD, 8T	501	\$9,785
		Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style		

COUPLERS

W	444-7498	COUPLER, PG, MAN.D.LOCK, 8T	196	\$2,354
		Hydraulic pin grabber type quick coupler with a dual lock.		
W	485-5302	COUPLER, PG, HYDR.D.LOCK, 8T	206	\$5,674
		Hydraulic pin grabber type quick coupler with a dual lock.		

BUCKETS

May select one installed bucket per machine.
 May select up to 2 not installed buckets per machine.
 First bucket on machine order must be installed.
 One set of Bucket Pins recommended for each not installed bucket

W	295-5951	BUCKET-HD, 18", 5.4 FT3, 7T	333	\$2,007
			333	\$2,007 NI
		Width 610mm (24"), Heaped Cap. 0.27m3 (0.35yd3), Incl 4 x J225		
W	295-5952	BUCKET-HD, 24", 8.1 FT3, 7T	392	\$2,229
			392	\$2,229 NI
		Width 762mm (30"), Heaped Cap. 0.35m3 (0.46yd3), Incl 5 x J225		
W	295-5954	BUCKET-HD, 36", 13.8 FT3, 7T	507	\$2,694
			507	\$2,694 NI
		Width 914mm (36"), Heaped Cap. 0.45m3 (0.59yd3), Incl 5 x J225		

BUCKET PINS

W	308-0324	PINS, BUCKET, 50MM	25	\$125 NI
		Includes 60mm dia bucket pins and hardware		

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

LANE SELECTION

0P-9002	LANE 2 ORDER 0 Only for dealers enrolled in the Base Orders Management (BOM) program.	NC
0P-9003	LANE 3 ORDER 0	NC

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

STICK PACKAGES

L	562-9468	STICK, STD 0		\$1,540
		INCLUDES: 514-3227 2 WAY CONTROL, HAND CONTROL 515-3509 STICK, STD W/ THUMB BRACKET 520-0763 LINES, AUXILIARY, STD STICK 541-4573 TRAVEL PEDALS ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		
L	562-9470	STICK, LONG 0		\$2,055
		INCLUDES: 514-3227 2 WAY CONTROL, HAND CONTROL 515-3515 STICK, LONG W/ THUMB BRACKET 520-0767 LINES, AUXILIARY, LONG STICK 541-4573 TRAVEL PEDALS ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		
L	562-9469	STICK, STD, 2ND AUX 0		\$3,590
		INCLUDES: 514-3232 2ND AUXILIARY, HAND CONTROL 515-3509 STICK, STD W/ THUMB BRACKET 520-0797 LINES, 2ND AUX, STD STICK 541-4573 TRAVEL PEDALS ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		
L	562-9471	STICK, LONG, 2ND AUX 0		\$4,105
		INCLUDES: 514-3232 2ND AUXILIARY, HAND CONTROL 515-3515 STICK, LONG W/ THUMB BRACKET 520-0818 LINES, 2ND AUX, LONG STICK 541-4573 TRAVEL PEDALS ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		

BOOM LINES

L	514-8053	LINES, BOOM 0		NC
		ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		
L	514-8057	LINES, BOOM W/ BLCV 0		\$1,915
		ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A REQUIRED BY: EAEU AND CIS DEALERS		

STICK LINES

L	514-8066	LINES, STICK 0		NC
		ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICK LINES (Cont.)

L	514-8071	LINES, STICK W/ SLCV 0		\$1,310
		ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		
		REQUIRED BY: EAEU AND CIS DEALERS		

UNDERCARRIAGE

BLADE AND TRACK PACKAGES

L	562-4372	STD BLADE AND STEEL TRACKS 0		\$3,590
		INCLUDES: 512-2523 BLADE, 2300MM(90"), STRAIGHT 514-0873 TRACK, 450MM(18"), TRIPPLE GROUSER 541-4598 CONTROL, BLADE LEVER		
L	562-4371	STD BLADE AND TRACK W/PADS 0		\$6,630
		INCLUDES: 512-2523 BLADE, 2300MM(90"), STRAIGHT 514-0872 TRACK, 450MM(18"), TG W/RUBBER PAD 541-4598 CONTROL, BLADE LEVER		
L	562-4373	WIDE BLADE AND STEEL TRACKS 0		\$5,170
		INCLUDES: 562-4370 BLADE, 2440MM(96"), WIDE 514-0890 TRACK, 600MM(24"), TRIPPLE GROUSER 541-4598 CONTROL, BLADE LEVER		

ELECTRICAL

LIGHTS

L	522-6471	LIGHTS, STD 0		NC
		INCLUDES: One halogen cab mounted One halogen boom mounted One halogen tank mounted		
L	522-6472	LIGHTS, LED 0		\$286
		INCLUDES: One LED cab mounted Two LED boom mounted One LED tank mounted		

OPERATOR ENVIRONMENT

SEATS

L	510-6086	SEAT, AIR SUSP, FABRIC 0		\$900
		ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A.		
L	541-4578	SEAT, MECH SUSP, FABRIC 0		NC
		ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

MONITOR

L	522-6475	MONITOR NEXT GEN, CAMERA READY 0 ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		NC
L	511-6180	MONITOR NEXT GEN, ADVANCED, CR 0 The Advanced Monitor is a full 8 inch screen with "Touch Screen" capabilities. The monitor offers enhanced HD images when used with a rear view camera. The Advanced Monitor also comes with the "Site Reference" system, similar to the system on the COMASS monitor. The Advanced Monitor enhances the operator experience when using it in conjunction with the Cat TRS system but it is not required. Future "Ease of Use" features will be supported by the Advanced Monitor. ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		\$1,110

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	557-5123	PRODUCT LINK, CELLULAR PLE643 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link used applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		NC
---	----------	--	--	----

SAFETY AND SECURITY

REARVIEW CAMERA

L	522-6469	CAMERA, REAR VIEW 0 ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A REQUIRED BY: EU DEALERS		\$450
L	545-6721	NO CAMERA 0 ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		NC

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY (CONT.)

MACHINE SECURITY KEY

L	522-6460	CAT KEY, WITH PASSCODE OPTION	0	NC
L	522-6461	PUSH TO START, BT FOB SECURITY	0	\$491

OTHER ATTACHMENTS

COUNTERWEIGHTS

L	538-2663	NO EXTRA COUNTERWEIGHT	0	NC
		ONLY FOR USE WITH: 562-1263 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		
L	582-6840	COUNTERWEIGHT, EXTRA	0	\$1,055
		ONLY FOR USE WITH: 562-1263 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		

INSTRUCTIONS

FILMS

L	523-3990	INSTRUCTIONS, ANSI	0	NC
		ONLY FOR USE WITH: 562-1268 307.5 07A MHE CFG14A		

OPERATION AND MAINTENANCE MANUALS

L	0P-3380	INSTRUCTIONS, ENGLISH	0	NC
L	0P-3404	INSTRUCTIONS, SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

REAR LIGHTS

L	511-6211	LIGHT, REAR, LED	0	\$174
		ONLY FOR USE WITH: 562-1263 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		

GUARDS

L	276-0978	GUARD, TRACK GUIDING, CENTER	64	\$750
		ONLY FOR USE WITH: 562-1263 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		
L	525-9070	VISOR, RAIN	0	\$165
		ONLY FOR USE WITH: 562-3709 307.5 07A MHE CFG14A OR 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		

OTHER ATTACHMENTS

WATER JACKET HEATER

L	566-0462	HEATER, WATER JACKET	0	\$234
---	----------	--------------------------------	---	-------

FUEL TANK REFUELING PUMP

L	550-5444	TANK, FUEL, REFUELING PUMP	0	\$1,155
		ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		

TOOLBOX

L	578-5760	TOOLBOX	0	\$248
		CANNOT BE USED WITH: 550-5444 TANK, FUEL, REFUELING PUMP		

QUICK COUPLERS

QUICK COUPLER CONTROL

L	558-9100	CONTROL, HYDRAULIC, COUPLER	0	\$1,095
		REQUIRES: 516-1609 LINES, AUX, QC, STD STICK OR 516-1611 LINES, AUX, QC, LONG STICK ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A		

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER STICK LINES

L	516-1609	LINES, AUX, QC, STD STICK 0 REQUIRES: 558-9100 LINES, AUX, QUICK COUPLER ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A AND STANDARD STICK		\$1,095
L	516-1611	LINES, AUX, QC, LONG STK 0 REQUIRES: 558-9100 LINES, AUX, QUICK COUPLER ONLY FOR USE WITH: 562-1265 307.5 07A MHE CFG14A OR 562-3709 307.5 07A MHE CFG14A OR 562-1268 307.5 07A MHE CFG14A AND LONG STICK		\$1,095

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

- 309-1325 ROTATING BEACON**
 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.
 - 170-4419 KIT, TRACK, PAD, SINGLE**
 Single Rubber Pad - 450 TG
 No Hardware Included
 - 561-8108 KIT, PUSH TO START**
 Paper Kit Only - Provides consist of parts required to convert a key start system to a push to start system.
- NOTE: The part number provided is for reference only. Individual parts must be ordered from the parts network.
- 595-6541 KIT, CASE DRAIN**
 Paper Kit Only- Provides consist of parts required and instructions to add a case drain to a machine that may require one for certain hydromechanical attachments.
- NOTE: The part number provided is for reference only. Individual parts must be ordered from the parts network.

ALTERNATE SOURCED ATTACHMENTS

Available Through ANTARES Parts Ordering.

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering. When ordering via CMOPS include top level reference numbers (OP-7482) and OP-4263 number for packing.

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

NEXT GEN CAB KITS

P	561-8100	KIT, MONITOR, ADVANCED 0 Next Gen Advanced 8 inch Screen Monitor, Site Reference, HD Camera Kit includes C8 Display & IMU for Site Reference - IMU Harness sold separately(IMU Harnesses: 306CR - 557-5131 / Fixed Boom- 557-5135 / Swing Boom - 557-5133		\$1,654 NI
P	561-8204	KIT, MIRROR, CAB, RIGHT 0 Added to right side of the machine for additional visibility		\$419 NI
P	561-8103	KIT, VISOR, RAIN 0 Protective rain visor on top of cab front window		\$317 NI
P	561-8101	KIT, CAMERA, REAR VIEW, CAB 0 Rear view camera including the required harness, mounting plate, and all hardware.		\$447 NI
P	561-8104	KIT, LIGHT, LED, REAR 0 One (1) rear facing LED adjustable work light (frame mounted). Include the harness and all necessary hardware. Highly recommended when equipped with rear-view camera.		\$260 NI
P	561-8098	KIT, LIGHTS, LED, FRONT 0 Four (4) forward facing LED adjustable work lights (cab, frame, and boom mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		\$374 NI
P	571-3698	KIT, WINDOW, FRONT, POLYCARB 0 Polycarbonate front window kit that replaces the factory installed tempered glass upper and lower front windows while maintaining full front window functionality. Requires GUARD AR. 567-4592 or 567-4593		\$1,560 NI
P	567-4593	KIT, GRD, FRONT, MESH 0 Hinged mesh guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 1 requirements.		\$2,947 NI
P	567-4592	KIT, GRD, FRONT, HEAVY DUTY 0 Hinged heavy duty front guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		\$2,840 NI
P	567-4594	KIT, GRD, CAB, OVERHEAD 0 Hinged heavy duty top guarding with gas cylinder offered for easy access to the top window for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		\$3,097 NI

HYDRAULIC KITS

P	561-8198	KIT, 2ND AUX 0 2nd Auxiliary Hydraulic Lines for Standard and Long Stick machines. Supply, return, and case drain lines are included in this kit. 2nd Aux circuit is primarily used for rotational attachments such as a shear. 2nd Aux is not to be confused with the one way and two way flow, 1st Aux which already comes standard on the machine and will run most attachments.		\$2,049 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

HYDRAULIC KITS (Cont.)

P	561-8202	KIT, CTRL, QUICK COUPLER 0 Includes all required components to prepare for the installation of a hydraulic quick coupler for Standard and Long stick machines.		\$1,094 NI
---	----------	--	--	-------------------

MISCELLANEOUS KITS

P	566-6978	KIT, HEATER, WATER JACKET 0 Jacket water heater (aka: engine block heater) for increased cold-starting capability. Recommended for applications in temperatures less than "20 degrees Fahrenheit / -6 degrees Celsius"		\$367 NI
P	567-4596	KIT, GRD, RADIATOR SCREEN 0 Recommended for high dust or fine debris applications. Provides an additional filter that is placed between the radiator can condenser that provides additional air filtering in dusty/dry conditions.		\$207 NI
P	575-5745	KIT, GRD, TRACK GUIDING, CTR 0 Includes two (2) track guide guards. Recommended for applications on uneven terrain to prevent track slippage. This feature is only offered on the 307.5 and 308.5 STD UC models due to the length of the track. On these models, the distance between the sprocket & the track roller frame idler is much further apart versus the smaller models, which makes the tracks prone to slipping off if exposed to a "V-Shape" or sloped applications.		\$797 NI
P	557-5072	KIT, SWITCH, MULCHER, 7-10T NG 11 Electrical Harness to support Cat HM208 and HM 210 Mulchers usage. The harness and console switches in the kit provide control to the fore and aft doors on the work tool.		\$299 NI
P	514-0900	KIT, RUBBER PADS, 308 & 309 0 Includes 40 Pads, enough for one side of a standard undercarriage machine along with hardware. For 309 CR and 310 long undercarriage, order four 170-4419 per side for a Total of 88 Pads.		\$1,763 NI

PACKING

PROTECTION

	OP-2266	SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Export Orders		\$213 NET
--	---------	--	--	------------------

PACKING

	OP-4299	PACKING, LAST MILE PROGRAM 0 REQUIRED BY: LAST MILE DEALERS		NC
--	---------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

307.5

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

PACKING (CONT.)

PACKING (Cont.)

0P-4263	PACK, MISCELLANEOUS MATERIAL 0 REQUIRED BY: MISC ORDERS	NC
---------	--	----