

**CATERPILLAR MACHINE PRICE LIST**

**308**

**308 MINI HYDRAULIC EXCAVATOR  
 ATHENS, GA, USA (SAP)**

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- CAT C3.3B diesel engine
- US EPA Tier 4 Final
- ISO 9249/EEC 80/1270
- Rated net power 55kW/72hp
- Automatic engine idle
- Automatic swing brake
- Automatic two speed travel
- Fuel water separator with indicator
- Radial seal air filter
- Double element with warning indicator
- Extended life coolant - 37C

**UNDERCARRIAGE**

- Greased and lubricated track
- Hydraulic track adjusters
- Tie down eyes on track frame

**HYDRAULICS**

- Smart tech electronic pump
- Variable displacement piston pump
- Load sensing/flow sharing hydraulics
- Power on demand
- Hydraulic temperature monitoring
- Accumulator - certified
- Hydro advanced hydraulic oil

**ELECTRICAL**

- 60 ampere alternator
- 900 CCA maintenance free battery
- Battery disconnect
- Circuit breaker
- Ignition key stop switch
- Signaling/warning horn
- Work lights
- Cab, boom left, front right
- Courtesy safety light

**OPERATOR ENVIRONMENT**

- Sealed and pressurized cab
- Ergonomic joysticks control levers
- Adjustable wrist rests
- Air conditioner/heater with defroster & Automatic temp control
- Coat hook
- Color LCD monitor:
  - Fuel level, coolant temp, & warning indicators
  - Maintenance and machine monitoring
  - Performance & machine adjustments
  - Numeric security code
  - Multiple languages
  - Hour meter
  - Ground level wakeup switch
  - Jog dial control interface

- Cup holder
- Hydraulic lockout for all controls
- LED interior light
- Literature holder
- Mirror rear view - Cab left
- Molded footrests
- Openable front windshield with assist & integrated lower window
- Rear window emergency exit
- Removable washable floor mat
- Retractable seat belt
- Seat, fabric, high back, suspension
- Travel control pedals with hand levers
- Utility space for mobile phone
- Front post mounted windshield wiper & washer
- Skylight
- Mounting bosses for front & top guard

**FLUIDS**

- Extended life coolant - 37C
- Hydro advanced hydraulic oil

**OTHER STANDARD EQUIPMENT**

- Accumulator, certification
- Caterpillar corporate "one key" system
- Door locks on cab door and external enclosure doors
- Lockable fuel cap
- Beacon Socket
- Ecology drain - engine
- Radial seal engine air filter, double element with restriction indicator
- Side by side engine & hydraulic oil cooler
- Hydraulic fluid temperature monitoring
- Joystick travel and steering mode
- Travel cruise control
- High definition hydraulics
- load sensing/flow sharing
- Power on demand
- Rear reflectors
- Roll over protective structure (ROPS) (ISO 12117-2)
- Auxiliary hydraulic lines:
  - 1-way and 2-way (combined function)
  - Auxiliary line quick disconnects
  - In cab adjustable auxiliary flow
  - Continuous flow

CATERPILLAR MACHINE PRICE LIST

**308**

308 MINI HYDRAULIC EXCAVATOR  
 ATHENS, GA, USA (SAP)

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

**582-6822      308 07A CR MHE DCA6B ..... 0      \$140,600**

LANE 1 - AVAILABLE FROM ATHENS PDC  
 LANE 2 - AVAILABLE FROM ATHENS FACTORY  
 LANE 3 - AVAILABLE FROM ATHENS FACTORY

INCLUDES:

- 512-1401 308 07A CR MINI EXCAVATOR
- 511-6253 ELECTRICAL ARR, C3.3 HRC
- 518-6184 ENGINE, EPA TIER 4 FINAL
- 562-3700 STD BLADE, STD U/C, RUBBER TRK
- 563-2071 STICK, LONG
- 541-4580 SEAT, MECH SUSP, FABRIC
- 522-6460 CAT KEY, WITH PASSCODE OPTION
- 522-6475 MONITOR, STD, CAMERA READY
- 512-2573 BOOM, SWING
- 514-8055 LINES, BOOM
- 514-8067 LINES, STICK
- 516-1613 LINES, AUX, QC, LONG STK
- 520-0778 CONTROL, QUICK COUPLER
- 538-2663 CTWT, EXTRA, NONE
- 382-8757 DRAIN, ECOLOGY
- 510-6085 BELT, SEAT, 76MM RETRACTABLE
- 511-6157 ALARM, TRAVEL
- 511-6216 LIGHTS, STANDARD
- 511-6219 RADIO
- 557-5123 PRODUCT LINK, CELLULAR, PLE643
- 511-6235 CAMERA, REAR VIEW
- 415-2556 HEATER, WATER JACKET
- 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 557-1711 KIT, 2 WAY CONTROL
- 557-1713 SOFTWARE, CODED START
- 523-3993 INSTRUCTIONS, ANSI
- 552-5984 FILM, CANADA
- 555-8731 FILM, COUPLER, ISO

CATERPILLAR MACHINE PRICE LIST

**308**

308 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
-------------------------------------------------------	--------------------	-------------------------

<b>577-8228</b>	<b>308 07A CR MHE DCA8C</b> ..... 0	<b>\$144,280</b>
	LANE 1 - USE FBC OR CHECK LA TOOL FOR AVAILABILITY FROM ATHENS PDC	
	LANE 2 - AVAILABLE FROM ATHENS FACTORY	
	LANE 3 - AVAILABLE FROM ATHENS FACTORY	

- INCLUDES:
- 512-1401 308 07A CR MINI EXCAVATOR
  - 511-6253 ELECTRICAL ARR, C3.3 HRC
  - 518-6184 ENGINE, EPA TIER 4 FINAL
  - 562-3698 STD BLADE, STD U/C, TG W/PAD
  - 563-2071 STICK, LONG
  - 510-6070 SEAT, AIR SUSP, FABRIC, HEATED
  - 522-6460 CAT KEY, WITH PASSCODE OPTION
  - 511-6177 MONITOR NEXT GEN, ADVANCED, CR
  - 512-2573 BOOM, SWING
  - 514-8055 LINES, BOOM
  - 514-8067 LINES, STICK
  - 516-1613 LINES, AUX, QC, LONG STK
  - 520-0778 CONTROL, QUICK COUPLER
  - 525-6657 COUNTERWEIGHT, EXTRA
  - 382-8757 DRAIN, ECOLOGY
  - 510-6085 BELT, SEAT, 76MM RETRACTABLE
  - 511-6157 ALARM, TRAVEL
  - 511-6216 LIGHTS, STANDARD
  - 511-6219 RADIO
  - 557-5123 PRODUCT LINK, CELLULAR, PLE643
  - 511-6235 CAMERA, REAR VIEW
  - 415-2556 HEATER, WATER JACKET
  - 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1711 KIT, 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START
  - 523-3993 INSTRUCTIONS, ANSI
  - 552-5984 FILM, CANADA
  - 555-8731 FILM, COUPLER, ISO

<b>562-9158</b>	<b>308 07A MHE CFG14A</b> ..... 0	<b>\$130,170</b>
	LANE 3 - AVAILABLE FROM ATHENS FACTORY	

- INCLUDES:
- 512-1401 308 07A CR MINI EXCAVATOR
  - 511-6253 ELECTRICAL ARR, C3.3 HRC
  - 518-6184 ENGINE, EPA TIER 4 FINAL
  - 512-2573 BOOM, SWING
  - 382-8757 DRAIN, ECOLOGY
  - 510-6085 BELT, SEAT, 76MM RETRACTABLE
  - 511-6157 ALARM, TRAVEL
  - 511-6219 RADIO
  - 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1711 KIT, 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START

CATERPILLAR MACHINE PRICE LIST

**308**

308 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
-------------------------------------------------------	--------------------	-------------------------

<b>577-8230</b> <b>308 07A CR MHE CFG15B</b> ..... 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY VARIABLE ANGLE BOOM MHE	0	<b>\$155,800</b>
---------------------------------------------------------------------------------------------------------------------------	---	------------------

- INCLUDES:
- 512-1401 308 07A CR MINI EXCAVATOR
  - 511-6253 ELECTRICAL ARR, C3.3 HRC
  - 518-6184 ENGINE, EPA TIER 4 FINAL
  - 563-2092 STICK, 2ND AUX, VAB
  - 510-6070 SEAT, AIR SUSP, FABRIC
  - 512-2576 BOOM, SWING, VARIABLE ANGLE
  - 514-8060 LINES, BOOM W/ BLCV VAB
  - 514-8074 LINES, STICK, W/ SLCV VAB
  - 519-3140 LINES, AUX, QC, STD STICK, VAB
  - 520-0778 CONTROL, QUICK COUPLER
  - 525-6657 COUNTERWEIGHT, EXTRA
  - 382-8757 DRAIN, ECOLOGY
  - 510-6085 BELT, SEAT, 76MM RETRACTABLE
  - 511-6157 ALARM, TRAVEL
  - 511-6217 LIGHTS, LED
  - 511-6219 RADIO
  - 511-6235 CAMERA, REAR VIEW
  - 415-2556 HEATER, WATER JACKET
  - 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1711 KIT, 2 WAY CONTROL
  - 557-1713 SOFTWARE, CODED START
- NOTE: VARIABLE ANGLE BOOM MHE

<b>OP-7375</b> <b>308 MISC MATERIAL</b> ..... 0 Use this number as a top level reference number when ordering miscellaneous material without machine.	0	<b>NC</b>
-------------------------------------------------------------------------------------------------------------------------------------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

<b>0P-9001</b>	<b>LANE 1 ORDER</b> . . . . .	0	<b>NC</b>
	Select this option when ordering from the PDC.		

**OPERATION AND MAINTENANCE MANUAL**

<b>421-8926</b>	<b>SERIALIZED TECHNICAL MEDIA KIT</b> . . . . .	0	<b>NC</b>
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

**PROTECTION**

<b>0P-2266</b>	<b>SHIPPING/STORAGE PROTECTION</b> . . . . .	0	<b>\$213 NET</b>
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		
	Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.		
	REQUIRED BY: ALL ORDERS		

**PACKING**

<b>0P-4299</b>	<b>PACKING, LAST MILE PROGRAM</b> . . . . .	0	<b>NC</b>
----------------	---------------------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	<b>LANE 1 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***PDC MACHINE PREP***

<b>590-9287</b>	<b>ATHENS DEALER PDI &amp; FUEL</b> . . . . . 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.	<b>\$355 NET</b>
<b>0P-4656</b>	<b>DEALER PREP, FINNING</b> . . . . . 0 ONLY FOR USE WITH: CANADIAN DEALERS	<b>\$277 NET</b>

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**ELECTRICAL**

L	309-1325	ROTATING BEACON . . . . . 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$222
---	----------	--------------------------------------------------------------------------------------------------------------------	--	-------

**LANE 1 NACD WORK TOOL CUSTOMIZATION**

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

**WORK TOOL PACKAGE**

W	504-6174	THUMB, HYD + COUPLER, PG, MAN, 8T . . . . . 491 Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style		\$6,465
W	504-6175	THUMB, HYD + COUPLER, PG, HYD, 8T . . . . . 501 Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style		\$9,785

**COUPLERS**

W	444-7498	COUPLER, PG, MAN.D.LOCK, 8T . . . . . 196 Mechanical pin grabber type quick coupler with a dual lock.		\$2,354
W	485-5302	COUPLER, PG, HYDR.D.LOCK, 8T . . . . . 206 Hydraulic pin grabber type quick coupler with a dual lock.		\$5,674

**BUCKETS**

May select one installed bucket per machine.  
 May select up to 2 not installed buckets per machine.  
 First bucket on machine order must be installed.  
 One set of Bucket Pins recommended for each not installed bucket.

W	295-5951	BUCKET-HD, 18", 5.4 FT3, 7T . . . . . 333 333 Width 457mm (18"), Heaped Cap. 0.15M3 (0.2YD3), Incl 4 x J225 FOR USE WITH: Pin-on, requires bucket pins		\$2,007 \$2,007 NI
W	295-5952	BUCKET-HD, 24", 8.1 FT3, 7T . . . . . 392 392 Width 610mm (24"), Heaped Cap. 0.23M3 (0.3YD3), Incl 4 x J225 FOR USE WITH: Pin-on, requires bucket pins		\$2,229 \$2,229 NI
W	295-5954	BUCKET-HD, 36", 13.8 FT3, 7T . . . . . 507 507 Width 914mm (36"), Heaped Cap. 0.39M3 (0.51YD3), Incl 5 x J225 FOR USE WITH: Pin-on, requires bucket pins		\$2,694 \$2,694 NI

**BUCKET PINS**

W	308-0324	PINS, BUCKET, 50MM . . . . . 25 INCLUDES: 2 bucket pins and hardware		\$125 NI
---	----------	-------------------------------------------------------------------------	--	----------

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER . . . . .	0		NC

**BOOMS, STICKS, AND LINKAGES**

**STICK PACKAGES**

L	563-2070	STICK, STD . . . . .	0	\$1,540
		INCLUDES: 514-3230 2 WAY CONTROL, HAND CONTROL 515-3511 STICK, STD, W/ THUMB BRACKET 520-0765 LINES, AUXILIARY, STD STICK 541-4573 TRAVEL PEDALS ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		
L	563-2071	STICK, LONG . . . . .	0	\$1,540
		INCLUDES: 514-3230 2 WAY CONTROL, HAND CONTROL 515-3513 STICK, LONG, W/ THUMB BRACKET 520-0769 LINES, AUXILIARY, LONG STICK 541-4573 TRAVEL PEDALS ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		
L	563-2082	STICK, STD, 2ND AUX . . . . .	0	\$3,590
		INCLUDES: 514-3235 2ND AUXILIARY, HAND CONTROL 515-3511 STICK, STD, W/ THUMB BRACKET 520-0800 LINES, 2ND AUX, STD STICK 541-4573 TRAVEL PEDALS ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		
L	563-2083	STICK, LONG, 2ND AUX . . . . .	0	\$3,590
		INCLUDES: 514-3235 2ND AUXILIARY, HAND CONTROL 515-3513 STICK, LONG, W/ THUMB BRACKET 520-0820 LINES, 2ND AUX, LONG STICK 541-4573 TRAVEL PEDALS ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		

**BOOM LINES**

L	514-8055	LINES, BOOM . . . . .	0	NC
		ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		
L	514-8059	LINES, BOOM W/ BLCV . . . . .	0	\$1,915
		ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		

**STICK LINES**

L	514-8067	LINES, STICK . . . . .	0	NC
		ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		
L	519-8825	LINES, STICK W/ SLCV . . . . .	0	\$1,310
		ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		



CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE**

**BLADES AND TRACKS**

L	562-3700	STD BLADE, STD U/C, RUBBER TRK . . . . . 0 INCLUDES: 512-2524 BLADE, 2300MM, STRAIGHT 514-0886 TRACK, 450MM, RUBBER BELT 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$6,020
L	562-3697	STD BLADE, STD U/C, STEEL TG . . . . . 0 INCLUDES: 512-2524 BLADE, 2300MM, STRAIGHT 514-0870 TRACK, 450MM, TRIPLE GROUSER 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$3,590
L	562-3698	STD BLADE, STD U/C, TG W/PAD . . . . . 0 INCLUDES: 512-2524 BLADE, 2300MM, STRAIGHT 514-0869 TRACK, 450MM, TG W/RUBBER PAD 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$6,630
L	562-3699	WIDE BLADE, STD U/C, STEEL TG . . . . . 0 INCLUDES: 512-2526 BLADE, 2450MM, WIDE 514-0871 TRACK, 600MM, TRIPLE GROUSER 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$5,170

**ELECTRICAL**

**LIGHTS**

L	511-6216	LIGHTS, STANDARD . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		NC
L	511-6217	LIGHTS, LED . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		\$286

**OPERATOR ENVIRONMENT**

**SEATS**

L	510-6070	SEAT, AIR SUSP, FABRIC, HEATED . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A.		\$900
L	541-4580	SEAT, MECH SUSP, FABRIC, CAB . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		NC

**MONITOR**

L	522-6475	MONITOR NEXT GEN, CAMERA READY . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		NC
---	----------	-------------------------------------------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**MONITOR (Cont.)**

L	511-6177	<b>MONITOR NEXT GEN, ADVANCED, CR . . . . . 0</b> The Advanced Monitor is a full 8 inch screen with "Touch Screen" capabilities. The monitor offers enhanced HD images when used with a rear view camera. The Advanced Monitor also comes with the Site Reference system, similar to the system on the COMASS monitor. The Advanced Monitor enhances the operator experience when using it in conjunction with the Cat TRS system but it is not required. Future "Ease of Use" features will be supported by the Advanced Monitor. ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$1,110
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	557-5123	<b>PRODUCT LINK, CELLULAR PLE643 . . . . . 0</b> Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link used applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B AND 562-9158 308 07A CR MHE CFG14A		NC
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

**SAFETY AND SECURITY**

**REARVIEW CAMERA**

L	511-6235	<b>CAMERA, REAR VIEW . . . . . 0</b> ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		\$450
L	545-6721	<b>NO CAMERA . . . . . 0</b> ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		NC

**MACHINE SECURITY KEY**

L	522-6460	<b>CAT KEY, WITH PASSCODE OPTION . . . . . 0</b> ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		NC
L	522-6461	<b>PUSH TO START, BT FOB SECURITY . . . . . 0</b> ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$491

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**COUNTERWEIGHTS**

L	538-2663	NO EXTRA COUNTERWEIGHT . . . . . 0		NC
		ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		
L	525-6657	COUNTERWEIGHT, EXTRA . . . . . 0		\$1,055
		ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		

**INSTRUCTIONS**

**FILMS**

L	523-3993	INSTRUCTIONS, ANSI . . . . . 0		NC
		ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A AND USA DEALERS		
L	553-9616	INSTRUCTIONS, ANSI . . . . . 0		NC
		ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B AND USA DEALERS		

**OPERATION AND MAINTENANCE MANUALS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . 0		NC
		The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL**

**REAR LIGHTS**

L	511-6211	LIGHT, REAR, LED . . . . . 0 ONLY FOR USE WITH: 577-8230 308 07A CR MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$174
---	----------	------------------------------------------------------------------------------------------------------------------------	--	-------

**GUARDS**

L	276-0978	GUARD, TRACK GUIDING, CENTER . . . . . 64 ONLY FOR USE WITH: 577-8230 308 07A MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A AND CANNOT BE USED WITH: 562-3700 STD BLADE, STD U/C, RUBBER TRK		\$750
L	525-9070	VISOR, RAIN . . . . . 0 ONLY FOR USE WITH: 577-8230 308 07A MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$165

**OTHER ATTACHMENTS**

**WATER JACKET HEATER**

L	415-2556	HEATER, WATER JACKET . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		\$234
---	----------	---------------------------------------------------------------------------------------	--	-------

**FUEL TANK REFUELING PUMP**

L	518-3295	TANK, FUEL, REFUELING PUMP . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		\$1,155
---	----------	---------------------------------------------------------------------------------------------	--	---------

**BEACON**

L	309-1325	ROTATING BEACON . . . . . 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. ONLY FOR USE WITH: 577-8230 308 07A MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$222
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

**MIRRORS**

L	523-6409	MIRROR, CAB, RIGHT . . . . . 0 ONLY FOR USE WITH: 577-8230 308 07A MHE CFG15B OR 562-9158 308 07A CR MHE CFG14A		\$72
---	----------	-----------------------------------------------------------------------------------------------------------------------	--	------

**QUICK COUPLERS**

**QUICK COUPLER CONTROL**

L	520-0778	CONTROL, QUICK COUPLER . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A		\$1,095
---	----------	-----------------------------------------------------------------------------------------	--	---------

**QUICK COUPLER LINES**

L	516-1612	LINES, AUX, QC, STD STICK . . . . . 0 REQUIRES: 520-0778 QUICK COUPLER, HYDRAULIC ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A AND Standard Stick		\$1,095
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**QUICK COUPLERS (CONT.)**

**QUICK COUPLER LINES (Cont.)**

L	516-1613	LINES, AUX, QC, LONG STK . . . . . 0 REQUIRES: 520-0778 QUICK COUPLER, HYDRAULIC ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A AND Long Stick		\$1,095
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

**QUICK COUPLER FILM**

L	555-8731	FILM, COUPLER, ISO . . . . . 0 ONLY FOR USE WITH: 562-9158 308 07A CR MHE CFG14A OR 577-8230 308 07A CR MHE CFG15A REQUIRED BY: 520-0778 CONTROL, QUICK COUPLER		NC
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

**WORK TOOLS**

**THUMBS AND QUICK COUPLERS**

W	504-6174	THUMB, HYD + COUPLER, PG, MAN, 8T . . . . . 491		\$6,465
W	504-6175	THUMB, HYD + COUPLER, PG, HYD, 8T . . . . . 501 REQUIRES: 520-0778 CONTROL, QUICK COUPLER		\$9,785

**QUICK COUPLERS ONLY**

W	444-7498	COUPLER, PG, MAN.D.LOCK, 8T . . . . . 196		\$2,354
W	485-5302	COUPLER, PG, HYDR.D.LOCK, 8T . . . . . 206 REQUIRES: 520-0778 CONTROL, QUICK COUPLER		\$5,674

**BUCKETS**

May select one installed bucket per machine.  
 May select up to 2 not installed buckets per machine.  
 First bucket on machine order must be installed.  
 One set of Bucket Pins recommended for each not installed bucket.

P	295-5951	BUCKET-HD, 18", 5.4 FT3, 7T . . . . . 333 Uses J225 Adapters, includes 4 long tooth tips 333		\$2,007 \$2,007 NI
P	295-5952	BUCKET-HD, 24", 8.1 FT3, 7T . . . . . 392 Uses J225 Adapters, includes 4 long tooth tips 392		\$2,229 \$2,229 NI
P	295-5954	BUCKET-HD, 36", 13.8 FT3, 7T . . . . . 507 Uses J225 Adapters, includes 5 long tooth tips 507		\$2,694 \$2,694 NI

**BUCKET PINS**

P	308-0324	PINS, BUCKET, 50MM . . . . . 25 Extra pins are only allowed when ordered with not installed buckets. One extra set of pins is allowed per not installed bucket. All installed buckets include bucket pins.		\$125 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----------

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS**

*Available Through Parts Distribution.*

- 309-1325 ROTATING BEACON**  
 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.
- 170-4419 KIT, TRACK, PAD, SINGLE**  
 Single Rubber Pad - 450 TG  
 No Hardware Included
- 561-8108 KIT, PUSH TO START**  
 Paper Kit Only - Provides consist of parts required to convert a key start system to a push to start system.

NOTE: The part number provided is for reference only. Individual parts must be ordered from the parts network.

- 595-6541 KIT, CASE DRAIN**  
 Paper Kit Only- Provides consist of parts required and instructions to add a case drain to a machine that may require one for certain hydromechanical attachments.

NOTE: The part number provided is for reference only. Individual parts must be ordered from the parts network.

**ALTERNATE SOURCED ATTACHMENTS**

*Available Through ANTARES Parts Ordering.*

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.  
 When ordering via CMOPS include top level reference numbers (OP-7375) and OP-4263 number for packing.**

**NEXT GEN CAB KITS**

P	<b>561-8100 KIT, MONITOR, ADVANCED</b> .....	0	<b>\$1,654 NI</b>
	Next Gen Advanced 8 inch Screen Monitor, Site Reference, HD Camera Kit includes C8 Display & IMU for Site Reference - IMU Harness sold separately(IMU Harnesses: 306CR - 557-5131 / Fixed Boom- 557-5135 / Swing Boom - 557-5133		
P	<b>561-8204 KIT, MIRROR, CAB, RIGHT</b> .....	0	<b>\$419 NI</b>
	Added to right side of the machine for additional visibility		
P	<b>561-8103 KIT, VISOR, RAIN</b> .....	0	<b>\$317 NI</b>
	Protective rain visor on top of cab front window		
P	<b>561-8101 KIT, CAMERA, REAR VIEW, CAB</b> .....	0	<b>\$447 NI</b>
	Rear view camera including the required harness, mounting plate, and all hardware.		

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

***NEXT GEN CAB KITS (Cont.)***

P	561-8104	<b>KIT, LIGHT, LED, REAR</b> ..... 0 One (1) rear facing LED adjustable work light (frame mounted). Include the harness and all necessary hardware. Highly recommended when equipped with rear-view camera.		<b>\$260 NI</b>
P	561-8098	<b>KIT, LIGHTS, LED, FRONT</b> ..... 0 Four (4) forward facing LED adjustable work lights (cab, frame, and boom mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		<b>\$374 NI</b>
P	571-3698	<b>KIT, WINDOW, FRONT, POLYCARB</b> ..... 0 Polycarbonate front window kit that replaces the factory installed tempered glass upper and lower front windows while maintaining full front window functionality. Requires GUARD AR. 567-4592 or 567-4593		<b>\$1,560 NI</b>
P	567-4593	<b>KIT, GRD, FRONT, MESH</b> ..... 0 Hinged mesh guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 1 requirements.		<b>\$2,947 NI</b>
P	567-4592	<b>KIT, GRD, FRONT, HEAVY DUTY</b> ..... 0 Hinged heavy duty front guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		<b>\$2,840 NI</b>
P	567-4594	<b>KIT, GRD, CAB, OVERHEAD</b> ..... 0 Hinged heavy duty top guarding with gas cylinder offered for easy access to the top window for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		<b>\$3,097 NI</b>

***HYDRAULIC KITS***

P	561-8196	<b>KIT, CTRL, 2ND AUX, STD STK</b> ..... 0 2nd Auxiliary Hydraulic Lines for Standard Stick equipped machines. Supply, return, and case drain lines are included in this kit. 2nd Aux circuit is primarily used for rotational attachments such as a shear. 2nd Aux is not to be confused with the 1- and 2-way flow auxiliaries, which already comes standard on the machine and will run most attachments.		<b>\$2,049 NI</b>
P	561-8197	<b>KIT, CTRL, 2ND AUX, LONG STK</b> ..... 0 2nd Auxiliary Hydraulic Lines for Long Stick equipped machines. Supply, return, and case drain lines are included in this kit. 2nd Aux circuit is primarily used for rotational attachments such as a shear. 2nd Aux is not to be confused with the 1- and 2-way flow auxiliaries, which already comes standard on the machine and will run most attachments.		<b>\$2,049 NI</b>
P	561-8200	<b>KIT, CTRL, QUICK CPLR, STD STK</b> ..... 0 Includes all required components to prepare for the installation of a hydraulic quick coupler. Standard stick equipped machines.		<b>\$2,196 NI</b>
P	561-8201	<b>KIT, CTRL, QUICK CPLR, LNG STK</b> ..... 0 Includes all required components to prepare for the installation of a hydraulic quick coupler. Long stick equipped machines.		<b>\$2,196 NI</b>

CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

**MISCELLANEOUS KITS**

P	566-6979	<b>KIT, HEATER, WATER JACKET</b> . . . . . 0 Jacket water heater (aka: engine block heater) for increased cold-starting capability. Recommended for applications in temperatures less than "20 degrees Fahrenheit / -6 degrees Celsius"		<b>\$275 NI</b>
P	567-4596	<b>KIT, GRD, RADIATOR SCREEN</b> . . . . . 0 Recommended for high dust or fine debris applications. Provides an additional filter that is placed between the radiator can condenser that provides additional air filtering in dusty/dry conditions.		<b>\$207 NI</b>
P	575-5745	<b>KIT, GRD, TRACK GUIDING, CTR</b> . . . . . 0 Includes two (2) track guide guards. Recommended for applications on uneven terrain to prevent track slippage. This feature is only offered on the 308 UC models due to the length of the track. On these models, the distance between the sprocket & the track roller frame idler is much further apart versus the smaller models, which makes the tracks prone to slipping off if exposed to a "V-Shape" or sloped applications.		<b>\$797 NI</b>
P	557-5072	<b>KIT, SWITCH, MULCHER, 7-10T NG</b> . . . . . 11 Electrical Harness to support Cat HM208 and HM 210 Mulchers usage. The harness and console switches in the kit provide control to the fore and aft doors on the work tool.		<b>\$299 NI</b>
P	514-0900	<b>KIT, RUBBER PADS, 308 &amp; 309</b> . . . . . 0 Includes 40 Pads, enough for one side of a standard undercarriage machine along with hardware. For 309 CR and 310 long undercarriage, order four 170-4419 per side for a Total of 88 Pads.		<b>\$1,763 NI</b>
P	561-8205	<b>KIT, COUNTERWEIGHT, EXTRA</b> . . . . . 0 Extra Counterweight adds more stability and 6in/152mm more overhang Kit includes - Extra Counterweight (550lbs / 250kg) and Hardware		<b>\$1,250 NI</b>

**PACKING**

**PROTECTION**

	0P-2266	<b>SHIPPING/STORAGE PROTECTION</b> . . . . . 0 Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		<b>\$213 NET</b>
--	---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------------

Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.  
 REQUIRED BY: ALL ORDERS



CATERPILLAR MACHINE PRICE LIST

**308**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**PACKING (CONT.)**

***PDC MACHINE PREP***

590-9287	ATHENS DEALER PDI & FUEL . . . . .	0	\$355 NET
	The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		

***PACKING***

0P-4299	PACKING, LAST MILE PROGRAM . . . . .	0	NC
0P-4263	PACK, MISCELLANEOUS MATERIAL . . . . .	0	NC
	REQUIRED BY: MISC ORDERS		