

CATERPILLAR MACHINE PRICE LIST

309309 MINI HYDRAULIC EXCAVATOR
ATHENS, GA, USA (SAP)Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C3.3B diesel engine
US EPA Tier 4 Final
ISO 9249/EEC 80/1270
Rated net power 55kW/72hp
Automatic engine idle
Automatic swing brake
Automatic two speed travel
Fuel water separator with indicator
Radial seal air filter, double element
with warning indicator

UNDERCARRIAGE

Greased and lubricated track
Hydraulic track adjusters
Tie down eyes on track frame

HYDRAULICS

Smart tech electronic pump
Variable displacement piston pump
Load sensing/flow sharing hydraulics
Power on demand
Hydraulic temperature monitoring
Accumulator - certified
Hydro advanced hydraulic oil

ELECTRICAL

60 ampere alternator
900 CCA maintenance free battery
Battery disconnect
Circuit breaker
Ignition key stop switch
Signaling/warning horn
Work lights:
- Cab, boom left, front right
- Courtesy safety light

OPERATOR ENVIRONMENT

Sealed and pressurized cab
Ergonomic joysticks control levers
Adjustable wrist rests
Air conditioner/heater with defroster &
Automatic temp control
Coat hook
Color LCD monitor:
- Fuel level, coolant temp, & warning
indicators
- Maintenance and machine monitoring
- Performance & machine adjustments
- Numeric security code
- Multiple languages
- Hour meter
- Ground level wakeup switch
- Jog dial control interface
Cup holder

Hydraulic lockout for all controls
LED interior light
Literature holder
Mirror rear view - Cab left
Molded footrests
Openable front windshield with assist &
integrated lower window
Rear window emergency exit
Removable washable floor mat
Retractable seat belt
Seat, fabric, high back, suspension
Travel control pedals with hand levers
Utility space for mobile phone
Front post mounted windshield wiper &
washer
Skylight
Mounting bosses for front & top guard

FLUIDS

Extended life coolant - 37C
Hydro advanced hydraulic oil

OTHER STANDARD EQUIPMENT

Accumulator, certification
Caterpillar corporate "one key" system
Door locks on cab door and external
enclosure doors
Lockable fuel cap
Beacon Socket
Ecology drain - engine
Radial seal engine air filter, double
element with restriction indicator
Side by side engine & hydraulic oil
cooler
Hydraulic fluid temperature monitoring
Joystick travel and steering mode
Travel cruise control
High definition hydraulics
- load sensing/flow sharing
Power on demand
Rear reflectors
Roll over protective structure (ROPS)
(ISO 12117-2)
Auxiliary hydraulic lines:
- 1-way and 2-way (combined function)
- Auxiliary line quick disconnects
- In cab adjustable auxiliary flow
- Continuous flow

CATERPILLAR MACHINE PRICE LIST

309

309 MINI HYDRAULIC EXCAVATOR
 ATHENS, GA, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

563-2066 309 07A CR MHE DCA16C 0 \$153,550

LANE 1 - AVAILABLE FROM ATHENS PDC
 LANE 2 - AVAILABLE FROM ATHENS FACTORY
 LANE 3 - AVAILABLE FROM ATHENS FACTORY

INCLUDES:

- 512-1402 309 07A CR MINI EXCAVATOR
- 511-6253 ELECTRICAL ARR, C3.3 HRC
- 518-6184 ENGINE, EPA TIER 4 FINAL
- 567-3575 STD BLADE, LONG U/C, TG W/PAD
- 563-2091 STICK, LONG, HIGH FLOW
- 510-6070 SEAT, AIR SUSP, FABRIC
- 522-6460 CAT KEY, WITH PASSCODE OPTION
- 511-6177 MONITOR NEXT GEN, ADVANCED, CR
- 512-2573 BOOM, SWING
- 514-8055 LINES, BOOM
- 514-8067 LINES, STICK
- 516-1613 LINES, AUX, QC, LONG STK
- 520-0778 CONTROL, QUICK COUPLER
- 525-6657 COUNTERWEIGHT, EXTRA
- 382-8757 DRAIN, ECOLOGY
- 510-6085 BELT, SEAT, 76MM RETRACTABLE
- 511-6157 ALARM, TRAVEL
- 511-6217 LIGHTS, LED
- 511-6219 RADIO
- 557-5123 PRODUCT LINK, CELLULAR, PLE643
- 511-6235 CAMERA, REAR VIEW
- 415-2556 HEATER, WATER JACKET
- 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
- 557-1709 SOFTWARE, PROPORTIONAL CONTROL
- 557-1710 SOFTWARE, STICK STEER CONTROL
- 557-1711 KIT, 2 WAY CONTROL
- 557-1713 SOFTWARE, CODED START
- 523-3994 INSTRUCTIONS, ANSI
- 552-5984 FILM, CANADA
- 555-8731 FILM, COUPLER, ISO
- NOTE: LONG UNDERCARRIAGE
- INCLUDES 2ND AUX AND CASE DRAIN AS STANDARD

CATERPILLAR MACHINE PRICE LIST

309

309 MINI HYDRAULIC EXCAVATOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
-------------------------------------------------------	--------------------	-------------------------

<p>563-2067 309 07A CR MHE CFG16A 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY</p>	<p>\$135,370</p>
--------------------------------------------------------------------------------------------------------------------------------------	-------------------------

INCLUDES:
 512-1402 309 07A CR MINI EXCAVATOR
 511-6253 ELECTRICAL ARR, C3.3 HRC
 518-6184 ENGINE, EPA TIER 4 FINAL
 512-2573 BOOM, SWING
 525-6657 COUNTERWEIGHT, EXTRA
 382-8757 DRAIN, ECOLOGY
 510-6085 BELT, SEAT, 76MM RETRACTABLE
 511-6157 ALARM, TRAVEL
 511-6219 RADIO
 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 557-1710 SOFTWARE, STICK STEER CONTROL
 557-1711 KIT, 2 WAY CONTROL
 557-1713 SOFTWARE, CODED START
 NOTE: LONG UNDERCARRIAGE
 INCLUDES 2ND AUX AND CASE DRAIN AS STANDARD

<p>577-8251 309 07A CR MHE CFG15A 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY VARIABLE ANGLE BOOM MHE</p>	<p>\$158,080</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------

INCLUDES:
 512-1402 309 07A CR MINI EXCAVATOR
 511-6253 ELECTRICAL ARR, C3.3 HRC
 518-6184 ENGINE, EPA TIER 4 FINAL
 563-2095 STICK, HIGH FLOW, VAB
 512-2576 BOOM, SWING, VARIABLE ANGLE
 514-8060 LINES, BOOM W/ BLCV VAB
 514-8074 LINES, STICK, W/ SLCV VAB
 519-3140 LINES, AUX, QC, STD STICK, VAB
 520-0778 CONTROL, QUICK COUPLER
 525-6657 COUNTERWEIGHT, EXTRA
 382-8757 DRAIN, ECOLOGY
 510-6085 BELT, SEAT, 76MM RETRACTABLE
 511-6157 ALARM, TRAVEL
 511-6219 RADIO
 568-1567 LINKAGE, BUCKET W/ LIFTING EYE
 557-1709 SOFTWARE, PROPORTIONAL CONTROL
 557-1710 SOFTWARE, STICK STEER CONTROL
 557-1711 KIT, 2 WAY CONTROL
 557-1713 SOFTWARE, CODED START
 NOTE: VARIABLE ANGLE BOOM MHE
 BASE CONFIGURATION FOR LONG UNDERCARRIAGE
 INCLUDES 2ND AUX AND CASE DRAIN AS STANDARD

<p>OP-7376 309 MISC MATERIAL 0 Use this number as a top level reference number when ordering miscellaneous material without machine.</p>	<p>NC</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Select this option when ordering from the PDC.		

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$213 NET
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		
	Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.		
	REQUIRED BY: ALL ORDERS		

PACKING

0P-4299	PACKING, LAST MILE PROGRAM	0	NC
----------------	---------------------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PDC MACHINE PREP

590-9287	ATHENS DEALER PDI & FUEL 0 The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.	\$355 NET
0P-4656	DEALER PREP, FINNING 0 ONLY FOR USE WITH: CANADIAN DEALERS	\$277 NET

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

ELECTRICAL

L	309-1325	ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		\$222
---	----------	--------------------------------------------------------------------------------------------------------------------	--	-------

LANE 1 NACD WORK TOOL CUSTOMIZATION

WT NOT REPRESENTED BELOW MUST BE ORDERED FROM THE WT-MHE PRICE LIST

WORK TOOL PACKAGE

W	504-6174	THUMB, HYD + COUPLER, PG, MAN, 8T 491 Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style		\$6,465
W	504-6175	THUMB, HYD + COUPLER, PG, HYD, 8T 501 Hydraulic Thumb with Hydraulic Dual Lock Coupler No-Link Style		\$9,785

COUPLERS

W	444-7498	COUPLER, PG, MAN.D.LOCK, 8T 196 Mechanical pin grabber type quick coupler with a dual lock.		\$2,354
W	485-5302	COUPLER, PG, HYDR.D.LOCK, 8T 206 Hydraulic pin grabber type quick coupler with a dual lock.		\$5,674

BUCKETS

May select one installed bucket per machine.
 May select up to 2 not installed buckets per machine.
 First bucket on machine order must be installed.
 One set of Bucket Pins recommended for each not installed bucket.

W	295-5951	BUCKET-HD, 18", 5.4 FT3, 7T 333 333 Width 457mm (18"), Heaped Cap. 0.15M3 (0.2YD3), Incl 4 x J225 FOR USE WITH: Pin-on, requires bucket pins		\$2,007 \$2,007 NI
W	295-5952	BUCKET-HD, 24", 8.1 FT3, 7T 392 392 Width 610mm (24"), Heaped Cap. 0.23M3 (0.3YD3), Incl 4 x J225 FOR USE WITH: Pin-on, requires bucket pins		\$2,229 \$2,229 NI
W	295-5954	BUCKET-HD, 36", 13.8 FT3, 7T 507 507 Width 914mm (36"), Heaped Cap. 0.39M3 (0.51YD3), Incl 5 x J225 FOR USE WITH: Pin-on, requires bucket pins		\$2,694 \$2,694 NI

BUCKET PINS

W	308-0324	PINS, BUCKET, 50MM 25 INCLUDES: 2 bucket pins and hardware		\$125 NI
---	----------	-------------------------------------------------------------------------	--	----------

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

STICK PACKAGES

L	563-2090	STICK, STD, HIGH FLOW	0	\$3,590
INCLUDES:				
523-9552 AUXILIARY PUMP, HAND CONTROL				
515-3511 STICK, STD, W/ THUMB BRACKET				
520-0800 LINES, 2ND AUX, STD STICK				
541-4573 TRAVEL PEDALS				
ONLY FOR USE WITH: 563-2067 309 07A CR MHE CFG16A				
L	563-2091	STICK, LONG, HIGH FLOW	0	\$3,590
INCLUDES:				
523-9552 AUXILIARY PUMP, HAND CONTROL				
515-3513 STICK, LONG, W/ THUMB BRACKET				
520-0820 LINES, 2ND AUX, LONG STICK				
541-4573 TRAVEL PEDALS				
ONLY FOR USE WITH: 563-2067 309 07A CR MHE CFG16A				

BOOM LINES

L	514-8055	LINES, BOOM	0	NC
ONLY FOR USE WITH: 563-2067 309 07A CR MHE CFG16A				
L	514-8059	LINES, BOOM W/ BLCV	0	\$1,915
ONLY FOR USE WITH: 563-2067 309 07A CR MHE CFG16A				

STICK LINES

L	514-8067	LINES, STICK	0	NC
ONLY FOR USE WITH: 563-2067 309 07A CR MHE CFG16A				
L	519-8825	LINES, STICK W/ SLCV	0	\$1,310
ONLY FOR USE WITH: 563-2068 309 07A CR MHE CFG16A				

UNDERCARRIAGE

BLADES AND TRACKS

L	567-3574	STD BLADE, LONG U/C, STEEL TG	0	\$6,390
INCLUDES:				
512-2525 BLADE, 2400MM, STRAIGHT				
514-0875 TRACK, 450MM, TRIPLE GROUSER				
541-4598 CONTROL, BLADE LEVER				
ONLY FOR USE WITH: 577-8251 309 07A CR MHE CFG15A OR				
563-2067 309 07A CR MHE CFG16A				

NOTE: LONG UNDERCARRIAGE

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

BLADES AND TRACKS (Cont.)

L	567-3575	STD BLADE, LONG U/C, TG W/PAD 0		\$9,420
		INCLUDES: 512-2525 BLADE, 2400MM, STRAIGHT 514-0874 TRACK, 450MM, TG W/RUBBER PAD 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 577-8251 309 07A CR MHE CFG15A OR 563-2067 309 07A CR MHE CFG16A		
		NOTE: LONG UNDERCARRIAGE		
L	567-3576	WIDE BLADE, LONG U/C, TG 0		\$7,980
		INCLUDES: 528-4100 BLADE, 2640MM, STRAIGHT 514-0891 TRACK, 600MM, TRIPLE GROUSER 541-4598 CONTROL, BLADE LEVER ONLY FOR USE WITH: 577-8251 309 07A CR MHE CFG15A OR 563-2067 309 07A CR MHE CFG16A		
		NOTE: LONG UNDERCARRIAGE		

ELECTRICAL

LIGHTS

L	511-6216	LIGHTS, STANDARD 0		NC
L	511-6217	LIGHTS, LED 0		\$286

OPERATOR ENVIRONMENT

SEATS

L	510-6070	SEAT, AIR SUSP, FABRIC, HEATED 0		\$900
		ONLY FOR USE WITH: 577-8251 309 07A CR MHE CFG15A OR 563-2067 309 07A CR MHE CFG16A.		
L	541-4580	SEAT, MECH SUSP, FABRIC, CAB 0		NC
		ONLY FOR USE WITH: 577-8251 309 07A CR MHE CFG15A OR 563-2067 309 07A CR MHE CFG16A		

MONITOR

L	522-6475	MONITOR NEXT GEN, CAMERA READY 0		NC
		ONLY FOR USE WITH: 563-2067 309 07A CR MHE CFG16A OR 577-8251 309 07A CR MHE CFG15A		

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

MONITOR (Cont.)

L	511-6177	MONITOR NEXT GEN, ADVANCED, CR 0 The Advanced Monitor is a full 8 inch screen with "Touch Screen" capabilities. The monitor offers enhanced HD images when used with a rear view camera. The Advanced Monitor also comes with the "Site Reference" system, similar to the system on the COMASS monitor. The Advanced Monitor enhances the operator experience when using it in conjunction with the Cat TRS system but it is not required. Future "Ease of Use" features will be supported by the Advanced Monitor.		\$1,110
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	557-5123	PRODUCT LINK, CELLULAR PLE643 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link used applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		NC
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

SAFETY AND SECURITY

REARVIEW CAMERA

L	545-6721	NO CAMERA 0 ONLY FOR USE WITH: 577-8251 309 07A CR MHE CFG15A OR 563-2067 309 07A CR MHE CFG16A		NC
L	511-6235	CAMERA, REAR VIEW 0 ONLY FOR USE WITH: 577-8251 309 07A CR MHE CFG15A OR 563-2067 309 07A CR MHE CFG16A		\$450

MACHINE SECURITY KEY

L	522-6460	CAT KEY, WITH PASSCODE OPTION 0		NC
L	522-6461	PUSH TO START, BT FOB SECURITY 0		\$491

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS

FILMS

L	523-3994	INSTRUCTIONS, ANSI 0 ONLY FOR USE WITH: 563-2067 309 07A CR MHE CFG16A AND USA DEALERS		NC
L	553-9618	INSTRUCTIONS, ANSI 0 ONLY FOR USE WITH: 577-8251 309 07A CR MHE CFG15A AND USA DEALERS		NC

OPERATION AND MAINTENANCE MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		NC
--	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

REAR LIGHTS

L	511-6211	LIGHT, REAR, LED	0	\$174
		CANNOT BE USED WITH: DCA'S		

GUARDS

L	511-4617	GUARD, TRACK GUIDING, CENTER	0	\$750
		ONLY FOR USE WITH: 577-8251 309 07A MHE CFG15A OR 563-2067 309 07A MHE CFG16A		
L	525-9070	VISOR, RAIN	0	\$165
		ONLY FOR USE WITH: 577-8251 309 07A MHE CFG15A OR 563-2067 309 07A MHE CFG16A		

OTHER ATTACHMENTS

WATER JACKET HEATER

L	415-2556	HEATER, WATER JACKET	0	\$234
		ONLY FOR USE WITH: 577-8251 309 07A MHE CFG15A OR 563-2067 309 07A MHE CFG16A		

FUEL TANK REFUELING PUMP

L	518-3295	TANK, FUEL, REFUELING PUMP	0	\$1,155
		ONLY FOR USE WITH: 577-8251 309 07A MHE CFG15A OR 563-2067 309 07A MHE CFG16A		

BEACON

L	309-1325	ROTATING BEACON	0	\$222
		Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.		
		ONLY FOR USE WITH: 577-8251 309 07A MHE CFG15A OR 563-2067 309 07A MHE CFG16A		

MIRRORS

L	523-6409	MIRROR, CAB, RIGHT	0	\$72
		ONLY FOR USE WITH: 577-8251 309 07A MHE CFG15A OR 563-2067 309 07A MHE CFG16A		

QUICK COUPLERS

QUICK COUPLER CONTROL

L	520-0778	CONTROL, QUICK COUPLER	0	\$1,095
		ONLY FOR USE WITH: 563-2067 309 07A MHE CFG16A		

QUICK COUPLER LINES

L	516-1612	LINES, AUX, QC, STD STICK	0	\$1,095
		REQUIRES: 520-0778 QUICK COUPLER, HYDRAULIC		
		ONLY FOR USE WITH: 563-2067 309 07A MHE CFG16A AND Standard stick		

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER LINES (Cont.)

L	516-1613	LINES, AUX, QC, LONG STK 0 REQUIRES: 520-0778 QUICK COUPLER, HYDRAULIC ONLY FOR USE WITH: 563-2067 309 O7A MHE CFG16A AND Long stick		\$1,095
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------

QUICK COUPLER FILM

L	555-8731	FILM, COUPLER, ISO 0 ONLY FOR USE WITH: 577-8251 309 O7A CR MHE CFG15A REQUIRED BY: 520-0778 CONTROL, QUICK COUPLER		NC
---	----------	-------------------------------------------------------------------------------------------------------------------------------------	--	----

WORK TOOLS

THUMBS AND QUICK COUPLERS

W	504-6174	THUMB, HYD + COUPLER, PG, MAN, 8T 491		\$6,465
W	504-6175	THUMB, HYD + COUPLER, PG, HYD, 8T 501 REQUIRES: 520-0778 CONTROL, QUICK COUPLER		\$9,785

QUICK COUPLERS ONLY

W	444-7498	COUPLER, PG, MAN.D.LOCK, 8T 196		\$2,354
W	485-5302	COUPLER, PG, HYDR.D.LOCK, 8T 206 REQUIRES: 520-0778 CONTROL, QUICK COUPLER		\$5,674

BUCKETS

May select one installed bucket per machine.
 May select up to 2 not installed buckets per machine.
 First bucket on machine order must be installed.
 One set of Bucket Pins recommended for each not installed bucket.

P	295-5951	BUCKET-HD, 18", 5.4 FT3, 7T 333 Uses J225 Adapters, includes 4 long tooth tips	333	\$2,007 \$2,007 NI
P	295-5952	BUCKET-HD, 24", 8.1 FT3, 7T 392 Uses J225 Adapters, includes 4 long tooth tips	392	\$2,229 \$2,229 NI
P	295-5954	BUCKET-HD, 36", 13.8 FT3, 7T 507 Uses J225 Adapters, includes 5 long tooth tips	507	\$2,694 \$2,694 NI

BUCKET PINS

P	308-0324	PINS, BUCKET, 50MM 25 Extra pins are only allowed when ordered with not installed buckets. One extra set of pins is allowed per not installed bucket. All installed buckets include bucket pins.		\$125 NI
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----------

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

Available Through Parts Distribution.

- 309-1325 ROTATING BEACON**
 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.
- 170-4419 KIT, TRACK, PAD, SINGLE**
 Single Rubber Pad - 450 TG
 No Hardware Included
- 561-8108 KIT, PUSH TO START**
 Paper Kit Only - Provides consist of parts required to convert a key start system to a push to start system.

NOTE: The part number provided is for reference only. Individual parts must be ordered from the parts network.

- 595-6541 KIT, CASE DRAIN**
 Paper Kit Only- Provides consist of parts required and instructions to add a case drain to a machine that may require one for certain hydromechanical attachments.

NOTE: The part number provided is for reference only. Individual parts must be ordered from the parts network.

ALTERNATE SOURCED ATTACHMENTS

Available Through ANTARES Parts Ordering.

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
 When ordering via CMOPS include top level reference numbers (OP-7376) and OP-4263 number for packing.**

NEXT GEN CAB KITS

P	561-8100 KIT, MONITOR, ADVANCED	0	\$1,654 NI
	Next Gen Advanced 8 inch Screen Monitor, Site Reference, HD Camera Kit includes C8 Display & IMU for Site Reference - IMU Harness sold separately(IMU Harnesses: 306CR - 557-5131 / Fixed Boom- 557-5135 / Swing Boom - 557-5133		
P	561-8204 KIT, MIRROR, CAB, RIGHT	0	\$419 NI
	Added to right side of the machine for additional visibility		
P	561-8103 KIT, VISOR, RAIN	0	\$317 NI
	Protective rain visor on top of cab front window		
P	561-8101 KIT, CAMERA, REAR VIEW, CAB	0	\$447 NI
	Rear view camera including the required harness, mounting plate, and all hardware.		

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

NEXT GEN CAB KITS (Cont.)

P	561-8104	KIT, LIGHT, LED, REAR 0 One (1) rear facing LED adjustable work light (frame mounted). Include the harness and all necessary hardware. Highly recommended when equipped with rear-view camera.		\$260 NI
P	561-8098	KIT, LIGHTS, LED, FRONT 0 Four (4) forward facing LED adjustable work lights (cab, frame, and boom mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		\$374 NI
P	571-3698	KIT, WINDOW, FRONT, POLYCARB 0 Polycarbonate front window kit that replaces the factory installed tempered glass upper and lower front windows while maintaining full front window functionality. Requires GUARD AR. 567-4592 or 567-4593		\$1,560 NI
P	567-4593	KIT, GRD, FRONT, MESH 0 Hinged mesh guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 1 requirements.		\$2,947 NI
P	567-4592	KIT, GRD, FRONT, HEAVY DUTY 0 Hinged heavy duty front guarding offered for easy access to the windows for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		\$2,840 NI
P	567-4594	KIT, GRD, CAB, OVERHEAD 0 Hinged heavy duty top guarding with gas cylinder offered for easy access to the top window for cleaning. This guard has been certified to meet ISO 10262 Level 2 requirements.		\$3,097 NI

HYDRAULIC KITS

P	561-8196	KIT, CTRL, 2ND AUX, STD STK 0 2nd Auxiliary Hydraulic Lines for Standard Stick equipped machines. Supply, return, and case drain lines are included in this kit. 2nd Aux circuit is primarily used for rotational attachments such as a shear. 2nd Aux is not to be confused with the 1- and 2-way flow auxiliaries, which already comes standard on the machine and will run most attachments.		\$2,049 NI
P	561-8197	KIT, CTRL, 2ND AUX, LONG STK 0 2nd Auxiliary Hydraulic Lines for Long Stick equipped machines. Supply, return, and case drain lines are included in this kit. 2nd Aux circuit is primarily used for rotational attachments such as a shear. 2nd Aux is not to be confused with the 1- and 2-way flow auxiliaries, which already comes standard on the machine and will run most attachments.		\$2,049 NI
P	561-8200	KIT, CTRL, QUICK CPLR, STD STK 0 Includes all required components to prepare for the installation of a hydraulic quick coupler. Standard stick equipped machines.		\$2,196 NI
P	561-8201	KIT, CTRL, QUICK CPLR, LNG STK 0 Includes all required components to prepare for the installation of a hydraulic quick coupler. Long stick equipped machines.		\$2,196 NI

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

MISCELLANEOUS KITS

P	566-6979	KIT, HEATER, WATER JACKET 0 Jacket water heater (aka: engine block heater) for increased cold-starting capability. Recommended for applications in temperatures less than "20 degrees Fahrenheit / -6 degrees Celsius"		\$275 NI
P	567-4596	KIT, GRD, RADIATOR SCREEN 0 Recommended for high dust or fine debris applications. Provides an additional filter that is placed between the radiator can condenser that provides additional air filtering in dusty/dry conditions.		\$207 NI
P	567-4595	KIT, GRD, TRACK GUIDING, CTR 0 Includes two (2) track guide guards. Recommended for applications on uneven terrain to prevent track slippage. This feature is only offered on the 309 long UC models due to the length of the track. On these models, the distance between the sprocket & the track roller frame idler is much further apart versus the smaller models, which makes the tracks prone to slipping off if exposed to a "V-Shape" or sloped applications.		\$797 NI
P	557-5072	KIT, SWITCH, MULCHER, 7-10T NG 11 Electrical Harness to support Cat HM208 and HM 210 Mulchers usage. The harness and console switches in the kit provide control to the fore and aft doors on the work tool.		\$299 NI
P	514-0900	KIT, RUBBER PADS, 308 & 309 0 Includes 40 Pads, enough for one side of a standard undercarriage machine along with hardware. For 309 CR and 310 long undercarriage, order four 170-4419 per side for a Total of 88 Pads.		\$1,763 NI
P	561-8205	KIT, COUNTERWEIGHT, EXTRA 0 Extra Counterweight adds more stability and 6in/152mm more overhang Kit includes - Extra Counterweight (550lbs / 250kg) and Hardware		\$1,250 NI

PACKING

PROTECTION

	0P-2266	SHIPPING/STORAGE PROTECTION 0 Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		\$213 NET
--	---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------------

Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.
 REQUIRED BY: ALL ORDERS

CATERPILLAR MACHINE PRICE LIST

309

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PACKING (CONT.)

PDC MACHINE PREP

590-9287		ATHENS DEALER PDI & FUEL	0	\$355 NET
		The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		

PACKING

0P-4299		PACKING, LAST MILE PROGRAM	0	NC
0P-4263		PACK, MISCELLANEOUS MATERIAL	0	NC
		REQUIRED BY: MISC ORDERS		