

**CATERPILLAR MACHINE PRICE LIST**

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

Standard Equipment:

**POWERTRAIN**

- Diesel engine C4.4 certified to EPA Tier4 final, EU Stage IV, Japan MLIT Step 5
- 2300m/7550ft altitude capability w/ no derate
- Waved fin radiator w/ enough space for cleaning operation (2SBS)
- Radial seal air filter
- Fuel water separator w/ level indicator
- Capability of
  - EIS (Engine Idle Shutdown) function
  - Using Bio-Diesel fuel (B20)

- Utility space for magazine
- Radio mounting (DIN size) suitable for 24-Volt radios
- Mounting for two stereo speakers
- Storage compartment suitable for lunch box
- Door & cap locks
- 24V radio ready (harness, two speakers, antenna-flexible type)
- 12V-2 x 10A power supply w/ two cigar lighter type sockets
- Cab glass break hammer

**Monitor:**

- Single axis adjustable monitor (horizontal only)
- Full graphic and full color display
- Warning information
- Filter/fluid change information
- Working hour information
- Machine condition
- Error code and tool mode setting information

**Seat:**

- Console height adjustment system
- Armrest height adjustment system
- Electrical provision for seat heater / ventilator

**Pedal:**

- Capability to install 2 addtl pedals
- Travel control pedals with removable hand levers
- Neutral lever (lock out) for all controls

**UNDERCARRIAGE**

- Grease lubricated track GLT1, resin seal
- Towing eye for diagonal lashing on baseframe

**HYDRAULICS**

- Hydraulic main pump
- Regeneration circuit for boom and stick
- Two speed travel
- Capability of installing
  - Additional auxiliary pump & circuit
  - CAT bio hydraulic oil
- Boom lowering device in case of engine shut down
- High performance hyd. return filter

**ELECTRICAL**

- Circuit breaker
- Capability of installing electric fuel lifting pump
- Light, storage box mounted (one) halogen
- Time delay function for boom light and cab light

**SAFETY AND SECURITY**

- Caterpillar one key security system
- Secondary engine shutoff switch
- Signaling / warning horn

**OPERATOR ENVIRONMENT**

- Cab
  - Bolt-on FOGS capability
  - Openable front windshield w/ assist device
  - Pillar mounted upper windshield wiper and washer
  - Cab sliding upper door window
  - Rear window
  - Removal lower windshield w/ incab storage bracket
  - Openable skylight as emergency exit
- Operators Station:
  - Interior lighting
  - Coat hook
  - Beverage holder with slit
  - Literature holder

**OTHER STANDARD EQUIPMENT**

- Capability of installing
  - Stackable valves for main valve (max 2 valves)
  - Boom lowering control device and stick lowering check valve
- CAT data link w/capability of using E.T.
- Automatic swing parking brake
- Fine swing control capability
- Radiator screen ready
- Mirrors, rearview (frame -right, cab-left)

CATERPILLAR MACHINE PRICE LIST

**313F**

---

313F EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Orders Program.  
Please use lane 2 when placing orders that are part of the  
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>585-4566</b></p> <p><b>313F L HEX AM-N DCA1C</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p>		<p><b>\$192,980</b></p>
--	--	-------------------------

AM-N - DCA 1 (3.0M (9'10") Stick, 700mm (28") Track)  
 Dirt Digger with Coupler circuit

INCLUDES:

- 482-2919 313F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 427-9706 CONTROL, FINE SWING
- 432-1339 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1776 REACH BOOM HD PKG
  - REACH BOOM, 4.65M (15'3") HD
  - CYLINDER, BOOM (W/O BLCV)
  - CYLINDER, STICK (W/O SLCV)
- 385-2832 CYLINDER, BKT
- 385-3232 LINKAGE, BKT W/O LIFT
- 394-7475 STICK, R3.0M (9'10") HD
- 510-1057 JOYSTICK STANDARD STP PKG
  - VALVE, HYDRAULIC
  - JOYSTICK, ONE BUTTON
  - MAT, FLOOR, RH PEDAL
  - PEDAL, STRAIGHT TRAVEL
  - PILOT LINES, BKT OPEN STD
  - PILOT LINES, BOOM UP STD/VAB
  - PILOT LINES, TCS STD
  - MACHINE CONTROLLER STD
- 390-4280 LINES-QC, REACH BOOM
- 393-8771 LINES-QC, R3.0M (9'10") STICK
- 447-1666 FAN, FIXED SPEED
- 426-0307 ENGINE HOOD
- 426-0298 GUARD, BOTTOM
- 169-7904 GUARD, TRACK MOTOR
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 120-7199 GUARD, TRACK GUIDING, CENTER
- 291-7762 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 340-8204 TRACK, 700MM (28") TG W/STEP (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 353-1903 WASHER, WINDSHIELD UPPER
- 369-0145 PANEL, STD START SWITCH
- 390-4281 SUPPORT, AUX LINES, R-BOOM
- 502-1169 PILOT LINES, STRAIGHT TRAVEL
- 420-3837 FRAME, BASE, LONG U/C
- 427-9707 CAM, REAR VW,MIRRORS RH W/O GR
- 426-2487 TANK, FUEL
- 426-2531 COUNTERWEIGHT, 2.2MT (4,850LBS)
- 430-8468 AIR CLEANER, STANDARD
- 435-8177 SWIVEL, STANDARD
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 396-3561 PILOT LINES, NO BLADE
- 501-4884 LINES, BKT CLOSE PGQC

## CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
578-2756 PRODUCT LINK, CELLULAR PL641		
427-7857 DECALS, EXTERIOR ANSI		
504-9460 DECALS, CAB ANSI		
504-1080 CTRL,CAT PIN GRAB COUPLER ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		

CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>565-3834</b></p> <p><b>313F L HEX AM-N DCA2B</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM SAVANNAH PDC</p> <p>AM-N - DCA 2 (2.8M (9'2") Stick, Tool Control, 600mm (24") Track)                      Versatility machine with Tool Control and Coupler circuit</p> <p>INCLUDES:</p> <p>482-2919 313F L HEX                      120-7199 GUARD, TRACK GUIDING, CENTER                      169-7904 GUARD, TRACK MOTOR                      447-1666 FAN, FIXED SPEED                      453-7538 SEAT, H-BACK, W/HEATER,S/AIR                      457-1776 REACH BOOM HD PKG                      460-1148 PRODUCT LINK, CELLULAR PL641                      488-6543 SEAT BELT, 2" RETRACTABLE                      496-8191 RADIO, 24V AM/FM                      502-1169 PILOT LINES, STRAIGHT TRAVEL                      504-1080 CTRL,CAT PIN GRAB COUPLER ANSI                      291-7762 LIGHT, BOOM RIGHT SIDE                      319-1179 LIGHTING, CAB (HALOGEN)                      340-6667 HATCH, OPENABLE ROOF (DUAL)                      340-8203 TRACK, 24" TG (GLT)                      342-3202 BATTERY, COLD WEATHER                      342-3636 WIPER-RADIAL, FRONT 70/30                      349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)                      352-7158 ACCUMULATOR WITH CRN                      504-9460 DECALS, CAB ANSI                      510-1058 COMBINED CIR STP PKG                      432-1339 AIR CONDITIONER                      390-4281 SUPPORT, AUX LINES, R-BOOM                      353-1903 WASHER, WINDSHIELD UPPER                      360-6166 ALARM, TRAVEL                      369-0145 PANEL, STD START SWITCH                      372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS                      374-0085 LINES-HP, R9'2" STICK                      385-2832 CYLINDER, BKT                      385-3232 LINKAGE, BKT W/O EYE                      390-4278 LINES-HP, REACH BOOM                      390-4280 LINES-QC, REACH BOOM                      393-8772 LINES-QC, R9'2" STICK                      394-7476 STICK, R9'2" HD                      396-3561 PILOT LINES, NO BLADE                      420-3837 FRAME, BASE, LONG U/C                      426-0298 GUARD, BOTTOM                      435-8177 SWIVEL, STANDARD                      426-0307 ENGINE HOOD                      426-2487 TANK, FUEL                      426-2531 COUNTERWEIGHT, 4,850LBS                      427-7857 DECALS, EXTERIOR ANSI                      427-9706 CONTROL, FINE SWING                      427-9707 CAM, REAR VW,MIRRORS RH W/O GR                      430-8468 AIR CLEANER, STANDARD                      501-4884 LINES, BKT CLOSE PGQC</p>	<p>0</p>	<p><b>\$201,790</b></p>
--	----------	-------------------------

CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>585-4567</b></p> <p><b>313F L HEX AM-N DCA2C</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p>		<p><b>\$201,790</b></p>
--	--	-------------------------

AM-N - DCA 2 (2.8M (9'2") Stick, Tool Control, 600mm (24") Track)  
 Versatility machine with Tool Control and Coupler circuit

INCLUDES:

- 482-2919 313F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 427-9706 CONTROL, FINE SWING
- 432-1339 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1776 REACH BOOM HD PKG
  - REACH BOOM, 4.65M (15'3") HD
  - CYLINDER, BOOM (W/O BLCV)
  - CYLINDER, STICK (W/O SLCV)
- 385-2832 CYLINDER, BKT
- 385-3232 LINKAGE, BKT W/O LIFT
- 394-7476 STICK, R2.8M (9'2") HD
- 510-1058 COMBINED CIR STP PKG
  - VALVE, HYDRAULIC, TCS
  - JOYSTICK, THUMB WHEEL
  - MAT, FLOOR, RH PEDAL
  - PEDAL, STRAIGHT TRAVEL
  - PILOT LINES, BKT OPEN STD
  - PILOT LINES, BOOM UP STD/VAB
  - PILOT LINES, TCS
  - CIRCUIT, COMBINED
  - MACHINE CONTROLLER TCS
- 390-4278 LINES-HP, REACH BOOM
- 374-0085 LINES-HP, R2.8M (9'2") STICK
- 390-4280 LINES-QC, REACH BOOM
- 393-8772 LINES-QC, R2.8M (9'2") STICK
- 447-1666 FAN, FIXED SPEED
- 426-0307 ENGINE HOOD
- 426-0298 GUARD, BOTTOM
- 169-7904 GUARD, TRACK MOTOR
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 120-7199 GUARD, TRACK GUIDING, CENTER
- 291-7762 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 340-8203 TRACK, 600MM (24") TG (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 353-1903 WASHER, WINDSHIELD UPPER
- 369-0145 PANEL, STD START SWITCH
- 390-4281 SUPPORT, AUX LINES, R-BOOM
- 502-1169 PILOT LINES, STRAIGHT TRAVEL
- 420-3837 FRAME, BASE, LONG U/C
- 427-9707 CAM, REAR VW,MIRRORS RH W/O GR
- 426-2487 TANK, FUEL
- 426-2531 COUNTERWEIGHT, 2.2MT (4,850LBS)
- 430-8468 AIR CLEANER, STANDARD
- 435-8177 SWIVEL, STANDARD

## CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

453-7538 SEAT, H-BACK, W/HEATER,S/AIR		
396-3561 PILOT LINES, NO BLADE		
501-4884 LINES, BKT CLOSE PGQC		
578-2756 PRODUCT LINK, CELLULAR PL641		
427-7857 DECALS, EXTERIOR ANSI		
504-9460 DECALS, CAB ANSI		
504-1080 CTRL,CAT PIN GRAB COUPLER ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		

CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>585-4568</b></p> <p><b>313F L HEX AM-N DCA3C</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p>		<p><b>\$202,740</b></p>
--	--	-------------------------

AM-N - DCA 3 (3.0M (9'10") Thumb Ready Stick,  
 Thumb Auxiliary Hydraulics, 700mm (28") Track)

Versatile machine with Tool Control, Coupler circuit  
 and Thumb Ready stick

INCLUDES:

- 482-2919 313F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 427-9706 CONTROL, FINE SWING
- 432-1339 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1776 REACH BOOM HD PKG  
 REACH BOOM, 4.65M (15'3") HD  
 CYLINDER, BOOM (W/O BLCV)  
 CYLINDER, STICK (W/O SLCV)
- 385-2832 CYLINDER, BKT
- 385-3232 LINKAGE, BKT W/O LIFT
- 394-7482 STICK, R3.0M (9'10") HD THUMB
- 510-1058 COMBINED CIR STP PKG  
 VALVE, HYDRAULIC, TCS  
 JOYSTICK, THUMB WHEEL  
 MAT, FLOOR, RH PEDAL  
 PEDAL, STRAIGHT TRAVEL  
 PILOT LINES, BKT OPEN STD  
 PILOT LINES, BOOM UP STD/VAB  
 PILOT LINES, TCS  
 CIRCUIT, COMBINED  
 MACHINE CONTROLLER TCS
- 390-4278 LINES-HP, REACH BOOM
- 372-9668 LINES-HP, R3.0M (9'10") STICK
- 390-4280 LINES-QC, REACH BOOM
- 393-8771 LINES-QC, R3.0M (9'10") STICK
- 447-1666 FAN, FIXED SPEED
- 426-0307 ENGINE HOOD
- 426-0298 GUARD, BOTTOM
- 169-7904 GUARD, TRACK MOTOR
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 120-7199 GUARD, TRACK GUIDING, CENTER
- 291-7762 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 340-8204 TRACK, 700MM (28") TG W/STEP (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 353-1903 WASHER, WINDSHIELD UPPER
- 369-0145 PANEL, STD START SWITCH
- 390-4281 SUPPORT, AUX LINES, R-BOOM
- 502-1169 PILOT LINES, STRAIGHT TRAVEL
- 420-3837 FRAME, BASE, LONG U/C
- 427-9707 CAM, REAR VW,MIRRORS RH W/O GR
- 426-2487 TANK, FUEL



## CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
426-2531 COUNTERWEIGHT, 2.2MT (4,850LBS)		
430-8468 AIR CLEANER, STANDARD		
435-8177 SWIVEL, STANDARD		
453-7538 SEAT, H-BACK, W/HEATER,S/AIR		
396-3561 PILOT LINES, NO BLADE		
501-4884 LINES, BKT CLOSE PGQC		
578-2756 PRODUCT LINK, CELLULAR PL641		
427-7857 DECALS, EXTERIOR ANSI		
504-9460 DECALS, CAB ANSI		
504-1080 CTRL,CAT PIN GRAB COUPLER ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		

CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>585-4569</b></p> <p><b>313F L HEX AM-N DCA4C</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE &amp; TACOMA DIST. CENTER</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>DCA 4(2.8M (9'2") Stick, Tool Control (HP), 600mm (24") Track with CGC</p> <p>Versatile machine with tool control, coupler circuit and CGC</p> <p>INCLUDES:</p> <p>482-2919 313F L HEX</p> <p>488-6543 SEAT BELT, 51MM (2") RETRACTABLE</p> <p>427-9706 CONTROL, FINE SWING</p> <p>432-1339 AIR CONDITIONER</p> <p>352-7158 ACCUMULATOR WITH CRN</p> <p>360-6166 ALARM, TRAVEL</p> <p>457-1778 REACH BOOM HD CGC PKG                      REACH BOOM, 4.65M (15'3") HD, SC                      CYLINDER, BOOM (W/O BLCV)                      CYLINDER, STICK (W/O SLCV)</p> <p>368-7043 CYLINDER, BKT CGC</p> <p>385-3232 LINKAGE, BKT W/O LIFT</p> <p>517-7293 STICK, R2.8M (9'2") HD CGC</p> <p>510-1058 COMBINED CIR STP PKG                      VALVE, HYDRAULIC, TCS                      JOYSTICK, THUMB WHEEL                      MAT, FLOOR, RH PEDAL                      PEDAL, STRAIGHT TRAVEL                      PILOT LINES, BKT OPEN STD                      PILOT LINES, BOOM UP STD/VAB                      PILOT LINES, TCS                      CIRCUIT, COMBINED                      MACHINE CONTROLLER TCS</p> <p>390-4278 LINES-HP, REACH BOOM</p> <p>374-0085 LINES-HP, R2.8M (9'2") STICK</p> <p>390-4280 LINES-QC, REACH BOOM</p> <p>393-8772 LINES-QC, R2.8M (9'2") STICK</p> <p>447-1666 FAN, FIXED SPEED</p> <p>426-0307 ENGINE HOOD</p> <p>426-0298 GUARD, BOTTOM</p> <p>169-7904 GUARD, TRACK MOTOR</p> <p>372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>340-6667 HATCH, OPENABLE ROOF (DUAL)</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>120-7199 GUARD, TRACK GUIDING, CENTER</p> <p>291-7762 LIGHT, BOOM RIGHT SIDE</p> <p>319-1179 LIGHTING, CAB (HALOGEN)</p> <p>340-8203 TRACK, 600MM (24") (24") TG (GLT)</p> <p>342-3202 BATTERY, COLD WEATHER</p> <p>342-3636 WIPER-RADIAL, FRONT 70/30</p> <p>353-1903 WASHER, WINDSHIELD UPPER</p> <p>369-0145 PANEL, STD START SWITCH</p> <p>390-4281 SUPPORT, AUX LINES, R-BOOM</p> <p>502-1169 PILOT LINES, STRAIGHT TRAVEL</p> <p>420-3837 FRAME, BASE, LONG U/C</p> <p>427-9707 CAM, REAR VW,MIRRORS RH W/O GR</p> <p>426-2487 TANK, FUEL</p> <p>426-2531 COUNTERWEIGHT, 2.2MT (4,850LBS)</p>	<p><b>\$216,070</b></p>
---	-------------------------

CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 430-8470 AIR CLEANER, STANDARD CGC
- 435-8177 SWIVEL, STANDARD
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 396-3561 PILOT LINES, NO BLADE
- 501-4884 LINES, BKT CLOSE PGQC
- 578-2756 PRODUCT LINK, CELLULAR PL641
- 427-7857 DECALS, EXTERIOR ANSI
- 504-9460 DECALS, CAB ANSI
- 504-1080 CTRL,CAT PIN GRAB COUPLER ANSI
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 295-9675 GUARD, CYLINDER COVER, CGC
- 504-9477 GRADE CONTROL, DEPTH AND SLOPE
- 349-2075 SENSOR MOUNT, CGC/SC
- 504-9477 GRADE CONTROL, DEPTH AND SLOPE

<b>565-3840</b>	<b>313F L HEX AM-N BCF1 . . . . . 0</b> LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	<b>\$165,010</b>
-----------------	---	------------------

Well suited for general applications

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

INCLUDES:

- 482-2919 313F L HEX
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 432-1339 AIR CONDITIONER
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 352-7158 ACCUMULATOR WITH CRN
- 353-1903 WASHER, WINDSHIELD UPPER
- 369-0145 PANEL, STD START SWITCH
- 502-1169 PILOT LINES, STRAIGHT TRAVEL
- 426-0307 ENGINE HOOD
- 426-2487 TANK, FUEL
- 426-2531 COUNTERWEIGHT, 2.2MT (4,850LBS)
- 427-9706 CONTROL, FINE SWING
- 427-9707 CAM, REAR VW,MIRRORS RH W/O GR
- 447-1666 FAN, FIXED SPEED
- 169-7904 GUARD, TRACK MOTOR
- 291-7762 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 360-6166 ALARM, TRAVEL
- 385-3232 LINKAGE, BKT W/O LIFT
- 385-2832 CYLINDER, BKT

CATERPILLAR MACHINE PRICE LIST

**313F**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>565-3842</b></p> <p><b>313F L HEX AM-N BCF2</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p><b>\$179,300</b></p>
---	-------------------------

Versatile machine with CAT Grade Control

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

- INCLUDES:**
- 482-2919 313F L HEX
  - 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
  - 432-1339 AIR CONDITIONER
  - 340-6667 HATCH, OPENABLE ROOF (DUAL)
  - 496-8191 RADIO, 24V AM/FM
  - 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
  - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
  - 342-3202 BATTERY, COLD WEATHER
  - 342-3636 WIPER-RADIAL, FRONT 70/30
  - 352-7158 ACCUMULATOR WITH CRN
  - 353-1903 WASHER, WINDSHIELD UPPER
  - 369-0145 PANEL, STD START SWITCH
  - 502-1169 PILOT LINES, STRAIGHT TRAVEL
  - 426-0307 ENGINE HOOD
  - 426-2487 TANK, FUEL
  - 426-2531 COUNTERWEIGHT, 2.2MT (4,850LBS)
  - 427-9706 CONTROL, FINE SWING
  - 427-9707 CAM, REAR VW,MIRRORS RH W/O GR
  - 447-1666 FAN, FIXED SPEED
  - 169-7904 GUARD, TRACK MOTOR
  - 291-7762 LIGHT, BOOM RIGHT SIDE
  - 319-1179 LIGHTING, CAB (HALOGEN)
  - 360-6166 ALARM, TRAVEL
  - 385-3232 LINKAGE, BKT W/O LIFT
  - 368-7043 CYLINDER, BKT CGC
  - 295-9675 GUARD, CYLINDER COVER, CGC
  - 504-9477 GRADE CONTROL, DEPTH AND SLOPE
  - 349-2075 SENSOR MOUNT, CGC/SC

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**DECAL PACKAGE**

OP-7124	INSTRUCTION,NORTH AMERICA ANSI . . . . .	0	NC
	This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		

L	450-2216	INSTRUCTIONS, INTERNATIONAL . . . . .	0	NC
---	----------	---------------------------------------	---	----

**SERVICE INSTRUCTIONS**

OP-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
OP-3389	INSTRUCTIONS, FRENCH . . . . .	0	NC
OP-3404	INSTRUCTIONS, SPANISH . . . . .	0	NC

**PACKING**

**STRAGE PROTECTION**

OG-4126	STORAGE PROTECTION (EXPORT) . . . . .	0	\$281 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

**EXPORT PACKING**

OG-0498	ROLL ON-ROLL OFF LANE1 A . . . . .	0	\$156 NET
---------	------------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***CGC PRICE ADJUSTMENT***

0P-4242	<b>CGC PRICE ADJUSTMENT-S</b> . . . . . 0	<b>\$-4,850</b>
	CGC Price adjustment for small excavators in North America to accelerate technology and improve customer value.	

ONLY FOR USE WITH: CGC Configurations

***ANTIFREEZE***

0P-2407	<b>ANTIFREEZE, -50C (-58F)</b> . . . . . 0	<b>\$283 NET</b>
---------	--	------------------

**LANE SELECTION**

0P-9002	<b>LANE 2 ORDER</b> . . . . . 0	<b>NC</b>
	Only for dealers enrolled in the Base Orders Management (BOM) program.	
0P-9003	<b>LANE 3 ORDER</b> . . . . . 0	<b>NC</b>

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

NOTE: When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem\_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

**BOOM PACKAGES**

L	457-1776	<b>REACH BOOM HD PKG</b> . . . . . 0		<b>\$12,000</b>
		Reach Boom, 4.65M (15'3") Heavy Duty (HD) Package (PKG) Includes boom light, left INCLUDES: - REACH BOOM, 4.65M (15'3") HD - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) ONLY FOR USE WITH: 510-1043 313F L HEX AM-N BCF1		
L	457-1777	<b>REACH BOOM HD BLCV/SLCV PKG</b> . . . . . 0		<b>\$14,760</b>
		Reach Boom, 4.65M (15'3") Heavy Duty (HD) Boom Lowering Control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Includes boom light, left INCLUDES: - REACH BOOM, 4.65M (15'3") HD - CYLINDER, BOOM (W/BLCV) - CYLINDER, STICK (W/SLCV) ONLY FOR USE WITH: 510-1043 313F L HEX AM-N BCF1 or 561-5594 313F L HEX EU BCF1 or 510-1053 313F L HEX ANZ BCF1 or 510-1054 313F L HEX ANZ BCF2		
L	457-1778	<b>REACH BOOM HD CGC PKG</b> . . . . . 0		<b>\$12,000</b>
		Reach Boom, 4.65M (15'3") Heavy Duty (HD) Cat Grade Control (CGC) Package (PKG) Includes boom light, left INCLUDES: - REACH BOOM 15'3" HD, CGC - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) ONLY FOR USE WITH: 510-1044 313F L HEX AM-N BCF2		
L	507-0055	<b>REACH BOOM HD CGC B/SLCV PKG</b> . . . . . 0		<b>\$14,760</b>
		Reach Boom, 4.65M (15'3") Heavy Duty (HD), Cat Grade Control (CGC) Boom Lowering Control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Includes boom light, left INCLUDES: - REACH BOOM 15'3" HD, CGC - CYLINDER, BOOM (W/BLCV) - CYLINDER, STICK (W/SLCV) REQUIRES: 441-6341 GRADE CONTROL, DEPTH AND SLOPE 349-2075 SENSOR MOUNT, CGC/SC AM-N BCF2 already includes GRADE CONTROL and SENSOR MOUNT. ONLY FOR USE WITH: 510-1044 313F L HEX AM-N BCF2 or 561-5594 313F L HEX EU BCF1 or 510-1053 313F L HEX ANZ BCF1 or 510-1054 313F L HEX ANZ BCF2		

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**STICK**

L	394-7476	STICK, R9'2" HD . . . . . 0 CANNOT BE USED WITH: 457-1778 REACH BOOM HD CGC PKG 507-0055 REACH BOOM HD CGC B/SLCV PKG		\$5,720
L	517-7293	STICK, R9'2" HD CGC . . . . . 0 ONLY FOR USE WITH: 457-1778 REACH BOOM HD CGC PKG 507-0055 REACH BOOM HD CGC B/SLCV PKG		\$5,720
L	394-7475	STICK, R9'10" HD . . . . . 0 CANNOT BE USED WITH: 457-1778 REACH BOOM HD CGC PKG 507-0055 REACH BOOM HD CGC B/SLCV PKG		\$6,260
L	394-7482	STICK, R9'10" HD THUMB . . . . . 0 This stick is a Thumb-Ready Stick that works with Cat Pro Series and Pro Series Plus hydraulic thumbs and includes the mounting bracket and reinforcements so that a hydraulic thumb can easily be installed and significantly minimize the installation labor. CANNOT BE USED WITH: 457-1778 REACH BOOM HD CGC PKG 507-0055 REACH BOOM HD CGC B/SLCV PKG		\$6,670
L	394-7646	STICK, R9'10" HD CGC . . . . . 0 ONLY FOR USE WITH: 457-1778 REACH BOOM HD CGC PKG 507-0055 REACH BOOM HD CGC B/SLCV PKG		\$6,260



CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN**

**AIR CLEANER**

L	430-8468	AIR CLEANER, STANDARD . . . . .	0	\$730
		CANNOT BE USED WITH: 457-1778 REACH BOOM HD CGC PKG		
L	430-8470	AIR CLEANER, STANDARD CGC . . . . .	0	\$730
		ONLY FOR USE WITH: 457-1778 REACH BOOM HD CGC PKG		

**UNDERCARRIAGE**

**TRACKS**

L	340-8201	TRACK, 20" TG (GLT) . . . . .	0	\$289
L	533-6302	TRACK, 20" TG W/RUBBER PAD . . . . .	0	\$10,930
L	340-8203	TRACK, 24" TG (GLT) . . . . .	0	\$1,315
L	340-8204	TRACK, 28" TG W/STEP (GLT) . . . . .	0	\$1,315

**TRUCK GUARD**

L	120-7199	GUARD, TRACK GUIDING, CENTER . . . . .	82	\$855
L	363-1114	GUARD, TRACK GUIDE, SEGMENTED . . . . .	0	\$1,105

**HYDRAULICS**

Select one NO AUXILIARY CIRCUIT or AUXILIARY CIRCUIT

**NO AUXILIARY CIRCUIT**

L	510-1057	JOYSTICK STANDARD STP PKG . . . . .	0	\$1,895
		Joystick Standard STP (Straight Travel Pedal) Package (PKG)		
		INCLUDES:		
		- VALVE, HYDRAULIC		
		- JOYSTICK, ONE BUTTON		
		- MAT, FLOOR, RH PEDAL		
		- PEDAL, STRAIGHT TRAVEL		
		- PILOT LINES, BKT OPEN STD		
		- PILOT LINES, BOOM UP STD/VAB		
		- PILOT LINES, TCS STD		
		- MACHINE CONTROLLER STD		
		ONLY FOR USE WITH: 457-1776 REACH BOOM HD PKG		

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

***NO AUXILIARY CIRCUIT (Cont.)***

L	516-2118	<b>JOYSTICK TWJ STP PKG</b> ..... 0 Joystick Standard STP (Straight Travel Pedal) Package (PKG) INCLUDES: - VALVE, HYDRAULIC - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS STD - MACHINE CONTROLLER STD ONLY FOR USE WITH: 510-1044 313F L HEX AM-N BCF2		\$3,125
---	----------	---	--	---------

***AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE***

L	510-1058	<b>COMBINED CIR STP PKG</b> ..... 0 Combined Circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) Joystick Thumb Wheel Joystick (TWJ) is included. INCLUDES: - VALVE, HYDRAULIC, TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS - CIRCUIT, COMBINED - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1776 REACH BOOM HD PKG or 457-1778 REACH BOOM HD CGC PKG		\$8,910
L	510-1062	<b>COMBINED CIR STP B/SLCV PKG</b> ..... 0 Combined Circuit (CIR) STP (Straight Travel Pedal) Boom Lowering Control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) Joystick Thumb Wheel Joystick (TWJ) is included. INCLUDES: - VALVE, HYDRAULIC, TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS - CIRCUIT, COMBINED - DEVICE, BOOM LOWERING W/OLWD - DEVICE, STICK LOWERING CONTROL - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1777 REACH BOOM HD BLCV/SLCV PKG		\$9,820

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT COMBINED CIRCUIT W/ MED PRESSURE**

L	510-1060	<b>COMBINED MP CIR STP PKG . . . . . 0</b> Combined Medium Pressure (MP) Circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) Joystick Thumb Wheel Joystick (TWJ) is included. INCLUDES: - VALVE, HYDRAULIC, TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS - CIRCUIT, COMBINED - CIRCUIT, MEDIUM PRESSURE - PEDAL, TOOL MODULATION (LH) - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1776 REACH BOOM HD PKG or 457-1778 REACH BOOM HD CGC PKG	0	\$15,260
L	510-1061	<b>COMBINED MP CIR STP BLADE PKG . . . . . 0</b> Combined Medium Pressure (MP) Circuit (CIR) Straight Travel Pedal (STP) Blade Package (PKG) Combined circuit (1 way / 2 way) Joystick Thumb Wheel Joystick (TWJ) is included. INCLUDES: - VALVE, HYDRAULIC, TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS - CIRCUIT, COMBINED - CIRCUIT, MEDIUM PRESSURE BLADE - PEDAL, TOOL MODULATION (LH) - MACHINE CONTROLLER TCS REQUIRES: 282-4576 BLADE, 2500MM (8'2") or 282-4579 BLADE, 2600MM (8'6") or 282-4582 BLADE, 2700MM (8'10") ONLY FOR USE WITH: 457-1776 REACH BOOM HD PKG or 457-1778 REACH BOOM HD CGC PKG	0	\$15,050

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT - THUMB**

L	510-1059	THUMB CIR STP PKG . . . . . 0		\$4,630
		Circuit, Thumb Straight Travel Pedal (STP) Package (PKG) This package is for double function (2 way) hydraulic tools (Thumb, etc) INCLUDES: - VALVE, HYDRAULIC - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, THUMB - CIRCUIT, THUMB - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1776 REACH BOOM HD PKG and 394-7482 STICK, R3.0M (9'10") HD THUMB		

**LINE GROUPS**

**PILOT LINES**

L	396-3561	PILOT LINES, NO BLADE . . . . . 0		NC
		CANNOT BE USED WITH: 282-4579 BLADE, 2600MM (8'6") 282-4582 BLADE, 2700MM (8'10")		
L	396-3565	PILOT LINES, BLADE . . . . . 0		NC
		REQUIRES: 282-4579 BLADE, 2600MM (8'6") 282-4582 BLADE, 2700MM (8'10")		

**BUCKET LINES**

L	396-3556	LINES, BKT CLOSE STD . . . . . 0		NC
		CANNOT BE USED WITH: 463-1944 CTRL,CAT PIN GRAB COUPLER ANSI or 451-0181 CTRL,CAT PIN GRAB COUPLER ISO		
L	501-4884	LINES, BKT CLOSE PGQC . . . . . 0		NC
		REQUIRES: 463-1944 CTRL,CAT PIN GRAB COUPLER ANSI or 451-0181 CTRL,CAT PIN GRAB COUPLER ISO		

**TECHNOLOGY PRODUCTS**

**CGC PRICE ADJUSTMENT**

	0P-4242	CGC PRICE ADJUSTMENT-S . . . . . 0		\$-4,850
		CGC Price adjustment for small excavators in North America to accelera technology and improve customer value. ONLY FOR USE WITH: CGC Configurations		

**GUARDS**

**BOTTOM GUARD**

L	426-0298	GUARD, BOTTOM . . . . . 0		\$454
		Standard plate thickness		

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**GUARDS (CONT.)**

***BOTTOM GUARD (Cont.)***

L	426-0299	GUARD, BOTTOM HD ..... 0 Increased plate thickness & Bolt protection		\$1,080
---	----------	---	--	---------

***SWIVEL GUARD***

L	137-2813	GUARD, SWIVEL ..... 48		\$286
---	----------	------------------------	--	-------

**OTHER ATTACHMENTS**

***DECALS - EXTERIOR***

L	427-7857	DECALS, EXTERIOR ANSI ..... 0 AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

***DECALS - CAB***

L	504-9460	DECALS, CAB ANSI ..... 0 ONLY FOR USE WITH: 427-7857 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

***PRODUCT LINK***

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	578-2756	PRODUCT LINK, CELLULAR PL641 ..... 0 ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G/4G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: 427-7857 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		NC
L	460-1150	PRODUCT LINK, SATELLITE PL631 ..... 0 ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: 427-7857 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (Except for Quebec)		\$446

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**FRAMES**

***BASE FRAME***

L	420-3837	FRAME, BASE, LONG U/C . . . . . 0		NC
		ONLY FOR USE WITH: 396-3561 PILOT LINES, NO BLADE		
L	420-3840	FRAME, BASE, LONG U/C BLADE . . . . . 0		\$1,855
		ONLY FOR USE WITH: 396-3565 PILOT LINES, BLADE		

***SWIVEL***

L	435-8177	SWIVEL, STANDARD . . . . . 0		NC
		ONLY FOR USE WITH: 420-3837 FRAME, BASE, LONG U/C		
L	435-8178	SWIVEL, BLADE . . . . . 0		\$675
		ONLY FOR USE WITH: 420-3840 FRAME, BASE, LONG U/C BLADE		

**INSTRUCTIONS**

***OPERATION & MAINTENANCE MANUAL***

	OP-3380	INSTRUCTIONS, ENGLISH . . . . . 0		NC
	OP-3404	INSTRUCTIONS, SPANISH . . . . . 0		NC

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS**

**HIGH PRESSURE AUXILIARY BOOM & STICK LINES**

L	390-4278	LINES-HP, REACH BOOM . . . . . 0		\$1,815
		REQUIRES: SUPPORT, AUX LINES, R-BOOM REQUIRES: 390-4281 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 457-1776 REACH BOOM HD PKG or 457-1777 REACH BOOM HD BLCV/SLCV PKG or 457-1778 REACH BOOM HD CGC PKG or 507-0055 REACH BOOM HD CGC B/SLCV PKG and 516-2120 COMBINED CIR PKG or 457-1799 COMBINED CIR STP PKG or 457-1803 COMBINED CIR STP B/SLCV PKG or 457-1802 COMBINED MP CIR STP PKG or 507-0053 COMBINED MP CIR PKG or 492-2955 COMBINED MP CIR STP BLADE PKG or 507-0054 COMBINED MP CIR BLADE PKG 457-1801 THUMB CIR STP PKG		
L	374-0085	LINES-HP, R9'2" STICK . . . . . 0		\$515
		ONLY FOR USE WITH: 394-7476 STICK, R2.8M (9'2") HD or 517-7293 STICK, R2.8M (9'2") HD CGC or and 390-4278 LINES-HP, REACH BOOM		
L	372-9668	LINES-HP, R9'10" STICK . . . . . 0		\$515
		ONLY FOR USE WITH: 394-7475 STICK, R3.0M (9'10") HD or 394-7646 STICK, R3.0M (9'10") HD CGC or 394-7482 STICK, R3.0M (9'10") HD THUMB and 390-4278 LINES-HP, REACH BOOM		

**MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES**

L	390-4279	LINES-MP, REACH BOOM . . . . . 0		\$1,235
		REQUIRES: 390-4281 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 457-1776 REACH BOOM HD PKG or 457-1777 REACH BOOM HD BLCV/SLCV PKG or 457-1778 REACH BOOM HD CGC PKG or 507-0055 REACH BOOM HD CGC B/SLCV PKG and 457-1802 COMBINED MP CIR STP PKG or 507-0053 COMBINED MP CIR PKG or 492-2955 COMBINED MP CIR STP BLADE PKG or 507-0054 COMBINED MP CIR BLADE PKG		
L	381-5996	LINES-MP, R9'2" STICK . . . . . 0		\$413
		ONLY FOR USE WITH: 394-7476 STICK, R2.8M (9'2") HD and 517-7293 STICK, R2.8M (9'2") HD CGC or and 390-4279 LINES-MP, REACH BOOM		
L	372-9807	LINES-MP, R9'10" STICK . . . . . 0		\$413
		ONLY FOR USE WITH: 394-7475 STICK, R3.0M (9'10") HD or 394-7646 STICK, R3.0M (9'10") HD CGC and 390-4279 LINES-MP, REACH BOOM		

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**QUICK COUPLER CONTROL**

L	504-1080	CTRL,CAT PIN GRAB COUPLER ANSI . . . . . 0		\$885
		ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 427-7857 DECALS, EXTERIOR ANSI and 465-1059 LINES, BKT CLOSE PGQC AVAILABLE FOR: AM-N (Except for Quebec)		

**QUICK COUPLER BOOM & STICK LINES**

L	390-4280	LINES-QC, REACH BOOM . . . . . 0		\$1,330
		(* If already selected 390-4281 (SUPPORT, AUX LINES, R-BOOM) no need to select this again. REQUIRES: 390-4281 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 457-1776 REACH BOOM HD PKG or 457-1777 REACH BOOM HD BLCV/SLCV PKG or 457-1778 REACH BOOM HD CGC PKG or 507-0055 REACH BOOM HD CGC B/SLCV PKG and 463-1944 CTRL,CAT PIN GRAB COUPLER ANSI or 451-0181 CTRL,CAT PIN GRAB COUPLER ISO or 383-5462 CTRL, CW DEDICATED COUPLER 1PB 383-5463 CTRL, CW DEDICATED COUPLER VAB		
L	393-8772	LINES-QC, R9' 2" STICK . . . . . 26		\$960
		ONLY FOR USE WITH: 394-7476 STICK, R2.8M (9'2") HD or 517-7293 STICK, R2.8M (9'2") HD CGC and 390-4280 LINES-QC, REACH BOOM		
L	393-8771	LINES-QC, R9' 10" STICK . . . . . 33		\$960
		ONLY FOR USE WITH: 394-7475 STICK, R3.0M (9'10") HD or 394-7646 STICK, R3.0M (9'10") HD CGC or 394-7482 STICK, R3.0M (9'10") HD THUMB and 390-4280 LINES-QC, REACH BOOM		

**BOOM LINE AUXILIARY MOUNT**

L	390-4281	SUPPORT, AUX LINES, R-BOOM . . . . . 0		NC
		Required when any boom aux lines are selected. ONLY FOR USE WITH: 390-4278 LINES-HP, REACH BOOM 390-4279 LINES-MP, REACH BOOM 390-4280 LINES-QC, REACH BOOM		

**OPERATOR ENVIRONMENT**

**HAND CONTROL CHANGER**

Mandatory for AM-N

L	349-2233	CHANGER,HAND CTRL 2-WAY (ANSI) . . . . . 0		\$1,290
		ONLY FOR USE WITH: 427-7857 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (Except for Quebec)		



CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROL OPTIONS - GRADE WITH 3D**

L	519-1531	GRADE W/3D GPS UNIT . . . . . 0		\$46,840
		Cat GRADE with 3D is a factory installed. Includes a Cat GRADE with 3D display, dual mounted GNSS antennas including receivers, fully calibrated GNSS antennas. Requires an off-board GPS radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and site set-up. REQUIRES: ANZ and EUR 504-9477 GRADE CONTROL, DEPTH AND SLOPE ONLY FOR USE WITH: 510-1044 313F L HEX AM-N BCF2 or 510-1053 313F L HEX ANZ BCF1 or 510-1054 313F L HEX ANZ BCF2 or 561-5594 313F L HEX EU BCF1		

**SAFETY AND SECURITY**

**BUMPER**

L	350-6337	BUMPER, SIDE STEEL . . . . . 0		\$705
		Provides steel bumper along the outside of the upper frame.		

**QUICK COUPLERS**

**QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)**

L	455-3914	COUPLER, PG W/O PIN 311-315 . . . . . 421		\$7,388
		FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Cat pin grabber coupler. (No Pins) Does NOT include spare pins. ONLY FOR USE WITH: 463-1944 CTRL,CAT PIN GRAB COUPLER ANSI or 451-0181 CTRL,CAT PIN GRAB COUPLER ISO and 390-4280 LINES-QC, REACH BOOM and 381-5999 LINES-QC, R2.1M(6'11") STICK or 372-9770 LINES-QC, R2.5M(8'2") STICK or 393-8772 LINES-QC, R2.8M(9'2") STICK or 393-8771 LINES-QC, R3.0M(9'10") STICK		

**QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)**

L	455-3913	COUPLER, PIN GRABBER W/PINS . . . . . 467		\$7,985
		FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. ONLY FOR USE WITH: 463-1944 CTRL,CAT PIN GRAB COUPLER ANSI 451-0181 CTRL,CAT PIN GRAB COUPLER ISO and 390-4280 LINES-QC, REACH BOOM and 381-5999 LINES-QC, R2.1M(6'11") STICK or 372-9770 LINES-QC, R2.5M(8'2") STICK or 393-8772 LINES-QC, R2.8M(9'2") STICK or 393-8771 LINES-QC, R3.0M(9'10") STICK		

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES**

**BLADE CONTROLS**

L	430-8482	INSTALLATION, BLADE W/O MP . . . . . 0 ONLY FOR USE WITH: 457-1798 JOYSTICK STANDARD STP PKG or 457-1799 COMBINED CIR STP PKG or 457-1803 COMBINED CIR STP B/SLCV PKG and 396-3565 PILOT LINES, BLADE		\$6,830
L	430-8483	INSTALLATION, BLADE MP . . . . . 0 ONLY FOR USE WITH: 492-2955 COMBINED MP CIR STP BLADE PKG or 507-0054 COMBINED MP CIR BLADE PKG and/or 509-9721 VAB COMBINED MP CIR B/SLCV PKG 396-3565 PILOT LINES, BLADE		\$6,830

**BLADES**

L	282-4576	BLADE, 8'2" . . . . . 963 This blade is recommended for use with 500mm (24") track shoes. ONLY FOR USE WITH: 430-8482 INSTALLATION, BLADE or 430-8483 INSTALLATION, BLADE MP		\$4,050
L	282-4579	BLADE, 8'6" . . . . . 1,089 This blade is recommended for use with 600mm (24") track shoes. ONLY FOR USE WITH: 430-8482 INSTALLATION, BLADE or 430-8483 INSTALLATION, BLADE MP		\$5,680
L	282-4582	BLADE, 8'10" . . . . . 1,111 This blade is recommended for use with 700mm (28") track shoes. ONLY FOR USE WITH: 430-8482 INSTALLATION, BLADE or 430-8483 INSTALLATION, BLADE MP		\$6,480

**BUCKETS**

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.  
 Rated capacity, SAE heaped.

**GENERAL DUTY (GD)**

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

P	571-2854	BKT GD 36" 0.69YD3 312 . . . . . 882 REQUIRES: 6 Advansys 70 size tips		\$4,606
P	571-2855	BKT GD 42" 0.84YD3 312 . . . . . 968 REQUIRES: 7 Advansys 70 size tips		\$4,738
P	571-2856	BKT GD 48" 1.00YD3 312 . . . . . 1,056 REQUIRES: 7 Advansys 70 size tips		\$5,090

**SEVERE DUTY (SD)**

For higher abrasion conditions such as well shot granite and caliche.

P	552-8142	BKT SD 36" 0.69YD3 312 . . . . . 1,014 REQUIRES: 5 Advansys 80 size tips		\$5,628
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**313F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>BUCKETS (CONT.)</b>				
<b>SEVERE DUTY (SD) (Cont.)</b>				
P	552-8143	BKT SD 42" 0.85YD3 312 ..... REQUIRES: 5 Advansys 80 size tips	1,113	\$6,022
<b>SIDE CUTTERS</b>				
P	380-1203	SIDE CUTTER, GENERAL PURPOSE.....	38	\$504
<b>TIPS ADVANSYS 70</b>				
P	539-5678	TIP, GENERAL DUTY ADVANSYS .....	10	\$58
<b>TIPS ADVANSYS 80</b>				
P	505-4083	TIP, PENETRATION PLUS ADVANSYS .....	17	\$89
<b>FLUIDS</b>				
	0P-2407	ANTIFREEZE, -50C (-58F) .....	0	\$283 NET
<b>PACKING</b>				
<b>STORAGE PROTECTION</b>				
	0G-4126	STORAGE PROTECTION (EXPORT) ..... Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	0	\$281 NET
<b>EXPORT PACKING</b>				
	0G-4201	ROLL ON-ROLL OFF ..... For use when ordering an installed bucket or quick coupler	0	\$122 NET
	0G-0479	ROLL ON-ROLL OFF W/O BKT QC A ..... For use when NOT ordering an installed bucket or quick coupler	0	\$156 NET