

**CATERPILLAR MACHINE PRICE LIST**

**313FGC**

**313F EXCAVATOR  
 AKASHI, JAPAN**

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Diesel engine C3.4,
- Certify to EPA Tier4 final,
- EU Stage 3B, MLIT Step5
- 3000m altitude capability
- One touch low idle with AEC
- Engine mount oil filter
- Waved fin radiator and side-by-side oil cooler
- Radiator Screen
- Fixed type A/C condenser
- Radial seal air filter, double element
- Water separator in fuel line
- Secondary engine shutoff switch
- Water level indicator for water separator
- EIS (Engine Idle Shutdown) function
- Steel wall between engine and main pump

**UNDERCARRIAGE**

- Base frame with New Eye for Diagonal Lashing
- Towing eye on baseframe
- Grease lubricated track GLT2

**HYDRAULICS**

- High performance hyd. Return filter
- Element type filter

**ELECTRICAL**

- Cat battery
- 50 Amp alternator, Air intake heater
- Light, storage box mounted (one)
- Signaling/ Warning horn
- Time delay function for boom light and cab light
- CAT data link w/ capability of using E.T.
- Capability of installing;
- cab lights
- boom light (right side)

**OPERATOR ENVIRONMENT**

- Cab:
- Bolt-on FOGS capability
- Openable front windshield w/ assist device
- Pillar mounted upper windshield wiper and washer
- Cab sliding upper door window
- Removable lower windshield w/ in cab storage bracket
- Washer for radial wiper
- Front windshield glass split by 70/30
- Rear window, emergency exit

Operator station:

- Interior lighting
- Ashtray/Coat hook
- Literature holder/Beverage holder
- Utility space for magazine
- Radio mounting (meet DIN size) on the right side switch pannel with cover
- Seat integrated control joystick
- Mounting for two stereo speakers (two locations)
- Storage compartment suitable for lunch box
- Antenna flexible type
- Adjustable console
- Adjustable armrest
- Neutral lever (lock out) for all controls
- 1 x 12V Power supply, 10A

Monitor:

- Language display
- Full graphic and full color display.
- Warning information.
- Filter/Fluid change information,
- Working hour information Machine condition
- Error code and tool mode setting information.

Pedal:

- Capability of installing 2 addtl pedals
- Travel control pedals w/ removable hand levers

**OTHER STANDARD EQUIPMENT**

- 10 micron primary fuel filter, remote
- 4 micron secondary fuel filter,
- Capability of installing;
- stackable valves for main valve (maximum two valves)
- auxiliary circuit (aux. 3rd pump and valves)
- boom lowering control device and stick lowering check valve
- Medium Pressure circuit
- Quick coupler circuit
- Automatic swing parking brake
- Two speed travel
- Caterpillar one key security system
- Door locks and cap locks
- Circuit breaker (12V)
- Mirrors, rearview (frame -right, cab -left)
- Reverse swing damping valve
- Positive filtered ventilation

CATERPILLAR MACHINE PRICE LIST

# 313FGC

---

313F EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Orders Program.  
Please use lane 2 when placing orders that are part of the  
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

**313FGC**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>585-4574</b></p> <p><b>313F L GC HEX AM-N DCA1C</b> . . . . . 0</p> <p>LANE 1 - Available from Baltimore and Tacoma PDC                      LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2                      LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>ADSD-N - DCA1 (3.0m (9'10") Stick, 600mm (24") Track, CPG-QC)</p> <p>Versatile Machine with Wide Track Shoes, Tool Control and Coupler Hydraulics.</p> <p>INCLUDES:</p> <p>450-2848 313F L GC HYD EXCAVATOR                      449-7944 CAB-ROPS,70/30 W/VANDAL-G BOSS                      450-3486 FRAME, BASE                      437-9274 GUARD, TRACK GUIDING, CENTER                      450-2754 COUNTERWEIGHT, 2.45 TON (5,400 LBS)                      424-5406 FAN, FIXED                      450-9265 SWIVEL, STANDARD                      449-8073 SEAT, H-BACK, SUSPENSION                      450-1241 PILOT LINES, STD                      342-3201 BATTERY, STANDARD                      390-4278 LINES-HP, REACH BOOM                      390-4281 SUPPORT, AUX LINES, R-BOOM                      450-5923 LINES-QC, REACH BOOM                      459-0355 RADIATOR SCREEN                      449-5721 AIR CONDITIONER                      448-9514 ACCUMULATOR WITH CRN                      488-6543 SEAT BELT, 51MM (2") RETRACTABLE                      449-9975 ALARM, TRAVEL                      456-0979 BOOM PKG                          BOOM, REACH 4.65M (15'3")                          CYLINDER, BOOM (W/O BLCV)                          CYLINDER, STICK (W/O SLCV)                      565-3866 BUCKET CYL/LINKAGE PKG                          LINKAGE, BKT W/O EYE                          CYLINDER, BKT                      503-8957 COMBINED CIR PKG                          VALVE, HYDRAULIC TCS                          JOYSTICK, THUMB WHEEL                          FLOORMAT                          LINES, CYLINDER, BOOM, STANDARD                          PILOT LINES, BUCKET STD                          CIRCUIT, COMBINED ELE TWJ                      394-7475 STICK, R3.0M (9'10") HD                      457-9874 TRACK, 600MM (24") TG (GLT)                      449-7972 TANK, FUEL, RH MIRROR MOUNT                      451-3928 INSTRUCTIONS OUTSIDE, ANSI                      488-6415 INSTRUCTIONS CAB, ANSI                      288-7392 LINES-HP, 3.0M (9'10") STICK                      451-9260 CAMERA, REAR VIEW, MIRRORS                      448-9517 CHANGER, HAND CTRL 2-WAY ANSI                      288-7395 LINES-QC, 3.0M (9'10") STICK                      451-3955 CTRL, CAT PIN GRABBER COUPLER                      585-4202 PRODUCT LINK, CELLULAR PL641</p>	<p>0</p>	<p><b>\$173,820</b></p>
---	----------	-------------------------

CATERPILLAR MACHINE PRICE LIST

# 313FGC

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>565-3853</b></p> <p><b>313F L GC HEX AM-N BCF1</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p> <p>Base machine w/o AUX circuit, w/o Blade.                      Dirt Digger                      with Aux Valve</p> <p>Base Configuration must be completed by selecting                      Mandatory / Optional attachments.</p> <p>INCLUDES:</p> <p>450-2848 313F L GC HYD EXCAVATOR                      449-7944 CAB-ROPS,70/30 W/VANDAL-G BOSS                      450-3486 FRAME, BASE                      437-9274 GUARD, TRACK GUIDING, CENTER                      450-2754 COUNTERWEIGHT, 2.45 TON (5,400 LBS)                      424-5406 FAN, FIXED                      450-9265 SWIVEL, STANDARD                      449-8073 SEAT, H-BACK, SUSPENSION                      450-1241 PILOT LINES, STD                      342-3201 BATTERY, STANDARD                      459-0355 RADIATOR SCREEN                      449-5721 AIR CONDITIONER                      448-9514 ACCUMULATOR WITH CRN                      488-6543 SEAT BELT, 51MM (2") RETRACTABLE                      449-9975 ALARM, TRAVEL                      456-0979 BOOM PKG                          BOOM, REACH 4.65M (15'3")                          CYLINDER, BOOM (W/O BLCV)                          CYLINDER, STICK (W/O SLCV)                      565-3866 LINKAGE PKG, BKT W/O EYE                          LINKAGE, BKT W/O LIFT                          CYLINDER, BKT                      520-3056 AUXILIARY READY PKG                          VALVE, HYDRAULIC TCS                          JOYSTICK, BASIC                          FLOORMAT                          LINES, CYLINDER, BOOM,STANDARD                          PILOT LINES, BUCKET STD                          PILOT LINES, AUX READY</p>	<p>0</p>	<p><b>\$151,820</b></p>
--	----------	-------------------------

CATERPILLAR MACHINE PRICE LIST

**313FGC**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>565-3855</b></p> <p><b>313F L GC HEX AM-N BCF2</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p><b>\$161,470</b></p>
--	----------	-------------------------

REQUIRES: 451-3955/456-1019 CTRL, CAT PIN GRABBER COUPLER

Base machine w/AUX circuit, w/o Blade.  
 Versatile machine configured with auxiliary hydraulics for hammer applications.

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

- INCLUDES:
- 450-2848 313F L GC HYD EXCAVATOR
  - 449-7944 CAB-ROPS,70/30 W/VANDAL-G BOSS
  - 450-3486 FRAME, BASE
  - 437-9274 GUARD, TRACK GUIDING, CENTER
  - 450-2754 COUNTERWEIGHT, 2.45 TON (5,400 LBS)
  - 424-5406 FAN, FIXED
  - 450-9265 SWIVEL, STANDARD
  - 449-8073 SEAT, H-BACK, SUSPENSION
  - 450-1241 PILOT LINES, STD
  - 342-3201 BATTERY, STANDARD
  - 390-4278 LINES-HP, REACH BOOM
  - 390-4281 SUPPORT, AUX LINES, R-BOOM
  - 450-5923 LINES-QC, REACH BOOM
  - 459-0355 RADIATOR SCREEN
  - 449-5721 AIR CONDITIONER
  - 448-9514 ACCUMULATOR WITH CRN
  - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
  - 449-9975 ALARM, TRAVEL
  - 456-0979 BOOM PKG
    - BOOM, REACH 4.65M (15'3")
    - CYLINDER, BOOM (W/O BLCV)
    - CYLINDER, STICK (W/O SLCV)
  - 565-3866 LINKAGE PKG, BKT W/O EYE
    - LINKAGE, BKT W/O LIFT
    - CYLINDER, BKT
  - 503-8957 COMBINED CIR PKG
    - VALVE, HYDRAULIC TCS
    - JOYSTICK, THUMB WHEEL
    - FLOORMAT
    - LINES, CYLINDER, BOOM, STANDARD
    - PILOT LINES, BUCKET STD
    - CIRCUIT, COMBINED ELE TWJ

CATERPILLAR MACHINE PRICE LIST

# 313FGC

<b>313F EXCAVATOR</b>	Ship Weight	LIST PRICE
AKASHI, JAPAN	lbs	AT DEALER

<b>565-3857</b>	<b>313F L GC HEX AM-N BCF3 . . . . . 0</b>	<b>\$170,860</b>
-----------------	--	------------------

LANE 2 - AVAILABLE FROM AKASHI FACTORY  
 LANE 3 - AVAILABLE FROM AKASHI FACTORY

REQUIRES: 451-3955/456-1019 CTRL, CAT PIN GRABBER COUPLER

Base machine w/AUX circuit, w/Blade.  
 Versatile machine configured with auxiliary hydraulics and a blade.

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

- INCLUDES:
- 450-2848 313F L GC HYD EXCAVATOR
  - 449-7944 CAB-ROPS,70/30 W/VANDAL-G BOSS
  - 457-9886 FRAME, BASE, BLADE
  - 437-9274 GUARD, TRACK GUIDING, CENTER
  - 450-2754 COUNTERWEIGHT, 2.45 TON (5,400 LBS)
  - 424-5406 FAN, FIXED
  - 450-9266 SWIVEL, BLADE
  - 451-3957 CONTROL, BLADE W/PUMP
  - 449-8073 SEAT, H-BACK, SUSPENSION
  - 450-5920 PILOT LINES, BLADE
  - 342-3201 BATTERY, STANDARD
  - 390-4278 LINES-HP, REACH BOOM
  - 390-4281 SUPPORT, AUX LINES, R-BOOM
  - 450-5923 LINES-QC, REACH BOOM
  - 459-0355 RADIATOR SCREEN
  - 449-5721 AIR CONDITIONER
  - 448-9514 ACCUMULATOR WITH CRN
  - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
  - 449-9975 ALARM, TRAVEL
  - 456-0979 BOOM PKG
    - BOOM, REACH 4.65M (15'3")
    - CYLINDER, BOOM (W/O BLCV)
    - CYLINDER, STICK (W/O SLCV)
  - 565-3866 LINKAGE PKG, BKT W/O EYE
    - LINKAGE, BKT W/O LIFT
    - CYLINDER, BKT
  - 503-8957 COMBINED CIR PKG
    - VALVE, HYDRAULIC TCS
    - JOYSTICK, THUMB WHEEL
    - FLOORMAT
    - LINES, CYLINDER, BOOM, STANDARD
    - PILOT LINES, BUCKET STD
    - CIRCUIT, COMBINED ELE TWJ

CATERPILLAR MACHINE PRICE LIST

**313FGC**

313F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p><b>565-3859</b></p> <p><b>313F L GC HEX AM-N BCF4</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p><b>\$173,540</b></p>
--	----------	-------------------------

REQUIRES: 451-3955/456-1019 CTRL, CAT PIN GRABBER COUPLER

Base machine w/AUX circuit, w/Blade, w/BLCV,SLCV.  
 Versatile machine configured with auxiliary hydraulics, blade and  
 BLCV/SLCV for lifting applications.

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

- INCLUDES:
- 450-2848 313F L GC HYD EXCAVATOR
  - 449-7944 CAB-ROPS,70/30 W/VANDAL-G BOSS
  - 457-9886 FRAME, BASE, BLADE
  - 437-9274 GUARD, TRACK GUIDING, CENTER
  - 450-2754 COUNTERWEIGHT, 2.45 TON (5,400 LBS)
  - 424-5406 FAN, FIXED
  - 450-9266 SWIVEL, BLADE
  - 451-3957 CONTROL, BLADE W/PUMP
  - 449-8073 SEAT, H-BACK, SUSPENSION
  - 450-5920 PILOT LINES, BLADE
  - 342-3201 BATTERY, STANDARD
  - 390-4278 LINES-HP, REACH BOOM
  - 390-4281 SUPPORT, AUX LINES, R-BOOM
  - 450-5923 LINES-QC, REACH BOOM
  - 459-0355 RADIATOR SCREEN
  - 449-5721 AIR CONDITIONER
  - 448-9514 ACCUMULATOR WITH CRN
  - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
  - 449-9975 ALARM, TRAVEL
  - 456-0980 BOOM BLCV/SLCV PKG
    - BOOM, REACH 4.65M (15'3")
    - CYLINDER, BOOM (W/BLCV)
    - CYLINDER, STICK (W/SLCV)
  - 565-3866 LINKAGE PKG, BKT W/O EYE
    - LINKAGE, BKT W/O LIFT
    - CYLINDER, BKT
  - 503-8958 COMBINED CIR B/SLCV PKG
    - VALVE, HYDRAULIC TCS
    - JOYSTICK, THUMB WHEEL
    - FLOORMAT
    - LINES, CYLINDER, BOOM,STANDARD
    - PILOT LINES, BUCKET STD
    - CONTROL, BOOM LOWERING
    - CONTROL, STICK LOWERING
    - CIRCUIT, COMBINED ELE TWJ

CATERPILLAR MACHINE PRICE LIST

**313FGC**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**DECAL PACKAGE**

OP-7124	INSTRUCTION,NORTH AMERICA ANSI . . . . .	0	NC
	This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		

L	450-2216	INSTRUCTIONS, INTERNATIONAL . . . . .	0	NC
---	----------	---------------------------------------	---	----

**SERVICE INSTRUCTIONS**

OP-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
OP-3389	INSTRUCTIONS, FRENCH . . . . .	0	NC
OP-3404	INSTRUCTIONS, SPANISH . . . . .	0	NC

**PACKING**

**STRAGE PROTECTION**

OG-4126	STORAGE PROTECTION (EXPORT) . . . . .	0	\$281 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

**EXPORT PACKING**

OG-0498	ROLL ON-ROLL OFF LANE1 A . . . . .	0	\$156 NET
---------	------------------------------------	---	-----------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**ANTIFREEZE**

OP-2407	ANTIFREEZE, -50C (-58F) . . . . .	0	\$283 NET
---------	-----------------------------------	---	-----------



CATERPILLAR MACHINE PRICE LIST

**313FGC**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**BOOMS, STICKS, AND LINKAGES**

When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem\_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

**STICK**

L	394-7475	STICK, R9'10" HD . . . . .	0	\$6,260
L	394-7477	STICK, R8'2" HD . . . . .	0	\$4,965

**UNDERCARRIAGE**

**TRACKS**

L	533-6302	TRACK, 20" TG W/RUBBER PAD . . . . .	0	\$10,930
L	340-8201	TRACK, 20" TG (GLT) . . . . .	0	\$289
L	457-9874	TRACK, 24" TG (GLT) . . . . .	0	\$1,315
L	340-8204	TRACK, 28" TG W/STEP (GLT) . . . . .	0	\$1,315

**OPERATOR ENVIRONMENT**

**PATTERN CHANGERS**

L	448-9517	CHANGER, HAND CTRL 2-WAY ANSI . . . . .	0	\$1,295
		Mandatory for AM-N (except for Quebec)		
		ONLY FOR USE WITH: 451-3928 INSTRUCTIONS OUTSIDE, ANSI		

**SAFETY AND SECURITY**

**RIGHT SIDE MIRROR**

L	451-9260	CAMERA, REAR VIEW, MIRRORS . . . . .	0	\$1,120
---	----------	--------------------------------------	---	---------

CATERPILLAR MACHINE PRICE LIST

**313FGC**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FUEL SYSTEMS**

**FUEL TANKS**

L	449-7972	TANK, FUEL, RH MIRROR MOUNT . . . . .	0	NC
---	----------	---------------------------------------	---	----

**OTHER ATTACHMENTS**

**FILMS - EXTERIOR**

L	451-3928	INSTRUCTIONS OUTSIDE, ANSI . . . . . AVAILABLE FOR: AM-N (except for Quebec)	0	NC
---	----------	---	---	----

**FILMS - CAB**

L	488-6415	INSTRUCTIONS CAB, ANSI . . . . . ONLY FOR USE WITH: 451-3928 INSTRUCTIONS OUTSIDE, ANSI AVAILABLE FOR: AM-N (except for Quebec)	0	NC
---	----------	---	---	----

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	585-4202	PRODUCT LINK, CELLULAR PL641 . . . . . ANSI Product Link Pro series PL641 uses GSM and CDMA 3G/4G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: 451-3928 INSTRUCTIONS OUTSIDE, ANSI AVAILABLE FOR: AM-N (except for Quebec)	0	NC
L	471-0545	PRODUCT LINK, SATELLITE PL631 . . . . . ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface.. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: 451-3928 INSTRUCTIONS OUTSIDE, ANSI AVAILABLE FOR: AM-N (except for Quebec)	0	\$446

**BLADES**

**BLADES**

L	282-4576	BLADE, 8'2" . . . . . ONLY FOR USE WITH: AM-N BCF3/BCF4 or 517-2422 COMBINED MP CIR BLADE PKG	963	\$4,050
L	282-4582	BLADE, 8'10" . . . . . ONLY FOR USE WITH: AM-N BCF3/BCF4 or 517-2422 COMBINED MP CIR BLADE PKG	1,111	\$6,480

CATERPILLAR MACHINE PRICE LIST

**313FGC**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**INSTRUCTIONS**

***OPERATION & MAINTENANCE MANUAL***

0P-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
0P-3404	INSTRUCTIONS, SPANISH . . . . .	0	NC

**PACKING**

***STORAGE PROTECTION***

0G-4126	<b>STORAGE PROTECTION (EXPORT) . . . . .</b>	0	<b>\$281 NET</b>
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

***EXPORT PACKING***

0G-4201	<b>ROLL ON-ROLL OFF . . . . .</b>	0	<b>\$122 NET</b>
	For use when ordering an installed bucket or quick coupler		
0G-0479	<b>ROLL ON-ROLL OFF W/O BKT QC A . . . . .</b>	0	<b>\$156 NET</b>
	For use when NOT ordering an installed bucket or quick coupler		

CATERPILLAR MACHINE PRICE LIST

**313FGC**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS**

NOTE: Provides hydraulic lines from the boom foot to the stick nose.

**HIGH PRESSURE AUXILIARY STICK LINES**

L	288-7392	LINES-HP, 9'10" STICK . . . . .	86	\$515
		ONLY FOR USE WITH: AM-N BCF2/BCF3/BCF4 or 394-7475 STICK, 3.0M(9'10") W/AUX. MOUNT		
L	288-7398	LINES-HP, 8'2" STICK . . . . .	77	\$515
		ONLY FOR USE WITH: AM-N BCF2/BCF3/BCF4 or 394-7477 STICK, R2.5M (8'2") HD and 390-4278 LINES-HP, REACH BOOM (for ANZ)		

**QUICK COUPLER CONTROL**

L	451-3955	CTRL, CAT PIN GRABBER COUPLER . . . . .	0	\$885
		ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 451-3928 INSTRUCTIONS OUTSIDE, ANSI AVAILABLE FOR: AM-N (except for Quebec)		

**QUICK COUPLER BOOM LINES**

L	450-5923	LINES-QC, REACH BOOM . . . . .	0	\$1,330
		ONLY FOR USE WITH: AM-N BCF1/ANZ BCF1 and 451-3955/465-1019 CTRL, CAT PIN GRABBER COUPLER		

**QUICK COUPLER STICK LINES**

L	288-7395	LINES-QC, 9'10" STICK . . . . .	33	\$960
		ONLY FOR USE WITH: AM-N BCF1/BCF2/BCF3/BCF4 and 394-7475 STICK, R3.0M (9'10") HD and 450-5923 LINES-QC, REACH BOOM (For BCF1)		
L	282-5633	LINES-QC, R8'2" STICK . . . . .	24	\$960
		ONLY FOR USE WITH: AM-N BCF1/BCF2/BCR3/BCF4, ANZ BCF1 and 394-7477 STICK, R2.5M (8'2") HD and 450-5923 LINES-QC, REACH BOOM (For AM-N/ANZ BCF1)		

**AUX LINES SUPPORT**

L	390-4281	SUPPORT, AUX LINES, R-BOOM . . . . .	0	NC
		Required when any boom QC lines are selected. ONLY FOR USE WITH: AM-N BCF1 and 450-5923 LINES-QC, REACH BOOM		

CATERPILLAR MACHINE PRICE LIST

**313FGC**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS**

**QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)**

L	455-3914	COUPLER, PG W/O PIN 311-315 . . . . .	421	\$7,388
		FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler.(NO Pins) Does NOT include spare pins. ONLY FOR USE WITH: 288-7395 LINES-QC, 3.0M (9'10") STICK or 282-5633 LINES-QC, R2.5M (8'2") STICK or UK EOC1		

**QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)**

L	455-3913	COUPLER, PIN GRABBER W/PINS . . . . .	467	\$7,985
		FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. ONLY FOR USE WITH: 288-7395 LINES-QC, 3.0M (9'10") STICK or 282-5633 LINES-QC, R2.5M (8'2") STICK or UK EOC1		

**BUCKETS**

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.  
 Rated capacity, SAE heaped.

**GENERAL DUTY (GD)**

For digging in low impact, lower abrasion materials as dirt,  
 and mixed compositions of dirt and fine gravel.

P	571-2854	BKT GD 36" 0.69YD3 312 . . . . .	882	\$4,606
		REQUIRES: 6 Advansys 70 size tips		
P	571-2855	BKT GD 42" 0.84YD3 312 . . . . .	968	\$4,738
		REQUIRES: 7 Advansys 70 size tips		
P	571-2856	BKT GD 48" 1.00YD3 312 . . . . .	1,056	\$5,090
		REQUIRES: 7 Advansys 70 size tips		

**SEVERE DUTY (SD)**

For higher abrasion conditions such as well shot granite and caliche.

P	552-8142	BKT SD 36" 0.69YD3 312 . . . . .	1,014	\$5,628
		REQUIRES: 5 Advansys 80 size tips		
P	552-8143	BKT SD 42" 0.85YD3 312 . . . . .	1,113	\$6,022
		REQUIRES: 5 Advansys 80 size tips		

**SIDE CUTTERS**

P	380-1203	SIDE CUTTER, GENERAL PURPOSE. . . . .	38	\$504
---	----------	---------------------------------------	----	-------

CATERPILLAR MACHINE PRICE LIST

**313FGC**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**TIPS ADVANSYS 70**

P	539-5678	TIP, GENERAL DUTY ADVANSYS .....	10	\$58
---	----------	----------------------------------	----	------

**TIPS ADVANSYS 80**

L	505-4083	TIP, PENETRATION PLUS ADVANSYS .....	17	\$89
---	----------	--------------------------------------	----	------

**FLUIDS**

	0P-2407	ANTIFREEZE, -50C (-58F) .....	0	\$283 NET
--	---------	-------------------------------	---	-----------

**FIELD INSTALLED ATTACHMENTS**

NOTE: All EXD Hydraulic Kits are available through Global Work Tools(GWTS).  
 For information regarding MP, HP, QC line and circuits, please visit  
 the WT-HYD price list or your local work tool rep.

**Available Through ANTARES Parts Ordering.**

- 327-6540 Seat belt, retractable 3" (76mm) width
- 457-3998 Guard, full front windshield net / mesh
- 464-1923 Guard, half front windshield net / mesh
- 464-1921 FOGS
- 464-1925 Rain Protector
- 464-1914 Machine Security System (MSS)
- 464-1915 Cab lights, ROPS
- 464-1916 Cab lights for FOGS, ROPS
- 464-1917 Light, Boom Right Side for OPB
- 464-1919 12V AM / FM Radio for OSJ, ROPS
- 464-1920 2P Track Guiding Guard
- 471-1997 Swivel Guard -STD