

CATERPILLAR MACHINE PRICE LIST

315

**315 HYDRAULIC EXCAVATOR
 AKASHI, JAPAN**

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine C3.6 certified to
 Stage V/Tier 4 Final,82kW
 Electric fuel priming pump
 Variable speed fan system
 (Viscous clutch type)
 Single fuel filtration system with
 water separator and indicator
 Sealed double element air filter with
 integrated precleaner
 Biodiesel capable (up to B20)

console height adjustment w/o tools,
 arm rest height and angle adjustment,
 Low Frequency Damping
 2 inch (51mm) orange seat belt
 Tilt up left side console
 Automatic bi-level air conditioner with
 pressurized function
 Openable steel hatch
 Openable polycarbonate hatch
 for 2P windshield
 Fixed glass laminated for
 one piece windshield
 Washable floor mat
 Roller front sunscreen
 Beacon ready
 2 x 12V DC Outlet
 Dome LED interior lights, coat hook,
 cup holder, and console storage
 rear storage with net, and
 overhead storage with net
 Washer Line for Radial Wiper
 Parallel Wiper w/ Lower Parallel
 for 70/30 w/ Washer
 Parallel Wiper for 1P w/ Washer
 High Resolution 10" LCD Touch
 Screen Monitor
 High Resolution 8" LCD Touch
 Screen Monitor

UNDERCARRIAGE

Grease lubricated track link
 Tie down points on base frame
 (ISO 15818 compliant)

HYDRAULICS

Electronic main control valve
 Auto warm up
 Single type Electronic main pump
 Boom and stick regeneration circuits
 Automatic two speed travel
 Boom and stick drift reduction valve
 Electric Boom snubber
 Element type main hydraulic filter

ELECTRICAL

Maintenance free battery
 Centralized electrical disconnect switch
 CAT Product Link
 After engine shut down programmable time
 delay LED working lights: One chassis
 mounted, one LH boom mounted

SAFETY AND SECURITY

Service platform with anti-skid plate
 and countersunk bolts
 Hydraulic lock out lever neutralizes
 all controls
 Ground level accessible secondary
 engine shutoff switch in cab
 Signaling / warning horn

OPERATOR ENVIRONMENT

Sound-suppressed ROPS cab (ISO 12117-2
 compliant) with viscous mount
 Increased rear window size as
 emergency exit
 70/30 - Openable tempered front upper
 windshield w/ assist device and
 removable tempered lower windshield
 with in cab storage bracket
 Fixed one piece tempered windshield
 Mechanical suspension comfort seat
 w/ headrest,console height adjustment
 w/ tools,arm rest height and
 angle adjustment
 Air suspension deluxe seat w/ headrest
 w/ 2 step seat heater, console height
 adjustment w/o tools, arm rest
 height and angle adjustment
 Air suspension premium seat w/ headrest
 w/ 2 step seat heater and ventilator,

OTHER STANDARD EQUIPMENT

Service & Maintenance
 -Grouped location for engine oil and
 fuel filters
 -Sampling ports for Scheduled
 Oil Sampling (S.O.S)

CATERPILLAR MACHINE PRICE LIST

315

315 HYDRAULIC EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

315

315 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>589-6821</p> <p>315 07B HEX AM-N DCA1 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE,TACOMA,SAVANNAH & GALVESTON PDC LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$233,380</p>
---	----------	-------------------------

(600mm(24")Track, R3.0(9'10") Stick, w/Common circuit,
 Pin Grabber quick coupler circuit, w/Blade)

- INCLUDES:
- 560-9946 315 07 HEX
 - 560-9948 COMMON ARR
 - 560-5536 COUNTERWEIGHT, 3.83T(8490LB)
 - 559-0074 SWING FRAME, STD
 - 583-2217 ENGINE HOOD, TAIL PIPE
 - 560-9959 UNDERCARRIAGE,STD W/HD RLR BLD
 - 521-3202 TRACK 600mm(24") TG
 - 565-2150 BOOM, W/EOU MOUNTS
 - 558-2811 STICK 3.0m(9'10") W/EOU MOUNT
 - 525-4932 LINKAGE, BKT, GRADE W/O EYE
 - 560-1804 CYLINDER, BOOM
 - 524-2707 CYLINDER, STICK, W/O SLCV
 - 524-2708 CYLINDER, BUCKET
 - 563-4738 CYLINDER LINES, BOOM
 - 525-6283 CAB, DELUXE
 - 559-1087 LINES, AIR CONDITIONER
 - 525-5166 WASHER RADIAL WIPER
 - 511-9428 MONITOR, 10"
 - 502-7166 RADIO, W/BLUETOOTH
 - 589-6865 HYDRAULIC PKG, COMBINED
 - VALVE, HYDRAULICS, TCS
 - CIRCUIT, COMBINED
 - JOYSTICKS, SLIDER
 - 564-4339 CONTROL, BLADE
 - 490-7715 PEDAL, STRAIGHT TRAVEL
 - 564-6276 DRINK HOLDER, W/BLADE LEVER
 - 565-2115 CAMERA, 360 VISIBILITY
 - 524-8272 RECEIVER, BLUETOOTH
 - 563-0638 TRAVEL ALARM
 - 563-0629 MACHINE ECM
 - 582-3799 LIGHTS, CHASSIS
 - 582-6112 LIGHTS, BOOM LH 1P
 - 582-6119 LIGHTS, BOOM RH 1P
 - 586-8735 LIGHTS, CAB, W/RAIN PROTECTOR
 - 563-0613 BATTERIES
 - 589-6854 PROD LINK, PLE643/PLE743 RADIO
 - RADIO MODULE, PL243 CELLULAR
 - WIRING, PRODUCT LINK
 - 555-7286 NETWORK MANAGER, STD
 - 558-2814 CAT GRADE, 2D
 - 524-8784 GRADE SENSOR, REACH BOOM
 - 524-8788 GRADE SENSOR, 3.0m(9'10") STICK
 - 437-9274 GUARD, TRACK GUIDING, CENTER
 - 560-5538 BOTTOM GUARD, STANDARD
 - 169-7904 GUARD, TRACK MOTOR
 - 137-2813 GUARD, SWIVEL
 - 560-9950 FINE SWING
 - 282-4579 BLADE, 2600mm(8'6")
 - 564-4342 CONTROL, QC PIN GRABBER

CATERPILLAR MACHINE PRICE LIST

315

315 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

563-4752 LINES, HIGH PRESSURE BOOM		
563-4754 LINES, QUICK COUPLER BOOM		
558-1457 LINES, HP, 3.0m(9'10") STICK		
558-1461 LINES, QC, 3.0m(9'10") STICK		
568-7252 LINES, MOUNT TCS		
559-9633 FAN, VARIABLE SPEED		
567-3467 STORAGE BOX		
565-2147 DECALS, EXTERIOR, ANSI		
573-4351 DECALS, CAB, ANSI		
585-1664 FILM, ROPS		
520-9418 FILM, OPERATING PATTERN, 2WAY		
567-3815 DECALS, STICK WARNING, ANSI		
528-4738 FILM, EMC		

CATERPILLAR MACHINE PRICE LIST

315

315 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>589-6822</p> <p>315 07B HEX AM-N DCA2 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE,TACOMA,SAVANNAH & GALVESTON PDC LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$241,360</p>
---	----------	-------------------------

500mm(20")Track w/PAD, R3.0(9'10") Stick, w/Common circuit,
 Pin Grabber quick coupler circuit, w/ Blade

INCLUDES:

- 560-9946 315 07 HEX
- 560-9948 COMMON ARR
- 560-5536 COUNTERWEIGHT, 3.83MT(8490LB)
- 559-0074 SWING FRAME, STD
- 583-2217 ENGINE HOOD, TAIL PIPE
- 560-9959 UNDERCARRIAGE,STD W/HD RLR BLD
- 559-0322 TRACK, 500mm(20") TG
- 565-2150 BOOM, W/EOU MOUNTS
- 558-2811 STICK 3.0m(9'10") W/EOU MOUNT
- 525-4932 LINKAGE, BKT, GRADE W/O EYE
- 560-1804 CYLINDER, BOOM
- 524-2707 CYLINDER, STICK, W/O SLCV
- 524-2708 CYLINDER, BUCKET
- 563-4738 CYLINDER LINES, BOOM
- 525-6283 CAB, DELUXE
- 559-1087 LINES, AIR CONDITIONER
- 525-5166 WASHER RADIAL WIPER
- 511-9428 MONITOR, 10"
- 502-7166 RADIO, W/BLUETOOTH
- 589-6865 HYDRAULIC PKG, COMBINED
 - VALVE, HYDRAULICS, TCS
 - CIRCUIT, COMBINED
 - JOYSTICKS, SLIDER
- 564-4339 CONTROL, BLADE
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 564-6276 DRINK HOLDER, W/BLADE LEVER
- 565-2115 CAMERA, 360 VISIBILITY
- 524-8272 RECEIVER, BLUETOOTH
- 563-0638 TRAVEL ALARM
- 563-0629 MACHINE ECM
- 582-3799 LIGHTS, CHASSIS
- 582-6112 LIGHTS, BOOM LH 1P
- 582-6119 LIGHTS, BOOM RH 1P
- 586-8735 LIGHTS, CAB, W/RAIN PROTECTOR
- 563-0613 BATTERIES
- 589-6854 PROD LINK, PLE643/PLE743 RADIO
 - RADIO MODULE, PL243 CELLULAR
 - WIRING, PRODUCT LINK
- 555-7286 NETWORK MANAGER, STD
- 558-2814 CAT GRADE, 2D
- 524-8784 GRADE SENSOR, REACH BOOM
- 524-8788 GRADE SENSOR, 3.0m(9'10") STICK
- 437-9274 GUARD, TRACK GUIDING, CENTER
- 560-5538 BOTTOM GUARD, STANDARD
- 169-7904 GUARD, TRACK MOTOR
- 137-2813 GUARD, SWIVEL
- 560-9950 FINE SWING
- 282-4576 BLADE,2500mm(8'2")

CATERPILLAR MACHINE PRICE LIST

315

315 HYDRAULIC EXCAVATOR	Ship Weight	LIST PRICE
AKASHI, JAPAN	lbs	AT DEALER

- 564-4342 CONTROL, QC PIN GRABBER
- 563-4752 LINES, HIGH PRESSURE BOOM
- 563-4754 LINES, QUICK COUPLER BOOM
- 558-1457 LINES, HP, 3.0m(9'10") STICK
- 558-1461 LINES, QC, 3.0m(9'10") STICK
- 568-7252 LINES, MOUNT TCS
- 559-9633 FAN, VARIABLE SPEED
- 567-3467 STORAGE BOX
- 565-2147 DECALS, EXTERIOR, ANSI
- 573-4351 DECALS, CAB, ANSI
- 585-1664 FILM, ROPS
- 520-9418 FILM, OPERATING PATTERN, 2WAY
- 567-3815 DECALS, STICK WARNING, ANSI
- 528-4738 FILM, EMC

589-6823	315 07B HEX AM-N CFG1	0	\$186,150
-----------------	------------------------------------	---	------------------

LANE 2 - AVAILABLE FROM AKASHI FACTORY
 LANE 3 - AVAILABLE FROM AKASHI FACTORY

(General Applications, W/O Blade)

INCLUDES:

- 560-9946 315 07 HEX
- 560-9948 COMMON ARR
- 560-5536 COUNTERWEIGHT, 3.83MT(8490LB)
- 559-0074 SWING FRAME, STD
- 583-2217 ENGINE HOOD, TAIL PIPE
- 560-9957 UNDERCARRIAGE, HD RLR W/O BLD
- 525-6283 CAB, DELUXE
- 559-1087 LINES, AIR CONDITIONER
- 511-9428 MONITOR, 10"
- 502-7166 RADIO, W/BLUETOOTH
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 488-6534 DRINK HOLDER, W/O BLADE LEVER
- 524-8272 RECEIVER, BLUETOOTH
- 563-0638 TRAVEL ALARM
- 563-0629 MACHINE ECM
- 582-3799 LIGHTS, CHASSIS
- 563-0613 BATTERIES
- 437-9274 GUARD, TRACK GUIDING, CENTER
- 560-5538 BOTTOM GUARD, STANDARD
- 350-6401 GUARD, TRAVEL MOTOR, HD
- 137-2813 GUARD, SWIVEL
- 560-9950 FINE SWING
- 559-9633 FAN, VARIABLE SPEED
- 567-3467 STORAGE BOX
- 520-9418 FILM, OPERATING PATTERN, 2WAY

CATERPILLAR MACHINE PRICE LIST

315

315 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>589-6824 315 07B HEX AM-N CFG2 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>\$188,850</p>
--	-------------------------

(General Applications, W/ Blade)

- INCLUDES:
- 560-9946 315 07 HEX
 - 560-9948 COMMON ARR
 - 560-5536 COUNTERWEIGHT, 3.83MT(8490LB)
 - 559-0074 SWING FRAME, STD
 - 583-2217 ENGINE HOOD, TAIL PIPE
 - 560-9959 UNDERCARRIAGE, STD W/HD RLR BLD
 - 525-6283 CAB, DELUXE
 - 559-1087 LINES, AIR CONDITIONER
 - 511-9428 MONITOR, 10"
 - 502-7166 RADIO, W/BLUETOOTH
 - 490-7715 PEDAL, STRAIGHT TRAVEL
 - 564-6276 DRINK HOLDER, W/BLADE LEVER
 - 524-8272 RECEIVER, BLUETOOTH
 - 563-0638 TRAVEL ALARM
 - 563-0629 MACHINE ECM
 - 582-3799 LIGHTS, CHASSIS
 - 563-0613 BATTERIES
 - 437-9274 GUARD, TRACK GUIDING, CENTER
 - 560-5538 BOTTOM GUARD, STANDARD
 - 350-6401 GUARD, TRAVEL MOTOR, HD
 - 137-2813 GUARD, SWIVEL
 - 560-9950 FINE SWING
 - 559-9633 FAN, VARIABLE SPEED
 - 567-3467 STORAGE BOX
 - 520-9418 FILM, OPERATING PATTERN, 2WAY

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Select this option when ordering from the PDC.		

DECAL PACKAGE

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
		This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		
L	578-3586	FILMS, ISO CONVERSION	0	NC

SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

EXPORT PACKING

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$281 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

OP-2407	ANTIFREEZE, -50C (-58F)	0	\$283 NET
---------	-----------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

LANE SELECTION

0P-9002	LANE 2 ORDER 0 Only for dealers enrolled in the Base Orders Management (BOM) program.	NC
0P-9003	LANE 3 ORDER 0	NC

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

NOTE: When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

Select one NO BOOM or BOOM/CYLINDER PACKAGE
 one STICK, one BUCKET CYLINDER LINKAGE PACKAGE

BOOM

L	565-2150	BOOM, W/EOU MOUNTS	0	\$3,960
		CANNOT BE USED WITH: 589-6829 315 07A HEX EU CFG2		
	0G-0341	NO BOOM	0	NC
		For no boom, no stick, no bucket linkage REQUIRES: NO STICK		

STICKS

L	581-3974	STICK, R9'2" W/ EOU MOUNTS	0	\$2,130
L	558-2810	STK, R9'2", THUMB	0	\$2,480

NOTE: Thumb-Ready Stick is reinforced and provides the thumb mounting bracket for easy installation of Caterpillar Pro and Pro-Plus Hydraulic Thumbs.

L	558-2811	STICK 9'10" W/EOU MOUNT	0	\$2,180
		CANNOT BE USED WITH: 589-6829 315 07A HEX EU CFG2		
	0G-0342	NO STICK	0	NC
		For No Boom or Boom only (Stick less) ONLY FOR USE WITH: 0G-0341 NO BOOM or 565-2150 BOOM, W/EOU MOUNTS CANNOT BE USED WITH: BUCKET LINKAGES BUCKET CYLINDER		

BUCKET LINKAGES

L	525-4932	LINKAGE, BKT 312 GRADE W/O EYE	0	\$2,525
		Bucket linkage with out lifting eye, with position sensor ONLY FOR USE WITH: 589-6823 315 07A HEX AM-N CFG1 or 589-6824 315 07A HEX AM-N CFG2 or 589-6832 315 07A HEX JAPAN CFG1 or 589-6834 315 07A HEX JAPAN CFG3 CANNOT BE USED WITH: No boom, stick less machine		

CYLINDERS

BOOM CYLINDERS

L	560-1804	CYLINDER, BOOM	0	\$3,010
L	560-1805	CYLINDER, BOOM, BLCV	0	\$3,010

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CYLINDERS (CONT.)

STICK CYLINDERS

L	524-2707	CYLINDER, STICK, W/O SLCV 0		\$1,815
		ONLY FOR USE WITH: 560-1804 CYLINDER, BOOM or 589-6832 315 07A HEX JAPAN CFG1 or 589-6834 315 07A HEX JAPAN CFG3		
L	558-1925	CYLINDER, STICK, SLCV 0		\$1,815
		ONLY FOR USE WITH: 560-1805 CYLINDER, BOOM, BLCV or 589-6828 315 07A HEX EU CFG1 or 589-6830 315 07A HEX ANZ CFG1 or 589-6831 315 07A HEX ANZ CFG2 or 589-6833 315 07A HEX JAPAN CFG2 or 589-6835 315 07A HEX JAPAN CFG4		

BUCKET CYLINDERS

L	524-2708	CYLINDER, BUCKET 0		\$1,430
		CANNOT BE USED WITH: No boom, stick less machine		

UNDERCARRIAGE

TRACKS

L	524-4422	TRACK, 20" TG 0		\$494
L	559-0322	TRACK, 20" TG, W/RUBBER PAD 0		\$10,930
		NOTE: Traditional rubber pad bolted to steel track shoe		
L	521-3202	TRACK, 24" TG 0		\$1,320
L	559-0324	TRACK, 28" TG, W/STEPS 0		\$1,320
L	605-8439	TRACK, 24" TG, RUBBER SHOE 0		\$20,410
L	594-2040	TRACK, 20" TG, RUBBER SHOE 0		\$13,890

NOTE: Integrated rubber track shoe bolted directly to the track links

HYDRAULICS

NO AUXILIARY CIRCUIT

L	589-6861	HYDRAULIC PKG, STANDARD 0		\$1,240
		LANE 2/3 FOR Japan LANE 3 FOR AM-N INCLUDES: -VALVE, HYDRAULIC -JOYSTICKS, SLIDER		

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT

L	589-6865	HYDRAULIC PKG, COMB,ONE SLIDER 0 cannot use for Tilt Rotator INCLUDES: -VALVE, HYDRAULICS, TCS -CIRCUIT, COMBINED -JOYSTICKS, SLIDER CANNOT BE USED WITH: 589-6829 315 07A HEX EU CFG2 or CFG21/CFG22/CFG23/CFG24/CFG25/CFG26/CFG28 or NO BOOM	0	\$7,010
---	----------	--	---	---------

LINE GROUPS

CHECK VALVE LINES-BOOM

L	563-4738	LINES, CYLINDER BOOM W/O BLCV 0	0	NC
L	563-8852	LINES, CYLINDER BOOM BLCV 0	0	\$1,845

CHECK VALVE LINES-STICK

L	563-8853	LINES, SLCV 0 CANNOT BE USED WITH: 563-4738 CYLINDER LINES, BOOM or 589-6829 315 07A HEX EU CFG2	0	\$1,775
---	----------	--	---	---------

ELECTRICAL

CAMERAS

L	565-2115	CAMERA, 360 VISIBILITY 0 CANNOT BE USED WITH: 528-9509 GUARD, FALLING OBJECT (FOGS)	0	\$2,370
L	565-2145	CAMERA, 360 VISIBILITY FOGS 0 REQUIRES: 528-9509 GUARD, FALLING OBJECT (FOGS)	0	\$2,370
L	594-5362	CAMERA, REAR & RH VIEW 0	0	\$790

LIGHTS FOR LH BOOM

L	582-6112	LIGHTS, BOOM LH 1P 0 ONLY FOR USE WITH: 565-2150 BOOM, W/EOU MOUNTS	0	\$164
---	----------	--	---	-------

LIGHTS FOR RH BOOM

L	582-6119	LIGHTS, BOOM RH 1P 0 ONLY FOR USE WITH: 565-2150 BOOM, W/EOU MOUNTS	0	\$164
---	----------	--	---	-------

CAB LIGHTS

L	585-4760	LIGHTS, CAB, W/O 360 0 ONLY FOR USE WITH: 565-2114 CAMERA, REAR & RH VIEW CANNOT BE USED WITH: FOGS	0	\$164
L	586-8735	LIGHTS, CAB, W/RAIN PROTECTOR 0 ONLY FOR USE WITH: 565-2114 CAMERA, REAR & RH VIEW or 565-2115 CAMERA, 360 VISIBILITY	0	\$600

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

CAB LIGHTS (Cont.)

L	585-4762	LIGHTS, CAB, FOGS 0		\$164
		REQUIRES: 528-9509 GUARD, FALLING OBJECT (FOGS)		
		ONLY FOR USE WITH: 565-2114 CAMERA, REAR & RH VIEW or		
		565-2145 CAMERA, 360 VISIBILITY FOGS		

OPERATOR ENVIRONMENT

WIPER

L	525-5166	WASHER RADIAL WIPER 0		NC
		ONLY FOR USE WITH: 525-6281 CAB, COMFORT or		
		525-6283 CAB, DELUXE or		
		5896823 315 07A HEX AM-N CFG1 or		
		5896824 315 07A HEX AM-N CFG2 or		
		5896830 315 07A HEX ANZ CFG1 or		
		5896831 315 07A HEX ANZ CFG2		
		CANNOT BE USED WITH: 589-6828 315 07A HEX EU CFG1		
L	532-7395	WIPER, RADIAL W/LOWER 0		\$304
		ONLY FOR USE WITH: 525-6281 CAB, COMFORT or		
		525-6283 CAB, DELUXE or		
		5896823 315 07A HEX AM-N CFG1 or		
		5896824 315 07A HEX AM-N CFG2 or		
		5896830 315 07A HEX ANZ CFG1 or		
		5896831 315 07A HEX ANZ CFG2		

TECHNOLOGY PRODUCTS

PRODUCT LINK

L	589-6854	PROD LINK, PLE643/PLE743 RADIO 0		NC
		Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		
		INCLUDES:		
		-RADIO MODULE, PL243 CELLUAR		
		-WIRING, PRODUCT LINK		
		CANNOT BE USED WITH: 528-9509 GUARD, FALLING OBJECT (FOGS)		
L	589-6855	PROD LINK, PLE643/PLE743 RADIO 0		NC
		For use with FOGS		
		Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		
		INCLUDES:		
		-RADIO MODULE, PL243 CELL FOGS		
		-WIRING, PRODUCT LINK		
		REQUIRES: 528-9509 GUARD, FALLING OBJECT (FOGS)		

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

NETWORK MANAGER

L	555-7286	NETWORK MANAGER, STD 0 Network manager Std PLE602 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well location is transmitted for viewing in Product Link user applications. ONLY FOR USE WITH: 558-2814 CAT GRADE, 2D		NC
L	555-7287	NETWORK MANAGER, GRADE ADV. 0 Network manager Grade Adv. PLE702 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well as location is transmitted for viewing in Product Link user applications. ONLY FOR USE WITH: 565-2159 CAT GRADE, 2D ADVANCED 565-2160 CAT GRADE, 3D		NC

CAT GRADE

L	558-2814	CAT GRADE, 2D 0		NC
L	565-2159	CAT GRADE, 2D ADVANCED 0 REQUIRES: 554-3627 MONITOR, 10" GRADE MONITOR		\$8,870
L	565-2160	CAT GRADE, 3D 0 ONLY FOR USE WITH: 554-3627 MONITOR, 10" GRADE MONITOR		\$44,380

GRADE SENSOR FOR BOOM

L	524-8784	GRADE SENSOR, 1 PC BOOM 0 ONLY FOR USE WITH: 565-2150 BOOM, W/EOU MOUNTS or 5964071 315 07A HEX JAPAN CFG28		NC
---	----------	--	--	----

GRADE SENSOR FOR STICK

L	557-9722	GRADE SENSOR,9'2" STICK 0 ONLY FOR USE WITH: 581-3974 STICK, R2.8M(9'2") W/ EOU MOUNTS or 558-2810 STICK, R2.8M(9'2") W/ EOU MOUNTS		NC
L	524-8788	GRADE SENSOR, 9'10" STICK 0 ONLY FOR USE WITH: 558-2811 STICK R3.0M(9'10") W/EOU MOUNT		NC

INSTRUCTIONS

ROPS FILM

L	585-1664	FILM, ROPS 0 CANNOT BE USED WITH: No boom, stick less machine		NC
---	----------	---	--	----

DECALS EXTERIOR

L	565-2147	DECALS, EXTERIOR, ANSI 0		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs		LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	--	-------------------------

INSTRUCTIONS (CONT.)

DECALS CAB

L	573-4351	DECALS, CAB, ANSI	0		NC
		ONLY FOR USE WITH: 565-2147 DECALS, EXTERIOR, ANSI			

DECALS, STICK WARNING

L	567-3815	DECALS, STICK WARNING, ANSI	0		NC
		ONLY FOR USE WITH: 573-4351 DECALS, CAB, ANSI			

OPERATION & MAINTENANCE MANUAL

	OP-3380	INSTRUCTIONS, ENGLISH	0		NC
	OP-3389	INSTRUCTIONS, FRENCH	0		NC
	OP-3404	INSTRUCTIONS, SPANISH	0		NC

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM LINES

L	563-4752	LINES, HIGH PRESSURE BOOM 0 Mandatory for Forest Configuration ONLY FOR USE WITH: 565-2150 BOOM, W/EOU MOUNTS or and 589-6865 HYDRAULIC PKG, COMBINED or 589-6867 HYDRAULIC PKG, COMBINED		\$1,820
---	----------	--	--	---------

HIGH PRESSURE AUXILIARY STICK LINES

L	558-1454	LINES, HP, 9'2" STICK 0 ONLY FOR USE WITH: 563-4752 LINES, HIGH PRESSURE BOOM and 581-3974 STICK, R2.8M(9'2") W/ EOU MOUNTS or 558-2810 STICK, R2.8M(9'2") W/ EOU MOUNTS		\$515
L	558-1457	LINES, HP, 9'10" STICK 0 ONLY FOR USE WITH: 563-4752 LINES, HIGH PRESSURE BOOM and 558-2811 STICK 3.0M(9'10") W/EOU MOUNTS		\$515

MEDIUM PRESSURE CIRCUIT

L	564-4338	CIRCUIT, MEDIUM BOOM 0 ONLY FOR USE WITH: 589-6865 HYDRAULIC PKG, COMB,ONE SLIDER or 589-6867 HYDRAULIC PKG, COMB,TWO SLIDER or 598-3506 HYDRAULIC PKG, FORE BOOM 596-4065 315 07A HEX JAPAN CFG23 JAPAN CFG25/26/27 CANNOT BE USED WITH: 589-6829 315 07A HEX EU CFG2		\$5,050
L	564-4340	CIRCUIT, MEDIUM & CTRL BLADE. 0 ONLY FOR USE WITH: 589-6865 HYDRAULIC PKG, COMB,ONE SLIDER or CANNOT BE USED WITH: 589-6829 315 07A HEX EU CFG2		\$11,880

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	563-4753	LINES, MEDIUM PRESSURE, BOOM 0 ONLY FOR USE WITH: 565-2150 BOOM, W/EOU MOUNTS or 5964065 315 07A HEX JAPAN CFG23 or 5964067 315 07A HEX JAPAN CFG24 or 5964068 315 07A HEX JAPAN CFG25 or 5964069 315 07A HEX JAPAN CFG26 and 564-4338 CIRCUIT, MEDIUM BOOM or 564-4340 CIRCUIT, MEDIUM & CTRL BLADE		\$1,235
---	----------	--	--	---------

MEDIUM PRESSURE AUXILIARY STICK LINES

L	558-1455	LINES, MP, 9'2" STICK 0 ONLY FOR USE WITH: 563-4753 LINES, MEDIUM PRESSURE, BOOM and 581-3974 STICK, R2.8M(9'2") W/O EOU MOUNTS or 558-2810 STICK, R2.8M(9'2") W/ EOU MOUNTS		\$412
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY STICK LINES (Cont.)

L	558-1458	LINES, MP, 9'10" STICK 0		\$412
		ONLY FOR USE WITH: 563-4753 LINES, MEDIUM PRESSURE, BOOM and 558-2811 STICK, R3.0M(9'10") W/O EOU MOUNTS		

AUXILIARY LINES SUPPORT

L	568-7251	LINES, MOUNT 0		NC
		ONLY FOR USE WITH: 589-6861 HYDRAULIC PKG, STANDARD		
L	568-7252	LINES, MOUNT TCS 0		NC
		ONLY FOR USE WITH: 589-6865 HYDRAULIC PKG, COMB,ONE SLIDER or 589-6867 HYDRAULIC PKG, COMB,TWO SLIDER		

ELECTRICAL

PREMIUM SURROUND LIGHT

L	581-3412	LIGHTS, SURROUND, PREM 0		\$710
---	----------	------------------------------------	--	-------

TECHNOLOGY PRODUCTS

CAT GRADE LASER CATCHER

L	577-3685	LASER CATCHER, 9'10" & 10'2" STK 0		\$1,325
		ONLY FOR USE WITH: 581-3974 STICK, R9'2" (2.8m) W/ EOU MOUNTS or 558-2810 STICK, R9'2" (2.8m) W/ EOU MOUNTS or 558-2811 STICK, 9'10" (3.0m) W/EOU MOUNT		

GUARDS

L	528-9509	GUARD, FALLING OBJECT (FOGS) 0		\$2,575 NET
		ONLY FOR USE WITH: 585-4762 LIGHTS, CAB, FOGS or 565-2145 CAMERA, 360 VISIBILITY FOGS or		

OTHER ATTACHMENTS

L	561-4735	SCREEN, RADIATOR 0		\$147
---	----------	------------------------------	--	-------

QUICK COUPLERS

QUICK COUPLER CONTROL

L	564-4342	CONTROL, QC PIN GRABBER 0		\$900
---	----------	-------------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER BOOM LINES

L	563-4754	LINES, QUICK COUPLER BOOM 0 ONLY FOR USE WITH: 565-2150 BOOM, W/EOU MOUNTS or 5964068 315 07A HEX JAPAN CFG25 or 5964069 315 07A HEX JAPAN CFG26 and 564-4341 CONTROL, QC CW DEDICATED or 564-4342 CONTROL, QC PIN GRABBER		\$1,330
---	----------	--	--	---------

QUICK COUPLER STICK LINES

L	558-1456	LINES, QC, 9'2" STICK 0 ONLY FOR USE WITH: 563-4754 LINES, QUICK COUPLER BOOM and 581-3974 STICK, R2.8M(9'2") W/O EOU MOUNTS or 558-2810 STICK, R2.8M(9'2") W/ EOU MOUNTS		\$950
L	558-1461	LINES, QC, 9'10" STICK 0 ONLY FOR USE WITH: 563-4754 LINES, QUICK COUPLER BOOM and 558-2811 STICK, R3.0M(9'10") W/O EOU MOUNTS		\$950

QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)

L	558-2818	COUPLER, PIN GRABBER W/PINS 469 FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. ONLY FOR USE WITH: 564-4342 CONTROL, QC PIN GRABBER and 563-4754 LINES, QUICK COUPLER BOOM and 558-1450 LINES, QC, 7'3" (2.2m) STICK or 558-1453 LINES, QC, 8'2" (2.5m) STICK or 558-1456 LINES, QC, 9'2" (2.8m) STICK or 558-1461 LINES, QC, 9'10" (3.0m) STICK		\$7,978
---	----------	---	--	---------

QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)

L	558-2819	COUPLER, PG W/O PIN 311-315 421 FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Cat pin grabber coupler. (No Pins) Does NOT include spare pins. ONLY FOR USE WITH: 564-4342 CONTROL, QC PIN GRABBER and 563-4754 LINES, QUICK COUPLER BOOM and 558-1450 LINES, QC, 7'3" (2.2m) STICK or 558-1453 LINES, QC, 8'2" (2.5m) STICK or 558-1456 LINES, QC, 9'2" (2.8m) STICK or 558-1461 LINES, QC, 9'10" (3.0m) STICK		\$7,381
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES

BLADES

L	282-4576	BLADE, 8'2"963 Suitable to be used with 500mm(20") width Track Shoes A ONLY FOR USE WITH: 564-4340 CIRCUIT, MEDIUM & CTRL BLADE or 576-2418 CIRCUIT,MEDIUM &CTRL BLADE VAB or 564-4339 CONTROL, BLADE or 595-6731 CONTROL, BLADE,TUNNEL		\$4,050
L	282-4579	BLADE, 8'6"1,089 This blade is recommended for use with 600mm (24") track shoes. ONLY FOR USE WITH: 564-4340 CIRCUIT, MEDIUM & CTRL BLADE or 576-2418 CIRCUIT,MEDIUM &CTRL BLADE VAB or 564-4339 CONTROL, BLADE		\$5,680
L	282-4582	BLADE, 8'10"1,111 This blade is recommended for use with 700mm (28") track shoes. ONLY FOR USE WITH: 564-4340 CIRCUIT, MEDIUM & CTRL BLADE or 576-2418 CIRCUIT,MEDIUM &CTRL BLADE VAB or 564-4339 CONTROL, BLADE		\$6,480

CONTROL BLADE

L	564-4339	CONTROL, BLADE 0 ONLY FOR USE WITH: 589-6861 HYDRAULIC PKG, STANDARD or 589-6865 HYDRAULIC PKG, COMB.ONE SLIDER CANNOT BE USED WITH: 564-4338 CIRCUIT, MEDIUM BOOM or 576-2417 CIRCUIT, MEDIUM VA BOOM or 564-4340 CIRCUIT, MEDIUM & CTRL BLADE or 576-2418 CIRCUIT,MEDIUM &CTRL BLADE VAB		\$6,830
---	----------	---	--	---------

BUCKETS

NOTE: Bucket, Tip and side cutters can not be used with No boom and stick less machine.

GENERAL DUTY (GD)

P	571-2854	BKT GD 36" 0.69YD3 312882 REQUIRES: 6 Advansys 70 size tips		\$4,606
P	571-2855	BKT GD 42" 0.84YD3 312 968 REQUIRES: 7 Advansys 70 size tips		\$4,738
P	571-2856	BKT GD 48" 1.00YD3 3121,056 REQUIRES: 7 Advansys 70 size tips		\$5,090

SEVERE DUTY (SD)

P	552-8142	BKT SD 36" 0.69YD3 3121,014 REQUIRES: 5 Advansys 80 size tips		\$5,628
P	552-8143	BKT SD 42" 0.85YD3 312 1,113 REQUIRES: 5 Advansys 80 size tips		\$6,022

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

SIDE CUTTERS

P	380-1203	SIDE CUTTER, GENERAL PURPOSE	38	\$504
		ONLY FOR USE WITH: 571-2854 BKT GD 900MM 0.53M3(36" 0.69YD3) 312 or		
		550-9214 BKT GD 900MM 0.53M3(36" 0.69YD3) 312 or		
		571-2855 BKT GD 1050MM 0.65M3(42" 0.84YD3) 312 or		
		571-2856 BKT GD 1200MM 0.76M3(48" 1.00YD3) 312 or		
		552-8142 BKT SD 900MM 0.53M3(36" 0.69YD3) 312 or		
		552-8143 BKT SD 1050MM 0.65M3(42" 0.85YD3) 312		

TIPS ADVANSYS 70

P	539-5673	TIP, PENETRATION PLUS ADVANSYS	10	\$60
		ONLY FOR USE WITH: 571-2854 BKT GD 900MM 0.53M3(36" 0.69YD3) 312		
P	539-5678	TIP, GENERAL DUTY ADVANSYS	10	\$58
		ONLY FOR USE WITH: 571-2855 BKT GD 1050MM 0.65M3 (42" 0.84YD3) 312 or		
		571-2856 BKT GD 1200MM 0.76M3 (48" 1.00YD3) 312 or		

TIPS ADVANSYS 80

P	505-4083	TIP, PENETRATION PLUS ADVANSYS	17	\$89
		ONLY FOR USE WITH: 550-9214 BKT GD 900MM 0.53M3 (36" 0.69YD3) 312 or		
		552-8142 BKT SD 900MM 0.53M3 (36" 0.69YD3) 312 or		
		552-8143 BKT SD 1050MM 0.65M3 (42" 0.85YD3) 312		

FLUIDS

	OP-2407	ANTIFREEZE, -50C (-58F)	0	\$283 NET
--	---------	-----------------------------------	---	-----------

ALTERNATE SOURCED ATTACHMENTS

SERVICE PARTS

Available Through ANTARES Parts Ordering System.

	528-3280	KIT, ELECTRIC PEDAL LH	0	\$1,420 NI NET
		For Tool Control System		
	528-3281	KIT, ELECTRIC PEDAL RH	0	\$1,455 NI NET
		For Tool Control System		
	528-3282	KIT, DUAL EXIT REAR WINDOW	0	\$355 NI NET
		For Canadian Regulation		

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

SERVICE PARTS (Cont.)

528-3289	KIT, POLYCARBONATE ROOF HATCH	0	\$745	NI NET
	For Comfort Cab only			
586-7692	KIT, FOGS	0	\$2,575	NI NET
528-3292	KIT, MESH/NET GUARD, FULL	0	\$1,565	NI NET
	Not compatible with Cab Light Cover, Rain Protector			
580-5415	KIT, RADIAL LOWER WIPER for 70/30w/Washer(For SHEX) Retrofit the lower wiper to improve the front-lower visibility. Comfort/Deluxe CAB have the capability to install lower wiper.			
528-3293	KIT, MESH/NET GUARD, LOWER	0	\$303	NI NET

SERVICE PARTS

528-7420	SEATBELT 3" RETRACTABLE	0	\$87	NI NET
	Service Part Mandatory for California and ANZ			
487-3004	KEY FOB	0	\$45	NI NET
	Service Part			
561-0213	P5A GLASS-EU DEMOLITION Service Part			

PACKING

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT)	0	\$281	NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.			

FIXTURE - BUCKET LINKAGE

L	592-3592	FIXTURE, BUCKET LINKAGE S-HEX	0	\$69	NET
		Required when NOT ordering an installed bucket or a quick coupler			

CATERPILLAR MACHINE PRICE LIST

315

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PACKING (CONT.)

FIXTURE - BOOM CYLINDER

L	590-1575	FIXTURE, BOOM CYLINDER	0	NC
		For Boom configuration with no boom		

EXPORT PACKING

	0G-4201	ROLL ON-ROLL OFF	0	\$122 NET
--	---------	----------------------------	---	-----------

HYDRAULIC PLUGS - FRONT LESS

L	589-5043	PLUG, BOOM LESS	0	NC
		For use in Lane 3 only		

L	564-9720	PLUG, STICK LESS, STD	0	NC
		For use in Lane 3 only		
		For stick less machine		

NOTE: LANE 3 ONLY

L	589-5044	PLUG, AUX LINE	0	NC
		FOR USE IN LANE 3 ONLY		
		For No boom with High Pressure line		

L	564-9729	PLUG, MEDIUM CIRCUIT	0	NC
		FOR USE IN LANE 3 ONLY		
		For No boom with medium pressure circuit		

L	564-9719	PLUG, QC OR SLCV, QC AND SLCV	0	NC
		FOR USE IN LANE 3 ONLY		
		For No boom with Quick coupler circuit and/or SLCV		

L	564-9732	PLUG, STICK LESS, LINES MP QC	0	NC
---	----------	---	---	----