

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
 AKASHI, JAPAN

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine C4.4 certified to
 EPA Tier4 final, EU Stage IV,
 Japan MLIT Step 5
 2300m/7550ft altitude capability
 w/ no derate
 Waved fin radiator w/ enough space
 for cleaning operation (2SBS)
 Radial seal air filter
 Fuel water separator w/ level indicator
 Capability of
 - EIS (Engine Idle Shutdown) function
 - Using Bio-Diesel fuel (B20)
 Air cleaner with integrated precleaner,
 double element

- Interior lighting
- Coat hook
- Beverage holder with slit
- Literature holder
- Utility space for magazine
- Radio mounting (DIN size)
- Mounting for two stereo speakers
 (two locations)
- Storage compartment suitable
 for lunch box
 and small storage pocket for
 MP3 Player, Cellular Phone
- Door & cap locks
- 24V radio ready (harness,
 two speakers, antenna-flexible type)
- 12V-5A power supply
 w/ cigar lighter type socket

UNDERCARRIAGE

Grease lubricated track GLT1, resin seal
 Towing eye for diagonal lashing
 on base frame

- Monitor:
- Single axis adjustable monitor
 (horizontal only)
 - Full graphic and full color display
 - Inform Warning, Filter/fluid change,
 - Working hour, Machine condition,
 - Error code and tool mode setting

HYDRAULICS

Hydraulic main pump
 Regeneration circuit for boom and stick
 Two speed travel
 Capability of installing
 - Additional auxiliary pump & circuit
 - CAT Bio hydraulic oil
 Boom Drift Reduction Valve
 in case of engine shut down
 High performance hyd. return filter

- Seat:
- Console height adjustment system
 - Armrest height adjustment system
 - Electrical provision for seat
 heater/ ventilator

ELECTRICAL

Circuit breaker
 Electrical connector for a beacon
 *Requires additional hardware (Relay,
 Switch, Beacon, and Electric Harness)
 Light, storage box mounted (one) halogen
 Time delay function for boom light
 and cab light

- Pedal:
- Capability of installing
 RH additional pedal
 - Travel control pedals
 with removable hand levers
 - Neutral lever (lock out) for
 all controls

SAFETY AND SECURITY

Caterpillar one key security system
 Secondary engine shutoff switch
 Signaling / warning horn
 Handrail

OPERATOR ENVIRONMENT

Cab:
 - Bolt-on FOGS capability
 - Openable front windshield w/ assist
 device (except for one piece
 windshield)
 - Pillar mounted upper windshield
 wiper and washer
 - Cab sliding upper door window
 - Rear window
 - Removable lower windshield
 w/ in cab storage bracket
 - Openable skylight

OTHER STANDARD EQUIPMENT

Capability of installing
 - Stackable valves for main valve
 (max 2 valves)
 - Boom lowering control device
 and stick lowering check valve
 Adopt CAT data link w/ capability of
 using E.T.
 Automatic swing parking brake
 Fine swing control capability
 Mirrors, rearview (frame -right)

Operators Station:

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

565-3844	315F L HEX AM-N DCA1B 0	\$224,480
	LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2	

3.0M (9'10") Stick, Tool Control, 600mm (24") Track, Blade

INCLUDES:

- 465-6097 315F L HEX
- 459-9556 FRAME, SWING
- 461-2810 AIR CONDITIONER
- 375-5660 COOLING, HIGH AMBIENT
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 464-9323 BATTERY, STANDARD
- 284-4491 MIRROR, CAB LEFT
- 327-6559 MIRROR, W/O GUARD
- 466-1038 HOOD, ENGINE
- 362-4326 GUARD, BOTTOM, STANDARD
- 169-7904 GUARD, TRACK MOTOR
- 120-7199 GUARD, TRACK GUIDING, CENTER
- 420-3840 FRAME, BASE, LONG U/C BLADE
- 362-4343 COUNTERWEIGHT, 3.6TON (7.940 LBS)
- 340-8203 TRACK, 600MM (24") TG (GLT)
- 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS
- 459-1241 SEAT, H-BACK, W/HEATER,S/AIR
- 372-9578 WINDOW, REAR, DUAL EXIT
- 360-6189 PANEL, STD START SWITCH
- 465-6145 RADIO, 24V AM/FM
- 359-2563 KEY
- 352-7158 ACCUMULATOR WITH CRN
- 467-1396 CAMERA REAR VIEW W/GRDRAIL
- 503-0851 TANK, FUEL
- 435-8180 SWIVEL, BLADE
- 431-0397 CONTROL, FINE SWING
- 473-4122 COVER, TANK STANDARD
- 458-3785 LINES-FRONT, STD W/ PGQC
- 394-7475 STICK, R3.0M (9'10") HD
- 316-3790 SUPPORT, AUX LINES, R-BOOM
- 370-0217 LINES-HP, REACH BOOM TCS
- 371-0116 LINES-QC, REACH BOOM
- 372-9668 LINES-HP, R3.0M (9'10") STICK
- 393-8771 LINES-QC, R3.0M (9'10") STICK
- 500-9174 CTRL, CAT PIN GRABBER COUPLER
- 282-4579 BLADE, 2600MM (8'6")
- 461-1667 CONTROL, BLADE, W/PUMP
- 275-7114 LIGHT, BOOM RIGHT SIDE
- 360-6276 LIGHTING, CAB (HALOGEN)
- 369-0002 ALARM, TRAVEL
- 466-3359 CHANGER,HAND CTRL 2-WAY
- 462-8661 PRODUCT LINK, CELLULAR PL641
- 473-7017 DECALS, EXTERIOR ANSI
- 473-7132 DECALS, CAB ANSI
- 385-2832 CYLINDER, BKT
- 385-3232 LINKAGE, BKT W/O LIFT
- 499-3898 REACH BOOM HD PKG
BOOM, REACH 4.65M (15'3") HD
CYLINDER, BOOM (W/O BLCV)
CYLINDER, STICK (W/O SLCV)
- 418-4318 COMBINED CIR PKG
JOYSTICK, THUMB WHEEL

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

MAT, FLOOR
CIRCUIT, COMBINED
499-3901 VALVE PKG, HYD TCS
VALVE, HYDRAULIC TCS
PLATFORM, STD
HARNES, PLATFORM STD
LINES-PILOT, PLATFORM TCS
LINES-PILOT, CL R-BOOM TCS
LINES-PILOT, INITIAL CIR. ATT

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

585-4583	315F L HEX AM-N DCA1C 0	\$224,480
	LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2	

3.0M (9'10") Stick, Tool Control, 600mm (24") Track, Blade

INCLUDES:

- 465-6097 315F L HEX
- 459-9556 FRAME, SWING
- 461-2810 AIR CONDITIONER
- 375-5660 COOLING, HIGH AMBIENT
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 464-9323 BATTERY, STANDARD
- 284-4491 MIRROR, CAB LEFT
- 327-6559 MIRROR, W/O GUARD
- 466-1038 HOOD, ENGINE
- 362-4326 GUARD, BOTTOM, STANDARD
- 169-7904 GUARD, TRACK MOTOR
- 120-7199 GUARD, TRACK GUIDING, CENTER
- 420-3840 FRAME, BASE, LONG U/C BLADE
- 362-4343 COUNTERWEIGHT, 3.6TON (7.940 LBS)
- 340-8203 TRACK, 600MM (24") TG (GLT)
- 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS
- 459-1241 SEAT, H-BACK, W/HEATER,S/AIR
- 372-9578 WINDOW, REAR, DUAL EXIT
- 360-6189 PANEL, STD START SWITCH
- 465-6145 RADIO, 24V AM/FM
- 359-2563 KEY
- 352-7158 ACCUMULATOR WITH CRN
- 467-1396 CAMERA REAR VIEW W/GRDRAIL
- 503-0851 TANK, FUEL
- 435-8180 SWIVEL, BLADE
- 431-0397 CONTROL, FINE SWING
- 473-4122 COVER, TANK STANDARD
- 458-3785 LINES-FRONT, STD W/ PGQC
- 394-7475 STICK, R3.0M (9'10") HD
- 316-3790 SUPPORT, AUX LINES, R-BOOM
- 370-0217 LINES-HP, REACH BOOM TCS
- 371-0116 LINES-QC, REACH BOOM
- 372-9668 LINES-HP, R3.0M (9'10") STICK
- 393-8771 LINES-QC, R3.0M (9'10") STICK
- 500-9174 CTRL, CAT PIN GRABBER COUPLER
- 282-4579 BLADE, 2600MM (8'6")
- 461-1667 CONTROL, BLADE, W/PUMP
- 275-7114 LIGHT, BOOM RIGHT SIDE
- 360-6276 LIGHTING, CAB (HALOGEN)
- 369-0002 ALARM, TRAVEL
- 466-3359 CHANGER,HAND CTRL 2-WAY
- 585-4204 PRODUCT LINK, CELLULAR PL641
- 473-7017 DECALS, EXTERIOR ANSI
- 473-7132 DECALS, CAB ANSI
- 385-2832 CYLINDER, BKT
- 385-3232 LINKAGE, BKT W/O LIFT
- 499-3898 REACH BOOM HD PKG
BOOM, REACH 4.65M (15'3") HD
CYLINDER, BOOM (W/O BLCV)
CYLINDER, STICK (W/O SLCV)
- 418-4318 COMBINED CIR PKG
JOYSTICK, THUMB WHEEL

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

MAT, FLOOR
CIRCUIT, COMBINED
499-3901 VALVE PKG, HYD TCS
VALVE, HYDRAULIC TCS
PLATFORM, STD
HARNES, PLATFORM STD
LINES-PILOT, PLATFORM TCS
LINES-PILOT, CL R-BOOM TCS
LINES-PILOT, INITIAL CIR. ATT

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>565-3846</p> <p>315F L HEX AM-N DCA3B 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE & TACOMA DIST. CENTER</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>3.0M (9'10") Stick, Tool Control, 600mm (24") with CGC, Track, Blade</p> <p>INCLUDES:</p> <p>465-6097 315F L HEX</p> <p>459-9556 FRAME, SWING</p> <p>461-2810 AIR CONDITIONER</p> <p>375-5660 COOLING, HIGH AMBIENT</p> <p>488-6543 SEAT BELT, 51MM (2") RETRACTABLE</p> <p>464-9323 BATTERY, STANDARD</p> <p>284-4491 MIRROR, CAB LEFT</p> <p>327-6559 MIRROR, W/O GUARD</p> <p>466-1038 HOOD, ENGINE</p> <p>362-4326 GUARD, BOTTOM, STANDARD</p> <p>169-7904 GUARD, TRACK MOTOR</p> <p>120-7199 GUARD, TRACK GUIDING, CENTER</p> <p>420-3840 FRAME, BASE, LONG U/C BLADE</p> <p>362-4343 COUNTERWEIGHT, 3.6TON</p> <p>340-8203 TRACK, 600MM (24") TG (GLT)</p> <p>357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS</p> <p>459-1241 SEAT, H-BACK, W/HEATER,S/AIR</p> <p>372-9578 WINDOW, REAR, DUAL EXIT</p> <p>360-6189 PANEL, STD START SWITCH</p> <p>465-6145 RADIO, 24V AM/FM</p> <p>359-2563 KEY</p> <p>352-7158 ACCUMULATOR WITH CRN</p> <p>467-1396 CAMERA REAR VIEW W/GRDRAIL</p> <p>503-0851 TANK, FUEL</p> <p>435-8180 SWIVEL, BLADE</p> <p>431-0397 CONTROL, FINE SWING</p> <p>473-4122 COVER, TANK STANDARD</p> <p>458-3785 LINES-FRONT, STD W/ PGQC</p> <p>394-7646 STICK, R3.0M HD CGC</p> <p>316-3790 SUPPORT, AUX LINES, R-BOOM</p> <p>370-0217 LINES-HP, REACH BOOM TCS</p> <p>371-0116 LINES-QC, REACH BOOM</p> <p>372-9668 LINES-HP, R3.0M (9'10") STICK</p> <p>393-8771 LINES-QC, R3.0M (9'10") STICK</p> <p>500-9174 CTRL, CAT PIN GRABBER COUPLER</p> <p>282-4579 BLADE, 2600MM (8'6")</p> <p>461-1667 CONTROL, BLADE, W/PUMP</p> <p>275-7114 LIGHT, BOOM RIGHT SIDE</p> <p>360-6276 LIGHTING, CAB (HALOGEN)</p> <p>369-0002 ALARM, TRAVEL</p> <p>466-3359 CHANGER,HAND CTRL 2-WAY</p> <p>462-8661 PRODUCT LINK, CELLULAR PL641</p> <p>467-4480 GRADE CONTROL, DEPTH AND SLOPE</p> <p>349-2185 SENSOR MOUNT, CGC</p> <p>473-7017 DECALS, EXTERIOR ANSI</p> <p>473-7132 DECALS, CAB ANSI</p> <p>368-7043 CYLINDER, BKT CGC</p> <p>385-3232 LINKAGE, BKT W/O LIFT</p> <p>499-3899 REACH BOOM HD CGC PKG</p> <p>BOOM, REACH 4.65M HD CGC</p> <p>CYLINDER, BOOM (W/O BLCV)</p>	<p>\$238,550</p>
--	-------------------------

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

CYLINDER, STICK (W/O SLCV)
 GUARD, CYLINDER COVER, CGC
 418-4318 COMBINED CIR PKG
 JOYSTICK, THUMB WHEEL
 MAT, FLOOR
 CIRCUIT, COMBINED
 499-3901 VALVE PKG, HYD TCS
 VALVE, HYDRAULIC TCS
 PLATFORM, STD
 HARNESS, PLATFORM STD
 LINES-PILOT, PLATFORM TCS
 LINES-PILOT, CL R-BOOM TCS
 LINES-PILOT, INITIAL CIR. ATT

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

585-4584	315F L HEX AM-N DCA3C 0 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2	\$238, 550
-----------------	---	-------------------

3.0M (9'10") Stick, Tool Control, 600mm (24") with CGC, Track, Blade

INCLUDES:

- 465-6097 315F L HEX
- 459-9556 FRAME, SWING
- 461-2810 AIR CONDITIONER
- 375-5660 COOLING, HIGH AMBIENT
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 464-9323 BATTERY, STANDARD
- 284-4491 MIRROR, CAB LEFT
- 327-6559 MIRROR, W/O GUARD
- 466-1038 HOOD, ENGINE
- 362-4326 GUARD, BOTTOM, STANDARD
- 169-7904 GUARD, TRACK MOTOR
- 120-7199 GUARD, TRACK GUIDING, CENTER
- 420-3840 FRAME, BASE, LONG U/C BLADE
- 362-4343 COUNTERWEIGHT, 3.6TON
- 340-8203 TRACK, 600MM (24") TG (GLT)
- 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS
- 459-1241 SEAT, H-BACK, W/HEATER,S/AIR
- 372-9578 WINDOW, REAR, DUAL EXIT
- 360-6189 PANEL, STD START SWITCH
- 465-6145 RADIO, 24V AM/FM
- 359-2563 KEY
- 352-7158 ACCUMULATOR WITH CRN
- 467-1396 CAMERA REAR VIEW W/GRDRAIL
- 503-0851 TANK, FUEL
- 435-8180 SWIVEL, BLADE
- 431-0397 CONTROL, FINE SWING
- 473-4122 COVER, TANK STANDARD
- 458-3785 LINES-FRONT, STD W/ PGQC
- 394-7646 STICK, R3.0M HD CGC
- 316-3790 SUPPORT, AUX LINES, R-BOOM
- 370-0217 LINES-HP, REACH BOOM TCS
- 371-0116 LINES-QC, REACH BOOM
- 372-9668 LINES-HP, R3.0M (9'10") STICK
- 393-8771 LINES-QC, R3.0M (9'10") STICK
- 500-9174 CTRL, CAT PIN GRABBER COUPLER
- 282-4579 BLADE, 2600MM (8'6")
- 461-1667 CONTROL, BLADE, W/PUMP
- 275-7114 LIGHT, BOOM RIGHT SIDE
- 360-6276 LIGHTING, CAB (HALOGEN)
- 369-0002 ALARM, TRAVEL
- 466-3359 CHANGER,HAND CTRL 2-WAY
- 585-4204 PRODUCT LINK, CELLULAR PL641
- 467-4480 GRADE CONTROL, DEPTH AND SLOPE
- 349-2185 SENSOR MOUNT, CGC
- 473-7017 DECALS, EXTERIOR ANSI
- 473-7132 DECALS, CAB ANSI
- 368-7043 CYLINDER, BKT CGC
- 385-3232 LINKAGE, BKT W/O LIFT
- 499-3899 REACH BOOM HD CGC PKG
BOOM, REACH 4.65M HD CGC
CYLINDER, BOOM (W/O BLCV)
CYLINDER, STICK (W/O SLCV)

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

GUARD, CYLINDER COVER, CGC
418-4318 COMBINED CIR PKG
JOYSTICK, THUMB WHEEL
MAT, FLOOR
CIRCUIT, COMBINED
499-3901 VALVE PKG, HYD TCS
VALVE, HYDRAULIC TCS
PLATFORM, STD
HARNESS, PLATFORM STD
LINES-PILOT, PLATFORM TCS
LINES-PILOT, CL R-BOOM TCS
LINES-PILOT, INITIAL CIR. ATT

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

565-3848	315F L HEX AM-N DCA4B 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2	\$232,340
-----------------	---	------------------

3.0M (9'10") Stick, Tool Control, 500mm (20") Track Shoe w/Rubber Pad, Blade

INCLUDES:

- 465-6097 315F L HEX
- 459-9556 FRAME, SWING
- 461-2810 AIR CONDITIONER
- 375-5660 COOLING, HIGH AMBIENT
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 464-9323 BATTERY, STANDARD
- 284-4491 MIRROR, CAB LEFT
- 327-6559 MIRROR, W/O GUARD
- 466-1038 HOOD, ENGINE
- 362-4326 GUARD, BOTTOM, STANDARD
- 169-7904 GUARD, TRACK MOTOR
- 120-7199 GUARD, TRACK GUIDING, CENTER
- 420-3840 FRAME, BASE, LONG U/C BLADE
- 362-4343 COUNTERWEIGHT, 3.6TON (7,940 LBS)
- 533-6302 TRACK, 500MM (20") TG W/RUBBER PAD
- 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS
- 459-1241 SEAT, H-BACK, W/HEATER,S/AIR
- 372-9578 WINDOW, REAR, DUAL EXIT
- 360-6189 PANEL, STD START SWITCH
- 465-6145 RADIO, 24V AM/FM
- 359-2563 KEY
- 352-7158 ACCUMULATOR WITH CRN
- 467-1396 CAMERA REAR VIEW W/GRDRAIL
- 503-0851 TANK, FUEL
- 435-8180 SWIVEL, BLADE
- 431-0397 CONTROL, FINE SWING
- 473-4122 COVER, TANK STANDARD
- 458-3785 LINES-FRONT, STD W/ PGQC
- 394-7475 STICK, R3.0M (9'10") HD
- 316-3790 SUPPORT, AUX LINES, R-BOOM
- 370-0217 LINES-HP, REACH BOOM TCS
- 371-0116 LINES-QC, REACH BOOM
- 372-9668 LINES-HP, R3.0M (9'10") STICK
- 393-8771 LINES-QC, R3.0M (9'10") STICK
- 500-9174 CTRL, CAT PIN GRABBER COUPLER
- 282-4576 BLADE, 2500M (8'2")M
- 461-1667 CONTROL, BLADE, W/PUMP
- 275-7114 LIGHT, BOOM RIGHT SIDE
- 360-6276 LIGHTING, CAB (HALOGEN)
- 369-0002 ALARM, TRAVEL
- 466-3359 CHANGER,HAND CTRL 2-WAY
- 462-8661 PRODUCT LINK, CELLULAR PL641
- 473-7017 DECALS, EXTERIOR ANSI
- 473-7132 DECALS, CAB ANSI
- 385-2832 CYLINDER, BKT
- 385-3232 LINKAGE, BKT W/O LIFT
- 499-3898 REACH BOOM HD PKG
BOOM, REACH 4.65M (15'3") HD
CYLINDER, BOOM (W/O BLCV)
CYLINDER, STICK (W/O SLCV)
- 418-4318 COMBINED CIR PKG

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
AKASHI, JAPAN
Ship Weight
lbs
LIST PRICE
AT DEALER

JOYSTICK, THUMB WHEEL
 MAT, FLOOR
 CIRCUIT, COMBINED
 499-3901 VALVE PKG, HYD TCS
 VALVE, HYDRAULIC TCS
 PLATFORM, STD
 HARNESS, PLATFORM STD
 LINES-PILOT, PLATFORM TCS
 LINES-PILOT, CL R-BOOM TCS
 LINES-PILOT, INITIAL CIR. ATT

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>585-4585</p> <p>315F L HEX AM-N DCA4C 0</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>3.0M (9'10") Stick, Tool Control, 500mm (20") Track Shoe w/Rubber Pad, Blade</p> <p>INCLUDES:</p> <p>465-6097 315F L HEX 459-9556 FRAME, SWING 461-2810 AIR CONDITIONER 375-5660 COOLING, HIGH AMBIENT 488-6543 SEAT BELT, 51MM (2") RETRACTABLE 464-9323 BATTERY, STANDARD 284-4491 MIRROR, CAB LEFT 327-6559 MIRROR, W/O GUARD 466-1038 HOOD, ENGINE 362-4326 GUARD, BOTTOM, STANDARD 169-7904 GUARD, TRACK MOTOR 120-7199 GUARD, TRACK GUIDING, CENTER 420-3840 FRAME, BASE, LONG U/C BLADE 362-4343 COUNTERWEIGHT, 3.6TON (7,940 LBS) 533-6302 TRACK, 500MM (20") TG W/RUBBER PAD 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS 459-1241 SEAT, H-BACK, W/HEATER,S/AIR 372-9578 WINDOW, REAR, DUAL EXIT 360-6189 PANEL, STD START SWITCH 465-6145 RADIO, 24V AM/FM 359-2563 KEY 352-7158 ACCUMULATOR WITH CRN 467-1396 CAMERA REAR VIEW W/GRDRAIL 503-0851 TANK, FUEL 435-8180 SWIVEL, BLADE 431-0397 CONTROL, FINE SWING 473-4122 COVER, TANK STANDARD 458-3785 LINES-FRONT, STD W/ PGQC 394-7475 STICK, R3.0M (9'10") HD 316-3790 SUPPORT, AUX LINES, R-BOOM 370-0217 LINES-HP, REACH BOOM TCS 371-0116 LINES-QC, REACH BOOM 372-9668 LINES-HP, R3.0M (9'10") STICK 393-8771 LINES-QC, R3.0M (9'10") STICK 500-9174 CTRL, CAT PIN GRABBER COUPLER 282-4576 BLADE, 2500M (8'2")M 461-1667 CONTROL, BLADE, W/PUMP 275-7114 LIGHT, BOOM RIGHT SIDE 360-6276 LIGHTING, CAB (HALOGEN) 369-0002 ALARM, TRAVEL 466-3359 CHANGER,HAND CTRL 2-WAY 585-4204 PRODUCT LINK, CELLULAR PL641 473-7017 DECALS, EXTERIOR ANSI 473-7132 DECALS, CAB ANSI 385-2832 CYLINDER, BKT 385-3232 LINKAGE, BKT W/O LIFT 499-3898 REACH BOOM HD PKG BOOM, REACH 4.65M (15'3") HD CYLINDER, BOOM (W/O BLCV) CYLINDER, STICK (W/O SLCV) 418-4318 COMBINED CIR PKG</p>	<p>\$232,340</p>
--	-------------------------

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
AKASHI, JAPAN
Ship Weight
lbs
LIST PRICE
AT DEALER

JOYSTICK, THUMB WHEEL
 MAT, FLOOR
 CIRCUIT, COMBINED
 499-3901 VALVE PKG, HYD TCS
 VALVE, HYDRAULIC TCS
 PLATFORM, STD
 HARNESS, PLATFORM STD
 LINES-PILOT, PLATFORM TCS
 LINES-PILOT, CL R-BOOM TCS
 LINES-PILOT, INITIAL CIR. ATT

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>565-3850</p> <p>315F L HEX AM-N EOC1B 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>3.0M (9'10") Stick, Tool Control w/MP, 600mm (24") Track, Blade and CGC</p> <p>INCLUDES:</p> <p>465-6097 315F L HEX</p> <p>459-9556 FRAME, SWING</p> <p>461-2810 AIR CONDITIONER</p> <p>375-5660 COOLING, HIGH AMBIENT</p> <p>488-6543 SEAT BELT, 51MM (2") RETRACTABLE</p> <p>464-9323 BATTERY, STANDARD</p> <p>284-4491 MIRROR, CAB LEFT</p> <p>327-6559 MIRROR, W/O GUARD</p> <p>466-1038 HOOD, ENGINE</p> <p>362-4326 GUARD, BOTTOM, STANDARD</p> <p>169-7904 GUARD, TRACK MOTOR</p> <p>120-7199 GUARD, TRACK GUIDING, CENTER</p> <p>420-3840 FRAME, BASE, LONG U/C BLADE</p> <p>362-4343 COUNTERWEIGHT, 3.6TON (7,940 LBS)</p> <p>340-8203 TRACK, 600MM (24") TG (GLT)</p> <p>357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS</p> <p>459-1241 SEAT, H-BACK, W/HEATER,S/AIR</p> <p>372-9578 WINDOW, REAR, DUAL EXIT</p> <p>360-6189 PANEL, STD START SWITCH</p> <p>465-6145 RADIO, 24V AM/FM</p> <p>359-2563 KEY</p> <p>352-7158 ACCUMULATOR WITH CRN</p> <p>467-1396 CAMERA REAR VIEW W/GRDRAIL</p> <p>503-0851 TANK, FUEL</p> <p>435-8180 SWIVEL, BLADE</p> <p>431-0397 CONTROL, FINE SWING</p> <p>473-4122 COVER, TANK STANDARD</p> <p>458-3785 LINES-FRONT, STD W/ PGQC</p> <p>394-7646 STICK, R3.0M (9'10") HD CGC</p> <p>316-3790 SUPPORT, AUX LINES, R-BOOM</p> <p>370-0217 LINES-HP, REACH BOOM TCS</p> <p>371-0115 LINES-MP, REACH BOOM</p> <p>371-0116 LINES-QC, REACH BOOM</p> <p>372-9668 LINES-HP, R3.0M (9'10") STICK</p> <p>372-9807 LINES-MP, R3.0M (9'10") STICK</p> <p>393-8771 LINES-QC, R3.0M (9'10") STICK</p> <p>500-9174 CTRL, CAT PIN GRABBER COUPLER</p> <p>282-4579 BLADE, 2600MM (8'6")</p> <p>441-3024 CONTROL, BLADE, W/PUMP MP</p> <p>441-2758 CIRCUIT, MEDIUM PRESS, BLADE</p> <p>275-7114 LIGHT, BOOM RIGHT SIDE</p> <p>360-6276 LIGHTING, CAB (HALOGEN)</p> <p>467-4480 GRADE CONTROL, DEPTH AND SLOPE</p> <p>349-2185 SENSOR MOUNT, CGC</p> <p>369-0002 ALARM, TRAVEL</p> <p>466-3359 CHANGER,HAND CTRL 2-WAY</p> <p>462-8661 PRODUCT LINK, CELLULAR PL641</p> <p>473-7017 DECALS, EXTERIOR ANSI</p> <p>473-7132 DECALS, CAB ANSI</p> <p>368-7043 CYLINDER, BKT CGC</p> <p>385-3232 LINKAGE, BKT W/O LIFT</p>	<p>\$246,130</p>
---	-------------------------

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
AKASHI, JAPAN
Ship Weight
lbs
LIST PRICE
AT DEALER

499-3899 REACH BOOM HD CGC PKG
 BOOM, REACH 4.65M (15'3") HD CGC
 CYLINDER, BOOM (W/O BLCV)
 CYLINDER, STICK (W/O SLCV)
 GUARD, CYLINDER COVER, CGC
 499-3903 COMBINED CIR TMP PKG
 JOYSTICK, THUMB WHEEL
 MAT, FLOOR, RH PEDAL
 CIRCUIT, COMBINED
 PEDAL, TOOL MODULATION (RH)
 499-3901 VALVE PKG, HYD TCS
 VALVE, HYDRAULIC TCS
 PLATFORM, STD
 HARNESS, PLATFORM STD
 LINES-PILOT, PLATFORM TCS
 LINES-PILOT, CL R-BOOM TCS
 LINES-PILOT, INITIAL CIR. ATT

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

585-4586	315F L HEX AM-N EOC1C 0	\$246,130
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

3.0M (9'10") Stick, Tool Control w/MP, 600mm (24") Track, Blade and CGC

INCLUDES:

- 465-6097 315F L HEX
- 459-9556 FRAME, SWING
- 461-2810 AIR CONDITIONER
- 375-5660 COOLING, HIGH AMBIENT
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 464-9323 BATTERY, STANDARD
- 284-4491 MIRROR, CAB LEFT
- 327-6559 MIRROR, W/O GUARD
- 466-1038 HOOD, ENGINE
- 362-4326 GUARD, BOTTOM, STANDARD
- 169-7904 GUARD, TRACK MOTOR
- 120-7199 GUARD, TRACK GUIDING, CENTER
- 420-3840 FRAME, BASE, LONG U/C BLADE
- 362-4343 COUNTERWEIGHT, 3.6TON (7,940 LBS)
- 340-8203 TRACK, 600MM (24") TG (GLT)
- 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS
- 459-1241 SEAT, H-BACK, W/HEATER,S/AIR
- 372-9578 WINDOW, REAR, DUAL EXIT
- 360-6189 PANEL, STD START SWITCH
- 465-6145 RADIO, 24V AM/FM
- 359-2563 KEY
- 352-7158 ACCUMULATOR WITH CRN
- 467-1396 CAMERA REAR VIEW W/GRDRAIL
- 503-0851 TANK, FUEL
- 435-8180 SWIVEL, BLADE
- 431-0397 CONTROL, FINE SWING
- 473-4122 COVER, TANK STANDARD
- 458-3785 LINES-FRONT, STD W/ PGQC
- 394-7646 STICK, R3.0M (9'10") HD CGC
- 316-3790 SUPPORT, AUX LINES, R-BOOM
- 370-0217 LINES-HP, REACH BOOM TCS
- 371-0115 LINES-MP, REACH BOOM
- 371-0116 LINES-QC, REACH BOOM
- 372-9668 LINES-HP, R3.0M (9'10") STICK
- 372-9807 LINES-MP, R3.0M (9'10") STICK
- 393-8771 LINES-QC, R3.0M (9'10") STICK
- 500-9174 CTRL, CAT PIN GRABBER COUPLER
- 282-4579 BLADE, 2600MM (8'6")
- 441-3024 CONTROL, BLADE, W/PUMP MP
- 441-2758 CIRCUIT, MEDIUM PRESS, BLADE
- 275-7114 LIGHT, BOOM RIGHT SIDE
- 360-6276 LIGHTING, CAB (HALOGEN)
- 467-4480 GRADE CONTROL, DEPTH AND SLOPE
- 349-2185 SENSOR MOUNT, CGC
- 369-0002 ALARM, TRAVEL
- 466-3359 CHANGER,HAND CTRL 2-WAY
- 585-4204 PRODUCT LINK, CELLULAR PL641
- 473-7017 DECALS, EXTERIOR ANSI
- 473-7132 DECALS, CAB ANSI
- 368-7043 CYLINDER, BKT CGC
- 385-3232 LINKAGE, BKT W/O LIFT

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

499-3899 REACH BOOM HD CGC PKG BOOM, REACH 4.65M (15'3") HD CGC CYLINDER, BOOM (W/O BLCV) CYLINDER, STICK (W/O SLCV) GUARD, CYLINDER COVER, CGC 499-3903 COMBINED CIR TMP PKG JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL CIRCUIT, COMBINED PEDAL, TOOL MODULATION (RH) 499-3901 VALVE PKG, HYD TCS VALVE, HYDRAULIC TCS PLATFORM, STD HARNESS, PLATFORM STD LINES-PILOT, PLATFORM TCS LINES-PILOT, CL R-BOOM TCS LINES-PILOT, INITIAL CIR. ATT		
--	--	--

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

585-4587	315F L HEX AM-N EOC2C 0 LANE 3 - AVAILABLE FROM AKASHI FACTORY	\$230,870
----------	--	------------------

POB 2.13M (7') Stick, w/o Tool Control, 500mm (20") Track, Blade, QC

- INCLUDES:
- 465-6097 315F L HEX
 - 459-9556 FRAME, SWING
 - 461-2810 AIR CONDITIONER
 - 375-5660 COOLING, HIGH AMBIENT
 - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
 - 464-9323 BATTERY, STANDARD
 - 284-4491 MIRROR, CAB LEFT
 - 327-6559 MIRROR, W/O GUARD
 - 466-1038 HOOD, ENGINE
 - 362-4326 GUARD, BOTTOM, STANDARD
 - 169-7904 GUARD, TRACK MOTOR
 - 120-7199 GUARD, TRACK GUIDING, CENTER
 - 420-3840 FRAME, BASE, LONG U/C BLADE
 - 362-4343 COUNTERWEIGHT, 3.6TON (7.940 LBS)
 - 340-8201 TRACK, 500MM (20") TG (GLT)
 - 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS
 - 459-1241 SEAT, H-BACK, W/HEATER,S/AIR
 - 372-9578 WINDOW, REAR, DUAL EXIT
 - 360-6189 PANEL, STD START SWITCH
 - 465-6145 RADIO, 24V AM/FM
 - 359-2563 KEY
 - 352-7158 ACCUMULATOR WITH CRN
 - 467-1396 CAMERA REAR VIEW W/GRDRAIL
 - 503-0851 TANK, FUEL
 - 435-8180 SWIVEL, BLADE
 - 431-0397 CONTROL, FINE SWING
 - 473-4122 COVER, TANK STANDARD
 - 458-3792 LINES-FRONT, POB W/ PGQC
 - 338-7937 STICK, 2.13M (7') POB
 - 390-0769 LINES-QC, POWER OFFSET BOOM
 - 371-3100 LINES-QC, 2.13M (7') POB STICK
 - 500-9174 CTRL, CAT PIN GRABBER COUPLER
 - 282-4576 BLADE, 2500M (8'2")M
 - 461-1667 CONTROL, BLADE, W/PUMP
 - 275-7180 LIGHT, BOOM RIGHT SIDE, POB
 - 360-6276 LIGHTING, CAB (HALOGEN)
 - 369-0002 ALARM, TRAVEL
 - 466-3360 CHANGER,HAND CTRL 2-WAY POB
 - 585-4204 PRODUCT LINK, CELLULAR PL641
 - 473-7017 DECALS, EXTERIOR ANSI
 - 473-7132 DECALS, CAB ANSI
 - 362-4131 CYLINDER, BKT POB
 - 385-3232 LINKAGE, BKT W/O LIFT
 - 349-2061 DEVICE, BOOM LOWERING CONTROL
 - 415-1281 DEVICE, STICK LOWERING CONTROL
 - 499-3900 POB, 2.13M (7') STICK HD PKG
 - BOOM, POWER OFFSET
 - CYLINDER, POB (W/BLCV)
 - CYLINDER, STICK, POB (W/SLCV)
 - DECALS, POB RH
 - 499-3904 JOYSTICK STD POB PKG
 - MAT, FLOOR, POB

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

- JOYSTICK, ONE BUTTON ARRANGEMENT, POB
- 503-9852 VALVE PKG, HYD POB B/SLCV
- VALVE, HYDRAULIC POB
- PLATFORM, POB
- HARNESSE, PLATFORM POB
- LINES-PILOT, PLATFORM POB PTRN
- LINES-PILOT, CL POB
- LINES-PILOT, INITIAL CIR. ATT

509-9635

315F L HEX AM-N BCF1 0

\$172, 650

- LANE 2 - AVAILABLE FROM AKASHI FACTORY
- LANE 3 - AVAILABLE FROM AKASHI FACTORY

Base machine w/o blade and with AUX circuit configuration.
Well suited for general applications and auxiliary hydraulics.

Base Configuration must be completed by selecting
Mandatory / Optional attachments.

- INCLUDES:
- 465-6097 315F L HEX
 - 459-9556 FRAME, SWING
 - 461-2810 AIR CONDITIONER
 - 375-5660 COOLING, HIGH AMBIENT
 - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
 - 464-9323 BATTERY, STANDARD
 - 284-4491 MIRROR, CAB LEFT
 - 327-6559 MIRROR, W/O GUARD
 - 466-1038 HOOD, ENGINE
 - 362-4326 GUARD, BOTTOM, STANDARD
 - 169-7904 GUARD, TRACK MOTOR
 - 120-7199 GUARD, TRACK GUIDING, CENTER
 - 420-3837 FRAME, BASE, LONG U/C
 - 362-4343 COUNTERWEIGHT, 3.6TON (7,940 LBS)
 - 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS PAD
 - 459-1241 SEAT, H-BACK, W/HEATER,S/AIR
 - 372-9578 WINDOW, REAR, DUAL EXIT
 - 360-6189 PANEL, STD START SWITCH
 - 465-6145 RADIO, 24V AM/FM
 - 359-2563 KEY
 - 352-7158 ACCUMULATOR WITH CRN
 - 467-1396 CAMERA REAR VIEW W/GRDRAIL
 - 503-0851 TANK, FUEL
 - 435-8179 SWIVEL, STANDARD
 - 431-0397 CONTROL, FINE SWING
 - 473-4122 COVER, TANK STANDARD
 - 458-3785 LINES-FRONT, STD W/ PGQC
 - 369-0002 ALARM, TRAVEL
 - 275-7114 LIGHT, BOOM RIGHT SIDE
 - 360-6276 LIGHTING, CAB (HALOGEN)

CATERPILLAR MACHINE PRICE LIST

315F

315F EXCAVATOR	Ship Weight	LIST PRICE
AKASHI, JAPAN	lbs	AT DEALER

509-9636	315F L HEX AM-N BCF2 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	\$175,140
-----------------	---	------------------

Base machine with blade and with AUX configuration.
 Well suited for the application those requiring grading, leveling and auxiliary hydraulics.

Base Configuration must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 465-6097 315F L HEX
 - 459-9556 FRAME, SWING
 - 461-2810 AIR CONDITIONER
 - 375-5660 COOLING, HIGH AMBIENT
 - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
 - 464-9323 BATTERY, STANDARD
 - 284-4491 MIRROR, CAB LEFT
 - 327-6559 MIRROR, W/O GUARD
 - 466-1038 HOOD, ENGINE
 - 362-4326 GUARD, BOTTOM, STANDARD
 - 169-7904 GUARD, TRACK MOTOR
 - 120-7199 GUARD, TRACK GUIDING, CENTER
 - 420-3840 FRAME, BASE, LONG U/C BLADE
 - 362-4343 COUNTERWEIGHT, 3.6TON (7,940 LBS)
 - 357-4081 CAB-ROPS,70/30 W/VANDAL G-BOSS
 - 459-1241 SEAT, H-BACK, W/HEATER,S/AIR
 - 372-9578 WINDOW, REAR, DUAL EXIT
 - 360-6189 PANEL, STD START SWITCH
 - 465-6145 RADIO, 24V AM/FM
 - 359-2563 KEY
 - 352-7158 ACCUMULATOR WITH CRN
 - 467-1396 CAMERA REAR VIEW W/GRDRAIL
 - 503-0851 TANK, FUEL
 - 435-8180 SWIVEL, BLADE
 - 431-0397 CONTROL, FINE SWING
 - 473-4122 COVER, TANK STANDARD
 - 458-3785 LINES-FRONT, STD W/ PGQC
 - 369-0002 ALARM, TRAVEL
 - 275-7114 LIGHT, BOOM RIGHT SIDE
 - 360-6276 LIGHTING, CAB (HALOGEN)

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

EXPORT PACKING

(Must Choose One)

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$277 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		
OG-0498	ROLL ON-ROLL OFF LANE1 A	0	\$154 NET

DECAL PACKAGE

(Must Choose One)

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
		This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		
L	499-3905	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada.		

SERVICE INSTRUCTIONS

(Must Choose One)

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

OP-2407	ANTIFREEZE, -50C (-58F)	0	\$275 NET
---------	-----------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS

CGC PRICE ADJUSTMENT

OP-4242	CGC PRICE ADJUSTMENT-S 0	\$-4,780
	CGC Price adjustment for small excavators in North America to accelera technology and improve customer value.	

ONLY FOR USE WITH: CGC Configurations

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

BOOM PACKAGES

When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem_solutions@cat.com. OEM Solutions Group will assist in development and pricing of the machine configuration, and to place the order for the machine.

L	499-3898	REACH BOOM HD PKG Reach Boom 4.65M (15'3") HD Package (PKG) Includes boom light, left side INCLUDES: - BOOM, REACH 4.65M (15'3") HD - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV)	0	\$11,750
L	502-4205	REACH BOOM HD B/SLCV PKG Reach Boom 4.65M (15'3") HD with BLCV/SLCV Package (PKG) Includes boom light, left side INCLUDES: - BOOM, REACH 4.65M (15'3") HD - CYLINDER, BOOM (W/BLCV) - CYLINDER, STICK (W/SLCV) REQUIRES: 349-2061 DEVICE, BOOM LOWERING CONTROL and 349-2062 DEVICE, STICK LOWERING CONTROL EUR/ANZ BCFs already include B/SLCV. CANNOT BE USED WITH: 561-5593 315F L HEX EU BCF2	0	\$14,430
L	499-3899	REACH BOOM HD CGC PKG Reach Boom 4.65M (15'3") HD CAT Grade Control (CGC) Package (PKG) Includes boom light, left side Does not include AccuGrade Ready Option (ARO). There are no GNSS mast mounts or AccuGrade wiring harness included in this option. INCLUDES: - BOOM, REACH 4.65M (15'3") HD CGC - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) - GUARD, CYLINDER COVER, CGC REQUIRES: 467-4480 GRADE CONTROL, DEPTH AND SLOPE 349-2185 SENSOR MOUNT, CGC	0	\$11,750

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICKS

L	394-7476	STICK, R9'2" HD 0		\$5,640
		ONLY FOR USE WITH: 499-3898 REACH BOOM HD PKG or 502-4205 REACH BOOM HD B/SLCV PKG or 523-7817 315F L HEX CJL BCF1 or 523-7820 315F L HEX CJL BLADE BCF4		
L	394-7475	STICK, R9'10" HD 0		\$6,170
		ONLY FOR USE WITH: For AM-N, ANZ, EUR 499-3898 REACH BOOM HD PKG or 502-4205 REACH BOOM HD B/SLCV PKG For CJL 523-7817 315F L HEX CJL BCF1 or 523-7820 315F L HEX CJL BLADE BCF4		
L	394-7646	STICK, R9'10" HD CGC 0		\$6,170
		ONLY FOR USE WITH: 499-3899 REACH BOOM HD CGC PKG		
L	394-7482	STICK, R9'10" HD THUMB 0		\$6,570
		ONLY FOR USE WITH: 499-3898 REACH BOOM HD PKG or 502-4205 REACH BOOM HD B/SLCV PKG		

BUCKET CYLINDERS

L	385-2832	CYLINDER, BKT 0		\$1,410
		ONLY FOR USE WITH: 394-7479 STICK, R2.1M (6'11") HD or 394-7477 STICK, R2.5M (8'2") HD or 394-7481 STICK, R2.5M (8'2") HD SC or 385-2832 STICK, R2.5M (8'2") HD KETO or 394-7476 STICK, R2.8M (9'2") HD or 394-7475 STICK, R3.0M (9'10") HD or 394-7482 STICK, R3.0M (9'10") HD THUMB		
L	368-7043	CYLINDER, BKT CGC 0		\$1,405
		ONLY FOR USE WITH: 468-7594 STICK, R2.5M (8'2") HD CGC or 394-7646 STICK, R3.0M (9'10") HD CGC or		

BUCKET LINKAGES

L	385-3232	LINKAGE, BKT W/O EYE 0		\$2,515
---	----------	----------------------------------	--	---------

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

TRACKS

L	340-8201	TRACK, 20" TG (GLT)	0	\$285
L	340-8203	TRACK, 24" TG (GLT)	0	\$1,295
L	340-8204	TRACK, 28" TG W/STEP (GLT)	0	\$1,295
L	533-6302	TRACK, 20" TG W/RUBBER PAD	0	\$10,770

HYDRAULICS

HYDRAULIC PACKAGES

L	418-4317	JOYSTICK STD PKG Joystick Standard (STD) Package (PKG) INCLUDES: - MAT, FLOOR - JOYSTICK, ONE BUTTON ONLY FOR USE WITH: For CJL 523-7817 315F L HEX CJL BCF1 or 523-7818 315F L HEX CJL SC BCF2 or 523-7820 315F L HEX CJL BLADE BCF4 CANNOT BE USED WITH: 502-4205 REACH BOOM HD B/SLCV PKG 499-3899 REACH BOOM HD CGC PKG 503-9847 REACH BOOM HD CGC B/SLCV PKG	0	NC
L	418-4324	JOYSTICK TWJ CGC PKG Joystick Thumb Wheel (TWJ) Cat Grade Control (CGC) Package (PKG) INCLUDES: - MAT, FLOOR - JOYSTICK, THUMB WHEEL ONLY FOR USE WITH: For AM-N 499-3899 REACH BOOM HD CGC PKG For CJL 523-7819 315F L HEX CJL CGC BCF3	0	\$1,210
L	418-4318	COMBINED CIR PKG Combined Circuit (CIR) Package (PKG) Combined circuit (1 way / 2 way) Joystick Thumb Wheel Joystick (TWJ) is included. INCLUDES: - CIRCUIT, COMBINED - MAT, FLOOR - JOYSTICK, THUMB WHEEL CANNOT BE USED WITH: 502-4206 VA BOOM B/SLCV PKG	0	\$6,350
L	499-3903	COMBINED CIR TMP PKG Combined Circuit (CIR) Tool Modulation Pedal (TMP) Package (PKG) Combined circuit (1 way / 2 way) Joystick Thumb Wheel Joystick (TWJ) is included. INCLUDES: - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - CIRCUIT, COMBINED - PEDAL, TOOL MODULATION (RH)	0	\$7,400

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC MAIN VALVE PACKAGES

L	502-4207	VALVE PKG, HYD 0 Valve (VLV) Package (PKG), Hydraulic (HYD) INCLUDES: - VALVE, HYDRAULIC - PLATFORM, STD - HARNESS, PLATFORM STD - LINES-PILOT, PLATFORM R-BOOM - LINES-PILOT, CL R-BOOM - LINES-PILOT, INITIAL CIRCUIT	0	\$505
L	499-3901	VALVE PKG, HYD TCS 0 Valve Package (PKG), Hydraulic (HYD) Tool Control System (TCS) INCLUDES: - VALVE, HYDRAULIC TCS - PLATFORM, STD - HARNESS, PLATFORM STD - LINES-PILOT, PLATFORM TCS - LINES-PILOT, CL R-BOOM TCS - LINES-PILOT, INITIAL CIR. ATT ONLY FOR USE WITH: 418-4317 JOYSTICK STANDARD PKG 509-9635 315F L HEX AM-N BCF1 or 509-9636 315F L HEX AM-N BCF2 or 561-5592 315F L HEX EU BCF1 or 509-9643 315F L HEX ANZ BCF1 or 509-9643 315F L HEX ANZ BCF2 or 511-4803 315F L HEX CJL DLX D BCF7 and 418-4318 COMBINED CIR PKG or 499-3903 COMBINED CIR TMP PKG or 418-4330 COMBINED CIR PKG or	0	\$1,010

LINE GROUPS

QUICK COUPLER CONTROL

L	500-9174	CTRL, CAT PIN GRABBER COUPLER 0 ANSI This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 473-7017 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)	0	\$860
---	----------	---	---	-------

TECHNOLOGY PRODUCTS

CGC PRICE ADJUSTMENT

	OP-4242	CGC PRICE ADJUSTMENT-S 0 CGC Price adjustment for small excavators in North America to accelera technology and improve customer value. ONLY FOR USE WITH: CGC Configurations	0	\$-4,780
--	---------	---	---	----------

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

DECALS - EXTERIOR

L	473-7017	DECALS, EXTERIOR ANSI	0	NC
		AVAILABLE FOR: AM-N (except for Quebec)		

DECALS - CAB

L	473-7132	DECALS, CAB ANSI	0	NC
		ONLY FOR USE WITH: 473-7017 DECALS, EXTERIOR ANSI		
		AVAILABLE FOR: AM-N (except for Quebec)		

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	462-8661	PRODUCT LINK, CELLULAR PL641	0	NC
		FOR USE WITH LANE 2		

ANSI
Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface.. Cellular technology provides capabilities for frequent transmission and larger volumes of data.
AVAILABLE FOR: AM-N (except for Quebec)

NOTE: 4628661 will be replaced by 5854204

L	585-4204	PRODUCT LINK, CELLULAR PL641	0	NC
		FOR USE WITH LANE 3		

ANSI
Product Link Pro series PL641 uses GSM and CDMA 3G/4G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.
AVAILABLE FOR: AM-N (except for Quebec)

L	471-0547	PRODUCT LINK, SATELLITE PL631	0	\$439
		ANSI		

Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface.. For use in areas with poor or no cellular coverage.
AVAILABLE FOR: AM-N (except for Quebec)

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES

BLADE CONTROLS

L	461-1667	CONTROL, BLADE, W/PUMP 0		\$6,650
		ONLY FOR USE WITH: 509-9636 315F L HEX AM-N BCF2 or 523-7820 315F L HEX CJL BLADE BCF4 or 523-7822 315F L HEX CJL DEMO BLADE BCF6 or 527-2063 315F L HEX CJL FORE BLADE BCF2		
		CANNOT BE USED WITH: 441-2758 CIRCUIT, MEDIUM PRESS, BLADE 449-7033 COMBINED MP CIR BLD PKG 437-8369 FOREST KETO BLD PKG		
L	441-3024	CONTROL, BLADE, W/PUMP MP 0		\$6,650
		REQUIRES: 441-2758 CIRCUIT, MEDIUM PRESS, BLADE 441-2760 CIRCUIT, MP, W/BLADE VAB 449-7033 COMBINED MP CIR BLD PKG		
		ONLY FOR USE WITH: 509-9636 315F L HEX AM-N BCF2 or 523-7820 315F L HEX CJL BLADE BCF4 or 558-3441 315F L HEX JAPAN BCF6		
		FOR EU OPTIONAL, Mandaroty for installed with blade 561-5592 315F L HEX EU BCF1 or 561-5593 315F L HEX EU BCF2		

BLADES

L	282-4576	BLADE, 8'2" 963		\$3,990
		This blade is recommended for use with 500mm (20") track shoes. ONLY FOR USE WITH: 461-1667 CONTROL, BLADE, W/PUMP (AM-N, CJL) or 441-3024 CONTROL, BLADE, W/PUMP MP (AM-N, CJL) or 461-1668 CONTROL, BLADE, W/PUMP MP (CJL) or 441-2758 CIRCUIT, MEDIUM PRESS, BLADE (EU) or 441-2760 CIRCUIT, MP, W/BLADE VAB (EU) 437-8369 FOREST KETO BLD PKG		
L	282-4579	BLADE, 8'6" 1,089		\$5,600
		This blade is recommended for use with 600mm (24") track shoes. ONLY FOR USE WITH: 461-1667 CONTROL, BLADE, W/PUMP (AM-N, CJL) or 441-3024 CONTROL, BLADE, W/PUMP MP (AM-N, CJL) or 461-1668 CONTROL, BLADE, W/PUMP MP (CJL) or 441-2758 CIRCUIT, MEDIUM PRESS, BLADE (EU) or 441-2760 CIRCUIT, MP, W/BLADE VAB (EU) 437-8369 FOREST KETO BLD PKG		
L	282-4582	BLADE, 8'10" 1,111		\$6,380
		This blade is recommended for use with 700mm (28") track shoes. ONLY FOR USE WITH: 461-1667 CONTROL, BLADE, W/PUMP (AM-N, CJL) or 441-3024 CONTROL, BLADE, W/PUMP MP (AM-N, CJL) or 461-1668 CONTROL, BLADE, W/PUMP MP (CJL) or 441-2758 CIRCUIT, MEDIUM PRESS, BLADE (EU) or 441-2760 CIRCUIT, MP, W/BLADE VAB (EU) 437-8369 FOREST KETO BLD PKG		

INSTRUCTIONS

OPERATION & MAINTENANCE MANUAL

OP-3380	INSTRUCTIONS, ENGLISH 0	NC
---------	-----------------------------------	----

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS (CONT.)

OPERATION & MAINTENANCE MANUAL (Cont.)

0P-3404	INSTRUCTIONS, SPANISH 0	NC
---------	-----------------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS

LOWERING CONTROL DEVICE

L	349-2061	DEVICE, BOOM LOWERING CONTROL 0		\$187
		ONLY FOR USE WITH: 502-4205 REACH BOOM HD B/SLCV PKG		
L	349-2062	DEVICE, STICK LOWERING CONTROL 0		\$705
		ONLY FOR USE WITH: 349-2061 DEVICE, BOOM LOWERING CONTROL		

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM & STICK LINES PACKAGE

L	418-4292	LINES-HP TCS PKG (9'2" STK) 0		\$2,280
		Lines-High Pressure (HP) Tool Control System (TCS) Package (PKG) (R-Boom/ 2.8M (9'2") Stick)		
		INCLUDES: - LINES-HP, REACH BOOM TCS - LINES-HP, R2.8M (9'2") STICK		
		REQUIRES: 316-3790 SUPPORT, AUX LINES, R-BOOM		
		ONLY FOR USE WITH: 394-7476 STICK, R2.8M (9'2") HD and 418-4318 COMBINED CIR PKG or 499-3903 COMBINED CIR TMP PKG		

L	418-4293	LINES-HP TCS PKG (9'10" STK) 0		\$2,280
		Lines-High Pressure (HP) Tool Control System (TCS) Package (PKG) (R-Boom/ 3.0M (9'10") Stick)		
		INCLUDES: - LINES-HP, REACH BOOM TCS - LINES-HP, R3.0M (9'10") STICK		
		REQUIRES: 316-3790 SUPPORT, AUX LINES, R-BOOM		
		ONLY FOR USE WITH: 394-7475 STICK, R3.0M (9'10") HD or 394-7646 STICK, R3.0M (9'10") HD CGC or 394-7482 STICK, R3.0M (9'10") HD THUMB and 418-4318 COMBINED CIR PKG or 499-3903 COMBINED CIR TMP PKG		

L	370-0217	LINES-HP, REACH BOOM TCS 0		\$1,775
		Boom Lines Only. Does NOT include Stick Lines.		
		REQUIRES: 316-3790 SUPPORT, AUX LINES, R-BOOM		
		ONLY FOR USE WITH: 418-4318 COMBINED CIR PKG or 499-3903 COMBINED CIR TMP PKG or 523-7823 COMBINED MP CIR PKG or 449-7033 COMBINED MP CIR BLD PKG 437-8367 SINGLE CIR FOREST PKG or 527-1920 COMBINED MP CIR PKG or 527-1921 COMBINED MP CIR BLD PKG		

MEDIUM PRESSURE CIRCUIT

L	441-2757	CIRCUIT, MEDIUM PRESS. 0		\$4,920
		ONLY FOR USE WITH: 509-9635 AM-N BCF1 and 418-4318 COMBINED CIR PKG or 499-3903 COMBINED CIR TMP PKG FOR EU 561-5592 315F L HEX EU BCF1		

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE CIRCUIT (Cont.)

L	441-2758	CIRCUIT, MEDIUM PRESS, BLADE 0		\$4,920
		ONLY FOR USE WITH: 509-9636 315F L HEX AM-N BCF2 or 509-9643 315F L HEX ANZ BCF1 and 418-4318 COMBINED CIR PKG or 499-3903 COMBINED CIR TMP PKG FOR EU 561-5592 315F L HEX EU BCF1		

MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES PACKAGE

L	418-4300	LINES-MP PKG (9'2" STK) 0		\$1,610
		Lines-Medium Pressure (MP) Package (PKG) (R-Boom/2.8M (9'2") Stick) INCLUDES: - LINES-MP, REACH BOOM - LINES-MP, R2.8M (9'2") STICK REQUIRES: 316-3790 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 394-7476 STICK, R2.8M (9'2") HD and 441-2757 CIRCUIT, MEDIUM PRESS, W/PUMP or 441-2758 CIRCUIT, MEDIUM PRESS, BLADE		

L	418-4301	LINES-MP PKG (9'10" STK) 0		\$1,610
		Lines-Medium Pressure (MP) Package (PKG) (R-Boom/3.0M (9'10") Stick) INCLUDES: - LINES-MP, REACH BOOM - LINES-MP, R3.0M (9'10") STICK REQUIRES: 316-3790 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 394-7475 STICK, R3.0M (9'10") HD or 394-7646 STICK, R3.0M (9'10") HD CGC or 394-7482 STICK, R3.0M (9'10") HD THUMB and 441-2757 CIRCUIT, MEDIUM PRESS, W/PUMP or 441-2758 CIRCUIT, MEDIUM PRESS, BLADE or 561-5592 315F L HEX EU BCF1 or 509-9643 315F L HEX ANZ BCF1		

QUICK COUPLER BOOM & STICK LINES PACKAGE

L	418-4302	LINES-QC PKG (9'2" STK) 0		\$2,250
		Lines-Quick Coupler (QC) Package (PKG) (R-BOOM/2.8M (9'2") Stick) INCLUDES: - LINES-QC, REACH BOOM - LINES-QC, R2.8M (9'2") STICK REQUIRES: 316-3790 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 500-9174/9175 CTRL,CAT PINGRAB COUPLER ANSI/ISO and 394-7476 STICK, R2.8M (9'2") HD		

L	418-4303	LINES-QC PKG (9'10" STK) 0		\$2,250
		Lines-Quick Coupler (QC) Package (PKG) (R-BOOM/3.0M (9'10") Stick) INCLUDES: - LINES-QC, REACH BOOM - LINES-QC, R3.0M (9'10") STICK REQUIRES: 316-3790 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 500-9174/9175 CTRL,CAT PIN GRAB COUPLER ANSI/ISO or 502-4170 CONTROL, CW DEDICATED COUPLER and 394-7475 STICK, R3.0M (9'10") HD or 394-7646 STICK, R3.0M (9'10") HD CGC or 394-7482 STICK, R3.0M (9'10") HD THUMB		

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

BOOM LINE AUXILIARY MOUNT

L	316-3790	SUPPORT, AUX LINES, R-BOOM	0	NC
---	----------	--------------------------------------	---	----

Required this when any boom aux lines are selected.
 ONLY FOR USE WITH: 417-1933 LINES-HP TCS PKG (2.5M (8'2") STK) or
 418-4292 LINES-HP TCS PKG (2.8M (9'2") STK) or
 418-4293 LINES-HP TCS PKG (3.0M (9'10") STK) or
 370-0217 LINES-HP, REACH BOOM TCS or
 417-1934 LINES-MP PKG (2.5M (8'2") STK) or
 418-4300 LINES-MP PKG (2.8M (9'2") STK) or
 418-4301 LINES-MP PKG (3.0M (9'10") STK) or
 371-0115 LINES-MP, REACH BOOM or
 417-1935 LINES-QC PKG (R-BOOM/2.5M (8'2") STK) or
 418-4302 LINES-QC PKG (R-BOOM/2.8M (9'2") STK) or
 418-4303 LINES-QC PKG (R-BOOM/3.0M (9'10") STK) or
 371-0116 LINES-QC, REACH BOOM
 423-4419 LINES-HP, KETO

OPERATOR ENVIRONMENT

PATTERN CHANGER

L	466-3359	CHANGER, HAND CTRL 2-WAY	0	\$1,225
---	----------	------------------------------------	---	---------

TECHNOLOGY PRODUCTS

CAT GRADE CONTROL

L	467-4480	GRADE CONTROL, DEPTH AND SLOPE	0	\$14,080
---	----------	--	---	----------

Depth and Slope is the deeply integrated indicate - only CAT Grade Control System that provides guidance to the bucket tip using the standard machine display.
 REQUIRES: 349-2185 SENSOR MOUNT, CGC (except for CJL)
 ONLY FOR USE WITH: 499-3899 REACH BOOM HD CGC PKG or
 503-9847 REACH BOOM HD CGC B/SLCV PKG or
 523-7819 315F L HEX CJL CGC BCF3

CGC SENSOR MOUNT

L	349-2185	SENSOR MOUNT, CGC	0	NC
---	----------	-----------------------------	---	----

ONLY FOR USE WITH: 467-4480 GRADE CONTROL, DEPTH AND SLOPE

GUARDS

SWIVEL GUARD

L	137-2813	GUARD, SWIVEL	48	\$282
---	----------	-------------------------	----	-------

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

QUICK COUPLERS

QUICK COUPLER - CAT PIN GRABBER (Non-INSTALLED BUCKET)

L	455-3914	COUPLER, PG W/O PIN 311-315	421	\$7,278
		FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler.(NO Pins) Does NOT include spare pins. ONLY FOR USE WITH: 500-9174 CTRL,CAT PIN GRAB COUPLER ANSI or 500-9175 CTRL,CAT PIN GRAB COUPLER ISO and 417-1935 LINES-QC PKG (2.5M (8'2") STK) or 418-4302 LINES-QC PKG (2.8M (9'2") STK) or 418-4303 LINES-QC PKG (3.0M (9'10") STK) or 381-5999 LINES-QC, R2.1M (6'11") STICK or 372-9770 LINES-QC, R2.5M (8'2") STICK		

QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)

L	455-3913	COUPLER, PIN GRABBER W/PINS	467	\$7,867
		FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler.(PINS) Includes(1) set of pins to attach the coupler to the stick. ONLY FOR USE WITH: 500-9174 CTRL,CAT PIN GRAB COUPLER ANSI or 500-9175 CTRL,CAT PIN GRAB COUPLER ISO and 417-1935 LINES-QC PKG (2.5M (8'2") STK) or 418-4302 LINES-QC PKG (2.8M (9'2") STK) or 418-4303 LINES-QC PKG (3.0M (9'10") STK) or 381-5999 LINES-QC, R2.1M (6'11") STICK or 372-9770 LINES-QC, R2.5M (8'2") STICK		

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.
Rated capacity, SAE heaped.

GENERAL DUTY (GD)

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

P	571-2854	BKT GD 36" 0.69YD3 312	882	\$4,538
		REQUIRES: 6 Advansys 70 size tips		
P	571-2855	BKT GD 42" 0.84YD3 312	968	\$4,668
		REQUIRES: 7 Advansys 70 size tips		
P	571-2856	BKT GD 48" 1.00YD3 312	1,056	\$5,015
		REQUIRES: 7 Advansys 70 size tips		

SEVERE DUTY (SD)

For higher abrasion conditions such as well shot granite and caliche.

P	552-8142	BKT SD 36" 0.69YD3 312	1,014	\$5,544
		REQUIRES: 5 Advansys 80 size tips		

CATERPILLAR MACHINE PRICE LIST

315F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

SEVERE DUTY (SD) (Cont.)

P	552-8143	BKT SD 42" 0.85YD3 312	1,113	\$5,933
		REQUIRES: 5 Advansys 80 size tips		

SIDE CUTTERS

P	380-1203	SIDE CUTTER, GENERAL PURPOSE	38	\$499
---	----------	--	----	-------

TIPS ADVANSYS 70

P	539-5678	TIP, GENERAL DUTY ADVANSYS	10	\$58
---	----------	--------------------------------------	----	------

TIPS ADVANSYS 80

P	505-4083	TIP, PENETRATION PLUS ADVANSYS	17	\$88
---	----------	--	----	------

FLUIDS

	0P-2407	ANTIFREEZE, -50C (-58F)	0	\$275 NET
--	---------	-----------------------------------	---	-----------

PACKING

STORAGE PROTECTION

	0G-4126	STORAGE PROTECTION (EXPORT)	0	\$277 NET
		Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

	0G-4201	ROLL ON-ROLL OFF	0	\$120 NET
		For use when ordering an installed bucket or quick coupler		
	0G-0479	ROLL ON-ROLL OFF W/O BKT QC A	0	\$154 NET
		For use when NOT ordering an installed bucket or quick coupler		