

**CATERPILLAR MACHINE PRICE LIST**

**316F**

**316F HYDRAULIC EXCAVATOR  
 AKASHI, JAPAN**

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Diesel engine C4.4 certified to EPA Tier4 final, Japan MLIT Step 5, Transition EU StageV
- 2300m/7550ft altitude capability w/ no derate
- Waved fin radiator w/ enough space for cleaning operation (2SBS)
- Radial seal air filter
- Fuel water separator w/ level indicator
- Capability of
  - EIS (Engine Idle Shutdown) function
  - Using Bio-Diesel fuel (B20)

- for 24-Volt radios
- Mounting for two stereo speakers
- Storage compartment suitable for lunch box
- Door & cap locks
- 24V radio ready (harness, two speakers, antenna-flexible type)
- 12V-2 x 10A power supply w/ two cigar lighter type sockets
- Cab glass break hammer

- Monitor:
- Single axis adjustable monitor (horizontal only)
  - Full graphic and full color display
  - Warning information
  - Filter/fluid change information
  - Working hour information
  - Machine condition
  - Error code and tool mode setting information

**UNDERCARRIAGE**

- Grease lubricated track GLT1, resin seal
- Towing eye for diagonal lashing on baseframe

- Seat:
- Console height adjustment system
  - Armrest height adjustment system
  - Electrical provision for seat heater

**HYDRAULICS**

- Hydraulic main pump
- Regeneration circuit for boom and stick
- Two speed travel
- Capability of installing
  - Additional auxiliary pump & circuit
  - CAT Bio hydraulic oil
- Boom lowering device in case of engine shut down
- High performance hyd. return filter

- Pedal:
- Capability to install 2 addtl pedals
  - Travel control pedals with removable hand levers
  - Neutral lever (lock out) for all controls

**ELECTRICAL**

- Circuit breaker
- Capability of installing electric fuel lifting pump
- Light, storage box mounted (one) halogen
- Time delay function for boom light and cab light

**SAFETY AND SECURITY**

- Caterpillar one key security system
- Secondary engine shutoff switch
- Signaling / warning horn

**OPERATOR ENVIRONMENT**

- Cab
  - Bolt-on FOGS capability
  - Openable front windshield w/ assist device
  - Pillar mounted upper windshield wiper and washer
  - Cab sliding upper door window
  - Rear window
  - Removal lower windshield w/ incab storage bracket
  - Openable skylight as emergency exit
- Operators Station:
  - Interior lighting, Coat hook, Beverage holder with slit, Literature holder
  - Utility space for magazine
  - Radio mounting (DIN size) suitable

**OTHER STANDARD EQUIPMENT**

- Capability of installing
  - Stackable valves for main valve (max 2 valves)
  - Boom lowering control device and stick lowering check valve
  - Block Heater
- CAT data link w/capability of using E.T.
- Automatic swing parking brake
- Fine swing control capability
- Mirrors, rearview (frame -right, cab-left)
- Capability of installing fine grading system (Dealer retrofit only: available in Europe)

CATERPILLAR MACHINE PRICE LIST

**316F**

---

316F HYDRAULIC EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Orders Program.  
Please use lane 2 when placing orders that are part of the  
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>585-4624</b>	<b>316F L HEX AM-N DCA1C . . . . . 0</b>	<b>\$221,190</b>
-----------------	--	------------------

LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2

3.1M (10'2"), 700mm (28") Track

Dirt Digger with Coupler Hydraulics

INCLUDES:

- 427-9701 316F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 430-8467 CONTROL, FINE SWING
- 499-2012 MACHINE SOFTWARE
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1770 REACH BOOM HD PKG  
 REACH BOOM, 5.1M HD  
 CYLINDER, BOOM (W/O BLCV)  
 CYLINDER, STICK (W/O SLCV)
- 381-8971 CYLINDER, BKT
- 385-3234 LINKAGE, BKT W/O LIFT
- 490-8975 STICK, R3.1M HD
- 510-3658 JOYSTICK STANDARD STP PKG  
 VALVE, HYDRAULIC  
 JOYSTICK, ONE BUTTON  
 MAT, FLOOR, RH PEDAL  
 PEDAL, STRAIGHT TRAVEL  
 LINES, CYLINDER  
 PILOT LINES, STRAIGHT TRAVEL  
 PILOT LINES, BKT OPEN STD  
 PILOT LINES, BOOM UP STD/VAB  
 PILOT LINES, TCS STD  
 MACHINE CONTROLLER STD
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 340-8211 TRACK, 700MM TG W/STEP (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 346-7203 GUARD, TRACK GUIDING, CENTER
- 359-8843 SUPPORT, AUX LINES, R-BOOM
- 397-8306 LINES-QC, REACH 5.1M BOOM
- 262-3239 LINES-QC, REACH 3.1M STICK
- 369-0145 PANEL, STD START SWITCH
- 426-0303 GUARD, BOTTOM
- 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
- 426-0308 ENGINE HOOD, HIGH AMBIENT
- 426-2491 TANK, FUEL, STANDARD
- 426-2534 COUNTERWEIGHT, 2.8MT
- 430-8472 AIR CLEANER, STANDARD
- 447-1667 FAN, FIXED SPEED
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 502-1373 LINES, BKT CLOSE PGQC

## CATERPILLAR MACHINE PRICE LIST

**316F**316F HYDRAULIC EXCAVATOR  
AKASHI, JAPANShip Weight  
lbsLIST PRICE  
AT DEALER

---

578-2756 PRODUCT LINK, CELLULAR PL641  
 427-9715 DECALS, EXTERIOR ANSI  
 504-9465 DECALS, CAB ANSI  
 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)  
 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI

CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>585-4625</b>	<b>316F L HEX AM-N DCA2C . . . . . 0</b> LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2	<b>\$230,150</b>
-----------------	---	------------------

2.9M (9'6") Stick, Tool Control, 600mm (24") Track

Versatile machine with Tool Control and Coupler circuit

INCLUDES:

- 427-9701 316F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 430-8467 CONTROL, FINE SWING
- 499-2012 MACHINE SOFTWARE
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1770 REACH BOOM HD PKG  
 REACH BOOM, 5.1M HD  
 CYLINDER, BOOM (W/O BLCV)  
 CYLINDER, STICK (W/O SLCV)
- 381-8971 CYLINDER, BKT
- 385-3234 LINKAGE, BKT W/O LIFT
- 338-7847 STICK, R2.9M HD
- 510-3659 COMBINED CIR STP PKG  
 VALVE, HYDRAULIC TCS  
 JOYSTICK, THUMB WHEEL  
 MAT, FLOOR, RH PEDAL  
 PEDAL, STRAIGHT TRAVEL  
 LINES, CYLINDER  
 PILOT LINES, STRAIGHT TRAVEL  
 PILOT LINES, BKT OPEN STD  
 PILOT LINES, BOOM UP STD/VAB  
 PILOT LINES, TCS  
 CIRCUIT, COMBINED  
 MACHINE CONTROLLER TCS
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 340-8210 TRACK, 600MM TG (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 346-7203 GUARD, TRACK GUIDING, CENTER
- 359-8843 SUPPORT, AUX LINES, R-BOOM
- 262-3234 LINES, HIGH PRESSURE, 1PC BOOM
- 268-7245 LINES-HP, REACH 2.9M STICK
- 397-8306 LINES-QC, REACH 5.1M BOOM
- 268-7247 LINES-QC, REACH 2.9M STICK
- 369-0145 PANEL, STD START SWITCH
- 426-0303 GUARD, BOTTOM
- 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
- 426-0308 ENGINE HOOD, HIGH AMBIENT
- 426-2491 TANK, FUEL, STANDARD
- 426-2534 COUNTERWEIGHT, 2.8MT
- 430-8472 AIR CLEANER, STANDARD

## CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
447-1667 FAN, FIXED SPEED		
453-7538 SEAT, H-BACK, W/HEATER,S/AIR		
502-1373 LINES, BKT CLOSE PGQC		
578-2756 PRODUCT LINK, CELLULAR PL641		
427-9715 DECALS, EXTERIOR ANSI		
504-9465 DECALS, CAB ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
504-1097 CTRL,CAT PIN GRAB COUPLER ANSI		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
463-1943 CTRL,CAT PIN GRAB COUPLER ANSI		

CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>538-9235</b>	<b>316F L HEX AM-N DCA3B . . . . . 0</b>	<b>\$231,790</b>
-----------------	--	------------------

LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2  
 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2

Lane 3 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM AKASHI FACTORY  
 WILL BE REPLACED BY 5854626

3.1M (10'2") Stick, Tool Control (Tool 20), 700mm (28") Track

Versatile machine with Thumb Auxiliary Hydraulic, Coupler circuit and  
 Thumb Ready stick

INCLUDES:

- 427-9701 316F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 430-8467 CONTROL, FINE SWING
- 499-2012 MACHINE SOFTWARE
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1770 REACH BOOM HD PKG  
 REACH BOOM, 5.1M HD  
 CYLINDER, BOOM (W/O BLCV)  
 CYLINDER, STICK (W/O SLCV)
- 381-8971 CYLINDER, BKT
- 385-3234 LINKAGE, BKT W/O LIFT
- 490-8976 STICK, R3.1M HD THUMB
- 510-3659 COMBINED CIR STP PKG  
 VALVE, HYDRAULIC TCS  
 JOYSTICK, THUMB WHEEL  
 MAT, FLOOR, RH PEDAL  
 PEDAL, STRAIGHT TRAVEL  
 LINES, CYLINDER  
 PILOT LINES, STRAIGHT TRAVEL  
 PILOT LINES, BKT OPEN STD  
 PILOT LINES, BOOM UP STD/VAB  
 PILOT LINES, TCS  
 CIRCUIT, COMBINED  
 MACHINE CONTROLLER TCS
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 340-8211 TRACK, 700MM TG W/STEP (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 346-7203 GUARD, TRACK GUIDING, CENTER
- 359-8843 SUPPORT, AUX LINES, R-BOOM
- 262-3234 LINES, HIGH PRESSURE, 1PC BOOM
- 262-3237 LINES-HP, REACH 3.1M STICK
- 397-8306 LINES-QC, REACH 5.1M BOOM
- 262-3239 LINES-QC, REACH 3.1M STICK
- 369-0145 PANEL, STD START SWITCH
- 426-0303 GUARD, BOTTOM

## CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

427-9710	CAMERA, REAR VIEW, MIRRORS(RH)	
426-0308	ENGINE HOOD, HIGH AMBIENT	
426-2491	TANK, FUEL, STANDARD	
477-7688	COUNTERWEIGHT, 3.05MT	
430-8472	AIR CLEANER, STANDARD	
447-1667	FAN, FIXED SPEED	
453-7538	SEAT, H-BACK, W/HEATER,S/AIR	
502-1373	LINES, BKT CLOSE PGQC	
460-1148	PRODUCT LINK, CELLULAR PL641	
427-9715	DECALS, EXTERIOR ANSI	
504-9465	DECALS, CAB ANSI	
349-2233	CHANGER,HAND CTRL 2-WAY (ANSI)	
504-1097	CTRL,CAT PIN GRAB COUPLER ANSI	



CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>585-4626</b></p> <p><b>316F L HEX AM-N DCA3C</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE PDC</p> <p>3.1M (10'2") Stick, Tool Control (Tool 20), 700mm (28") Track</p> <p>Versatile machine with Thumb Auxiliary Hydraulic, Coupler circuit and Thumb Ready stick</p> <p>INCLUDES:</p> <p>427-9701 316F L HEX</p> <p>488-6543 SEAT BELT, 51MM (2") RETRACTABLE</p> <p>430-8467 CONTROL, FINE SWING</p> <p>499-2012 MACHINE SOFTWARE</p> <p>432-1340 AIR CONDITIONER</p> <p>352-7158 ACCUMULATOR WITH CRN</p> <p>360-6166 ALARM, TRAVEL</p> <p>457-1770 REACH BOOM HD PKG REACH BOOM, 5.1M HD CYLINDER, BOOM (W/O BLCV) CYLINDER, STICK (W/O SLCV)</p> <p>381-8971 CYLINDER, BKT</p> <p>385-3234 LINKAGE, BKT W/O LIFT</p> <p>490-8976 STICK, R3.1M HD THUMB</p> <p>510-3659 COMBINED CIR STP PKG VALVE, HYDRAULIC TCS JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, CYLINDER PILOT LINES, STRAIGHT TRAVEL PILOT LINES, BKT OPEN STD PILOT LINES, BOOM UP STD/VAB PILOT LINES, TCS CIRCUIT, COMBINED MACHINE CONTROLLER TCS</p> <p>372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>340-6667 HATCH, OPENABLE ROOF (DUAL)</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>134-8875 GUARD, SWIVEL</p> <p>291-7730 LIGHT, BOOM RIGHT SIDE</p> <p>319-1179 LIGHTING, CAB (HALOGEN)</p> <p>333-3007 TRAVEL MOTOR, BIO OIL CAPABLE</p> <p>340-8211 TRACK, 700MM TG W/STEP (GLT)</p> <p>342-3202 BATTERY, COLD WEATHER</p> <p>342-3636 WIPER-RADIAL, FRONT 70/30</p> <p>346-7396 WASHER, WINDSHIELD UPPER</p> <p>346-7203 GUARD, TRACK GUIDING, CENTER</p> <p>359-8843 SUPPORT, AUX LINES, R-BOOM</p> <p>262-3234 LINES, HIGH PRESSURE, 1PC BOOM</p> <p>262-3237 LINES-HP, REACH 3.1M STICK</p> <p>397-8306 LINES-QC, REACH 5.1M BOOM</p> <p>262-3239 LINES-QC, REACH 3.1M STICK</p> <p>369-0145 PANEL, STD START SWITCH</p> <p>426-0303 GUARD, BOTTOM</p> <p>427-9710 CAMERA, REAR VIEW, MIRRORS(RH)</p> <p>426-0308 ENGINE HOOD, HIGH AMBIENT</p> <p>426-2491 TANK, FUEL, STANDARD</p> <p>477-7688 COUNTERWEIGHT, 3.05MT</p>	<p>0</p>	<p><b>\$231,790</b></p>
---	----------	-------------------------

## CATERPILLAR MACHINE PRICE LIST

**316F****316F HYDRAULIC EXCAVATOR  
AKASHI, JAPAN**Ship Weight  
lbsLIST PRICE  
AT DEALER

---

430-8472 AIR CLEANER, STANDARD  
 447-1667 FAN, FIXED SPEED  
 453-7538 SEAT, H-BACK, W/HEATER,S/AIR  
 502-1373 LINES, BKT CLOSE PGQC  
 578-2756 PRODUCT LINK, CELLULAR PL641  
 427-9715 DECALS, EXTERIOR ANSI  
 504-9465 DECALS, CAB ANSI  
 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)  
 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI

CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>538-9236</b></p> <p><b>316F L HEX AM-N DCA4B</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM TACOMA DIST. CENTER                      LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2                      LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p>	<p><b>\$244,440</b></p>
---	-------------------------

Lane 3 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM AKASHI FACTORY  
 WILL BE REPLACED BY 5854628

2.9M (9'6") Stick, Tool Control, 600mm (24") Track) with CGC

Versatile machine with Tool Control(HP), Coupler circuit and CGC

INCLUDES:

- 427-9701 316F L HEX
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 430-8467 CONTROL, FINE SWING
- 499-2012 MACHINE SOFTWARE
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 360-6166 ALARM, TRAVEL
- 457-1771 REACH BOOM HD CGC PKG  
 BOOM, REACH 5.1M (16'9") HD CGC  
 CYLINDER, BOOM (W/O BLCV)  
 CYLINDER, STICK (W/O SLCV)
- 367-8621 CYLINDER, BKT, CGC
- 385-3234 LINKAGE, BKT W/O LIFT
- 517-7295 STICK, R2.9M (9'6") HD CGC
- 510-3659 COMBINED CIR STP PKG  
 VALVE, HYDRAULIC TCS  
 JOYSTICK, THUMB WHEEL  
 MAT, FLOOR, RH PEDAL  
 PEDAL, STRAIGHT TRAVEL  
 LINES, CYLINDER  
 PILOT LINES, STRAIGHT TRAVEL  
 PILOT LINES, BKT OPEN STD  
 PILOT LINES, BOOM UP STD/VAB  
 PILOT LINES, TCS  
 CIRCUIT, COMBINED  
 MACHINE CONTROLLER TCS
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 340-8210 TRACK, 600MM TG (24") (GLT)
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 346-7203 GUARD, TRACK GUIDING, CENTER
- 359-8843 SUPPORT, AUX LINES, R-BOOM
- 262-3234 LINES, HIGH PRESSURE, 1PC BOOM
- 268-7245 LINES-HP, REACH 2.9M (9'6") STICK
- 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM
- 268-7247 LINES-QC, REACH 2.9M (9'6") STICK
- 369-0145 PANEL, STD START SWITCH
- 426-0303 GUARD, BOTTOM

## CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

427-9710	CAMERA, REAR VIEW, MIRRORS(RH)
426-0308	ENGINE HOOD, HIGH AMBIENT
426-2491	TANK, FUEL, STANDARD
426-2534	COUNTERWEIGHT, 2.8MT (6,170LBS)
430-8474	AIR CLEANER, STANDARD CGC
447-1667	FAN, FIXED SPEED
453-7538	SEAT, H-BACK, W/HEATER,S/AIR
502-1373	LINES, BKT CLOSE PGQC
460-1148	PRODUCT LINK, CELLULAR PL641
427-9715	DECALS, EXTERIOR ANSI
504-9465	DECALS, CAB ANSI
349-2233	CHANGER,HAND CTRL 2-WAY (ANSI)
504-1097	CTRL,CAT PIN GRAB COUPLER ANSI
295-9615	GUARD, CYLINDER COVER, CGC
359-8737	SENSOR MOUNT, CGC/SC
504-9478	GRADE CONTROL, DEPTH AND SLOPE

CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>585-4628</b></p> <p><b>316F L HEX AM-N DCA4C</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM GALVESTON &amp; TACOMA PDC</p> <p>2.9M (9'6") Stick, Tool Control, 600mm (24") Track) with CGC</p> <p>Versatile machine with Tool Control(HP), Coupler circuit and CGC</p> <p>INCLUDES:</p> <p>427-9701 316F L HEX</p> <p>488-6543 SEAT BELT, 51MM (2") RETRACTABLE</p> <p>430-8467 CONTROL, FINE SWING</p> <p>499-2012 MACHINE SOFTWARE</p> <p>432-1340 AIR CONDITIONER</p> <p>352-7158 ACCUMULATOR WITH CRN</p> <p>360-6166 ALARM, TRAVEL</p> <p>457-1771 REACH BOOM HD CGC PKG                      BOOM, REACH 5.1M (16'9") HD CGC                      CYLINDER, BOOM (W/O BLCV)                      CYLINDER, STICK (W/O SLCV)</p> <p>367-8621 CYLINDER, BKT, CGC</p> <p>385-3234 LINKAGE, BKT W/O LIFT</p> <p>517-7295 STICK, R2.9M (9'6") HD CGC</p> <p>510-3659 COMBINED CIR STP PKG                      VALVE, HYDRAULIC TCS                      JOYSTICK, THUMB WHEEL                      MAT, FLOOR, RH PEDAL                      PEDAL, STRAIGHT TRAVEL                      LINES, CYLINDER                      PILOT LINES, STRAIGHT TRAVEL                      PILOT LINES, BKT OPEN STD                      PILOT LINES, BOOM UP STD/VAB                      PILOT LINES, TCS                      CIRCUIT, COMBINED                      MACHINE CONTROLLER TCS</p> <p>372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>340-6667 HATCH, OPENABLE ROOF (DUAL)</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>134-8875 GUARD, SWIVEL</p> <p>291-7730 LIGHT, BOOM RIGHT SIDE</p> <p>319-1179 LIGHTING, CAB (HALOGEN)</p> <p>333-3007 TRAVEL MOTOR, BIO OIL CAPABLE</p> <p>340-8210 TRACK, 600MM TG (24") (GLT)</p> <p>342-3202 BATTERY, COLD WEATHER</p> <p>342-3636 WIPER-RADIAL, FRONT 70/30</p> <p>346-7396 WASHER, WINDSHIELD UPPER</p> <p>346-7203 GUARD, TRACK GUIDING, CENTER</p> <p>359-8843 SUPPORT, AUX LINES, R-BOOM</p> <p>262-3234 LINES, HIGH PRESSURE, 1PC BOOM</p> <p>268-7245 LINES-HP, REACH 2.9M (9'6") STICK</p> <p>397-8306 LINES-QC, REACH 5.1M (16'9") BOOM</p> <p>268-7247 LINES-QC, REACH 2.9M (9'6") STICK</p> <p>369-0145 PANEL, STD START SWITCH</p> <p>426-0303 GUARD, BOTTOM</p> <p>427-9710 CAMERA, REAR VIEW, MIRRORS(RH)</p> <p>426-0308 ENGINE HOOD, HIGH AMBIENT</p> <p>426-2491 TANK, FUEL, STANDARD</p> <p>426-2534 COUNTERWEIGHT, 2.8MT (6,170LBS)</p> <p>430-8474 AIR CLEANER, STANDARD CGC</p>	<p><b>\$244,440</b></p>
---	-------------------------

CATERPILLAR MACHINE PRICE LIST

**316F**

<b>316F HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
AKASHI, JAPAN	lbs	AT DEALER

- 447-1667 FAN, FIXED SPEED
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 502-1373 LINES, BKT CLOSE PGQC
- 578-2756 PRODUCT LINK, CELLULAR PL641
- 427-9715 DECALS, EXTERIOR ANSI
- 504-9465 DECALS, CAB ANSI
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI
- 295-9615 GUARD, CYLINDER COVER, CGC
- 359-8737 SENSOR MOUNT, CGC/SC
- 504-9478 GRADE CONTROL, DEPTH AND SLOPE

<b>538-9237</b>	<b>316F L HEX AM-N BCF1</b> . . . . . 0	<b>\$188,390</b>
	LANE 2 - AVAILABLE FROM AKASHI FACTORY	
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

Base machine for reach boom configuration  
 Highly configurable machine for general applications

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

INCLUDES:

- 427-9701 316F L HEX
- 430-8467 CONTROL, FINE SWING
- 432-1340 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
- 360-6166 ALARM, TRAVEL
- 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 134-8875 GUARD, SWIVEL
- 291-7730 LIGHT, BOOM RIGHT SIDE
- 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
- 319-1179 LIGHTING, CAB (HALOGEN)
- 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
- 342-3202 BATTERY, COLD WEATHER
- 342-3636 WIPER-RADIAL, FRONT 70/30
- 346-7396 WASHER, WINDSHIELD UPPER
- 369-0145 PANEL, STD START SWITCH
- 385-3234 LINKAGE, BKT W/O LIFT
- 426-0308 ENGINE HOOD, HIGH AMBIENT
- 426-2491 TANK, FUEL, STANDARD
- 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
- 447-1667 FAN, FIXED SPEED
- 381-8971 CYLINDER, BKT

CATERPILLAR MACHINE PRICE LIST

**316F**

316F HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

538-9238	316F L HEX AM-N BCF2 . . . . . 0	\$202,680
	LANE 2 - AVAILABLE FROM AKASHI FACTORY	
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

Base machine for reach boom configuration with CGC  
 Versatile machine with CAT Grade Control

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

- INCLUDES:
- 427-9701 316F L HEX
  - 430-8467 CONTROL, FINE SWING
  - 432-1340 AIR CONDITIONER
  - 352-7158 ACCUMULATOR WITH CRN
  - 488-6543 SEAT BELT, 51MM (2") RETRACTABLE
  - 360-6166 ALARM, TRAVEL
  - 372-9524 CAB-ROPS,70/30,W/VANDAL-G BOSS
  - 340-6667 HATCH, OPENABLE ROOF (DUAL)
  - 496-8191 RADIO, 24V AM/FM
  - 134-8875 GUARD, SWIVEL
  - 291-7730 LIGHT, BOOM RIGHT SIDE
  - 453-7538 SEAT, H-BACK, W/HEATER,S/AIR
  - 319-1179 LIGHTING, CAB (HALOGEN)
  - 333-3007 TRAVEL MOTOR, BIO OIL CAPABLE
  - 342-3202 BATTERY, COLD WEATHER
  - 342-3636 WIPER-RADIAL, FRONT 70/30
  - 346-7396 WASHER, WINDSHIELD UPPER
  - 369-0145 PANEL, STD START SWITCH
  - 385-3234 LINKAGE, BKT W/O LIFT
  - 426-0308 ENGINE HOOD, HIGH AMBIENT
  - 426-2491 TANK, FUEL, STANDARD
  - 427-9710 CAMERA, REAR VIEW, MIRRORS(RH)
  - 447-1667 FAN, FIXED SPEED
  - 367-8621 CYLINDER, BKT, CGC
  - 359-8737 SENSOR MOUNT, CGC/SC
  - 504-9478 GRADE CONTROL, DEPTH AND SLOPE
  - 295-9615 GUARD, CYLINDER COVER, CGC

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**DECAL PACKAGE**

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI . . . . .	0	NC
		This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		
L	450-2216	INSTRUCTIONS, INTERNATIONAL . . . . .	0	NC
		This package includes picto decals as required for Quebec, Canada		

**SERVICE INSTRUCTIONS**

OP-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
OP-3389	INSTRUCTIONS, FRENCH . . . . .	0	NC
OP-3404	INSTRUCTIONS, SPANISH . . . . .	0	NC

**PACKING**

**STORAGE PROTECTION**

OG-4126	STORAGE PROTECTION (EXPORT) . . . . .	0	\$281 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

**EXPORT PACKING**

OG-0499	ROLL ON-ROLL OFF LANE1 A . . . . .	0	\$159 NET
---------	------------------------------------	---	-----------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**CGC PRICE ADJUSTMENT**

OP-4242	CGC PRICE ADJUSTMENT-S . . . . .	0	\$-4,850
	CGC Price adjustment for small excavators in North America to accelerate technology and improve customer value.		

ONLY FOR USE WITH: CGC Configurations



CATERPILLAR MACHINE PRICE LIST

**316F**

---

USE	REF NO.	<b>LANE 1</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------	--------------------	-------------------------

---

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

***ANTIFREEZE***

0P-2407	ANTIFREEZE, -50C (-58F) .....	0	<b>\$283 NET</b>
---------	-------------------------------	---	------------------

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**BOOMS, STICKS, AND LINKAGES**

NOTE: When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem\_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

**BOOM PACKAGES**

L	457-1770	<b>REACH BOOM HD PKG . . . . .</b>	0	\$13,740
		Reach Boom 5.1M (16'9") Heavy duty (HD) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) ONLY FOR USE WITH: 538-9237 AM-N BCF1		
L	457-1772	<b>REACH BOOM HD BLCV/SLCV PKG . . . . .</b>	0	\$19,670
		Reach Boom 5.1M (16'9") Heavy Duty (HD) Boom Lowering Control Valve/Stick Lowering Control Valve Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD - CYLINDER, BOOM (W/BLCV) - CYLINDER, STICK (W/SLCV) ONLY FOR USE WITH: 538-9237 AM-N BCF1 or 538-9239 EUR BCF1 or 538-9241 ANZ BCF1		
L	457-1771	<b>REACH BOOM HD CGC PKG . . . . .</b>	0	\$13,740
		Reach Boom 5.1M (16'9") Heavy Duty (HD) CAT Grade Control (CGC) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD CGC - CYLINDER, BOOM (W/O BLCV) - CYLINDER, STICK (W/O SLCV) ONLY FOR USE WITH: 538-9238 AM-N BCF2		
L	504-1577	<b>REACH BOOM HD B/SLCV CGC PKG . . . . .</b>	0	\$19,670
		Reach Boom 5.1M (16'9") HD with BLCV/SLCV CAT Grade Control (CGC) Package (PKG) Includes boom light, left side INCLUDES: - REACH BOOM, 5.1M (16'9") HD CGC - CYLINDER, BOOM (W/BLCV) - CYLINDER, STICK (W/SLCV) ONLY FOR USE WITH: 538-9238 AM-N BCF2 or 538-9239 EUR BCF1 or 538-9241 ANZ BCF1		

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**STICKS**

L	338-7847	STICK, R9'6" HD . . . . . 0 ONLY FOR USE WITH: 457-1770 REACH BOOM HD PKG or 457-1772 REACH BOOM HD BLCV/SLCV PKG		\$6,630
L	490-8975	STICK, R10'2" HD . . . . . 0 ONLY FOR USE WITH: 457-1770 REACH BOOM HD PKG or 457-1772 REACH BOOM HD BLCV/SLCV PKG		\$7,020
L	517-7295	STICK, R9'6" HD CGC . . . . . 0 ONLY FOR USE WITH: 457-1771 REACH BOOM HD CGC PKG or 504-1577 REACH BOOM HD B/SLCV CGC PKG		\$6,630
L	490-8977	STICK, R10'2" HD CGC . . . . . 0 ONLY FOR USE WITH: 457-1771 REACH BOOM HD CGC PKG or 504-1577 REACH BOOM HD B/SLCV CGC PKG		\$7,020
L	490-8976	STICK, R10'2" HD THUMB . . . . . 0 This stick is a Thumb-Ready Stick that works with Cat Pro Series and Pro Series Plus hydraulic thumbs and includes the mounting bracket and reinforcements so that a hydraulic thumb can easily be installed and significantly minimize the installation labor. ONLY FOR USE WITH: 457-1770 REACH BOOM HD PKG or 457-1772 REACH BOOM HD BLCV/SLCV PKG		\$8,230

**POWERTRAIN**

**AIR CLEANERS**

L	430-8472	AIR CLEANER, STANDARD . . . . . 0 CANNOT BE USED WITH: 338-7973 STICK, R2.6M (8'6") HD CGC 490-8977 STICK, R3.1M (10'2") HD CGC		\$710
L	430-8474	AIR CLEANER, STANDARD CGC . . . . . 0 ONLY FOR USE WITH: 338-7973 STICK, R2.6M (8'6") HD CGC or 490-8977 STICK, R3.1M (10'2") HD CGC		\$710

**UNDERCARRIAGE**

**TRACKS**

L	340-8210	TRACK, 24" TG (GLT) . . . . . 0		\$2,520
L	340-8211	TRACK, 28" TG W/STEP (GLT) . . . . . 0		\$2,520

**TRACK GUIDING GUARDS**

L	346-7203	GUARD, TRACK GUIDING, CENTER . . . . . 0		\$885
L	346-7333	GUARD, TRACK GUIDING, SEGMENTED . . . . . 0		\$1,445

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS**

***NO AUXILIARY CIRCUIT***

L	510-3658	<b>JOYSTICK STANDARD STP PKG</b> . . . . . 0		<b>\$2,305</b>
---	----------	--	--	----------------

Joystick Standard Straight Travel Pedal (STP) Package (PKG)  
 INCLUDES:

- VALVE, HYDRAULIC
- JOYSTICK, ONE BUTTON
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, CYLINDER
- PILOT LINES, STRAIGHT TRAVEL
- PILOT LINES, BKT OPEN STD
- PILOT LINES, BOOM UP STD/VAB
- PILOT LINES, TCS STD
- MACHINE CONTROLLER STD

L	516-2119	<b>JOYSTICK TWJ STP PKG</b> . . . . . 0		<b>\$3,535</b>
---	----------	---	--	----------------

ONLY FOR USE WITH: 457-1770 REACH BOOM PKG  
 Joystick Thumbwheel Straight Travel Pedal (STP) Package (PKG)  
 INCLUDES:

- VALVE, HYDRAULIC
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, CYLINDER
- PILOT LINES, STRAIGHT TRAVEL
- PILOT LINES, BKT OPEN STD
- PILOT LINES, BOOM UP STD/VAB
- PILOT LINES, TCS STD
- MACHINE CONTROLLER STD

ONLY FOR USE WITH: 457-1770 REACH BOOM PKG

***AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE***

L	510-3659	<b>COMBINED CIR STP PKG</b> . . . . . 0		<b>\$9,350</b>
---	----------	---	--	----------------

Combined Circuit (CIR) Straight Travel Pedal (STP) Package (PKG)  
 Combined circuit (1 way / 2 way)  
 Joystick thumb wheel is included.

- VALVE, HYDRAULIC TCS
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, CYLINDER
- PILOT LINES, STRAIGHT TRAVEL
- PILOT LINES, BKT OPEN STD
- PILOT LINES, BOOM UP STD/VAB
- PILOT LINES, TCS
- CIRCUIT, COMBINED
- MACHINE CONTROLLER TCS

ONLY FOR USE WITH: 457-1770 REACH BOOM PKG or  
 457-1771 REACH BOOM CGC PKG

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE (Cont.)**

L	510-3660	<b>COMBINED CIR STP B/SLCV PKG . . . . . 0</b> Combined Circuit (CIR) Straight Travel Pedal (STP) Boom Lowering Control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC TCS - CIRCUIT, COMBINED - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - DEVICE, BOOM LOWERING W/OLWD - DEVICE, STICK LOWERING CONTROL - LINES, CYLINDER W/BLCV - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1772 REACH BOOM BLCV/SLCV PKG or 504-1577 REACH BOOM HD B/SLCV CGC PKG		\$11,600
---	----------	---	--	----------

**AUXILIARY CIRCUIT COMBINED CIRCUIT W/ MED PRESSURE**

L	510-3664	<b>COMBINED MP CIR STP PKG . . . . . 0</b> Combined Medium pressure (MP) Circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, CYLINDER - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, TCS - CIRCUIT, COMBINED - PEDAL, TOOL MODULATION (LH) - CIRCUIT, MEDIUM PRESSURE - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 457-1770 REACH BOOM PKG or 457-1771 REACH BOOM CGC PKG		\$15,660
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT - THUMB**

L	510-3665	THUMB CIR STP PKG . . . . . 0		\$5,030
		Circuit, Thumb Straight Travel Pedal (STP) Package (PKG) Package (PKG) This package is for double function (2 way) hydraulic tools (Thumb, etc). Joystick thumb wheel is included. INCLUDES: - VALVE, HYDRAULIC - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, CYLINDER - PILOT LINES, STRAIGHT TRAVEL - PILOT LINES, BKT OPEN STD - PILOT LINES, BOOM UP STD/VAB - PILOT LINES, THUMB - CIRCUIT, THUMB - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 490-8976 STICK, R3.1M (10'2") HD THUMB		

**LINE GROUPS**

**LINES - BUCKET CLOSE**

L	392-1844	LINES, BKT CLOSE STD . . . . . 0		NC
		CANNOT BE USED WITH: 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI 504-1096 CTRL,CAT PIN GRAB COUPLER ISO		
L	502-1373	LINES, BKT CLOSE PGQC . . . . . 0		NC
		REQUIRES: 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI or 504-1096 CTRL,CAT PIN GRAB COUPLER ISO		

**ELECTRICAL**

**MACHINE SOFTWARE**

L	499-2012	MACHINE SOFTWARE . . . . . 0		NC
---	----------	------------------------------	--	----

**TECHNOLOGY PRODUCTS**

**CGC PRICE ADJUSTMENT**

	0P-4242	CGC PRICE ADJUSTMENT-S . . . . . 0		\$-4,850
		CGC Price adjustment for small excavators in North America to accelera technology and improve customer value.  ONLY FOR USE WITH: CGC Configurations		

**GUARDS**

**BOTTOM GUARD**

L	426-0304	GUARD, BOTTOM HD . . . . . 0		\$1,295
		Increased plate thickness & Bolt protection.		

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**GUARDS (CONT.)**

***BOTTOM GUARD (Cont.)***

L	426-0303	GUARD, BOTTOM ..... 0 Standard plate thickness		\$610
---	----------	---	--	-------

**OTHER ATTACHMENTS**

***DECALS - EXTERIOR***

L	427-9715	DECALS, EXTERIOR ANSI ..... 0 AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

***DECALS - CAB***

L	504-9465	DECALS, CAB ANSI ..... 0 ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

***PRODUCT LINK***

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	578-2756	PRODUCT LINK, CELLULAR PL641 ..... 0 ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G/4G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	---	--	----

L	460-1150	PRODUCT LINK, SATELLITE PL631 ..... 0 ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI		\$446
---	----------	--	--	-------

***PATTERN CHANGER***

L	349-2233	CHANGER,HAND CTRL 2-WAY (ANSI) ..... 0 ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		\$1,290
---	----------	--	--	---------

**FRAMES**

***COUNTERWEIGHTS***

L	426-2534	COUNTERWEIGHT, 6,170LBS ..... 0		\$590
---	----------	---------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs		LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	--	-------------------------

**FRAMES (CONT.)**

*COUNTERWEIGHTS (Cont.)*

L	477-7688	COUNTERWEIGHT, 6,730LBS .....	0		\$630
---	----------	-------------------------------	---	--	-------

**INSTRUCTIONS**

*OPERATION & MAINTENANCE MANUAL*

	0P-3380	INSTRUCTIONS, ENGLISH .....	0		NC
	0P-3404	INSTRUCTIONS, SPANISH .....	0		NC



CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS**

NOTE: Provides hydraulic lines

**HIGH PRESSURE AUXILIARY BOOM LINES**

L	262-3234	<b>LINES, HIGH PRESSURE, 1PC BOOM</b> . . . . .	96	\$1,800
		VA BOOM B/SLCV PKG already includes this lines. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 510-3659 COMBINED CIR STP PKG or 510-3660 COMBINED CIR STP B/SLCV PKG or 510-3664 COMBINED MP CIR STP PKG or 510-3661 COMBINED MP CIR B/SLCV PKG or 523-7837 COMBINED CIR PKG or 523-7838 COMBINED MP CIR PKG or 510-3665 THUMB CIR STP PKG or 538-9878 JOYSTICK PKG, FOREST CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

**HIGH PRESSURE AUXILIARY STICK LINES**

L	268-7245	<b>LINES-HP, REACH 9'6" STICK</b> . . . . .	73	\$505
		ONLY FOR USE WITH: 338-7847 STICK, R2.9M (9'6") HD or 517-7295 STICK, R2.9M (9'6") HD CGC and 262-3234 LINES, HIGH PRESSURE, 1PC BOOM		
L	262-3237	<b>LINES-HP, REACH 10'2" STICK</b> . . . . .	80	\$505
		ONLY FOR USE WITH: 490-8975 STICK, R3.1M (10'2") HD or 490-8976 STICK, R3.1M (10'2") HD THUMB or 490-8977 STICK, R3.1M (10'2") HD CGC and 262-3234 LINES, HIGH PRESSURE, 1PC BOOM		

**MEDIUM PRESSURE AUXILIARY BOOM LINES**

L	397-8305	<b>LINES-MP, REACH 16'9" BOOM</b> . . . . .	0	\$1,225
		VA BOOM B/SLCV PKG already includes this lines. (*) If already selected 359-8843 SUPPORT, AUX LINES, R-BOOM, no need to select this again. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 510-3664 COMBINED MP CIR STP PKG or 504-1580 COMBINED MP CIR B/SLCV PKG or 523-7838 COMBINED MP CIR PKG CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

**MEDIUM PRESSURE AUXILIARY STICK LINES**

L	268-7246	<b>LINES-MP, REACH 9'6" STICK</b> . . . . .	39	\$409
		ONLY FOR USE WITH: 338-7847 STICK, R2.9M (9'6") HD or 517-7295 STICK, R2.9M (9'6") HD CGC and 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM		
L	262-3238	<b>LINES-MP, REACH 10'2" STICK</b> . . . . .	44	\$409
		ONLY FOR USE WITH: 490-8975 STICK, R3.1M (10'2") HD or 490-8976 STICK, R3.1M (10'2") HD THUMB or 490-8977 STICK, R3.1M (10'2") HD CGC and 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM		

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**QUICK COUPLER CONTROL**

L	504-1097	CTRL,CAT PIN GRAB COUPLER ANSI . . . . . 0		\$855
		ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 427-9715 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		

**QUICK COUPLER BOOM LINE**

L	397-8306	LINES-QC, REACH 16'9" BOOM . . . . . 0		\$1,325
		VA BOOM B/SLCV PKG already includes this lines. (*) If already selected 359-8843 SUPPORT, AUX LINES, R-BOOM, no need to select this again. REQUIRES: 359-8843 SUPPORT, AUX LINES, R-BOOM ONLY FOR USE WITH: 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI or 504-1096 CTRL,CAT PIN GRAB COUPLER ISO or 383-5476 CONTROL, CW DEDICATED COUPLER CANNOT BE USED WITH: 504-1579 VA BOOM B/SLCV PKG		

**QUICK COUPLER STICK LINE**

L	268-7247	LINES-QC, REACH 9'6" STICK . . . . . 25		\$945
		ONLY FOR USE WITH: 338-7847 STICK, R2.9M (9'6") HD or 517-7295 STICK, R2.9M (9'6") HD CGC and 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM		
L	262-3239	LINES-QC, REACH 10'2" STICK . . . . . 32		\$945
		ONLY FOR USE WITH: 490-8975 STICK, R3.1M (10'2") HD or 490-8976 STICK, R3.1M (10'2") HD THUMB or 490-8977 STICK, R3.1M (10'2") HD CGC and 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM		

**BOOM LINE AUXILIARY MOUNT**

L	359-8843	SUPPORT, AUX LINES, R-BOOM . . . . . 0		NC
		Required this when any boom aux lines are selected. ONLY FOR USE WITH: 262-3234 LINES, HIGH PRESSURE, 1PC BOOM or 397-8306 LINES-QC, REACH 5.1M (16'9") BOOM or 397-8305 LINES-MP, REACH 5.1M (16'9") BOOM or 523-7839 316F L HEX CJL BCF1 or 539-0212 316F HEX CJL FOREST BCF1		

**SAFETY AND SECURITY**

**BUMPER**

L	343-9350	BUMPER, SIDE STEEL . . . . . 0		\$700
---	----------	--------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS**

**QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)**

L	455-3916	COUPLER, PG W/O PIN 316-318 . . . . .	668	\$7,710
		FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler.(NO Pins) Does NOT include spare pins. ONLY FOR USE WITH: 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI or 504-1096 CTRL,CAT PIN GRAB COUPLER ISO or and 262-3245 LINES-QC, REACH 2.25M (7'5") STICK or 262-3242 LINES-QC, REACH 2.6M (8'6") STICK or 268-7247 LINES-QC, REACH 2.9M (9'6") STICK or 262-3239 LINES-QC, REACH 3.1M (10'2") STICK		

**QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)**

L	455-3915	COUPLER, PIN GRABBER W/PINS . . . . .	736	\$8,549
		FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. ONLY FOR USE WITH: 504-1097 CTRL,CAT PIN GRAB COUPLER ANSI or 504-1096 CTRL,CAT PIN GRAB COUPLER ISO or and 262-3245 LINES-QC, REACH 2.25M (7'5") STICK or 262-3242 LINES-QC, REACH 2.6M (8'6") STICK or 268-7247 LINES-QC, REACH 2.9M (9'6") STICK or 262-3239 LINES-QC, REACH 3.1M (10'2") STICK		

**BUCKETS**

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.  
 Does not include tooth tips or sidecutters.  
 Rated capacity, SAE heaped.

**GENERAL DUTY (GD)**

For digging in low impact, lower abrasion materials as dirt,  
 and mixed compositions of dirt and fine gravel.

P	552-8150	BKT GD 36" 0.81YD3 315 . . . . .	1,202	\$5,340
		REQUIRES: 5 Advansys 80 size tips		
P	552-8151	BKT GD 42" 1.00YD3 315 . . . . .	1,307	\$5,764
		REQUIRES: 5 Advansys 80 size tips		
P	552-8152	BKT GD 48" 1.19YD3 315 . . . . .	1,446	\$6,607
		REQUIRES: 6 Advansys 80 size tips		

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**SEVERE DUTY (SD)**

For higher abrasion conditions such as well shot granite and caliche.

P	552-8172	BKT SD 36" 0.81YD3 315 . . . . .	1,340	\$6,593
		REQUIRES: 5 Advansys 90 size tips		
P	552-8173	BKT SD 42" 1.00YD3 315 . . . . .	1,462	\$7,074
		REQUIRES: 5 Advansys 90 size tips		
P	552-8174	BKT SD 48" 1.19YD3 315 . . . . .	1,612	\$7,535
		REQUIRES: 6 Advansys 90 size tips		

**SIDE CUTTERS**

P	380-1204	SIDECUTTERS, GENERAL PURPOSE. . . . .	56	\$661
---	----------	---------------------------------------	----	-------

**TIPS ADVANSYS 80**

P	505-4083	TIP, PENETRATION PLUS ADVANSYS . . . . .	17	\$89
---	----------	--	----	------

**TIPS ADVANSYS 90**

P	505-4097	TIP, PENETRATION PLUS ADVANSYS . . . . .	23	\$108
---	----------	--	----	-------

**FLUIDS**

**ANTIFREEZE**

	0P-2407	ANTIFREEZE, -50C (-58F) . . . . .	0	\$283 NET
--	---------	-----------------------------------	---	-----------

**FIELD INSTALLED ATTACHMENTS**

**FIELD INSTALLED ATTACHMENTS**

Available Through ANTARES Parts Ordering.

CATERPILLAR MACHINE PRICE LIST

**316F**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

***FIELD INSTALLED ATTACHMENTS (Cont.)***

- 488-6527 Seat Belt, Retractable (76mm / 3" width)  
Mandatory for ANZ
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, NOT support with dual exit, including Cab Lights, Cab Mirror)
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 499-3722 Rain protector for front windshield
- 486-1416 Security systems (MSS)

**PACKING**

***STORAGE PROTECTION***

<b>OG-4126</b>	<b>STORAGE PROTECTION (EXPORT)</b> . . . . . 0	<b>\$281 NET</b>
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	

***EXPORT PACKING***

<b>OG-4201</b>	<b>ROLL ON-ROLL OFF</b> . . . . . 0	<b>\$122 NET</b>
	For use when ordering an installed bucket or quick coupler	
<b>OG-0480</b>	<b>ROLL ON-ROLL OFF W/O BKT QC A</b> . . . . . 0	<b>\$159 NET</b>
	For use when NOT ordering an installed bucket or quick coupler	
<b>OG-4215</b>	<b>EXPORT PKG,W/BOOM,STK DISM</b> . . . . . 0	<b>\$1,780 NET</b>
	Boom and stick dismounted CAN NOT BE USED WITH: Bucket	
<b>OG-4221</b>	<b>EXPORT PKG,W/BOOM,STK,BKT DISM</b> . . . . . 0	<b>\$1,800 NET</b>
	Boom, stick and bucket dismounted For use when ordering a bucket	