

CATERPILLAR MACHINE PRICE LIST

317317 HYDRAULIC EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine C4.4TA certified to
Stage V/Tier 4 Final,97.9kW
Electric fuel priming pump
Electric cooling fans
Two-stage fuel filtration system with
water separator and indicator
Sealed double element air filter
with integrated precleaner
Biodiesel capable (up to B20)

UNDERCARRIAGE

Grease lubricated track link
Tie down points on base frame
(ISO 15818 compliant)

HYDRAULICS

Electronic main control valve
Auto warm up
Single type Electronic main pump
Boom and stick regeneration circuits
Automatic two speed travel
Boom and stick drift reduction valve
Element type main hydraulic filter

ELECTRICAL

Maintenance free battery
Centralized electrical disconnect switch
CAT Product Link
After engine shut down programmable time
delay LED working lights: One chassis
mounted, one LH boom mounted

OPERATOR ENVIRONMENT

Sound-suppressed ROPS cab (ISO 12117-2
compliant) with viscous mount
Increased rear window size as
emergency exit
Openable tempered front upper windshield
w/ assist device and removable tempered
lower windshield with in cab
storage bracket
Fixed one piece tempered windshield
Mechanical suspension comfort seat
w/ headrest, console height adjustment
w/ tools, arm rest angle adjustment
Air suspension deluxe seat w/ headrest
w/ 2 step seat heater, console height
adjustment w/o tools, arm rest height
and angle adjustment
Air suspension premium seat w/ headrest
w/ 2 step seat heater and ventilator,
console height adjustment w/o tools,
arm rest height and angle adjustment,
Fore / Aft Isolator, Low Frequency

Adjustable Damper
2 inch (51mm) orange seat belt
Fixed left side console
Tilt up left side console
Automatic bi-level air conditioner
with pressurized function
Openable steel hatch
Fixed glass laminated for one
piece windshield
Washable floor mat
Roller front sunscreen
Beacon ready
2 x 12V DC Outlet
Dome and lower LED interior lights, coat
hook, cup holder, console storage, rear
storage with net, and overhead
storage with net

SAFETY AND SECURITY

Service platform with anti-skid plate
and countersunk bolts
Hydraulic lock out lever neutralizes
all controls
Ground level accessible secondary
engine shutoff switch in cab
Signaling / warning horn

OTHER STANDARD EQUIPMENT

Service & Maintenance
-Side entry to service platform
-Grouped location for engine oil and
fuel filters
-Sampling ports for Scheduled
Oil Sampling (S.O.S)
-Ground level 2nd dipstick for
engine oil

CATERPILLAR MACHINE PRICE LIST

317

317 HYDRAULIC EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

317

317 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>598-9751</p> <p>317 07A HEX AM-N DCA1 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE AND TACOMA PDC LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$239,020</p>
--	----------	-------------------------

DCA1 (700TG(28"), R3.1(10'2") STK,w/o TCS,PG QC)

INCLUDES:

- 564-4391 COMMON ARRANGEMENT
- 565-1415 317 07 HEX
- 134-8875 GUARD, SWIVEL, STD
- 163-3754 GUARD, TRAVEL MOTOR
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 506-5013 BATTERIES, 2
- 502-7166 RADIO, W/BLUETOOTH
- 525-4937 LINKAGE, BKT, GRADE, W/O EYE
- 511-9428 MONITOR, 10"
- 520-9418 FILM, OPERATING PATTERN, 2WAY
- 524-8272 RECEIVER, BLUETOOTH
- 525-5166 WASHER RADIAL WIPER
- 525-7678 MACHINE ECM
- 528-4738 FILM, EMC
- 538-8494 GUARD, TRACK GUIDING, CENTRE
- 540-1324 CYLINDER, STICK, W/O SLCV
- 540-1328 CYLINDER, BUCKET
- 541-5174 TRACK, 28"(700mm) TG, W/STEPS
- 546-0101 CAB, DELUXE
- 549-4728 LINES, AIR CONDITIONER
- 555-7286 NETWORK MANAGER, STD
- 558-2814 CAT GRADE, 2D
- 564-5521 SWING FRAME, STD
- 561-4615 COUNTERWEIGHT, 7870LB(3.57 MT)
- 561-4616 BOTTOM GUARD, STANDARD
- 565-1353 CYLINDER, BOOM, W/O BLCV
- 565-1420 FINE SWING
- 565-1423 CAMERA, 360 VISIBILITY
- 565-1952 LINES, CYLINDER BOOM W/O BLCV
- 565-1973 LINES, QUICK COUPLER BOOM
- 565-1982 LINES, QC, 10'2"(3.1M) STICK
- 565-1990 SUPPORT, LINES AUXILIARY
- 565-2162 DECALS, EXTERIOR, ANSI
- 565-2163 BOOM, W/ EOU MOUNTS
- 565-2182 STICK, R10'2"(3.1M) W/ EOU MOUNTS
- 565-4617 GRADE SENSOR, 1 PC BOOM
- 565-4621 GRADE SENSOR, 10'2"(3.1M) STICK
- 565-7254 CONTROL, QC PIN GRABBER
- 567-3815 DECALS, STICK WARNING, ANSI
- 565-4819 UNDERCARRIAGE, LONG
- 573-4351 DECALS, CAB, ANSI
- 573-6719 UPPER COVER, STD
- 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
- 585-8703 LIGHTS, CHASSIS
- 585-8704 LIGHTS, BOOM LH 1P
- 585-8706 LIGHTS, BOOM RH 1P
- 586-6180 FILM, ROPS
- 589-5272 TRAVEL ALARM
- 597-3209 ENGINE HOOD
- 599-0913 HYDRAULIC PKG, STANDARD

CATERPILLAR MACHINE PRICE LIST

317317 HYDRAULIC EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

INCLUDES:
 JOYSTICKS, SLIDER
 VALVE, HYDRAULIC
 589-6846 PROD LINK, PLE643/PLE743 RADIO
 INCLUDES:
 RADIO MODULE, PL243 CELLULAR
 WIRING, PL243/PL083
 AVAILABLE FOR: AM-N

CATERPILLAR MACHINE PRICE LIST

317

317 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>598-9752</p> <p>317 07A HEX AM-N DCA2 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE AND TACOMA PDC</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>\$247,120</p>
--	-------------------------

DCA2 (600TG(24"), R2.9(9'6") STK, w/ Common circuit,PG QC)

INCLUDES:

- 564-4391 COMMON ARRANGEMENT
- 565-1415 317 07 HEX
- 134-8875 GUARD, SWIVEL, STD
- 163-3754 GUARD, TRAVEL MOTOR
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 502-7166 RADIO, W/BLUETOOTH
- 506-5013 BATTERIES, 2
- 511-9428 MONITOR, 10"
- 520-9418 FILM, OPERATING PATTERN, 2WAY
- 525-5166 WASHER RADIAL WIPER
- 524-8272 RECEIVER, BLUETOOTH
- 525-4937 LINKAGE, BKT, GRADE, W/O EYE
- 540-1328 CYLINDER, BUCKET
- 525-7678 MACHINE ECM
- 528-4738 FILM, EMC
- 538-8494 GUARD, TRACK GUIDING, CENTRE
- 540-1324 CYLINDER, STICK, W/O SLCV
- 541-5173 TRACK, 24"(600MM) TG
- 546-0101 CAB, DELUXE
- 549-4728 LINES, AIR CONDITIONER
- 555-7286 NETWORK MANAGER, STD
- 558-2814 CAT GRADE, 2D
- 561-4615 COUNTERWEIGHT, 7870LB(3.57 MT)
- 561-4616 BOTTOM GUARD, STANDARD
- 564-5521 SWING FRAME, STD
- 565-1353 CYLINDER, BOOM, W/O BLCV
- 565-1420 FINE SWING
- 565-1423 CAMERA, 360 VISIBILITY
- 565-1952 LINES, CYLINDER BOOM W/O BLCV
- 565-1971 LINES, HIGH PRESSURE BOOM
- 565-1973 LINES, QUICK COUPLER BOOM
- 565-1977 LINES, HP, 9'6"(2.9M) STICK
- 565-2163 BOOM, W/ EOU MOUNTS
- 565-1979 LINES, QC, 9'6"(2.9M) STICK
- 565-1990 SUPPORT, LINES AUXILIARY
- 565-2162 DECALS, EXTERIOR, ANSI
- 565-2179 STICK, R9'6"(2.9M) W/ EOU MOUNTS
- 565-4617 GRADE SENSOR, 1 PC BOOM
- 565-4620 GRADE SENSOR,9'6"(2.9M) STICK
- 565-4819 UNDERCARRIAGE, LONG
- 565-7254 CONTROL, QC PIN GRABBER
- 567-3815 DECALS, STICK WARNING, ANSI
- 573-4351 DECALS, CAB, ANSI
- 573-6719 UPPER COVER, STD
- 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
- 585-8703 LIGHTS, CHASSIS
- 585-8704 LIGHTS, BOOM LH 1P
- 585-8706 LIGHTS, BOOM RH 1P
- 597-3209 ENGINE HOOD
- 586-6180 FILM, ROPS

CATERPILLAR MACHINE PRICE LIST

317317 HYDRAULIC EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

589-5272 TRAVEL ALARM
 599-0914 HYDRAULIC PKG, COMB,ONE SLIDER
 INCLUDES:
 VALVE, HYDRAULICS, TCS
 CIRCUIT, COMBINED
 JOYSTICKS, SLIDER
 589-6846 PROD LINK, PLE643/PLE743 RADIO
 INCLUDES:
 RADIO MODULE, PL243 CELLULAR
 WIRING, PL243/PL083
 AVAILABLE FOR: AM-N

CATERPILLAR MACHINE PRICE LIST

317

317 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>598-9753</p> <p>317 07A HEX AM-N DCA3 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE AND TACOMA PDC</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>\$248,270</p>
--	-------------------------

DCA3 (700TG(28"), R2.9(9'6") Thumb STK,w/ Common circuit,PG QC)

INCLUDES:

- 564-4391 COMMON ARRANGEMENT
- 565-1415 317 07 HEX
- 134-8875 GUARD, SWIVEL, STD
- 163-3754 GUARD, TRAVEL MOTOR
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 502-7166 RADIO, W/BLUETOOTH
- 506-5013 BATTERIES, 2
- 511-9428 MONITOR, 10"
- 520-9418 FILM, OPERATING PATTERN, 2WAY
- 525-5166 WASHER RADIAL WIPER
- 524-8272 RECEIVER, BLUETOOTH
- 525-4937 LINKAGE, BKT, GRADE, W/O EYE
- 540-1328 CYLINDER, BUCKET
- 525-7678 MACHINE ECM
- 528-4738 FILM, EMC
- 538-8494 GUARD, TRACK GUIDING, CENTRE
- 540-1324 CYLINDER, STICK, W/O SLCV
- 541-5174 TRACK, 28"(700MM) TG, W/STEPS
- 546-0101 CAB, DELUXE
- 549-4728 LINES, AIR CONDITIONER
- 555-7286 NETWORK MANAGER, STD
- 558-2814 CAT GRADE, 2D
- 561-4615 COUNTERWEIGHT, 7870LB(3.57 MT)
- 561-4616 BOTTOM GUARD, STANDARD
- 564-5521 SWING FRAME, STD
- 565-1353 CYLINDER, BOOM, W/O BLCV
- 565-1420 FINE SWING
- 565-1423 CAMERA, 360 VISIBILITY
- 565-1952 LINES, CYLINDER BOOM W/O BLCV
- 565-1971 LINES, HIGH PRESSURE BOOM
- 565-1973 LINES, QUICK COUPLER BOOM
- 565-1977 LINES, HP, 9'6"(2.9M) STICK
- 565-2163 BOOM, W/ EOU MOUNTS
- 565-1979 LINES, QC, 9'6"(2.9M) STICK
- 565-1990 SUPPORT, LINES AUXILIARY
- 565-2162 DECALS, EXTERIOR, ANSI
- 585-2680 STK, R9'6"(2.9M) THUMB
- 565-4617 GRADE SENSOR, 1 PC BOOM
- 565-4620 GRADE SENSOR,9'6"(2.9M) STICK
- 565-4819 UNDERCARRIAGE, LONG
- 565-7254 CONTROL, QC PIN GRABBER
- 567-3815 DECALS, STICK WARNING, ANSI
- 573-4351 DECALS, CAB, ANSI
- 573-6719 UPPER COVER, STD
- 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
- 585-8703 LIGHTS, CHASSIS
- 585-8704 LIGHTS, BOOM LH 1P
- 585-8706 LIGHTS, BOOM RH 1P
- 597-3209 ENGINE HOOD
- 586-6180 FILM, ROPS

CATERPILLAR MACHINE PRICE LIST

317

317 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

589-5272 TRAVEL ALARM
 599-0914 HYDRAULIC PKG, COMB,ONE SLIDER
 INCLUDES:
 VALVE, HYDRAULICS, TCS
 CIRCUIT, COMBINED
 JOYSTICKS, SLIDER
 589-6846 PROD LINK, PLE643/PLE743 RADIO
 INCLUDES:
 RADIO MODULE, PL243 CELLULAR
 WIRING, PL243/PL083
 AVAILABLE FOR: AM-N

598-9754	317 07A HEX AM-N CFG1 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	\$207,430
----------	--	------------------

CFG1(For General Applications)

INCLUDES:
 564-4391 COMMON ARRANGEMENT
 565-1415 317 07 HEX
 134-8875 GUARD, SWIVEL, STD
 163-3754 GUARD, TRAVEL MOTOR
 561-4616 BOTTOM GUARD, STANDARD
 585-8703 LIGHTS, CHASSIS
 589-5272 TRAVEL ALARM
 597-3209 ENGINE HOOD
 564-5521 SWING FRAME, STD
 565-1420 FINE SWING
 565-4819 UNDERCARRIAGE, LONG
 490-7715 PEDAL, STRAIGHT TRAVEL
 502-7166 RADIO, W/BLUETOOTH
 511-9428 MONITOR, 10"
 520-9418 FILM, OPERATING PATTERN, 2WAY
 524-8272 RECEIVER, BLUETOOTH
 525-7678 MACHINE ECM
 546-0101 CAB, DELUXE
 549-4728 LINES, AIR CONDITIONER
 AVAILABLE FOR: AM-N

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Select this option when ordering from the PDC.		

DECAL PACKAGE

0P-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
	This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		

SERVICE INSTRUCTIONS

0P-3380	INSTRUCTIONS, ENGLISH	0	NC
0P-3389	INSTRUCTIONS, FRENCH	0	NC
0P-3404	INSTRUCTIONS, SPANISH	0	NC

EXPORT PACKING

0G-4126	STORAGE PROTECTION (EXPORT)	0	\$281 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

FIXTURE - BUCKET LINKAGE

L	598-9845	FIXTURE, BUCKET LINKAGE	0	\$243 NET
---	----------	-----------------------------------	---	-----------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

0P-2407	ANTIFREEZE, -50C (-58F)	0	\$283 NET
---------	-----------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

DECAL CONVERSION

L	589-5058	DECAL, CONVERSION, ISO	0	NC
---	----------	------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

NOTE: When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem_solutions@cat.com. OEM Solutions Group will assist in development, pricing and ordering of the machine configuration.

BOOM

L	565-2163	BOOM, W/ EOU MOUNTS	0	\$5,170
ONLY FOR USE WITH: 598-9754 317 07A HEX AM-N CFG1 or 598-9758 317 07A HEX EU CFG1 or 598-9761 317 07A HEX ANZ CFG1 or 598-9762 317 07A HEX JAPAN CFG1 CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN				
	0G-0341	NO BOOM	0	NC
For no boom, no stick, no bucket linkage REQUIRES: NO STICK				

STICKS

L	565-2168	STICK, R8'6" W/ EOU MOUNTS	0	\$2,460
ONLY FOR USE WITH: 565-2163 BOOM, W/ EOU MOUNTS or 598-9759 317 07A HEX EU CFG2 CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 INCLUDED IN: 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN				
L	565-2179	STICK, R9'6" W/ EOU MOUNTS	0	\$2,780
ONLY FOR USE WITH: 565-2163 BOOM, W/ EOU MOUNTS AVAILABLE FOR: AM-N				
L	565-2182	STICK, R10'2" W/ EOU MOUNTS	0	\$2,830
ONLY FOR USE WITH: 565-2163 BOOM, W/ EOU MOUNTS CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 AVAILABLE FOR: AM-N/EUR/ANZ				
L	585-2680	STK, R9'6", THUMB	0	\$3,930
NOTE: Thumb-Ready Stick is reinforced and provides the thumb mounting bracket for easy installation of Caterpillar Pro and Pro-Plus Hydraulic Thumbs ONLY FOR USE WITH: 565-2163 BOOM, W/ EOU MOUNTS AVAILABLE FOR: AM-N				

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICKS (Cont.)

OG-0342	NO STICK	0	NC
	For No Boom or Boom only (Stick less)		
	ONLY FOR USE WITH: 565-2163 BOOM, W/ EOU MOUNTS or		
	OG-0341 NO BOOM		
	CANNOT BE USED WITH: BUCKET LINKAGES		
	BUCKET CYLINDER		
	CAT GRADE		

BUCKET LINKAGES

L	525-4937 LINKAGE, BKT 315 GRADE W/O EYE	0	\$2,525
	Bucket linkage w/o lifting eye w/ position sensor		
	ONLY FOR USE WITH: 598-9754 317 07A HEX AM-N CFG1 or		
	598-9762 317 07A HEX JAPAN CFG1		
	CANNOT BE USED WITH: No boom and stick less machine		
	607-1494 317 07A HEX JAPAN CFG21 or		
	607-1495 317 07A HEX JAPAN CFG22		
	AVAILABLE FOR: AM-N/JAPAN		

CYLINDERS

BOOM CYLINDERS

L	565-1353 CYLINDER, BOOM, W/O BLCV	0	\$3,405
	ONLY FOR USE WITH: 598-9754 317 07A HEX AM-N CFG1		
	AVAILABLE FOR: AM-N		
L	565-1354 CYLINDER, BOOM, BLCV VAB	0	\$3,405
	ONLY FOR USE WITH: 598-9754 317 07A HEX AM-N CFG1		
	AVAILABLE FOR: AM-N		

STICK CYLINDERS

L	540-1324 CYLINDER, STICK, W/O SLCV	0	\$2,045
	ONLY FOR USE WITH: 565-1353 CYLINDER, BOOM, W/O BLCV		
	AVAILABLE FOR: AM-N		
L	565-1358 CYLINDER, STICK, SLCV	0	\$2,045
	ONLY FOR USE WITH: 565-1354 CYLINDER, BOOM, BLCV VAB or		
	598-9758 317 07A HEX EU CFG1		
	AVAILABLE FOR: AM-N/EUR		

BUCKET CYLINDERS

L	540-1328 CYLINDER, BUCKET	0	\$1,875
	CANNOT BE USED WITH: No boom, stick less machine or		
	INCLUDED IN: 607-1495 317 07A HEX JAPAN CFG22		
	AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

UNDERCARRIAGE

TRACKS

L	541-5173 TRACK, 24" TG	0	\$2,965
	AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS (Cont.)

L	541-5174	TRACK, 28" TG, W/STEPS	0	\$2,965
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		
L	596-3042	TRACK, 24" TG, RUBBER SHOE	0	\$25,660
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

TRACK GUIDING GUARDS

L	538-8494	GUARD, TRACK GUIDING, CENTRE	0	\$885
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		
L	538-8495	GUARD, TRACK GUIDING, LONG	0	\$1,445
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

HYDRAULICS

NO AUXILIARY CIRCUIT

L	599-0913	HYDRAULIC PKG, STANDARD	0	\$1,240
		INCLUDES: -JOYSTICKS, VERTICAL SLIDER -VALVE, HYDRAULIC CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 or 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

AUXILIARY CIRCUIT

L	599-0914	HYDRAULIC PKG, COMB, ONE SLIDER	0	\$7,050
		cannot use for Tilt Rotator INCLUDES: -VALVE, HYDRAULICS, TCS -CIRCUIT, COMBINED -JOYSTICKS, VERTICAL SLIDER CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 or 607-1494 317 07A HEX JAPAN CFG21 INCLUDED IN: 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

LINE GROUPS

BOOM CYLINDER LINE

L	565-1952	LINES, CYLINDER BOOM W/O BLCV	0	NC
		ONLY FOR USE WITH: 565-1353 CYLINDER, BOOM, W/O BLCV AVAILABLE FOR: AM-N		
L	565-5656	LINES, CYLINDER BOOM BLCV	0	\$4,815
		ONLY FOR USE WITH: 565-1354 CYLINDER, BOOM, BLCV VAB AVAILABLE FOR: AM-N		

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS (CONT.)

STICK CYLINDER LINE

L	565-5657	LINES, SLCV 0		\$3,705
		ONLY FOR USE WITH: 565-5656 LINES, CYLINDER BOOM BLCV or 598-9758 317 07A HEX EU CFG1		
		AVAILABLE FOR: AM-N/EUR		

ELECTRICAL

CAMERAS

L	565-1422	CAMERA, REAR & RH VIEW. 0		\$790
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		
L	565-1423	CAMERA, 360 VISIBILITY 0		\$2,370
		CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22		
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		
L	565-1424	CAMERA, 360 VISIBILITY FOGS 0		\$2,370
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

LIGHTS FOR LH BOOM

L	585-8704	LIGHTS, BOOM LH 1P 0		\$164
		ONLY FOR USE WITH: 565-2163 BOOM, W/ EOU MOUNTS		
		CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2		
		INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22		
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

LIGHTS FOR RH BOOM

L	585-8706	LIGHTS, BOOM RH 1P 0		\$164
		ONLY FOR USE WITH: 565-2163 BOOM, W/ EOU MOUNTS		
		CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2		
		INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 607-1495 317 07A HEX JAPAN CFG22		

CAB LIGHTS

L	577-3853	LIGHTS, CAB, W/O 360 0		\$330
		Cannot be used with FOGS		
		ONLY FOR USE WITH: 565-1422 CAMERA, REAR & RH VIEW		
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		
L	577-8973	LIGHTS, CAB, W/RAIN PROTECTOR 0		\$760
		Cab lights w/cover and rain protector		
		Cannot be used with FOGS		
		ONLY FOR USE WITH: 565-1422 CAMERA, REAR & RH VIEW or 565-1423 CAMERA, 360 VISIBILITY		
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

CAB LIGHTS (Cont.)

L	577-3857	LIGHTS, CAB, FOGS 0 Mandatory for Forest Growth Solution REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS) ONLY FOR USE WITH: 565-1422 CAMERA, REAR & RH VIEW or 565-1424 CAMERA, 360 VISIBILITY FOGS or 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$330
---	----------	---	--	-------

BATTERIES

L	558-1734	BATTERY, STD 0 Batteries for cold start, -18 degrees C AVAILABLE FOR: AM-N/JAPAN		NC
L	506-5013	BATTERIES, 2 0 Batteries for cold start, -25 degrees C AVAILABLE FOR: AM-N/JAPAN		\$600

OPERATOR ENVIRONMENT

WIPER

L	525-5166	WASHER RADIAL WIPER 0 ONLY FOR USE WITH: 546-0100 CAB, COMFORT or 546-0101 CAB, DELUXE or 598-9754 317 07A HEX AM-N CFG1 or 598-9761 317 07A HEX ANZ CFG1 or INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC
L	532-7395	WIPER, RADIAL W/LOWER 0 ONLY FOR USE WITH: 546-0100 CAB, COMFORT or 546-0101 CAB, DELUXE or 598-9754 317 07A HEX AM-N CFG1 or 598-9761 317 07A HEX ANZ CFG1 CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$304

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

L	589-6846	PROD LINK, PLE643/PLE743 RADIO 0 Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES: -RADIO MODULE, PL243 CELLUAR -WIRING, PL243/PL083 CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS) AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC
L	589-6848	PROD LINK, PLE643/PLE743 RADIO 0 For use with FOGS Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES: -RADIO MODULE, PL243 CELL FOGS -WIRING, PL243/PL083 REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS) INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC

NETWORK MANAGER

L	555-7286	NETWORK MANAGER, STD 0 Network manager Std PLE602 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well location is transmitted for viewing in Product Link user applications. ONLY FOR USE WITH: 558-2814 CAT GRADE, 2D INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC
L	555-7287	NETWORK MANAGER, GRADE ADV. 0 Network manager Grade Adv. PLE702 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well as location is transmitted for viewing in Product Link user applications. ONLY FOR USE WITH: 565-2186 CAT GRADE, 2D ADVANCED 565-2188 CAT GRADE, 3D AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT GRADE

L	558-2814	CAT GRADE, 2D 0 CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC
L	565-2186	CAT GRADE, 2D ADVANCED 0 ONLY FOR USE WITH: 554-3627 MONITOR, 10" GRADE MONITOR or 598-3513 MONITOR, 10" GRADE W/WIFI CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$8,870
L	565-2188	CAT GRADE, 3D 0 ONLY FOR USE WITH: 554-3627 MONITOR, 10" GRADE MONITOR or 598-3513 MONITOR, 10" GRADE W/WIFI CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$44,380

GRADE SENSOR FOR BOOM

L	565-4617	GRADE SENSOR, 1 PC BOOM 0 ONLY FOR USE WITH: 565-2163 BOOM, W/ EOU MOUNTS CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 or 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC
---	----------	--	--	----

GRADE SENSOR FOR STICK

L	565-4619	GRADE SENSOR, 8'6" STICK 0 ONLY FOR USE WITH: 565-2168 STICK, R2.6M(8'6") W/ EOU MOUNTS CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC
L	565-4620	GRADE SENSOR, 9'6" STICK 0 ONLY FOR USE WITH: 565-2179 STICK, R2.9M(9'6") W/ EOU MOUNTS or 585-2680 STK, R2.9M(9'6") THUMB AVAILABLE FOR: AM-N		NC
L	565-4621	GRADE SENSOR, 10'2" STICK 0 ONLY FOR USE WITH: 565-2182 STICK, R3.1M(10'2") W/ EOU MOUNTS CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 AVAILABLE FOR: AM-N/EUR/ANZ		NC

FRAMES

COUNTERWEIGHTS

L	561-4613	COUNTERWEIGHT, 6724LB 0 ONLY FOR USE WITH: 598-9754 317 07A HEX AM-N CFG1 or 598-9762 317 07A HEX JAPAN CFG1 or 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/JAPAN		\$610
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FRAMES (CONT.)

COUNTERWEIGHTS (Cont.)

L	561-4615	COUNTERWEIGHT, 7870LB 0		\$1,420
		ONLY FOR USE WITH: 598-9754 317 07A HEX AM-N CFG1 or 598-9762 317 07A HEX JAPAN CFG1 or 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22		
		AVAILABLE FOR: AM-N/JAPAN		

UPPER COVER

L	573-6719	UPPER COVER, STD 0		NC
		CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22		
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		
L	573-6720	UPPER COVER, CGC 3D 0		NC
		ONLY FOR USE WITH: 565-2188 CAT GRADE, 3D		
		CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22		
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		

INSTRUCTIONS

DECALS EXTERIOR

L	565-2162	DECALS, EXTERIOR, ANSI 0		NC
		AVAILABLE FOR: AM-N(except for Quebec)		

DECALS CAB

L	573-4351	DECALS, CAB, ANSI 0		NC
		ONLY FOR USE WITH: 5652162 DECALS, EXTERIOR, ANSI		
		AVAILABLE FOR: AM-N (except for Quebec)		

DECALS, STICK WARNING

L	567-3815	DECALS, STICK WARNING, ANSI 0		NC
		ONLY FOR USE WITH: 5734351 DECALS, CAB, ANSI		
		CANNOT BE USED WITH: QUEBEC DEALER No Boom, Stick less machine		

FILM

L	591-3890	FILM, OEM, FRONTLESS 0		NC
		CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22		
		AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		
		NOTE: MANDATORY FOR FRONT LESS CONFIGURATION ONLY		

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS (CONT.)

ROPS FILM

L	586-6180	FILM, ROPS 0 CANNOT BE USED WITH: No boom, stick less machine INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN	0	NC
---	----------	--	---	-----------

OPERATION & MAINTENANCE MANUAL

OP-3380	INSTRUCTIONS, ENGLISH 0	0	NC
OP-3404	INSTRUCTIONS, SPANISH 0	0	NC
OP-3389	INSTRUCTIONS, FRENCH 0	0	NC

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM LINES

L	565-1971	LINES, HIGH PRESSURE BOOM 0 REQUIRES: 599-0916 HYDRAULIC PKG, COMB.TWO SLIDER or 599-0914 HYDRAULIC PKG, COMB.ONE SLIDER CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 or 607-1494 317 07A HEX JAPAN CFG21 INCLUDED IN: 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$1,820
---	----------	---	--	---------

HIGH PRESSURE AUXILIARY STICK LINES

L	565-1974	LINES, HP, 8'6" STICK 0 ONLY FOR USE WITH: 565-2168 STICK, R2.6M(8'6") W/ EOU MOUNTS and 565-1971 LINES, HIGH PRESSURE BOOM INCLUDED IN: 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$515
L	565-1977	LINES, HP, 9'6" STICK 0 ONLY FOR USE WITH: 565-2179 STICK, R2.9M(9'6") W/O EOU MOUNTS or 585-2680 STK, R2.9M(9'6") THUMB and 565-1971 LINES, HIGH PRESSURE BOOM AVAILABLE FOR: AM-N		\$515
L	565-1980	LINES, HP, 10'2" STICK 0 ONLY FOR USE WITH: 565-2182 STICK, R3.1M(10'2") W/ EOU MOUNTS and 565-1971 LINES, HIGH PRESSURE BOOM AVAILABLE FOR: AM-N/EUR/ANZ		\$515

MEDIUM PRESSURE CIRCUIT

L	571-6560	CIRCUIT, MEDIUM 0 ONLY FOR USE WITH: 599-0914 HYDRAULIC PKG, COMB.ONE SLIDER or 599-0916 HYDRAULIC PKG, COMB.TWO SLIDER or 607-1495 317 07A HEX JAPAN CFG22 CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$5,220
---	----------	---	--	---------

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	565-1972	LINES, MEDIUM PRESSURE, BOOM 0 REQUIRES: 571-6560 CIRCUIT, MEDIUM CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 or 607-1494 317 07A HEX JAPAN CFG21 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$1,235
---	----------	--	--	---------

MEDIUM PRESSURE AUXILIARY STICK LINES

L	565-1975	LINES, MP, 8'6" STICK 0 ONLY FOR USE WITH: 565-2168 STICK, R2.6M(8'6") W/ EOU MOUNTS or 607-1495 317 07A HEX JAPAN CFG22 and 565-1972 LINES, MEDIUM PRESSURE, BOOM or CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$412
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY STICK LINES (Cont.)

L	565-1978	LINES, MP, 9'6" STICK 0 ONLY FOR USE WITH: 565-2179 STICK, R2.9M(9'6") W/O EOU MOUNTS or 585-2680 STK, R2.9M(9'6") THUMB and 565-1972 LINES, MEDIUM PRESSURE, BOOM AVAILABLE FOR: AM-N		\$412
L	565-1981	LINES, MP, 10'2" STICK 0 ONLY FOR USE WITH: 565-2182 STICK, R3.1M(10'2") W/O EOU MOUNTS and 565-1972 LINES, MEDIUM PRESSURE, BOOM CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 AVAILABLE FOR: AM-N/EUR/ANZ		\$412

AUXILIARY LINES SUPPORT

L	565-1990	SUPPORT, LINES AUXILIARY 0 ONLY FOR USE WITH: 599-0914 HYDRAULIC PKG, COMB, ONE SLIDER or 599-0915 HYDRAULIC PKG, COMBINED, VAB or 599-0916 HYDRAULIC PKG, COMB, TWO SLIDER or 599-0917 HYD PKG, COMB, TWO SLIDER, VAB or 571-6562 CONTROL, QC CW DEDICATED or 565-7254 CONTROL, QC PIN GRABBER INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN REQUIRED BY: 598-9759 317 07A HEX EU CFG2 598-9761 317 07A HEX ANZ CFG1		NC
---	----------	---	--	-----------

ELECTRICAL

PREMIUM SURROUND LIGHT

L	564-8254	LIGHTS, SURROUND, PREM 0 CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$710
---	----------	--	--	--------------

OPERATOR ENVIRONMENT

MONITOR

L	554-3627	MONITOR, 10" GRADE MONITOR 0 REQUIRES: 565-2186 CAT GRADE, 2D ADVANCED or 565-2188 CAT GRADE, 3D AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		NC
L	598-3513	MONITOR, 10" GRADE W/WIFI 0 ONLY FOR USE WITH: 565-2186 CAT GRADE, 2D ADVANCED or 565-2188 CAT GRADE, 3D		NC

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

CAT GRADE LASER CATCHER

L	593-3293	LASER CATCHER, 8'2" & 8'6" STK 0 ONLY FOR USE WITH: 565-2185 STICK, R2.25M(7'3") W/EOU MOUNTS VAB or 565-2168 STICK, R2.6M(8'6") W/ EOU MOUNTS CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$1,325
L	586-3254	LASER CATCHER, 7'3" & 9'6" STK 0 ONLY FOR USE WITH: 565-2179 STICK, R2.9M(9'6") W/ EOU MOUNTS or 585-2680 STK, R2.9M(9'6") THUMB AVAILABLE FOR: AM-N		\$1,325
L	577-3685	LASER CATCHER, 9'10" & 10'2" STK 0 ONLY FOR USE WITH: 565-2182 STICK, R3.1M(10'2") W/ EOU MOUNTS CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 AVAILABLE FOR: AM-N/EUR/ANZ		\$1,325

GUARDS

L	578-9808	GUARD, FALLING OBJECT (FOGS) 0 REQUIRES: 577-3857 LIGHTS, CAB, FOGS and 565-1424 CAMERA, 360 VISIBILITY FOGS INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$2,575 NET
---	----------	---	--	-------------

OTHER ATTACHMENTS

SUNSCREEN

L	488-6450	SUN SCREEN, REAR 0 CANNOT BE USED WITH: 546-0102 CAB, PREMIUM 2PC or 546-0103 CAB, PREMIUM 1PC AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$217
L	568-4266	SCREEN, RADIATOR 0 Mandatory for JAPAN CANNOT BE USED WITH: 546-0102 CAB, PREMIUM 2PC or 546-0103 CAB, PREMIUM 1PC INCLUDED IN: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$147

QUICK COUPLERS

QUICK COUPLER CONTROL

L	565-7254	CONTROL, QC PIN GRABBER 0 CANNOT BE USED WITH: 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$900
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER BOOM LINES

L	565-1973	LINES, QUICK COUPLER BOOM 0 REQUIRES: 571-6562 CONTROL, QC CW DEDICATED or 565-7254 CONTROL, QC PIN GRABBER and 565-2163 BOOM, W/ EOU MOUNTS CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$1,330
---	----------	--	--	---------

QUICK COUPLER STICK LINES

L	565-1976	LINES, QC, 8'6" STICK 0 ONLY FOR USE WITH: 565-2168 STICK, R2.6M(8'6") W/ EOU MOUNTS and 565-1973 LINES, QUICK COUPLER BOOM CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN		\$950
L	565-1979	LINES, QC, 9'6" STICK 0 ONLY FOR USE WITH: 565-2179 STICK, R2.9M(9'6") W/O EOU MOUNTS or 585-2680 STK, R2.9M(9'6") THUMB and 565-1973 LINES, QUICK COUPLER BOOM AVAILABLE FOR: AM-N		\$950
L	565-1982	LINES, QC, 10'2" STICK 0 ONLY FOR USE WITH: 565-2182 STICK, R3.1M(10'2") W/O EOU MOUNTS and 565-1973 LINES, QUICK COUPLER BOOM CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 AVAILABLE FOR: AM-N/EUR/ANZ		\$950

QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)

L	585-4751	COUPLER, PG W PINS 316 1,415 FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes set of pins to attach the coupler to the stick. REQUIRES: QC Control, boom lines and stick lines ONLY FOR USE WITH: 565-7254 CONTROL, QC PIN GRABBER and 565-1973 LINES, QUICK COUPLER BOOM and 565-1976 LINES, QC, 2.6M(8'6") STICK or 565-1979 LINES, QC, 2.9M(9'6") STICK or 565-1982 LINES, QC, 3.1M(10'2") STICK		\$8,549
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)

L	588-7836	COUPLER, PG W/O PIN 316-318 668 FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Cat pin grabber coupler. (No Pins) Does NOT include spare pins. ONLY FOR USE WITH: 565-7254 CONTROL, QC PIN GRABBER and 565-1973 LINES, QUICK COUPLER BOOM and 565-1976 LINES, QC, 2.6M(8'6") STICK or 565-1979 LINES, QC, 2.9M(9'6") STICK or 565-1982 LINES, QC, 3.1M(10'2") STICK		\$7,710
---	----------	---	--	---------

BUCKETS

NOTE: Bucket, Tip and side cutters can not be used with No boom and stick less machine.

GENERAL DUTY (GD)

P	552-8150	BKT GD 36" 0.81YD3 315 1,202 REQUIRES: 5 Tips 80 size Advansys AVAILABLE FOR: AM-N		\$5,340
P	552-8151	BKT GD 42" 1.00YD3 315 1,307 REQUIRES: 5 Tips 80 size Advansys AVAILABLE FOR: AM-N		\$5,764
P	552-8152	BKT GD 48" 1.19YD3 315 1,446 REQUIRES: 6 Tips 80 size Advansys AVAILABLE FOR: AM-N		\$6,607

SEVERE DUTY (SD)

P	552-8172	BKT SD 36" 0.81YD3 315 1,340 REQUIRES: 5 Tips 90 size Advansys AVAILABLE FOR: AM-N		\$6,593
P	552-8173	BKT SD 42" 1.00YD3 315 1,462 REQUIRES: 5 Tips 90 size Advansys AVAILABLE FOR: AM-N		\$7,074
P	552-8174	BKT SD 48" 1.19YD3 315 1,612 REQUIRES: 6 Tips 90 size Advansys AVAILABLE FOR: AM-N		\$7,535

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

SIDE CUTTERS

P	380-1204	SIDECUTTERS, GENERAL PURPOSE. 56 ONLY FOR USE WITH: 552-8150 BKT GD 900MM 0.62M3 315 or 552-8151 BKT GD 1050MM 0.76M3 315 or 552-8152 BKT GD 1200MM 0.91M3 315 or 550-9296 BKT GD 1200MM 0.91M3 315 or 552-8172 BKT SD 900MM 0.62M3 315 or 552-8173 BKT SD 1050MM 0.76M3 315 or 552-8174 BKT SD 1200MM 0.91M3 315 AVAILABLE FOR: AM-N/ANZ		\$661
---	----------	---	--	-------

TIPS ADVANSYS 80

P	505-4083	TIP, PENETRATION PLUS ADVANSYS 17 ONLY FOR USE WITH: 552-8150 BKT GD 900MM 0.62M3 315 (5 TIPS) or 552-8151 BKT GD 1050MM 0.76M3 315 (5 TIPS) or 552-8152 BKT GD 1200MM 0.91M3 315 (6 TIPS) or 550-9296 BKT GD 1200MM 0.91M3 315 (5 TIPS) AVAILABLE FOR: AM-N/ANZ		\$89
---	----------	---	--	------

TIPS ADVANSYS 90

P	505-4097	TIP, PENETRATION PLUS ADVANSYS 23 ONLY FOR USE WITH: 552-8172 BKT SD 900MM 0.62M3 315 (5 TIPS) or 552-8173 BKT SD 1050MM 0.76M3 315 (5 TIPS) or 552-8174 BKT SD 1200MM 0.91M3 315 (6 TIPS) AVAILABLE FOR: AM-N		\$108
---	----------	--	--	-------

PACKING

STORAGE PROTECTION

	0G-4126	STORAGE PROTECTION (EXPORT) 0 Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		\$281 NET
--	---------	--	--	-----------

FIXTURE - BUCKET LINKAGE

L	598-9845	FIXTURE, BUCKET LINKAGE 0 Required when NOT ordering an installed bucket AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN REQUIRED BY: 598-9759 317 07A HEX EU CFG2		\$243 NET
---	----------	---	--	-----------

FIXTURE - BOOM CYLINDER

L	601-8972	FIXTURE, BOOM CYLINDER 0 For configuration with no boom CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/JAPAN		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

317

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
PACKING (CONT.)				
EXPORT PACKING				
	0G-4201	ROLL ON-ROLL OFF	0	\$122 NET
HYDRAULIC PLUGS - FRONT LESS				
L	586-9386	PLUG, FRONTLESS STD For No boom CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 or 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/JAPAN	0	NC
L	564-9720	PLUG, STICK LESS, STD For stick less machine or bucket cylinder less machine CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN	0	NC
L	589-5044	PLUG, AUX LINE For No boom with High Pressure line CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN	0	NC
L	564-9729	PLUG, MEDIUM CIRCUIT For No boom with medium pressure circuit CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN	0	NC
L	564-9719	PLUG, QC OR SLCV, QC AND SLCV For No boom with Quick coupler circuit and/or SLCV CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN	0	NC
L	589-5047	PLUG, STICK LESS AUX LINE ONLY FOR USE WITH: 0G-0342 NO STICK AND 565-1971 LINES, HIGH PRESSURE BOOM 565-2163 BOOM, W/ EOU MOUNTS CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN	0	NC
L	564-9732	PLUG, STICK LESS, LINES MP QC For stick less machine with MP and/or QC lines When ordering both MP and QC, select 2 pcs CANNOT BE USED WITH: 598-9759 317 07A HEX EU CFG2 607-1494 317 07A HEX JAPAN CFG21 or 607-1495 317 07A HEX JAPAN CFG22 AVAILABLE FOR: AM-N/EUR/ANZ/JAPAN	0	NC