

320 P-tier Backhoe Loader

21-Sep-2022 John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS



Code	Description	QTY	List Price (USD)
17C0T	<p>320 P-tier Backhoe Loader</p> <p>320 P Standard Equipment</p> <p>ENGINE: John Deere PowerTech™ EWL 4.5L turbocharged 4-cylinder engine Serpentine belt with automatic belt tensioner Vertical spin-on engine oil filter Primary and secondary spin-on fuel filter with water separator Dual safety element dry-type air cleaner with evacuator valve Vertical curved exhaust stack</p> <p>COOLING SYSTEM: Engine radiator Engine coolant -40 degrees F (-40C) Coolant recovery tank with low level indicator Cooling fan with fan guard Oil-to-water engine oil cooler Oil to air hydraulic oil cooler Oil to water transmission oil cooler Fold-out hinged cooling system High ambient temperature engine coolant</p> <p>POWERTRAIN: Powershift transmission with torque converter Auto-shift feature (on/off) Vertical spin-on transmission filter Single electric transmission control lever (forward/neutral/reverse) with integrated gear selection & horn Electronic transmission controller with on-board diagnostics Rigid mounted rear axle with 4-planet final drive Differential lock, foot switch activated, protection on/off Mechanical limited slip front wheel drive Hydrostatic power steering with emergency manual mode power-assisted hydraulic service brakes inboard, wet disc, self-adjusting and self-equalizing (conforms to ISO 3450) Power-assisted hydraulic service brakes inboard, wet disc, self-adjusting and self-equalizing (conforms to ISO 3450) Parking/emergency brake: independent of service brakes (conforms to ISO 3450) spring applied, hydraulically released, wet multi-disc</p> <p>HYDRAULICS: 42 GPM (159 L/m) axial piston pump - closed center / PCLS hydraulics system Dedicated hydraulic reservoir 4 micron vertical spin-on filter "O" ring face seal connectors Circuit relief valve protection Economy mode Auto idle Lift mode provides up to 15% additional craning capacity</p> <p>BACKHOE: 14 ft. 9 in. (4.50 m) digging depth (extendible dipperstick, retracted) Backhoe transport lock lever Swing locking pin stored in op. station ISO (Deere) 2 lever mechanical backhoe controls</p>	1	\$157,860.00

John Deere -2022 Price List
 Reversible pad stabilizer feet with integrated lock
 Stabilizer two-direction anti-drift valves
 Less bucket with bucket pins
 Backhoe boom includes mounting hole for optional boom protection plate.

Educational Services Commission of New Jersey
 N.Y. State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

LOADER:

Return-to-dig feature
 Bucket level indicator
 Hydraulic self-leveling (anti-spill)
 Single lever control with electric clutch cut-off switch and momentary MFWD control
 Less bucket with bucket pins
 Loader boom service lock
 High-visibility loader arms

ELECTRICAL:

12 volt system
 145 amp alternator
 (4) front drive/work, (4) rear work and (2) side docking halogen lights (32,500 candlepower each) (2) front and (2) rear turn signal/flashing
 (2) rear stop and tail
 (2) rear reflectors
 Single battery with 175 minute reserve capacity and 950 CCA
 Blade type multi-fused circuits
 By-pass start safety cover on starter
 Positive terminal battery cover

OPERATOR STATION:

Modular-design ROPS/FOPS (level 2) canopy with molded roof (meets ISO 3471 and ISO 3449); isolation mounted
 Left and right side access
 Slip resistant steps and ergonomically located handholds (conforms to SAE J185)
 Seat, deluxe deep foam, vinyl cover, high back with adjustable:
 Suspension for weight/height
 Fore-aft
 Lumbar adjustments
 Flip-up arm rests
 3 in. orange seat belt with retractor
 Tilt steering
 Engine coolant temperature gauge
 Fuel gauge
 Transmission oil temperature gauge
 Electric monitor system with audible and visual warning:
 - Air cleaner restriction
 - Low alternator voltage
 - Engine coolant temperature
 - Engine oil pressure & temperature
 - Hydraulic filter restriction
 - Low brake pressure
 - Seat belt indicator
 - Transmission oil temperature
 - Fuel level
 - Hourmeter / tachometer / voltmeter
 Machine diagnostics
 Keyless start
 Sealed switch module
 Machine security
 Horn (1-FNR, 1- side console)
 Interior rearview mirror
 Rotary hand throttle

John Deere -2022 Price List	Suspended foot throttle 12 volt outlets (1) Operator's manual storage compartment Integrated cup holder with form fitting rubber insert Lockable right-side storage Coat hook	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	--	--	---

OVERALL VEHICLE:
 (2) front and (2) rear built-in tie downs
 One piece unitized construction mainframe
 Extended grille frame
 Dent resistant rear fenders
 Vandal protection locking for:
 Engine hood
 Monitor
 Tool box
 Fuel tank
 Hydraulic reservoir
 34 gal. (128.7 L) fuel tank
 Reverse warning alarm
 19.5L - 24 in. 12 PR (R4) tubeless rear and
 12.5/80 - 18 in. 12 PR traction front sure grip lug tires
 Ground level fueling
 Remote grease bank for front axle
 Tilt hood with (2) service positions
 JDLink Ultimate in approved countries

17COT	320 P-tier Backhoe Loader	1	\$157,860.00
-------	---------------------------	---	--------------

DESTINATION AND LANGUAGE

Destination Codes	Basic Factory Options - Required
-------------------	----------------------------------

North America

0202	United States	No Added Cost
------	---------------	---------------

Labels	Basic Factory Options - Required
--------	----------------------------------

0351	Translated Text Labels Vehicle labels translated to selected language	No Added Cost
------	--	---------------

Operator's Manual and Language	Basic Factory Options - Required
--------------------------------	----------------------------------

0259 John Deere -2022 Price List Educational Services Commission of New Jersey Grounds Equipment - Bid #ESCNJ 18/19-25
 English NJ State Approved Co-op #65MCESCCPS No Added Cost

English language for operator's manual and electronic content

0263 French No Added Cost

French language for operator's manual and electronic content

0287 Spanish No Added Cost

Spanish language for operator's manual and electronic content

OPERATOR'S STATION

Operator's Station Basic Factory Options - Required

1002 Canopy (ROPS/FOPS) No Added Cost

Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof.
 Molded floor mat is optional.
 Keyless start.
 Deluxe mechanical suspension deluxe, vinyl, swivel seat with lumbar adjustment and arm rests, fully adjustable.
 3 inch retractable seat belt.
 (2) front driving/working halogen lights - 32,500 candlepower each
 (2) rear working halogen lights - 32,500 candlepower each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflectors

1003 Cab \$13,243.00

Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof.
 Tinted safety glass.
 Deluxe interior trim.
 Headliner.
 Molded floor mat.
 Less radio (cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation instructions).
 Air conditioning 26,000 BTU.
 CFC free R134a refrigerant.
 Heater/defrosters/pressurizer, 40,000 BTU, 10 speed.
 Deluxe mechanical suspension, cloth, swivel seat with lumbar adjustment and am rests, fully adjustable.
 Keyless start.
 3 inch orange seat belt with retractor.
 Tilt steering wheel.
 Interior rearview mirror.
 Front 2-speed wiper with windshield washer and rear 1-speed wiper.
 (2) front driving/working halogen lights - 32,500 candlepower each
 (2) rear working halogen lights - 32,500 candlepower each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflector

See 'Order as Desired' codes for additional cab options not included in standard cab (i.e. air suspension seat, radio, sun visor).

Code	Description	QTY	List Price (USD)
John Deere -2022 Price List			
		Educational Services Commission of New Jersey	
		NJ State Approved Co-op #65MCECCPS	
10A1	Custom Code - Quarter Cab (Window in Front)	Grounds Equipment - Bid #ESCNJ 18/19-25	\$1,227.00
<p>Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof. Deluxe mechanical suspension, vinyl, swivel seat with lumbar adjustment and arm rests, fully adjustable. Keyless start. 3 inch orange seat belt with retractor. Molded floor mat optional. Front wiper with windshield washer (2) front driving/working halogen lights - 35,200 candlepower each (2) rear working halogen lights - 35,200 candlepower each (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof (4) turn signal/flashing/rear stop/tail lights - 2 front and rear (2) rear reflectors</p>			
Operator's Station-Order As Desired		Field Installed Attachments - Optional	
<p>Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.</p>			
8096	Premium Mirror Option - Exterior Rear View Mirrors (2) and Front View Mirror (1)		\$169.00
8103	Premium Canopy Option - Headliner and Tilt Steering With floor mat.		\$1,084.00
8109	Sun Visor		\$95.00
8146	Left Side Console Storage with Cup Holders		\$81.00
8182	Radio, Bosch Basic Package AM/FM/Weather Radio		\$873.00
8183	Radio, Bosch Premium Package AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.		\$1,356.00
8207	Seat, Cloth Air-Suspension For enclosed Cab.		\$503.00
8208	Seat, Cloth Air-Suspension - Heated For enclosed Cab.		\$994.00
8209	Seat, Vinyl Air-Suspension		\$490.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

NJ State Approved Co-op #65MCESCCPS

John Deere - 2022 Price List Grounds Equipment - Bid #ESCNJ 18/19-25

81C0	Custom Code - Less A/C			(\$902.00)
------	------------------------	--	--	------------

PRECISION TECHNOLOGY SOLUTIONS

Connectivity Hardware	Basic Factory Options - Required
-----------------------	----------------------------------

183E	<p>JDLink™</p> <p>Includes integrated cab wiring harness, antenna, and JDLink™ Modem's (MTG).</p> <p>JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.</p>			No Added Cost
------	---	--	--	---------------

183Q	<p>JDLink™ Satellite</p> <p>Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).</p> <p>JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.</p>			\$3,462.00
------	--	--	--	------------

POWERTRAIN

Transmission	Basic Factory Options - Required
--------------	----------------------------------

3009	<p>Autoshift Transmission - Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential</p> <p>5F/3R autoshift transmission.</p> <p>Autoshift can be turned on/off in the SSM. When autoshift is off, the transmission will operate as a powershift.</p>			No Added Cost
------	---	--	--	---------------

30A1	<p>Custom Code - 2 Wheel Drive Transmission</p> <p>With autoshift 5F/3R transmission.</p> <p>Autoshift can be turned on/off in the SSM. When autoshift is off, the transmission will operate as a powershift.</p>			(\$2,863.00)
------	---	--	--	--------------

ENGINE

Engine	Basic Factory Options - Required
--------	----------------------------------

4006	<p>John Deere PowerTech™ EWL 4.5L (276 cu. in.) Engine Meets Final Tier 4 and Stage IV Emissions</p> <p>Net peak power of 113 Hp.</p> <p>For use only in areas where EPA final tier 4/EU stage IV is required.</p>			No Added Cost
------	--	--	--	---------------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List
 Turbocharged
 Wet sleeve cylinder liners.
 4 valves / cylinder.
 Electronically controlled HPCR fuel delivery system, B20 biodiesel compatible .
 Serpentine belt with automatic belt tensioner.
 Enclosed safety fan guard.
 Vertical spin-on engine oil filter.
 Spin-on fuel filter with water separator.
 Dual safety element dry-type air cleaner with evacuator valve.
 Underhood catalysts with vertical curved exhaust stack.
 Passive flow-through exhaust aftertreatment system with grid heater.
 Electronically controlled, variable-speed cooling fan.

Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

Engine - Order As Desired	Field Installed Attachments - Optional
---------------------------	--

8213	Chrome Exhaust Extension	\$178.00
------	--------------------------	----------

Oil Sampling Ports - Order As Desired	Field Installed Attachments - Optional
---------------------------------------	--

8075	Diagnostic Oil Sampling Ports Includes 4 ports: Engine oil Engine coolant Transmission oil Hydraulic oil	\$207.00
------	---	----------

Engine	Field Installed Attachments - Optional
--------	--

BYT11589	Fluid Sampling Ports Not available on Stage II (Tier 2) engines. For use on Backhoes with a Serial Number 390995 and Higher.	\$498.00
----------	--	----------

AT393180	Environmental Drain Kit	\$595.00
----------	-------------------------	----------

BYT11568	Pre-Cleaner, Engine Air Intake Aspiration style pre-cleaner using engine exhaust to scavenge debris from air filter intake.	\$1,064.00
----------	--	------------

WHEELS/TIRES/TRACKS

Wheels and Tires	Basic Factory Options - Required
------------------	----------------------------------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List Educational Services Commission of New Jersey NJ State Approved Co-op #65MCECCPS Grounds Equipment - Bid #ESCNJ 18/19-25

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

For use with Mechanical Front Wheel Drive

5241	Galaxy 16.9-28 12PR Rear & 12.5/80 10PR Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).		\$306.00
------	---	--	----------

5245	Galaxy 19.5L-24 12PR Rear & 12.5/80-18 10PR Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).		No Added Cost
------	---	--	---------------

5250	Galaxy 21L-24 12PR Rear & 12.5/80-18 10PR Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).		\$1,389.00
------	---	--	------------

5255	Galaxy 550 Radial - 500/70R24 Rear & 340/80R18 Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.		\$3,101.00
------	--	--	------------

5256	Galaxy 580 Radial - 500/70R24 Rear & 340/80R18 Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.		\$2,246.00
------	--	--	------------

5311	Michelin Radial - 500/70R24 XMCL Rear & 340/80R18 XMCL Front 85 in. (2.16 m) overall width. Requires axle code 3009. Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.		\$3,671.00
------	--	--	------------

54D1	Custom Code - Goodyear 16.9-28 10PR R-4 TL IT525 Rear & 12.5/80-18 14PR I-3 Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).		\$1,102.00
------	---	--	------------

54J5	Custom Code - Galaxy 21-24 12PR Rear on HD Rim & 12.5/80-18 10PR Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).		\$1,247.00
------	--	--	------------

For use with 2 Wheel Drive

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

5242	Galaxy 16.9-28 12PR Rear & 12.5/80-18 12PR Front Requires axle code 30A1. Rear tire chains require wheel spacers (AT347522).		\$380.00
5246	Galaxy 19.5L-24 12PR Rear & 12.5/80-18 12PR Front Requires axle code 30A1. Rear tire chains require wheel spacers (AT347522).		\$66.00
5244	Galaxy 19.5L-24 12PR Rear & 14.5/75-16.1 16PR Front Requires axle code 30A1. Rear tire chains require wheel spacers (AT347522).		\$442.00
5251	Galaxy 21L-24 12PR Rear & 12.5/80-18 12PR Front Requires axle code 30A1. Rear tire chains require wheel spacers (AT347522).		No Added Cost
54D2	Custom Code - Goodyear 16.9-28 10PR R-4 TL IT525 Rear & 12.5/80-18 14PR I-3 Front Sure Grip Lug front tires. This tire is for 2WD only. Rear tire chains require wheel spacers (AT347522).		\$663.00
54D4	Custom Code - Goodyear 19.5L-24 10PR Softrac II R-3 Turf Rear & Galaxy 12.5/80-18 12PR Front Requires code 30A1. Rear tire chains require wheel spacers (AT347522).		\$1,272.00
54K1	Custom Code - Alliance 550 Radial 2WD - 550/70R24 Rear & 340/80R18 Front Requires code 30A1. Rear tire chains require wheel spacers (AT347522).		\$4,083.00

ELECTRICAL

Batteries

Basic Factory Options - Required

6152	Single Maintenance Free Battery With Disconnect and Jump Post 175 minute reserve capacity (950 CCA) Recommended for use in ambient temperatures above 32 degrees F (0 degrees C).		No Added Cost
6154	Dual Maintenance Free Batteries With Disconnect, Jump Post, and Engine Block Heater 350 minute reserve capacity (1900 CCA). Recommended for use in ambient temperatures below 32 degrees F (0 degrees C). Includes engine block heater.		\$459.00

Lighting - Order as Desired

Field Installed Attachments - Optional

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

8142	LED Light Package Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.		\$1,053.00
------	---	--	------------

8226	Strobe Light with Magnetic Mount Light is shipped loose in the cab.		\$588.00
------	--	--	----------

Lighting	Field Installed Attachments - Optional
----------	--

BYT11137	Boom Light Kit For use on 310SL (0A71T), 310SL HL (0A81T) and 410L (0AB1T). For improved trench visibility. Provides two LED flood light for mounting on the boom. Includes rocker switch, mounting hardware and wiring harness.		\$409.00
----------	---	--	----------

AT445009	LED Flood Light Kit Includes 2 lights.		\$223.00
----------	---	--	----------

AT445010	LED Spot Light Kit Includes 2 lights.		\$223.00
----------	--	--	----------

AT313592	6 inch Amber Warning Light with LED Beacon and Magnetic Roof Mounting Kit		\$267.00
----------	---	--	----------

MAINFRAME/STRUCTURES

Backhoe Dipperstick	Basic Factory Options - Required
---------------------	----------------------------------

6751	Standard Dipperstick Standard stabilizer legs.		No Added Cost
------	---	--	---------------

6753	Heavy Lift - Standard Dipperstick The heavy lift option includes larger rear structures and hydraulic cylinders that provides up to 25% increase in lifting capacities and break out forces. Includes heavy duty bucket cylinder (code 8125 not orderable). Requires code 7028.		\$3,580.00
------	---	--	------------

6752	Extendible Dipperstick Extended stabilizer legs.		\$8,365.00
------	---	--	------------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

	John Deere -2022 Price List Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
6754	Heavy Lift - Extendible Dipperstick The heavy lift option includes larger rear structures and hydraulic cylinders that provides up to 25% increase in lifting capacities and break out forces. Includes heavy duty bucket cylinder (code 8125 not orderable). Requires code 7028.		\$11,945.00

Counterweight	Basic Factory Options - Required
---------------	----------------------------------

320 P COUNTERWEIGHT SELECTION CHART
 Select the Proper Counterweight for the Machine and Optional Equipment
 Add/subtract the options front axle percent. Then add the counterweight that gives the desired weight distribution between 27-32% (Target = 30%) to select counterweight.

"To this percent weight, add/subtract the following option percents, according to configuration as ordered."

- Base..... +30.0%
- Extendable..... -4.7%
- Backhoe Coupler..... -1.5%
- Backhoe Attachment over 600 lbs..... -2.0%
- Multi-Purpose Loader Bucket..... +5.9%
- Loader Coupler..... +4.4%
- Non-Powered Front Axle -1.3%
- Cab -0.5%

"Choose counterweight which results in the target front axle weight percent"

- Counterweight Options
- Bumper 0.0%
 - 450 lb. Counterweight +2.5%
 - 750 lb. Counterweight +4.0%
 - 1,000 lb. Counterweight +5.1%
 - 1,250 lb. Counterweight +6.3%

*** Base calculated using an Standard dipper, Canopy, Mechanical Front Wheel Drive, Standard Loader bucket, and a Standard Backhoe bucket.

6571	Front Cover - For Machines without a Front Counterweight		No Added Cost
6572	Heavy-Duty Bumper - For Machines without a Front Counterweight		\$223.00
6573	450 lb. (204 kg.) Front Counterweight		\$615.00
6575	750 lb. (340 kg.) Front Counterweight		\$998.00

Code	Description	QTY	List Price (USD)
6576	1000 lb. (454 kg.) Front Counterweight		\$1,374.00
6577	1250 lb. (567 kg.) Front Counterweight		\$1,758.00
Stabilizers - Order As Desired		Field Installed Attachments - Optional	
8131	Heavy-Duty Stabilizer Pads Laminated and reinforced rubber, compressed on edge within the steel shoe for improved durability and wear performance.		\$462.00
8296	Standard Stabilizer Legs Requires option code 6752.		No Added Cost
HYDRAULICS/CONTROLS			
Backhoe Auxiliary Hydraulics		Basic Factory Options - Required	
7000	No Auxiliary		No Added Cost
7001	Auxiliary Hydraulics with One Way Flow (Hammer) Includes plumbing to end of dipperstick. Includes plumbing to bulkhead (mid-point of dipperstick). Also includes hydraulic quick disconnects.		\$3,153.00
7002	Auxiliary Hydraulics with One & Two Way Flow (Hammer & Thumb/Swinger) Includes factory installed plumbing to end of dipperstick for one and two way flow valve. Includes hydraulic quick disconnects with one way flow circuit.		\$4,938.00
Backhoe Controls		Basic Factory Options - Required	
7026	Mechanical Controls, Two Lever, ISO (Deere)		No Added Cost
7028	Pilot Controls, Two Lever, with Pattern Selection Proportional auxiliary control and extendable dipperstick control integrated into pilot control levers.		\$2,594.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List
 Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCECCPS
 Grounds Equipment - Bid #ESC NJ 18/19-25
 Loader Controls
 Basic Factory Options - Required

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations. All selections come with Return to Dig feature.

7037	Two-Function Loader Hydraulics, Single Lever Single lever loader control with electric clutch disconnect and momentary MFWD.	No Added Cost
------	---	---------------

7038	Loader Coupler, Two-Function Hydraulics, Single Lever Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect and momentary MFWD. Will accept G, J, K and L-Series loader coupler buckets	\$6,829.00
------	---	------------

7040	Three-Function Loader Hydraulics, Single Lever Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. For multi-purpose bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.	\$3,268.00
------	---	------------

7041	Loader Coupler, Three-Function Hydraulics, Single Lever Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. For multi-purpose coupler bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube. Will accept G, J, K, and L-series loader coupler buckets.	\$9,974.00
------	---	------------

704A	Custom Code - Loader Coupler Configuration, 3-Function Hydraulics, Single Lever (Less Coupler) Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. Does not include the coupler. For multi-purpose coupler bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm.) hoses and steel lines are capped at the cross tube. Will accept G, J, K, and L-series loader coupler buckets.	\$8,450.00
------	--	------------

Hydraulics/Controls - Order as desired	Field Installed Attachments - Optional
--	--

8125	Heavy-Duty Backhoe Bucket Cylinder Increases backhoe bucket breakout force by 27%.	\$273.00
------	---	----------

8165	Auto Ride Control	\$2,335.00
------	-------------------	------------

8135	Hydrau XR - Synthetic Hydraulic Fluid	\$608.00
------	---------------------------------------	----------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List	Intended for colder climates with extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).	NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	--	-------------------------------------	--	---

80A3	Custom Code - Accu-Swing			\$737.00
------	--------------------------	--	--	----------

IMPLEMENTS/ATTACHMENTS				
------------------------	--	--	--	--

	Backhoe Buckets			Basic Factory Options - Required
--	-----------------	--	--	----------------------------------

All buckets include lift holes.

7800	Less Backhoe Bucket with Bucket Pins			No Added Cost
------	--------------------------------------	--	--	---------------

7801	12 in. (305 mm.) Wide, 3.3 cu. ft. (0.09 cu. m.) Bucket Bucket includes TK teeth.			\$1,677.00
------	--	--	--	------------

7804	18 in. (457 mm.) Wide, Heavy-Duty, 5.1 cu. ft. (0.14 cu. m.) Bucket Bucket includes TK Teeth.			\$1,913.00
------	--	--	--	------------

7806	24 in. (610 mm.) Wide, Heavy-Duty, 7.5 cu. ft. (0.21 cu. m.) Bucket Bucket includes TK Teeth.			\$2,078.00
------	--	--	--	------------

7808	24 in. (610 mm.) Wide, Severe-Duty, 7.5 cu. ft. (0.21 cu. m.) Bucket Bucket includes TK Teeth.			\$2,821.00
------	---	--	--	------------

7809	24 in. (610 mm.) Wide, Heavy-Duty, 8.8 cu. ft. (0.25 cu. m.) Top Hook Coupler Bucket Bucket includes TK Teeth.			\$2,239.00
------	---	--	--	------------

7810	24 in. (610 mm.) Wide, Heavy-Duty, 8.8 cu. ft. (0.25 cu. m.) Bucket Bucket includes TK Teeth.			\$2,279.00
------	--	--	--	------------

7811	24 in. (610 mm.) Wide, Severe-Duty, 8.8 cu. ft. (0.25 cu. m.) Bucket Bucket includes TK Teeth.			\$2,912.00
------	---	--	--	------------

	Backhoe Quick Couplers			Basic Factory Options - Required
--	------------------------	--	--	----------------------------------

7700	Less Coupler - Less Thumb			No Added Cost
------	---------------------------	--	--	---------------

John Deere - 2022 Price List
 Educational Services Commission of New Jersey
 NU State Approved Co-op #65MCESCCPS
 Grounds Equipment - Bid #ESCNJ 18/19-25

7701	<p>Less Coupler - Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine.</p>		No Added Cost
7702	<p>Deere Standard Quick Coupler - Less Thumb</p> <p>If ordering thumb, must order option code 7703 or 7704. For use with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L series backhoe buckets.</p>		\$1,538.00
7703	<p>Deere Standard Quick Coupler - 37 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine. For use with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L series backhoe buckets.</p>		\$1,538.00
7704	<p>Deere Standard Quick Coupler - 42 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. For use with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L series backhoe buckets.</p>		\$1,538.00
7705	<p>Multi-Brand Quick Coupler - Less Thumb</p> <p>If ordering coupler with thumb, requires option code 7706 or 7707. For use with Deere C, D, SE, SG, SJ, SK, SL & SL HL series buckets and with Case K, L, M and Cat C series buckets. Not for use with 710 buckets. Not compatible with Case N-series.</p> <p>Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.</p>		\$1,719.00
7706	<p>Multi-Brand Quick Coupler - 37 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine. For use with Deere C, D, SE, SG, SJ, SK, SL & SL HL series buckets and with Case K, L, M and Cat C series buckets. Not for use with 710 buckets. Not compatible with Case N-series.</p> <p>Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.</p>		\$1,719.00
7707	<p>Multi-Brand Quick Coupler - 42 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. For use with Deere C, D, SE, SG, SJ, SK, SL & SL HL series buckets and with Case K, L, M and Cat C series buckets. Not for use with 710 buckets. Not compatible with Case N-series.</p> <p>Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.</p>		\$1,719.00
7708	<p>Top Hook Quick Coupler - Less Thumb</p> <p>If ordering with thumb, requires option code 7709. For use with Deere top hook coupler bucket option code 7809 and CP or pre-XLS Wain Roy top hook bucket.</p>		\$1,421.00

John Deere -2022 Price List

Educational Services Commission of New Jersey

NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

7709	<p>Top Hook Quick Coupler - 42 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. Only compatible with Deere top hook coupler bucket option code 7809 and CP or pre-XLS Wain Roy top hook bucket.</p>		\$1,421.00
7710	<p>New Series Multi-Brand Quick Coupler - Less Thumb</p> <p>If ordering with thumb, requires option code 7711 or 7712. For use with Cat D,E, F, Case K-L-M, and Deere SE, SG, SJ, SK, SL & SL HL series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-series.</p>		\$1,768.00
7711	<p>New Series Multi-Brand Quick Coupler - 37 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine. For use with Cat D,E, F, Case K-L-M, and Deere SE, SG, SJ, SK, SL & SL HL series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-series.</p>		\$1,768.00
7712	<p>New Series Multi-Brand Quick Coupler - 42 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. For use with Cat D,E, F, Case K-L-M, and Deere SE, SG, SJ, SK, SL & SL HL series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-series.</p>		\$1,768.00
7713	<p>Rear Hydraulic Coupler for Pin-on Buckets - Less Thumb</p> <p>If ordering coupler with thumb, requires code 7714. For use on 310SL, 310SL HL, and 410L with a serial number of 303524 and higher. For use with Deere SE, SG, SJ, SK, SL & SL HL series pin-on buckets and 410E, G, J, K, and L series pin-on buckets. Not for use with top hook buckets. Reference bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.</p>		\$8,104.00
7714	<p>Rear Hydraulic Coupler for Pin-on Buckets - 42 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. For use on 310SL, 310SL HL, and 410L with a serial number of 303524 and higher. For use with Deere SE, SG, SJ, SK, SL & SL HL series pin-on buckets and 410E, G, J, K, and L series pin-on buckets. Not for use with top hook buckets. Reference bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.</p>		\$8,104.00
7715	<p>Rear Spring Type Quick Coupler - Less Thumb</p> <p>If ordering coupler with thumb, requires code 7716. For use with Deere SE, SG, SJ, SK, SL & SL HL series pin-on buckets and 410E, G, J, K, and L series pin-on buckets. Not for use with top hook buckets. Reference bulletin 17BH09 for bucket compatibility information.</p>		\$3,530.00
7716	<p>Rear Spring Type Quick Coupler - 42 in. Thumb Ready</p> <p>Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. For use with Deere SE, SG, SJ, SK, SL & SL HL series pin-on buckets and 410E, G, J, K, and L series pin-on buckets. Not for use with top hook buckets. Reference bulletin 17BH09 for bucket compatibility information.</p>		\$3,530.00

Loader Buckets

Basic Factory Options - Required

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESC NJ 18/19-25

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations. Loader buckets include skid plates and lift hooks unless stated otherwise.

Pin-On Loader Buckets

Not compatible with 7038 and 7041 loader hydraulics.

7853	86 in. (2.18 m.) Wide, 1.12 cu. yd. (0.86 cu. m.) General Purpose Bucket Includes reversible bolt-on cutting edge and skid plates.		\$4,745.00
------	---	--	------------

7870	86 in. (2.18 m.) Wide, 1.25 cu. yd. (0.96 cu. m.) Long-Lip Bucket Includes reversible bolt-on cutting edge and skid plates.		\$4,340.00
------	--	--	------------

7859	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Long-Lip Bucket Includes reversible bolt-on cutting edge and skid plates.		\$4,985.00
------	---	--	------------

7861	1.31 cu. yd. (1.0 cu. m.) Multi-Purpose Bucket 92 in. (2.34 m.) wide Includes reversible bolt-on cutting edge for moldboard and back of clamshell, skid plates, and two lift holes. Pre-drilled for eight teeth - order teeth from parts.		\$11,609.00
------	--	--	-------------

7862	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Multi-Purpose Bucket with Bolt-On Teeth Includes reversible cutting edge for moldboard and back of clamshell, mounting ears for flip-over forks, two lift holes and skid plates.		\$9,632.00
------	--	--	------------

Coupler Loaders Buckets

Requires codes 7038 or 7041 loader coupler

7860	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Long-Lip Coupler Bucket Includes reversible bolt-on cutting edge and skid plates.		\$5,398.00
------	---	--	------------

7863	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Multi-Purpose Coupler Bucket Requires code 7041. Includes reversible bolt-on cutting edge for moldboard and back of clamshell, skid plates, and two lift holes. Pre-drilled for eight teeth - order teeth from parts.		\$10,482.00
------	---	--	-------------

7850	Less Loader Bucket with Pins for Buckets or Front Attachments Old style pins will be necessary with older buckets and attachments.		No Added Cost
------	---	--	---------------

7851	Less Coupler Bucket		No Added Cost
------	---------------------	--	---------------

John Deere -2022 Price List
 Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCECCPS
 Grounds Equipment - Bid #ESC NJ 18/19-25
 Implements/Attachments - Order As Desired
 Field Installed Attachments - Optional

8025	Thumb - 37 in. 4 Tine Reference bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires two-way auxiliary hydraulics, code 7002 or 7004. It does include plumbing for two-way auxiliary valve.		\$10,121.00
------	--	--	-------------

8027	Thumb - 42 in. 4 Tine Reference bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires two-way auxiliary hydraulics, code 7002 or 7004. It does include plumbing for two-way auxiliary valve.		\$10,280.00
------	--	--	-------------

MISCELLANEOUS

Miscellaneous - Order As Desired
 Field Installed Attachments - Optional

8101	Finish Paint - Decals Not Installed		\$165.00
------	-------------------------------------	--	----------

8039	Non-Export Rust Preventive Coating Coating protects exposed unpainted surfaces from road salt during shipment.		\$172.00
------	---	--	----------

Guarding and HD Options - Order as Desired
 Field Installed Attachments - Optional

8062	Backhoe Boom Protection Plate Mounted and torqued to the underside of the backhoe boom with kremnuts. Provides protection from unintended contact by large/heavy materials or attachments.		\$602.00
------	---	--	----------

8115	MFWD Driveshaft Guard Recommended when operating over large rocks or stumps.		\$428.00
------	---	--	----------

8126	Heavy-Duty Grille Frame Recommended for high use in truck loading applications. Includes vertical and horizontal steel reinforcement to the inside of the perforated screen for greater durability.		\$555.00
------	--	--	----------

Guards
 Field Installed Attachments - Optional

AT305073	Stabilizer Cylinder Guards (Set of Two)		\$314.00
----------	---	--	----------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	--	--	---

AT434236	Rubber Bumper for Grille Frame		\$192.00
----------	--------------------------------	--	----------

AT438402	KIT, FULL MFWD GUARD		\$280.00
----------	----------------------	--	----------

AT333753	Backhoe Boom Protection Plate Bolt on or weld to underside of backhoe boom. Recommended for rental, lease, thumbs/clamps, swingers, jaw buckets, and non-Deere attachments on couplers.		\$608.00
----------	---	--	----------

AT371257	MFWD Wheel Fender Kit for 18 in. tires only Requires MFWD and 12.5/80-18 or 340/80R-18 front tires.		\$723.00
----------	--	--	----------

BYT11926	Heavy-Duty Grille Screen Kit Compatible with L-Series Backhoe Loaders.		\$561.00
----------	---	--	----------

Miscellaneous	Field Installed Attachments - Optional
---------------	--

BYT10330	Rear Wiring Harness for Hammer, Auto Greaser Harness that enables installation of an auto greaser (primarily for hammer use).		\$180.00
----------	--	--	----------

AT437905	Jump Start and Battery Disconnect Kit		\$247.00
----------	---------------------------------------	--	----------

AT451194	Pivotable Beacon Bracket		\$104.00
----------	--------------------------	--	----------

AT408903	Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher Kit Does not Include Fire Extinguisher.		\$100.00
----------	--	--	----------

BYT10312	Stop Kit, Field Kit - Pilot Tower Stow		\$26.00
----------	--	--	---------

HYDRAULICS

Hydraulics	Field Installed Attachments - Optional
------------	--

John Deere -2022 Price List	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	--	--	---

BYT11688	Auxiliary Loader Control Valve with 3 Function Hydraulics - Single Lever For use on 310SL (0A71T), 310SL HL (0A81T) and 410L (0AB1T). For use on Backhoes with a Serial Number 390995 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.		\$4,031.00
----------	--	--	------------

BYT12205	Auxiliary Backhoe Hydraulic Selective Flow Plumbing Kit - Standard Dipperstick Installation instructions T453413. Average installation, 2 hours. Requires Standard Dipperstick. Requires Five Function Plus Selective Flow OR Selective Flow. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick. For use with HL configuration only.		\$610.00
----------	---	--	----------

BYT11692	Auxiliary Plumbing for Selective Flow - Extendible Dipperstick For use on Backhoes with a Serial Number 390995 and Higher. Installation instructions T208488. Average installation, 2 hours. Requires Extendible Dipperstick. Requires Five Function Plus Selective Flow OR Selective Flow. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick.		\$687.00
----------	---	--	----------

BYT11992	Sixth Function Valve Kit (2 way flow for thumb swinger or grapple) For use on Backhoes with a Serial Number 390995 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly. Valve section and two hoses. For use with Pilot Controls. If the machine is not equipped with single lever loader control (SLLC) and loader auxiliary, also order: AT472332 Auxiliary Valve Controller (AVC) AT432173 Wiring Harness 14M7303 Nut (Qty 4) 19M7775 Cap Screw M6 X 16 (Qty 4)		\$3,048.00
----------	--	--	------------

BYT11691	Auxiliary Plumbing for Selective Flow - Standard Dipperstick For use on Backhoes with a Serial Number 390995 and Higher. Installation instructions T438253. Average installation, 2 hours. Requires Standard Dipperstick. Requires Five Function Plus Selective Flow OR Selective Flow. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick.		\$610.00
----------	---	--	----------

BYT11701	Selective Flow Control Kit (1 way flow for use with hammer or compactor) For use on Backhoes with a Serial Number 390995 and Higher. Selective flow control to the backhoe valve for switch control of auxiliary hydraulics. Does not include plumbing kit.		\$1,759.00
----------	--	--	------------

AT431340	Accu-Swing Kit for Backhoe		\$492.00
----------	----------------------------	--	----------

	<p>John Deere -2022 Price List</p> <p>Includes two circuit reliefs, fittings, clamps and hardware. Installation instructions T210751.</p>	<p>NJ State Approved Co-op #65MCESCCPS</p>		<p>Grounds Equipment - Bid #ESCNJ 18/19-25</p>
AT450466	<p>Auxiliary Backhoe Hydraulics for Auger, Extendible Dipperstick</p> <p>Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger.</p>			\$384.00
AT448426	<p>Controlled Lowering Device for Backhoe Boom Cylinder</p> <p>For use with standard lift configuration only.</p>			\$2,734.00
AT431164	<p>Controlled Lowering Device for Backhoe Boom Cylinder</p> <p>For use with HL configuration only.</p>			\$2,734.00
AT448425	<p>Controlled Lowering Device for Backhoe Dipper (Crowd) Cylinder</p> <p>Requires prior installation of AT448426 Controlled Lowering Device for Backhoe Boom Cylinder Kit. For use with standard lift configuration only.</p>			\$3,096.00
AT431163	<p>Controlled Lowering Device for Backhoe Dipper (Crowd) Cylinder</p> <p>For use with HL configuration only.</p>			\$2,282.00
AT448428	<p>Hand Held Hydraulics</p> <p>Plumbing routed from the backhoe valve to above the battery box for hook up of hand held attachments. Average installation, 4 hours. Includes two circuit reliefs, fittings, clamps and hardware. Requires Selective Flow Valve. Installed in Battery Box.</p>			\$464.00
AT455624	<p>Sixth Function Manual Valve Kit (2 way flow for thumb swinger or grapple)</p> <p>Valve section and two hoses. Pedal and linkage ordered separately. For use with Manual Controls 7026.</p>			\$1,052.00
AT456673	<p>Auxiliary Plumbing for Selective Flow - Extendible Dipperstick</p> <p>For use with HL configuration only.</p>			\$687.00
BYT10279	<p>Loader Coupler, Hydraulic</p> <p>For use on Backhoes with a Serial Number 390995 and Higher. L-Series backhoes must order applicable Software Part Number in JDPoint for Field Kit to function properly.</p>			\$7,841.00
BYT11010	<p>Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Standard Dipperstick</p> <p>For use with serial numbers after 338468. Must be configured with 7002 or 7004 or BYT11006, BYT11693, BYT11014, BYT11015. Average installation, 2 hours. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310 G and 310 P controlled by foot pedal. 320 P and 410 P controlled by thumb roller in pilot joystick.</p>			\$88.00

NJ State Approved Co-op #65MCESCCPS

For installation instructions, please reference DTAC Solution 115211.

Grounds Equipment - Bid #ESCNJ 18/19-25

BYT11011	<p>Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Extendable Dipperstick</p> <p>For use with serial numbers after 338468. Must be configured with 7002 or 7004 or BYT11016, BYT11694, BYT11018, BYT11019. Average installation, 2 hours. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310G and 310 P controlled by foot pedal. 320 P and 410 P controlled by thumb roller in pilot joystick. For installation instructions, please reference DTAC Solution 115211.</p>	\$88.00
BYT11014	<p>Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Standard Dipperstick</p> <p>For use with serial numbers after 338456. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. Controlled by thumb roller in pilot joystick. Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic thumb, additional thumb plumbing kit is required (BYT11010). Please reference DTAC Solution 115211. For use with HL configuration only.</p>	\$597.00
BYT11018	<p>Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Extendable Dipperstick</p> <p>For use with serial numbers after 338456. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310SL HL and 410L controlled by thumb roller in pilot joystick. Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11011). Please reference DTAC Solution 115211. For use with HL configuration only.</p>	\$597.00
BYT11079	<p>1-Way (Select Flow) Auxiliary Hydraulics Bulkhead - Bucket Cylinder Mounted</p> <p>This field kit provides an alternative connection point for 1-way (select) flow hydraulics. The bulkhead will accept existing factory sourced plumbing, normally attached to dipper side sheets. Kit consists of two clamps and bulkhead bracket.</p>	\$216.00
BYT11694	<p>Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Extendable Dipperstick</p> <p>For use with 310SL base machine 0A71T. For use on Backhoes with a Serial Number 390995 and Higher. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11011). Please reference DTAC Solution 115211.</p>	\$597.00
BYT11693	<p>Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Standard Dipperstick</p> <p>For use with 310SL base machine 0A71T. For use on Backhoes with a Serial Number 390995 and Higher. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps, hoses and hardware.</p>	\$597.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

NJ State Approved Co-op #65MCESCCPS

For Low Flow Intermittent Usage (Thumb, Auger, Rotation Circuit, etc.) Grounds Equipment - Bid #ESCNJ 18/19-25
 Quick connect couplers and jumper hoses from bulkhead to attachment not included.
 If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11010). Please reference DTAC Solution 115211.

FRONT LOADER

Loader Buckets

Field Installed Attachments - Optional

BYT12306	LDR Pin-on Bucket 1.3 Cu. Yd. (1.0 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip	\$3,712.00
AT308071	LDR Pin-on Bucket 1.12 Cu. Yd. (.86 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Includes Reversible Bolt On Cutting Edge and Skid Plates.	\$4,058.00
AT308080	LDR Pin-On Bucket 1.32 Cu. Yd. (1.0 Cu. M.) Heavy Duty Long Lip Bucket 92 in. (2.34 m) wide. Includes reversible bolt-on cutting edge with skid plates. * Includes two lift holes.	\$4,263.00
AT308188	LDR Pin-on Bucket 1.2 Cu.Yd. (.90 Cu. M.) Narrow 82 in. (2.08 m) Heavy-Duty Long Lip Narrow and Skid Plates	\$3,347.00
AT308966	LDR Coupler Bucket 1.32 Cu. Yd. (1.0 cu. m) Heavy Duty 92 in. (2.34 m) Long Lip Includes Reversible Bolt On Cutting Edge and Skid Plates.	\$4,617.00
AT308968	LDR Coupler Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip Does not include Bolt-On Cutting Edges or Skid Plates.	\$3,901.00
AT308970	LDR Coupler Bucket 1.13 Cu. Yd. (.86 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip Includes Reversible Bolt On Cutting Edge and Skid Plates.	\$4,143.00
BYT10708	LDR Coupler Multipurpose 1.3 cu. Yd. (1.0 cu. m), 92 in (2.34 m) wide bucket Includes Reversible Bolt On Cutting Edges and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell. Requires Code 7085, or Third Function Loader Hydraulics and Loader Coupler. Pre-drilled for eight teeth. Includes two built-in lift loops. Proper counterweighting is required. See Counterweight Selection Chart. Requires Backhoe configured with code 6020, Extendible Dipperstick. Cannot be used on a backhoe configured with counterweight codes 8425, 8455, 8475, or 8485. Includes Reversible Bolt On Cutting Edges and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell. Requires Code 7041, or Third Function Loader Hydraulics and Loader Coupler. Pre-drilled for eight teeth.	\$8,965.00

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

Includes two built-in lift loops.
Proper counterweighting is required.
See Counterweight Selection Chart.
Requires Backhoe configured with code 6020, Extendible Dipperstick.
Cannot be used on a backhoe configured with counterweight codes 6573, 6575, 6576, or 6577.

BYT10707	LDR Coupler Multipurpose Bucket 1.25 Cu. Yd. (.96 cu. m) 86 in. (2.18 m) wide	\$8,722.00
----------	---	------------

Includes Reversible Bolt On Cutting Edges and Skid Plates.
Includes reversible cutting edge for moldboard and back of clamshell.
Requires Aux. Loader Coupler Hydraulics.
86 in. (2.18 m) bucket width.
Pre-drilled for seven teeth.
Order teeth from parts.
Includes two built-in lift loops.
Requires Backhoe configured with code 6752, Extendible Dipperstick.
Cannot be used on a backhoe configured with counterweight codes 6573, 6575, 6576, or 6577.

BYT10703	LDR Pin-on Multi-Purpose Bucket 1.32 Cu. Yd. (1.0 Cu. M.), 92 in. (2.34 m) wide	\$8,321.00
----------	---	------------

Includes Reversible Bolt On Cutting Edges and Skid Plates.
Includes reversible cutting edge for moldboard and back of clamshell.
Requires Third Function Loader Hydraulics.
92 in. (2.3 m) bucket width
Pre-drilled for eight teeth.
Order teeth from parts.
Includes two lift holes.
Proper counterweighting is required.
See Counterweight Selection Chart.

BYT10700	LDR Pin-on Multipurpose Bucket 1.00 Cu. Yd. (.76 Cu. M.) 82 in. (2.08 m)	\$7,091.00
----------	--	------------

Includes Reversible Bolt On Cutting Edge and Skid Plates.
Includes reversible cutting edge for moldboard and back of clamshell.
Requires Third Function Loader Control Valve Section, Controls and lines.
Predrilled for seven teeth.
Two built-in lift loops
Proper counterweighting is required.
See Counterweight Selection Chart.

BYT10701	LDR Pin-on Multipurpose Bucket 1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m)	\$8,265.00
----------	--	------------

Includes Reversible Bolt On Cutting Edge and Skid Plates.
Includes reversible cutting edge for moldboard and back of clamshell.
Requires Third Function Loader Control Valve Section, Controls and lines.
Predrilled for seven teeth.
Two built-in lift loops
Proper counterweighting is required.
See Counterweight Selection Chart.

AT336927	Loader Coupler Attachment Adapter Hook Plates (2) Standard	\$1,934.00
----------	--	------------

AT308991	LDR Coupler Bucket 1.0 Cu. Yd. (.76 Cu. M.) Heavy Duty 86 in. (2.18 m) wide	\$3,836.00
----------	---	------------

Includes Reversible Bolt On Cutting Edge with Skid Plates.

Loader Controls

Field Installed Attachments - Optional

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

AT452094	Ride Control Plumbing Kit Harness, plumbing, and accumulator for ride control. Must order valve and mounting plate separately. Compatible with both manual and auto ride control.		\$708.00
----------	--	--	----------

AT449593	Auto Ride Control Valve Kit Includes valve and mounting plate. Also requires plumbing kit AT452094. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.		\$570.00
----------	--	--	----------

BYT11542	Multi-Purpose Bucket Anti-Drift Valve Kit Prevents clam shell from drifting open during load, carry and three-point stance operations. Kit includes valve, hoses and mounting hardware. Compatible with all Backhoe and Tractor Loader multi-purpose buckets (installation instructions will also detail mounting procedure for buckets produced prior to September 2018)		\$759.00
----------	--	--	----------

BACKHOE

Backhoe Controls

Field Installed Attachments - Optional

AT185624	ISO (Deere) Two Lever Mechanical Controls Requires Right Pedal Kit, if equipped with Case controls and five function control valve. For units with code 7026.		\$512.00
----------	--	--	----------

AT185628	Ford Four Lever Controls for Standard and Extendible Dipperstick Ford Four Lever Controls for Standard and Extendible Dipperstick. For units with code 7026.		\$3,088.00
----------	---	--	------------

AT185629	Sixth Function Pedal for Lever Controls		\$387.00
----------	---	--	----------

AT301434	SAE Excavator Style Two Lever Controls		\$260.00
----------	--	--	----------

AT309739	Case Three Lever Controls with Foot Swing For units with code 7026.		\$1,407.00
----------	--	--	------------

AT309740	Case Three Lever Controls 5th Function Lever Kit Adds lever to Case 3 lever backhoe controls to operate auxiliary valve on Standard Dipperstick or operates Extendible Dipperstick..		\$198.00
----------	---	--	----------

Attachments & Accessories

Field Installed Attachments - Optional

Code	Description	Educational Services Commission of New Jersey	QTY	List Price (USD)
John Deere -2022 Price List		NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESCNJ 18/19-25	
AT308138	Forks, Pallet (2) 48 in.(1.22m) with 60 in. (1.52m) Coupler Fork Carriage			\$4,493.00
AT308139	Forks, Pallet (2) 60 in.(1.52m) with 60 in. (1.52m) Coupler Fork Carriage			\$5,117.00
BYT10285	37 Inch Hydraulic Backhoe Thumb - 4 Tine Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 7002, 7004, or field installed 2-way auxiliary hydraulic kit.			\$6,981.00
BYT10287	42 Inch Hydraulic Backhoe Thumb - 4 Tine Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 7002, 7004, or field installed 2-way auxiliary hydraulic kit.			\$7,069.00
AT366494	Multi-Purpose Flip-Over Forks			\$3,584.00
Backhoe Quick Couplers		Field Installed Attachments - Optional		
BYT10288	Coupler, Rear Hydraulic for Pin-On Buckets, Standard Dipperstick For use on 310SL with a Serial Number of 303524 and Higher. Requires Valve Plumbing Kit BYT10077. Bucket Compatibility: For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.			\$6,927.00
BYT10289	Coupler, Rear Hydraulic for Pin-on Buckets, Extendable Dipperstick For use on 310SL with a Serial Number of 303524 and Higher. Requires Valve Plumbing Kit BYT10077. Bucket Compatibility: For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.			\$6,927.00
BYT10333	Coupler, Rear Spring Type Quick Coupler For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletin 17BH09 for bucket compatibility information.			\$3,354.00
BYT10078	Coupler, Rear Hydraulic Kit Includes valve and plumbing only, for standard and extendable dipperstick. Hydraulic coupler for pin-on buckets not included. Used in the installation process of Rear Hydraulic Coupler BYT10288 or BYT10289. For use with Serial Number 304845 and above. For use with HL configuration only.			\$1,134.00
AT324292	Coupler, Top Hook Backhoe Bucket			\$1,153.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List

Grounds Equipment - Bid #ESCNJ 18/19-25

Fits on 410G, 410J, 410TJ, 310SG, 310SJ, 310TJ Backhoes
 For use with Top Hook backhoe bucket from
 Deere, CP, and Pre-XLS Wain Roy
 Recommend Backhoe Boom Bolt-on Protection Plate.
 Proper counterweighing is required. See 310SJ or 410J Counterweight Selection Chart.

AT336315 Coupler, Multi-Brand Universal Backhoe Bucket \$1,524.00

For use with CAT B & C Series, Case K-L-M and DEERE SE,SG & SJ Series backhoe buckets except High Capacity Buckets and 710 Buckets.
 Recommend AT179130 high-strength pin for 300D-510D and 210C-610C 18-36 Inch Buckets
 Proper counterweighing is required. See Counterweight Selection Chart.
 Recommend Backhoe Boom Bolt-on Protection Plate.
 Spacers are recommended for CAT and Case buckets, refer to dealer bulletin 07BH08.

AT336316 Coupler, Deere Backhoe Bucket \$1,530.00

Fits 310SE, 310SG, 310SJ, 310SK, 310SL, 410E, 410G, 410J,410TJ, 410K, 410L backhoes.
 For use with 310SE, 310SG, 310SJ, 410E, 410G,410J, 410TJ, 410K, 410L backhoe buckets
 Proper counterweighing is required. See Counterweight Selection Chart.
 Recommend Backhoe Boom Bolt-on Protection Plate.

AT343629 Coupler, Universal - Pin-grabber style (non-hydraulic) \$3,235.00

Fits John Deere 310SE, 310SG, 310SJ, 310TJ, 410E, 410G, 410J, 410TJ backhoes
 For use with DEERE C-D-E-G-J Series buckets and with Case K-L-M and CAT C-D-E Series Buckets.
 Not for High Capacity Buckets and 710 Buckets.
 Proper counterweighing is required. See Counterweight Selection Chart.
 Recommend Backhoe Boom Bolt-on Protection Plate.

AT393558 Backhoe New Series Multi-Brand Quick Coupler \$1,574.00

For use with DEERE C-D-SE-SG-SJ-SK-SL Series buckets and with Case K-L-M and Cat D and E Series Buckets Buckets, High Capacity Buckets and 710J Buckets.
 Spacers are recommended for CAT and Case buckets, refer to dealer bulletin 07BH08.

Backhoe Buckets

Field Installed Attachments - Optional

AT437338 BKH Pin-on Bucket 12 In. (305 mm) Heavy-Duty 3.3 Cu. Ft. (0.09 Cu. M.) \$1,410.00

AT437340 BKH Pin-on Bucket 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.) \$1,636.00

AT437344 BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.) \$1,949.00

AT437361 BKH Top Hook Coupler Bucket 12 in. (305 mm) Heavy Duty 3.3 Cu. Ft. (.09 Cu. M.) \$1,438.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Code	Description	Educational Services Commission of New Jersey	QTY	List Price (USD)
	John Deere -2022 Price List	NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
AT437700	BKH Pin-on Bucket 18 in (457 mm) Severe Duty 5.1 Cu. Ft. (0.14 Cu. M.)			\$1,942.00
AT437701	BKH Pin-on Bucket 24 in (610 mm) Severe Duty 7.5 Cu. Ft. (0.21 Cu. M.)			\$2,412.00
AT437702	BKH Pin-on Bucket 24 in (610 mm) Severe Duty 8.8 Cu. Ft. (0.25 Cu. M.)			\$2,491.00
AT437703	BKH Pin-on Bucket 30 In. (762 mm) Severe-Duty 10.0 Cu. Ft. (0.28 Cu. M.) Requires multi-brand quick coupler (AT336313 or option codes 7705, 7706, or 7707).			\$2,643.00
AT437362	BKH Top Hook Coupler Bucket 18 in. (457 mm) Heavy Duty 5.1 Cu. Ft. (0.14 Cu. M.)			\$1,717.00
AT437363	BKH Top Hook Coupler Bucket 24 in. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)			\$1,915.00
AT437616	BKH Pin-on Bucket 36 In. (914 mm) Ditching 12.5 Cu. Ft. (0.35 Cu. M.)			\$1,991.00
AT436333	BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty 12.5 Cu. Ft. (0.35 Cu. M.)			\$3,032.00
AT437345	BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.)			\$2,018.00
AT437343	BKH Pin-On Bucket 24 In. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)			\$1,778.00
AT437342	BKH Pin-On Bucket 24 In. (610 mm) Standard-Duty 7.5 Cu. Ft. (0.21 Cu. M.)			\$1,834.00
	Stabilizer Legs			Field Installed Attachments - Optional
AT376409	Standard Stabilizer Street Pads			\$234.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Code	Description	QTY	List Price (USD)
AT376410	Heavy Duty Stabilizer Pads		\$467.00
<p>John Deere -2022 Price List Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25</p>			
OPERATOR'S STATION AND CONTROLS			
Operator's Station		Field Installed Attachments - Optional	
AT186155	(2) External Rear View Mirrors		\$293.00
AT186288	Slow Moving Vehicle Emblem		\$115.00
AT186307	Sun Visor		\$96.00
AT187707	License Plate Bracket and Light		\$233.00
AT192032	Operator Manual Tether Cables for ROPS or Cab		\$28.00
BYT10670	Mechanical to Air Seat Conversion For use on machines prior to Serial Number: 329231. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.		\$816.00
BYT10718	Radio, Basic Package For use with serial number 329231 or greater. AM/FM/Weather Radio.		\$882.00
BYT11382	AM/FM/WB Stereo with Digital Clock for Cab		\$1,015.00
AT451676	Radio Auxiliary kit Requires code 8182 or BYT10718 basic radio package. 3.5mm auxiliary input jack, harness for aux input to radio, roof power port, roof storage compartment. This kit is designed to add 3.5mm input to radios, and power to charge devices. Note that this kit does NOT include XM, USB input, or Bluetooth microphone.		\$291.00
AT446496	License Plate Bracket		\$59.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere - 2022 Price List
 Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCECCPS
 Grounds Equipment - Bid #ESCNJ 18/19-25

BYT10250	Canopy (ROPS/FOPS) to Quarter Cab Conversion Kit Includes all parts needed to add quarter cab to canopy machine, including windshield wiper and windshield washer, but not including the glass. Refer to installation instructions for a list of glass pieces to order from service parts.		\$405.00
----------	---	--	----------

AT313589	Beacon/Strobe Ready Wiring Kit Kit for aftermarket Beacon or Strobe light Kit does not include Beacon		\$35.00
----------	---	--	---------

BYT11328	Universal XM-Tuner Installation Kit Includes hardware and brackets to add XM capability to radio.		\$358.00
----------	--	--	----------

WEIGHTS AND BALLASTING

Counterweight	Field Installed Attachments - Optional
---------------	--

BYT10255	Counterweight, Front, 1,000 lbs (454 kg) Use with (4) T119912 AND (4) 19M9124.		\$1,388.00
----------	---	--	------------

BYT10256	Counterweight, Front, 1,250 lbs (567 kg) Use with (4) T119912 AND (4) 19M9124.		\$1,794.00
----------	---	--	------------

BYT10251	Counterweight, Front, 450 lbs (204 kg) Use with (4) T119912 AND (4) 19M9124.		\$621.00
----------	---	--	----------

BYT10254	Counterweight, Front, 750 lbs (340 kg) Use with (4) T119912 AND (4) 19M9124.		\$1,008.00
----------	---	--	------------

AT409592	Counterweight, Front, 250 lbs (113 kg) If adding to the 450 lb. (204 KG) counterweight, order (4) T151797, (2) 19M9088, AND (2) 14M7291. For 750 lb. (340 KG), 1000 lb. (454 KG) and 1250 lb. (567 KG) counterweights, order (2) T151797 and (2) 19M8976		\$544.00
----------	--	--	----------

WHEELS AND TIRES

Wheels and Tires	Field Installed Attachments - Optional
------------------	--

AT347522	Rear Wheel Spacers for Rear Tire Chains		\$989.00
----------	---	--	----------

John Deere -2022 Price List	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	--	--	---

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.