

CATERPILLAR MACHINE PRICE LIST

325**325 HYDRAULIC EXCAVATOR**
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

C4.4e twin turbo EU Stage V diesel engine
Electric fuel priming pump
Reversible electric cooling fans
Two-stage fuel filtration system with water separator and indicator
145 Amp. alternator
Sealed double element air filter with integrated pre-cleaner
Biodiesel capable (up to B20)
Standard -18C/0F starting capability

UNDERCARRIAGE

Grease lubricated track link
Tie down points on base frame (ISO 15818 compliant)

HYDRAULICS

Electronic main control valve
Auto warm up
Tandem type electronic main pump
Boom and stick regeneration circuits
Automatic two speed travel
Boom and stick drift reduction valve
Element type main hydraulic filter

ELECTRICAL

2x1000CCA maintenance free batteries
Centralized electrical disconnect switch
CAT Product Link
After engine shutdown 90 seconds programmable time delay
LED working lights:
One chassis mounted, one LH boom mounted

OPERATOR ENVIRONMENT

Sound-suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount
Increased rear window size as emergency exit
70/30 - Openable tempered front upper windshield w/ assist device and removable tempered lower windshield with in cab storage bracket
1PC- Fixed one piece tempered windshield
2 inch (51mm) orange seat belt
Automatic bi-level air conditioner with pressurized function
Washable floor mat
Roller front sunscreen
Beacon ready
2 x 12V DC Outlet
(Comfort cab)
Mechanical suspension comfort seat

w/ headrest, console height adjustment
arm rest angle adjustment
Fixed left side console
Openable steel hatch (Deluxe cab)
Air suspension deluxe seat w/ headrest w/ 2 step seat heater,
console height adjustment w/o tools,
arm rest height and angle adjustment
Tilt up left side console
Openable polycarbonate hatch for 2P windshield
Dome and lower LED interior lights,
coat hook, cup holder, console storage,
with net, and overhead storage with net

SAFETY AND SECURITY

RH Hand rail and hand hold (ISO 2867 compliant)
Service platform with anti-skid plate and countersunk bolts
Hydraulic lock out lever neutralizes all controls
Ground level accessible secondary engine shutoff switch in cab
Signaling / warning horn

OTHER STANDARD EQUIPMENT

Grouped location for engine oil and fuel filters
Ground level 2nd dipstick for engine oil
Sampling ports for Scheduled Oil Sampling (S.O.S)
Remote flash

CATERPILLAR MACHINE PRICE LIST

325

325 HYDRAULIC EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program**

CATERPILLAR MACHINE PRICE LIST

325

325 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>593-3239</p> <p>325 07A HEX AM-N DCA1A 0</p> <p>LANE 1-AVAILABLE FROM BALTIMORE/GALVESTON/SAVANNAH DIST. CENTER</p> <p>8.3ton (18,300lb) CTWT, Deluxe Cab, Long Undercarriage, Advanced Tool Control circuit, Reach Boom, R2.9(9'6") B1 Stick, QC circuit.</p> <p>INCLUDES: 528-6901 325 07 HEX 551-4782 FRAME, SWING, STD 528-3505 COUNTERWEIGHT, 8.3 MT (18,300lb) 528-6903 UNDERCARRIAGE STD, W/SD ROLLER 535-6603 BOOM, REACH 5.7M (18'8") 490-7673 STICK, R2.9M (9'6") 492-8537 LINKAGE, BKT, B1 W/EYE GRADE 525-6077 CYLINDER, BOOM 490-4143 CYLINDER, STICK 490-4179 CYLINDER, BKT, B1 562-3518 LINES, FRONT 533-5775 GRADE SENSOR, REACH BOOM 516-9883 GRADE SENSOR, R2.9M (9'6")/2.95 STICK 562-3526 BOOM TUBE 527-1022 LINES, HP, REACH BOOM 527-1024 LINES, QC, REACH BOOM 356-8117 LINES, HP, R2.9M (9'6") STICK 242-6490 LINES, QC, R2.9M (9'6") STICK 582-9936 HYDRAULIC PKG, COMB ADV INCLUDES: -COVER, VALVE -VALVE, HYDRAULIC, TCS, HL -LINE, OIL COOLER TCS -CIRCUIT, COMBINED, ADV -HARNESS, BOOM, ADV TCS -LINE, CHASSIS TCS 546-0111 CAB, DELUXE 527-2160 LINES, A/C 533-5067 WIPER, RADIAL W/O LOWER 511-9428 MONITOR, 10" 488-6534 CUP HOLDER 502-7166 RADIO, W/BLUETOOTH 526-6475 TRACK, 790MM (31") TG HD 528-6835 JOYSTICKS, SLIDER 490-7715 PEDAL, STRAIGHT TRAVEL 535-6594 CAMERA, 360 VISIBILITY 327-6552 MIRROR, CAB, W/O GUARD 488-6816 MACHINE ECM 577-6874 LIGHT, CHASSIS 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR INCLUDES: -LIGHT, BOOM LH -LIGHT, BOOM RH 562-3516 RETURN LINE 569-2421 CAP, W/O VAB 577-2119 RADIO MODULE, PL243 CELLULAR 555-7286 NETWORK MANAGER, STD 577-2117 WIRING, PRODUCT LINK ELITE 516-0550 GRADE W/2D, ASSIST&PAYLOAD 526-8766 GUARD, TRACK GUIDE, SEGMENTED</p>	<p>0</p>	<p>\$286,250</p>
--	----------	-------------------------

CATERPILLAR MACHINE PRICE LIST

325

325 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
528-3493 GUARD, BOTTOM, HD 488-9288 GUARD, TRAVEL MOTOR, HD 134-8875 GUARD, SWIVEL, STD 538-5266 SWIVEL JOINT, STD 562-3529 SUCTION LINE, PUMP, STD 563-1657 LINES, DRAIN, PG COUPLER TCS 562-3538 LINE, TRAVEL SPEED CHANGE 535-6605 FINE SWING 527-0862 CONTROL, QUICK COUPLER 569-2420 CAP, W/O MP 533-5764 ALARM, TRAVEL 569-0044 SCREEN, RADIATOR 535-6600 DECALS, EXTERIOR, ANSI 573-4351 DECALS, CAB, ANSI 567-3815 DECALS, STICK WARNING, ANSI 568-9833 DECAL, ROPS 520-9418 FILM, OPERATING PATTERN, 2WAY 528-4738 FILM, EMC		

CATERPILLAR MACHINE PRICE LIST

325

325 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>597-2194</p> <p>325 07B HEX AM-N DCA1B 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p>	<p>0</p>	<p>\$286,250</p>
---	----------	-------------------------

LANE2/3 is not available to Quebec with ANSI

8.3ton (18,300lb) CTWT, Deluxe Cab, Long Undercarriage,
 Advanced Tool Control circuit, Reach Boom,
 R2.9(9'6") B1 Stick, QC circuit.

INCLUDES:

- 528-6901 325 07 HEX
- 551-4782 FRAME, SWING, STD
- 528-3505 COUNTERWEIGHT, 8.3 MT (18,300lb)
- 528-6903 UNDERCARRIAGE STD, W/SD ROLLER
- 535-6603 BOOM, REACH 5.7M (18'8")
- 490-7673 STICK, R2.9M (9'6")
- 492-8537 LINKAGE, BKT, B1 W/EYE GRADE
- 525-6077 CYLINDER, BOOM
- 490-4143 CYLINDER, STICK
- 490-4179 CYLINDER, BKT, B1
- 562-3518 LINES, FRONT
- 533-5775 GRADE SENSOR, REACH BOOM
- 516-9883 GRADE SENSOR, R2.9M (9'6")/2.95 STICK
- 562-3526 BOOM TUBE
- 527-1022 LINES, HP, REACH BOOM
- 527-1024 LINES, QC, REACH BOOM
- 356-8117 LINES, HP, R2.9M (9'6") STICK
- 242-6490 LINES, QC, R2.9M (9'6") STICK
- 582-9936 HYDRAULIC PKG, COMB ADV

INCLUDES:

- COVER, VALVE
- VALVE, HYDRAULIC, TCS, HL
- LINE, OIL COOLER TCS
- CIRCUIT, COMBINED, ADV
- HARNES, BOOM, ADV TCS
- LINE, CHASSIS TCS
- 546-0111 CAB, DELUXE
- 527-2160 LINES, A/C
- 533-5067 WIPER, RADIAL W/O LOWER
- 511-9428 MONITOR, 10"
- 488-6534 CUP HOLDER
- 502-7166 RADIO, W/BLUETOOTH
- 526-6475 TRACK, 790MM (31") TG HD
- 528-6835 JOYSTICKS, SLIDER
- 562-3520 LINES, PILOT, STD & TUNNEL
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 535-6594 CAMERA, 360 VISIBILITY
- 327-6552 MIRROR, CAB, W/O GUARD
- 525-7678 MACHINE ECM
- 577-6874 LIGHT, CHASSIS
- 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR

INCLUDES:

- LIGHT, BOOM LH
- LIGHT, BOOM RH
- 562-3516 RETURN LINE
- 569-2421 CAP, W/O VAB
- 577-2119 RADIO MODULE, PL243 CELLULAR

CATERPILLAR MACHINE PRICE LIST

325

325 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

- 555-7286 NETWORK MANAGER, STD
- 594-2025 WIRING, PRODUCT LINK ELITE
- 516-0550 GRADE W/2D, ASSIST&PAYLOAD
- 526-8766 GUARD, TRACK GUIDE, SEGMENTED
- 528-3493 GUARD, BOTTOM, HD
- 488-9288 GUARD, TRAVEL MOTOR, HD
- 134-8875 GUARD, SWIVEL, STD
- 538-5266 SWIVEL JOINT, STD
- 562-3529 SUCTION LINE, PUMP, STD
- 563-1657 LINES, DRAIN, PG COUPLER TCS
- 562-3538 LINE, TRAVEL SPEED CHANGE
- 535-6605 FINE SWING
- 527-0862 CONTROL, QUICK COUPLER
- 569-2420 CAP, W/O MP
- 592-8318 ALARM, TRAVEL
- 569-0044 SCREEN, RADIATOR
- 535-6600 DECALS, EXTERIOR, ANSI
- 573-4351 DECALS, CAB, ANSI
- 567-3815 DECALS, STICK WARNING, ANSI
- 568-9833 DECAL, ROPS
- 520-9418 FILM, OPERATING PATTERN, 2WAY
- 528-4738 FILM, EMC

<p>597-2196</p> <p>325 07B HEX AM-N CFG1A0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p> <p>Base machine with Deluxe Cab, 10" monitor. Well suited for general applications.</p> <p>INCLUDES:</p> <ul style="list-style-type: none"> 528-6901 325 07 HEX 551-4782 FRAME, SWING, STD 525-6077 CYLINDER, BOOM 562-3526 BOOM TUBE 562-3518 LINES, FRONT 569-2421 CAP, W/O VAB 546-0111 CAB, DELUXE 511-9428 MONITOR, 10" 527-2160 LINES, A/C 525-7678 MACHINE ECM 562-3520 LINES, PILOT, STD & TUNNEL 577-6874 LIGHT, CHASSIS 490-7715 PEDAL, STRAIGHT TRAVEL 134-8875 GUARD, SWIVEL, STD 535-6605 FINE SWING 520-9418 FILM, OPERATING PATTERN, 2WAY 	<p>\$218, 910</p>
---	--------------------------

CATERPILLAR MACHINE PRICE LIST

325

325 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>597-2197</p> <p>325 07B HEX AM-N/ANZ CFG2A</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$224,640</p>
---	----------	-------------------------

Base machine with Deluxe Cab, 10" monitor, BLCV/SLCV configuration.
 Well suited for general applications and those requiring BLCV/SLCV
 as a safety device.

- INCLUDES:
- 528-6901 325 07 HEX
 - 551-4782 FRAME, SWING, STD
 - 525-6079 CYLINDER, BOOM, BLCV
 - 538-8946 BOOM TUBE, BLCV
 - 562-3518 LINES, FRONT
 - 569-2421 CAP, W/O VAB
 - 559-6578 LINES, SLCV BASE MACHINE
 - 559-6577 LINES, BLCV
 - 546-0111 CAB, DELUXE
 - 511-9428 MONITOR, 10"
 - 527-2160 LINES, A/C
 - 525-7678 MACHINE ECM
 - 562-3520 LINES, PILOT, STD & TUNNEL
 - 577-6874 LIGHT, CHASSIS
 - 490-7715 PEDAL, STRAIGHT TRAVEL
 - 134-8875 GUARD, SWIVEL, STD
 - 535-6605 FINE SWING
 - 520-9418 FILM, OPERATING PATTERN, 2WAY

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

(Must Choose One)

OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
	This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		

L	560-2480	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada		

NOTE: Required for Quebec

SERVICE INSTRUCTIONS

(Must Choose One)

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

PACKING

STORAGE PROTECTION

(Must Choose One)

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$281 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

(Must Choose One)

OG-4202	ROLL ON-ROLL OFF	0	\$132 NET
---------	----------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

FIXTURE - BUCKET LINKAGE

L	575-8647	FIXTURE, BUCKET LINKAGE B1 0		\$45 NET
---	----------	--	--	-----------------

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

BOOMS, STICKS, AND LINKAGES

BOOMS

L	535-6603	BOOM, REACH 18'8"	0	\$6,930
	OG-0341	NO BOOM	0	NC
		FOR USE IN LANE 3 ONLY For no boom, no stick, no bucket linkage		
		- When ordering with EU BCF1,it can be used with no tool only		
		CANNOT BE USED WITH: HYDRAULIC PKG, COMB ADV HYDRAULIC PKG, COMB ADV HRF EU CFG2 (VAB) JAPAN CFG2 (shovel crane)		

STICKS

L	490-7673	STICK, R9'6"	0	\$3,180
		ONLY FOR USE WITH: 535-6603 BOOM, REACH 5.7M(18'8")		
L	490-7676	STICK, R9'6" HD THUMB	0	\$4,265
		CANNOT BE USED WITH: -Quick coupler, Medium pressure circuit - BLCV, SLCV, -Full length track guiding guard, 582-9927 325 07A HEX AM-N/ANZ CFG2 597-2197 325 07B HEX AM-N/ANZ CFG2A		
	OG-0342	NO STICK	0	NC
		FOR USE IN LANE 3 ONLY For No boom or stick less (boom only) CANNOT BE USED WITH: JAPAN CFG2 (shovel crane)		

BUCKET LINKAGES

L	492-8537	LINKAGE, BKT, B1 W/EYE GRADE	0	\$2,555
		CANNOT BE USED WITH: No boom and stick less machine		

CYLINDERS

STICK CYLINDER

L	586-3636	CYLINDER, STICK	0	\$3,070
			0	\$3,070 NI
		ONLY FOR USE WITH: 597-2196 325 07B HEX AM-N CFG1A or 597-2206 325 07B HEX JAPAN CFG1A and Reach boom or No boom and no stick (CYLINDER NOT INSTALLED)		

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CYLINDERS (CONT.)

STICK CYLINDER (Cont.)

L	586-7696	CYLINDER, STICK, SLCV	0	\$3,550
			0	\$3,550 NI
		ONLY FOR USE WITH: 597-2197 325 07B HEX AM-N/ANZ CFG2A or 597-2207 325 07B HEX JAPAN CFG2A or No Reach boom and no stick (CYLINDER NOT INSTALLED)		

BUCKET CYLINDER

L	490-4179	CYLINDER, BKT, B1	0	\$2,090
		CANNOT BE USED WITH: No boom, stick less machine		

UNDERCARRIAGE

TRACKS

L	526-6473	TRACK, 24" TG HD	0	\$3,525
		For Long undercarriage 8.3 MT(18,300lb) w/o blade and 6.7MT(14,800lb) w/o blade 4.9 MT(11,000lb) w/blade		
L	526-6475	TRACK, 31" TG HD	0	\$5,050
		w/ step extension for ISO2867 For Long undercarriage 8.3 MT(18,300lb) w/o blade and 6.7MT(14,800lb) w/o blade 4.9 MT(11,000lb) w/blade		

TRACK GUIDING GUARD

L	526-8766	GUARD, TRACK GUIDE, SEGMENTED	0	\$1,555
		For Long undercarriage		
L	346-7146	GUARD, TRACK GUIDE, FULL	0	\$2,525
		For Long undercarriage CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		

HYDRAULICS

JOYSTICK

L	528-6835	JOYSTICKS, VERTICAL SLIDER	0	\$1,240
		CANNOT BE USED WITH: 560-2027 CAT TILTROTATOR SUPPORT		

NO AUXILIARY CIRCUIT

L	582-9935	HYDRAULIC PKG, NO TOOL	0	\$910
		For no tool Can be used with thumb ready stick INCLUDES: - COVER, VALVE - VALVE, HYDRAULIC, HL - LINE, OIL COOLER, STD - CAP, W/O TCS		

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT - COMBINED CIRCUIT

Medium Pressure Circuit can be added in the Optional Attachments section.

L	582-9936	HYDRAULIC PKG, COMB ADV	0	\$8,290
		Combined circuit (1 way / 2 way) Can be used with thumb ready stick INCLUDES: - COVER, VALVE - VALVE, HYDRAULIC, TCS, HL - LINE, OIL COOLER TCS - CIRCUIT, COMBINED, ADV - HARNESS, BOOM, ADV TCS - LINE, CHASSIS TCS CANNOT BE USED WITH: No boom		

FOR MEDIUM PRESSURE

L	569-2420	CAP FOR W/O MED PRESSURE	0	NC
		When not ordering a medium circuit		
L	569-2419	LINE, CHASSIS W/ MED PRESSURE	0	NC
		When ordering a medium circuit CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		

LINE GROUPS

STRAIGHT TRAVEL DRAIN LINE

L	562-3533	LINES, DRAIN, STD, W/O QC	0	NC
		For reach boom CANNOT BE USED WITH: 527-0862 CONTROL, QUICK COUPLER		
L	560-2478	LINES, DRAIN, PG COUPLER STD	0	NC
		For Reach boom. Cat Pin grabber quick coupler and w/o Tool control ONLY FOR USE WITH: 527-0862 CONTROL, QUICK COUPLER CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		
L	563-1657	LINES, DRAIN, PG COUPLER TCS	0	NC
		For Reach boom. Cat Pin grabber quick coupler and w/ Tool control ONLY FOR USE WITH: 527-0862 CONTROL, QUICK COUPLER (except for EU) CONTROL, QUICK COUPLER is included in EU BCF1 CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		

SUCTION LINE

L	562-3529	SUCTION LINE, PUMP, STD	0	NC
		CANNOT BE USED WITH: Medium pressure and/or BLADE		
L	562-3530	SUCTION LINE, PUMP, MP BLADE	0	NC
		ONLY FOR USE WITH: Medium pressure and/or BLADE		

LINES TRAVEL SPEED CHANGE

L	562-3538	LINE, TRAVEL SPEED CHANGE	0	NC
		CANNOT BE USED WITH: BLADE		

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS (CONT.)

LINES TRAVEL SPEED CHANGE (Cont.)

L	562-3539	LINE,TRAVEL SPEED CHANGE BLADE 0		NC
		VAB config requires blade		
		ONLY FOR USE WITH: BLADE		

RETURN LINE

L	562-3516	RETURN LINE. 0		NC
		CANNOT BE USED WITH: BLADE AND MEDIUM PRESSURE		
L	567-7185	RETURN LINE, BLADE OR MP 0		NC
		ONLY FOR USE WITH: BLADE AND/OR MEDIUM PRESSURE		

ELECTRICAL

CAMERAS

L	596-9090	CAMERA, REAR + RH VIEW. 0		\$820
		Can be used with FOGS		
L	535-6594	CAMERA, 360 VISIBILITY 0		\$2,370
		Must be used with 10" Monitor		
		CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		
L	560-2477	CAMERA, 360 VISIBILITY FOGS 0		\$2,370
		Must be used with 10" Monitor		
		REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)		

CAB LIGHTS

L	577-3853	LIGHTS, CAB, W/O 360 0		\$330
		ONLY FOR USE WITH: 596-9090 CAMERA, REAR + RH VIEW		
		CANNOT BE USED WITH: FOGS		
L	577-8973	LIGHTS, CAB, W/RAIN PROTECTOR 0		\$760
		Cab lights w/cover and rain protector		
		ONLY FOR USE WITH: 596-9090 CAMERA, REAR + RH VIEW or		
		535-6594 CAMERA, 360 VISIBILITY		
		CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		
L	577-3857	LIGHTS, CAB, FOGS 0		\$330
		REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)		
		ONLY FOR USE WITH: 596-9090 CAMERA, REAR + RH VIEW or		
		560-2477 CAMERA, 360 VISIBILITY FOGS		

BOOM LIGHTS LEFT SIDE

L	579-9097	LIGHT, BOOM LH 0		\$164
		For reach boom, left side light		
		CANNOT BE USED WITH: No boom		

BOOM LIGHTS RIGHT SIDE

L	579-9098	LIGHT, BOOM RH 0		\$164
		For reach boom, right hand side		
		CANNOT BE USED WITH: No boom		

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

WIPER

L	533-5067	WIPER, RADIAL W/O LOWER 0 Deluxe cab is included in AM-N and ANZ CFGs ONLY FOR USE WITH: 546-0110 CAB, COMFORT or 546-0111 CAB, DELUXE or AM-N and ANZ CFGs		NC
L	553-9983	WIPER, RADIAL W/LOWER 0 Deluxe cab is included in AM-N and ANZ CFGs ONLY FOR USE WITH: 546-0110 CAB, COMFORT or 546-0111 CAB, DELUXE or AM-N and ANZ CFGs		\$304

CAB ADDITIONAL MIRROR

L	580-8628	MIRROR, CAB, W/O GUARD 0 Additional ISO cab mirror CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$111
L	327-6553	MIRROR, CAB, GUARD FALLING 0 Additional ISO cab mirror for FOGS ONLY FOR USE WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$110

DRINK HOLDER

L	564-6276	DRINK HOLDER, W/BLADE LEVER 0 ONLY FOR USE WITH: BLADE CANNOT BE USED WITH: 493-9769 JOYSTICKS, 5 BUTTON 2 SLIDER		\$820
L	598-3674	DRINK HOLDER, W/BLD LVR, 2 SLIDE 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: BLADE 493-9769 JOYSTICKS, 5 BUTTON 2 SLIDER		\$820
L	488-6534	DRINK HOLDER, W/O BLADE LEVER 0 ONLY FOR USE WITH: 493-9769 JOYSTICKS, 5 BUTTON 2 SLIDER CANNOT BE USED WITH: BLADE		NC

RADIO/RADIO READY

L	502-7166	RADIO, W/BLUETOOTH 0		\$585
---	----------	----------------------------	--	-------

TECHNOLOGY PRODUCTS

CAT GRADE WITH ASSIST

L	516-0550	GRADE W/2D, ASSIST&PAYLOAD 0 CANNOT BE USED WITH: No boom, stick less machine 554-3627 MONITOR, 10" W/GRADE MONITOR 598-3513 MONITOR, 10" GRADE W/WIFI		NC
L	535-6610	GRADE W/2D ADV, ASSIST&PAYLOAD 0 REQUIRES: 554-3627 MONITOR, 10" W/GRADE MONITOR or 598-3513 MONITOR, 10" GRADE W/WIFI CANNOT BE USED WITH: No boom, stick less machine		\$8,870

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT GRADE WITH ASSIST (Cont.)

L	535-6611	GRADE W/3D, ASSIST & PAYLOAD 0 REQUIRES: 554-3627 MONITOR, 10" W/GRADE MONITOR or 598-3513 MONITOR, 10" GRADE W/WIFI CANNOT BE USED WITH: No boom, stick less machine		\$44,380
---	----------	--	--	----------

GRADE SENSOR FOR BOOM

L	533-5775	GRADE SENSOR, REACH BOOM 0 For reach boom It is included in EU REACH BOOM/VAB PKG CANNOT BE USED WITH: No boom, stick less machine		NC
---	----------	---	--	----

GRADE SENSOR FOR STICK

L	516-9883	GRADE SENSOR, R9'6"/9'8" STICK 0 For R2.9M (R9'6") stick It is included in EU STICK PKG CANNOT BE USED WITH: No boom, stick less machine		NC
---	----------	---	--	----

PRODUCT LINKS

L	594-9052	PROD LINK, PLE643/PLE743 RADIO 0 Can not be used with FOGS		NC
---	----------	---	--	----

Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.

INCLUDES:

- RADIO MODULE, PL243 CELLULAR
- WIRING, PRODUCT LINK ELITE

CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)

L	594-9054	PROD LINK, PLE643/PLE743 RADIO 0 For use with FOGS		NC
---	----------	---	--	----

Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.

INCLUDES:

- RADIO MODULE, PL243 CELL FOGS
- WIRING, PRODUCT LINK ELITE

REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINKS (Cont.)

L	594-9050	PRODUCT LINK, PLE683/783 RADIO 0 Cannot be used with FOGS		\$321 NET
---	----------	--	--	-----------

Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES:

- RADIO MODULE, PL083 SATELLITE
 - WIRING, PRODUCT LINK ELITE
- CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)

L	594-9051	PROD LINK, PLE683/PLE783 RADIO 0 For use with FOGS		\$321 NET
---	----------	---	--	-----------

Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES:

- RADIO MODULE, PL083 SAT FOGS
 - WIRING, PRODUCT LINK ELITE
- REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)

PRODUCT LINK NET WORK MANAGER

L	555-7286	NETWORK MANAGER, STD 0 For PRODUCT LINK PLE643/PLE683		NC
---	----------	--	--	----

Network manager Std PLE602 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well location is transmitted for viewing in Product Link user applications.

L	555-7287	ONLY FOR USE WITH: 516-0550 GRADE W/2D, ASSIST+PAYLOAD NETWORK MANAGER, GRADE ADV. 0 For PRODUCT LINK PLE743/PLE783		NC
---	----------	---	--	----

Network manager Grade Adv. PLE702 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well as location is transmitted for viewing in Product Link user applications.

- ONLY FOR USE WITH: 535-6610 GRADE W/2D ADV, ASSIST+PAYLOAD
 535-6611 GRADE W/3D, ASSIST & PAYLOAD
- CANNOT BE USED WITH: No boom, stick less, machine

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY

L	592-8318	ALARM, TRAVEL 0 Mandatory for AM-N & ANZ		\$910
---	----------	---	--	-------

GUARDS

BOTTOM GUARD

L	528-3493	GUARD, BOTTOM, HD 0		\$610
---	----------	-------------------------------	--	-------

TRAVEL MOTOR GUARD

L	488-9288	GUARD, TRAVEL MOTOR, HD 0 ONLY FOR USE WITH: 528-3493 GUARD, BOTTOM HD		\$118
---	----------	---	--	-------

OTHER ATTACHMENTS

SWIVEL JOINT

L	538-5266	SWIVEL JOINT, STD 0 CANNOT BE USED WITH: BLADE		NC
L	526-8030	SWIVEL JOINT, BLADE 0 ONLY FOR USE WITH: BLADE		NC

COUNTERWEIGHT

L	528-3502	COUNTERWEIGHT, 11,000 LB 0 Thumb ready stick and VAB require blade control. CANNOT BE USED WITH: 578-8138 BRACKET, LIGHTS, SURROUND PREM		\$980
L	594-4710	COUNTERWEIGHT, 14,800 LB 0 REQUIRES: 578-8138 BRACKET, LIGHTS, SURROUND PREM ONLY FOR USE WITH: 597-2204 325 07B HEX EU CFG2B or 610-5164 325 07B HEX EU CFG3B or 610-5165 325 07B HEX EU CFG4B or 597-2196 325 07B HEX AM-N CFG1A or 597-2197 325 07B HEX AM-N/ANZ CFG2A CANNOT BE USED WITH: BLADE		\$3,875
L	528-3505	COUNTERWEIGHT, 18,300 LB 0 REQUIRES: 578-8138 BRACKET, LIGHTS, SURROUND PREM CANNOT BE USED WITH: BLADE		\$6,910

FRAMES

UNDERCARRIAGE

L	528-6904	UNDERCARRIAGE, W/SD RLR BLADE 0 For Long undercarriage with blade ONLY FOR USE WITH: 528-3502 COUNTERWEIGHT, 4.9 MT(11,000lb) BLADE		\$26,460
L	528-6903	UNDERCARRIAGE, W/SD ROLLER LC 0 For Long undercarriage ONLY FOR USE WITH: 528-3505 COUNTERWEIGHT, 8.3 MT(18,300lb) 594-4710 COUNTERWEIGHT, 6.7 MT(14,800lb) CANNOT BE USED WITH: BLADE		\$14,610

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS

DECALS EXTERIOR

L	535-6600	DECALS, EXTERIOR, ANSI	0	NC
		CANNOT BE USED WITH: QUEBEC DEALER		

DECALS CAB

L	573-4351	DECALS, CAB, ANSI	0	NC
		ONLY FOR USE WITH: 535-6600 DECALS, EXTERIOR, ANSI		
		CANNOT BE USED WITH: QUEBEC DEALER		

DECALS, STICK WARNING

L	567-3815	DECALS, STICK WARNING, ANSI	0	NC
		ONLY FOR USE WITH: 573-4351 DECALS, CAB, ANSI		
		CANNOT BE USED WITH: QUEBEC DEALER		
		No boom, stick less machine		

EMC FILM

L	528-4738	FILM, EMC	0	NC
---	----------	---------------------	---	----

ROPS FILM

L	568-9833	DECAL, ROPS	0	NC
		CANNOT BE USED WITH: No boom, stick less machine		

OPERATION & MAINTENANCE MANUAL

	OP-3380	INSTRUCTIONS, ENGLISH	0	NC
	OP-3404	INSTRUCTIONS, SPANISH	0	NC
	OP-3404	INSTRUCTIONS, SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM LINES

L	527-1022	LINES, HP, REACH BOOM 0 VAB HP lines is included in VA BOOM PKG ONLY FOR USE WITH: 535-6603 BOOM, REACH 5.7M(18'8")) or 560-2479 BOOM, REACH 5.7M(18'8")) HD or 582-9939 BOOM PKG, REACH, CGC or 582-9940 BOOM PKG, REACH HD, CGC or 582-9942 BOOM ONLY PKG, REACH or 582-9943 BOOM ONLY PKG, REACH HD CANNOT BE USED WITH: 582-9935 HYDRAULIC PKG, JOYSTICK No boom REQUIRED BY: 582-9936 HYDRAULIC PKG, COMB ADV 582-9938 HYDRAULIC PKG, COMB ADV HRF EU BCF1 and EU BCF2		\$1,285
---	----------	--	--	---------

HIGH PRESSURE AUXILIARY STICK LINES

L	356-8117	LINES, HP, R9'6" STICK 0 CANNOT BE USED WITH: Stick less REQUIRED BY: 527-1022 LINES, HP, REACH BOOM or 597-2204 325 07B HEX EU CFG2B		\$1,180
---	----------	---	--	---------

MEDIUM PRESSURE CIRCUIT

L	527-0856	CIRCUIT, MEDIUM 0 MP Mandatory for EU CANNOT BE USED WITH: BLADE 490-7676 STICK, R2.9M(9'6") HD THUMB		\$2,960
L	527-0857	CIRCUIT, MEDIUM & CONTROL BLADE 0 MP Mandatory for EU ONLY FOR USE WITH: BLADE CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		\$5,920

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	527-1023	LINES, MP, REACH BOOM 0 VAB MP lines is included in VA BOOM PKG ONLY FOR USE WITH: 535-6603 BOOM, REACH 5.7M(18'8")) or 560-2479 BOOM, REACH 5.7M(18'8")) HD or 582-9939 BOOM PKG, REACH, CGC or 582-9940 BOOM PKG, REACH HD, CGC or 582-9942 BOOM ONLY PKG, REACH or 582-9943 BOOM ONLY PKG, REACH HD CANNOT BE USED WITH: No boom REQUIRED BY: 527-0856 CIRCUIT, MEDIUM or 527-0857 CIRCUIT, MEDIUM BLADE		\$1,420
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY STICK LINES

L	372-9861	LINES, MP, R9'6" STICK 0 ONLY FOR USE WITH: STICK, R2.9M (9'6") STD/HD STICK PKG, R2.9M (9'6") STD/HD CANNOT BE USED WITH: Stick less REQUIRED BY: 527-1023 LINES, MP, REACH BOOM		\$985
---	----------	---	--	-------

LINES, SLCV REACH BOOM

L	533-6313	LINES, SLCV REACH BOOM 0 CANNOT BE USED WITH: No boom REQUIRED BY: 597-2197 325 07B HEX AM-N/ANZ CFG2A or 597-2207 325 07B HEX JAPAN CFG2A		NC
---	----------	---	--	----

STARTERS, BATTERIES, & ALTERNATORS

L	526-8738	COLD STARTING, ETHER 0 Provides -32C/-26F starting capability		\$384
---	----------	--	--	-------

ELECTRICAL

PREMIUM SURROUND LIGHT

L	582-5539	LIGHTS, SURROUND, PREM 0 ONLY FOR USE WITH: 516-0550 GRADE W/2D, ASSIST & PAYLOAD No CGC		\$710
L	582-5542	LIGHTS,SURROUND,PREM,2D ADV/3D 0 ONLY FOR USE WITH: 535-6610 GRADE W/2D, ADV, ASSIST & PAYLOAD 535-6611 GRADE W/3D, ASSIST & PAYLOAD CANNOT BE USED WITH: No boom,stick less machine		\$710

BRACKET FOR PREMIUM SURROUND LIGHT

L	578-8138	BRACKET, LIGHTS, SURROUND PREM 0 ONLY FOR USE WITH: 582-5539 LIGHTS, SURROUND, PREM or 582-5542 LIGHTS,SURROUND,PREM,2D ADV/3D and 594-4710 COUNTERWEIGHT, 6.7 MT(14,800lb) or 528-3505 COUNTERWEIGHT, 8.3 MT(18,300lb)		NC
---	----------	--	--	----

OPERATOR ENVIRONMENT

ADDITIONAL 10" GRADE MONITOR FOR 2D ADV AND 3D

L	598-3513	MONITOR, 10" GRADE W/WIFI 0 (Additional 10" GRADE MONITOR W/WIFI) CANNOT BE USED WITH: ISRAEL DEALERS REQUIRED BY: 535-6610 GRADE W/2D ADV, ASSIST&PAYLOAD or 535-6611 GRADE W/3D, ASSIST&PAYLOAD		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SUN SCREEN REAR

L	488-6450	SUN SCREEN, REAR 0 For comfort and deluxe cab It is already included in Premium Cab. Deluxe cab is already included in AM-N and ANZ CFG ONLY FOR USE WITH: 546-0110 CAB, COMFORT or 546-0111 CAB, DELUXE or AM-N CFG and ANZ CFG		\$217
---	----------	--	--	-------

TECHNOLOGY PRODUCTS

CAT GRADE LASER CATCHER

L	560-5685	LASER CATCHER, R9'6" STICK 0 For 2.9M (9'6") stick CANNOT BE USED WITH: No boom, stick less machine 490-7676 STICK, R2.9M(9'6") HD THUMB		\$1,325
L	560-5689	LASER CATCHER, R8'2"/9'6" STK 0 For R2.9M (9'6") HD thumb ready stick ONLY FOR USE WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB CANNOT BE USED WITH: No boom, stick less machine		\$1,325

GUARDS

CAB GUARD FOGS

L	578-9808	GUARD, FALLING OBJECT (FOGS) 0 Compatible with TUNNEL JAPAN CFG21 CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		\$2,575 NET
---	----------	---	--	-------------

OTHER ATTACHMENTS

L	569-0044	SCREEN, RADIATOR 0 Mandatory for AM-N, Optional for HK/TW/Japan/EU		\$208
---	----------	---	--	-------

QUICK COUPLERS

CONTROL, QC

L	527-0862	CONTROL, QUICK COUPLER 0 This DOES NOT include QC lines for the boom and stick. CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		\$900
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER BOOM LINES

L	527-1024	LINES, QC, REACH BOOM	0	\$1,400
---	----------	---------------------------------	---	---------

VAB QC lines is included in VA BOOM PKG

ONLY FOR USE WITH: 535-6603 BOOM, REACH 5.7M(18'8") or
 560-2479 BOOM, REACH 5.7M(18'8") HD or
 582-9939 BOOM PKG, REACH, CGC or
 582-9940 BOOM PKG, REACH HD, CGC or
 582-9942 BOOM ONLY PKG, REACH or
 582-9943 BOOM ONLY PKG, REACH HD

CANNOT BE USED WITH: No boom
 490-7676 STICK, R2.9M(9'6") HD THUMB

REQUIRED BY: 527-0862 CONTROL, QC

QUICK COUPLER STICK LINES

L	242-6490	LINES, QC, R9'6" STICK	28	\$1,095
---	----------	----------------------------------	----	---------

CANNOT BE USED WITH: Stick less
 490-7676 STICK, R2.9M(9'6") HD THUMB

REQUIRED BY: 527-1024 LINES, QC, REACH BOOM

QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)

L	455-3909	COUPLER, PIN GRABBER B1 W/PINS	944	\$9,771
---	----------	--	-----	---------

FOR USE WHEN ORDERING AN INSTALLED BUCKET

Includes a Pin Grabber Coupler.

Includes(1) set of pins to attach the coupler to the stick.

For B family bucket linkage

ONLY FOR USE WITH: BUCKET
 and
 527-0862 CONTROL, QUICK COUPLER
 and
 560-2478 LINES, DRAIN, PG COUPLER STD
 563-1657 LINES, DRAIN, PG COUPLER TCS
 and
 527-1024 LINES, QC, REACH BOOM
 and
 242-6490 LINES, QC, R2.9M(9'6") STICK
 or
 AM-N DCA (LANE2/3)

CANNOT BE USED WITH: No boom, stick less machine

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)

L	455-3910	COUPLER PG W/O PIN B1	849	\$8,654
		FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler. (NO Pins) Does NOT include spare pins. For B family bucket linkage		
		ONLY FOR USE WITH: 527-0862 CONTROL, QC and 560-2478 LINES, DRAIN, PG COUPLER STD 563-1657 LINES, DRAIN, PG COUPLER TCS and 527-1024 LINES, QC, REACH BOOM and 242-6490 LINES, QC, R2.9M(9'6") STICK or AM-N DCA (LANE2/3) CANNOT BE USED WITH: No boom, stick less machine		

BLADES

BLADE CONTROLS

L	564-5089	CONTROL, BLADE W/O TCS	0	\$2,960
		ONLY FOR USE WITH: 582-9935 HYDRAULIC PKG, NO TOOL		
L	564-5090	CONTROL, BLADE TCS	0	\$2,960
		VAB config requires BLADE CANNOT BE USED WITH: 527-0857 CIRCUIT, MEDIUM BLADE		

BLADE

L	316-3754	BLADE, 9'9"	0	\$7,720
		Suitable to be used with 600mm(24") width Track Shoes Requires blade control CANNOT BE USED WITH: 528-3505 COUNTERWEIGHT, 8.3 MT(18,300lb)		
L	526-8772	BLADE, 10'5"	0	\$9,780
		Suitable to be used with 700mm(28") and 790mm(31") width Track Shoes Requires blade control CANNOT BE USED WITH: 528-3505 COUNTERWEIGHT, 8.3 MT(18,300lb)		

BUCKETS

Bucket, Tip and side cutters can not be used with No boom and stick less machine.

HEAVY DUTY (HD)

For use in materials, such as mixed dirt, clay and rock. Aggressive bucket designed for moderate abrasive applications.

P	552-8238	BKT HD 36" 1.06YD3 B	1,742	\$8,226
		REQUIRES: TIPS Advansys 90, QTY 5 ONLY FOR USE WITH: B FAMILIY BUCKET LINKAGE		

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

HEAVY DUTY (HD) (Cont.)

P	552-8239	BKT HD 42" 1.31YD3 B	1,867	\$8,826
		REQUIRES: TIPS Advansys 90, QTY 5 ONLY FOR USE WITH: B FAMILIY BUCKET LINKAGE		
P	552-8240	BKT HD 48" 1.56YD3 B	2,030	\$9,444
		REQUIRES: TIPS Advansys 90, QTY 6 ONLY FOR USE WITH: B FAMILIY BUCKET LINKAGE		

TIPS ADVANSYS 90

P	505-4097	TIP, PENETRATION PLUS ADVANSYS	23	\$108
		Advansys 90 ONLY FOR USE WITH: 552-8238 BKT HD 900MM 0.81M3 (36" 1.06YD3) B 552-8239 BKT HD 1050MM 1.00M3 (42" 1.31YD3) B 552-8240 BKT HD 1200MM 1.19M3 (48" 1.56YD3) B 550-9586 BKT HD 1200MM 1.19M3 (48" 1.56YD3) B		

SIDECUTTERS

P	357-2698	SIDECUTTERS, HEAVY DUTY	108	\$1,174
		ONLY FOR USE WITH: 552-8238 BKT HD 900MM 0.81M3 (36" 1.06YD3) B 552-8239 BKT HD 1050MM 1.00M3 (42" 1.31YD3) B 552-8240 BKT HD 1200MM 1.19M3 (48" 1.56YD3) B		

FLUIDS

	OP-2407	ANTIFREEZE, -50C (-58F)	0	\$283 NET
--	---------	-----------------------------------	---	-----------

ALTERNATE SOURCED ATTACHMENTS

Available Through ANTARES Parts Ordering System.

	528-3280	KIT, ELECTRIC PEDAL LH	0	\$1,420 NI NET
		For tool control system		
	528-3281	KIT, ELECTRIC PEDAL RH	0	\$1,455 NI NET
		For tool control system		
	528-3282	KIT, DUAL EXIT REAR WINDOW	0	\$355 NI NET
		For Canadian regulation		
	528-3283	KIT, RAIN PROTECTOR	0	\$346 NI NET
		Not compatible with FOGS and, full front windshield net/mesh		

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

	528-3289	KIT, POLYCARBONATE ROOF HATCH	0	\$745 NI NET
		For comfort cab only		
	528-3292	KIT, MESH/NET GUARD, FULL	0	\$1,565 NI NET
		Compliant with ISO10262 Level 2 Not compatible with cab light cover, rain protector		
	528-3293	KIT, MESH/NET GUARD, LOWER	0	\$303 NI NET
	486-5404	KIT, VANDALISM GUARD	0	\$1,395 NI NET
		Not compatible with cab light cover, rain protector		

SERVICE PARTS

	528-7420	SEATBELT 3" RETRACTABLE.	0	\$87 NI NET
		Service Part Mandatory for California and ANZ		
	487-3004	KEY FOB	0	\$45 NI NET
		Service Part		
	561-0213	P5A GLASS-EU DEMOLITION Service Part		

DOCUMENTATION

FRONT LESS FILM

L	591-3890	FILM, OEM, FRONTLESS	0	NC
		FOR USE IN LANE 3 ONLY Use FBC to configure currently available attachments ONLY FOR USE WITH: No boom, stick less machine		

PACKING

STORAGE PROTECTION

	0G-4126	STORAGE PROTECTION (EXPORT)	0	\$281 NET
		Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

FRONT LESS PLUG - NO BOOM

L	586-9386	PLUG, FRONTLESS STD 0 FOR USE IN LANE 3 ONLY For No Reach boom		NC
L	564-9719	PLUG, QC OR SLCV, QC AND SLCV 0 FOR USE IN LANE 3 ONLY For No Reach boom with SLCV		NC
L	564-9751	PLUG, QC 0 FOR USE IN LANE 3 ONLY For No Reach boom with Quick coupler control		NC
L	586-9390	PLUG, FRONTLESS TCS 0 FOR USE IN LANE 3 ONLY For No boom with tool control		NC
L	564-9729	PLUG, MEDIUM CIRCUIT 0 FOR USE IN LANE 3 ONLY For No boom with medium pressure circuit		NC

STICK LESS PLUG

L	564-9720	PLUG, STICK LESS, STD 0 FOR USE IN LANE 3 ONLY For Reach boom and stick less machine		NC
L	564-9727	PLUG, TCS, BOOM LINES HP 0 FOR USE IN LANE 3 ONLY For stick less machine with HP lines		NC
L	564-9732	PLUG, STICK LESS, LINES MP QC 0 FOR USE IN LANE 3 ONLY For stick less machine with MP and/or QC boom lines VAB includes both MP and QC boom lines When ordering both MP and QC lines, select 2 pcs		NC

FIXTURE - BOOM CYLINDER

L	584-0601	FIXTURE, BOOM CYLINDER, STD 0 For reach boom configuration with no boom		NC
---	----------	--	--	----

FIXTURE - BUCKET LINKAGE

L	575-8647	FIXTURE, BUCKET LINKAGE B1 0 Required when NOT ordering an installed bucket or a quick coupler		\$45 NET
---	----------	---	--	----------

NOTE: MANDATORY WHEN CONFIGURING TUNNELING MACHINE WITH SHORT REACH FRONT & BUCKET (BUCKET TO BE SHIPPED AS DETACHED)

EXPORT PACKING

	0G-4202	ROLL ON-ROLL OFF 0		\$132 NET
	0G-4209	ROLL ON-ROLL OFF W/O FRONT 0 For no boom and no stick (front less)		\$66 NET

CATERPILLAR MACHINE PRICE LIST

325

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

EXPORT PACKING (Cont.)

0G-4210	ROLL ON-ROLL OFF W/O STICK 0			\$168 NET
	For use when ordering a machine without stick			
0G-4217	EXPORT PKG,W/BOOM,STK DISM 0			\$3,005 NET
	Boom and stick dismantled, if dealer needs dismantled packing. For use when NOT ordering a bucket and tool control CANNOT BE USED WITH: BUCKET and TOOL CONTROL			
0G-4223	EXPORT PKG,W/BOOM,STK,BKT DISM 0			\$3,035 NET
	Boom, stick and bucket dismantled, if dealer needs dismantled packing For use when ordering a bucket and NOT ordering tool control ONLY FOR USE WITH: BUCKET CANNOT BE USED WITH: TOOL CONTROL			
0G-4229	EXPORT PKG,W/BOOM,STK DISM 0			\$3,840 NET
	Boom and stick dismantled, if dealer needs dismantled packing. For use when NOT ordering a bucket and ordering tool control ONLY FOR USE WITH: TOOL CONTROL CANNOT BE USED WITH: BUCKET			
0G-4233	EXPORT PKG,W/BOOM,STK,BKT DISM 0			\$3,860 NET
	Boom, stick and bucket dismantled, if dealer needs dismantled packing. For use when ordering a bucket and tool control ONLY FOR USE WITH: BUCKET and TOOL CONTROL			

PACKING - NOT INSTALLED STICK CYLINDER

0P-6941	PKG, 320-325 STICK CYLINDER NI 0			\$317 NI NET
---------	--	--	--	-----------------