

## CATERPILLAR MACHINE PRICE LIST

**325FCR**325FCR EXCAVATOR  
AKASHI, JAPANShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Diesel engine, CAT C4.4 Twin Turbo certified to EPA Tier4 Final, EU Stage IV, MLIT 2014

- Three selectable power modes capability; HHP, STD and ECO
- After-treatment system: CEM (DOC + DPF + SCR) and DEF System (DEF Tank and DEF Lines)

Variable fan speed control with viscous clutch

One touch low idle with Automatic Engine speed Control (AEC)

Automatic (programmable) idling shut down function

Three stage fuel filtration system with water separator and indicator

3000m (9840ft) altitude capability without de-rate

52 deg. C (126F) high ambient cooling capability with de-rate from 48 deg. C (118F)

85 amp. Alternator

Radial seal air filter with double filter element

Electric fuel lifting pump

Capability of using Bio-Diesel fuel(B20)

**UNDERCARRIAGE**

HD track rollers

Grease lubricated track link

Tie down points on base frame (ISO 15818 compliant)

Swivel guard

**HYDRAULICS**

Electric boom regeneration circuit

Stick regeneration circuit

One touch lifting mode

Automatic two speed travel

Boom and stick drift reduction valve

Reverse swing damping valve

High performance hydraulic return filter (Capsule filter type)

CRN compliant accumulator

**ELECTRICAL**

Maintenance free battery

Centralized electrical disconnect switch

CAT Product Link

90 seconds programmable time delay working lights (halogen); Base machine frame (one), Cab mounted (two), Boom mounted both sides (two)

**OPERATOR ENVIRONMENT**

CAB:

Sound suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount

Openable skylight as emergency exit (Dual exit hatch)

Openable laminated front upper windshield w/ assist device

Removable tempered lower windshield with in cab storage bracket

High back seat with air suspension, seat heater and head rest

Fully adjustable seat, console & armrest

51MM (2") width seat belt

Full graphic 7inch LCD monitor, with distortion free rear view camera picture

Automatic bi-level air conditioner with pressurized function

24V radio ready (1DIN size, stereo speakers, antenna-flexible type)

12V x 2 power supply with sockets (Maximum 10 amp.)

Roll Down Sun Screen, Washable Floormat

Interior utilities (Interior lighting, Coat hook, Beverage holder, Literature holder, Document holding space, and Cab rear storage compartment)

**SAFETY AND SECURITY**

Rearview camera with three mirrors (ISO 5006 compliant) and one additional hand rail mirror for right rear view

RH Hand rail and hand hold (ISO 2867 compliant)

Bolt free service platform with Anti-skid Plate

Neutral lever(lock out)for all controls

Ground level accessible secondary engine shutoff switch in cab

Signaling/ Warning horn, Jump Start Stud

Safety hammer for cab evacuation

**OTHER STANDARD EQUIPMENT**

Engine oil, Fuel, and Hydraulic oil filters grouped for ease of maintenance (Secondary fuel filter is located separately)

Sampling ports for Scheduled Oil Sampling (S.O.S)



CATERPILLAR MACHINE PRICE LIST

# 325FCR

325FCR EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Orders Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program.**

CATERPILLAR MACHINE PRICE LIST

**325FCR**

325FCR EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
-----------------------------------	--------------------	-------------------------

<p><b>572-1537</b></p> <p><b>325F L HEX AM-N DCA1D</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE &amp; TACOMA DIST. CENTER                      LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2                      LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p>	<p><b>\$279,240</b></p>
---	-------------------------

5.7m (18'8") Reach Boom, 2.9m (9'6") Stick,  
 790mm (31") T.G. Track Shoe, Tool Control, Cat Pin Grabber QC Circuit

Versatility machine with Tool Control and Cat Pin Grabber QC Circuit  
 for reach boom configuration. Well suited for versatile  
 applications in a limited space requiring Compact Radius machines.

- INCLUDES:
- 535-7079 325F L HEX
  - 572-1535 STANDARD ARRANGEMENT PKG
    - TRAVEL MOTOR, BIO OIL CAPABLE
    - ROLLERS, HEAVY DUTY
    - ACCUMULATOR WITH CRN
    - CAB-ROPS, 70/30, W/VANDAL-G BOSS
    - SEAT, H-BACK, W/HEATER, S/AIR
    - SEAT BELT, 51MM (2")
    - HATCH, OPENABLE ROOF (DUAL)
    - WIPER-RADIAL, 70/30 W/O LOWER
    - WASHER, WINDSHIELD W/O LOWER
    - AIR CONDITIONER
    - PANEL, STD START SWITCH
    - MIRROR, CAB ADD'L W/O GUARD
    - HOOD, ENGINE
    - COVER, FRONT RIGHT SIDE
    - GUARD, TRACK MOTOR
    - FAN, VARIABLE
    - SUN SCREEN (70/30)
    - LIGHTING, CAB (HALOGEN)
    - GUARD, SWIVEL
  - 483-8070 REACH BOOM HD PKG
    - REACH BOOM, 5.7M (18'8") HD
    - STICK, 2.9M (9'6") B1 HD
    - PINS, BOOM FOOT STD
    - CYLINDER, BKT (B1 LINKAGE)
  - 541-7332 CIRCUIT, COMBINED, STP PKG
    - JOYSTICK, THUMB WHEEL
    - VALVE, HYDRAULIC TCS
    - MAT, FLOOR, RH PEDAL
    - PILOT LINES, BDRV TCS
    - PILOT LINES, STICK IN TCS
    - PILOT LINES, TRAVEL STP
    - LINE, OIL COOLER AUX RETURN
    - MACHINE CONTROLLER TCS
    - PEDAL, STRAIGHT TRAVEL
    - CIRCUIT, COMBINED
  - 508-7674 LINKAGE, BKT-B1 W/LIFT EYE
  - 340-8268 TRACK, 790MM (31") TG (GLT) PRESS
  - 452-0151 CONTROL, FINE SWING
  - 352-6831 VALVE, ANTI DRIFT, BOOM
  - 352-6833 VALVE, ANTI DRIFT, STICK
  - 450-9254 CYLINDER, R-BOOM (W/O BLCV)
  - 341-2801 CYLINDER, STICK W/O SLCV
  - 451-5237 LINES, CYLINDER BOOM

## CATERPILLAR MACHINE PRICE LIST

**325FCR**

325FCR EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
451-5244 PILOT LINES, SDRV STD		
451-5249 PILOT LINES, BOOM STD		
451-5253 PILOT LINES, BKT OPEN STD		
536-9525 PILOT LINES, BKT CLOSE PGQC		
538-4102 LINE, PUMP SUCTION		
452-0154 STARTING, COLD WEATHER		
496-8191 RADIO, 24V AM/FM		
460-1148 PRODUCT LINK, CELLULAR PL641		
452-0150 CAMERA, REAR VIEW, MIRRORS RH		
459-5100 TANK, FUEL, STD		
451-9289 GUARD, BOTTOM HD		
346-7148 GUARD, TRACK GUIDE, SEGMENTED		
452-0157 DECALS, EXTERIOR ANSI		
500-9507 DECALS, CAB ANSI		
500-4192 CTRL,CAT PIN GRAB COUPLER ANSI		
451-7537 LINES-HP, REACH BOOM		
451-7540 LINES-QC, REACH BOOM		
356-8117 LINES, HP, R2.9M (9'6") STICK		
242-6490 LINES, QC, R2.9M (9'6") STICK		
458-3345 CHANGER,HAND CTRL 2-WAY (ANSI)		
231-1771 ALARM, TRAVEL		

CATERPILLAR MACHINE PRICE LIST

# 325FCR

<b>325FCR EXCAVATOR</b>	Ship Weight	LIST PRICE
<b>AKASHI, JAPAN</b>	lbs	AT DEALER

<b>572-1540</b>	<b>325F L HEX AM-N BCF1</b> ..... 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	<b>\$231,180</b>
-----------------	---	------------------

Base machine for reach boom configuration.  
 Well suited for general applications in a limited space requiring  
 Compact Radius machines.

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

- INCLUDES:
- 535-7079 325F L HEX
  - 572-1535 STANDARD ARRANGEMENT
  - TRAVEL MOTOR, BIO OIL CAPABLE
  - ROLLERS, HEAVY DUTY
  - ACCUMULATOR WITH CRN
  - CAB-ROPS, 70/30, W/VANDAL-G BOSS
  - SEAT, H-BACK, W/HEATER, S/AIR
  - SEAT BELT, 51MM (2")
  - HATCH, OPENABLE ROOF (DUAL)
  - WIPER-RADIAL, 70/30 W/O LOWER
  - WASHER, WINDSHIELD W/O LOWER
  - AIR CONDITIONER
  - PANEL, STD START SWITCH
  - MIRROR, W/O GUARD
  - HOOD, ENGINE
  - COVER, FRONT RIGHT SIDE
  - GUARD, TRACK MOTOR
  - FAN, VARIABLE
  - SUN SCREEN (70/30)
  - LIGHTING, CAB (HALOGEN)
  - GUARD, SWIVEL
  - 508-7674 LINKAGE, BKT-B1 W/LIFT EYE
  - 452-0151 CONTROL, FINE SWING
  - 352-6831 VALVE, ANTI DRIFT, BOOM
  - 352-6833 VALVE, ANTI DRIFT, STICK
  - 450-9254 CYLINDER, R-BOOM (W/O BLCV)
  - 341-2801 CYLINDER, STICK W/O SLCV
  - 451-5237 LINES, CYLINDER BOOM
  - 451-5244 PILOT LINES, SDRV STD
  - 451-5249 PILOT LINES, BOOM STD
  - 451-5253 PILOT LINES, BKT OPEN
  - 496-8191 RADIO, 24V AM/FM
  - 452-0150 CAMERA, REAR VIEW, MIRRORS RH
  - 459-5100 TANK, FUEL, STD
  - 231-1771 ALARM, TRAVEL

NOTE: For AM-N and AM-S (Puerto Rico only)

CATERPILLAR MACHINE PRICE LIST

# 325FCR

<b>325FCR EXCAVATOR</b>	Ship Weight	LIST PRICE
<b>AKASHI, JAPAN</b>	lbs	AT DEALER

<b>572-1541</b>	<b>325F L HEX AM-N/ANZ BCF2</b> ..... 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	<b>\$239, 330</b>
-----------------	---	-------------------

Base machine with BLCV/SLCV for reach boom configuration.  
 Well suited for general applications in a limited space requiring  
 Compact Radius machines, and those requiring BLCV/SLCV.

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

**INCLUDES:**

- 535-7079 325F L HEX
- 572-1535 STANDARD ARRANGEMENT
  - TRAVEL MOTOR, BIO OIL CAPABLE
  - ROLLERS, HEAVY DUTY
  - ACCUMULATOR WITH CRN
  - CAB-ROPS, 70/30, W/VANDAL-G BOSS
  - SEAT, H-BACK, W/HEATER, S/AIR
  - SEAT BELT, 51MM (2")
  - HATCH, OPENABLE ROOF (DUAL)
  - WIPER-RADIAL, 70/30 W/O LOWER
  - WASHER, WINDSHIELD W/O LOWER
  - AIR CONDITIONER
  - PANEL, STD START SWITCH
  - MIRROR, W/O GUARD
  - HOOD, ENGINE
  - COVER, FRONT RIGHT SIDE
  - GUARD, TRACK MOTOR
  - FAN, VARIABLE
  - SUN SCREEN (70/30)
  - LIGHTING, CAB (HALOGEN)
  - GUARD, SWIVEL
- 508-7674 LINKAGE, BKT-B1 W/LIFT EYE
- 452-0151 CONTROL, FINE SWING
- 352-6832 COVER BLOCK & MOUNTING (BLCV)
- 352-6834 COVER BLOCK & MOUNTING (SLCV)
- 450-9255 CYLINDER, R-BOOM (W/BLCV)
- 341-2803 CYLINDER, STICK SLCV
- 451-5238 LINES, CYLINDER BOOM BLCV
- 451-5245 PILOT LINES, SLCV STD
- 451-5249 PILOT LINES, BOOM STD
- 451-5253 PILOT LINES, BKT OPEN
- 496-8191 RADIO, 24V AM/FM
- 452-0150 CAMERA, REAR VIEW, MIRRORS RH
- 459-5100 TANK, FUEL, STD
- 452-0113 DEVICE, BOOM LOWERING CONTROL
- 452-0114 DEVICE, STICK LOWERING CONTROL
- 231-1771 ALARM, TRAVEL

NOTE: For AM-N, AM-S (Puerto Rico only) and ANZ

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**DECAL PACKAGE**

0P-7124	INSTRUCTION,NORTH AMERICA ANSI . . . . .	0	NC
	This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		

L	378-6352	INSTRUCTIONS, INTERNATIONAL . . . . .	0	NC
		This package includes picto decals as required for Quebec, Canada.		

**SERVICE INSTRUCTIONS**

0P-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
0P-3389	INSTRUCTIONS, FRENCH . . . . .	0	NC
0P-3404	INSTRUCTIONS, SPANISH . . . . .	0	NC

**PACKING**

**STORAGE PROTECTION**

0G-4126	STORAGE PROTECTION (EXPORT) . . . . .	0	\$277 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

**EXPORT PACKING**

0G-0500	ROLL ON-ROLL OFF LANE1 B . . . . .	0	\$166 NET
---------	------------------------------------	---	-----------



CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER	0	NC
Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0	NC

**BOOMS, STICKS, AND LINKAGES**

When ordering a frontless excavator, please contact Caterpillar OEM Solutions Group at oem\_solutions@cat.com. OEM Solutions Group will assist in development and pricing of the machine configuration, and to place the order for the machine.

**BOOM PACKAGES**

L	483-8070	REACH BOOM HD PKG	0	\$20,680
Reach Boom Heavy duty (HD) Package(PKG)				
INCLUDES:				
- BOOM, REACH 5.7M (18'8") HD				
- STICK, 2.9M (9'6") B1 HD				
- CYLINDER, BKT (B1 LINKAGE)				
- PINS, BOOM FOOT STD				
AVAILABLE FOR: AM-N, EUR, ANZ, Hong Kong, Taiwan and CJL				
L	507-5723	REACH BOOM HD CGC PKG	0	\$35,930
Reach Boom Heavy duty (HD) Cat Grade Control (CGC) Package(PKG)				
INCLUDES:				
- BOOM, REACH 5.7M (18'8") CGC				
- STICK, 2.9M (9'6") B1 HD CGC				
- CYLINDER, BKT CGC				
- GUARD, CYLINDER COVER, CGC				
- GRADE CTRL, DEPTH AND SLOPE				
- PINS, BOOM FOOT CGC				

AVAILABLE FOR: AM-N, EUR, ANZ, Hong Kong and Taiwan

**UNDERCARRIAGE**

**TRACKS**

L	340-8270	TRACK, 24" TG HD	0	\$3,485
AVAILABLE FOR: AM-N, EUR, ANZ, Hong Kong, Taiwan and CJL				
L	340-8268	TRACK, 31" TG	0	\$4,145
AVAILABLE FOR: AM-N and CJL				
L	555-9160	TRACK, 31" TG HD	0	\$4,970
AVAILABLE FOR: AM-N and EUR				

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACK GUIDING GUARDS**

L	346-7146	GUARD, TRACK GUIDE, FULL . . . . .	0	\$2,490
		AVAILABLE FOR: AM-N, EUR, ANZ, Hong Kong and Taiwan		
L	346-7148	GUARD, TRACK GUIDE, SEGMENTED . . . . .	0	\$1,530
		AVAILABLE FOR: AM-N, EUR, ANZ, Hong Kong and Taiwan		

**HYDRAULICS**

**NO AUXILIARY CIRCUIT**

L	541-7331	JOYSTICK, STD STP PKG . . . . .	0	\$2,190
		Joystick Standard (STD) Straight Travel Pedal (STP) Package (PKG)		
		INCLUDES:		
		- JOYSTICK, ONE BUTTON		
		- VALVE, HYDRAULIC		
		- MAT, FLOOR, RH PEDAL		
		- PILOT LINES, BDRV STD		
		- PILOT LINES, STICK IN STD		
		- PILOT LINES, TRAVEL STP		
		- LINE, OIL COOLER STD		
		- MACHINE CONTROLLER STD		
		- PEDAL, STRAIGHT TRAVEL		

AVAILABLE FOR: AM-N

**AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE**

Medium pressure circuit is available in optional section.

L	541-7332	CIRCUIT, COMBINED, STP PKG . . . . .	0	\$11,720
		Circuit COMBINED, Straight Travel Pedal (STP) Package (PKG)		
		Combined circuit (1 way / 2 way)		
		Joystick Thumb Wheel Joystick (TWJ) is included.		
		INCLUDES:		
		- JOYSTICK, THUMB WHEEL		
		- VALVE, HYDRAULIC TCS		
		- MAT, FLOOR, RH PEDAL		
		- PILOT LINES, BDRV TCS		
		- PILOT LINES, STICK IN TCS		
		- PILOT LINES, TRAVEL STP		
		- LINE, OIL COOLER AUX RETURN		
		- MACHINE CONTROLLER TCS		
		- PEDAL, STRAIGHT TRAVEL		
		- CIRCUIT, COMBINED		

REQUIRES: 451-7537 LINES-HP, REACH BOOM

AVAILABLE FOR: AM-N

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**HYDRAULICS (CONT.)**

**AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE (Cont.)**

L	541-7333	<b>CIRCUIT, COMB, STP B/SLCV PKG</b> ..... 0 Circuit Combined (COMB), Straight Travel Pedal (STP) Boom Lowering Control Valve (BLCV)/Stick Lowering Control (SLCV) Package (PKG) Combined circuit (1 way / 2 way) Joystick Thumb Wheel Joystick (TWJ) is included. INCLUDES: - JOYSTICK, THUMB WHEEL - VALVE, HYDRAULIC TCS - MAT, FLOOR, RH PEDAL - PILOT LINES, BLCV TCS - PILOT LINES, STICK IN TCS - PILOT LINES, TRAVEL STP - LINE, OIL COOLER AUX RETURN - MACHINE CONTROLLER TCS - PEDAL, STRAIGHT TRAVEL - CIRCUIT, COMBINED	0	\$11,720
---	----------	---	---	----------

REQUIRES: 451-7537 LINES-HP, REACH BOOM  
 AVAILABLE FOR: AM-N and ANZ

**LINE GROUPS**

**PILOT LINES BUCKET**

L	451-5256	<b>PILOT LINES, BKT CLOSE</b> ..... 0 CANNOT BE USED WITH: 500-4192 CTRL,CAT PIN GRAB COUPLER ANSI or 500-4193 CTRL,CAT PIN GRAB COUPLER ISO AVAILABLE FOR: AM-N and ANZ	0	NC
L	536-9525	<b>PILOT LINES, BKT CLOSE PGQC</b> ..... 0 REQUIRES: 500-4192 CTRL,CAT PIN GRAB COUPLER ANSI or 500-4193 CTRL,CAT PIN GRAB COUPLER ISO AVAILABLE FOR: AM-N and ANZ	0	NC

**SUCTION LINE**

L	538-4102	<b>LINE, PUMP SUCTION</b> ..... 0 CANNOT BE USED WITH: 538-3017 CIRCUIT, MEDIUM PRESSURE AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan and CJL	0	NC
L	536-9523	<b>LINE, PUMP SUCTION, MP</b> ..... 0 REQUIRES: 538-3017 CIRCUIT, MEDIUM PRESSURE AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan and CJL	0	NC

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

***COLD WEATHER START***

L	457-4666	BATTERY, STANDARD . . . . . 0 For ambient temperatures above -18C (0F)		\$590
		AVAILABLE FOR: AM-N, EUR, ANZ, Hong Kong, Taiwan and CJL		
L	452-0154	STARTING, COLD WEATHER . . . . . 0 Includes two additional batteries. For ambient temperatures above -32C (-26F)		\$1,105
		AVAILABLE FOR: AM-N, EUR and CJL		

**TECHNOLOGY PRODUCTS**

***CGC PRICE ADJUSTMENT***

	0P-4243	CGC PRICE ADJUSTMENT-M . . . . . 0 CGC Price adjustment for medium excavators in North America to accelerate technology and improve customer value.		\$-5,780
		ONLY FOR USE WITH: CGC Configurations		

**GUARDS**

***BOTTOM GUARDS***

L	451-9288	GUARD, BOTTOM . . . . . 0		\$297
		AVAILABLE FOR: AM-N, ANZ and CJL		
L	451-9289	GUARD, BOTTOM HD . . . . . 0		\$600
		AVAILABLE FOR: AM-N, ANZ and CJL		

**OTHER ATTACHMENTS**

***FILMS - EXTERIOR***

L	452-0157	DECALS, EXTERIOR ANSI . . . . . 0		NC
		AVAILABLE FOR: AM-N (except for Quebec)		

***FILMS - CAB***

L	500-9507	DECALS, CAB ANSI . . . . . 0		NC
		ONLY FOR USE WITH: 452-0157 DECALS, EXTERIOR ANSI		
		AVAILABLE FOR: AM-N (except for Quebec)		

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

***PRODUCT LINK***

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1148	PRODUCT LINK, CELLULAR PL641 . . . . . 0		NC
		ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
		ONLY FOR USE WITH: 452-0158 DECALS, EXTERIOR ISO AVAILABLE FOR: AM-N (except for Quebec)		
L	460-1150	PRODUCT LINK, SATELLITE PL631 . . . . . 0		\$439
		ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
		ONLY FOR USE WITH: 452-0157 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		

**INSTRUCTIONS**

***OPERATION & MAINTENANCE MANUAL***

	OP-3380	INSTRUCTIONS, ENGLISH . . . . . 0		NC
	OP-3404	INSTRUCTIONS, SPANISH . . . . . 0		NC

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**LINE GROUPS**

NOTE: Provides hydraulic lines

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**HIGH PRESSURE AUXILIARY BOOM LINES**

L	451-7537	LINES-HP, REACH BOOM ..... 0 Optional for AM-N and CJL Mandatory for ANZ ONLY FOR USE WITH: 541-7332 CIRCUIT, COMBINED, STP PKG or 541-7333 CIRCUIT, COMB, STP B/SLCV PKG or 541-7335 CIRCUIT, COMBINED PACKAGE or 541-7336 CIRCUIT, COMB, BLCV/SLCV PKG		\$2,495
---	----------	--	--	---------

**HIGH PRESSURE AUXILIARY STICK LINES**

L	356-8117	LINES, HP, R9'6" STICK ..... 0 Optional for AM-N and CJL Mandatory for ANZ  ONLY FOR USE WITH: 451-7537 LINES-HP, REACH BOOM		\$1,165
---	----------	--	--	---------

**MEDIUM PRESSURE CIRCUIT**

L	538-3017	CIRCUIT, MEDIUM PRESSURE ..... 0 ONLY FOR USE WITH: AM-N, ANZ and CJL 541-7332 CIRCUIT, COMBINED, STP PKG or 541-7333 CIRCUIT, COMB, STP B/SLCV PKG or 541-7335 CIRCUIT, COMBINED PACKAGE or 541-7336 CIRCUIT, COMB, BLCV/SLCV PKG  AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan and CJL		\$2,040
---	----------	---	--	---------

**MEDIUM PRESSURE AUXILIARY BOOM LINES**

L	451-7538	LINES-MP, REACH BOOM ..... 0 EUR BCF2 already includes LINES-MP, REACH BOOM in VA BOOM PKG.  AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan and CJL REQUIRED BY: 538-3017 CIRCUIT, MEDIUM PRESSURE		\$1,400
---	----------	--	--	---------

**MEDIUM PRESSURE AUXILIARY STICK LINES**

L	372-9861	LINES, MP, R9'6" STICK ..... 0  AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan and CJL REQUIRED BY: 451-7538 LINES-MP, REACH BOOM		\$970
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**QUICK COUPLER CONTROL**

L	500-4192	CTRL,CAT PIN GRAB COUPLER ANSI . . . . .	0	\$885
---	----------	--	---	-------

(For ANSI)  
 For use only for Cat pin grabber coupler  
 This DOES NOT include QC lines for the boom and stick.  
 This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit.

ONLY FOR USE WITH: 452-0157 DECALS, EXTERIOR ANSI  
 AVAILABLE FOR: AM-N (except for Quebec)

**QUICK COUPLER BOOM LINES**

L	451-7540	LINES-QC, REACH BOOM . . . . .	0	\$1,380
---	----------	--------------------------------	---	---------

ONLY FOR USE WITH: 500-4192 CTRL,CAT PIN GRAB COUPLER ANSI or  
 500-4193 CTRL,CAT PIN GRAB COUPLER ISO  
 AVAILABLE FOR: AM-N and ANZ

**QUICK COUPLER STICK LINES**

L	242-6490	LINES, QC, R9'6" STICK . . . . .	28	\$1,080
---	----------	----------------------------------	----	---------

ONLY FOR USE WITH: 451-7540 LINES-QC, REACH BOOM  
 AVAILABLE FOR: AM-N and ANZ

**OTHER ATTACHMENTS**

**PATTERN CHANGER**

L	458-3345	CHANGER,HAND CTRL 2-WAY (ANSI) . . . . .	0	\$1,275
---	----------	--	---	---------

ONLY FOR USE WITH: 452-0157 DECALS, EXTERIOR ANSI  
 AVAILABLE FOR: AM-N (except for Quebec)

**QUICK COUPLERS**

**QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)**

L	455-3910	COUPLER PG W/O PIN B1 . . . . .	849	\$8,526
---	----------	---------------------------------	-----	---------

FOR USE WHEN "NOT" ORDERING A BUCKET  
 Includes a Pin Grabber Coupler.(NO Pins)  
 Does NOT include spare pins.  
 For B family bucket linkage

ONLY FOR USE WITH: 500-4192 CTRL,CAT PIN GRAB COUPLER ANSI or  
 500-4193 CTRL,CAT PIN GRAB COUPLER ISO  
 and  
 242-6490 LINES-QC, R2.9M (9'6") STICK  
 AVAILABLE FOR: AM-N



CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS (CONT.)**

**QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)**

L	455-3909	COUPLER, PIN GRABBER B1 W/PINS . . . . .	944	\$9,626
		FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. For B family bucket linkage		
		ONLY FOR USE WITH: 500-4192 CTRL,CAT PIN GRAB COUPLER ANSI or 500-4193 CTRL,CAT PIN GRAB COUPLER ISO and 242-6490 LINES-QC, R2.9M (9'6") STICK		
		AVAILABLE FOR: AM-N		

**BUCKETS**

**HEAVY DUTY (HD)**

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	347-6729	BUCKET-HD, 36" 1.06 YD3 . . . . .	1,746	\$8,217
		REQUIRES: 5 tips K90 ONLY FOR USE WITH: B Family bucket linkage AVAILABLE FOR: AM-N		
P	347-6730	BUCKET-HD, 42" 1.31 YD3 . . . . .	1,866	\$8,808
		REQUIRES: 5 tips K90 ONLY FOR USE WITH: B Family bucket linkage AVAILABLE FOR: AM-N		
P	347-6731	BUCKET-HD, 48" 1.56 YD3 . . . . .	2,052	\$9,344
		REQUIRES: 6 tips K90 ONLY FOR USE WITH: B Family bucket linkage AVAILABLE FOR: AM-N		

**SIDECUTTERS**

P	357-2698	SIDECUTTERS, HEAVY DUTY . . . . .	108	\$1,163
		ONLY FOR USE WITH: 347-6729 BUCKET-HD,914MM 0.81CUM(36" 1.06CYD) or 347-6730 BUCKET-HD,1067MM 1.00M3(42" 1.31CYD) or 347-6731 BUCKET-HD,1200MM 1.19M3(48" 1.56CYD)(B1)		
		AVAILABLE FOR: AM-N		

**TIP (ADAPTER SIZE K90)**

P	217-4893	TIP, PENETRATION PLUS . . . . .	15	\$101
		Recommended for harder-to-penetrate including high impact trenching, excavation and loading. Good penetration, stays sharp.		
		AVAILABLE FOR: AM-N, ANZ		

CATERPILLAR MACHINE PRICE LIST

**325FCR**

---

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

---

**FLUIDS**

***ANTIFREEZE***

0P-2407	ANTIFREEZE, -50C (-58F) .....	0	<b>\$275 NET</b>
---------	-------------------------------	---	------------------

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS**

**Available Through ANTARES Parts Ordering.**

- 484-6825 Cold Weather field installation Retrofit Kit PKG (upgrade from -18C STD to -32C Cold Weather PKG)
- 488-6525 Seat Belt, Retractable (76mm / 3" width) Mandatory for California and ANZ
- 499-3722 Rain Protector for Front Windshield  
Not compatible with VA Boom
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, not support with dual exit, including Cab Lights, Cab Mirror)
- 457-3998 Mesh for front guard Retrofit Kit PKG (Full net, one piece for hammer use, including Cab Lights, Cab Mirror)
- 499-3844 Vandalism Guard w/ Holder
- 498-6685 Electric Refueling Pump w/ Auto Shut Off (35L/min)
- 486-1416 Security systems (MSS)
- 499-3739 Travel Alarm

**PACKING**

**STORAGE PROTECTION**

<b>0G-4126</b>	<b>STORAGE PROTECTION (EXPORT)</b> . . . . . 0 Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	<b>\$277 NET</b>
----------------	---	------------------

**EXPORT PACKING**

<b>0G-4202</b>	<b>ROLL ON-ROLL OFF</b> . . . . . 0 For use when ordering an installed bucket or quick coupler	<b>\$130 NET</b>
<b>0G-0481</b>	<b>ROLL ON-ROLL OFF W/O BKT QC B1</b> . . . . . 0 For use when NOT ordering an installed bucket or quick coupler	<b>\$166 NET</b>
<b>0G-4217</b>	<b>EXPORT PKG,W/BOOM,STK DISM</b> . . . . . 0 Boom and stick dismantled For use when NOT ordering a bucket and tool control CANNOT BE USED WITH: Bucket Tool Control	<b>\$2,960 NET</b>
<b>0G-4223</b>	<b>EXPORT PKG,W/BOOM,STK,BKT DISM</b> . . . . . 0 Boom, stick and bucket dismantled For use when ordering a bucket and NOT ordering tool control CANNOT BE USED WITH: Tool Control	<b>\$2,990 NET</b>

CATERPILLAR MACHINE PRICE LIST

**325FCR**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**PACKING (CONT.)**

***EXPORT PACKING (Cont.)***

0G-4229	<b>EXPORT PKG,W/BOOM,STK DISM</b> . . . . . 0	<b>\$3,785 NET</b>
	Boom and stick dismounted For use when NOT ordering a bucket and ordering tool control ONLY FOR USE WITH: Tool Control CANNOT BE USED WITH: Bucket	
0G-4233	<b>EXPORT PKG,W/BOOM,STK,BKT DISM</b> . . . . . 0	<b>\$3,805 NET</b>
	Boom, stick and bucket dismounted For use when ordering a bucket and tool control ONLY FOR USE WITH: Bucket and Tool Control	