

## CATERPILLAR MACHINE PRICE LIST

**326****326 HYDRAULIC EXCAVATOR  
AKASHI, JAPAN**Ship Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

C7.1e single turbo EU Stage V diesel engine  
Electric fuel priming pump  
Reversible electric cooling fans  
Two-stage fuel filtration system with water separator and indicator  
2 x 115 amp. dual alternator  
Sealed double element air filter with integrated precleaner  
Biodiesel capable (up to B20)

(Comfort cab) - for Japan

-Mechanical suspension comfort seat w/ headrest, console height adjustment w/ tools, arm rest angle adjustment  
-Fixed left side console  
-Openable steel hatch

(Deluxe cab)

-Air suspension deluxe seat w/ headrest w/ 2 step seat heater, console height adjustment w/o tools, arm rest height and angle adjustment  
-Tilt up left side console  
-Openable polycarbonate hatch for 2P windshield

**UNDERCARRIAGE**

Grease lubricated track link  
Tie down points on base frame (ISO 15818 compliant)

**SAFETY AND SECURITY**

RH Hand rail and hand hold (ISO 2867 compliant)  
Service platform with anti-skid plate and countersunk bolts  
Hydraulic lock out lever neutralizes all controls  
Ground level accessible secondary engine shutoff switch in cab  
Signaling / warning horn

**HYDRAULICS**

Electronic main control valve  
Auto warm up  
Tandem type electronic main pump (165cc/rev)  
Electric boom regeneration circuit  
Stick regeneration circuit  
Automatic two speed travel  
Boom and stick drift reduction valve  
Element type main hydraulic filter

**OTHER STANDARD EQUIPMENT**

Side entry to service platform  
Grouped location for engine oil and fuel filters  
Ground level 2nd dipstick for engine oil  
Sampling ports for Scheduled Oil Sampling (S.O.S)  
Remote flash and remote trouble shoot

**ELECTRICAL**

Maintenance free battery  
Centralized electrical disconnect switch  
CAT Product Link  
After engine shutdown 90 seconds programmable time delay  
LED working lights: One chassis mounted, one LH boom mounted

**OPERATOR ENVIRONMENT**

Sound suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount  
Increased rear window size as emergency exit  
Openable tempered front upper windshield w/assist device and removable tempered lower windshield with in cab storage bracket  
2 inch (51mm) orange seat belt  
Upper radial wiper for 70/30  
Automatic bi-level air conditioner with pressurized function  
Washable floor mat  
Beacon ready  
2 x 12V DC outlet and USB port  
Dome and lower LED interior lights, coat hook, cup holder, console storage

CATERPILLAR MACHINE PRICE LIST

**326**

---

326 HYDRAULIC EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Orders Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program.**

CATERPILLAR MACHINE PRICE LIST

**326**

| 326 HYDRAULIC EXCAVATOR<br>AKASHI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

|  |                                |                   |
|--|--------------------------------|-------------------|
| <b>594-4820</b><br><br>4.6T (10,140LB) CTWT, No Tool Control Circuit,<br>Reach Boom, R2.95M (9'8") CB1 Stick, Coupler Circuit and lines<br><br>INCLUDES:<br>527-2183 326 07 HEX<br>527-2192 326 COMMON ARRANGEMENT<br>575-2633 COUNTERWEIGHT, 4.6T (10,140LBS)<br>527-2193 UNDERCARRIAGE, LONG<br>527-2203 BOOM, REACH 5.9M (19'4")<br>527-2208 STICK, R2.95M (9'8")<br>533-5001 LINKAGE, BKT-CB1 W/EYE<br>527-1854 CYLINDER, BOOM<br>527-5467 CYLINDER, STICK<br>527-5475 CYLINDER, BKT CB1<br>527-2200 BOOM TUBE, EOU<br>581-0675 HYDRAULIC PKG, JOYSTICK<br>- JOYSTICKS, SLIDER<br>- UPPER COVER, CENTER<br>- VALVE, HYDRAULIC HL<br>- MAIN LINE, STD<br>- LINES, MAKE UP, STD<br>- RETURN PIPE, STD<br>549-9536 LINES, DRAIN, PG<br>517-4758 CONTROL, QC<br>527-2268 LINES, QC, REACH BOOM<br>253-6498 LINES, QC, R2.95M (9'8") STICK<br>546-0111 CAB, DELUXE<br>577-7867 LINES, A/C<br>484-8022 WIPER, RADIAL W/LOWER<br>511-9428 MONITOR, 10"<br>502-7166 RADIO, W/BLUETOOTH<br>524-8272 RECEIVER, BLUETOOTH<br>490-7715 PEDAL, STRAIGHT TRAVEL<br>520-1923 FINE SWING<br>578-7636 CAMERA, 360 VISIBILITY<br>580-8628 MIRROR, CAB, W/O GUARD, W/360<br>516-2545 ALARM, TRAVEL<br>488-6816 MACHINE ECM<br>516-0550 GRADE W/2D, ASSIST&PAYLOAD<br>527-5714 GRADE SENSOR, REACH BOOM<br>516-9883 GRADE SENSOR, R2.9M (R9'6") STICK<br>516-8510 BATTERIES, 4<br>516-5100 COLD STARTING, ETHER<br>339-7054 HEATER, ENGINE COOLANT (120V)<br>577-3907 LIGHT, CHASSIS<br>577-8973 LIGHTS, CAB, W/RAIN PROTECTOR<br>577-6541 LIGHT, REACH & SLR BOOM LH<br>577-6542 LIGHT, REACH & SLR BOOM RH<br>589-1744 RADIO MODULE, PL243 CELLULAR<br>577-2117 WIRING, PRODUCT LINK ELITE<br>555-7286 NETWORK MANAGER, STD<br>513-3214 SENSOR, PRESSURE, EOU<br>346-7149 GUARD, TRACK GUIDING SEGMENTED<br>576-9456 GUARD, BOTTOM HD<br>526-8780 GUARD, TRAVEL MOTOR HD | 326 07A HEX AM-N DCA1C ..... 0 | <b>\$292, 620</b> |
|--|--------------------------------|-------------------|

## CATERPILLAR MACHINE PRICE LIST

**326**

| 326 HYDRAULIC EXCAVATOR<br>AKASHI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

|  |  |  |
|--|--|--|
| 134-8879 GUARD, SWIVEL                 |  |  |
| 527-5575 TRACK, 790MM (31") TG         |  |  |
| 576-9461 STORAGE TRAY                  |  |  |
| 578-2915 QUICK DRAINS READY            |  |  |
| 549-2633 SCREEN, RADIATOR              |  |  |
| 578-2910 DECALS, EXTERIOR, ANSI        |  |  |
| 573-4351 DECALS, CAB, ANSI             |  |  |
| 573-4768 FILM, ROPS                    |  |  |
| 567-3815 DECALS, STICK WARNING, ANSI   |  |  |
| 520-9418 FILM, OPERATING PATTERN, 2WAY |  |  |
| 528-4738 FILM, EMC                     |  |  |

CATERPILLAR MACHINE PRICE LIST

**326**

| 326 HYDRAULIC EXCAVATOR<br>AKASHI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

|   |          |                          |
|---|----------|--------------------------|
| <p><b>597-3172</b></p> <p><b>326 07B HEX AM-N DCA1D</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> | <p>0</p> | <p><b>\$292, 620</b></p> |
|---|----------|--------------------------|

LANE2/3 is not available to Quebec with ANSI

4.6T (10,140LB) CTWT, No Tool Control Circuit,  
Reach Boom, R2.95M (9'8") CB1 Stick, Coupler Circuit and lines

**INCLUDES:**

- 527-2183 326 07 HEX
- 527-2192 326 COMMON ARRANGEMENT
- 575-2633 COUNTERWEIGHT, 4.6T (10,140LBS)
- 527-2193 UNDERCARRIAGE, LONG
- 527-2203 BOOM, REACH 5.9M (19'4")
- 527-2208 STICK, R2.95M (9'8")
- 533-5001 LINKAGE, BKT-CB1 W/EYE
- 527-1854 CYLINDER, BOOM
- 527-5467 CYLINDER, STICK
- 527-5475 CYLINDER, BKT CB1
- 527-2200 BOOM TUBE, EOU
- 597-3153 HYDRAULIC PKG, NO TOOL W/O HL
  - UPPER COVER, CENTER
  - VALVE, HYDRAULIC HL
  - MAIN LINE, STD
  - LINES, MAKE UP, STD
  - RETURN PIPE, STD
- 528-6835 JOYSTICKS, SLIDER
- 549-9536 LINES, DRAIN, PG
- 517-4758 CONTROL, QC
- 527-2268 LINES, QC, REACH BOOM
- 253-6498 LINES, QC, R2.95M (9'8") STICK
- 546-0111 CAB, DELUXE
- 577-7867 LINES, A/C
- 484-8022 WIPER, RADIAL W/LOWER
- 511-9428 MONITOR, 10"
- 502-7166 RADIO, W/BLUETOOTH
- 524-8272 RECEIVER, BLUETOOTH
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 520-1923 FINE SWING
- 578-7636 CAMERA, 360 VISIBILITY
- 580-8628 MIRROR, CAB, W/O GUARD, W/360
- 592-8316 TRAVEL, ALARM
- 525-7678 MACHINE ECM
- 516-0550 GRADE W/2D, ASSIST&PAYLOAD
- 527-5714 GRADE SENSOR, REACH BOOM
- 516-9883 GRADE SENSOR, R2.9M (R9'6") STICK
- 516-8510 BATTERIES, 4
- 516-5100 COLD STARTING, ETHER
- 339-7054 HEATER, ENGINE COOLANT (120V)
- 577-3907 LIGHT, CHASSIS
- 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
- 577-6541 LIGHT, REACH & SLR BOOM LH
- 577-6542 LIGHT, REACH & SLR BOOM RH
- 589-1744 RADIO MODULE, PL243 CELLULAR
- 594-2025 WIRING, PRODUCT LINK ELITE
- 555-7286 NETWORK MANAGER, STD
- 513-3214 SENSOR, PRESSURE, EOU

## CATERPILLAR MACHINE PRICE LIST

**326****326 HYDRAULIC EXCAVATOR  
AKASHI, JAPAN**Ship Weight  
lbsLIST PRICE  
AT DEALER

346-7149 GUARD, TRACK GUIDING SEGMENTED  
 576-9456 GUARD, BOTTOM HD  
 526-8780 GUARD, TRAVEL MOTOR HD  
 134-8879 GUARD, SWIVEL  
 527-5575 TRACK, 790MM (31") TG  
 576-9461 STORAGE TRAY  
 578-2915 QUICK DRAINS READY  
 549-2633 SCREEN, RADIATOR  
 578-2910 DECALS, EXTERIOR, ANSI  
 573-4351 DECALS, CAB, ANSI  
 573-4768 FILM, ROPS  
 567-3815 DECALS, STICK WARNING, ANSI  
 520-9418 FILM, OPERATING PATTERN, 2WAY  
 528-4738 FILM, EMC

CATERPILLAR MACHINE PRICE LIST

**326**

| 326 HYDRAULIC EXCAVATOR<br>AKASHI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

|   |          |                         |
|---|----------|-------------------------|
| <p><b>597-3173</b></p> <p><b>326 07B HEX AM-N DCA2D</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> | <p>0</p> | <p><b>\$303,740</b></p> |
|---|----------|-------------------------|

LANE2/3 is not available to Quebec for ANSI film

4.6T (10,140LB) CTWT, Tool Control Circuit, Reach Boom,  
 R2.95 (9'8") CB1 Stick, Coupler Circuit and lines

**INCLUDES:**

- 527-2183 326 07 HEX
- 527-2192 326 COMMON ARRANGEMENT
- 575-2633 COUNTERWEIGHT, 4.6T (10,140LBS)
- 527-2193 UNDERCARRIAGE, LONG
- 527-2203 BOOM, REACH 5.9M (19'4")
- 527-2208 STICK, R2.95M (9'8")
- 533-5001 LINKAGE, BKT-CB1 W/EYE
- 527-1854 CYLINDER, BOOM
- 527-5467 CYLINDER, STICK
- 527-5475 CYLINDER, BKT CB1
- 527-2200 BOOM TUBE, EOU
- 597-3160 HYDRAULIC PKG, COMB ADV
  - UPPER COVER, CENTER
  - VALVE, HYDRAULIC TCS HL
  - MAIN LINE, STD
  - LINES, MAKE UP, TCS
  - RETURN PIPE, TCS
  - CIRCUIT, ADV TOOL CONTROL
- 528-6835 JOYSTICKS, SLIDER
- 549-9536 LINES, DRAIN, PG
- 517-4758 CONTROL, QC
- 527-2268 LINES, QC, REACH BOOM
- 253-6498 LINES, QC, R2.95M (9'8") STICK
- 527-2266 LINES, HP, REACH BOOM
- 356-8152 LINES, HP, R2.95M (9'8") STICK
- 546-0111 CAB, DELUXE
- 577-7867 LINES, A/C
- 484-8022 WIPER, RADIAL W/LOWER
- 511-9428 MONITOR, 10"
- 502-7166 RADIO, W/BLUETOOTH
- 524-8272 RECEIVER, BLUETOOTH
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 520-1923 FINE SWING
- 578-7636 CAMERA, 360 VISIBILITY
- 580-8628 MIRROR, CAB, W/O GUARD, W/360
- 592-8316 TRAVEL, ALARM
- 525-7678 MACHINE ECM
- 516-0550 GRADE W/2D, ASSIST&PAYLOAD
- 527-5714 GRADE SENSOR, REACH BOOM
- 516-9883 GRADE SENSOR, R2.9M (R9'6") STICK
- 516-8510 BATTERIES, 4
- 516-5100 COLD STARTING, ETHER
- 339-7054 HEATER, ENGINE COOLANT (120V)
- 577-3907 LIGHT, CHASSIS
- 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
- 577-6541 LIGHT, REACH & SLR BOOM LH
- 577-6542 LIGHT, REACH & SLR BOOM RH
- 589-1744 RADIO MODULE, PL243 CELLULAR

## CATERPILLAR MACHINE PRICE LIST

**326**

| 326 HYDRAULIC EXCAVATOR<br>AKASHI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

|   |  |  |
|---|--|--|
| 594-2025 WIRING, PRODUCT LINK ELITE     |  |  |
| 555-7286 NETWORK MANAGER, STD           |  |  |
| 513-3214 SENSOR, PRESSURE, EOU          |  |  |
| 346-7149 GUARD, TRACK GUIDING SEGMENTED |  |  |
| 576-9456 GUARD, BOTTOM HD               |  |  |
| 526-8780 GUARD, TRAVEL MOTOR HD         |  |  |
| 134-8879 GUARD, SWIVEL                  |  |  |
| 527-5575 TRACK, 790MM (31") TG          |  |  |
| 576-9461 STORAGE TRAY                   |  |  |
| 578-2915 QUICK DRAINS READY             |  |  |
| 549-2633 SCREEN, RADIATOR               |  |  |
| 578-2910 DECALS, EXTERIOR, ANSI         |  |  |
| 573-4351 DECALS, CAB, ANSI              |  |  |
| 573-4768 FILM, ROPS                     |  |  |
| 567-3815 DECALS, STICK WARNING, ANSI    |  |  |
| 520-9418 FILM, OPERATING PATTERN, 2WAY  |  |  |
| 528-4738 FILM, EMC                      |  |  |



CATERPILLAR MACHINE PRICE LIST

**326**

| 326 HYDRAULIC EXCAVATOR<br>AKASHI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

|  |          |                         |
|--|----------|-------------------------|
| <p><b>597-3174</b></p> <p><b>326 07B HEX AM-N DCA3D</b> .....</p> <p>Super long reach</p> <p>LANE 3 ONLY - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 is not available to Quebec for ANSI film</p> <p>6.7T (14,770LB) CTWT, Deluxe Cab, No Tool Control Circuit,<br/>Super long reach front</p> <p>INCLUDES:</p> <p>527-2183 326 07 HEX</p> <p>527-2192 326 COMMON ARRANGEMENT</p> <p>578-8140 COUNTERWEIGHT, 6.7T (14,770LBS)</p> <p>527-2193 UNDERCARRIAGE, LONG</p> <p>527-2206 BOOM, SUPER LONG REACH</p> <p>578-1163 STICK, SUPER LONG REACH</p> <p>577-2028 LINKAGE, BKT W/EYE SLR</p> <p>527-1854 CYLINDER, BOOM</p> <p>216-6605 CYLINDER, STICK SLR</p> <p>418-9085 CYLINDER, BKT SLR</p> <p>578-1158 BOOM TUBE, SLR</p> <p>597-3153 HYDRAULIC PKG, NO TOOL W/O HL</p> <ul style="list-style-type: none"> <li>- UPPER COVER, CENTER</li> <li>- VALVE, HYDRAULIC HL</li> <li>- MAIN LINE, STD</li> <li>- LINES, MAKE UP, STD</li> <li>- RETURN PIPE, STD</li> </ul> <p>528-6835 JOYSTICKS, SLIDER</p> <p>516-7670 LINES, DRAIN, STD</p> <p>546-0111 CAB, DELUXE</p> <p>577-7867 LINES, A/C</p> <p>484-8022 WIPER, RADIAL W/LOWER</p> <p>511-9428 MONITOR, 10"</p> <p>502-7166 RADIO, W/BLUETOOTH</p> <p>524-8272 RECEIVER, BLUETOOTH</p> <p>490-7715 PEDAL, STRAIGHT TRAVEL</p> <p>520-1923 FINE SWING</p> <p>578-7636 CAMERA, 360 VISIBILITY</p> <p>580-8628 MIRROR, CAB, W/O GUARD, W/360</p> <p>592-8316 TRAVEL, ALARM</p> <p>525-7678 MACHINE ECM</p> <p>516-0550 GRADE W/2D, ASSIST&amp;PAYLOAD</p> <p>578-4571 GRADE SENSOR, SLR</p> <p>578-4553 GRADE SENSOR, SLR STICK</p> <p>516-8510 BATTERIES, 4</p> <p>516-5100 COLD STARTING, ETHER</p> <p>339-7054 HEATER, ENGINE COOLANT (120V)</p> <p>577-3907 LIGHT, CHASSIS</p> <p>577-8973 LIGHTS, CAB, W/RAIN PROTECTOR</p> <p>577-6541 LIGHT, REACH &amp; SLR BOOM LH</p> <p>577-6542 LIGHT, REACH &amp; SLR BOOM RH</p> <p>589-1744 RADIO MODULE, PL243 CELLULAR</p> <p>594-2025 WIRING, PRODUCT LINK ELITE</p> <p>555-7286 NETWORK MANAGER, STD</p> <p>513-3214 SENSOR, PRESSURE, EOU</p> <p>346-7149 GUARD, TRACK GUIDING SEGMENTED</p> <p>576-9456 GUARD, BOTTOM HD</p> <p>526-8780 GUARD, TRAVEL MOTOR HD</p> | <p>0</p> | <p><b>\$324,370</b></p> |
|--|----------|-------------------------|

CATERPILLAR MACHINE PRICE LIST

**326**

| 326 HYDRAULIC EXCAVATOR<br>AKASHI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

- 134-8879 GUARD, SWIVEL
- 527-5575 TRACK, 790MM (31") TG
- 576-9461 STORAGE TRAY
- 578-2915 QUICK DRAINS READY
- 549-2633 SCREEN, RADIATOR
- 578-2910 DECALS, EXTERIOR, ANSI
- 573-4351 DECALS, CAB, ANSI
- 573-4768 FILM, ROPS
- 567-3815 DECALS, STICK WARNING, ANSI
- 520-9418 FILM, OPERATING PATTERN, 2WAY
- 528-4738 FILM, EMC

|          |  |           |
|----------|--|-----------|
| 597-3165 | <b>326 07B HEX AM-N CFG1A</b> .....0<br>LANE 2 - AVAILABLE FROM AKASHI FACTORY<br>LANE 3 - AVAILABLE FROM AKASHI FACTORY | \$250,900 |
|----------|--|-----------|

Base machine with Deluxe Cab, 10" Monitor, Long Undercarriage.  
 Well suited for general applications.

Must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 527-2183 326 07 HEX
  - 527-2192 326 COMMON ARRANGEMENT
  - 527-2193 UNDERCARRIAGE, LONG
  - 527-1854 CYLINDER, BOOM
  - 546-0111 CAB, DELUXE
  - 577-7867 LINES, A/C
  - 511-9428 MONITOR, 10"
  - 502-7166 RADIO, W/BLUETOOTH
  - 524-8272 RECEIVER, BLUETOOTH
  - 490-7715 PEDAL, STRAIGHT TRAVEL
  - 525-7678 MACHINE ECM
  - 592-8316 TRAVEL, ALARM
  - 577-3907 LIGHT, CHASSIS
  - 526-8780 GUARD, TRAVEL MOTOR HD
  - 134-8879 GUARD, SWIVEL
  - 513-3214 SENSOR, PRESSURE, EOU
  - 520-1923 FINE SWING, TCS SB
  - 549-2633 SCREEN, RADIATOR
  - 578-2915 QUICK DRAINS READY
  - 520-9418 FILM, OPERATING PATTERN, 2WAY

CATERPILLAR MACHINE PRICE LIST

**326**

| 326 HYDRAULIC EXCAVATOR<br>AKASHI, JAPAN | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

|   |                         |
|---|-------------------------|
| <p><b>597-3166</b></p> <p><b>326 07B HEX AM-N CFG2A</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p> | <p><b>\$257,110</b></p> |
|---|-------------------------|

Base machine with Deluxe Cab, 10" Monitor,  
 Long Undercarriage with BLCV/SLCV .  
 Well suited for general applications.

BCF2 BLCV/SLCV is not compatible with Super long reach.

Must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 527-2183 326 07 HEX
  - 527-2192 326 COMMON ARRANGEMENT
  - 527-2193 UNDERCARRIAGE, LONG
  - 527-1855 CYLINDER, BOOM W/BLCV
  - 546-0111 CAB, DELUXE
  - 577-7867 LINES, A/C
  - 511-9428 MONITOR, 10"
  - 502-7166 RADIO, W/BLUETOOTH
  - 524-8272 RECEIVER, BLUETOOTH
  - 490-7715 PEDAL, STRAIGHT TRAVEL
  - 525-7678 MACHINE ECM
  - 592-8316 TRAVEL, ALARM
  - 577-3907 LIGHT, CHASSIS
  - 526-8780 GUARD, TRAVEL MOTOR HD
  - 134-8879 GUARD, SWIVEL
  - 527-6503 LINES, BLCV
  - 527-6504 LINES, SLCV
  - 513-3214 SENSOR, PRESSURE, EOU
  - 520-1923 FINE SWING, TCS SB
  - 549-2633 SCREEN, RADIATOR
  - 578-2915 QUICK DRAINS READY
  - 520-9418 FILM, OPERATING PATTERN, 2WAY

CANNOT BE USED WITH Super long reach front

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|--------|-----------------|----------------------|
|-----|---------|--------|-----------------|----------------------|

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

|         |  |    |
|---------|--|----|
| OP-9001 | LANE 1 ORDER . . . . . 0                     | NC |
|         | Order from Product Distribution Center (PDC) |    |

**DECAL PACKAGE**

|   |         |  |    |
|---|---------|--|----|
| P | OP-7124 | INSTRUCTION,NORTH AMERICA ANSI . . . . . 0<br>This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES. | NC |
|---|---------|--|----|

NOTE: For AM-N (Except for Quebec)

|   |          |  |    |
|---|----------|--|----|
| P | 578-3586 | FILMS, ISO CONVERSION . . . . . 0<br>This package includes picto decals as required for Quebec, Canada | NC |
|---|----------|--|----|

NOTE: Required for Quebec

**SERVICE INSTRUCTIONS**

|         |                                   |    |
|---------|-----------------------------------|----|
| OP-3380 | INSTRUCTIONS, ENGLISH . . . . . 0 | NC |
| OP-3389 | INSTRUCTIONS, FRENCH . . . . . 0  | NC |
| OP-3404 | INSTRUCTIONS, SPANISH . . . . . 0 | NC |

**STORAGE PROTECTION**

|         |  |           |
|---------|--|-----------|
| OG-4126 | STORAGE PROTECTION (EXPORT) . . . . . 0<br>Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. | \$281 NET |
|---------|--|-----------|

**EXPORT PACKING**

|         |                              |           |
|---------|------------------------------|-----------|
| OG-4202 | ROLL ON-ROLL OFF . . . . . 0 | \$132 NET |
|---------|------------------------------|-----------|

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|--------|-----------------|----------------------|
|-----|---------|--------|-----------------|----------------------|

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***FIXTURE - BUCKET LINKAGE***

|   |          |                                  |   |                 |
|---|----------|----------------------------------|---|-----------------|
| L | 578-9964 | FIXTURE, BUCKET LINKAGE CB ..... | 0 | <b>\$81 NET</b> |
|---|----------|----------------------------------|---|-----------------|

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***ANTIFREEZE***

|  |         |                               |   |                  |
|--|---------|-------------------------------|---|------------------|
|  | 0P-2407 | ANTIFREEZE, -50C (-58F) ..... | 0 | <b>\$283 NET</b> |
|--|---------|-------------------------------|---|------------------|

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**LANE SELECTION**

|         |  |   |    |
|---------|--|---|----|
| 0P-9002 | LANE 2 ORDER . . . . .   | 0 | NC |
|         | Only for dealers enrolled in the Base Orders Management (BOM) program. |   |    |
| 0P-9003 | LANE 3 ORDER . . . . .   | 0 | NC |

**BOOMS, STICKS, AND LINKAGES**

**BOOMS**

|   |          |   |   |          |
|---|----------|---|---|----------|
| L | 527-2203 | BOOM, REACH 19'4" . . . . .   | 0 | \$8,420  |
| L | 527-2206 | BOOM, SUPER LONG REACH . . . . .  | 0 | \$20,690 |
|   |          | FOR USE IN LANE 3 ONLY<br>Super long reach boom (10.2m/33'6")<br>CANNOT BE USED WITH: 597-3166 326 07B HEX AM-N CFG2A |   |          |
|   | 0G-0341  | NO BOOM . . . . .   | 0 | NC       |
|   |          | FOR USE IN LANE 3 ONLY<br>For no boom, no stick, no bucket linkage  |   |          |

**BOOM TUBE**

|   |          |   |   |    |
|---|----------|---|---|----|
| L | 527-2200 | BOOM TUBE, EOU . . . . .  | 0 | NC |
|   |          | For Reach boom<br>ONLY FOR USE WITH: 597-3165 326 07B HEX AM-N CFG1A or<br>597-3169 326 07B HEX JAPAN CFG1A<br>CANNOT BE USED WITH: 527-2206 BOOM, SUPER LONG REACH |   |    |
| L | 527-2201 | BOOM TUBE, EOU BLCV . . . . .   | 0 | NC |
|   |          | For Reach boom with BLCV<br>ONLY FOR USE WITH: 597-3166 326 07B HEX AM-N CFG2A<br>CANNOT BE USED WITH: 527-2206 BOOM, SUPER LONG REACH                              |   |    |
| L | 578-1158 | BOOM TUBE, SLR . . . . .  | 0 | NC |
|   |          | FOR USE IN LANE 3 ONLY<br>For super long reach<br>ONLY FOR USE WITH: 527-2206 BOOM, SUPER LONG REACH or<br>No boom  |   |    |

**STICKS**

|   |          |  |   |          |
|---|----------|--|---|----------|
| L | 527-2207 | STICK, R11'10" . . . . .   | 0 | \$4,965  |
|   |          | FOR USE IN LANE 3 ONLY<br>ONLY FOR USE WITH: 527-2203 BOOM, REACH 5.9M (19'4")                                       |   |          |
| L | 527-2208 | STICK, R9'8" . . . . .   | 0 | \$4,020  |
|   |          | ONLY FOR USE WITH: 527-2203 BOOM, REACH 5.9M (19'4")   |   |          |
| L | 578-1163 | STICK, SUPER LONG REACH . . . . .  | 0 | \$12,110 |
|   |          | FOR USE IN LANE 3 ONLY<br>Super long reach stick (7.85m/25'9")<br>ONLY FOR USE WITH: 527-2206 BOOM, SUPER LONG REACH |   |          |
|   | 0G-0342  | NO STICK . . . . .   | 0 | NC       |
|   |          | FOR USE IN LANE 3 ONLY<br>For No boom or stick less (boom only)  |   |          |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**BUCKET LINKAGES**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 533-5001 | LINKAGE, BKT-CB1 W/EYE . . . . . 0<br>CANNOT BE USED WITH: 578-1163 STICK, SUPER LONG REACH<br>No boom and stick less machine  | 0 | \$3,030 |
| L | 521-2393 | LINKAGE, BKT 312 W/ EYE . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For super long reach without CGC<br>ONLY FOR USE WITH: 578-1163 STICK, SUPER LONG REACH<br>CANNOT BE USED WITH: No boom and stick less machine                      | 0 | \$2,525 |
| L | 577-2028 | LINKAGE, BKT W/EYE GRADE . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For super long reach with CGC<br>REQUIRES: CAT GRADE<br>ONLY FOR USE WITH: 578-1163 STICK, SUPER LONG REACH<br>CANNOT BE USED WITH: No boom and stick less machine | 0 | \$2,525 |

**CYLINDERS**

**STICK CYLINDER**

|   |          |   |   |                       |
|---|----------|---|---|-----------------------|
| L | 527-5467 | CYLINDER, STICK . . . . . 0<br>ONLY FOR USE WITH: 597-3165 326 07B HEX AM-N CFG1A or<br>597-3169 326 07B HEX JAPAN CFG1A<br>and<br>Reach boom or<br>No boom and no stick (CYLINDER NOT INSTALLED) | 0 | \$4,005<br>\$4,005 NI |
| L | 527-1858 | CYLINDER, STICK SLCV . . . . . 0<br>ONLY FOR USE WITH: 597-3166 326 07B HEX AM-N CFG2A or<br>597-3168 326 07B HEX EU CGF1A<br>and<br>No boom and no stick (CYLINDER NOT INSTALLED)                | 0 | \$6,620<br>\$6,620 NI |
| L | 216-6605 | CYLINDER, STICK SLR . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For Super long reach<br>ONLY FOR USE WITH: 527-2206 BOOM, SUPER LONG REACH or<br>No boom and no stick (CYLINDER NOT INSTALLED)       | 0 | \$4,500<br>\$4,500 NI |

**BUCKET CYLINDER**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 527-5475 | CYLINDER, BKT CB1 . . . . . 0<br>CANNOT BE USED WITH: 216-6605 CYLINDER, STICK SLR<br>No boom, stick less machine  | 0 | \$2,470 |
| L | 418-9085 | CYLINDER, BKT SLR . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>ONLY FOR USE WITH: 216-6605 CYLINDER, STICK SLR<br>CANNOT BE USED WITH: No boom, stick less machine | 0 | \$2,090 |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**UNDERCARRIAGE**

**TRACKS**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 527-5574 | TRACK, 28" TG . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For Long and Long narrow undercarriage |  | \$2,945 |
| L | 527-5575 | TRACK, 31" TG . . . . . 0<br>For Long and Long narrow undercarriage                           |  | \$4,200 |
| L | 527-5578 | TRACK, 24" SG . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For Long undercarriage                 |  | \$3,130 |

**TRACK GUIDING GUARD**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 346-7149 | GUARD, TRACK GUIDING SEGMENTED . . . . . 0 |  | \$1,560 |
| L | 339-4124 | GUARD, TRACK GUIDE FULL LENGTH . . . . . 0 |  | \$2,555 |

**HYDRAULICS**

**NO AUXILIARY CIRCUIT**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 597-3153 | HYDRAULIC PKG, NO TOOL W/O HL . . . . . 0<br>INCLUDES:<br>- UPPER COVER, CENTER<br>- VALVE, HYDRAULIC HL<br>- MAIN LINE, STD, STD<br>- LINES, MAKE UP, STD<br>- RETURN PIPE, STD |  | \$1,055 |
|---|----------|--|--|---------|

**AUXILIARY CIRCUIT - COMBINED CIRCUIT**

Medium Pressure Circuit can be added in the Optional Attachments section.

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 597-3160 | HYDRAULIC PKG, COMB ADV . . . . . 0<br>Combined circuit (1 way / 2 way)<br>INCLUDES:<br>- UPPER COVER, CENTER<br>- VALVE, HYDRAULIC TCS HL<br>- MAIN LINE, STD<br>- LINES, MAKE UP, TCS<br>- RETURN PIPE, TCS<br>- ADVANCED TOOL CONTROL PACKAGE<br>CANNOT BE USED WITH: SUPER LONG REACH |  | \$9,700 |
|---|----------|---|--|---------|

**JOYSTICKS**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 528-6835 | JOYSTICKS, VERTICAL SLIDER . . . . . 0<br><br>CANNOT BE USED WITH: 560-2027 CAT TILTROTATOR SUPPORT |  | \$1,240 |
|---|----------|---|--|---------|



CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**LINE GROUPS**

**STRAIGHT TRAVEL DRAIN LINE**

|   |          |  |  |    |
|---|----------|--|--|----|
| L | 516-7670 | <b>LINES, DRAIN, STD</b> . . . . . 0<br>For reach boom and Super long reach<br>CANNOT BE USED WITH: 517-4758 CONTROL, QC           |  | NC |
| L | 549-9536 | <b>LINES, DRAIN, PG</b> . . . . . 0<br>For reach boom and Cat Pin grabber quick coupler<br>ONLY FOR USE WITH: 517-4758 CONTROL, QC |  | NC |

**STARTERS, BATTERIES, & ALTERNATORS**

**BATTERIES**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 506-5013 | <b>BATTERIES, 2</b> . . . . . 0<br>Batteries for std, -18 degrees C/0 degrees F          |  | \$600   |
| L | 516-8510 | <b>BATTERIES, 4</b> . . . . . 0<br>Batteries for cold start, -32 degrees C/-26 degrees F |  | \$1,030 |

**ELECTRICAL**

**CAMERAS**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 593-4954 | <b>CAMERA, REAR + RH VIEW</b> . . . . . 0<br>Can be used with FOGS  |  | \$820   |
| L | 578-7636 | <b>CAMERA, 360 VISIBILITY</b> . . . . . 0<br>For use with 10" Monitor<br>CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS) |  | \$2,370 |
| L | 578-7637 | <b>CAMERA, 360 VISIBILITY FOGS</b> . . . . . 0<br>For use with 10" Monitor<br>REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)       |  | \$2,370 |

**CAB LIGHTS**

|   |          |   |  |       |
|---|----------|---|--|-------|
| L | 577-3853 | <b>LIGHTS, CAB, W/O 360</b> . . . . . 0<br>Cannot be used with FOGS<br>ONLY FOR USE WITH: 593-4954 CAMERA, REAR + RH VIEW   |  | \$330 |
| L | 577-8973 | <b>LIGHTS, CAB, W/RAIN PROTECTOR</b> . . . . . 0<br>Cab lights w/cover and rain protector<br>Cannot be used with FOGS<br>ONLY FOR USE WITH: 593-4954 CAMERA, REAR + RH VIEW or<br>578-7636 CAMERA, 360 VISIBILITY |  | \$760 |
| L | 577-3857 | <b>LIGHTS, CAB, FOGS</b> . . . . . 0<br>REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)<br>ONLY FOR USE WITH: 593-4954 CAMERA, REAR + RH VIEW or<br>578-7637 CAMERA, 360 VISIBILITY FOGS                          |  | \$330 |

**ADDITIONAL CAB MIRROR**

|   |          |  |  |       |
|---|----------|--|--|-------|
| L | 580-8628 | <b>MIRROR, CAB, W/O GUARD</b> . . . . . 0<br>Additional ISO cab mirror<br>ONLY FOR USE WITH: 578-7636 CAMERA, 360 VISIBILITY or<br>593-4954 CAMERA, REAR + RH VIEW<br>CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS) |  | \$111 |
|---|----------|--|--|-------|

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**ELECTRICAL (CONT.)**

**ADDITIONAL CAB MIRROR (Cont.)**

|   |          |  |  |       |
|---|----------|--|--|-------|
| L | 327-6553 | MIRROR, CAB, GUARD FALLING . . . . . 0                   |  | \$110 |
|   |          | Additional ISO cab mirror for FOGS                       |  |       |
|   |          | ONLY FOR USE WITH: 578-9808 GUARD, FALLING OBJECT (FOGS) |  |       |
|   |          | 578-7637 CAMERA, 360 VISIBILITY FOGS                     |  |       |

**BOOM LIGHTS**

|   |          |  |  |       |
|---|----------|--|--|-------|
| L | 581-0687 | LIGHTS PKG, REACH & SLR BOOM . . . . . 0 |  | \$328 |
|   |          | For reach boom and super long reach boom |  |       |
|   |          | INCLUDES:                                |  |       |
|   |          | - LIGHT, REACH & SLR BOOM LH             |  |       |
|   |          | - LIGHT, REACH & SLR BOOM RH             |  |       |
|   |          | CANNOT BE USED WITH: No boom             |  |       |

**OPERATOR ENVIRONMENT**

**WIPER**

|   |          |   |  |       |
|---|----------|---|--|-------|
| L | 484-8022 | WIPER, RADIAL W/LOWER . . . . . 0           |  | \$303 |
|   |          | Deluxe cab is included in AM-N and ANZ CFGs |  |       |
|   |          | ONLY FOR USE WITH: 546-0110 CAB, COMFORT or |  |       |
|   |          | 546-0111 CAB, DELUXE or                     |  |       |
|   |          | AM-N and ANZ CFGs                           |  |       |

**TECHNOLOGY PRODUCTS**

**CAT GRADE WITH ASSIST**

|   |          |  |  |          |
|---|----------|--|--|----------|
| L | 516-0550 | GRADE W/2D, ASSIST&PAYLOAD . . . . . 0             |  | NC       |
|   |          | CANNOT BE USED WITH: No boom, stick less machine   |  |          |
|   |          | 554-3627 MONITOR, 10" W/GRADE MONITOR or           |  |          |
|   |          | 598-3513 MONITOR, 10" GRADE W/WIFI                 |  |          |
| L | 520-1919 | GRADE W/2D ADV, ASSIST&PAYLOAD . . . . . 0         |  | \$8,830  |
|   |          | REQUIRES: 554-3627 MONITOR, 10" W/GRADE MONITOR or |  |          |
|   |          | 598-3513 MONITOR, 10" GRADE W/WIFI                 |  |          |
|   |          | CANNOT BE USED WITH: No boom, stick less machine   |  |          |
| L | 520-1920 | GRADE W/3D, ASSIST & PAYLOAD . . . . . 0           |  | \$44,150 |
|   |          | REQUIRES: 554-3627 MONITOR, 10" W/GRADE MONITOR or |  |          |
|   |          | 598-3513 MONITOR, 10" GRADE W/WIFI                 |  |          |
|   |          | CANNOT BE USED WITH: No boom, stick less machine   |  |          |

**GRADE SENSOR FOR BOOM**

|   |          |  |  |    |
|---|----------|--|--|----|
| L | 527-5714 | GRADE SENSOR, REACH BOOM . . . . . 0             |  | NC |
|   |          | For reach boom                                   |  |    |
|   |          | CANNOT BE USED WITH: No boom, stick less machine |  |    |

**GRADE SENSOR FOR STICK**

|   |          |  |  |    |
|---|----------|--|--|----|
| L | 559-8621 | GRADE SENSOR, R11'10" STICK . . . . . 0          |  | NC |
|   |          | FOR USE IN LANE 3 ONLY                           |  |    |
|   |          | For R3.6M (R11'10") stick                        |  |    |
|   |          | CANNOT BE USED WITH: No boom, stick less machine |  |    |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**TECHNOLOGY PRODUCTS (CONT.)**

**GRADE SENSOR FOR STICK (Cont.)**

|   |          |  |  |    |
|---|----------|--|--|----|
| L | 516-9883 | GRADE SENSOR, R9'6"/9'8" STICK . . . . . 0<br>For R2.95M (R9'8") stick<br>CANNOT BE USED WITH: No boom, stick less machine |  | NC |
|---|----------|--|--|----|

**PRODUCT LINKS**

|   |          |  |  |    |
|---|----------|--|--|----|
| L | 594-9052 | PROD LINK, PLE643/PLE743 RADIO . . . . . 0<br>Cannot be used with FOGS |  | NC |
|---|----------|--|--|----|

Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.

INCLUDES:

- RADIO MODULE, PL243 CELLULAR
- WIRING, PRODUCT LINK ELITE

CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)

|   |          |   |  |    |
|---|----------|---|--|----|
| L | 594-9054 | PROD LINK, PLE643/PLE743 RADIO . . . . . 0<br>For use with FOGS |  | NC |
|---|----------|---|--|----|

Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.

INCLUDES:

- RADIO MODULE, PL243 CELL FOGS
- WIRING, PRODUCT LINK ELITE

REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)

**PRODUCT LINK NET WORK MANAGER**

|   |          |  |  |    |
|---|----------|--|--|----|
| L | 555-7286 | NETWORK MANAGER, STD . . . . . 0<br>For PRODUCT LINK PLE643/PLE683 |  | NC |
|---|----------|--|--|----|

Network manager Std PLE602 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well location is transmitted for viewing in Product Link user applications.

ONLY FOR USE WITH: 516-0550 GRADE W/2D, ASSIST&PAYLOAD

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK NET WORK MANAGER (Cont.)**

|  |          |   |   |    |
|--|----------|---|---|----|
| L  | 555-7287 | NETWORK MANAGER, GRADE ADV. . . . .<br>For PRODUCT LINK PLE743/PLE783 | 0 | NC |
| <p>Network manager Grade Adv. PLE702 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well as location is transmitted for viewing in Product Link user applications.<br/>                     ONLY FOR USE WITH: 520-1919 GRADE W/2D ADV, ASSIST+PAYLOAD<br/>                     520-1920 GRADE W/3D, ASSIST &amp; PAYLOAD<br/>                     CANNOT BE USED WITH: No boom, stick less, machine</p> |          |   |   |    |

**GUARDS**

**BOTTOM GUARD**

|   |          |                            |   |         |
|---|----------|----------------------------|---|---------|
| L | 576-9456 | GUARD, BOTTOM HD . . . . . | 0 | \$1,905 |
|---|----------|----------------------------|---|---------|

**OTHER ATTACHMENTS**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 575-2633 | COUNTERWEIGHT, 10,140LBS . . . . .<br>For Reach and VA boom                          | 0 | \$925   |
| L | 578-8140 | COUNTERWEIGHT, 14,770LBS . . . . .<br>FOR USE IN LANE 3 ONLY<br>For Super long reach | 0 | \$4,890 |

**INSTRUCTIONS**

**FILMS EXTERIOR**

|   |          |  |   |    |
|---|----------|--|---|----|
| L | 578-2910 | DECALS, EXTERIOR, ANSI . . . . .<br>CANNOT BE USED WITH: QUEBEC DEALER | 0 | NC |
|---|----------|--|---|----|

**FILMS INTERIOR**

|   |          |   |   |    |
|---|----------|---|---|----|
| L | 573-4351 | DECALS, CAB, ANSI . . . . .<br>ONLY FOR USE WITH: 578-2910 DECALS, EXTERIOR, ANSI<br>CANNOT BE USED WITH: QUEBEC DEALER | 0 | NC |
|---|----------|---|---|----|

**FILMS, STICK WARNING**

|   |          |   |   |    |
|---|----------|---|---|----|
| L | 567-3815 | DECALS, STICK WARNING, ANSI . . . . .<br>ONLY FOR USE WITH: 573-4351 DECALS, CAB, ANSI<br>CANNOT BE USED WITH: QUEBEC DEALER<br>No boom, stick less machine | 0 | NC |
|---|----------|---|---|----|

**EMC FILM**

|   |          |                     |   |    |
|---|----------|---------------------|---|----|
| L | 528-4738 | FILM, EMC . . . . . | 0 | NC |
|---|----------|---------------------|---|----|

CATERPILLAR MACHINE PRICE LIST

**326**

---

| USE | REF<br>NO. | <b>LANE 2 / 3 MANDATORY</b> | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|-----|------------|-----------------------------|--------------------|-------------------------|
|-----|------------|-----------------------------|--------------------|-------------------------|

---

**INSTRUCTIONS (CONT.)**

***ROPS FILM***

|   |          |  |   |    |
|---|----------|--|---|----|
| L | 573-4768 | FILM, ROPS ..... 0<br>CANNOT BE USED WITH: No boom, stick less machine | 0 | NC |
|---|----------|--|---|----|

***OPERATION & MAINTENANCE MANUAL***

|         |                               |   |    |
|---------|-------------------------------|---|----|
| OP-3380 | INSTRUCTIONS, ENGLISH ..... 0 | 0 | NC |
| OP-3404 | INSTRUCTIONS, SPANISH ..... 0 | 0 | NC |
| OP-3404 | INSTRUCTIONS, SPANISH ..... 0 | 0 | NC |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**LINE GROUPS**

**HIGH PRESSURE AUXILIARY BOOM LINES**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 527-2266 | <b>LINES, HP, REACH BOOM</b> ..... 0<br>This line is included in BOOM, VA W/HP,MP,QC BM LINES.<br><br>ONLY FOR USE WITH: 527-2203 BOOM, REACH 5.9M (19'4") or<br>527-2204 BOOM, REACH 5.9M (19'4") HD<br>CANNOT BE USED WITH: 597-3152 HYDRAULIC PKG, NO TOOL W/O HL<br>597-3153 HYDRAULIC PKG, NO TOOL W/O HL<br>No boom |  | \$1,290 |
|---|----------|---|--|---------|

**HIGH PRESSURE AUXILIARY STICK LINES**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 245-2393 | <b>LINES, HP, R11'10" STICK</b> ..... 121<br>FOR USE IN LANE 3 ONLY<br>ONLY FOR USE WITH: 527-2266 LINES, HP, REACH BOOM or<br>and<br>527-2207 STICK, R3.6M (11'10")<br>CANNOT BE USED WITH: Stick less   |  | \$1,180 |
| L | 356-8152 | <b>LINES, HP, R9'8" STICK</b> ..... 0<br><br>ONLY FOR USE WITH: 527-2266 LINES, HP, REACH BOOM or<br>527-2205 BOOM, VA W/HP,MP,QC BM LINES<br>and<br>527-2208 STICK, R2.95M (9'8")<br>527-2209 STICK, R2.95M (9'8") HD<br>CANNOT BE USED WITH: Stick less |  | \$1,180 |

**MEDIUM PRESSURE CIRCUIT**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 527-7062 | <b>CIRCUIT, MEDIUM</b> ..... 0<br>For Reach boom<br><br>MP boom lines and MP stick lines for super long reach are not available from the factory. |  | \$3,800 |
|---|----------|---|--|---------|

**MEDIUM PRESSURE AUXILIARY BOOM LINES**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 527-2267 | <b>LINES, MP, REACH BOOM</b> ..... 0<br>This line is included in BOOM, VA W/HP,MP,QC BM LINES<br><br>CANNOT BE USED WITH: No boom<br>REQUIRED BY: 527-7062 CIRCUIT, MEDIUM<br>and<br>527-2203 BOOM, REACH 5.9M (19'4") or<br>527-2204 BOOM, REACH 5.9M (19'4") HD |  | \$1,420 |
|---|----------|---|--|---------|

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**LINE GROUPS (CONT.)**

**MEDIUM PRESSURE AUXILIARY STICK LINES**

LINES, MP, R3.6M (11'10") STICK is not available from the factory.

|   |          |                              |   |       |
|---|----------|------------------------------|---|-------|
| L | 372-9861 | LINES, MP, R9'6" STICK ..... | 0 | \$985 |
|---|----------|------------------------------|---|-------|

ONLY FOR USE WITH: 372-9861 LINES, MP, REACH BOOM or  
 527-2205 BOOM, VA W/HP,MP,QC BM LINES  
 and  
 527-2208 STICK, R2.95M (9'8") or  
 527-2209 STICK, R2.95M HD (9'8")  
 CANNOT BE USED WITH: Stick less

**LINES, SLCV REACH BOOM**

|   |          |                              |   |    |
|---|----------|------------------------------|---|----|
| L | 527-2254 | LINES, SLCV REACH BOOM ..... | 0 | NC |
|---|----------|------------------------------|---|----|

For reach boom  
 CANNOT BE USED WITH: Super long reach  
 VA boom config  
 No boom  
 597-3165 326 07B HEX AM-N CFG1A

**STARTERS, BATTERIES, & ALTERNATORS**

|   |          |                            |   |       |
|---|----------|----------------------------|---|-------|
| L | 516-5100 | COLD STARTING, ETHER ..... | 0 | \$382 |
|---|----------|----------------------------|---|-------|

|   |          |                                     |   |       |
|---|----------|-------------------------------------|---|-------|
| L | 339-7054 | HEATER, ENGINE COOLANT (120V) ..... | 0 | \$164 |
|   |          | Starting kit, block heater, 120V    |   |       |

**ELECTRICAL**

|   |          |                                      |   |       |
|---|----------|--------------------------------------|---|-------|
| L | 578-1285 | LIGHTS,SURROUND PREM,2D ADV/3D ..... | 0 | \$710 |
|---|----------|--------------------------------------|---|-------|

For 3D CGC  
 ONLY FOR USE WITH: 520-1920 GRADE W/3D, ASSIST & PAYLOAD

|   |          |                                      |   |       |
|---|----------|--------------------------------------|---|-------|
| L | 592-6781 | LIGHTS, SURROUND, PREM, 2D ADV ..... | 0 | \$710 |
|---|----------|--------------------------------------|---|-------|

For 2D ADV CGC  
 ONLY FOR USE WITH: 520-1919 GRADE W/2D ADV, ASSIST+PAYLOAD

|   |          |                             |   |       |
|---|----------|-----------------------------|---|-------|
| L | 578-1286 | LIGHTS, SURROUND PREM ..... | 0 | \$710 |
|---|----------|-----------------------------|---|-------|

ONLY FOR USE WITH: 516-0550 GRADE W/2D, ASSIST&PAYLOAD  
 No CGC machine

**OPERATOR ENVIRONMENT**

**ADDITIONAL 10" GRADE MONITOR FOR 2D ADV AND 3D**

|   |          |                                 |   |    |
|---|----------|---------------------------------|---|----|
| L | 598-3513 | MONITOR, 10" GRADE W/WIFI ..... | 0 | NC |
|---|----------|---------------------------------|---|----|

(Additional 10" GRADE MONITOR W/WIFI)  
 CANNOT BE USED WITH: ISRAEL DEALERS  
 REQUIRED BY: 520-1919 GRADE W/2D ADV, ASSIST&PAYLOAD or  
 520-1920 GRADE W/3D, ASSIST&PAYLOAD

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**OPERATOR ENVIRONMENT (CONT.)**

**SUN SCREEN REAR**

|   |          |  |  |              |
|---|----------|--|--|--------------|
| L | 488-6450 | <b>SUN SCREEN, REAR</b> . . . . . 0  |  | <b>\$217</b> |
|   |          | For comfort and deluxe cab<br>Deluxe cab is already included in AM-N and ANZ CFG<br>It is already included in Premium Cab.<br>ONLY FOR USE WITH: 546-0110 CAB, COMFORT or<br>546-0111 CAB, DELUXE or<br>AM-N CFG and ANZ CFG |  |              |

**TECHNOLOGY PRODUCTS**

**GRADE SENSOR FOR SUPER LONG REACH BOOM & STICK**

|   |          |  |  |                 |
|---|----------|--|--|-----------------|
| L | 578-4571 | <b>GRADE SENSOR, SLR BOOM</b> . . . . . 0  |  | <b>\$11,210</b> |
|   |          | FOR USE IN LANE 3 ONLY<br>For Super long reach boom<br>ONLY FOR USE WITH: CAT GRADE<br>CANNOT BE USED WITH: No boom                      |  |                 |
| L | 578-4553 | <b>GRADE SENSOR, SLR STICK</b> . . . . . 0   |  | <b>NC</b>       |
|   |          | FOR USE IN LANE 3 ONLY<br>For super long reach stick<br>ONLY FOR USE WITH: CAT GRADE<br>CANNOT BE USED WITH: No boom, stick less machine |  |                 |

**CAT GRADE LASER CATCHER**

|   |          |   |  |                |
|---|----------|---|--|----------------|
| L | 560-5683 | <b>LASER CATCHER, R8'2" - 11'10"</b> . . . . . 0  |  | <b>\$1,320</b> |
|   |          | For R3.6M (11'10") and 2.95M (9'8") stick<br>ONLY FOR USE WITH: 527-2207 STICK, R3.6M (11'10") or<br>527-2208 STICK, R2.95M (9'8") or<br>527-2209 STICK, R2.95M HD (9'8")<br>CANNOT BE USED WITH: No boom, stick less machine |  |                |
| L | 560-5681 | <b>LASER CATCHER, 8'2"-14'1" STICK</b> . . . . . 0  |  | <b>\$1,320</b> |
|   |          | FOR USE IN LANE 3 ONLY<br>For R2.5M (8'2") stick<br>ONLY FOR USE WITH: 527-2210 STICK, R2.5M (8'2")<br>CANNOT BE USED WITH: No boom, stick less machine   |  |                |

**GUARDS**

**CAB GUARD FOGS**

|   |          |   |  |                    |
|---|----------|---|--|--------------------|
| L | 578-9808 | <b>GUARD, FALLING OBJECT (FOGS)</b> . . . . . 0 |  | <b>\$2,575 NET</b> |
|---|----------|---|--|--------------------|

**OTHER ATTACHMENTS**

|   |          |   |  |             |
|---|----------|---|--|-------------|
| L | 576-9461 | <b>STORAGE TRAY</b> . . . . . 0               |  | <b>\$50</b> |
|   |          | CANNOT BE USED WITH: 527-7062 CIRCUIT, MEDIUM |  |             |
| L | 586-2947 | <b>STORAGE TRAY, MP</b> . . . . . 0           |  | <b>\$50</b> |
|   |          | ONLY FOR USE WITH: 527-7062 CIRCUIT, MEDIUM   |  |             |



CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**QUICK COUPLERS**

**CONTROL, QC**

|   |          |   |  |       |
|---|----------|---|--|-------|
| L | 517-4758 | <b>CONTROL, QC</b> . . . . . 0  |  | \$900 |
|   |          | Mandatory for ANZ and EU Common Quick coupler circuit for Pin Grabber and CW Dedicated.<br>This DOES NOT include QC lines for the boom and stick. |  |       |

**QUICK COUPLER BOOM LINES**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 527-2268 | <b>LINES, QC, REACH BOOM</b> . . . . . 0   |  | \$1,400 |
|   |          | This line is included in BOOM, VA W/HP,MP,QC BM LINES  |  |         |
|   |          | ONLY FOR USE WITH: 517-4758 CONTROL, QC<br>and<br>527-2203 BOOM, REACH 5.9M (19'4") or<br>527-2204 BOOM, REACH 5.9M HD (19'4") |  |         |
|   |          | CANNOT BE USED WITH: No boom   |  |         |

**QUICK COUPLER STICK LINES**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 482-2864 | <b>LINES, QC, R11'10" STICK</b> . . . . . 0  |  | \$1,095 |
|   |          | FOR USE IN LANE 3 ONLY<br>ONLY FOR USE WITH: 527-2268 LINES, QC, REACH BOOM<br>and<br>527-2207 STICK, R3.6M (11'10")             |  |         |
|   |          | CANNOT BE USED WITH: Stick less  |  |         |
| L | 253-6498 | <b>LINES, QC, R9'8" STICK</b> . . . . . 34   |  | \$1,095 |
|   |          | ONLY FOR USE WITH: 527-2268 LINES, QC, REACH BOOM<br>and<br>527-2208 STICK, R2.95M (9'8") or<br>527-2209 STICK, R2.95M (9'8") HD |  |         |
|   |          | CANNOT BE USED WITH: Stick less  |  |         |

**QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)**

|   |          |   |  |          |
|---|----------|---|--|----------|
| L | 455-3911 | <b>COUPLER, PIN GRABBER CB W/PINS</b> . . . . . 1,173   |  | \$10,275 |
|   |          | FOR USE WHEN ORDERING AN INSTALLED BUCKET<br>Includes a Pin Grabber Coupler.<br>Includes(1) set of pins to attach the coupler to the stick.<br>For CB family bucket linkage   |  |          |
|   |          | ONLY FOR USE WITH: BUCKET<br>and<br>517-4758 CONTROL, QC<br>and<br>549-9536 LINES, DRAIN, PG<br>575-2746 LINES, DRAIN, PG VAB<br>and<br>527-2268 LINES, QC, REACH BOOM<br>and<br>482-2864 LINES QC, R3.6M (11'10") STICK or<br>253-6498 LINES QC, R2.95M (9'8") STICK or<br>242-6494 LINES QC, R2.5M (8'2") STICK<br>or<br>AM-N DCA (LANE2/3) |  |          |
|   |          | CANNOT BE USED WITH: No boom, stick less machine  |  |          |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**QUICK COUPLERS (CONT.)**

**QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)**

|   |          |  |       |         |
|---|----------|--|-------|---------|
| L | 455-3912 | <b>COUPLER, PG W/O PIN CB</b> ..... 1,038<br>FOR USE WHEN "NOT" ORDERING A BUCKET<br>Includes a Pin Grabber Coupler. (NO Pins)<br>Does NOT include spare pins.<br>For CB family bucket linkage<br><br>ONLY FOR USE WITH: 517-4758 CONTROL, QC<br>and<br>549-9536 LINES, DRAIN, PG<br>575-2746 LINES, DRAIN, PG VAB<br>and<br>527-2268 LINES, QC, REACH BOOM<br>and<br>482-2864 LINES QC, R3.6M (11'10") STICK or<br>253-6498 LINES QC, R2.95M (9'8") STICK or<br>242-6494 LINES QC, R2.5M (8'2") STICK<br>or<br>AM-N DCA (LANE2/3)<br><br>CANNOT BE USED WITH: No boom, stick less machine | 1,038 | \$8,767 |
|---|----------|--|-------|---------|

**BUCKETS**

Bucket, Tip and side cutters can not be used with No boom and stick less machine.

**HEAVY DUTY (HD)**

For use in materials, such as mixed dirt, clay and rock. Aggressive bucket designed for moderate abrasive applications.

|   |          |  |       |          |
|---|----------|--|-------|----------|
| P | 541-1746 | <b>BKT HD 36" 1.19YD3 CB</b> ..... 1,978<br>REQUIRES: TIPS Advansys 100, QTY 4<br>ONLY FOR USE WITH: CB FAMILIY BUCKET LINKAGE | 1,978 | \$9,756  |
| P | 541-1747 | <b>BKT HD 42" 1.46YD3 CB</b> ..... 2,156<br>REQUIRES: TIPS Advansys 100, QTY 5<br>ONLY FOR USE WITH: CB FAMILIY BUCKET LINKAGE | 2,156 | \$10,321 |
| P | 541-1748 | <b>BKT HD 47" 1.74YD3 CB</b> ..... 2,313<br>REQUIRES: TIPS Advansys 100, QTY 5<br>ONLY FOR USE WITH: CB FAMILIY BUCKET LINKAGE | 2,313 | \$11,067 |
| P | 541-1749 | <b>BKT HD 54" 2.01YD3 CB</b> ..... 2,416<br>REQUIRES: TIPS Advansys 100, QTY 4<br>ONLY FOR USE WITH: CB FAMILIY BUCKET LINKAGE | 2,416 | \$11,856 |
| P | 541-1750 | <b>BKT HD 54" 2.01YD3 CB</b> ..... 2,504<br>REQUIRES: TIPS Advansys 100, QTY 6<br>ONLY FOR USE WITH: CB FAMILIY BUCKET LINKAGE | 2,504 | \$11,653 |
| P | 541-1752 | <b>BKT HD 60" 2.30YD3 CB</b> ..... 2,683<br>REQUIRES: TIPS Advansys 100, QTY 7<br>ONLY FOR USE WITH: CB FAMILIY BUCKET LINKAGE | 2,683 | \$12,250 |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**BUCKETS (CONT.)**

**BUCKETS - FOR SUPER LONG REACH FRONT**

|   |          |   |  |                    |
|---|----------|---|--|--------------------|
| P | 441-6077 | <b>BKTA DC 48" 0.74YD3 (A)</b> ..... 852<br>FOR USE IN LANE 3 ONLY<br>Ditch cleaning bucket<br>INCLUDES:<br>- 452-6069 BUCKET-DC<br>- 443-4366 CUTTING EDGE, DITCH CLEANING<br>Does not accept sidecutters or sidebar protectors<br>ONLY FOR USE WITH: 578-1163 STICK, SUPER LONG REACH |  | <b>\$4,604</b>     |
| P | 439-7300 | <b>BKTA DC 60" 0.97YD3 (A)</b> ..... 1,005<br>FOR USE IN LANE 3 ONLY<br>Ditch cleaning bucket<br>INCLUDE:<br>- 439-7338 BKT DC<br>- 443-4367 CUTTING EDGE, DITCH CLEANING<br>Does not accept sidecutters or sidebar protectors<br>ONLY FOR USE WITH: 578-1163 STICK, SUPER LONG REACH   |  | <b>\$5,186</b>     |
| P | 452-6069 | <b>BUCKET-DC, 48" 0.74 YD3 (A)</b> ..... 718<br>FOR USE IN LANE 3 ONLY<br>ONLY FOR USE WITH: SUPER LONG REACH   |  | <b>\$3,025 NET</b> |
| P | 439-7338 | <b>BKT DC 60" 0.97YD3 A</b> ..... 838<br>FOR USE IN LANE 3 ONLY<br>ONLY FOR USE WITH: SUPER LONG REACH  |  | <b>\$4,736</b>     |

**TIPS 100**

|   |          |  |  |              |
|---|----------|--|--|--------------|
| P | 505-4103 | <b>TIP, PENETRATION PLUS ADVANSYS</b> ..... 28<br>Advansys 100 |  | <b>\$142</b> |
|---|----------|--|--|--------------|

**TIPS**

|   |          |  |  |              |
|---|----------|--|--|--------------|
| P | 443-4366 | <b>CUTTING EDGE, DITCH CLEANING</b> ..... 61<br>ONLY FOR USE WITH: 452-6069 BUCKET-DC, 1200MM 0.57 M3(48" 0.74 YD3)(A) |  | <b>\$404</b> |
| P | 443-4367 | <b>CUTTING EDGE, DITCH CLEANING</b> ..... 165<br>ONLY FOR USE WITH: 439-7338 BKT DC 1500MM 0.74M3(60" 0.97YD3) A       |  | <b>\$450</b> |

**SIDECUTTERS**

|   |          |   |  |                |
|---|----------|---|--|----------------|
| P | 357-2698 | <b>SIDECUTTERS, HEAVY DUTY</b> ..... 108<br>For use with HD buckets |  | <b>\$1,174</b> |
|---|----------|---|--|----------------|

**FLUIDS**

|  |         |  |  |                  |
|--|---------|--|--|------------------|
|  | 0P-2407 | <b>ANTIFREEZE, -50C (-58F)</b> ..... 0 |  | <b>\$283 NET</b> |
|--|---------|--|--|------------------|

**ALTERNATE SOURCED ATTACHMENTS**

Available Through ANTARES Parts Ordering System.

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

|          |  |   |         |           |
|----------|--|---|---------|-----------|
| 528-3279 | KIT, RADIAL LOWER WIPER, 70/30   | 0 | \$505   | NI<br>NET |
|          | For comfort or deluxe cab only   |   |         |           |
| 528-3280 | KIT, ELECTRIC PEDAL LH   | 0 | \$1,420 | NI<br>NET |
|          | For tool control system  |   |         |           |
| 528-3281 | KIT, ELECTRIC PEDAL RH   | 0 | \$1,455 | NI<br>NET |
|          | For tool control system  |   |         |           |
| 528-3282 | KIT, DUAL EXIT REAR WINDOW   | 0 | \$355   | NI<br>NET |
|          | For Canadian regulation  |   |         |           |
| 528-3283 | KIT, RAIN PROTECTOR  | 0 | \$346   | NI<br>NET |
|          | Not compatible with FOGS and, full front windshield net/mesh                           |   |         |           |
| 528-3289 | KIT, POLYCARBONATE ROOF HATCH  | 0 | \$745   | NI<br>NET |
|          | For comfort cab only   |   |         |           |
| 568-8564 | KIT, JUMP START WIRING   | 0 | \$330   | NI<br>NET |
| 471-1990 | KIT, SWIVEL GUARD HD   | 0 | \$1,530 | NI<br>NET |
|          | 16mm / 0.63" thick   |   |         |           |
| 543-9825 | KIT, SIDE RUBBER BUMPER  | 0 | \$1,000 | NI<br>NET |
|          | Special Instruction : M0080442   |   |         |           |
| 528-3291 | KIT, FOGS  | 0 | \$2,575 | NI<br>NET |
|          | Compliant with ISO10262 Level 2<br>Not compatible with cab light cover, rain protector |   |         |           |
| 528-3292 | KIT, MESH/NET GUARD, FULL  | 0 | \$1,565 | NI<br>NET |
|          | Compliant with ISO10262 Level 2<br>Not compatible with cab light cover, rain protector |   |         |           |
| 528-3293 | KIT, MESH/NET GUARD, LOWER   | 0 | \$303   | NI<br>NET |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

|  |                 |   |   |                       |
|--|-----------------|---|---|-----------------------|
|  | <b>486-5404</b> | <b>KIT, VANDALISM GUARD</b> . . . . .               | 0 | <b>\$1,395 NI NET</b> |
|  |                 | Not compatible with cab light cover, rain protector |   |                       |

**SERVICE PARTS**

|  |                 |  |   |                    |
|--|-----------------|--|---|--------------------|
|  | <b>528-7420</b> | <b>SEATBELT 3" RETRACTABLE</b> . . . . .         | 0 | <b>\$87 NI NET</b> |
|  |                 | Service Part<br>Mandatory for California and ANZ |   |                    |
|  | <b>487-3004</b> | <b>KEY FOB</b> . . . . .                         | 0 | <b>\$45 NI NET</b> |
|  |                 | Service Part                                     |   |                    |

**DOCUMENTATION**

**FRONT LESS FILM**

|   |                 |  |   |           |
|---|-----------------|--|---|-----------|
| L | <b>591-3890</b> | <b>FILM, OEM, FRONTLESS</b> . . . . .                                    | 0 | <b>NC</b> |
|   |                 | FOR USE IN LANE 3 ONLY<br>ONLY FOR USE WITH: No boom, stick less machine |   |           |

**PACKING**

**STORAGE PROTECTION**

|  |                |   |   |                  |
|--|----------------|---|---|------------------|
|  | <b>0G-4126</b> | <b>STORAGE PROTECTION (EXPORT)</b> . . . . .  | 0 | <b>\$281 NET</b> |
|  |                | Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. |   |                  |

**FIXTURE - BOOM CYLINDER**

|   |                 |   |   |           |
|---|-----------------|---|---|-----------|
| L | <b>565-5813</b> | <b>FIXTURE, BOOM CYLINDER</b> . . . . . | 0 | <b>NC</b> |
|   |                 | FOR USE IN LANE 3 ONLY<br>For No boom   |   |           |

**FIXTURE - BUCKET LINKAGE**

|   |                 |  |   |                 |
|---|-----------------|--|---|-----------------|
| L | <b>578-9964</b> | <b>FIXTURE, BUCKET LINKAGE CB</b> . . . . .  | 0 | <b>\$81 NET</b> |
|   |                 | Required when NOT ordering an installed bucket or a quick coupler<br><br>CANNOT BE USED WITH: 578-1163 STICK, SUPER LONG REACH |   |                 |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**PACKING (CONT.)**

**FRONT LESS PLUG - NO BOOM**

|   |          |   |  |    |
|---|----------|---|--|----|
| L | 595-3212 | PLUG, FRONT LESS STD . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For No boom   |  | NC |
| L | 564-9719 | PLUG, QC OR SLCV, QC AND SLCV . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For No boom with Quick coupler circuit and/or SLCV for 320/326/330 |  | NC |
| L | 564-9729 | PLUG, MEDIUM CIRCUIT . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For No boom with medium pressure circuit                                    |  | NC |

**FRONT LESS OR STICK LESS PLUG**

|   |          |   |  |    |
|---|----------|---|--|----|
| L | 564-9727 | PLUG, TCS, BOOM LINES HP . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For No boom with combined circuit<br>For stick less machine with HP lines |  | NC |
|---|----------|---|--|----|

**STICK LESS PLUG**

|   |          |   |  |    |
|---|----------|---|--|----|
| L | 564-9720 | PLUG, STICK LESS, STD . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For stick less machine   |  | NC |
| L | 564-9732 | PLUG, STICK LESS, LINES MP QC . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>For stick less machine with MP and/or QC lines<br>When ordering both MP and QC, select 2 pcs |  | NC |

**EXPORT PACKING**

|  |         |  |  |             |
|--|---------|--|--|-------------|
|  | 0G-4202 | ROLL ON-ROLL OFF . . . . . 0   |  | \$132 NET   |
|  | 0G-4209 | ROLL ON-ROLL OFF W/O FRONT . . . . . 0<br>For no boom and no stick (front less)                                |  | \$66 NET    |
|  | 0G-4210 | ROLL ON-ROLL OFF W/O STICK . . . . . 0<br>For stick less (boom only)   |  | \$168 NET   |
|  | 0G-4235 | EXP,PKG, SLR BOOM/STK/BKT DISM . . . . . 0<br>For super long reach and a bucket<br>Front and bucket dismantled |  | \$1,395 NET |
|  | 0G-4234 | EXP,PKG, SLR BOOM/STK DISM . . . . . 0<br>For super long reach and NOT ordering a bucket<br>Front dismantled   |  | \$1,370 NET |

CATERPILLAR MACHINE PRICE LIST

**326**

| USE | REF NO. | <b>LANE 2 / 3 OPTIONAL</b> | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|-----|---------|----------------------------|--------------------|-------------------------|
|-----|---------|----------------------------|--------------------|-------------------------|

**PACKING (CONT.)**

***PACKING - NOT INSTALLED STICK CYLINDER***

|         |  |                         |
|---------|--|-------------------------|
| 0P-6943 | PKG, 326/330 STICK CYLINDER NI . . . . . 0 | <b>\$363 NI<br/>NET</b> |
|---------|--|-------------------------|

FOR USE IN LANE 3 ONLY  
When ordering no boom and no stick with Not installed stick cylinder