

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine, CAT C7.1 certified to EPA Tier4 final, EU stage IV, MLIT 2014
-Three selectable power modes capability; HHP, STD and ECO
-After-treatment system: CEM (DPF + SCR) and DEF System (DEF Tank and DEF Lines)
Variable fan speed control with viscous clutch
One touch low idle with automatic engine speed control (AEC)
Automatic (programmable) idling shut down function
Three stage fuel filtration system with water separator and indicator
4,600m altitude capability with de-rate from 3,000m
52 deg. C high ambient cooling capability with de-rate from 48 deg. C
115 amp. alternator
Radial seal air filter with double filter element
Electric fuel lifting pump
Capability of using Bio-Diesel fuel (B20)

UNDERCARRIAGE

Grease lubricated track link
Tie down points on base frame (ISO 15818 compliant)

HYDRAULICS

Electric boom regeneration circuit
Stick regeneration circuit
One touch lifting mode
Automatic two speed travel
Boom and stick drift reduction valve
Reverse swing damping valve
High performance hydraulic return filter (Capsule filter type)

ELECTRICAL

Maintenance free battery
Centralized electrical disconnect switch
CAT product link
90 seconds programmable time delay working lights (halogen);
-Storage box mounted (one),
-Boom mounted LH

OPERATOR ENVIRONMENT

CAB:
Sound suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount
Openable laminated front upper windshield with assist device
Removable tempered lower windshield with in cab storage bracket
High back seat with air suspension, seat heater and head rest
Fully adjustable seat, console and armrest
Full graphic 7inch LCD monitor with distortion free rear view camera picture
24V radio ready (1DIN size, stereo speakers, antenna-flexible type)
12V x 2 power supply with sockets (Maximum 10 amp.)
Interior utilities (Interior lighting, Coat hook, Beverage holder, Literature holder, Document holding space, and Cab rear storage compartment)

SAFETY AND SECURITY

RH Hand rail and hand hold (ISO 2867 compliant)
Bolt free service platform with anti-skid plate
Neutral lever (lock out) for all controls
Ground level accessible secondary engine shutoff switch in cab
Signaling / Warning horn
Safety hammer for cab evacuation

OTHER STANDARD EQUIPMENT

Engine oil, Fuel (Primary), and Hydraulic oil filters grouped for ease of maintenance
Sampling ports for Scheduled Oil Sampling (S.O.S)
Tilt up Air to Air After Cooler (ATAAC) for easy maintenance

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

557-1164	326F L HEX AM-N DCA1D 0 LANE 1 - AVAILABLE FROM BALTIMORE & TACOMA DIST. CENTER 5.9M (19'4") Reach Boom, R2.95M (9'8") Stick, 790MM (31") T.G. Track Shoe, QC Circuit Dirt digger with coupler hydraulics INCLUDES: 530-1912 326F L HEX 541-7408 STANDARD ARRANGEMENT TRAVEL MOTOR, BIO OIL CAPABLE ACCUMULATOR WITH CRN SEAT BELT, 51MM (2") HATCH, OPENABLE ROOF (DUAL) WASHER, WINDSHIELD UPPER AIR CONDITIONER PANEL, STD START SWITCH MIRROR, W/O GUARD FAN, VARIABLE SPEED LIGHTING, CAB (HALOGEN) 475-3407 REACH BOOM HD PKG BOOM, 5.9M (19'4") REACH HD LINKAGE, BKT-CB1 W/LIFT CYLINDER, BKT (CB1 LINKAGE) COVER, UPPER, STANDARD 541-7351 JOYSTICK, STD STP PKG VALVE, HYDRAULIC VALVE, ANTI DRIFT, BOOM VALVE, ANTI DRIFT, STICK LINES, CYLINDER MACHINE CONTROLLER STD JOYSTICK, ONE BUTTON MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, BDRV (STD) LINES, PILOT STICK IN, STD LINES, PILOT TRAVEL, STP LINES, PILOT (STD) 324-4522 AIR CLEANER, STANDARD 555-9163 TRACK, 790MM (31") TG (GLT) 342-4306 CONTROL, FINE SWING 340-8936 CYLINDER, BOOM 340-8943 CYLINDER, STICK (W/O SLCV) 383-9337 LINES, SDRV (STD/PGQC) 394-5966 LINES, BOOM-UP (STD) 529-9953 FRONT LINES, PGQC 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS 316-8883 SEAT, H-BACK, W/HEATER, S/AIR 316-8984 WIPER-RADIAL, 70/30 W/O LOWER 496-8191 RADIO, 24V AM/FM 460-1148 PRODUCT LINK, CELLULAR PL641 493-5695 CAMERA, REAR VIEW, MIRRORS RH 471-6600 GUARD, BOTTOM HEAVY DUTY 339-4125 GUARD, TRAVEL MOTOR, HD 346-7149 GUARD, TRACK GUIDING SEGMENTED 393-9014 DECALS, EXTERIOR ANSI 497-6198 DECALS, CAB ANSI	\$278,600
----------	---	-----------

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
461-2849 COUNTERWEIGHT, 4.0MT (8,820LBS)		
382-8232 COVER, FENDER		
349-6704 STICK, R2.95M (9'8") (CB1) HD		
496-2917 CTRL, CAT PIN GRABBER COUPLER		
339-7054 HEATER, ENGINE COOLANT (120V)		
459-2701 COLD WEATHER PKG READY		
350-8228 LIGHT, R BOOM		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
336-1150 SUN SCREEN (70/30)		
231-1771 ALARM, TRAVEL		
134-8879 GUARD, SWIVEL		

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>557-1165</p> <p>326F L HEX AM-N DCA2D 0</p> <p>LANE 1 - AVAILABLE FROM TACOMA DIST. CENTER</p> <p>5.9M (19'4") Reach Boom, R2.95M (9'8") Stick, 790MM (31") T.G. Track Shoe, Tool control, QC circuit</p> <p>Versatility machine with tool control and coupler hydraulics</p> <p>INCLUDES:</p> <p>530-1912 326F L HEX</p> <p>541-7408 STANDARD ARRANGEMENT TRAVEL MOTOR, BIO OIL CAPABLE ACCUMULATOR WITH CRN SEAT BELT, 51MM (2") HATCH, OPENABLE ROOF (DUAL) WASHER, WINDSHIELD UPPER AIR CONDITIONER PANEL, STD START SWITCH MIRROR, W/O GUARD FAN, VARIABLE SPEED LIGHTING, CAB (HALOGEN)</p> <p>475-3407 REACH BOOM HD PKG BOOM, 5.9M (19'4") REACH HD LINKAGE, BKT-CB1 W/LIFT CYLINDER, BKT (CB1 LINKAGE) COVER, UPPER, STANDARD</p> <p>541-7352 CIRCUIT, COMBINED, STP PKG VALVE, HYDRAULIC, TCS VALVE, ANTI DRIFT, BOOM VALVE, ANTI DRIFT, STICK LINES, CYLINDER CIRCUIT, COMBINED MACHINE CONTROLLER TCS JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, BDRV (TCS20) LINES, PILOT STICK IN, TCS20 LINES, PILOT TRAVEL, STP LINES, PILOT (STD)</p> <p>324-4522 AIR CLEANER, STANDARD</p> <p>555-9163 TRACK, 790MM (31") TG (GLT)</p> <p>342-4306 CONTROL, FINE SWING</p> <p>340-8936 CYLINDER, BOOM</p> <p>340-8943 CYLINDER, STICK (W/O SLCV)</p> <p>383-9337 LINES, SDRV (STD/PGQC)</p> <p>394-5966 LINES, BOOM-UP (STD)</p> <p>529-9953 FRONT LINES, PGQC</p> <p>372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>316-8883 SEAT, H-BACK, W/HEATER,S/AIR</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>496-8191 RADIO, 24V AM/FM</p> <p>460-1148 PRODUCT LINK, CELLULAR PL641</p> <p>493-5695 CAMERA, REAR VIEW, MIRRORS RH</p> <p>471-6600 GUARD, BOTTOM HEAVY DUTY</p> <p>339-4125 GUARD, TRAVEL MOTOR, HD</p> <p>346-7149 GUARD, TRACK GUIDING SEGMENTED</p> <p>393-9014 DECALS, EXTERIOR ANSI</p>	<p>\$295,160</p>
---	-------------------------

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
497-6198 DECALS, CAB ANSI		
461-2849 COUNTERWEIGHT, 4.0MT (8,820LBS)		
382-8232 COVER, FENDER		
349-6704 STICK, R2.95M (9'8") (CB1) HD		
496-2917 CTRL, CAT PIN GRABBER COUPLER		
337-2502 LINES-HP, REACH BOOM		
337-2504 COUPLER LINES, REACH BOOM		
356-8152 LINES-HP, R2.95M (9'8") STICK		
253-6498 LINES-QC, R2.95M (9'8") STICK		
339-7054 HEATER, ENGINE COOLANT (120V)		
459-2701 COLD WEATHER PKG READY		
350-8228 LIGHT, R BOOM		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
336-1150 SUN SCREEN (70/30)		
231-1771 ALARM, TRAVEL		
134-8879 GUARD, SWIVEL		

CATERPILLAR MACHINE PRICE LIST

326F

326F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

575-5114	326F L HEX AM-N DCA3E 0	\$303,930
-----------------	--	------------------

10.2M (33'6") Super Long Reach Boom, 7.85M (25'9") Stick, 790MM (31")
T.G. Track Shoe

INCLUDES:

- 530-1912 326F L HEX
- 541-7408 STANDARD ARRANGEMENT
 - TRAVEL MOTOR, BIO OIL CAPABLE
 - ACCUMULATOR WITH CRN
 - SEAT BELT, 51MM (2")
 - HATCH, OPENABLE ROOF (DUAL)
 - WASHER, WINDSHIELD UPPER
 - AIR CONDITIONER
 - PANEL, STD START SWITCH
 - MIRROR, W/O GUARD
 - FAN, VARIABLE SPEED
 - LIGHTING, CAB (HALOGEN)
- 475-3409 SLR BOOM PKG
 - BOOM, SUPER LONG REACH
 - LINKAGE, BKT W/LIFT
 - CYLINDER, BUCKET SLR
 - COVER, UPPER, STANDARD
- 575-5086 JOYSTICK, STD STP SLR PKG
 - VALVE, HYDRAULIC, SLR
 - VALVE, ANTI DRIFT, BOOM
 - VALVE, ANTI DRIFT, STICK
 - LINES, CYLINDER (SLR)
 - MACHINE CONTROLLER STD
 - JOYSTICK, ONE BUTTON
 - MAT, FLOOR, RH PEDAL
 - PEDAL, STRAIGHT TRAVEL
 - LINES, BDRV (STD)
 - LINES, PILOT STICK IN, STD
 - LINES, PILOT TRAVEL, STP
 - LINES, PILOT (STD)
- 324-4522 AIR CLEANER, STANDARD
- 555-9163 TRACK, 790MM (31") TG (GLT)
- 342-4306 CONTROL, FINE SWING
- 340-8936 CYLINDER, BOOM
- 216-6605 CYLINDER, STICK (W/O SLCV)
- 383-9337 LINES, SDRV (STD/PGQC)
- 394-5966 LINES, BOOM-UP (STD)
- 394-5926 LINES, PILOT, BUCKET, STD/DQC
- 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS
- 316-8883 SEAT, H-BACK, W/HEATER, S/AIR
- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 496-8191 RADIO, 24V AM/FM
- 460-1148 PRODUCT LINK, CELLULAR PL641
- 493-5695 CAMERA, REAR VIEW, MIRRORS RH
- 471-6600 GUARD, BOTTOM HEAVY DUTY
- 339-4125 GUARD, TRAVEL MOTOR, HD
- 346-7149 GUARD, TRACK GUIDING SEGMENTED
- 393-9014 DECALS, EXTERIOR ANSI
- 497-6198 DECALS, CAB ANSI
- 461-2853 COUNTERWEIGHT, 6,75MT (14,880LBS)
- 382-8232 COVER, FENDER
- 359-8694 STICK, SUPER LONG REACH

CATERPILLAR MACHINE PRICE LIST

326F**326F EXCAVATOR
AKASHI, JAPAN**Ship Weight
lbsLIST PRICE
AT DEALER

339-7054 HEATER, ENGINE COOLANT (120V)
 459-2701 COLD WEATHER PKG READY
 350-8228 LIGHT, R BOOM
 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
 336-1150 SUN SCREEN (70/30)
 231-1771 ALARM, TRAVEL
 134-8879 GUARD, SWIVEL
 393-9028 FILM, SUPER LONG REACH

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
	This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		

L	454-9351	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada		

NOTE: Required for Quebec

SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

PACKING

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$277 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

OG-0501	ROLL ON-ROLL OFF LANE1 CB	0	\$166 NET
	For DCA1 and DCA2 CAN NOT BE USED WITH: bucket or quick coupler installed from factory		
OG-4234	EXP,PKG, SLR BOOM/STK DISM	0	\$1,350 NET
	For DCA3 Front dismounted For use when ordering a machine with super long reach front		

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

0P-2407	ANTIFREEZE, -50C (-58F) 0	\$275 NET
---------	-------------------------------------	------------------

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

OPERATION & MAINTENANCE MANUAL

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
---------	-----------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS

ANTIFREEZE

0P-2407	ANTIFREEZE, -50C (-58F) 0	\$275 NET
---------	-------------------------------------	------------------

CATERPILLAR MACHINE PRICE LIST

326F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS

FIELD INSTALLED ATTACHMENTS

Available Through ANTARES Parts Ordering.

- 484-6826 Cold Weather field installation Retrofit Kit PKG (upgrade from -18C Cold Weather ready PKG to -32C Cold Weather PKG)
- 488-6525 Seat Belt, Retractable (76mm / 3" width) w/ Flexible Buckle Mandatory for California and ANZ
- 499-3722 Rain Protector for Front Windshield
- 353-2130 and 353-2131 Ashtray for Cup Holder
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, not support with dual exit, including Cab Lights, Cab Mirror)
- 457-3998 Mesh for front guard Retrofit Kit PKG (Full net, one piece for hammer use, including Cab Lights, Cab Mirror)

Field Reference Guide Media Number : PEBJ0097
- 486-1416 Security systems (MSS)
- 499-3739 Travel Alarm

Field Reference Guide for 326F

- PEBJ0097 DEF Tank Guard
- PEBJ0100 Refueling Pump Guard

PACKING

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT) 0 Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	\$277 NET
---------	---	------------------