

CATERPILLAR MACHINE PRICE LIST

# 335F CR

335F CR EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

## POWERTRAIN

Diesel engine, CAT C7.1 Single Turbo certified to EPA Tier4 Final, EU Stage IV, MLIT 2014

- Three selectable power modes capability; HHP, STD and ECO
- After-treatment system: CEM (DOC + DPF + SCR) and DEF System (DEF Tank and DEF Lines)

One touch low idle with Automatic Engine speed Control (AEC)  
Automatic (programmable) idling shut down function  
Three stage fuel filtration system with water separator and indicator  
4600m altitude capability with de-rate from 3000m  
52 deg. C high ambient cooling capability with de-rate from 48 deg. C  
115 amp. Alternator  
Radial seal air filter with double filter element  
Electric fuel lifting pump  
Capability of using Bio-Diesel fuel (B20)

## UNDERCARRIAGE

HD track rollers  
Grease lubricated track link  
Tie down points on base frame (ISO 15818 compliant)  
HD Bottom guard

## HYDRAULICS

Electric boom regeneration circuit  
Stick regeneration circuit  
One touch lifting mode  
Automatic two speed travel  
Boom and stick drift reduction valve  
Reverse swing damping valve  
High performance hydraulic return filter (Capsule filter type)  
CRN compliant accumulator

## ELECTRICAL

Maintenance free battery  
Centralized electrical disconnect switch  
CAT Product Link  
90 seconds programmable time delay working lights (halogen);  
Base machine - frame (one)  
Cab mounted (two)  
Boom mounted both sides (two)

## OPERATOR ENVIRONMENT

Openable skylight as emergency exit (Dual exit hatch)  
Openable laminated front upper windshield w/ assist device (except for one piece laminated windshield)  
Removable tempered lower windshield with in cab storage bracket (except for one piece laminated windshield)  
Fully adjustable seat, console and armrest  
2 Inch width seat belt  
Full graphic 7inch LCD monitor, with distortion free rear view camera picture  
Automatic bi-level air conditioner with pressurized function  
12V X 2 power supply with sockets (Maximum 10 amp.)  
Washable Floormat  
Switch Panel

## SAFETY AND SECURITY

Rearview camera with three mirrors (ISO 5006 compliant) and one additional Hand rail mirror for right rear view  
RH Hand rail and hand hold (ISO 2867 compliant)  
Bolt free service platform with Anti-skid Plate  
Neutral lever (lock out) for all controls  
Ground level accessible secondary engine shutoff switch in cab  
Signaling/ Warning horn  
Safety hammer for cab evacuation

## OTHER STANDARD EQUIPMENT

Engine oil, Fuel, and Hydraulic oil filters grouped for ease of maintenance (Secondary fuel filter is located separately)  
Sampling ports for Scheduled Oil Sampling (S.O.S)  
Air to Air After Cooler (ATAAC) and fixed type A/C condenser

CATERPILLAR MACHINE PRICE LIST

# 335F CR

335F CR EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Orders Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program.**

CATERPILLAR MACHINE PRICE LIST

# 335F CR

335F CR EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

<b>571-9699</b>	<b>335F L CR HEX AM-N DCA1C</b> . . . . . 0	<b>\$380,820</b>
-----------------	---	------------------

LANE 1 - AVAILABLE FROM BALTIMORE & TACOMA DIST. CENTER  
 LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2  
 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2

6.15M (20'2") Reach Boom, 3.2M (10'6") Stick, 850MM (33") T.G. Track Shoe, Tool Control, Cat Pin Grabber QC Circuit

**INCLUDES:**

- 535-7081 335F L CR HYD EXCAVATOR
- 507-2201 335F L CR STANDARD ARRANGEMENT
  - ACCUMULATOR WITH CRN
  - CAB-ROPS,70/30,W/VANDAL-G BOSS
  - SEAT BELT, 51MM (2")
  - HATCH, OPENABLE ROOF (DUAL)
  - WIPER-RADIAL, 70/30 W/O LOWER
  - WASHER, WINDSHIELD W/O LOWER
  - AIR CONDITIONER
  - PANEL, STD START SWITCH
  - MIRROR, W/O GUARD
  - FAN, VARIABLE
  - SUN SCREEN (70/30)
  - LIGHTING, CAB (HALOGEN)
- 467-2169 FRAME, UC PKG STD
  - FRAME, UNDERCARRIAGE
  - SWIVEL, STD
- 571-9695 CIRCUIT, COMBINED, STP PKG
  - VALVE, HYDRAULIC TCS
  - VALVE, ANTI DRIFT, BOOM
  - VALVE, ANTI DRIFT, STICK
  - LINES, CYLINDER BOOM
  - CIRCUIT, COMBINED
  - MACHINE CONTROLLER TCS
  - JOYSTICK, THUMB WHEEL
  - MAT, FLOOR, RH PEDAL
  - PEDAL, STRAIGHT TRAVEL
  - PILOT LINES, BDRV TCS
  - PILOT LINES, STICK IN TCS
  - PILOT LINES, THIRD PEDAL
- 398-7055 BOOM, REACH 6.15M (20'3") HD
- 349-6709 STICK, R3.2M (10'6") (CB2) HD
- 251-2597 LINKAGE, BKT-CB2 W/LIFT
- 324-4522 AIR CLEANER, STANDARD
- 433-5367 TRACK, 850MM (33") TG (GLT)
- 572-7994 CONTROL, FINE SWING
- 399-1884 CYLINDER, R-BOOM (W/O BLCV)
- 341-2176 CYLINDER, STICK (W/O SLCV)
- 341-2181 CYLINDER, BKT (CB2 LINKAGE)
- 399-6401 PILOT LINES, SDRV STD
- 399-6407 PILOT LINES, BOOM STD
- 536-9518 PILOT LINES, BKT, PGQC
- 316-8883 SEAT, H-BACK, W/HEATER,S/AIR
- 496-8191 RADIO, 24V AM/FM
- 460-1148 PRODUCT LINK, CELLULAR PL641
- 493-5697 CAMERA, REAR VIEW, MIRRORS RH
- 346-7053 GUARD, TRACK GUIDE, SEGMENTED
- 398-7051 DECALS, EXTERIOR ANSI
- 569-3728 DECALS, CAB ANSI

CATERPILLAR MACHINE PRICE LIST

# 335F CR

<b>335F CR EXCAVATOR</b>	Ship Weight	LIST PRICE
<b>AKASHI, JAPAN</b>	lbs	AT DEALER

- 500-6289 CTRL,CAT PIN GRAB COUPLER ANSI
- 399-7637 LINES-HP, REACH BOOM
- 268-6844 LINES-QC, REACH BOOM
- 356-8134 LINES-HP, R3.2M (10'6") STICK
- 321-0150 LINES-QC, R3.2M (10'6") STICK
- 398-7068 STARTING, COLD WEATHER, JS
- 456-8840 CHANGER,HAND CTRL 2-WAY (ANSI)
- 231-1771 ALARM, TRAVEL
- 134-8887 GUARD, SWIVEL

NOTE: For AM-N, AM-S (Puerto Rico only)

<b>541-7371</b>	<b>335F L CR HEX AM-N BCF1</b> . . . . . 0	<b>\$337,020</b>
	LANE 2 - AVAILABLE FROM AKASHI FACTORY	
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

Versatile application machine with 7.7 T (16,980lbs) CTWT.  
Configurable with or without blade, not compatible with BLCV/SLCV

Base Configuration must be completed by selecting  
Mandatory / Optional attachments.

**INCLUDES:**

- 535-7081 335F L CR HYD EXCAVATOR
- 507-2201 335F L CR STANDARD ARRANGEMENT
- ACCUMULATOR WITH CRN
- CAB-ROPS,70/30,W/VANDAL-G BOSS
- SEAT BELT, 51MM (2")
- HATCH, OPENABLE ROOF (DUAL)
- WIPER-RADIAL, 70/30 W/O LOWER
- WASHER, WINDSHIELD W/O LOWER
- AIR CONDITIONER
- PANEL, STD START SWITCH
- MIRROR, W/O GUARD
- FAN, VARIABLE
- SUN SCREEN (70/30)
- LIGHTING, CAB (HALOGEN)
- 398-7055 BOOM, REACH 6.15M (20'3") HD
- 251-2597 LINKAGE, BKT-CB2 W/LIFT
- 399-1884 CYLINDER, R-BOOM (W/O BLCV)
- 341-2176 CYLINDER, STICK (W/O SLCV)
- 341-2181 CYLINDER, BKT (CB2 LINKAGE)
- 399-6401 PILOT LINES, SDRV STD
- 399-6407 PILOT LINES, BOOM STD
- 496-8191 RADIO, 24V AM/FM
- 493-5697 CAMERA, REAR VIEW, MIRRORS RH
- 231-1771 ALARM, TRAVEL

NOTE: For AM-N, AM-S (Puerto Rico only)

CATERPILLAR MACHINE PRICE LIST

# 335F CR

<b>335F CR EXCAVATOR</b>	Ship Weight	LIST PRICE
AKASHI, JAPAN	lbs	AT DEALER

<b>541-7372</b>	<b>335F L CR HEX AM-N/ANZ BCF2</b> ..... 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	<b>\$340,080</b>
-----------------	--	------------------

Versatile application machine with 7.7 T (16,980lbs) CTWT.  
 Configurable with or without blade, compatible with BLCV/SLCV.

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

**INCLUDES:**

- 535-7081 335F L CR HYD EXCAVATOR
- 507-2201 335F L CR STANDARD ARRANGEMENT
- ACCUMULATOR WITH CRN
- CAB-ROPS, 70/30, W/VANDAL-G BOSS
- SEAT BELT, 51MM (2")
- HATCH, OPENABLE ROOF (DUAL)
- WIPER-RADIAL, 70/30 W/O LOWER
- WASHER, WINDSHIELD W/O LOWER
- AIR CONDITIONER
- PANEL, STD START SWITCH
- MIRROR, W/O GUARD
- FAN, VARIABLE
- SUN SCREEN (70/30)
- LIGHTING, CAB (HALOGEN)
- 398-7055 BOOM, REACH 6.15M (20'3") HD
- 251-2597 LINKAGE, BKT-CB2 W/LIFT
- 399-1887 CYLINDER, R-BOOM (W/BLCV)
- 341-2178 CYLINDER, STICK (W/SLCV)
- 341-2181 CYLINDER, BKT (CB2 LINKAGE)
- 399-6403 PILOT LINES, SLCV STD
- 399-6407 PILOT LINES, BOOM STD
- 496-8191 RADIO, 24V AM/FM
- 493-5697 CAMERA, REAR VIEW, MIRRORS RH
- 231-1771 ALARM, TRAVEL

NOTE: For AM-N, AM-S (Puerto Rico only) and ANZ

CATERPILLAR MACHINE PRICE LIST

# 335F CR

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

## LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

### LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

### DECAL PACKAGE

OP-7124	INSTRUCTION,NORTH AMERICA ANSI . . . . .	0	NC
	This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		

454-9351	INSTRUCTIONS, INTERNATIONAL . . . . .	0	NC
	This package includes picto decals as required for Quebec, Canada.		

### SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
---------	---------------------------------	---	----

OP-3389	INSTRUCTIONS, FRENCH . . . . .	0	NC
---------	--------------------------------	---	----

OP-3404	INSTRUCTIONS, SPANISH . . . . .	0	NC
---------	---------------------------------	---	----

## PACKING

### STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT) . . . . .	0	\$277 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

### EXPORT PACKING

OG-0501	ROLL ON-ROLL OFF LANE1 CB . . . . .	0	\$166 NET
	ONLY FOR USE WITH: 541-7370 335F L CR HEX AM-N DCA1B 541-7411 335F L CR HEX AM-N DCA1C		

OG-4202	ROLL ON-ROLL OFF . . . . .	0	\$130 NET
	CANNOT BE USED WITH: 541-7370 335F L CR HEX AM-N DCA1B 541-7411 335F L CR HEX AM-N DCA1C		

CATERPILLAR MACHINE PRICE LIST

**335F CR**

USE	REF NO.	<b>LANE 1</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------	--------------------	-------------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***FIXTURE - BUCKET LINKAGE***

L	578-9964	FIXTURE, BUCKET LINKAGE CB ..... 0 CANNOT BE USED WITH: 541-7370 335F L CR HEX AM-N DCA1B 541-7411 335F L CR HEX AM-N DCA1C		<b>\$80 NET</b>
---	----------	---	--	-----------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***ANTIFREEZE***

	OP-2407	ANTIFREEZE, -50C (-58F) ..... 0		<b>\$275 NET</b>
--	---------	---------------------------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

# 335F CR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

## LANE SELECTION

Lane 2 is reserved for the Base Orders Program.  
Please use Lane 2 when placing orders that are part of the Base Orders Program

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

## BOOMS, STICKS, AND LINKAGES

### STICKS

L	424-5476	STICK, R12'4" (CB2) HD . . . . .	0	\$10,750
		AVAILABLE FOR: AM-N, ANZ		
L	349-6709	STICK, R10'6" (CB2) HD . . . . .	0	\$9,090
		AVAILABLE FOR: AM-N, ANZ		
L	349-6710	STICK, R8'8" (CB2) HD . . . . .	0	\$7,740
		AVAILABLE FOR: AM-N, ANZ		

## POWERTRAIN

### AIR CLEANER

L	324-4522	AIR CLEANER, STANDARD . . . . .	0	\$745
		AVAILABLE FOR: AM-N, ANZ		
L	324-4525	AIR CLEANER, HIGH EFFICIENCY . . . . .	0	\$855
		AVAILABLE FOR: AM-N, ANZ		

## UNDERCARRIAGE

### TRACKS

L	433-5367	TRACK, 33" TG (GLT) . . . . .	0	\$5,050
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		
L	340-8256	TRACK, 24" TG (GLT) . . . . .	0	\$1,880
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		

### TRACK GUIDING GUARDS

L	324-1004	GUARD, TRACK GUIDE, FULL LENGTH . . . . .	0	\$3,910
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		
L	346-7053	GUARD, TRACK GUIDE, SEGMENTED . . . . .	0	\$1,640
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		



CATERPILLAR MACHINE PRICE LIST

**335F CR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS**

***NO AUXILIARY CIRCUIT***

L	571-9693	<b>JOYSTICK, TWJ STP PKG</b> . . . . . 0		<b>\$4,830</b>
---	----------	--	--	----------------

Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG)

INCLUDES:

- VALVE, HYDRAULIC
- VALVE, ANTI DRIFT, BOOM
- VALVE, ANTI DRIFT, STICK
- LINES, CYLINDER BOOM
- MACHINE CONTROLLER STD
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- PILOT LINES, BDRV STD
- PILOT LINES, STICK IN STD
- PILOT LINES, THIRD PEDAL

ONLY FOR USE WITH: BCF1

AVAILABLE FOR: AM-N

***AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE***

L	571-9695	<b>HYDRAULIC PKG, COMB STP</b> . . . . . 0		<b>\$15,460</b>
---	----------	--	--	-----------------

Circuit Combined Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way)

INCLUDES:

- VALVE, HYDRAULIC TCS
- VALVE, ANTI DRIFT, BOOM
- VALVE, ANTI DRIFT, STICK
- LINES, CYLINDER BOOM
- CIRCUIT, COMBINED
- MACHINE CONTROLLER TCS
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- PILOT LINES, BDRV TCS
- PILOT LINES, STICK IN TCS
- PILOT LINES, THIRD PEDAL

REQUIRES: LINES-HP, REACH BOOM

ONLY FOR USE WITH: BCF1

AVAILABLE FOR: AM-N

CATERPILLAR MACHINE PRICE LIST

**335F CR**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**HYDRAULICS (CONT.)**

***AUXILIARY CIRCUIT COMBINED CIRCUIT W/O MED PRESSURE (Cont.)***

L	571-9696	<b>HYDRAULIC PKG, COMB STP BLCV</b> ..... 0 Circuit Combined (COMB), Straight Travel Pedal (STP) Boom Lowering Control Valve (BLCV)/Stick Lowering ControlPackage(PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, HYDRAULIC TCS - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER BOOM BLCV - DEVICE, BOOM LOWERING CONTROL - DEVICE, STICK LOWERING CONTROL - CIRCUIT, COMBINED - MACHINE CONTROLLER TCS - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - PILOT LINES, BLCV TCS - PILOT LINES, STICK IN TCS - PILOT LINES, THIRD PEDAL  REQUIRES: LINES-HP, REACH BOOM ONLY FOR USE WITH: BCF2 AVAILABLE FOR: AM-N, ANZ	\$11,830
---	----------	--	----------

**LINE GROUPS**

***FRONT LINES***

L	399-6411	<b>PILOT LINES, BKT, STD/UQC</b> ..... 0 CANNOT BE USED WITH: CTRL, CAT PIN GRAB COUPLER ANSI CTRL, CAT PIN GRAB COUPLER ISO AVAILABLE FOR: AM-N, ANZ, EUR	NC
L	536-9518	<b>PILOT LINES, BKT, PGQC</b> ..... 0 REQUIRES: CTRL, CAT PIN GRAB COUPLER ANSI CTRL, CAT PIN GRAB COUPLER ISO AVAILABLE FOR: AM-N, ANZ, EUR-UK, Hong Kong, Taiwan	NC

**OPERATOR ENVIRONMENT**

***SEAT***

L	316-8883	<b>SEAT, H-BACK, W/HEATER,S/AIR</b> ..... 0 AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan	\$1,055
L	316-8885	<b>SEAT,H-BACK,HEATER,S/AIR,COOL</b> ..... 0 AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan	\$1,380

CATERPILLAR MACHINE PRICE LIST

**335F CR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1148	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0		NC
		ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
		AVAILABLE FOR: AM-N (except for Quebec)		
L	460-1150	<b>PRODUCT LINK, SATELLITE PL631</b> . . . . . 0		\$439
		ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
		AVAILABLE FOR: AM-N (except for Quebec)		

**OTHER ATTACHMENTS**

**FILM OUTSIDE**

L	398-7051	<b>INSTRUCTIONS OUTSIDE, ANSI</b> . . . . . 0		NC
		AVAILABLE FOR: AM-N (except for Quebec)		

**FILM CAB**

L	569-3728	<b>DECALS, CAB ANSI</b> . . . . . 0		NC
		AVAILABLE FOR: AM-N (except for Quebec)		

**FINE SWING**

L	572-7994	<b>CONTROL, FINE SWING</b> . . . . . 0		\$575
		AVAILABLE FOR: AM-N		

**FRAMES**

**FRAME**

L	467-2169	<b>FRAME, UC PKG STD</b> . . . . . 0		NC
		AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		



CATERPILLAR MACHINE PRICE LIST

# 335F CR

---

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

---

## LINE GROUPS

NOTE: Provides hydraulic lines

CATERPILLAR MACHINE PRICE LIST

# 335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**HIGH PRESSURE AUXILIARY BOOM LINES**

L	399-7637	<b>LINES-HP, REACH BOOM</b> ..... 0 Can be used with 335F REACH BOOM ONLY PKG EU1/HK/TW BCF1 already include LINES-HP, REACH BOOM CANNOT BE USED WITH: 571-9700 335F L CR HEX HK/TW BCF1 AVAILABLE FOR: AM-N, ANZ, EU (boom only) REQUIRED BY: COMBINED CIR STP PKG (AM-N) COMBINED CIR STP B/SLCV PKG (AM-N, ANZ) 560-4402 REACH BOOM ONLY PKG, STK LESS		\$2,495
---	----------	--	--	---------

**HIGH PRESSURE AUXILIARY STICK LINES**

L	450-0693	<b>LINES-HP, R12'4" STICK</b> ..... 0 ONLY FOR USE WITH: LINES-HP, REACH BOOM AVAILABLE FOR: AM-N, ANZ		\$1,160
L	356-8134	<b>LINES-HP, R10'6" STICK</b> ..... 0 ONLY FOR USE WITH: LINES-HP, REACH BOOM AVAILABLE FOR: AM-N, ANZ		\$1,160
L	356-8135	<b>LINES-HP, R8'8" STICK</b> ..... 0 ONLY FOR USE WITH: LINES-HP, REACH BOOM AVAILABLE FOR: AM-N, ANZ		\$1,160

**MEDIUM PRESSURE CIRCUIT**

L	538-3019	<b>CIRCUIT, MEDIUM PRESSURE.</b> ..... 0 REQUIRES: LINES-MP, REACH BOOM ONLY FOR USE WITH: AM-N and ANZ COMBINED CIR STP PKG COMBINED CIR STP B/SLCV PKG AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		\$5,180
L	500-6288	<b>CIRCUIT, MEDIUM PRESSURE BLADE.</b> ..... 0 REQUIRES: LINES-MP, REACH BOOM ONLY FOR USE WITH: AM-N and ANZ COMBINED CIR STP PKG COMBINED CIR STP B/SLCV PKG AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		\$5,180

**MEDIUM PRESSURE AUXILIARY BOOM LINES**

L	268-6843	<b>LINES-MP, REACH BOOM</b> ..... 52 ONLY FOR USE WITH: CIRCUIT, MEDIUM PRESSURE CIRCUIT, MEDIUM PRESSURE BLADE AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		\$1,400
---	----------	---	--	---------

**MEDIUM PRESSURE AUXILIARY STICK LINES**

L	450-0694	<b>LINES-MP, R12'2" STICK</b> ..... 0 ONLY FOR USE WITH: LINES-MP, REACH BOOM AVAILABLE FOR: AM-N, ANZ		\$965
L	368-1564	<b>LINES-MP, R10'6" STICK</b> ..... 0 ONLY FOR USE WITH: LINES-MP, REACH BOOM AVAILABLE FOR: AM-N, ANZ, EUR, Hong Kong, Taiwan		\$965

CATERPILLAR MACHINE PRICE LIST

**335F CR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**MEDIUM PRESSURE AUXILIARY STICK LINES (Cont.)**

L	253-6500	LINES-MP, R8'8" STICK . . . . .	34	\$965
		ONLY FOR USE WITH: LINES-MP, REACH BOOM		
		AVAILABLE FOR: AM-N, ANZ		

**QUICK COUPLER CONTROL**

L	500-6289	CTRL,CAT PIN GRAB COUPLER ANSI . . . . .	0	\$1,165
		(For ANSI)		
		For use only for Cat pin grabber coupler		
		This DOES NOT include QC lines for the boom and stick.		
		This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It is a high-pressure circuit.		
		ONLY FOR USE WITH: PILOT LINES, BKT, PIN GRAB QC		
		AVAILABLE FOR: AM-N (except for Quebec)		

**QUICK COUPLER AUXILIARY BOOM LINES**

L	268-6844	LINES-QC, REACH BOOM . . . . .	39	\$1,380
		EU/HK/TW BCF3 already include LINES-QC, REACH BOOM		
		ONLY FOR USE WITH: CTRL, CAT PIN GRAB COUPLER ANSI		
		CTRL, CAT PIN GRAB COUPLER ISO		
		CONTROL, CW DEDICATED CPLR TCS (For EU boom only)		
		AVAILABLE FOR: AM-N, ANZ, EU (boom only)		

**QUICK COUPLER AUXILIARY STICK LINES**

L	450-0695	LINES-QC, R12'4" STICK . . . . .	0	\$1,075
		ONLY FOR USE WITH: LINES-QC, REACH BOOM		
		AVAILABLE FOR: AM-N, ANZ		
L	321-0150	LINES-QC, R10'6" STICK . . . . .	0	\$1,205
		ONLY FOR USE WITH: LINES-QC, REACH BOOM		
		AVAILABLE FOR: AM-N, ANZ		
L	253-6501	LINES-QC, R8'8"/M8'4" STICK . . . . .	23	\$1,205
		ONLY FOR USE WITH: LINES-QC, REACH BOOM		
		AVAILABLE FOR: AM-N, ANZ		

**STARTERS, BATTERIES, & ALTERNATORS**

**BATTERY AND STARTING COLD WEATHER**

L	398-7068	STARTING, COLD WEATHER, JS . . . . .	0	\$1,130
		For ambient temperatures above -(minus) 32 degrees C (-26F).		
		With Jump start resectable		
		AVAILABLE FOR: M-N, ANZ, EUR, Hong Kong, Taiwan		

**OPERATOR ENVIRONMENT**

**PATTERN CHANGER**

L	456-8840	CHANGER,HAND CTRL 2-WAY (ANSI) . . . . .	0	\$1,290
		AVAILABLE FOR: AM-N (except for Quebec)		

CATERPILLAR MACHINE PRICE LIST

# 335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS**

**SWIVEL GUARD**

L	134-8887	GUARD, SWIVEL . . . . .	97	\$366
		AVAILABLE FOR: AM-N, ANZ		

**GUARD, VANDALISM**

L	316-8832	GUARD, VANDALISM . . . . .	0	\$890
		AVAILABLE FOR: AM-N, ANZ		

**QUICK COUPLERS**

**QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)**

L	455-3912	COUPLER, PG W/O PIN CB . . . . .	1,038	\$8,638
		FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler. (NO Pins) Does NOT include spare pins. ONLY FOR USE WITH: CTRL, CAT PIN GRAB COUPLER ANSI CTRL, CAT PIN GRAB COUPLER ISO and For AM-N/ANZ LINES-QC, REACH BOOM and LINES-QC, R3.75M (12'4") STICK LINES-QC, R3.2M (10'6") STICK LINES-QC, R2.65CB/M2.55TB (8'8"/8'4") STK AVAILABLE FOR: AM-N, ANZ, EU		

**QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)**

L	455-3911	COUPLER, PIN GRABBER CB W/PINS . . . . .	1,173	\$10,124
		FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. ONLY FOR USE WITH: CTRL, CAT PIN GRAB COUPLER ANSI CTRL, CAT PIN GRAB COUPLER ISO and For AM-N/ANZ LINES-QC, REACH BOOM and LINES-QC, R3.75M (12'4") STICK LINES-QC, R3.2M (10'6") STICK LINES-QC, R2.65CB/M2.55TB (8'8"/8'4") STK AVAILABLE FOR: AM-N, ANZ, EU		



CATERPILLAR MACHINE PRICE LIST

# 335F CR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

## BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.  
Does not include tooth tips or sidecutters.  
Rated capacity, SAE heaped.

### HEAVY DUTY (HD)

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	541-1746	<b>BKT HD 36" 1.19YD3 CB</b> ..... 1,978 REQUIRES: 4 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		\$9,611
P	541-1747	<b>BKT HD 42" 1.46YD3 CB</b> ..... 2,156 REQUIRES: 5 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		\$10,168
P	541-1748	<b>BKT HD 47" 1.74YD3 CB</b> ..... 2,313 REQUIRES: 5 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		\$10,903
P	541-1750	<b>BKT HD 54" 2.01YD3 CB</b> ..... 2,504 REQUIRES: 6 tips Advansys100 ONLY FOR USE WITH: CB Family bucket linkage		\$11,481

### SIDE CUTTERS

P	357-2698	<b>SIDECUTTERS, HEAVY DUTY</b> ..... 108 INCLUDES: LH and RH heavy duty sidecutter ONLY FOR USE WITH: BUCKET-HD, 900MM 0.91 M3 (36" 1.19 YD3) CB BUCKET-HD, 1050MM 1.12 M3 (42" 1.46 YD3) CB BUCKET-HD, 1200MM 1.33 M3 (48" 1.74 YD3) CB BUCKET-HD 1350MM 1.54 M3 (54" 2.02 YD3) CB		\$1,163
---	----------	--	--	---------

### TIP (ADAPTER SIZE ADVANSYS 100)

P	505-4103	<b>TIP, PENETRATION PLUS ADVANSYS</b> ..... 28 ONLY FOR USE WITH: Factory installed bucket BKT HD 900MM 0.91M3 CB(36" 1.19 YD3) CB BKT HD 1050MM 1.12M3 CB(42" 1.46 YD3) CB BKT HD 1200MM 1.33M3 CB(48" 1.74 YD3) CB BKT HD 1350MM 1.54M3 CB(54" 2.02 YD3) CB BKT HD 1350MM 1.54M3 CB(54" 2.02 CYD) CB BKT HD 1500MM 1.76M3 CB(60" 2.30 YD3) CB		\$140
---	----------	--	--	-------

## FLUIDS

### ANTIFREEZE

	0P-2407	<b>ANTIFREEZE, -50C (-58F)</b> ..... 0		\$275 NET
--	---------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

**335F CR**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS**

**KIT AM-N -- available through ANTARES Parts Ordering.**

- 484-6827 Cold Weather field installation Retrofit Kit PKG (upgrade from -18C Cold Weather ready PKG to -32C Cold Weather ready PKG to -32C Cold Weather PKG)
- 488-6525 Seat Belt, Retractable (76mm / 3" width) w/ Flexible Buckle Mandatory for California and ANZ
- 499-3722 Rain Protector for Front Windshield
- 353-2130 and 353-2131 Ashtray for Cup Holder
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, not support with dual exit, including Cab Lights, Cab Mirror)
- 457-3998 Mesh for front guard Retrofit Kit PKG (Full net, one piece for hammer use, including Cab Lights, Cab Mirror)
- 486-1416 Security systems (MSS)
- 499-3739 Travel Alarm

**PACKING**

***BUCKET CYLINDER FIXTURE***

L	578-9964	FIXTURE, BUCKET LINKAGE CB . . . . . 0	<b>\$80 NET</b>
		For reach boom	
		Required when NOT ordering an installed bucket or a quick coupler	

***STORAGE PROTECTION***

	0G-4126	STORAGE PROTECTION (EXPORT) . . . . . 0	<b>\$277 NET</b>
		Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	

***EXPORT PACKING (SELECT ONE)***

	0G-4202	ROLL ON-ROLL OFF . . . . . 0	<b>\$130 NET</b>
--	---------	------------------------------	------------------