

CATERPILLAR MACHINE PRICE LIST

336

**336 HYDRAULIC EXCAVATOR
 AKASHI, JAPAN**

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine C9.3, 234kW (Gross)
 -Tier 3/Tier IV Final/EU Stage V
 emission package
 -3000m altitude capability with no
 derate
 115 Amp alternator
 Single plane 3 horizontal cooling system
 Double element air filter with
 integrated Pre Cleaner
 Automatic engine speed control
 Dual Stage 4 micron main filter and 10
 micron primary filter with water
 separator & water separator indicator
 switch in fuel line
 Capability of using Bio-Diesel fuel
 (B20)
 Electric fuel priming pump
 Secure start with PIN code
 Remote disable

Emergency exit large rear window
 2' (51 mm) orange seat belt
 Automatic Bi-Level air conditioner
 with pressurized function
 Washable floor mat
 Roller front sunscreen
 Radio with USB port, bluetooth
 & optional DAB/DAB+
 LED cab lights (850 lms)
 Left side cab mirror
 Jog dial interface
 Dome interior light (LED) and
 lower light for steps & knob
 Two coat hooks
 Cup holder & beverage holder
 Two stereo speakers
 Net lid storage shelf suitable
 for lunch box & net lid overhead
 storage
 Console storage (left & right hand
 console) & rear storage suitable for
 document folder
 Two 12V power outlets, 10 Amp (total)
 12V CB radio ready
 Sliding upper door window
 (left side cab door)
 Warning information, filter/fluid
 change information, working hour
 information
 Machine condition, error code &
 tool mode setting information
 Capability of time clock on monitor
 battery (one Week with disconnection)
 Neutral Lever (Lock Out) for All
 controls
 Travel control pedals with
 removable hand levers
 Capability of installing two
 additional pedals
 Pressurized operator station
 (positive filtration)
 Intake/re-circulation cab air filter
 Cat key door entry
 Beacon ready

UNDERCARRIAGE

Grease lubricated track GLT2, resin seal
 Towing eye on baseframe

HYDRAULICS

Regeneration circuit for boom and stick
 Capability of installing
 -HP stackable valve and medium
 & QC valve
 -Additional auxiliary pump & circuit
 -Boom lowering control device and stick
 lowering check valve
 -CAT Bio hydraulic oil
 Reverse swing damping valve
 Automatic swing parking brake
 High performance hydraulic return filter
 Two speed travel
 Main control valve - EH SBS
 Hydraulic main pump
 Auto warm up & cold lock out

ELECTRICAL

Maintenance free battery
 LED exterior lights
 (integrated into storage box & mounted
 on boom side)
 Power fuse module
 Compatible with electronic technician
 Centralized electrical disconnect switch

OPERATOR ENVIRONMENT

Sound suppressed ROPS cab
 (ISO 12117-2 Compliant) with
 FOGS / vandal guard boss

SAFETY AND SECURITY

Caterpillar one key security system
 Lockable external tool/storage box
 Door locks and cap locks including
 fuel & hydraulic tanks
 Lockable fuel drain compartment
 RH handrail & hand hold (ISO 2867
 compliant)
 Standard visibility mirror package
 Signaling/warning horn

CATERPILLAR MACHINE PRICE LIST

336336 HYDRAULIC EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER**SAFETY AND SECURITY (CONT.)**

Groundlevel secondary engine shutoff
switch in cab
Service platform with anti-skid
plate & recessed bolts
Grouped location of engine
oil & fuel filters
Sampling ports of scheduled oil
sampling (S.O.S)
Remote flash

OTHER STANDARD EQUIPMENT

Cat product link
Prognostic database (super com2 lite)
New trade dress

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>590-1117</p> <p>336 07B HEX AM-N DCA1B 0</p> <p>LANE 1 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM BALTIMORE PDC WILL BE REPLACED BY 594-9121</p>	<p>\$402,620</p>
--	-------------------------

DCA1 (R12'10" Stick, No Tool Control, 33" Track)

INCLUDES:

- 526-5211 COMMON ARRANGEMENT
- 523-7793 336-07B HEX
- 134-8887 GUARD, SWIVEL
- 321-0139 LINES-QC, R12'10" (3.9M) STICK
- 465-4853 FRAME, SWING STD, BUMPER READY
- 484-8021 WIPER, RADIAL W/O LOWER
- 488-6816 MACHINE ECM
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 498-7505 GUARD, BOTTOM HD
- 502-1304 GUARD, TRACK GUIDE SEGMENTED
- 502-5358 ETHER STARTING AID
- 502-1308 GUARD, TRAVEL MOTOR HD
- 502-7166 RADIO, W/BLUETOOTH
- 503-9810 LINES, QC, REACH BOOM
- 504-4483 FINE SWING
- 511-9428 MONITOR, 10"
- 511-9759 TRACK, 33" (850MM) TG
- 512-0983 CYLINDER, BOOM
- 512-0995 CYLINDER, STICK
- 512-0999 CYLINDER, BKT DB
- 512-1352 STICK, R12'10" (3.9M)
- 512-1389 QUICK DRAINS READY
- 512-5995 FAN, REVERSE
- 513-3214 SENSOR, PRESSURE, EOU
- 514-3560 BEARING, SWING STD
- 516-0550 GRADE W/2D, ASSIST&PAYLOAD
- 514-7209 SWITCH, DISCONNECT
- 517-4758 CONTROL, QC
- 517-5967 GRADE SENSOR, REACH BOOM
- 517-5969 GRADE SENSOR, R12'10" (3.9M) STICK
- 520-9418 FILM, OPERATING PATTERN, 2WAY
- 521-8024 LINKAGE, BKT DB W/EYE GRADE
- 522-0461 TRAVEL ALARM
- 523-7796 LONG UC W/ HD ROLLER
- 523-7799 BOOM TUBE W/EOU
- 524-8272 RECEIVER, BLUETOOTH
- 528-4738 FILM, EMC
- 546-0111 CAB, DELUXE
- 548-0199 DOOR, RADIATOR W/O SCREEN
- 548-0292 MIRROR, RH SIDE, FRONT & REAR
- 555-7286 NETWORK MANAGER, STD
- 550-7622 LINES, DRAIN, PGC
- 564-8002 FILM, ROPS CERTIFICATION
- 567-3815 DECALS, STICK WARNING, ANSI
- 573-4351 DECALS, CAB, ANSI
- 575-2694 COUNTERWEIGHT, 14,990 (6.8MT) LBS
- 576-6953 HYDRAULIC PKG, STANDARD

INCLUDES:

- RETURN PIPE, STD
- LINES-MAKE UP, STD
- VALVE, HYDRAULIC, HL

CATERPILLAR MACHINE PRICE LIST

336336 HYDRAULIC EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

JOYSTICKS, SLIDER
 577-6874 LIGHT, CHASSIS
 577-6895 LIGHTS, REACH BOOM RH & LH
 577-7869 LINES, A/C
 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
 578-1023 DECALS, EXTERIOR, ANSI
 578-1028 BOOM, REACH 21'4" (6.5M)
 578-6756 CAMERA, 360 VISIBILITY
 580-8628 MIRROR, CAB, W/O GUARD, W/360
 592-6105 PROD LINK, PLE643/PLE743 RADIO
 INCLUDES:
 WIRING, PRODUCT LINK ELITE
 RADIO MODULE, PL243 CELLULAR

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>590-1119</p> <p>336 07B HEX AM-N DCA3B 0</p> <p>LANE 1 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM BALTIMORE PDC WILL BE REPLACED BY 594-9123</p> <p>DCA1 (R10'6" Stick, Tool Control, 33" Track)</p> <p>INCLUDES: 526-5211 COMMON ARRANGEMENT 523-7793 336-07B HEX 134-8887 GUARD, SWIVEL 321-0140 LINES-HP, R10'6" (3.2M) STICK 321-0150 LINES-QC, R10'6" (3.2M) STICK 465-4853 FRAME, SWING STD, BUMPER READY 484-8021 WIPER, RADIAL W/O LOWER 488-6816 MACHINE ECM 490-7715 PEDAL, STRAIGHT TRAVEL 502-1304 GUARD, TRACK GUIDE SEGMENTED 498-7505 GUARD, BOTTOM HD 502-1308 GUARD, TRAVEL MOTOR HD 502-5358 ETHER STARTING AID 502-7166 RADIO, W/BLUETOOTH 503-9808 LINES, HP, REACH BOOM 503-9810 LINES, QC, REACH BOOM 504-4483 FINE SWING 511-9428 MONITOR, 10" 511-9759 TRACK, 33" (850MM) TG 512-0983 CYLINDER, BOOM 512-0995 CYLINDER, STICK 512-0999 CYLINDER, BKT DB 512-1353 STICK, R10'6" (3.2M) 512-1389 QUICK DRAINS READY 512-5995 FAN, REVERSE 513-3214 SENSOR, PRESSURE, EOU 514-3560 BEARING, SWING STD 514-7209 SWITCH, DISCONNECT 516-0550 GRADE W/2D, ASSIST&PAYLOAD 517-4758 CONTROL, QC 517-5967 GRADE SENSOR, REACH BOOM 517-5971 GRADE SENSOR, R10'6" (3.2M) STICK 520-9418 FILM, OPERATING PATTERN, 2WAY 521-8024 LINKAGE, BKT DB W/EYE GRADE 522-0461 TRAVEL ALARM 523-7796 LONG UC W/ HD ROLLER 523-7799 BOOM TUBE W/EOU 524-8272 RECEIVER, BLUETOOTH 528-4738 FILM, EMC 548-0199 DOOR, RADIATOR W/O SCREEN 546-0111 CAB, DELUXE 548-0292 MIRROR, RH SIDE, FRONT & REAR 550-7622 LINES, DRAIN, PGC 555-7286 NETWORK MANAGER, STD 564-8002 FILM, ROPS CERTIFICATION 567-3815 DECALS, STICK WARNING, ANSI 573-4351 DECALS, CAB, ANSI 575-2694 COUNTERWEIGHT, 14,990 (6.8MT) LBS 576-6955 HYDRAULIC PKG, COMBINED</p> <p>INCLUDES: RETURN PIPE, STD</p>	<p>\$418,820</p>
---	-------------------------

CATERPILLAR MACHINE PRICE LIST

336336 HYDRAULIC EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

LINES-MAKE UP, STD
 VALVE, HYDRAULIC, HL
 JOYSTICKS, SLIDER
 CIRCUIT, COMBINED
 577-6874 LIGHT, CHASSIS
 577-6895 LIGHTS, REACH BOOM RH & LH
 577-7869 LINES, A/C
 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
 578-1023 DECALS, EXTERIOR, ANSI
 578-1028 BOOM, REACH 21'4" (6.5M)
 577-6895 LIGHTS, REACH BOOM RH & LH
 577-7869 LINES, A/C
 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
 578-1023 DECALS, EXTERIOR, ANSI
 578-1028 BOOM, REACH 21'4" (6.5M)
 578-6756 CAMERA, 360 VISIBILITY
 580-8628 MIRROR, CAB, W/O GUARD, W/360
 592-6105 PROD LINK, PLE643/PLE743 RADIO
 INCLUDES:
 WIRING, PRODUCT LINK ELITE
 RADIO MODULE, PL243 CELLULAR

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>590-1122</p> <p>336 07B HEX AM-N DCA6B 0</p> <p>LANE 1 - USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM BALTIMORE PDC WILL BE REPLACED BY 594-9124</p> <p>DCA1 (R12'10" Stick, Tool Control, 33" Track)</p> <p>INCLUDES: 526-5211 COMMON ARRANGEMENT 523-7793 336-07B HEX 134-8887 GUARD, SWIVEL 318-5935 LINES-HP, R12'10" (3.9M) STICK 321-0139 LINES-QC, R12'10" (3.9M) STICK 465-4853 FRAME, SWING STD, BUMPER READY 484-8021 WIPER, RADIAL W/O LOWER 488-6816 MACHINE ECM 490-7715 PEDAL, STRAIGHT TRAVEL 498-7505 GUARD, BOTTOM HD 502-1304 GUARD, TRACK GUIDE SEGMENTED 502-1308 GUARD, TRAVEL MOTOR HD 502-5358 ETHER STARTING AID 502-7166 RADIO, W/BLUETOOTH 503-9808 LINES, HP, REACH BOOM 503-9810 LINES, QC, REACH BOOM 504-4483 FINE SWING 511-9428 MONITOR, 10" 511-9759 TRACK, 33" (850MM) TG 512-0983 CYLINDER, BOOM 512-0995 CYLINDER, STICK 512-0999 CYLINDER, BKT DB 512-1352 STICK, R12'10" (3.9M) 512-1389 QUICK DRAINS READY 512-5995 FAN, REVERSE 513-3214 SENSOR, PRESSURE, EOU 514-3560 BEARING, SWING STD 514-7209 SWITCH, DISCONNECT 516-0550 GRADE W/2D, ASSIST&PAYLOAD 517-4758 CONTROL, QC 517-5967 GRADE SENSOR, REACH BOOM 517-5969 GRADE SENSOR, R12'10" (3.9M) STICK 520-9418 FILM, OPERATING PATTERN, 2WAY 521-8024 LINKAGE, BKT DB W/EYE GRADE 522-0461 TRAVEL ALARM 523-7796 LONG UC W/ HD ROLLER 523-7799 BOOM TUBE W/EOU 524-8272 RECEIVER, BLUETOOTH 528-4738 FILM, EMC 546-0111 CAB, DELUXE 548-0199 DOOR, RADIATOR W/O SCREEN 548-0292 MIRROR, RH SIDE, FRONT & REAR 550-7622 LINES, DRAIN, PGC 555-7286 NETWORK MANAGER, STD 564-8002 FILM, ROPS CERTIFICATION 567-3815 DECALS, STICK WARNING, ANSI 573-4351 DECALS, CAB, ANSI 575-2694 COUNTERWEIGHT, 14,990 (6.8MT) LBS 576-6955 HYDRAULIC PKG, COMBINED</p> <p>INCLUDES: RETURN PIPE, STD</p>	<p>\$419,580</p>
--	-------------------------

CATERPILLAR MACHINE PRICE LIST

336336 HYDRAULIC EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

LINES-MAKE UP, STD
 VALVE, HYDRAULIC, HL
 JOYSTICKS, SLIDER
 CIRCUIT, COMBINED
 577-6874 LIGHT, CHASSIS
 577-6895 LIGHTS, REACH BOOM RH & LH
 577-7869 LINES, A/C
 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
 578-1023 DECALS, EXTERIOR, ANSI
 578-1028 BOOM, REACH 21'4" (6.5M)
 578-6756 CAMERA, 360 VISIBILITY
 580-8628 MIRROR, CAB, W/O GUARD, W/360
 592-6105 PROD LINK, PLE643/PLE743 RADIO
 INCLUDES:
 WIRING, PRODUCT LINK ELITE
 RADIO MODULE, PL243 CELLULAR

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>580-1241</p> <p>336 07B HEX AM-N DCA1</p> <p>LANE 1 - Available from Baltimore and Tacoma PDC</p>	<p>0</p>	<p>\$402, 530</p>
--	----------	--------------------------

- INCLUDES:
- 523-7793 336-07 HEX
 - 526-5211 COMMON ARRANGEMENT
 - 465-4853 FRAME, SWING STD, BUMPER RE
 - 514-3560 BEARING, SWING STD
 - 523-7796 LONG UC W/ HD ROLLER
 - 575-2694 COUNTERWEIGHT, 14,990LBS (6.8MT)
 - 578-1028 BOOM, REACH 21'4" (6.5M)
 - 512-1352 STICK, R12'10" (3.9M)
 - 521-8024 LINKAGE, BKT DB W/ EYE CGC
 - 512-0983 CYLINDER, BOOM
 - 512-0995 CYLINDER, STICK
 - 512-0999 CYLINDER, BKT DB
 - 502-7186 LIGHTS, REACH BOOM RH & LH
 - 517-5967 GRADE SENSOR, REACH BOOM
 - 517-5969 GRADE SENSOR, R12'10"(3.9M) STICK
 - 567-3815 DECALS, STICK WARNING, ANSI
 - 550-7573 HYDRAULIC PKG, STANDARD
- INCLUDES:
- VALVE, HYDRAULIC, HL
 - JOYSTICKS, SLIDER
 - RETURN PIPE, STD
 - LINES-MAKE UP, STD
 - 546-0111 CAB, DELUXE
 - 484-8021 WIPER, RADIAL W/O LOWER
 - 511-9428 MONITOR, 10"(254MM)
 - 502-7166 RADIO, W/BLUETOOTH
 - 577-7869 LINES, A/C
 - 578-6756 CAMERA, 360 VISIBILITY
 - 490-7715 PEDAL, STRAIGHT TRAVEL
 - 524-8272 RECEIVER, BLUETOOTH
 - 580-5996 PROD LINK, PLE643/PLE743 RADIO
- INCLUDES:
- RADIO MODULE, PL243 CELLUAR
 - WIRING, PRODUCT LINK ELITE
 - 511-9759 TRACK, 33"(850MM) TG
 - 512-5995 FAN, REVERSE
 - 550-7622 LINES, DRAIN, PGC
 - 498-7505 GUARD, BOTTOM HD
 - 502-1308 GUARD, TRAVEL MOTOR HD
 - 502-1304 GUARD, TRACK GUIDE SEGMENTED
 - 513-3214 SENSOR, PRESSURE, EOU
 - 523-7799 BOOM TUBE W/EOU
 - 511-0961 LIGHT, CHASSIS
 - 548-0199 DOOR, RADIATOR W/O SCREEN
 - 488-6816 MACHINE ECM
 - 514-7209 SWITCH, DISCONNECT
 - 578-1023 DECALS, EXTERIOR, ANSI
 - 573-4351 DECALS, CAB, ANSI
 - 520-9418 FILM, OPERATING PATTERN, 2WAY
 - 134-8887 GUARD, SWIVEL
 - 524-8314 LIGHTS, CAB, W/O 360
 - 516-0550 GRADE W/2D, ASSIST&PAYLOAD
 - 555-7286 NETWORK MANAGER, STD
 - 522-0461 TRAVEL ALARM

CATERPILLAR MACHINE PRICE LIST

336336 HYDRAULIC EXCAVATOR
AKASHI, JAPANShip Weight
lbsLIST PRICE
AT DEALER

327-6552 MIRROR, CAB, W/O GUARD
 548-0292 MIRROR, RH SIDE, FRONT & REAR
 504-4483 FINE SWING
 502-5358 ETHER STARTING AID
 512-1389 QUICK DRAINS READY
 517-4758 CONTROL, QC
 564-8002 FILM, ROPS CERTIFICATION
 528-4738 FILM, EMC
 503-9810 LINES, QC, REACH BOOM
 321-0139 LINES-QC, R12'10" (3.9M) STICK,

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>580-1243</p> <p>336 07B HEX AM-N DCA6 0</p> <p>LANE 1 - Available from Baltimore and Tacoma PDC</p>	<p>0</p>	<p>\$419,490</p>
--	----------	-------------------------

- INCLUDES:
- 523-7793 336-07 HEX
 - 526-5211 COMMON ARRANGEMENT
 - 465-4853 FRAME, SWING STD, BUMPER RE
 - 514-3560 BEARING, SWING STD
 - 523-7796 LONG UC W/ HD ROLLER
 - 575-2694 COUNTERWEIGHT, 14,990LBS (6.8MT)
 - 578-1028 BOOM, REACH 21'4" (6.5M)
 - 512-1352 STICK, R12'10" (3.9M)
 - 521-8024 LINKAGE, BKT DB W/ EYE CGC
 - 512-0983 CYLINDER, BOOM
 - 512-0995 CYLINDER, STICK
 - 512-0999 CYLINDER, BKT DB
 - 502-7186 LIGHTS, REACH BOOM RH & LH
 - 517-5967 GRADE SENSOR, REACH BOOM
 - 517-5969 GRADE SENSOR, R12'10"(3.9M) STICK
 - 567-3815 DECALS, STICK WARNING, ANSI
 - 550-7574 HYDRAULIC PKG, STANDARD
- INCLUDES:
- VALVE, HYDRAULIC TCS HL
 - JOYSTICKS, SLIDER
 - RETURN PIPE, TCS
 - LINES-MAKE UP, TCS
 - CIRCUIT, COMBINED
 - 546-0111 CAB, DELUXE
 - 484-8021 WIPER, RADIAL W/O LOWER
 - 511-9428 MONITOR, 10"(254MM)
 - 502-7166 RADIO, W/BLUETOOTH
 - 577-7869 LINES, A/C
 - 578-6756 CAMERA, 360 VISIBILITY
 - 490-7715 PEDAL, STRAIGHT TRAVEL
 - 524-8272 RECEIVER, BLUETOOTH
 - 580-5996 PROD LINK, PLE643/PLE743 RADIO
- INCLUDES:
- RADIO MODULE, PL243 CELLUAR
 - WIRING, PRODUCT LINK ELITE
 - 511-9759 TRACK, 33"(850MM) TG
 - 512-5995 FAN, REVERSE
 - 550-7622 LINES, DRAIN, PGC
 - 498-7505 GUARD, BOTTOM HD
 - 502-1308 GUARD, TRAVEL MOTOR HD
 - 502-1304 GUARD, TRACK GUIDE SEGMENTED
 - 513-3214 SENSOR, PRESSURE, EOU
 - 523-7799 BOOM TUBE W/EOU
 - 511-0961 LIGHT, CHASSIS
 - 548-0199 DOOR, RADIATOR W/O SCREEN
 - 488-6816 MACHINE ECM
 - 514-7209 SWITCH, DISCONNECT
 - 578-1023 DECALS, EXTERIOR, ANSI
 - 573-4351 DECALS, CAB, ANSI
 - 520-9418 FILM, OPERATING PATTERN, 2WAY
 - 134-8887 GUARD, SWIVEL
 - 524-8314 LIGHTS, CAB, W/O 360
 - 516-0550 GRADE W/2D, ASSIST&PAYLOAD
 - 555-7286 NETWORK MANAGER, STD

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

- 522-0461 TRAVEL ALARM
- 327-6552 MIRROR, CAB, W/O GUARD
- 548-0292 MIRROR, RH SIDE, FRONT & REAR
- 504-4483 FINE SWING
- 502-5358 ETHER STARTING AID
- 512-1389 QUICK DRAINS READY
- 517-4758 CONTROL, QC
- 564-8002 FILM, ROPS CERTIFICATION
- 528-4738 FILM, EMC
- 503-9810 LINES, QC, REACH BOOM
- 321-0139 LINES-QC, R12'10" (3.9M) STICK,
- 503-9808 LINES, HP, REACH BOOM
- 318-5935 LINES, HP, REACH BOOM

581-8556 336 07B HEX CFG1A 0 \$332, 350

LANE 2 - AVAILABLE FROM AKASHI FACTORY
 LANE 3 - AVAILABLE FROM AKASHI FACTORY

Lane 2/3:USE FBC or CHECK LA TOOL FOR AVAILIBILITY FROM AKASHI FACTORY
 WILL BE REPLACED BY 5949098

Base machine for standard counterweight configuration.
 Well suited for general applications.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 526-5211 COMMON ARRANGEMENT
 - 5237793 336-07B HEX
 - 465-4853 FRAME, SWING STD, BUMPER READY
 - 514-3560 BEARING, SWING STD
 - 523-7796 LONG UC W/ HD ROLLER
 - 575-2694 COUNTERWEIGHT, 14,990LBS(6.8MT)
 - 502-7166 RADIO, W/BLUETOOTH
 - 577-7869 LINES, A/C
 - 498-7505 GUARD, BOTTOM HD
 - 502-1308 GUARD, TRAVEL MOTOR HD
 - 513-3214 SENSOR, PRESSURE, EOU
 - 577-6874 LIGHT, CHASSIS
 - 488-6816 MACHINE ECM
 - 490-7715 PEDAL, STRAIGHT TRAVEL
 - 524-8272 RECEIVER, BLUETOOTH
 - 134-8887 GUARD, SWIVEL
 - 522-0461 TRAVEL ALARM
 - 504-4483 FINE SWING
 - 502-5358 ETHER STARTING AID

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>581-8563</p> <p>336 07B HEX CFG2A 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>\$340,000</p>
--	-------------------------

Lane2/3-USE FBC or CHECK LA TOOL FOR AVAILABILITY FROM AKASHI FACTORY
 WILL BE REPLACED BY 5949099

Base machine for heavy counterweight configuration.
 Well suited for extreme service applications and
 those requiring maximum lift and stability.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.
 INCLUDES:

- 526-5211 COMMON ARRANGEMENT
- 523-7793 336-07B HEX
- 465-4863 FRAME, SWING HD, BUMPER READY
- 514-3561 BEARING, SWING HD
- 523-7796 LONG UC W/ HD ROLLER
- 575-2690 COUNTERWEIGHT, 16,667LBS(7.56MT)
- 502-7166 RADIO, W/BLUETOOTH
- 577-7869 LINES, A/C
- 498-7505 GUARD, BOTTOM HD
- 502-1308 GUARD, TRAVEL MOTOR HD
- 513-3214 SENSOR, PRESSURE, EOU
- 577-6874 LIGHT, CHASSIS
- 488-6816 MACHINE ECM
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 524-8272 RECEIVER, BLUETOOTH
- 134-8887 GUARD, SWIVEL
- 522-0461 TRAVEL ALARM
- 504-4483 FINE SWING
- 502-5358 ETHER STARTING AID

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>594-9098</p> <p>336 07C HEX CFG1 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>\$331,770</p>
---	-------------------------

Base machine for standard counterweight configuration.
 Well suited for general applications.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 526-5211 COMMON ARRANGEMENT
 - 523-7793 336-07 HEX
 - 465-4853 FRAME, SWING STD, BUMPER READY
 - 514-3560 BEARING, SWING STD
 - 593-3802 LONG UC W/ HD ROLLER
 - 575-2694 COUNTERWEIGHT, 14,990LBS (6.8MT)
 - 487-6904 CAB MOUNT, ROPS
 - 577-7869 LINES, A/C
 - 498-7505 GUARD, BOTTOM HD
 - 502-1308 GUARD, TRAVEL MOTOR HD
 - 513-3214 SENSOR, PRESSURE, EOU
 - 577-6874 LIGHT, CHASSIS
 - 525-7678 MACHINE ECM
 - 490-7715 PEDAL, STRAIGHT TRAVEL
 - 524-8272 RECEIVER, BLUETOOTH
 - 134-8887 GUARD, SWIVEL
 - 592-8324 TRAVEL, ALARM
 - 504-4483 FINE SWING
 - 502-5358 ETHER STARTING AID
 - AVAILABLE FOR: ANZ/ADSD-N

CATERPILLAR MACHINE PRICE LIST

336

336 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>594-9099</p> <p>336 07C HEX CFG2A 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>\$339,410</p>
--	-------------------------

Base machine for heavy counterweight configuration.
 Well suited for extreme service applications and those requiring
 maximum lift and stability.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 526-5211 COMMON ARRANGEMENT
 - 523-7793 336-07 HEX
 - 465-4863 FRAME, SWING HD, BUMPER READY
 - 514-3561 BEARING, SWING HD
 - 593-3802 LONG UC W/ HD ROLLER
 - 575-2690 COUNTERWEIGHT, 16,667LBS (7.56MT)
 - 487-6904 CAB MOUNT, ROPS
 - 577-7869 LINES, A/C
 - 498-7505 GUARD, BOTTOM HD
 - 502-1308 GUARD, TRAVEL MOTOR HD
 - 513-3214 SENSOR, PRESSURE, EOU
 - 577-6874 LIGHT, CHASSIS
 - 525-7678 MACHINE ECM
 - 490-7715 PEDAL, STRAIGHT TRAVEL
 - 524-8272 RECEIVER, BLUETOOTH
 - 134-8887 GUARD, SWIVEL
 - 592-8324 TRAVEL, ALARM
 - 504-4483 FINE SWING
 - 502-5358 ETHER STARTING AID
- AVAILABLE FOR: ANZ/ADSD-N

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
		This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		

P	578-3586	FILMS, ISO CONVERSION	0	NC
		This package includes picto decals as required for Quebec, Canada		

NOTE: Required for Quebec

SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

PACKING

OG-4203	ROLL ON-ROLL OFF	0	\$147 NET
---------	----------------------------	---	-----------

EXPORT PACKING

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$281 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

FIXTURE-BUCKET LINKAGE

L	568-3784	FIXTURE, BUCKET LINKAGE DB	0	\$48 NET
---	----------	--------------------------------------	---	----------

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

BOOM/CYLINDER PACKAGES

When ordering a frontless excavator, dealers can contact Caterpillar OEM Solutions at oem_solutions@cat.com. OEM Solutions can assist in development of machine configurations, application guidance, and provide guidance to AEM's or OEM's that offer specialty excavator fronts or machine modifications in your region.

L	578-1029	BOOM, MASS 20'3"	0	\$14,100
		FOR USE IN LANE 3 ONLY		
L	578-1028	BOOM, REACH 21'4"	0	\$12,740
L	578-1030	BOOM, REACH 21'4" HD	0	\$14,000
	0G-0341	NO BOOM	0	NC
		For frontless, No Boom and No Stick		
		REQUIRES:		
		-NO STICK		

STICKS

L	512-1380	STICK, MASS 8'4" TB	0	\$6,740
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 578-1029 BOOM, MASS 6.18M (20'3")		
L	512-1353	STICK, R10'6"	0	\$5,780
		ONLY FOR USE WITH: 578-1028 BOOM, REACH 6.5M (21'4")		
L	512-1352	STICK, R12'10"	0	\$6,540
		ONLY FOR USE WITH: 578-1028 BOOM, REACH 6.5M (21'4")		
L	512-1382	STICK, R12'10" HD	0	\$7,380
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 578-1030 BOOM, REACH 6.5M (21'4") HD		
L	512-1383	STICK, R10'6" HD	0	\$6,410
		ONLY FOR USE WITH: 578-1030 BOOM, REACH 6.5M (21'4") HD		
	0G-0342	NO STICK	0	NC
		ONLY FOR USE WITH: 0G-0341 NO BOOM or		
		559-9628 FRONTLESS, MASS BOOM ONLY PKG or		
		559-9629 FRONTLESS, REACH BOOM ONLY PKG or		
		559-9630 FRONTLESS, R-BOOM ONLY PKG, HD or		
		578-1029 BOOM, MASS 6.18M or		
		578-1028 BOOM, REACH 6.5M or		
		578-1030 BOOM, REACH 6.5M HD		
		CANNOT BE USED WITH: BUCKET LINKAGES		
		BUCKET CYLINDER		
		CAT GRADE WITH ASSIST		

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

BUCKET LINKAGES

L	510-2274	LINKAGE, BKT TB W/EYE 0		\$5,060
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 512-1380 STICK, MASS 2.55M (8'4") TB		
L	521-8024	LINKAGE, BKT DB W/EYE GRADE 0		\$3,835
		ONLY FOR USE WITH: 512-1354 STICK, R2.8M (9'2") OR		
		512-1353 STICK, R3.2M (10'6") OR		
		512-1352 STICK, R3.9M (12'10") OR		
		512-1383 STICK, R3.2M (10'6") DB HD OR		
		512-1355 STICK, R2.8M (9'2") HD OR		
		512-1382 STICK, R3.9M (12'10")HD		

CYLINDERS

BOOM TUBE

L	523-7799	BOOM TUBE W/EOU 0		NC
L	523-7801	BOOM TUBE W/EOU, BLCV 0		NC

BOOM CYLINDER

Available as an optional with NO BOOM and NO STICK

L	512-0983	CYLINDER, BOOM 0		\$9,350
		CANNOT BE USED WITH: 523-7801 BOOM TUBE W/EOU, BLCV		
L	512-0986	CYLINDER, BOOM, BLCV 0		\$15,840
		ONLY FOR USE WITH: 523-7801 BOOM TUBE W/EOU, BLCV		

STICK CYLINDER

Available as an optional with NO BOOM and NO STICK

L	512-0995	CYLINDER, STICK 0		\$5,580
		CANNOT BE USED WITH: 523-7801 BOOM TUBE W/EOU, BLCV		
L	512-0996	CYLINDER, STICK, SLCV 0		\$8,440
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 523-7801 BOOM TUBE W/EOU, BLCV		

NOTE: OPTION FOR NO STICK

BUCKET CYLINDER

L	522-0747	CYLINDER, BUCKET TB 0		\$3,985
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 510-2274 LINKAGE, BKT TB W/EYE OR		
		510-2282 LINKAGE, BKT TB W/O EYE		
L	512-0999	CYLINDER, BKT DB 0		\$3,045
		ONLY FOR USE WITH: 521-8024 LINKAGE, BKT DB W/ EYE CGC OR		
		521-8028 LINKAGE, BKT DB W/O EYE CGC		

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

TRACKS

L	511-9751	TRACK, 28" TG 0		\$1,910
		NOTE: FOR USE IN LANE 3 ONLY FOR AME		
L	511-9757	TRACK, 31" TG 0		\$5,100
		FOR USE IN LANE 3 ONLY FOR AME		
L	511-9760	TRACK, 31" TG HD 0		\$8,930
		FOR USE IN LANE 3 ONLY		
L	511-9759	TRACK, 33" TG 0		\$5,100
		CANNOT BE USED WITH: 580-1230 336 07B HEX EU CFG2B		

TRACK GUIDING GUARDS

L	502-1304	GUARD, TRACK GUIDE SEGMENTED 0		\$2,290
L	502-1306	GUARD, TRACK GUIDE FULL LENGTH 0		\$4,170
		For long and narrow undercarriage, full length.		

HYDRAULICS

NO AUXILIARY CIRCUIT

L	576-6953	HYDRAULIC PKG, STANDARD 0		\$2,445
		INCLUDES: -RETURN PIPE, STD -LINES-MAKE UP, STD -VALVE, HYDRAULIC, HL -JOYSTICKS, SLIDER		

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/O MED PRESSURE

L	576-6955	HYDRAULIC PKG, COMBINED 0		\$15,120
		INCLUDES: -CIRCUIT, COMBINED -RETURN PIPE, TCS -VALVE, HYDRAULIC TCS HL -JOYSTICKS, SLIDER -LINES-MAKE UP, TCS		

LINE GROUPS

STRAIGHT TRAVEL DRAIN LINE

L	558-0346	LINES, DRAIN, STD 0		NC
		CANNOT BE USED WITH: 517-4758 CONTROL, QC		
L	550-7622	LINES, DRAIN, PGC 0		NC
		REQUIRES: 517-4758 CONTROL, QC		

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS (CONT.)

CHECK VALVE LINES

L	503-9827	SLCV, MASS BOOM 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 578-1029 BOOM, MASS 6.18M (20'3") 512-1348 BOOM, MASS 6.18M (20'3") and 523-7801 BOOM TUBE W/EOU, BLCV		NC
---	----------	---	--	----

NOTE: OEM Boom Only FOR AM-N/ANZ

L	503-9826	SLCV, REACH BOOM 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 578-1028 BOOM, REACH 6.5M (21'4") or 578-1030 BOOM, REACH 6.5M (21'4") HD 512-1347 BOOM, REACH 6.5M (21'4") or 512-1349 BOOM, REACH 6.5M (21'4") HD and 523-7801 BOOM TUBE W/EOU, BLCV		NC
---	----------	--	--	----

NOTE: OEM Boom Only FOR AM-N/ANZ

CHECK VALVE BLCV W/O OVERLOAD WARNING DEVICE

L	504-1794	BLCV 0 ONLY FOR USE WITH: 523-7801 BOOM TUBE W/EOU, BLCV		NC
---	----------	---	--	----

NOTE: Mandatory for ANZ

CHECK VALVE LINES STICK

L	555-5755	SLCV, PILOT LINE 0 NOTE: Mandatory for EUR/ANZ ONLY FOR USE WITH: 523-7801 BOOM TUBE W/EOU, BLCV		NC
---	----------	--	--	----

STARTERS, BATTERIES, & ALTERNATORS

DISCONNECT SWITCH

L	514-7209	SWITCH, DISCONNECT 0 Disconnect Switch without Jump Start		NC
L	514-7210	SWITCH, DISCONNECT W/JS 0 Disconnect Switch with Jump Start NOTE: FOR USE IN LANE 3 ONLY FOR TUR REQUIRES: 504-3550 TERMINALS, JUMP START		NC

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

CAMERAS

L	578-6756	CAMERA, 360 VISIBILITY 0 CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$2,360
L	578-6757	CAMERA, 360 VISIBILITY, FOGS 0 REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$2,360
L	593-3808	CAMERA, REAR + RH VIEW. 0		\$895

LIGHTS FOR BOOM

L	577-6896	LIGHTS, MASS BOOM RH & LH 0 ONLY FOR USE WITH: FOR USE IN LANE 3 ONLY 578-1029 BOOM, MASS 6.18M (20'3")		\$328
L	577-6895	LIGHTS, REACH BOOM RH & LH 0 ONLY FOR USE WITH: 578-1028 BOOM, REACH 6.5M (21'4") OR 578-1030 BOOM, REACH 6.5M (21'4") HD		\$328

LIGHTS FOR CAB

L	577-3853	LIGHTS, CAB, W/O 360 0 ONLY FOR USE WITH: 578-6755 CAMERA, REAR + RH VIEW or 578-6758 CAMERA, REAR VIEW W/MIRROR or 512-1338 CAMERA, REAR VIEW W/MIRROR 593-3808 CAMERA, REAR + RH VIEW 593-3809 CAMERA, REAR VIEW W/ MIRROR		\$330
L	577-8973	LIGHTS, CAB, W/RAIN PROTECTOR 0 ONLY FOR USE WITH: 578-6755 CAMERA, REAR + RH VIEW or 578-6756 CAMERA, 360 VISIBILITY or 512-1336 CAMERA, REAR + RH VIEW 5933808 CAMERA, REAR + RH VIEW		\$760
L	577-3857	LIGHTS, CAB, FOGS 0 REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS) CANNOT BE USED WITH: 578-6756 CAMERA, 360 VISIBILITY		\$330

OPERATOR ENVIRONMENT

CAB

L	546-0111	CAB, DELUXE 0 -2 Piece (70:30) openable tempered upper windshield with assist device & removable tempered lower windshield with in cab storage bracket -Deluxe air suspension seat w/ headrest & 2 step seat heater, console height adjustment w/o tools, arm rest height and angle adjustment -Tilt up left side console -Openable polycarbonate hatch for 2P windshield AVAILABLE FOR: EUR/ANZ/SK/TUR/AME/HK/TW/ASIAP/INDO/AM-S		\$6,900
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WIPER

L	484-8021	WIPER, RADIAL W/O LOWER	0	NC
		ONLY FOR USE WITH: 546-0111 CAB, DELUXE		
L	484-8022	WIPER, RADIAL W/LOWER	0	\$303
		ONLY FOR USE WITH: 546-0111 CAB, DELUXE		

MONITOR

L	511-9428	MONITOR, 10"	0	\$493
		High resolution 10" LCD touch screen monitor		
		NOTE: FOR USE IN LANE 3 ONLY FOR AME		

RADIO READY

L	502-7166	RADIO, W/BLUETOOTH	0	\$585
---	----------	------------------------------	---	-------

TECHNOLOGY PRODUCTS

CAT GRADE WITH ASSIST

L	516-0550	GRADE W/2D, ASSIST&PAYLOAD	0	NC
		CANNOT BE USED WITH: 0G-0341 NO BOOM Or 0G-0342 NO STICK		
L	531-3521	GRADE W/2D ADV, ASSIST&PAYLOAD	0	\$8,830
		REQUIRES: 554-3627 MONITOR, 10" W/GRADE MONITOR CANNOT BE USED WITH: 0G-0341 NO BOOM Or 0G-0342 NO STICK		
L	523-7804	GRADE W/3D, ASSIST&PAYLOAD	0	\$44,150
		FOR USE IN LANE 3 ONLY Requires an off-board GPS radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and site set-up. REQUIRES: 554-3627 MONITOR, 10" W/GRADE MONITOR CANNOT BE USED WITH: 0G-0341 NO BOOM Or 0G-0342 NO STICK		

GRADE SENSOR FOR BOOM

L	525-4121	GRADE SENSOR, MASS BOOM	0	NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 578-1029 BOOM, MASS 6.18M (20'3") OR 512-1348 BOOM, MASS 6.18M (20'3") CANNOT BE USED WITH: 0G-0341 NO BOOM Or 0G-0342 NO STICK		
L	517-5967	GRADE SENSOR, REACH BOOM	0	NC
		ONLY FOR USE WITH: 578-1028 BOOM, REACH 6.5M (21'4") OR 578-1030 BOOM, REACH 6.5M (21'4") HD OR 512-1349 BOOM, REACH 6.5M (21'4") HD CANNOT BE USED WITH: 0G-0341 NO BOOM Or 0G-0342 NO STICK		

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

GRADE SENSOR FOR STICK

L	522-8798	GRADE SENSOR, M8'4" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 512-1380 STICK, MASS 2.55M (8'4") TB CANNOT BE USED WITH: 0G-0341 NO BOOM Or 0G-0342 NO STICK		NC
L	517-5971	GRADE SENSOR, R10'6" STICK 0 ONLY FOR USE WITH: 512-1353 STICK, R3.2M (R10'6") OR 512-1383 STICK, R3.2M (R10'6") DB CANNOT BE USED WITH: 0G-0341 NO BOOM Or 0G-0342 NO STICK		NC
L	517-5969	GRADE SENSOR, R12'10" STICK 0 ONLY FOR USE WITH: 512-1352 STICK, R3.9M (R12'10") or 512-1382 STICK, R3.9M (R12'10")HD CANNOT BE USED WITH: 0G-0341 NO BOOM Or 0G-0342 NO STICK		NC

NETWORK MANAGER

L	555-7286	NETWORK MANAGER, STD 0 Network manager Std PLE602 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well location is transmitted for viewing in Product Link user applications. ONLY FOR USE WITH: 516-0550 GRADE W/2D, ASSIST+PAYLOAD CANNOT BE USED WITH: TUR		NC
L	555-7287	NETWORK MANAGER, GRADE ADV. 0 Network manager Grade Adv. PLE702 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well as location is transmitted for viewing in Product Link user applications. ONLY FOR USE WITH: 520-1919 GRADE W/2D ADV, ASSIST+PAYLOAD 520-1920 GRADE W/3D, ASSIST & PAYLOAD		NC

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	594-9052	PROD LINK, PLE643/PLE743 RADIO 0 Can not be used with FOGS Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES: - RADIO MODULE, PL243 CELLULAR - WIRING, PRODUCT LINK ELITE CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		NC
L	594-9054	PROD LINK, PLE643/PLE743 RADIO 0 For use with FOGS Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES: - RADIO MODULE, PL243 CELL FOGS - WIRING, PRODUCT LINK ELITE REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)		NC
L	594-9050	PRODUCT LINK, PLE683/783 RADIO 0 Can not be used with FOGS Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES: - RADIO MODULE, PL083 SATELLITE - WIRING, PRODUCT LINK ELITE CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$321 NET

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK (Cont.)

L	594-9051	PROD LINK, PLE683/PLE783 RADIO 0 For use with FOGS Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES: - RADIO MODULE, PL083 SAT FOGS - WIRING, PRODUCT LINK ELITE REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$321 NET
---	----------	--	--	------------------

COOLING

L	576-5781	FAN, REVERSE 0		\$2,785
---	----------	-----------------------------	--	----------------

BODY

RADIATOR DOOR

L	548-0199	DOOR, RADIATOR W/O SCREEN 0		NC
L	535-9230	DOOR, RADIATOR W/SCREEN 0		\$393

INSTRUCTIONS

DECALS - EXTERIOR

L	578-1023	DECALS, EXTERIOR, ANSI 0		NC
---	----------	---------------------------------------	--	-----------

DECALS - CAB

L	573-4351	DECALS, CAB, ANSI 0 CANNOT BE USED WITH: QUEBEC DEALER		NC
---	----------	--	--	-----------

FILM - OPERATING PATTERN

L	520-9418	FILM, OPERATING PATTERN, 2WAY 0		\$1,295
---	----------	--	--	----------------

FILM EMC

L	528-4738	FILM, EMC 0 CANNOT BE USED WITH: No boom, stick less machine		NC
---	----------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS (CONT.)

FILM

L	564-8002	FILM, ROPS CERTIFICATION	0	NC
L	591-3890	FILM, OEM, FRONTLESS ONLY FOR USE WITH: 0G-0341 NO BOOM 0G-0342 NO STICK	0	NC
L	567-3815	DECALS, STICK WARNING, ANSI CANNOT BE USED WITH: QUEBEC DEALER No boom	0	NC

OPERATION & MAINTENANCE MANUAL

	OP-3380	INSTRUCTIONS, ENGLISH	0	NC
	OP-3404	INSTRUCTIONS, SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM LINES

L	503-9811	LINES, HP, MASS BOOM 0		\$2,690
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 557-3432 BOOM PKG, MASS OR		
		578-1029 BOOM, MASS 6.18M (20'3") OR		
		580-1201 BOOM PKG, MASS		
		and		
		550-7574 HYDRAULIC PKG, COMBINED OR		
		550-7576 HYDRAULIC PKG, COMBINED BLCV OR		
		576-6946 HYDRAULIC PKG, COMBINED OR		
		550-7577 HYDRAULIC PKG, COMBINED COOL OR		
		550-7579 HYDRAULIC PKG, COMBINED OR		
		568-9803 TOOL CONTROL HAMMER RETURN PKG OR		
		576-6959 HYDRAULIC PKG, COMBINED BLCV OR		
		576-6960 HYDRAULIC PKG, COMBINED COOL OR		
		576-6966 HYDRAULIC PKG, COMBINED HRF		
		576-6965 HYDRAULIC TOOL PACKAGE		
		587-0364 HYDRAULIC PKG, TOOL CTRL		
		576-6947 HYDRAULIC PKG, COMBINED HRF OR		
		576-6955 HYDRAULIC PKG, COMBINED		

L	503-9808	LINES, HP, REACH BOOM 0		\$2,690
		ONLY FOR USE WITH: 557-3433 BOOM PKG, REACH OR		
		557-3434 BOOM PKG, REACH, HD OR		
		578-1028 BOOM, REACH 6.5M (21'4") OR		
		578-1030 BOOM, REACH 6.5M (21'4") HD		
		580-1203 REACH BOOM PACKAGE OR		
		580-1204 BOOM PKG, REACH, HD or		
		and		
		550-7574 HYDRAULIC PKG, COMBINED OR		
		550-7576 HYDRAULIC PKG, COMBINED BLCV OR		
		550-7577 HYDRAULIC PKG, COMBINED COOL OR		
		576-6966 HYDRAULIC PKG, COMBINED HRF OR		
		576-6946 HYDRAULIC PKG, COMBINED OR		
		550-7579 HYDRAULIC PKG, COMBINED OR		
		568-9803 TOOL CONTROL HAMMER RETURN PKG OR		
		576-6959 HYDRAULIC PKG, COMBINED BLCV OR		
		576-6960 HYDRAULIC PKG, COMBINED COOL OR		
		587-0364 HYDRAULIC PKG, TOOL CTRL		
		576-6965 HYDRAULIC TOOL PACKAGE		
		576-6947 HYDRAULIC PKG, COMBINED HRF OR		
		576-6955 HYDRAULIC PKG, COMBINED		

NOTE: FOR USE IN LANE 3 ONLY FOR TUR/IND/AM-S

HIGH PRESSURE AUXILIARY STICK LINES

L	356-8075	LINES-HP, M8'4" STICK 0		\$1,595
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 503-9811 LINES, HP, MASS BOOM		
		and		
		568-5957 STICK PKG, M2.55M (8'4") OR		
		512-1380 STICK, MASS 2.55M (8'4") TB		

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY STICK LINES (Cont.)

L	318-5935	LINES-HP, R12'10" STICK 0		\$1,595
		ONLY FOR USE WITH: 503-9808 LINES-HP, REACH BOOM and 512-1352 STICK, R3.9M (12'10") OR 512-1382 STICK, R3.9M HD (12'10") or 568-5961 STICK PKG, R3.9M (12'10")		
L	321-0140	LINES-HP, R10'6" STICK 0		\$1,595
		ONLY FOR USE WITH: 503-9808 LINES-HP, REACH BOOM and 568-5960 STICK PKG, R3.2M (10'6") OR 512-1383 STICK, R3.2M (10'6") OR 568-5965 STICK PKG, R3.2M (10'6") HD OR 512-1353 STICK, R3.2M (10'6")		

NOTE: FOR USE IN LANE 3 ONLY FOR TUR/AM-S

MEDIUM PRESSURE CIRCUIT

L	502-9542	CIRCUIT, MEDIUM. 0		\$5,770
		ONLY FOR USE WITH: 550-7574 HYDRAULIC PKG, COMBINED OR 550-7576 HYDRAULIC PKG, COMBINED BLCV OR 550-7579 HYDRAULIC PKG, COMBINED or 568-9803 TOOL CONTROL HAMMER RETURN PKG OR 576-6959 HYDRAULIC PKG, COMBINED BLCV 587-0364 HYDRAULIC PKG, TOOL CTRL OR 576-6966 HYDRAULIC PKG, COMBINED HRF OR 576-6946 HYDRAULIC PKG, COMBINED 576-6965 HYDRAULIC TOOL PACKAGE 576-6947 HYDRAULIC PKG, COMBINED HRF OR 576-6955 HYDRAULIC PKG, COMBINED OR		

NOTE: FOR USE IN LANE 3 ONLY FOR TUR/AME/CIS/IND

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	503-9809	LINES, MP, REACH BOOM 0		\$1,635
		ONLY FOR USE WITH: 502-9542 CIRCUIT, MEDIUM and 557-3433 BOOM PKG, REACH OR 512-1349 BOOM, REACH 6.5M (21'4") HD or 557-3434 BOOM PKG, REACH, HD OR 578-1028 BOOM, REACH 6.5M (21'4") OR 578-1030 BOOM, REACH 6.5M (21'4") HD OR 580-1203 REACH BOOM PACKAGE		

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY STICK LINES

L	318-5936	LINES-MP, R12'10" STICK 0		\$1,090
		ONLY FOR USE WITH: 503-9809 LINES-MP, REACH BOOM and 568-5961 STICK PKG, R3.9M (12'10") OR 512-1382 STICK, R3.9M HD (12'10") or 512-1352 STICK, R3.9M (12'10") 568-5965 STICK PKG, R10'6" HD		
L	321-0141	LINES-MP, R10'6" STICK 0		\$1,090
		ONLY FOR USE WITH: 503-9809 LINES-MP, REACH BOOM and 568-5960 STICK PKG, R3.2M (10'6") OR 568-5965 STICK PKG, R3.2M (10'6") HD OR 512-1353 STICK, R3.2M (10'6") OR 512-1383 STICK, R3.2M (10'6") DB HD		

NOTE: FOR USE IN LANE 3 ONLY FOR TUR/AME/CIS/IND

STARTERS, BATTERIES, & ALTERNATORS

COLD WEATHER BATTERY

L	513-4370	BATTERY, COLD WEATHER 0		\$755
---	----------	-----------------------------------	--	-------

JUMP STRAT

L	504-3550	TERMINALS, JUMP START 0		\$185
		ONLY FOR USE WITH: 514-7210 SWITCH, DISCONNECT W/JS		

BLOCK

L	339-6916	BLOCK HEATER, 120V 0		\$164
---	----------	--------------------------------	--	-------

COOLANT, COLD WEATHER

L	512-1387	COOLANT, COLD WEATHER 0		\$283 NET
---	----------	-----------------------------------	--	-----------

OPERATOR ENVIRONMENT

ADDITIONAL 10" MONITOR

L	554-3627	MONITOR, 10" GRADE MONITOR 0		NC
		ONLY FOR USE WITH: 531-3521 GRADE W/2D ADV, ASSIST&PAYLOAD OR 523-7804 GRADE W/3D, ASSIST&PAYLOAD		
L	598-3513	MONITOR, 10" GRADE W/WIFI 0		NC
		(Additional 10" GRADE MONITOR W/WIFI) ONLY FOR USE WITH: 531-3521 GRADE W/2D ADV, ASSIST&PAYLOAD OR 523-7804 GRADE W/3D, ASSIST&PAYLOAD		

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SUN SCREEN REAR

L	488-6450	SUN SCREEN, REAR 0 Standard for Premium Cab		\$217
		ONLY FOR USE WITH: 500-0999 CAB, COMFORT OR 500-1000 CAB, DELUXE OR 546-0110 CAB, COMFORT OR 546-0111 CAB, DELUXE		

TECHNOLOGY PRODUCTS

CAT GRADE LASER CATCHER

L	560-5681	LASER CATCHER,8'2"-14'1" STICK 0 ONLY FOR USE WITH: 512-1380 STICK, MASS 2.55M (8'4") TB OR 512-1353 STICK, R3.2M (10'6") OR 512-1383 STICK, R3.2M (10'6") DB HD OR 568-5957 STICK PKG, M2.55M (8'4") OR 568-5960 STICK PKG, R3.2M (10'6") OR 568-5965 STICK PKG, R3.2M (10'6") HD OR 559-9626 STICK, R3.2M (10'6") HP MP QC PACKAGE		\$1,320
L	560-5676	LASER CATCHER, R12'10", STICK 0 ONLY FOR USE WITH: 512-1352 STICK, R3.9M (12'10") OR 512-1382 STICK, R3.9M HD (12'10")or 568-5961 STICK PKG, R3.9M (12'10")		\$1,320

SAFETY AND SECURITY

CAB MIRROR

L	327-6553	MIRROR, CAB, GUARD FALLING 0 Mandatory for EUR, Japan Additional ISO cab mirror for FOGS and front mesh guard ONLY FOR USE WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$110
L	580-8628	MIRROR, CAB, W/O GUARD 0 Additional ISO cab mirror CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$111

SIDE MIRROR

L	548-0292	MIRROR, RH SIDE, FRONT & REAR 0 Mandatory for AM-N and Japan		\$250
---	----------	---	--	-------

GUARDS

L	578-9808	GUARD, FALLING OBJECT (FOGS) 0 ONLY FOR USE WITH: 554-3615 LIGHTS, CAB, FOGS OR 577-3857 LIGHTS, CAB, FOGS		\$2,575 NET
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS

PREVENTATIVE MAINTENANCE

L	512-1389	QUICK DRAINS READY 0 Mandtory for ANZ		NC
---	----------	--	--	----

LIGHT PREMIUM

L	577-6554	LIGHTS, SURROUND, PREMIUM 0 ONLY FOR USE WITH: 516-0550 GRADE W/2D, ASSIST&PAYLOAD 531-3521 GRADE W/2D ADV, ASSIST&PAYLOAD		\$705
---	----------	--	--	-------

NOTE: FOR USE IN LANE 3 ONLY FOR ANZ/TUR/AME/CIS/GCN1/HK/TW/ASIAP/INDO/IND/AM-S

L	578-1238	LIGHTS, SURROUND, PREM, 3D CGC 0 ONLY FOR USE WITH: 523-7804 GRADE W/3D, ASSIST&PAYLOAD		\$705
---	----------	--	--	-------

NOTE: FOR USE IN LANE 3 ONLY FOR EUR/ANZ /TUR/AME/CIS/ASIAP/INDO/IND

L	592-1071	LIGHTS, SURROUND, PREM, 2D CGC 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 531-3521 GRADE W/2D ADV, ASSIST&PAYLOAD		\$710
---	----------	--	--	-------

QUICK COUPLERS

QUICK COUPLER CONTROLS

L	517-4758	CONTROL, QC 0 Mandtory for ANZ Common Quick coupler circuit for Cat Pin Grabber and CW Dedicated This DOES NOT include QC lines for the boom and stick.		\$900
---	----------	--	--	-------

NOTE: FOR USE IN LANE 3 ONLY FOR ASIAP/INDO/IND

QUICK COUPLER BOOM LINES

L	503-9812	LINES, QC, MASS BOOM 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 517-4758 CONTROL, QC and 557-3432 BOOM PKG, MASS OR 578-1029 BOOM, MASS 6.18M (20'3")		\$1, 935
---	----------	---	--	----------

L	503-9810	LINES, QC, REACH BOOM 0 ONLY FOR USE WITH: 517-4758 CONTROL, QC and 557-3433 BOOM PKG, REACH OR 557-3434 BOOM PKG, REACH, HD OR 578-1028 BOOM, REACH 6.5M (21'4") or 578-1030 BOOM, REACH 6.5M (21'4") HD OR 512-1349 BOOM, REACH 6.5M (21'4") HD		\$1, 935
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER STICK LINES

L	253-6501	LINES-QC, R8'8"/M8'4" STICK 23 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 517-4758 CONTROL, QC and 503-9812 LINES, QC, MASS BOOM and 568-5957 STICK PKG, M2.55M (8'4") OR 512-1380 STICK, MASS 2.55M (8'4") TB		\$1,225
L	321-0139	LINES-QC, R12'10" STICK 0 ONLY FOR USE WITH: 517-4758 CONTROL, QC and 503-9810 LINES-QC, REACH BOOM and 512-1382 STICK, R3.9M HD(12'10") or 568-5961 STICK PKG, R3.9M (12'10") OR 512-1352 STICK, R3.9M (12'10")		\$1,225
L	321-0150	LINES-QC, R10'6" STICK 0 ONLY FOR USE WITH: 517-4758 CONTROL, QC and 503-9810 LINES-QC, REACH BOOM and 568-5960 STICK PKG, R3.2M (10'6") OR 568-5965 STICK PKG, R3.2M (10'6") HD OR 512-1353 STICK, R3.2M (10'6") OR 512-1383 STICK, R3.2M (10'6") DB HD		\$1,225

QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)

L	455-3906	COUPLER, PG W/O PIN DB 1,373 FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler. (NO Pins) Does NOT include spare pins. ONLY FOR USE WITH: 517-4758 CONTROL, QC and 503-9810 LINES-QC, REACH BOOM and 321-0153 LINES-QC, R2.8M (9'2") STICK OR 321-0150 LINES-QC, R3.2M (10'6") STICK OR 321-0139 LINES-QC, R3.9M (12'10") STICK		\$11,525
---	----------	--	--	----------

QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)

L	455-3905	COUPLER, PIN GRABBER DB W/PINS 1,541 FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick For DB family bucket linkage ONLY FOR USE WITH: 517-4758 CONTROL, QC and 503-9810 LINES-QC, REACH BOOM and 321-0153 LINES-QC, R2.8M (9'2") STICK OR 321-0150 LINES-QC, R3.2M (10'6") STICK OR 321-0139 LINES-QC, R3.9M (12'10") STICK		\$13,419
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

HEAVY DUTY (HD)

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	528-4602	BKT HD 48" 1.83YD3 DB 2,939 Includes A110 adapters. REQUIRES: 5 tips A110 size ONLY FOR USE WITH: DB FAMILY BUCKET LINKAGE		\$13,449
P	528-4604	BKT HD 54" 2.14YD3 DB 3,150 Includes A110 adapters. REQUIRES: 5 tips A110 size ONLY FOR USE WITH: DB FAMILY BUCKET LINKAGE		\$14,093
P	528-4606	BKT HD 60" 2.46YD3 DB 3,408 Includes A110 adapters. REQUIRES: 6 tips A110 size ONLY FOR USE WITH: DB FAMILY BUCKET LINKAGE		\$15,142

SEVERE DUTY (SD)

For aggressive bucket loading in highly abrasive applications such as shot rock and granite.

P	528-4643	BKT SD 54" 2.14YD3 DB 3,331 REQUIRES: 5 tips A110 size		\$15,290
---	----------	--	--	-----------------

GENERAL DUTY (GD)

P	538-9467	BKT GD 60" 2.97YD3 DB 3,062 REQUIRES: 7 Advansys 100 size tips		\$14,161
---	----------	--	--	-----------------

SIDE CUTTERS

P	7Y-0366	SIDECUTTERS, GENERAL PURPOSE 35 INCLUDES: LH and RH general purpose sidecutters ONLY FOR USE WITH: 528-4622 BKT HD 72" 3.09YD3 DB or 538-9467 BKT GD 1500MM 2.27M3 DB (60" 2.97 CYD)DB o 540-4111 BKT GD 65" 2.77YD3 DB or 528-4619 BKT HD 54" 2.15YD3 DB or 528-4621 BKT HD 66" 2.77YD3 DB or		\$969
P	357-2698	SIDECUTTERS, HEAVY DUTY 108 ONLY FOR USE WITH: 528-4602 BKT HD 1200MM 1.40M3 DB (48" 1.84 CYD)DB 528-4604 BKT HD 1350MM 1.64M3 DB (54" 2.14 CYD)DB 528-4606 BKT HD 1500MM 1.88M3 DB (60" 2.46 CYD)DB		\$1,174

SIDEBAR PROTECTORS

P	357-2691	PROTECTORS, SIDEBAR, SET OF 4 159 ONLY FOR USE WITH: 528-4649 BKT SD 1200MM 1.40M3 DB (48" 1.84 CYD)DB 528-4643 BKT SD 1350MM 1.64M3 DB (54" 2.14 CYD)DB		\$1,293
---	----------	---	--	----------------

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

TIP (ADAPTER SIZE A110)

P	505-4113	TIP, PENETRATION PLUS ADVANSYS	37	\$196
		ONLY FOR USE WITH: FACTORY INSTALLED BUCKET		
		528-4622 BKT HD 1850MM 2.36M3 DB (72" 3.08 CYD)DB		
		528-4649 BKT SD 1200MM 1.40M3 DB (48" 1.84 CYD)DB		
		528-4602 BKT HD 1200MM 1.40M3 DB (48" 1.83 CYD)DB		
		528-4604 BKT HD 1350MM 1.64M3 DB (54" 2.14 CYD)DB		
		528-4606 BKT HD 1500MM 1.88M3 DB (60" 2.46 CYD)DB		
		528-4643 BKT SD 1350MM 1.64M3 DB (54" 2.14 CYD)DB		
		528-4619 BKT HD 54" 2.15YD3 DB		
		528-4621 BKT HD 66" 2.77YD3 DB		

TIP (ADAPTER SIZE A100)

P	505-4103	TIP, PENETRATION PLUS ADVANSYS	28	\$142
		ONLY FOR USE WITH: 541-1741 BKT GD 1650MM 2.12M3 CWS or		
		541-1739 BKT GD 1650MM 2.12M3 CW or		
		538-9467 BKT GD 1500MM 2.27M3 DB or		
		540-4111 BKT GD 65" 2.77YD3 DB		

FIELD INSTALLED ATTACHMENTS

FIELD INSTALLED ATTACHMENTS

Available Through ANTARES Parts Ordering System.

528-3279	KIT, RADIAL LOWER WIPER, 70/30	0	\$505	NI NET
528-3289	KIT, POLYCARBONATE ROOF HATCH	0	\$745	NI NET
528-3282	KIT, DUAL EXIT REAR WINDOW	0	\$355	NI NET
528-3288	KIT, LED PREMIUM LIGHT PKG	0	\$2, 230	NI NET
	Premium Light, 1200lms Chassis, Reach & Mass Boom (LH & RH) & Cab + 850lms Machine Rear, LH & RH			
543-9826	KIT, GUARD, SIDE RUBBER BUMPER	0	\$1, 125	NI NET
528-3291	KIT, FOGS	0	\$2, 575	NI NET
	Compliant with ISO10262 Level 2 Not compatible with Rain Protector, Cab Light Cover			

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

FIELD INSTALLED ATTACHMENTS (Cont.)

528-3292	KIT, MESH/NET GUARD, FULL	0	\$1,565	NI NET
	Compliant with ISO10262 Level 2 Not compatible with Rain Protector, Cab Light Cover			
528-3293	KIT, MESH/NET GUARD, LOWER	0	\$303	NI NET
486-5404	KIT, VANDALISM GUARD	0	\$1,395	NI NET
	Not compatible with Rain Protector			
528-3283	KIT, RAIN PROTECTOR	0	\$346	NI NET
528-3280	KIT, ELECTRIC PEDAL LH	0	\$1,420	NI NET
528-3281	KIT, ELECTRIC PEDAL RH	0	\$1,455	NI NET
578-4581	KIT, REMOTE CONTROL	0	\$7,100	NI NET
	REQUIRES: KIT, GEN 3.5 CONSOLE 2.4GHZ or KIT, GEN 3.5 CONSOLE 900MHZ AVAILABLE FOR: AM-N and JAPAN			
558-5654	KIT, GEN 3.5 CONSOLE 2.4GHZ	0	\$18,030	NI NET
	Service Part REQUIRES: KIT, REMOTE CONTROL AVAILABLE FOR: AM-N and JAPAN			
558-5655	KIT, GEN 3.5 CONSOLE 900MHZ	0	\$18,030	NI NET
	Service Part REQUIRES: KIT, REMOTE CONTROL AVAILABLE FOR: AM-N			

Service parts only

528-7420	SEATBELT 3" RETRACTABLE	0	\$87	NI NET
	Service Part			
487-3004	KEY FOB	0	\$45	NI NET
	Service Part 320GC: Must be used with Bluetooth Receiver Kit for GC			

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Service parts only (Cont.)

512-1254	JOYSTICK, SLIDERS, LH	0	\$625 NI
	512-1254 LH and 512-1255 RH are required REQUIRES: 512-1255 JOYSTICK, SLIDERS, RH		
512-1255	JOYSTICK, SLIDERS, RH	0	\$625 NI
	512-1254 LH and 512-1255 RH are required REQUIRES: 512-1254 JOYSTICK, SLIDERS, LH		

PACKING

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$281 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

OG-4203	ROLL ON-ROLL OFF	0	\$147 NET
	For use when ordering a machine w/ Bucket or W/O Bucket CANNOT BE USED WITH: 4553905 COUPLER, PIN GRABBER DB W/PINS		
OG-4209	ROLL ON-ROLL OFF W/O FRONT	0	\$66 NET
	For no boom and no stick (front less)		
OP-7333	ROLL ON-ROLL OFF W/BKT AM-N 36	0	\$245 NET
	For use when ordering a machine with Bucket ONLY FOR USE WITH: 4553905 COUPLER, PIN GRABBER DB W/PINS		

HYDRAULIC PLUGS - FRONT LESS

L	564-7992	PLUG, OEM, FRONTLESS, STANDARD	0	NC
		For Front Less(no need for Boom Only)		
L	564-9719	PLUG, QC OR SLCV, QC AND SLCV	0	NC
		For No boom with Quick coupler circuit and/or SLCV Total 2 pc of plugs required if both QC and SLCV Selected		
L	476-1198	PLUG (HP)	0	NC
L	564-9729	PLUG, MEDIUM CIRCUIT	0	NC
		For No boom with medium pressure circuit		
L	564-7993	PLUG, OEM, BOOM ONLY, STANDARD	0	NC
		For Boom Only (no need for Front Less)		
L	564-9732	PLUG, STICK LESS, LINES MP QC	0	NC
		For stick less machine with MP and/or QC lines When ordering both MP and QC, select 2 pcs		

FIXTURE-BOOM CYLINDER

L	553-1529	FIXTURE, BOOM CYLINDER	0	NC
		ONLY FOR USE WITH: 0G-0341 NO BOOM or 0G-0342 NO STICK		

CATERPILLAR MACHINE PRICE LIST

336

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

PACKING (CONT.)

FIXTURE-BUCKET LINKAGE

L	571-8013	FIXTURE, BUCKET LINKAGE TB 0 ONLY FOR USE WITH: 510-2274 LINKAGE, BKT TB W/EYE 510-2282 LINKAGE, BKT TB W/O EYE CANNOT BE USED WITH: BUCKET and QUICK COUPLER	0		\$61 NET
L	568-3784	FIXTURE, BUCKET LINKAGE DB 0 ONLY FOR USE WITH: 521-8024 LINKAGE, BKT DB W/ EYE CGC 521-8028 LINKAGE, BKT DB W/O EYE CGC CANNOT BE USED WITH: BUCKET and QUICK COUPLER	0		\$48 NET