

CATERPILLAR MACHINE PRICE LIST

349F-AK

349F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Diesel Engine C13 Tier IV,
- Tier IV Final emission package
- High Power Mode, Standard Mode, Economy Mode
- 2300m altitude capability with no derate
80 Amp alternator
3 Side-by-side cooling system for easier cleaning
Radial seal air filter
Automatic engine speed control
Primary filter with water separator and Water separator indicator switch and fuel differential indicator switch in fuel line
2 X 4 micron main filters, 1 X 10 micron primary filter in fuel line
Two speed travel
Capability of using Bio-Diesel fuel
Electrical Priming Pump
Secondary engine shutoff switch

UNDERCARRIAGE

Grease Lubricated Track GLT2, resin seal
Towing eye on baseframe
Track motor guards

HYDRAULICS

Regeneration circuit for boom and stick
Capability of installing;
- stackable valves for HP, MP and QC
- additional auxiliary pump & circuit
- boom lowering control device and stick lowering check valve
- CAT Bio hydraulic oil
Reverse swing damping valve
Automatic swing parking brake
High performance hydraulic return filter

ELECTRICAL

Signaling / Warning horn
Exterior lights (Integrated into storage box)
Circuit breaker
Compatible with Electronic Technician

OPERATOR ENVIRONMENT

Cab:
- Pressurized Operator Station (Positive Filtration)
- Sliding upper door window (Left Hand Cab Door)
- Glass breaking safety hammer

- Removable lower windshield with incab storage bracket
- Openable skylight

Operator station:

- Interior lighting
- Coat hook
- Beverage holder
- Literature holder
- Radio mounting (DIN size) suitable for 24-Volt Radios
- Two stereo speakers
- Storage shelf suitable for lunch box
- Adjustable armrest
- Height Adjustable Consoles
- Joysticks
- Neutral lever (lock out) for all controls
- Two Power Outlets, 10 Amp (Total)

Monitor:

Color LCD display, rear view camera ready
- Warning information,
- Filter / Fluid change information
- Working hour information
- Machine condition, Error code
- Tool mode setting information
- Start up level check for hydraulic oil, engine oil and engine coolant
- Capability of time clock on monitor battery (It lasts one week with disconnection)

Pedal:

- Travel control pedals with removable hand levers
- Capability of installing two additional pedals

OTHER STANDARD EQUIPMENT

Lockable external tool / storage box
Caterpillar one key security system
Door locks and cap locks including fuel and hydraulic tanks
Standard visibility mirror package
Power edge trade dress with power edge decals and black cylinders

CATERPILLAR MACHINE PRICE LIST

349F-AK

349F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

CATERPILLAR MACHINE PRICE LIST

349F-AK

349F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

571-6462	349F L HEX AM-N DCA1C 0 LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2	\$560,700
----------	---	------------------

DCA1C (FG, R12'10"Stick, No Tool Control, 35" Track w/2nd CAB mirror)

INCLUDES:

- 384-2182 349F L FG EXCAVATOR
- 433-5612 CONTROL, FINE SWING
- 383-5590 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 2"
- 424-4597 CAB-ROPS, 70/30
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 496-8191 RADIO, 24V AM/FM
- 324-5778 PANEL, STD START SWITCH
- 462-9454 COUNTERWEIGHT, 19,840LBS
- 383-6409 FAN, VARIABLE SPEED
- 387-4813 COVER, FENDER, STANDARD
- 324-4361 AIR CLEANER, HIGH EFFICIENCY
- 396-6053 GUARD, BOTTOM, HEAVY DUTY
- 297-9163 ROLLERS, SINGLE FLANGE, LC-FG
- 493-5700 CAMERA, REAR VIEW, MIRRORS(RH)
- 389-8012 LINES, PILOT, BOOM, STD
- 231-1771 ALARM, TRAVEL
- 324-4364 STARTING AID, ETHER
- 336-1150 SUN SCREEN (70/30)
- 358-8432 CYLINDER, BOOM (W/O BLCV)
- 358-8458 CYLINDER, STICK (W/O SLCV)
- 134-8893 GUARD, SWIVEL (FG)
- 529-3588 BOOM PKG, REACH
BOOM, 22'8" REACH
- LINKAGE, BUCKET-TB W/LIFT EYE
- CYLINDER, BKT TB
- UPPER COVER, STANDARD
- 331-7838 STICK, REACH 12'10" TB
- 500-0681 LIGHTING CAB PKG
HATCH, OPENABLE ROOF (DUAL)
- LIGHTING, CAB (HALOGEN)
- 505-4674 JOYSTICK STD STP PKG
VALVE, HYDRAULIC, HL
- VALVE, ANTI DRIFT (BOOM)
- VALVE, ANTI DRIFT (STICK)
- LINES, CYLINDER
- JOYSTICK, ONE BUTTON
- MAT, FLOOR, RH PEDAL
- PEDAL, STRAIGHT TRAVEL
- LINES, PILOT, W/O TOOL
- LINES, PILOT, W/O BLCV/SLCV
- LINES, PILOT, STICK, STD
- LINES, PILOT, TRAVEL, STP
- MACHINE CONTROLLER STD
- 366-6208 COLD WEATHER START PKG
RECEPTACLE, JUMP START
- BATTERY, HEAVY DUTY
- HEATER, JACKET WATER
- 340-8184 TRACK, 35" TG PPR2 (FG)
- 415-8520 IDLERS, STANDARD
- 383-5664 WASHER, WINDSHIELD UPPER

CATERPILLAR MACHINE PRICE LIST

349F-AK

349F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 348-0585 GUARD, TRACK GUIDING SEGMENTED
- 494-9529 LINES, PILOT, BUCKET, QC
- 384-2198 DECALS, EXTERIOR ANSI
- 497-9645 DECALS, CAB ANSI
- 327-6552 MIRROR, CAB, W/O GUARD
- 460-1150 PRODUCT LINK, SATELLITE PL631
- 328-0259 LIGHTS, HALOGEN, R/M-BOOM
- 498-8961 CTRL, CAT PIN GRABBER COUPLER
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

Lane 2 is reserved for the Base Orders Program.
 Please use Lane 2 when placing orders that are part of the Base Orders Program

0P-9003	LANE 3 ORDER	0	NC
---------	--------------------	---	----

BOOMS, STICKS, AND LINKAGES

When ordering a frontless excavator, dealers can contact Caterpillar OEM Solutions at oem_solutions@cat.com. OEM Solutions can assist in development of machine configurations, application guidance, and provide guidance to AEM's or OEM's that offer specialty excavator fronts or machine modifications in your region.

INSTRUCTIONS

OPERATION & MAINTENANCE MANUAL

0P-3380	INSTRUCTIONS, ENGLISH	0	NC
0P-3389	INSTRUCTIONS, FRENCH	0	NC

PACKING

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT)	0	\$277 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING (SELECT ONE)

0G-0484	ROLL ON-ROLL OFF W/O BKT QC TB	0	\$224 NET
	For use when NOT ordering an installed bucket or quick coupler		

CATERPILLAR MACHINE PRICE LIST

349F-AK

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS***DEALER INSTALLED KITS*****Available Through ANTARES Parts Ordering**

486-1416	Security systems fitted (MSS)
490-2536	HID working lights, cab mounted including time delay not used for guard
490-2537	HID working lights, cab mounted including time delay used for guard
499-3843	Guard, vandalism w/o rain protector
457-3998	Guard, full front windshield net/mesh
464-1923	Guard, half front windshield net/mesh
498-6691	Refueling Pump
488-6527	Seat belt, flexible (3 inches width)

FIELD REFERENCE GUIDE

PEBJ0097	DEF Tank Guard
PEBJ0100	Refueling Pump Guard