

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR  
VICTORIA, TX, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Diesel Engine C13 Tier IV  
Tier4 final emission package  
2300m altitude capability  
w/ no deration  
Automatic engine speed control  
Radial seal air filter  
Secondary engine shut-off switch  
Primary filter with water separator  
- water separator indicator switch  
- fuel differential indicator  
- switch in fuel line  
Electric priming pump

**UNDERCARRIAGE**

Towing eye on base frame  
Track type undercarriage with grease  
lubricated seals, resin seal type 4

**ELECTRICAL**

80 amp alternator  
Horn, signaling/warning  
Light, Integrated into storage box

**OPERATOR ENVIRONMENT**

Cab:  
- Beverage holder  
- Coat hook  
- Interior lighting  
- Literature holder  
- Radio mounting (meets DIN size)  
suitable for 24-volt radios  
- Two stereo speakers  
- Sliding upper door window  
on the left hand cab door  
- Storage shelf suitable for lunch box  
- Glass breaking safety hammer  
- Pressurized operator station  
(Positive Filtration)  
- Removable lower windshield  
w/ incab storage bracket  
- Two power outlets, 10 amp (total)  
Monitor:  
- Capability of time clock  
on monitor battery  
(lasts 1 week w/disconnect)  
- Color LCD display,  
rear view camera ready  
- Machine condition, error code &  
tool mode setting information  
- Start-up level check for hydraulic  
oil, engine oil and engine coolant  
- Warning, filter/fluid change &  
working hour information  
Neutral lever for all controls

Removable lower windshield with  
incab storage bracket  
Pedal:  
- Capability to install 2 addtl pedals  
- Travel control with removable  
hand levers  
Seat:  
- Adjustable armrest  
- Height adjustable consoles

**OTHER STANDARD EQUIPMENT**

Automatic swing parking brake  
Capability of installing additional  
auxiliary pump & circuit  
Capability of installing boom & stick  
lowering control device  
Capability of installing stackable  
valves for (HP, Medium and QC valve)  
Compatible with Electronic Technician  
Caterpillar one key security system  
Circuit breaker  
Door locks and cap locks of  
fuel and hydraulic tanks  
Lockable external tool / storage box  
High performance hyd. return filter  
2 X 4 micron main filter  
1 X 10 micron primary filter  
Mirrors, rearview (frame -right,  
cab-left)  
Regeneration circuit for boom & stick  
Reverse swing damping valve  
Two speed travel  
3 SBS radiator for easy cleaning  
Capability of installing  
CAT Bio hydraulic oil  
Capability of using Bio-diesel fuel  
Power edge trade dress with power  
edge decals and black cylinders

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR  
VICTORIA, TX, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Orders Program.  
Please use lane 2 when placing orders that are part of the  
Base Order Program.**

505-4700      **352F HEX AM-N BCF1** ..... 0      **\$505,550**  
LANE 3 - AVAILABLE FROM VICTORIA FACTORY

Base Machine for Standard Counterweight

Base Configuration must be completed by selecting  
Mandatory / Optional attachments.

INCLUDES:

- 384-2184 352F L VG EXCAVATOR
- 433-5612 CONTROL, FINE SWING
- 383-5590 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 424-4597 CAB-ROPS, 70/30
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 496-8191 RADIO, 24V AM/FM
- 324-5778 PANEL, STD START SWITCH
- 462-9454 COUNTERWEIGHT, 9.0MT (19,840LBS)
- 383-6409 FAN, VARIABLE SPEED
- 387-4813 COVER, FENDER, STANDARD
- 324-4361 AIR CLEANER, HIGH EFFICIENCY
- 396-6053 GUARD, BOTTOM, HEAVY DUTY
- 297-9164 ROLLERS, SINGLE FLANGE, LC-VG
- 493-5700 CAMERA, REAR VIEW, MIRRORS(RH)
- 389-8012 LINES, PILOT, BOOM, STD
- 231-1771 ALARM, TRAVEL
- 324-4364 STARTING AID, ETHER
- 336-1150 SUN SCREEN (70/30)
- 358-8432 CYLINDER, BOOM (W/O BLCV)
- 358-8458 CYLINDER, STICK (W/O SLCV)
- 425-0040 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

**352F**

<b>352F EXCAVATOR</b>	Ship Weight	LIST PRICE
VICTORIA, TX, USA (SAP)	lbs	AT DEALER

<b>505-4701</b>	<b>352F HEX AM-N BCF2</b> ..... 0 LANE 3 - AVAILABLE FROM VICTORIA FACTORY	<b>\$515,520</b>
-----------------	---	------------------

Base Machine for Standard Counterweight with BLCV/SLCV

Base Configuration must be completed by selecting  
Mandatory / Optional attachments.

**INCLUDES:**

- 384-2184 352F L VG EXCAVATOR
- 433-5612 CONTROL, FINE SWING
- 383-5590 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 424-4597 CAB-ROPS, 70/30
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 496-8191 RADIO, 24V AM/FM
- 324-5778 PANEL, STD START SWITCH
- 462-9454 COUNTERWEIGHT, 9.0MT (19,840LBS)
- 383-6409 FAN, VARIABLE SPEED
- 387-4813 COVER, FENDER, STANDARD
- 324-4361 AIR CLEANER, HIGH EFFICIENCY
- 396-6053 GUARD, BOTTOM, HEAVY DUTY
- 297-9164 ROLLERS, SINGLE FLANGE, LC-VG
- 493-5700 CAMERA, REAR VIEW, MIRRORS(RH)
- 389-8012 LINES, PILOT, BOOM, STD
- 231-1771 ALARM, TRAVEL
- 324-4364 STARTING AID, ETHER
- 336-1150 SUN SCREEN (70/30)
- 358-8435 CYLINDER, BOOM (W/BLCV)
- 358-8459 CYLINDER, STICK (W/SLCV)
- 425-0040 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

505-4702	352F HEX AM-N BCF3 . . . . . 0 LANE 3 - AVAILABLE FROM VICTORIA FACTORY	\$504,700
----------	--	-----------

Base Machine for Counterweight Removal

- INCLUDES:
- 384-2185 352F L VG EXCAVATOR CW RMV
  - 433-5612 CONTROL, FINE SWING
  - 383-5590 AIR CONDITIONER
  - 352-7158 ACCUMULATOR WITH CRN
  - 488-6541 SEAT BELT, 51MM (2")
  - 424-4597 CAB-ROPS, 70/30
  - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
  - 496-8191 RADIO, 24V AM/FM
  - 324-5778 PANEL, STD START SWITCH
  - 462-9453 COUNTERWEIGHT, 8.6MT (18,960LBS)
  - 383-6409 FAN, VARIABLE SPEED
  - 387-4813 COVER, FENDER, STANDARD
  - 324-4361 AIR CLEANER, HIGH EFFICIENCY
  - 396-6053 GUARD, BOTTOM, HEAVY DUTY
  - 297-9164 ROLLERS, SINGLE FLANGE, LC-VG
  - 493-5701 CAMERA,REAR VIEW, CTWT REMOVAL
  - 389-8013 LINES,PILOT,BOOM CTWT REMOVAL
  - 231-1771 ALARM, TRAVEL
  - 324-4364 STARTING AID, ETHER
  - 336-1150 SUN SCREEN (70/30)
  - 358-8432 CYLINDER, BOOM (W/O BLCV)
  - 358-8458 CYLINDER, STICK (W/O SLCV)
  - 425-0040 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

505-4703	352F HEX AM-N BCF4 . . . . . 0 LANE 3 - AVAILABLE FROM VICTORIA FACTORY	\$514,670
----------	--	-----------

Base Machine for Counterweight Removal

Base Configuration must be completed by selecting  
Mandatory / Optional attachments.

INCLUDES:

- 384-2185 352F L VG EXCAVATOR CW RMV
- 433-5612 CONTROL, FINE SWING
- 383-5590 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 424-4597 CAB-ROPS, 70/30
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 496-8191 RADIO, 24V AM/FM
- 324-5778 PANEL, STD START SWITCH
- 462-9453 COUNTERWEIGHT, 8.6MT (18,960LBS)
- 383-6409 FAN, VARIABLE SPEED
- 387-4813 COVER, FENDER, STANDARD
- 324-4361 AIR CLEANER, HIGH EFFICIENCY
- 396-6053 GUARD, BOTTOM, HEAVY DUTY
- 297-9164 ROLLERS, SINGLE FLANGE, LC-VG
- 493-5701 CAMERA,REAR VIEW, CTWT REMOVAL
- 389-8013 LINES,PILOT,BOOM CTWT REMOVAL
- 231-1771 ALARM, TRAVEL
- 324-4364 STARTING AID, ETHER
- 336-1150 SUN SCREEN (70/30)
- 358-8435 CYLINDER, BOOM (W/BLCV)
- 358-8459 CYLINDER, STICK (W/SLCV)
- 425-0040 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER	0		NC
	only for dealers enrolled in the Base Order Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

**BOOMS, STICKS, AND LINKAGES**

NOTE: When ordering a frontless excavator, dealers can contact Caterpillar OEM Solutions at oem\_solutions@cat.com. OEM Solutions can assist in development of machine configurations, application guidance, and provide guidance to AEM's or OEM's that offer specialty excavator fronts or machine modifications in your region.

Select one **NO BOOM** or **BOOM/CYLINDER PACKAGE**  
 one **STICK**, one **BUCKET CYLINDER LINKAGE PACKAGE**

OG-0341	NO BOOM	0		NC
	For No boom, No stick, and No bucket linkage			
	REQUIRES: OG-0342 NO STICK or			
	384-9707 ROPS FILM REMOVAL			

**BOOM/CYLINDER PACKAGES**

L	500-0670	REACH BOOM 24'2" PKG	0	\$39,390
		FOR USE IN LANE 3 ONLY		
		Reach Boom 7.4M (24'2") Package (PKG)		
		INCLUDES:		
		- BOOM, 7.4M (24'2") LONG REACH		
		- LINKAGE, BUCKET-TB W/LIFT EYE		
		- CYLINDER, BKT (TB LINKAGE)		
		- UPPER COVER, STANDARD		
		NOTE: Due to supplier constraints, 500-0670 lead times have extended.		
		Selecting this option will result in a delayed RTS date.		
		ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or		
		505-4702 352F HEX AM-N BCF3		
L	529-3588	BOOM PKG, REACH	0	\$37,370
		Reach Boom 6.9M (22'8") Package (PKG)		
		INCLUDES:		
		- BOOM, 6.9M (22'8") REACH		
		- LINKAGE, BUCKET-TB W/LIFT EYE		
		- CYLINDER, BKT (TB LINKAGE)		
		- UPPER COVER, STANDARD		
		ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or		
		505-4702 352F HEX AM-N BCF3		

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**BOOM/CYLINDER PACKAGES (Cont.)**

L	529-3589	<b>BOOM PKG, REACH BLCV/SLCV</b> ..... 0 Reach Boom 6.9M (22'8") for Boom Lowering Control Valve (BLVC)/ Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD - DEVICE, SLCV R-BOOM NOTE: LANE 3 ONLY FOR AM-N ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 510-7473 352F HEX EUR BCF2 565-5323 352F HEX ANZ CFG1		\$38,920
L	529-3591	<b>BOOM PKG, MASS</b> ..... 0 NOTE: LANE 3 ONLY FOR AM-N Mass Boom 6.55M (21'6") Package (PKG) INCLUDES: - BOOM, 6.55M (21'6") MASS EXCAVATION HD - LINKAGE, BKT-UB W/O LIFT EYE - CYLINDER, BKT (UB LINKAGE) - UPPER COVER, STANDARD - MASS BOOM BLCV/SLCV PKG ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3 or 510-7472 352F HEX EUR BCF1		\$46,270
L	529-3592	<b>BOOM PKG, MASS BLCV/SLCV</b> ..... 0 NOTE: LANE 3 ONLY FOR AM-N Mass Boom 6.55M (21'6") for Boom Lowering Control Valve (BLCV) Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - BOOM, 6.55M (21'6") MASS EXCAVATION HD - LINKAGE, BKT-UB W/LIFT - CYLINDER, BKT (UB LINKAGE) - UPPER COVER, STANDARD - DEVICE, STICK LOWERING CONTROL ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 510-7473 352F HEX EUR BCF2 565-5323 352F HEX ANZ CFG1		\$47,820
L	529-3594	<b>BOOM PKG, REACH CGC</b> ..... 0 FOR USE IN LANE 3 ONLY Reach Boom 6.9M (22'8") CAT Grade Control (CGC) Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH (CGC) - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT TB CGC - UPPER COVER, CGC - GUARD, BKT TB CYLINDER, CGC ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3		\$37,370

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

***BOOM/CYLINDER PACKAGES (Cont.)***

L	529-3595	<b>BOOM PKG, REACH BLCV/SLCV CGC</b> ..... 0 Reach Boom 6.9M (22'8") for Boom Lowering Control Valve (BLVC)/ Stick Lowering Control Valve (SLCV) CAT Grade Control (CGC) Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH (CGC) - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT TB CGC - UPPER COVER, CGC - GUARD, BKT TB CYLINDER, CGC - DEVICE, SLCV R-BOOM ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 510-7473 352F HEX EUR BCF2 or 565-5323 352F HEX ANZ CFG1	0	<b>\$38,920</b>
L	529-3590	<b>REACH BOOM ONLY PKG</b> ..... 0 Reach Boom 6.9M (22'8") Only Pckage (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH - ROPS FILM REMOVAL - UPPER COVER, STANDARD NOTE: LANE 3 ONLY FOR NACD/CNDA REQUIRES: 0G-0342 NO STICK ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3	0	<b>\$28,460</b>



CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**STICKS**

	0G-0342	NO STICK . . . . . 0		NC
		For No front or Boom only (Stick less)		
		ONLY FOR USE WITH: 0G-0341 NO BOOM or 529-3590 REACH BOOM ONLY PKG		
L	384-9715	STICK, LONG REACH 14'1" TB . . . . . 0		\$18,900
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG		
		NOTE: Due to supplier constraints, 384-9715 lead times have extended. Selecting this option will result in a delayed RTS date.		
L	331-7838	STICK, REACH 12'10" TB . . . . . 0		\$17,490
		ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3589 BOOM PKG, REACH BLCV/SLCV		
L	527-0575	STICK, REACH 12'10" TB CGC . . . . . 0		\$17,990
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 529-3594 BOOM PKG, REACH CGC or 529-3595 BOOM PKG, REACH BLCV/SLCV CGC		
L	331-7839	STICK, REACH 11' TB . . . . . 0		\$16,170
		ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3589 BOOM PKG, REACH BLCV/SLCV		
L	527-0576	STICK, REACH 11' TB CGC . . . . . 0		\$16,170
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 529-3594 BOOM PKG, REACH CGC or 529-3595 BOOM PKG, REACH BLCV/SLCV CGC		
L	331-7842	STICK, MASS 9'10" UB . . . . . 0		\$17,080
		NOTE: LANE 3 ONLY FOR AM-N		
		ONLY FOR USE WITH: 529-3591 BOOM PKG, MASS or 529-3592 BOOM PKG, MASS BLCV/SLCV		
L	331-7843	STICK, MASS 8'2" UB . . . . . 0		\$15,380
		NOTE: LANE 3 ONLY FOR AM-N		
		ONLY FOR USE WITH: 529-3591 BOOM PKG, MASS or 529-3592 BOOM PKG, MASS BLCV/SLCV		
L	384-9707	ROPS FILM REMOVAL . . . . . 0		NC
		Muse be selected when machine ordered NO FRONT. Includes ROPS certification removal.		

**UNDERCARRIAGE**

**TRACKS**

L	514-7063	TRACK, 24" DG PPR2 HD (VG) . . . . . 0		\$15,220
		NOTE: LANE 3 ONLY FOR AM-N		
L	457-6827	TRACK, 30" SG PPR2 (VG) . . . . . 0		\$13,520
		FOR USE IN LANE 3 ONLY		
		For Pipeline Industry Application purpose only.		
L	546-1799	TRACK, 35" TG PPR2 (VG) . . . . . 0		\$13,530

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACK GUIDING GUARDS**

(Select only one)

L	152-6996	GUARD, TRACK GUIDING, CENTER . . . . .	0	\$1,845
L	348-0585	GUARD, TRACK GUIDING SEGMENTED . . . . . Three pieces, segmented.	661	\$3,040
L	332-5076	GUARD, TRACK GUIDE, FULL LENGTH . . . . . NOTE: LANE 3 ONLY FOR AM-N Two pieces, full length. Sprocket end and idler end track guard.	1,014	\$4,420

**IDLERS**

L	415-8521	IDLER, HEAVY DUTY . . . . . FOR USE IN LANE 3 ONLY	0	\$4,705
---	----------	---	---	---------

**HYDRAULICS**

**HYDRAULIC PACKAGES**

L	505-4674	JOYSTICK STD STP PKG . . . . . Joystick Standard Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, W/O TOOL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, STD - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3 and 500-0670 REACH BOOM 7.4M (24'2") PKG or 529-3588 BOOM PKG, REACH or 529-3590 REACH BOOM ONLY PKG or 529-3591 BOOM PKG, MASS or 0G-0341 NO BOOM	0	\$4,975
---	----------	---	---	---------

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC PACKAGES (Cont.)**

L	505-4675	<b>JOYSTICK STD STP B/SLCV PKG</b> ..... 0 Joystick Standard (STD) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER (BLCV) - DEVICE, BOOM LOWERING CONTROL - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, W/O TOOL - LINES, PILOT, BLCV/SLCV/SB - LINES, PILOT, STICK, STD - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 565-5323 352F HEX ANZ CFG1 and 529-3589 BOOM PKG, REACH BLCV/SLCV or 529-3592 BOOM PKG, MASS BLCV/SLCV	0	<b>\$5,550</b>
L	505-4676	<b>JOYSTICK TWJ STP PKG</b> ..... 0 Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - VALVE, HYDRAULIC, HL - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - LINES, PILOT, W/O TOOL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, STD - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3 and 500-0677 REACH BOOM CGC PKG	0	<b>\$6,190</b>

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC PACKAGES (Cont.)**

L	505-4677	<b>COMBINED CIR STP PKG</b> ..... 0 Combined circuit (CIR) Straight Travel Pedal (STP) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, MAIN CONTROL, HL TCS - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - SYSTEM, COMBINED - JOYSTICK, THUMB WHEEL - PEDAL, STRAIGHT TRAVEL - MAT, FLOOR, RH PEDAL - LINES, PILOT, TOOL & HL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, TOOL - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3 and 500-0670 REACH BOOM 7.4M (24'2") PKG or 529-3588 BOOM PKG, REACH or 529-3590 REACH BOOM ONLY PKG or 529-3591 BOOM PKG, MASS or 500-0677 REACH BOOM CGC PKG or 0G-0341 NO BOOM	0	\$18,870
L	505-4678	<b>COMBINED CIR STP B/SLCV PKG</b> ..... 0 FOR USE IN LANE 3 ONLY Combined circuit (CIR) Straight Travel Pedal (STP) for Boom lowering control Valve (BLCV)/Stick Lowering Control Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, MAIN CONTROL, HL TCS - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER (BLCV) - DEVICE, BOOM LOWERING CONTROL - SYSTEM, COMBINED - PEDAL, STRAIGHT TRAVEL - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - LINES, PILOT, TOOL & HL - LINES, PILOT, BLCV/SLCV/SB - LINES, PILOT, STICK, TOOL - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 565-5323 352F HEX ANZ CFG1 and 529-3589 BOOM PKG, REACH BLCV/SLCV or 529-3592 BOOM PKG, MASS BLCV/SLCV or 500-0678 REACH BOOM BLCV/SLCV CGC PKG	0	\$19,440

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS**

***PILOT LINES - BUCKET***

L	389-8018	LINES, PILOT, BUCKET, STD/UQC . . . . . 0 CANNOT BE USED WITH: 498-8961 CTRL, CAT PIN GRABBER COUPLER 498-8962 CTRL, CAT PIN GRABBER COUPLER		NC
L	494-9529	LINES, PILOT, BUCKET, QC . . . . . 0 REQUIRES: 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER		NC

**STARTERS, BATTERIES, & ALTERNATORS**

***BATTERY AND COLD WEATHER START PACKAGES***

L	328-0403	BATTERY, HEAVY DUTY . . . . . 0		\$745
L	366-6208	COLD WEATHER START PKG . . . . . 0 For ambient temperatures above -(minus) 32 degrees C (-26F). INCLUDES: - RECEPTACLE, JUMP START - BATTERY, HEAVY DUTY - HEATER, JACKET WATER		\$1,090

**OPERATOR ENVIRONMENT**

***WIPER***

L	316-8853	WIPER-RADIAL, 70/30 W/LOWER . . . . . 0		\$295
L	316-8984	WIPER-RADIAL, 70/30 W/O LOWER . . . . . 0		NC

***WASHER***

L	383-5665	WASHER, WINDSHIELD UPPER/LOWER . . . . . 0 ONLY FOR USE WITH: 316-8853 WIPER-RADIAL, 70/30 W/LOWER		\$890
L	383-5664	WASHER, WINDSHIELD UPPER . . . . . 0 ONLY FOR USE WITH: 316-8984 WIPER-RADIAL, 70/30 W/O LOWER		NC

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment.

Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country.

Please contact your Cat marketing representative with questions.

L	460-1150	<b>PRODUCT LINK, SATELLITE PL631</b> . . . . . 0		<b>\$439</b>
		ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. AVAILABLE FOR: AM-N (except for Quebec)		
L	460-1148	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0		<b>NC</b>
		ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. AVAILABLE FOR: AM-N (except for Quebec)		

**SAFETY AND SECURITY**

**CAB GUARDS AND CAB LIGHTS**

L	500-0681	<b>LIGHTING CAB PKG</b> . . . . . 0		<b>\$1,010</b>
		INCLUDES: - HATCH, OPENABLE ROOF (DUAL) - LIGHTING, CAB (HALOGEN)		
L	500-0682	<b>GUARD FOGS 1PC/DUAL PKG</b> . . . . . 0		<b>\$4,165</b>
		Openable Top Guard INCLUDES: - HATCH, OPENABLE ROOF (DUAL FOGS) - LIGHTING, CAB W/GRD (HALOGEN) - GUARD, FALLING OBJECTS		
L	500-0683	<b>GUARD FOGS 70/30 PKG</b> . . . . . 0		<b>\$4,230</b>
		Fixed Top Guard FOR USE IN LANE 3 ONLY INCLUDES: - HATCH, OPENABLE ROOF (DUAL) - LIGHTING, CAB W/GRD (HALOGEN) - GUARD, FALLING OBJECTS CANNOT BE USED WITH: FOR EUR 353-2048 CAB-ROPS, 1-PIECE		

**CAB MIRROR**

L	327-6552	<b>MIRROR, CAB, W/O GUARD</b> . . . . . 0		<b>\$108</b>
		Additional ISO cab mirror ONLY FOR USE WITH: 500-0681 LIGHTING CAB PKG		

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

**SAFETY AND SECURITY (CONT.)**

***CAB MIRROR (Cont.)***

L	327-6553	MIRROR, CAB, GUARD FALLING . . . . . 0	\$108
		Additional ISO cab mirror for FOGS and front mesh guard	
		ONLY FOR USE WITH: 500-0682 GUARD FOGS 1PC/DUAL PKG	
		500-0683 GUARD FOGS 70/30 PKG	

**OTHER ATTACHMENTS**

***DECALS - EXTERIOR***

L	384-2199	DECALS, EXTERIOR ANSI . . . . . 0	NC
		AVAILABLE FOR: AM-N (except for Quebec)	

***DECALS - CAB***

L	497-9646	DECALS, CAB ANSI . . . . . 0	NC
		ONLY FOR USE WITH: 384-2199 DECALS, EXTERIOR ANSI	
		AVAILABLE FOR: Canada	

***COUNTERWEIGHT REMOVAL***

L	431-3924	ARRANGEMENT, CTWT REMOVAL ANSI . . . . . 0	\$11,250
		ANSI	
		ONLY FOR USE WITH: 384-2199 DECALS, EXTERIOR ANSI	
		AVAILABLE FOR: AM-N (except for Quebec)	
		REQUIRED BY: 505-4702 352F HEX AM-N BCF3	
		505-4703 352F HEX AM-N BCF4	

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS**

**HIGH PRESSURE AUXILIARY BOOM LINES**

L	526-6495	<b>LINES, HP, REACH BOOM</b> ..... 0 ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3589 BOOM PKG, REACH BLCV/SLCV or 500-0677 REACH BOOM CGC PKG or 529-3590 REACH BOOM ONLY PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG and 505-4677 COMBINED CIR STP PKG or 505-4678 COMBINED CIR STP B/SLCV PKG or 510-7476 COMBINED CIR B/SLCV PKG or 510-7477 HAMMER CIR B/SLCV PKG		<b>\$2,940</b>
L	528-0095	<b>LINES, HP, MASS BOOM</b> ..... 0 ONLY FOR USE WITH: 529-3591 BOOM PKG, MASS or 529-3592 BOOM PKG, MASS BLCV/SLCV and 505-4677 COMBINED CIR STP PKG or 505-4678 COMBINED CIR STP B/SLCV PKG or 510-7476 COMBINED CIR B/SLCV PKG or 510-7477 HAMMER CIR B/SLCV PKG		<b>\$2,940</b>

**HIGH PRESSURE AUXILIARY STICK LINES**

L	332-9658	<b>LINES-HP, R12'10" STICK</b> ..... 0 ONLY FOR USE WITH: 526-6495 LINES, HP, REACH BOOM and 331-7838 STICK, REACH 3.9M (12'10") TB or 488-1174 STICK, REACH 3.9M (12'10") TB (CGC)		<b>\$1,840</b>
L	332-9661	<b>LINES-HP, R11' STICK</b> ..... 0 ONLY FOR USE WITH: 526-6495 LINES, HP, REACH BOOM and 331-7839 STICK, REACH 3.35M (11') TB or 488-1175 STICK, REACH 3.35M (11') TB (CGC)		<b>\$1,840</b>
L	493-3897	<b>LINES-HP, M9'10" STICK</b> ..... 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 528-0095 LINES, HP, MASS BOOM and 331-7842 STICK, MASS 3.0M (9'10") UB		<b>\$1,840</b>
L	493-3898	<b>LINES-HP, M8'2" STICK</b> ..... 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 528-0095 LINES, HP, MASS BOOM and 331-7843 STICK, MASS 2.5M (8'2") UB		<b>\$1,840</b>

**MEDIUM PRESSURE CIRCUIT**

L	497-3873	<b>CIRCUIT, MEDIUM PRESSURE.</b> ..... 0 NOTE: LANE 3 ONLY FOR AM-N ONLY FOR USE WITH: 505-4677 COMBINED CIR STP PKG or 505-4678 COMBINED CIR STP B/SLCV PKG or 510-7476 COMBINED CIR B/SLCV PKG CANNOT BE USED WITH: 510-7477 HAMMER CIR B/SLCV PKG		<b>\$4,905</b>
---	----------	---	--	----------------



CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**MEDIUM PRESSURE AUXILIARY BOOM LINES**

L	526-6496	LINES, MP, REACH BOOM . . . . . 0 NOTE: LANE 3 ONLY FOR AM-N ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3589 BOOM PKG, REACH BLCV/SLCV or 529-3590 REACH BOOM ONLY PKG or 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG and 497-3873 CIRCUIT, MEDIUM PRESSURE		\$1,725
---	----------	---	--	---------

**MEDIUM PRESSURE AUXILIARY STICK LINES**

L	230-0120	LINES-MP, R12'10" STICK . . . . . 57 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 526-6496 LINES, MP, REACH BOOM and 331-7838 STICK, REACH 3.9M (12'10") TB or 488-1174 STICK, REACH 3.9M (12'10") TB (CGC)		\$1,075
L	230-0123	LINES-MP, R11' STICK . . . . . 53 NOTE: LANE 3 ONLY FOR AM-N ONLY FOR USE WITH: 526-6496 LINES, MP, REACH BOOM and 331-7839 STICK, REACH 3.35M (11') TB or 488-1175 STICK, REACH 3.35M (11') TB (CGC)		\$1,075

**QUICK COUPLER CONTROL**

L	498-8961	CTRL, CAT PIN GRABBER COUPLER . . . . . 0 ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit ONLY FOR USE WITH: 384-2199 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		\$1,210
L	498-8962	CTRL, CAT PIN GRABBER COUPLER . . . . . 0 ISO For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 384-2197 DECALS, EXTERIOR ISO AVAILABLE FOR: Canada		\$1,210

**QUICK COUPLER BOOM LINES**

L	388-0173	LINES-QC, LONG REACH BOOM . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG and 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER		\$1,945
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**QUICK COUPLER BOOM LINES (Cont.)**

L	526-6497	LINES, QC, REACH BOOM . . . . . 0		\$1,945
		ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3590 REACH BOOM ONLY PKG or 529-3589 BOOM PKG, REACH BLCV/SLCV or 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG and 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER or 508-8596 CONTROL, CW DEDICATED COUPLER or 565-5323 352F HEX ANZ CFG1		

**QUICK COUPLER STICK LINES**

L	242-6550	LINES-QC, R14'1" STICK . . . . . 45		\$1,620
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 388-0173 LINES-QC, LONG REACH BOOM and 384-9715 STICK, LONG REACH 4.3M (14'1") TB		
L	332-9660	LINES-QC, R12'10" STICK . . . . . 0		\$1,620
		ONLY FOR USE WITH: 526-6497 LINES, QC, REACH BOOM and 331-7838 STICK, REACH 3.9M (12'10") TB or 488-1174 STICK, REACH 3.9M (12'10") TB (CGC)		
L	332-9663	LINES-QC, R11' STICK . . . . . 0		\$1,620
		ONLY FOR USE WITH: 526-6497 LINES, QC, REACH BOOM and 331-7839 STICK, REACH 3.35M (11') TB or 488-1175 STICK, REACH 3.35M (11') TB (CGC)		

**OPERATOR ENVIRONMENT**

**PATTERN CHANGER**

L	349-2233	CHANGER,HAND CTRL 2-WAY (ANSI) . . . . . 0		\$1,270
		ONLY FOR USE WITH: 384-2199 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		

**TECHNOLOGY PRODUCTS**

**CAT GRADE CONTROL**

Depth and Slope is the deeply integrated indicate - only CAT Grade Control System that provides guidance to the bucket tip using the standard machine display.

L	497-9660	GRADE CTRL, DEPTH AND SLOPE . . . . . 0		\$16,170
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4701 352F HEX AM-N BCF2 and 529-3594 BOOM PKG, REACH CGC or 529-3595 BOOM PKG, REACH BLCV/SLCV CGC and 527-0575 STICK, REACH 3.9M (12'10") TB (CGC) or 527-0576 STICK, REACH 3.35M (11') TB (CGC)		

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT GRADE CONTROL (Cont.)**

L	497-9661	GRADE CTRL, DEPTH AND SLOPE RV . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-4702 352F HEX AM-N BCF3 or 505-4703 352F HEX AM-N BCF4 and 529-3594 REACH BOOM CGC PKG or 529-3595 REACH BOOM BLCV/SLCV CGC PKG and 527-0575 STICK, REACH 3.9M (12'10") TB (CGC) or 527-0576 STICK, REACH 3.35M (11') TB (CGC)		\$16,170
---	----------	--	--	----------

**MACHINE CONTROL OPTIONS - GRADE WITH 3D**

L	519-1606	GRADE W/3D GPS UNIT . . . . . 0 FOR USE IN LANE 3 ONLY Cat GRADE with 3D is a factory installed. Includes a Cat GRADE with 3D display, dual mounted GNSS antennas including receivers, fully calibrated GNSS antennas. Requires an off-board GPS radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and site set-up. ONLY FOR USE WITH: 497-9660 GRADE CTRL, DEPTH AND SLOPE or 497-9661 GRADE CTRL, DEPTH AND SLOPE RV		\$39,160
---	----------	---	--	----------

**SAFETY AND SECURITY**

**BOOM LIGHTS**

L	328-0259	LIGHTS, HALOGEN, R/M-BOOM . . . . . 0 For Reach boom and Mass boom. Halogen boom lights w/ time delay. ONLY FOR USE WITH: 500-0672 REACH BOOM PKG or 500-0673 REACH BOOM BLCV/SLCV PKG or 500-0680 REACH BOOM ONLY PKG or 500-0674 MASS BOOM PKG or 500-0675 MASS BOOM BLCV/SLCV PKG or 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG		\$322
L	342-3233	LIGHTS, HID, R/M-BOOM . . . . . 0 For Reach boom and Mass boom. HID boom lights w/ time delay. ONLY FOR USE WITH: 500-0672 REACH BOOM PKG or 500-0673 REACH BOOM BLCV/SLCV PKG or 500-0680 REACH BOOM ONLY PKG or 500-0674 MASS BOOM PKG or 500-0675 MASS BOOM BLCV/SLCV PKG or 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG		\$1,170
L	238-2188	LIGHTS, HALOGEN, LONG R-BOOM . . . . . 0 FOR USE IN LANE 3 ONLY For 7.4M (24'2") Long reach boom. Halogen boom lights w/ time delay. ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG		\$322

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SAFETY AND SECURITY (CONT.)**

***BOOM LIGHTS (Cont.)***

L	377-8286	LIGHTS, HID LONG R-BOOM ..... 0 FOR USE IN LANE 3 ONLY For 7.4M (24'2") Long reach boom. HID boom lights w/ time delay. ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG		\$1,170
---	----------	---	--	---------

**COOLING**

***LUBRICANT***

L	451-4009	COOLANT, COLD WEATHER ..... 0		\$275 NET
---	----------	-------------------------------	--	-----------

**OTHER ATTACHMENTS**

***PREVENTATIVE MAINTENANCE***

L	344-0830	QUICK DRAINS, READY (OIL) ..... 0		NC
---	----------	-----------------------------------	--	----

**QUICK COUPLERS**

***QUICK COUPLER - CAT PIN GRABBER (Non-INSTALLED BUCKET)***

L	455-3908	COUPLER PG W/O PIN TB ..... 0 Includes a Cat pin grabber coupler. (No Pins) CAN NOT BE USED WITH: Bucket installed from factory ONLY FOR USE WITH: 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER and 242-6550 LINES-QC, R4.3M (14'1") STICK or 332-9660 LINES-QC, R3.9M (12'10") STICK or 332-9663 LINES-QC, R3.35M (11') STICK		\$15,058
---	----------	---	--	----------

***QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)***

L	455-3907	COUPLER, PIN GRABBER TB W/PINS ..... 0 Includes a Cat pin grabber coupler & spare pins. For use when ordering an installed buckets ONLY FOR USE WITH: 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER and 242-6550 LINES-QC, R4.3M (14'1") STICK or 332-9660 LINES-QC, R3.9M (12'10") STICK or 332-9663 LINES-QC, R3.35M (11') STICK		\$18,082
---	----------	--	--	----------

**BUCKETS**

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge,  
tooth tips, sidecutters or sidebar protectors.  
Rated capacity, SAE heaped.

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**GENERAL DUTY (GD)**

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

P	528-2196	<b>BKTA GD 74" 4.03YD3 TB</b> ..... 5,441 INCLUDES: Sidecutter INCLUDES: 7 Advansys 110 size tips ONLY FOR USE WITH: TB Family bucket linkage		<b>\$24,433</b>
P	528-2197	<b>BKTA GD 80" 5.00YD3 TB</b> ..... 5,873 INCLUDES: Sidecutter INCLUDES: 7 Advansys 110 size tips ONLY FOR USE WITH: TB Family bucket linkage		<b>\$27,675</b>

**HEAVY DUTY (HD)**

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	528-4547	<b>BKTA HD 72" 3.52YD3 TB</b> ..... 5,624 Includes sidecutters and tips Adapters size A110, 7 tips. FOR USE WITH: TB Family bucket linkage		<b>\$25,415</b>
P	528-8128	<b>BKTA HD 54" 2.44YD3 TB</b> ..... 4,603 INCLUDES: Sidecutter INCLUDES: 5 Advansys 110 size tips		<b>\$22,381</b>

**SEVERE DUTY (SD)**

For aggressive bucket loading in highly abrasive applications such as shot rock and granite.

P	518-9348	<b>BKTA SD 61" 2.80YD3 PO</b> ..... 5,415 Includes sidebar protectors and tips Adapters size K130, 5 tips. FOR USE WITH: TB Family bucket linkage		<b>\$25,150</b>
---	----------	---	--	-----------------

**PACKING**

**PACKING**

MAY SELECT ONLY ONE OPTION

OG-0211	<b>PACK, ROLL ON ROLL OFF-TRUCK</b> ..... 0	<b>NC</b>
---------	---	-----------

NOTE: Option for Truck Shipment

OG-0213	<b>PACK, RO-RO TRUCK TO VESSEL</b> ..... 0	<b>\$172 NET</b>
---------	--	------------------

NOTE: For P420 Only

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**PACKING (CONT.)**

***PACKING (Cont.)***

OG-0214 PACK, RO-RO TRUCK TO RAIL . . . . . 0 NC

NOTE: Option for Rail Shipment

OG-0608 PACK, RO-RO TRUCK TO VESSEL . . . . . 0 \$410 NET

**ADDITIONAL PACKING**

MUST SELECT ONE OPTION

OG-4127 STORAGE PROTECTION (EXPORT) . . . . . 0 \$415 NET

Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

OG-4131 STORAGE PROTECTION (DOMESTIC) . . . . . 0 NC

Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

OP-2671 NO STORAGE PROTECTION . . . . . 0 NC

Please select this if you do not want Fluid Film TM applied.

**MACHINE PREPARATION**

MAY SELECT OPTION

OP-4751 STICK ON SHIPMENT . . . . . 0 \$6,570 NET

Additional net charge for shipping with stick and boom attached to allow for ease of assembly at customer and dealer locations where the prescribed last mile shipment has the stick removed. The counterweight and work tools will ship removed.

ONLY FOR USE WITH: OG-0211 PACK, ROLL ON ROLL OFF-TRUCK  
 CANNOT BE USED WITH: OG-0341 NO BOOM  
 OG-0342 NO STICK