

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR
 XUZHOU, CHINA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Automatic engine speed control
 CAT C18 diesel engine:
 -2300m/7500ft altitude capability
 w/ no derate
 -Power management modes:
 -High power: 382 KW
 -Economy: 323 KW with reduced engine
 speed
 Cooling capability:
 -High ambient, 52C/125(HRC)
 -High ambient, 52C/125(LRC)
 HPC(High Pressure Cut) ON except travel
 Radial seal air filter
 Secondary engine shut-off switch
 Water separator in fuel line

-Floor mat, washable
 Monitor:
 -Clock
 -Language display (full graphic and
 full color display)
 -Machine condition, error code and
 tool mode setting information
 -Start-up level check for engine oil
 engine coolant & hydraulic oil
 -Warning, filter/fluid change and
 working hour information
 -Neutral lever for all controls
 -Fuel consumption meter
 Pedal:
 -Capability to install 2 add'l pedals
 (one electric pedal capability)
 -Travel control with removable
 hand levers
 Seat:
 -Adjustable armrest (95mm /3,7"width)
 -Electric provision for seat heater

UNDERCARRIAGE

Idler and center section track guiding
 guards
 Grease lubricated track with PPR2
 Solid cast idler
 Heavy duty rollers
 Towing eye on base frame

GUARDS

5mm swivel guard on undercarriage
 HD bottom guards on upper frame
 HD travel motor guards

HYDRAULICS

Hydraulic main pump (2 pump)
 Capability of installing Cat bio
 hydraulic oil

OTHER STANDARD EQUIPMENT

Automatic swing parking brake
 Boom and stick drift reducing valve
 Boom lowering device for service
 Capability to install additional
 auxiliary circuit
 Capability to install boom & stick
 lowering control device
 Capability to install stackable valves
 for main valve (max 3 valves)
 CAT data link with E/T use capability
 HD Circuit breaker
 Counterweight with lifting eyes
 Door locks and cap locks
 High performance hyd. return filter
 Mirrors, rearview (frame -right,
 cab-left)
 Product Link ready
 Regeneration circuit for boom & stick
 Two speed auto-shift travel
 Steel firewall between engine & pump
 compartment

ELECTRICAL

75 Ampere alternator
 Heavy Duty batteries (2) Maint-free
 Horn, signaling/warning
 Light, storage box mounted (one)
 Light, cab mounted
 Light, boom mounted

OPERATOR ENVIRONMENT

Cab:
 -Ashtray with lighter
 -Beverage holder
 -Bolt-on FOGS capability
 -Coat hook
 -Interior lighting
 -Literature holder
 -Polycarbonate skylight
 -Parallel wiper and washer
 -Radio mounting (meets DIN size)
 with antenna and two stereo speakers
 -Sliding upper door window
 -Storage compartment (Shelf) suitable
 for lunch box
 -Air conditioner, heater and defroster
 with climate control

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR
XUZHOU, CHINA

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

571-6474 390F L HEX AM-N FTO1C 0 \$1,005,400

LANE 1 - AVAILABLE FROM SAVANNAH PDC
LANE 3 - AVAILABLE FROM XUZHOU FACTORY

FTO 1 (NO Tool Control, 900mm Track 70/30)

INCLUDES:

557-3359 390F L HEX
439-1604 COLD WEATHER STARTING 120V PKG

INCLUDES:

STARTING AID, ETHER
BATTERY (COLD WEATHER)
HEATER, ENGINE COOLANT (120V)
TERMINALS, JUMP START

5729900 JOYSTICK, TWJ STPG

INCLUDES:

-MAIN VALVE
-MAT, FLOOR, RH PEDAL
-JOYSTICK, THUMB WHEEL
-PEDAL, STRAIGHT TRAVEL
-PILOT LINES (W/STP)
-NO MEDIUM PRESSURE CIRCUIT

507-1278 CAB, 70/30 POLY HATCH PKG

INCLUDES:

CAB,70/30,W/VANDAL-G BOSS
RADIO, 24V AM/FM
WASHER WIPER
WIPER-PARALLEL, FRONT 70/30
SUN SCREEN (70/30)

372-9526 AIR CONDITIONER

377-8075 ALARM, TRAVEL

382-7318 QUICK DRAINS, READY (OIL)

488-6541 SEAT BELT, 51MM (2")

316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL

473-9883 BEACON ELECTRICAL OUTLET

382-8287 WALKWAYS

499-0250 CAMERA, REAR VIEW

460-1150 PRODUCT LINK, SATELLITE PL631

357-7486 TRACK, 900MM (35") DG-HD (PPR2)

297-7518 GUARD,TRACK GUIDE, SEGMENTED

426-4925 UNDERCARRIAGE

430-7909 COUNTERWEIGHT,REMOVAL(ANSI)

379-7477 STORAGE BOX (HRC)

379-7839 TANK, FUEL

450-1767 HOOD & COVER (CPM)

416-5616 INSTRUCTIONS, ANSI (OUT)

509-0804 INSTRUCTIONS, ANSI (CAB)

319-1179 LIGHTING, CAB (HALOGEN)

500-3305 CPM W/O BLCV

327-6552 MIRROR, CAB, W/O GUARD

NOTE: PDC inventory is not yet available for this FTO.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

565-0245	390F L HEX AM-N FTO1D 0 LANE 3 - AVAILABLE FROM XUZHOU FACTORY	\$1,005,400
-----------------	--	--------------------

FTO 1 (NO Tool Control, 900mm Track 70/30)

INCLUDES:

- 556-9792 390F L HEX
- 439-1604 COLD WEATHER STARTING 120V PKG

INCLUDES:

- STARTING AID, ETHER
- BATTERY (COLD WEATHER)
- HEATER, ENGINE COOLANT (120V)
- TERMINALS, JUMP START

- 572-9900 JOYSTICK TWJ STP PKG

INCLUDES:

- MAIN VALVE
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PILOT LINES (W/STP)
- PEDAL, STRAIGHT TRAVEL
- NO MEDIUM PRESSURE CIRCUIT

- 507-1278 CAB, 70/30 POLY HATCH PKG

INCLUDES:

- CAB,70/30,W/VANDAL-G BOSS
- RADIO, 24V AM/FM
- WASHER WIPER
- WIPER-PARALLEL, FRONT 70/30
- SUN SCREEN (70/30)

- 372-9526 AIR CONDITIONER
- 377-8075 ALARM, TRAVEL
- 382-7318 QUICK DRAINS, READY (OIL)
- 488-6541 SEAT BELT, 51MM (2")
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 473-9883 BEACON ELECTRICAL OUTLET
- 382-8287 WALKWAYS
- 499-0250 CAMERA, REAR VIEW
- 460-1150 PRODUCT LINK, SATELLITE PL631
- 357-7486 TRACK, 900MM (35") DG-HD (PPR2)
- 297-7518 GUARD,TRACK GUIDE, SEGMENTED
- 426-4925 UNDERCARRIAGE
- 430-7909 COUNTERWEIGHT,REMOVAL(ANSI)
- 379-7477 STORAGE BOX (HRC)
- 379-7839 TANK, FUEL
- 450-1767 HOOD & COVER (CPM)
- 416-5616 INSTRUCTIONS, ANSI (OUT)
- 509-0804 INSTRUCTIONS, ANSI (CAB)
- 319-1179 LIGHTING, CAB (HALOGEN)
- 500-3305 CPM W/O BLCV
- 327-6552 MIRROR, CAB, W/O GUARD

NOTE: PDC inventory is not yet available for this FTO.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR	Ship Weight	LIST PRICE
XUZHOU, CHINA	lbs	AT DEALER

565-0239	390F L HEX BCF1B 0	\$942, 850
-----------------	-------------------------------------	-------------------

LANE 2 - AVAILABLE FROM XUZHOU FACTORY
 LANE 3 - AVAILABLE FROM XUZHOU FACTORY

Engine suitable for EU STAGE 5

Base Configuration must be completed by selecting
 Mandatory / Optional attachments

INCLUDES:

- 556-9792 390F L HEX
- 316-8885 SEAT,HBACK,HEATER,S/AIR,COOL
- 372-9526 AIR CONDITIONER
- 377-8075 ALARM, TRAVEL
- 382-7318 QUICK DRAINS, READY (OIL)
- 382-8287 WALKWAYS
- 473-9883 BEACON ELECTRICAL OUTLET
- 488-6541 SEAT BELT, 2"
- 499-0250 CAMERA, REAR VIEW

NOTE: Available only after Prior confirmation

586-9580	390F L HEX AM-N BCF1B 0	\$1, 002, 080
-----------------	--	----------------------

LANE 3 - AVAILABLE FROM XUZHOU FACTORY

Engine suitable for EU STAGE 5-FRONTLESS

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

INCLUDES:

- 556-9792 390F L HEX
- 372-9526 AIR CONDITIONER
- 377-8075 ALARM, TRAVEL
- 382-7318 QUICK DRAINS, READY (OIL)
- 488-6541 SEAT BELT, 2"
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 473-9883 BEACON ELECTRICAL OUTLET
- 382-8287 WALKWAYS
- 499-0250 CAMERA, REAR VIEW
- 562-5667 IDENTIFIER, FRONTLESS

AVAILABLE FOR: AM-N

0P-3979	390F MISC MATERIAL 0	NC
----------------	---------------------------------------	-----------

AVAILABLE FROM SAVANNAH PDC & XUZHOU FACTORY.

Only reference numbers under LANE 1 AM-NORTH OPTIONAL ATTACHMENTS
 section can be used on MISC order.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION FOR FTO

YOU MUST SELECT THIS REFERENCE WHEN ORDERING DCA FROM PDC

	OP-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

DECAL PACKAGE

(Must Choose One)

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.	0	NC
P	450-5706	INSTRUCTIONS, ISO This package includes picto decals as required for Quebec, Canada.	0	NC

NOTE: Required for Quebec

STORAGE PROTECTION

	OG-4127	STORAGE PROTECTION (EXPORT) Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	0	\$415 NET
L	377-8075	ALARM, TRAVEL	0	\$900

NOTE: Mandatory for AM-S

EXPORT PACKING

	OG-8001	PACK, WITH BOOM & STICK To use if bucket is not ordered. For shipment stick is detached	0	\$3,150 NET
	OG-8006	OPTION, BOOM DETACHED	0	NC
	OG-8008	OPTION, COUNTERWEIGHT DETACHED	0	NC

NOTE: Required by the inland transportation regulation in China.

NOTE: Required by the inland transportation regulation in China.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

EXPORT PACKING (Cont.)

OP-4652	PACK, 374F/390F SIDE STEP	0	\$63 NET
---------	---------------------------	---	----------

NOTE: Required by the inland transportation regulation in China.

OG-0672	EXP PKG, BOOM	0	\$130
---------	---------------	---	-------

NOTE: For MISC order/ Machine order when select boom, FTO(NI)

OG-0673	EXP PKG, STICK/LINKAGE	0	\$176
---------	------------------------	---	-------

NOTE: For MISC order/ Machine order when select stick, FTO(NI)

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

BOOM PACKAGE FOR FTO

P	528-4281	GP-BOOM, 27'7" CPM PKG	0	\$104,570
---	----------	------------------------	---	-----------

General Purpose Boom/8.4M(27'7") Package (PKG) compatible with CAT Production Measurement (CPM)

INCLUDES:

- BOOM, 8.4M (27'7") GP (CPM)
 - CYLINDER, BOOM (W/O BLCV)
 - CYLINDER, STICK (W/O SLCV)
 - HALOGEN LIGHTS, GP-BOOM
- AVAILABLE FOR: CANADA DEALERS

P	528-4281	GP-BOOM, 27'7" CPM PKG	0	\$112,860 NI
---	----------	------------------------	---	--------------

General Purpose Boom/8.4M(27'7") Package (PKG) compatible with CAT Production Measurement (CPM)

INCLUDES:

- BOOM, 8.4M (27'7") GP (CPM)
 - CYLINDER, BOOM (W/O BLCV)
 - CYLINDER, STICK (W/O SLCV)
 - HALOGEN LIGHTS, GP-BOOM
- AVAILABLE FOR: US DEALERS

P	528-4282	M-BOOM, 23'9" (CPM) PKG	0	\$107,820
---	----------	-------------------------	---	-----------

Mass Boom/7.25M (23'9") Package (PKG) compatible with CAT Production Measurement (CPM)

INCLUDES:

- BOOM, 7.25M (23'9") MASS EXCAVATION
 - CYLINDER, BOOM (W/O BLCV)
 - CYLINDER, STICK (W/O SLCV)
 - HALOGEN LIGHTS, M-BOOM
- AVAILABLE FOR: CANADA DEALERS

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

BOOM PACKAGE FOR FTO (Cont.)

P	528-4282	M-BOOM, 23'9" (CPM) PKG 0 Mass Boom/7.25M (23'9") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 7.25M (23'9") MASS EXCAVATION -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) -HALOGEN LIGHTS, M-BOOM AVAILABLE FOR: US DEALERS		\$116,610 NI
L	555-3609	R-BOOM, 32'10" CPM PKG 0 Reach Boom/10M(32'10") package(PKG) compatible with Cat Production Measurement ready (CPM) INCLUDES: -BOOM, 32'10" REACH (CPM) -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) -HALOGEN LIGHTS, R-BOOM AVAILABLE FOR: CANADA DEALERS		\$106,900
L	555-3609	R-BOOM, 32'10" CPM PKG 0 Reach Boom/10M(32'10") package(PKG) compatible with Cat Production Measurement ready (CPM) INCLUDES: -BOOM, 32'10" REACH (CPM) -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) -HALOGEN LIGHTS, R-BOOM AVAILABLE FOR: US DEALERS		\$115,370 NI

STICK/LINKAGE PACKAGE FOR FTO

P	507-1312	R/GP 18'1" STICK/BKT LKG PKG 0 Reach Stick R5.5M (18'1") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R5.5M (18'1") (CPM) (HB2) -LINKAGE, HB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG 555-3609 R-BOOM, 32'10" CPM PKG AVAILABLE FOR: CANADA DEALERS		\$67,520
P	507-1312	R/GP 18'1" STICK/BKT LKG PKG 0 Reach Stick R5.5M (18'1") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R5.5M (18'1") (CPM) (HB2) -LINKAGE, HB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG 555-3609 R-BOOM, 32'10" CPM PKG AVAILABLE FOR: US DEALERS		\$72,890 NI

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)				
STICK/LINKAGE PACKAGE FOR FTO (Cont.)				
P	507-1313	R/GP 14'5" STICK/BKT LKG PKG 0 Reach Stick R4.4M (14'5") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R4.4M (14'5") (CPM) (HB2) -LINKAGE, HB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG 555-3609 R-BOOM,32'10" CPM PKG AVAILABLE FOR: CANADA DEALERS		\$64,170
P	507-1313	R/GP 14'5" STICK/BKT LKG PKG 0 Reach Stick R4.4M (14'5") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R4.4M (14'5") (CPM) (HB2) -LINKAGE, HB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG 555-3609 R-BOOM,32'10" CPM PKG AVAILABLE FOR: US DEALERS		\$69,270 NI
P	507-1314	GP11'2" STICK/BKT LKG PKG 0 General Purpose 3.4M (11'2") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, GP3.4M (11'2") (CPM) (JC) -LINKAGE, JC W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG AVAILABLE FOR: CANADA DEALERS		\$64,920
P	507-1314	GP11'2" STICK/BKT LKG PKG 0 General Purpose 3.4M (11'2") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, GP3.4M (11'2") (CPM) (JC) -LINKAGE, JC W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG AVAILABLE FOR: US DEALERS		\$70,560 NI
P	517-8393	M9'7" STICK/BKT LKG (CPM)PKG 0 Mass 2.92M (9'7") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, M2.92M (9'7") (CPM) (JC) -LINKAGE, JC W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4282 M-BOOM, 7.25M (23'9") (CPM) PKG AVAILABLE FOR: CANADA DEALERS		\$65,810
P	517-8393	M9'7" STICK/BKT LKG (CPM)PKG 0 Mass 2.92M (9'7") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, M2.92M (9'7") (CPM) (JC) -LINKAGE, JC W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4282 M-BOOM, 7.25M (23'9") (CPM) PKG AVAILABLE FOR: US DEALERS		\$71,610 NI

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)***BUCKETS***

NOTE: Stick, bucket linkage, bucket adjuster and bucket must be matched.

For the full portfolio of work tools please refer to the Work Tool price pages.

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch/Wamego. For bucket-only miscellaneous orders, use reference OG related to your local WTHEx pricelist on your miscellaneous order.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

Stick and bucket linkage must be matched.
 For Auxiliary hydraulic boom & stick lines packages,
 please refer to the LINE GROUPS SECTION.

BOOM PACKAGES
 includes boom and stick cylinders

Reach boom packages

L	440-2991	R-BOOM, 32'10" PKG FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach Boom/10M(32'10") Package (PKG) INCLUDES: -BOOM, 10M (32'10") REACH -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand NOTE: For AME/CIS/Turkey/EU/ANZP/SEA/India/GCN1/AM-S/US/Canada	0	\$106,250
L	439-1727	R-BOOM, 32'10" BLCV/SLCV PKG Reach Boom/10M(32'10") Package with boom lowering control device (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 10m (32'10") REACH -CYLINDER, BOOM (W/BLCV) -STICK, CYLINDER (W/SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL NOTE: For ANZP/SEA/India/EU/US/Canada	0	\$123,640
P	559-7547	R-BOOM, 32'10" PKG, STICK LESS FOR USE IN LANE 3 ONLY Reach Boom/10M(32'10") Package (PKG),STICKLESS Include: 355-7249 CYLINDER, STICK (W/O SLCV) 382-7315 BOOM, 32'10" REACH	0	\$79,510
L	382-7315	BOOM, 32'10" REACH FOR USE IN LANE 3 ONLY	0	\$66,160

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Reach boom packages (Cont.)

L	439-1729	GP-BOOM, 27'7" PKG 0 FOR USE IN LANE 2 FOR AM-S FOR USE IN LANE 3 ALL OTHER REGIONS General Purpose Boom/8.4M(27'7") Package (PKG) INCLUDES: -BOOM, 8.4M (27'7") GENERAL PURPOSE -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand NOTE: For AME/CIS/SEA/India/Turkey/PAC/GCN1/AM-S/EU/US/Canada/Japan/HK	0	\$103,920
L	439-1730	GP-BOOM, 27'7" BLCV/SLCV PKG 0 FOR USE IN LANE 3 ONLY General Purpose Boom/8.4M (27'7") Package (PKG) with boom lowering control device (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 8.4M (27'7") GENERAL PURPOSE -CYLINDER, BOOM (W/ BLCV) -CYLINDER, STICK (W/ SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL NOTE: LANE 2 FOR EU NOTE: For US/Canada/ANZP/SEA/India/EU	0	\$121,310
P	559-7549	GP-BOOM, 27'7" PKG STICK LESS 0 FOR USE IN LANE 3 ONLY General Purpose Boom/8.4M(27'7") Package (PKG), STICKLESS Include: 355-7249 CYLINDER, STICK (W/O SLCV) 357-4743BOOM, 27'7" GENERAL PURPOSE	0	\$77,180
L	357-4743	BOOM, 27'7" GENERAL PURPOSE 0 FOR USE IN LANE 3 ONLY	0	\$63,830

Reach/General Purpose boom packages with CAT Grade Control

L	528-2858	R-BOOM, 32'10" CPM PKG 0 Reach Boom/10.0M(32'10")Package (PKG) with CAT Production Measurement (CPM) INCLUDES: -BOOM, 32'10" REACH (CPM) -CYLINDER, BOOM (W/O BLCV)) -CYLINDER, STICK (W/O SLCV) AVAILABLE FOR: New Caledonia and French Polynesia/EU/AM-N/CIS/AME/TUR/SEA/INDIA	0	\$106,250
---	----------	---	---	-----------

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Reach/General Purpose boom packages with CAT Grade Control (Cont.)

L	528-2860	R-BOOM,32'10"BLCV/SLCV CPM PKG 0 Reach Boom/10.0M(32'10")Package (PKG) with boom lowering device (BLCV),stick lowering control device (SLCV) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 32'10" REACH (CPM) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL -CYLINDER, BOOM (W/BLCV) -STICK, CYLINDER (W/SLCV) AVAILABLE FOR: New Caledonia and French Polynesia/EU/AM-N/CIS/AME/TUR		\$123,640
L	481-3515	GP-BOOM,27'7"BLCV/SLCV CPM PKG 0 General Purpose Boom/8.4M(27'7") Package (PKG) with boom lowering device (BLCV),stick lowering control device (SLCV) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 8.4M (27' 7") GP (CPM) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL -CYLINDER, BOOM (W/BLCV) -STICK, CYLINDER (W/SLCV)		\$121,310
L	481-3516	GP-BOOM, 27' 7" CPM PKG 0 General Purpose Boom/8.4M(27'7") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 8.4M (27' 7") GP (CPM) -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand NOTE: For New Caledonia and French Polynesia/SEA/India /AM-S/GCN1/PAC/AME/CIS/Turkey/US/Canada		\$103,920

Mass boom packages

L	456-1082	M-BOOM, 23'9" PKG 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS Mass Boom/7.25M (23'9") Package (PKG) INCLUDES: -BOOM, 7.25M (23.9') MASS EXCAVATION -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand NOTE: For AME/CIS/Turkey/SEA/GCN1/AM-S/India/EU/US/Canada/PAC /Japan/Korea/HK		\$107,170
---	----------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Mass boom packages (Cont.)

L	456-1083	M-BOOM, 23'9 BLCV/SLCV PKG 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS Mass Boom/7.25M (23'9) Package (PKG) with boom lowering control device (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 7.25m (23'9) MASS EXCAVATION -CYLINDER, BOOM (W/BLCV) -CYLINDER, STICK (W/SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL NOTE: For SEA/India/PAC/US/Canada/Korea/ANZP/EU		\$124,560
P	559-7548	M-BOOM, 23'9" PKG STICK LESS 0 FOR USE IN LANE 3 ONLY Mass Boom/7.25M (23'9") Package (PKG),STICKLESS Include: 355-7249 CYLINDER, STICK (W/O SLCV) 357-4756 BOOM, 23'9" MASS EXCAVATION		\$80,430
L	507-1309	M-BOOM, 23'9" (CPM) PKG 0 INCLUDES: -BOOM, 23'9" MASS EXCAVATION -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) NOTE: For AME/CIS/Turkey/EU/ANZP/SEA/India/GCN1/AM-S/US/Canada/AM-S South Korea/Japan		\$107,170
L	507-1311	M-BOOM,23'9"BLCV/SLCV (CPM)PKG 0 INCLUDES: -BOOM, 23'9" MASS EXCAVATION -DEVICE, BOOM LOWERING CONTROL -CYLINDER, BOOM (W/BLCV) -STICK, CYLINDER (W/SLCV) -DEVICE, STICK LOWERING CONTROL NOTE: For SEA/India/US/Canada/Korea/ANZP/EU		\$124,560
	0G-0341	NO BOOM 0 For FRONTLESS CONFIGURATION REQUIRES: -NO STICK -ROPS CERTIFICATION REMOVAL AVAILABLE FOR: FOR EU/GCN1/AM-N		NC

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICKS

Reach/General Purpose Stick (HB2-linkage)

L	357-4766	STICK, R18'1" (HB2) 0		\$38,280
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach/General Purpose stick 5.5M (18'1") compatible with HB2 linkage ONLY FOR USE WITH: 440-2991 R-BOOM, 10M(32'10")PKG 439-1729 GP-BOOM, 8.4M(27'7")PKG 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG		

NOTE: For EU/ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/US/Canada

L	357-4767	STICK, R14'5" (HB2) 0		\$34,930
		FOR USE WITH LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach/General purpose stick 4.4M (14'5") compatible with HB2 linkage ONLY FOR USE WITH: 440-2991 R-BOOM, 10M(32'10")PKG 439-1729 GP-BOOM, 8.4M(27'7")PKG 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG		

NOTE: For EU/ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/US/Canada

Reach Stick CPM (HB2-linkage)

L	506-0429	STICK, R18'1" (CPM) (HB2) 0		\$38,280
		ONLY FOR USE WITH: 481-3515 GP-BOOM,8.4M BLCV/SLCV CPM PKG 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 528-2858 R-BOOM, 32'10" CPM PKG 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG		
L	506-0430	STICK, R14'5" (CPM) (HB2) 0		\$34,930
		ONLY FOR USE WITH: 481-3515 GP-BOOM,8.4M BLCV/SLCV CPM PKG 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 528-2858 R-BOOM, 32'10" CPM PKG 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG		

General Purpose Stick (JC-linkage)

L	384-2101	STICK, GP11'2" (JC) 0		\$34,050
		General Purpose stick 3.4M (11'2") compatible with JC linkage ONLY FOR USE WITH: 439-1729 GP-BOOM, 8.4M(27'7")PKG 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

General Purpose Stick (JC-linkage) (Cont.)

L	384-2102	STICK, GP9'7" (JC) 0		\$30,870
		General Purpose stick 2.8M (9'7") compatible with JC linkage		
		ONLY FOR USE WITH: 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG		
		439-1729 GP-BOOM, 8.4M(27'7")PKG		

General Purpose Stick (JC-linkage) CPM

L	504-6349	STICK, GP11'2" (CPM) (JC) 0		\$34,050
		ONLY FOR USE WITH: 481-3515 GP-BOOM,8.4M BLCV/SLCV CPM PKG		
		481-3516 GP-BOOM, 8.4M(27'7")CPM PKG		
L	527-1953	STICK, GP9'7" (CPM) (JC) 0		\$30,870
		ONLY FOR USE WITH: 481-3515 GP-BOOM,8.4M BLCV/SLCV CPM PKG		
		481-3516 GP-BOOM, 8.4M(27'7")CPM PKG		
		AVAILABLE FOR: AM-N		

Mass Stick (JC-linkage)

L	384-2103	STICK, M11'2" (JC) 0		\$37,810
		Mass stick M3.4M (M11'2") compatible with JC linkage		
		ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG		
		456-1083 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG		
		487-3680 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG		
		NOTE: For GCN1/US/Canada/Korea/SEA/India/AM-S/AME/CIS/Turkey /ANZP/EU/Japan/HK		

L	366-6288	STICK, M9'7" (JC) 0		\$34,940
		FOR USE IN LANE 2 FOR EU/CIS/AME		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		Mass stick M2.9M (M9'7") compatible with JC linkage		
		/Canada/Japan		
		ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG		
		456-1083 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG		
		487-3680 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG		
		NOTE: For ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/Korea/US /Canada/Japan/HK		

Mass Stick (JC-linkage) CPM

L	504-6350	STICK, M9'7" (CPM) (JC) 0		\$34,940
		ONLY FOR USE WITH: 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG		
		507-1310 M-BOOM,7.25M(23'9")BLCV/SLCV (CPM)PKG		
		507-1311 M-BOOM,7.25M(23'9")BLCV/SLCV (CPM)PKG		
		NOTE: For SEA/India/AM-S/Japan/US/Canada/Korea/ANZP/GCN1 /AME/CIS/Turkey/EU		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Mass Stick (JC-linkage) CPM (Cont.)

L	527-1954	STICK, M11'2" (CPM) (JC) 0		\$37,810
		ONLY FOR USE WITH: 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG		
		507-1311 M-BOOM, 7.25M(23'9)BLCV/SLCV (CPM)PKG		
		AVAILABLE FOR: EU/Japan/Am-N/Korea/ANZ/CIS/AME/TUR/SEA/INDIA/GCN1/Am-S		
	0G-0342	NO STICK 0		NC
		For FRONTLESS CONFIGURATION		
		REQUIRES:		
		-NO BUCKET LINKAGE		
		-ROPS CERTIFICATION REMOVAL		
		AVAILABLE FOR: FOR EU/GCN1/AM-N		

BUCKET LINKAGES

Linkage HB2- Family for reach boom

L	439-1735	LINKAGE, HB2 W/EYE PKG 0		\$29,240
		FOR USE IN LANE 2 FOR AM-N		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		HB2 linkage WITH lifting eye		
		INCLUDES:		
		-LINKAGE, BKT HB2-W/LIFT EYE		
		-CYLINDER,BKT (HB2-LINKAGE)		
		ONLY FOR USE WITH: 357-4766 STICK, R/GP5.5M(18'1")(HB2)		
		357-4767 STICK, R/GP4.4M(14'5")(HB2)		

NOTE: For ANZP/SEA/India/AM-S/AME/CIS/Turkey/EU/US/Canada

Linkage HB2- Family for reach boom CPM

L	439-1736	LINKAGE, HB2 W/EYE CPM PKG 0		\$29,240
		HB2 linkage WITH lifting eye CAT Production Measurement (CPM) ready		
		INCLUDES:		
		-LINKAGE, BKT HB2-W/LIFT EYE		
		-CYLINDER,BKT (HB2-LINKAGE CPM)		
		-CYLINDER, GUARD (CPM)		
		REQUIRES: R-BOOM BLCV/SLCV PKG		
		Not available for Korea		
		ONLY FOR USE WITH: REACH/GENERAL PURPOSE STICK CPM		
		506-0429 STICK, R/GP5.5M(18'1")(CPM) (HB2)		
		506-0430 STICK, R/GP4.4M(14'5")(CPM) (HB2)		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Linkage JC-Family for mass boom

L	439-1737	LINKAGE, JC W/EYE PKG 0		\$30,870
		FOR USE IN LANE 2 FOR EU/AM-N/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS JC linkage WITH lifting eye INCLUDES: -LINKAGE, BKT JC-W/LIFT EYE -CYLINDER,BKT (JC-LINKAGE) ONLY FOR USE WITH: MASS STICK / GP STICK 384-2101 STICK, GP3.4M(11'2")(JC) 384-2102 STICK, GP2.9M(9'7")(JC) 384-2103 STICK, M3.4M(11'2")(JC) 366-6288 STICK, M2.9M(9'7")(JC)		

NOTE: For AM-S/EU/US/Canada/Korea/ANZP/AME/CIS/Turkey/SEA/India

Linkage JC-Family for mass boom CPM

L	507-1317	LINKAGE, JC W/EYE (CPM) PKG 0		\$30,870
		INCLUDES: -CYLINDER, BKT HB -LINKAGE, BKT JC-W/LIFT EYE -CYLINDER, GUARD ONLY FOR USE WITH: 504-6349 STICK, GP3.4M(11'2")(CPM) (JC) 504-6350 STICK, M2.92M(9'7")(CPM) (JC) 527-1954 STICK, M3.4M (CPM) (JC) 527-1953 STICK, GP9'7" (CPM) (JC)		

NOTE: For AME/CIS/Turkey/AM-S/SEA/India/EU/US/Canada/Korea/ANZP

UNDERCARRIAGE

TRACKS

L	357-7484	TRACK, 26" DG-HD (PPR2) 0		\$2,850
		FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS NOTE: For ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/Japan/Korea/US/Canada/HK		
L	357-7485	TRACK, 30" DG-HD (PPR2) 0		\$7,870
		FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS NOTE: For AM-S/US/Canada/AME/CIS/Turkey/SEA/ANZP/India/EU/Korea/HK/JAPAN		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS (Cont.)

L	357-7486	TRACK, 36" DG-HD (PPR2) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS		\$13,340
---	----------	--	--	----------

TRACK GUIDING GUARD

P	297-7518	GUARD, TRACK GUIDE, SEGMENTED 760 FOR USE IN LANE 2 FOR EU/AM-N REQUIRES: 426-4925 UNDERCARRIAGE		\$4,100
---	----------	--	--	---------

NOTE: For GCN1/AM-S/AME/CIS/Turkey/SEA/ANZP/India/EU/US/Canada/Korea /HK

P	359-5640	GUARD, TRACK GUIDE, FULL LENGTH 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 426-4929 UNDERCARRIAGE(FULL LENGTH TGG)		\$13,200
---	----------	---	--	----------

NOTE: For AME/CIS/Turkey/SEA/ANZP/India/GCN1/AM-S/EU/Korea/Japan /US/Canada/HK

HYDRAULICS

CONTROL PACKAGES

NO Auxilliary Circuit

L	572-9900	JOYSTICK, TWJ STP 0 INCLUDES: -MAT, FLOOR, RH PEDAL -JOYSTICK, THUMB WHEEL -PEDAL, STRAIGHT TRAVEL -MAIN VALVE -PILOT LINES (W/STP) -NO MEDIUM PRESSURE CIRCUIT		\$8,690
---	----------	--	--	---------

AVAILABLE FOR: GCN1/AM-S/SEA/ANZP/India/AME/CIS/Turkey/EU/US/Canada Korea

NOTE: LANE 3 ONLY FOR CIS/AME/TUR/GCN1

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

Auxilliary Circuit - Tool Control Without Medium Pressure

L	572-9909	TOOL CTRL TWJ STP PKG 0		\$17,610
		FOR USE IN LANE 3 ONLY		
		INCLUDES:		
		-MAT, FLOOR, RH PEDAL		
		-JOYSTICK, THUMB WHEEL		
		-PEDAL, STRAIGHT TRAVEL		
		-MAIN VALVE W/SYSTEM COMBINED		
		-PILOT LINES (W/STP)		
		-NO MEDIUM PRESSURE CIRCUIT		
		AVAILABLE FOR: AME/CIS/Turkey/EU/US/Canada/Korea/ANZP/SEA/India		

Auxilliary Circuit - Tool Control With Medium Pressure

L	439-1746	TOOL CTRL MP TWJ STP PKG 0		\$26,380
		FOR USE IN LANE 2 FOR EU		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		Tool Control (CTRL) Medium Pressure (MP) with thumb wheel joystick (TWJ) and straight travel pedal (STP) package(pkg)		
		Combined circuit (1 way / 2 way)		
		NOTE: P/SEA/India/AM-S/Korea/US/Canada/AME/CIS/Turkey/EU		

OPERATOR ENVIRONMENT

OPERATOR STATION

L	507-1278	CAB, 70/30 POLY HATCH PKG 0		\$1,080
		FOR USE IN LANE 2 FOR AM-N/CIS/AME		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		INCLUDES:		
		-CAB,70/30,W/VANDAL-G BOSS		
		-RADIO, 24V AM/FM		
		-WASHER WIPER		
		-WIPER-PARALLEL, FRONT 70/30		
		-SUN SCREEN (70/30)		
		NOTE: NOT AVAILABLE FOR EU		

STORAGE BOX

L	379-7477	STORAGE BOX (HRC) 0		NC
		FOR USE IN LANE 2 FOR AM-N		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		CANNOT BE USED WITH: 384-9804 LUBRICATION, ELECTRIC		
		NOTE: For US/Canada/Korea		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

STORAGE BOX (Cont.)

L	379-7713	STORAGE BOX (LUB ELEC HRC) 0		NC
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 384-9804 LUBRICATION, ELECTRIC		
		NOTE: For US/Canada		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	460-1150	PRODUCT LINK, SATELLITE PL631 0		\$439
		ANSI		
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface.		
		For use in areas with poor or no cellular coverage.		
		Not available for Russia/Singapore/Guyana/Kazakhstan/Serbia/Lebanon		

SAFETY AND SECURITY

CAB LIGHTS/CAB GUARDS

L	319-1179	LIGHTING, CAB (HALOGEN) 0		\$322
		Working lights, cab mounted w/time delay		
L	415-9646	GUARD FOGS HALOGEN PKG 0		\$3,430
		FOGS guard with working lights, cab mounted w/time delay		
		INCLUDES:		
		-GUARD, FALLING OBJECTS		
		-LIGHTING, CAB W/GRD (HALOGEN)		

CAB MIRROR

L	327-6552	MIRROR, CAB, W/O GUARD 0		\$108
		Mandatory for EU, Japan & Am-N,turkey,SK,ANZ		
		Additional ISO cab mirror		
		CANNOT BE USED WITH: 415-9646 GUARD FOGS HALOGEN PKG		
		415-9647 GUARD FOGS HID PKG		
L	327-6553	MIRROR, CAB, GUARD FALLING 0		\$108
		Mandatory for EU, TURKEY& Am-N,SK,ANZ		
		Additional ISO cab mirror for FOGS and front mesh guard		
		ONLY FOR USE WITH: 415-9647 GUARD FOGS HID PKG		
		415-9646 GUARD FOGS HALOGEN PKG		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY (CONT.)

BOOM LIGHTS (Cont.)

L	388-6873	HID LIGHTS, GP-BOOM 0		\$1,780
		FOR USE IN LANE 3 ONLY HID General purpose boom lights with time delay. ONLY FOR USE WITH: 439-1729 GP-BOOM, 8.4M(27'7")PKG or 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or 481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or 481-3516 GP-BOOM, 8.4M(27' 7")CPM PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS		

NOTE: For AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/ANZ/NEW Caledonia and French Polynesia/US/Canada

L	388-6872	HID LIGHTS, M-BOOM 0		\$1,780
		FOR USE IN LANE 2 FOR CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS HID mass boom lights with time delay. ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG or 456-1083 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG 507-1310 M-BOOM, 7.25M(23'9")BLCV/SLCV (CPM)PKG 507-1311 M-BOOM, 7.25M(23'9")BLCV/SLCV (CPM)PKG 487-3680 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG 559-7548 M-BOOM, 23'9" PKG STICK LESS 559-7549 GP-BOOM, 27'7" PKG STICK LESS		

NOTE: For GCN1/AM-S/US/Canada/AME/CIS/Turkey/SEA/ANZP/India/Korea/EU

FUEL SYSTEMS

FUEL TANK

L	379-7839	TANK, FUEL 0		NC
		FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS No fast fill fuel function		

NOTE: For EU/US/Canada/Korea/ANZ

L	397-5466	FUEL TANK W/FAST FILL SYSTEM 0		\$1,995
		FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS		

NOTE: For EU/US/Canada/Korea/ANZ
LANE 2 FOR EU/AM-N

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs		LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	--	-------------------------

FRAMES (CONT.)

HOOD & COVER

(SELECT ONE)

L	450-2070	HOOD & COVER	0		NC
L	450-1767	HOOD & COVER (CPM)	0		NC
		LANE 2/3 ONLY FOR EUR/ANZ/GCN1			
		LANE 3 ONLY FOR ALL OTHER REGIONS			
		AVAILABLE FOR: ANZ/New Caledonia and French Polynesia/EU/GCN1			
		/AME/CIS/Turkey/Japan/US/Canada/Korea/SEA/India/AM-S			

INSTRUCTIONS

FILM OUTSIDE

P	416-5616	INSTRUCTIONS, ANSI (OUT)	0		NC
---	----------	------------------------------------	---	--	----

FILM CAB

P	509-0804	INSTRUCTIONS, ANSI (CAB)	0		NC
		FOR USE IN LANE 2 FOR AM-N			
		FOR USE IN LANE 3 ALL OTHER REGIONS			

FILM FRONTLESS

MANDATORY FOR FRONTLESS CONFIGURATION

P	560-4397	INSTRUCTIONS, ANSI (OUT)	0		NC
		FOR USE IN LANE 3 ONLY			

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CYLINDERS

BOOM CYLINDER

P	384-1134	CYLINDER, BOOM (W/O BLCV) 0		\$26,740
		ONLY FOR USE WITH: 565-0240 390F L HEX AMN BCF1B		
		576-5901 390F L HEX TUR BCF1		
		576-5902 390F L HEX BCF1A		

STICK CYLINDER

P	355-7249	CYLINDER, STICK (W/O SLCV) 0		\$13,350
		FOR USE IN LANE 3 ONLY		
		CANNOT BE USED WITH: 559-7547 R-BOOM, 32'10" PKG, STICK LESS		
		559-7549 GP-BOOM, 27'7" PKG STICK LESS		
		559-7548 M-BOOM, 23'9" PKG STICK LESS		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

POWERTRAIN

ELECTRIC LUBRICATION

L	384-9804	LUBRICATION, ELECTRIC. 0		\$4,230
---	----------	----------------------------------	--	---------

FOR USE IN LANE 3 ONLY
 Includes a grease tank, a reel hose and a grease gun.
 This attachment fills the storage box and is intended for use in moderate climates. Performance may be unacceptable in temperatures below 14 degrees F, (-10C).
 Caterpillar is experiencing a supplier constraint on 384-9804, selecting this option may cause a slight delay in RTS date.
 Not available for Turkey/EU
 ONLY FOR USE WITH: 423-2143 STORAGE BOX (LUB ELEC LRC)
 379-7713 STORAGE BOX (LUB ELEC HRC)

NOTE: For US/Canada/AME/CIS/HK

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM LINES

L	371-0144	LINES-HP, R-BOOM 32'10" 0		\$4,340
---	----------	-------------------------------------	--	---------

FOR USE IN LANE 3 ONLY
 REQUIRES: 374-0007 LINES-HP, R/GP 5.5M(18'1")STICK
 374-0008 LINES-HP, R/GP 4.4M(14'5")STICK
 ONLY FOR USE WITH: 439-1741 CIRCUIT, HAMMER TWJ PKG or
 439-1742 CIRCUIT, HAMMER TWJ STP PKG or
 447-5130 CIRCUIT, HAMMER TWJ STP LP PKG or
 447-5132 TOOL CTRL TWJ PKG or
 439-1744 TOOL CTRL TWJ STP PKG or
 439-1745 TOOL CTRL MP TWJ PKG or
 439-1746 TOOL CTRL MP TWJ STP PKG or
 439-1747 TOOL CTRL MP TWJ STP LP PKG and
 440-2991 R-BOOM, 10M(32'10")PKG or
 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG or
 487-3678 R-BOOM, 10M(32'10")BLCV/SLCV PKG or
 528-2858 R-BOOM, 32'10" CPM PKG or
 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG
 559-7547 R-BOOM, 32'10" PKG, STICK LESS

NOTE: For AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/US/Canada/ANZP

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY BOOM LINES (Cont.)

L	371-0145	LINES-HP, GP-BOOM 27'7" 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 374-0007 LINES-HP, R/GP 5.5M(18'1")STICK 374-0008 LINES-HP, R/GP 4.4M(14'5")STICK 374-0010 LINES-HP, M/GP 3.4M(11'2")STICK 374-0011 LINES-HP, M2.9M(M9'7") STICK ONLY FOR USE WITH: 439-1741 CIRCUIT, HAMMER TWJ PKG or 439-1742 CIRCUIT, HAMMER TWJ STP PKG or 447-5130 CIRCUIT, HAMMER TWJ STP LP PKG or 447-5132 TOOL CTRL TWJ PKG or 439-1744 TOOL CTRL TWJ STP PKG or 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 439-1729 GP-BOOM, 8.4M(27'7")PKG or 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or 481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or 481-3516 GP-BOOM, 8.4M(27' 7")CPM PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS		\$4,340
---	----------	--	--	----------------

NOTE: For ANZP/US/Canada/AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/HK

L	371-0146	LINES-HP, M-BOOM 23'9" 0 FOR USE IN LANE 3 ONLY REQUIRES: 374-0010 LINES-HP, M/GP 3.4M(11'2")STICK 374-0011 LINES-HP, M2.9M(M9'7") STICK ONLY FOR USE WITH: 439-1741 CIRCUIT, HAMMER TWJ PKG or 439-1742 CIRCUIT, HAMMER TWJ STP PKG or 447-5130 CIRCUIT, HAMMER TWJ STP LP PKG or 447-5132 TOOL CTRL TWJ PKG or 439-1744 TOOL CTRL TWJ STP PKG or 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 456-1082 M-BOOM, 7.25M(23'9")PKG or 456-1083 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG or 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG or 507-1310 M-BOOM, 7.25M(23'9")BLCV/SLCV (CPM)PKG or 507-1311 M-BOOM, 7.25M(23'9")BLCV/SLCV (CPM)PKG or 487-3680 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG 559-7548 M-BOOM, 23'9" PKG STICK LESS 559-7550 M-BOOM, 23'9 SLCV PKG		\$4,340
---	----------	--	--	----------------

NOTE: For GCN1/US/Canada/SEA/ANZP/AME/CIS/Turkey/AM-S/India/Korea/EU/HK

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY STICK LINES

L	374-0007	LINES-HP, GP 18'1" STICK 0 FOR USE IN LANE 3 ONLY Not available for Korea/HK ONLY FOR USE WITH: 357-4766 STICK, R/GP5.5M(18'1")(HB2) or 506-0429 STICK, R/GP5.5M(18'1")(CPM) (HB2) and 371-0144 LINES-HP, R-BOOM 10M(32'10") or 371-0145 LINES-HP, GP-BOOM 8.4M(27'7")		\$3,570
L	374-0008	LINES-HP, GP 14'5" STICK 0 FOR USE IN LANE 3 ONLY Not available for Korea/HK ONLY FOR USE WITH: 357-4767 STICK, R/GP4.4M(14'5")(HB2) or 506-0430 STICK, R/GP4.4M(14'5")(CPM) (HB2) and 371-0144 LINES-HP, R-BOOM 10M(32'10") or 371-0145 LINES-HP, GP-BOOM 8.4M(27'7")		\$3,570
L	374-0010	LINES-HP, M/GP 11'2" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-2101 STICK, GP3.4M(11'2")(JC) or 384-2103 STICK, M3.4M(11'2")(JC) or 527-1954 STICK, M3.4M (CPM) (JC) or 504-6349 STICK, GP3.4M(11'2")(CPM) (JC) and 371-0145 LINES-HP, GP-BOOM 8.4M(27'7") or 371-0146 LINES-HP, M-BOOM 7.25M(23'9")		\$3,570

NOTE: For AME/CIS/Turkey/AM-S/EU/US/Canada/SEA/ANZP/India/Korea/HK

L	374-0011	LINES-HP, M9'7" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-2102 STICK, GP2.9M(9'7")(JC) or 527-1953 STICK, GP2.9M (CPM) (JC) or 366-6288 STICK, M2.9M(9'7")(JC) or 504-6350 STICK, M2.92M(9'7")(CPM) (JC) and 371-0145 LINES-HP, GP-BOOM 8.4M(27'7") or 371-0146 LINES-HP, M-BOOM 7.25M(23'9")		\$3,570
---	----------	---	--	---------

NOTE: For GCN1/US/Canada/SEA/ANZP/AME/CIS/AM-S/India/Turkey/EU/Korea/HK

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	359-8766	LINES-MP, R-BOOM 32'10" 0 FOR USE IN LANE 3 ONLY Not available for Korea/HK REQUIRES: 359-8802 LINES-MP, R/G 5.5M(18'1")STICK 359-8803 LINES-MP, R/G 4.4M(14'5")STICK ONLY FOR USE WITH: 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 440-2991 R-BOOM, 10M(32'10")PKG or 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG or 487-3678 R-BOOM, 10M(32'10")BLCV/SLCV PKG 559-7547 R-BOOM, 32'10" PKG, STICK LESS 528-2858 R-BOOM, 32'10" CPM PKG 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG	0	\$2,155
L	359-8767	LINES-MP, BOOM 27'7" GP 0 FOR USE IN LANE 3 ONLY REQUIRES: 359-8802 LINES-MP, R/G 5.5M(18'1")STICK 359-8803 LINES-MP, R/G 4.4M(14'5")STICK 359-8805 LINES-MP, M/GP 3.4M(11'2")STICK 359-8806 LINES-MP, M2.9M(9'7")STICK ONLY FOR USE WITH: 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 439-1729 GP-BOOM, 8.4M(27'7")PKG or 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or 481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS	0	\$2,155

NOTE: For US/Canada/ANZP/SEA/India/AM-S/EU/AME/CIS/Turkey

MEDIUM PRESSURE AUXILIARY STICK LINES

L	359-8802	LINES-MP, R/G 18'1" STICK 0 FOR USE IN LANE 3 ONLY Not available for Korea/HK ONLY FOR USE WITH: TOOL CONTROL MP PKG 357-4766 STICK, R/GP5.5M(18'1")(HB2) or 506-0429 STICK, R/GP5.5M(18'1")(CPM) (HB2) and 359-8766 LINES-MP, R-BOOM 10M(32'10") or 359-8767 LINES-MP, BOOM 8.4M(27'7")GP	0	\$1,570
L	359-8805	LINES-MP, M/GP 11'2" STICK 0 FOR USE IN LANE 3 ONLY Not available for HK ONLY FOR USE WITH: 384-2101 STICK, GP3.4M(11'2")(JC) or 384-2103 STICK, M3.4M(11'2")(JC) or 527-1954 STICK, M3.4M (CPM) (JC) 504-6349 STICK, GP3.4M(11'2")(CPM) (JC) and 359-8767 LINES-MP, BOOM 8.4M(27'7")GP or 359-8768 LINES-MP, BOOM 23'9" M/GP	0	\$1,570

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER CONTROL

L	383-5127	CONTROL, CW DEDICATED QC(ANSI) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS For use only for CW Dedicated Coupler This DOES NOT include QC lines for the boom and stick.		\$3,060
---	----------	--	--	---------

QUICK COUPLER BOOM LINES

L	370-0185	LINES-QC, R-BOOM 32'1" 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 344-4370 LINES-QC, R5.5M(18'1")STICK 371-3108 LINES-QC, R/GP 4.4M(14'5")STICK ONLY FOR USE WITH: 440-2991 R-BOOM, 10M(32'10")PKG or 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG or 487-3678 R-BOOM, 10M(32'10")BLCV/SLCV PKG 528-2858 R-BOOM, 32'10" CPM PKG 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG 559-7547 R-BOOM, 32'10" PKG, STICK LESS		\$3,905
---	----------	--	--	---------

NOTE: For ANZ/AM-S/EU/US/Canada
Can be ordered without the QC control for AM-N

L	369-6103	LINES-QC, M-BOOM 7.25M 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 369-5422 LINES-QC, M/GP 3.4M(11'2")STICK 371-3105 LINES-QC, M2.9M(9'7")STICK ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG or 456-1083 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG or 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG or 507-1311 M-BOOM, 7.25M(23'9")BLCV/SLCV (CPM)PKG 559-7548 M-BOOM, 23'9" PKG STICK LESS 559-7550 M-BOOM, 23'9" SLCV PKG		\$3,905
---	----------	---	--	---------

NOTE: For ANZ/AM-S/EU/US/Canada

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER BOOM LINES (Cont.)

L	370-0186	LINES-QC, BOOM 27'7" GP 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 344-4370 LINES-QC, R5.5M(18'1")STICK 371-3108 LINES-QC, R/GP 4.4M(14'5")STICK 369-5422 LINES-QC, M/GP 3.4M(11'2")STICK 371-3105 LINES-QC, M2.9M(9'7")STICK ONLY FOR USE WITH: 439-1729 GP-BOOM, 8.4M(27'7")PKG or 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or 481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS		\$3,905
---	----------	--	--	---------

NOTE: For ANZ/US/Canada/EU/AM-S

QUICK COUPLER STICK LINES

(SELECT ONE)

L	344-4370	LINES-QC, R18'1" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 357-4766 STICK, R/GP5.5M(18'1")(HB2) or 506-0429 STICK, R/GP5.5M(18'1")(CPM) (HB2) and 370-0185 LINES-QC, R-BOOM 10M(32'1") or 370-0186 LINES-QC, BOOM 8.4M(27'7")GP		\$2,825
---	----------	---	--	---------

NOTE: For ANZ/AM-S/EU/US/Canada

L	371-3108	LINES-QC, R/GP 14'5" STICK 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 357-4767 STICK, R/GP4.4M(14'5")(HB2) or 506-0430 STICK, R/GP4.4M(14'5")(CPM) (HB2) and 370-0185 LINES-QC, R-BOOM 10M(32'1") or 370-0186 LINES-QC, BOOM 8.4M(27'7")GP		\$2,825
---	----------	--	--	---------

NOTE: For ANZ/AM-S/EU/US/Canada

L	369-5422	LINES-QC, M/GP 11'2" STICK 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 384-2101 STICK, GP3.4M(11'2")(JC) or 384-2103 STICK, M3.4M(11'2")(JC) or 527-1954 STICK, M3.4M (CPM) (JC) 504-6349 STICK, GP3.4M(11'2")(CPM) (JC) and 369-6103 LINES-QC, M-BOOM 7.25M(23'9") or 370-0186 LINES-QC, BOOM 8.4M(27'7")GP		\$2,825
---	----------	---	--	---------

NOTE: For ANZ/AM-S/EU/US/Canada

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER STICK LINES (Cont.)

L	517-2401	LINES-QC, GP/M9'7" STICK 0		\$2,825
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 366-6288 STICK, M2.9M(9'7")(JC) or		
		504-6350 STICK, M2.92M(9'7")(CPM) (JC) or		
		527-1953 STICK, GP2.9M (CPM) (JC) and		
		369-6103 LINES-QC, M-BOOM 7.25M(23'9") or		
		370-0186 LINES-QC, BOOM 8.4M(27'7")GP		

NOTE: For ANZ/AM-S/EU/US/Canada

STARTERS, BATTERIES, & ALTERNATORS

COLD WEATHER START PACKAGES

L	439-1604	COLD WEATHER STARTING 120V PKG 0		\$1,480
		FOR USE IN LANE 2 FOR AM-N		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		INCLUDES:		
		-BATTERY (COLD WEATHER)		
		-TERMINALS, JUMP START		
		FOR -18 DEGREES, WITH 2 ADDITIONAL BATTERIES		
		-HEATER, ENGINE COOLANT (120V)		
		-STARTING AID, ETHER		
		For temperatures ranging from -18 degree C(0F) to -32 degree C(-26).		

NOTE: For AM-S/US/Canada/Japan

TECHNOLOGY PRODUCTS

CAT Production Measurement

Includes Cat Production Measurement (CPM). CPM is activated ex-factory for life. In addition, this attachment includes the Cat Grade control (CGC) hardware and has CGC 2D system capability, except for the laser catcher and its wiring. CGC can be activated through the Service Mode on the monitor. No SEA is necessary. If required, laser catcher can be retrofitted through parts."

L	500-3305	CPM W/O BLCV 0		\$16,320
---	----------	----------------------	--	----------

NOTE: For New Caledonia and French Polynesia/AME/CIS /Turkey/SEA/India/AM-S/PAC/EU/Japan/US/Canada/Korea/GCN1

L	500-3307	CPM W/BLCV 0		\$16,320
---	----------	--------------------	--	----------

NOTE: For SEA/India/PAC/Korea/US/Canada/ANZP/EU/AME/CIS/Turkey

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

BUCKETS

NOTE: Stick, bucket linkage, bucket adjuster and bucket must be matched.

For the full portfolio of work tools please refer to the Work Tool price pages

For AME/CIS,

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch. Please include the machine MSO in your bucket order to link both orders and synchronize the shipment and delivery at port of destination. Please refer to the WTHEX pricelist for the available bucket references and pricing. For specific bucket and work tool needs that are not included in the price list, contact the Caterpillar Tool Center. For EAME market call: +31 736.399.777 or e-mail: worktools@cat.com

For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

For Am-N,

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch/Wamego. For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

For GCN1/SEA/India/AM-S/ANZP,

Bucket can continue to be ordered either from the machine price list as part of the machine order or from the local WTHEX price list for buckets not shown in the machine price list. For specific bucket and work tool needs not covered in the price list, contact the Caterpillar Tool Center, email to: worktools@cat.com For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

GROUND ENGAGING TOOLS

TIP

P	368-3783	TIP, PENETRATION PLUS ADVANSYS	76	\$439
		ONLY FOR USE WITH: 519-5296 BKT SD 69" 5.10YD3 HB2		
		519-5298 BKT SD 79" 6.02YD3 HB2		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GROUND ENGAGING TOOLS (CONT.)

PROTECTORS FOR HB2 FAMILY

P	329-5956	PROTECTORS, SIDEBAR	195	\$1,864
		Includes: Upper and lower LH and RH protectors		
		TECHNICAL: Only 1 set per bucket		
		ONLY FOR USE WITH: 519-5296 BKT SD 69" 5.10YD3 HB2		
		519-5298 BKT SD 79" 6.02YD3 HB2		

PACKING

OEM PACKING - Frontless

	OP-6801	PACK, FOR FRONTLESS EXPORT	0	NC
--	---------	--------------------------------------	---	----

EXPORT PACKING - Machine Preparation

(Must select)

The following machine detaching options are required to meet the inland transportation regulation in China.

	OG-8000	PACK, WITH BOOM,STICK & BUCKET	0	\$3,150 NET
		For shipment bucket and stick are detached		
	OG-8001	PACK, WITH BOOM & STICK	0	\$3,150 NET
		To use if bucket is not ordered.		
		For shipment stick is detached		
	OG-8006	OPTION, BOOM DETACHED	0	NC
		NOTE: Required by the inland transportation regulation in China.		
	OG-8008	OPTION, COUNTERWEIGHT DETACHED	0	NC
		NOTE: Required by the inland transportation regulation in China.		
	OP-7294	PACK, 374F/390F CTWT	0	\$645 NET
		NOTE: ONLY FOR USE WITH L240 Germany dealer		
	OP-7307	PACK, 374F/390F CTWT BAFFLE	0	\$705 NET
		NOTE: ONLY FOR USE WITH L240 Germany dealer		
	OP-4652	PACK, 374F/390F SIDE STEP	0	\$63 NET
		NOTE: Required by the inland transportation regulation in China.		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

EXPORT PACKING - Machine Preparation (Cont.)

OP-4653	PACK, 374F/390F TOP GUARD 0 ONLY FOR USE WITH: 415-9646 GUARD FOGS HALOGEN PKG 415-9647 GUARD FOGS HID PKG 433-2497 GUARD TOP HALOGEN PKG 433-2498 GUARD TOP HID PKG	\$63 NET
----------------	---	-----------------

NOTE: Required by the inland transportation regulation in China.

EXPORT PACKING - Transportation mode (Including protection)

MUST SELECT

OG-4127	STORAGE PROTECTION (EXPORT) 0 Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	\$415 NET
----------------	---	------------------

HYDRAULIC PLUGS

L	564-0040	PLUG, FRONTLESS, STANDARD 0 FOR USE IN LANE 3 ONLY	NC
L	564-0043	PLUG, FRONTLESS, HIGH PRESSURE 0 FOR USE IN LANE 3 ONLY	NC
L	564-0044	PLUG, FRONTLESS MEDIUM PRESSURE 0 FOR USE IN LANE 3 ONLY	NC
L	564-0045	PLUG, FRONTLESS, QUICK COUPLER 0 FOR USE IN LANE 3 ONLY	NC
L	564-0046	PLUG, BOOM, STANDARD 0 FOR USE IN LANE 3 ONLY	NC
L	564-0047	PLUG, BOOM, HIGH PRESSURE 0 FOR USE IN LANE 3 ONLY	NC
L	564-0048	PLUG, BOOM, MEDIUM PRESSURE 0 FOR USE IN LANE 3 ONLY	NC
L	564-0049	PLUG, BOOM, QUICK COUPLER 0 FOR USE IN LANE 3 ONLY	NC
L	565-9039	PLUG, STICK CYLINDER, STD 0 FOR USE IN LANE 3 ONLY	NC
L	565-9041	PLUG, BOOM CYLINDER, STD 0 FOR USE IN LANE 3 ONLY	NC
L	587-0173	PLUG, BOOM, W/O STK CYL, STD 0 FOR USE IN LANE 3 ONLY	NC
L	586-8447	PLUG, BOOM, W/O STK CYL, SLCV 0 FOR USE IN LANE 3 ONLY	NC

PACK FOR FRONTLESS

OP-6488	PACK, 374F/390F BOOM/STICK CYL 0 FOR FRONT LESS MACHINE ONLY	\$655 NET
----------------	--	------------------