

410 P-tier Backhoe Loader

21-Sep-2022 John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS



Code	Description	QTY	List Price (USD)
17E0T	<p>410 P-tier Backhoe Loader</p> <p>410 P Standard Equipment</p> <p>ENGINE: John Deere PowerTech™ EWL 4.5L turbocharged 4-cylinder engine Serpentine belt with automatic belt tensioner Vertical spin-on engine oil filter Primary and secondary spin-on fuel filter with water separator Dual safety element dry-type air cleaner with evacuator valve Vertical curved exhaust stack</p> <p>COOLING SYSTEM: Engine radiator Engine coolant -40 degrees F (-40C) Coolant recovery tank with low level indicator Cooling fan with fan guard Oil-to-water engine oil cooler Oil to air hydraulic oil cooler Oil to water transmission oil cooler Fold-out hinged cooling system High ambient temperature engine coolant</p> <p>POWERTRAIN: Powershift transmission with torque converter Auto-shift feature (on/off) Vertical spin-on transmission filter Single electric transmission control lever (forward/neutral/reverse) with integrated gear selection & horn Electronic transmission controller with on-board diagnostics Rigid mounted rear axle with 4-planet final drive Differential lock, foot switch activated, protection on/off Mechanical limited slip front wheel drive hydrostatic power steering with emergency manual mode power-assisted hydraulic service brakes inboard, wet disc, self-adjusting and self-equalizing (conforms to ISO 3450) Power-assisted hydraulic service brakes inboard, wet disc, self-adjusting and self-equalizing (conforms to ISO 3450) Parking/emergency brake: independent of service brakes (conforms to ISO 3450) spring applied, hydraulically released, wet multi-disc</p> <p>HYDRAULICS: 43 GPM (163 L/m) axial piston pump - PCLS system Dedicated hydraulic reservoir 4 micron vertical spin-on filter "O" ring face seal connectors Circuit relief valve protection Economy mode Auto idle Lift mode provides up to 15% additional craning capacity</p> <p>BACKHOE: 15 ft. 11 in. (4.85 m) digging depth (extendible dipperstick, retracted) Backhoe transport lock lever Swing locking pin stored in op. station ISO (Deere) 2 lever mechanical backhoe controls</p>	1	\$183,576.00

John Deere -2022 Price List

Educational Services, Commission of New Jersey

Grounds Equipment - Bid #ESCNJ 18/19-25

Reversible pad stabilizer feet with integrated lock stabilizer two-direction anti-drift valves

Less bucket with bucket pins NJ State Approved Co-op #65MCESCCPS

Backhoe boom includes mounting hole for optional boom protection plate.

LOADER:

Return-to-dig feature

Bucket level indicator

Hydraulic self-leveling (anti-spill)

Single lever control with electric clutch cut-off switch and momentary MFWD control

Less bucket with bucket pins

Loader boom service lock

High-visibility loader arms

ELECTRICAL:

12 volt system

145 amp alternator

(4) front driving/working, (4) rear working and (2) side docking halogen lights (32,500 candlepower each)

(2) front and (2) rear turn signal/ flashing

(2) rear stop and tail

(2) rear reflectors

Single battery with 350 minute reserve capacity and 1900 CCA

Blade type multi-fused circuits

By-pass start safety cover on starter

Positive terminal battery cover

OPERATOR STATION:

Modular-design ROPS/FOPS (level 2) canopy with molded roof (meets ISO 3471 and ISO 3449); isolation mounted

Left and right side access

Slip resistant steps and ergonomically located handholds (conforms to SAE J185)

Seat, deluxe deep foam, vinyl cover, high back with adjustable:

Suspension for weight/height

Fore-aft

Lumbar adjustment

Flip-up arm rests

3 in. orange seat belt with retractor

Tilt steering

Fuel gauge

Engine coolant temperature gauge

Transmission oil temperature gauge

Electric monitor system with audible and visual warning:

- Air cleaner restriction

- Low alternator voltage

- Engine coolant temperature

- Engine oil pressure & temperature

- Hydraulic filter restriction

- Low brake pressure

- Seat belt indicator

- Transmission oil temperature

- Fuel level

- Hourmeter / tachometer / voltmeter

Machine diagnostics

Sealed switch module

Keyless start

Machine security

12 volt outlets (1)

Horn

Interior rearview mirror

Rotary hand throttle

John Deere -2022 Price List

- Suspended foot throttle
- Operator's manual storage compartment
- Integrated cup holder with form fitting rubber insert
- Lockable right hand storage
- Coat hook

OVERALL VEHICLE:

- (2) front and (2) rear built-in tie downs
- One-piece unitized construction mainframe
- Heavy duty front bumper
- Dent resistant rear fenders
- Vandal protection locking for:
 - Engine hood
 - Monitor
 - Tool box
 - Hydraulic reservoir
- 34 gal. (128.7 L) fuel tank
- Reverse warning alarm
- 21L - 24 In. 12 PR (R4) tubeless rear
- 12.5/80 - 18 In. 10 PR traction front sure grip lug tires
- Ground level fueling
- Remote grease bank for front axle
- Tilt hood with (2) service positions
- JDLink Ultimate in approved countries

17E0T	410 P-tier Backhoe Loader	1	\$183,576.00
-------	---------------------------	---	--------------

DESTINATION AND LANGUAGE

Destination Codes	Basic Factory Options - Required
-------------------	----------------------------------

North America

0202	United States		No Added Cost
------	---------------	--	---------------

Labels	Basic Factory Options - Required
--------	----------------------------------

0351	Translated Text Labels Vehicle labels translated to selected language		No Added Cost
------	--	--	---------------

0352	No Text Labels Vehicle labels will be no text		No Added Cost
------	--	--	---------------

Operator's Manual and Language	Basic Factory Options - Required
--------------------------------	----------------------------------

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

0259	English English language for operator's manual and electronic content		No Added Cost
0263	French French language for operator's manual and electronic content		No Added Cost
0287	Spanish Spanish language for operator's manual and electronic content		No Added Cost
0289	Thai Thai language for operator's manual and electronic content		No Added Cost

OPERATOR'S STATION

Operator's Station

Basic Factory Options - Required

1002	Canopy (ROPS/FOPS) Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof. Molded floor mat is optional. Keyless start. Deluxe mechanical suspension deluxe, vinyl, swivel seat with lumbar adjustment and arm rests, fully adjustable. 3 inch retractable seat belt. (2) front driving/working halogen lights - 32,500 candlepower each (2) rear working halogen lights - 32,500 candlepower each (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof (4) turn signal/flashing/rear stop/tail lights - 2 front and rear (2) rear reflectors		No Added Cost
1003	Cab Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof. Tinted safety glass. Deluxe interior trim. Headliner. Molded floor mat. Less radio (cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation instructions). Air conditioning 26,000 BTU. CFC free R134a refrigerant. Heater/defrosters/pressurizer, 40,000 BTU, 10 speed. Deluxe mechanical suspension, cloth, swivel seat with lumbar adjustment and am rests, fully adjustable. Keyless start. 3 inch orange seat belt with retractor. Tilt steering wheel. Interior rearview mirror. Front 2-speed wiper with windshield washer and rear 1-speed wiper. (2) front driving/working halogen lights - 32,500 candlepower each (2) rear working halogen lights - 32,500 candlepower each		\$13,243.00

John Deere -2022 Price List

NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

- (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
- (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
- (2) rear reflector

See 'Order as Desired' codes for additional cab options not included in standard cab (i.e. air suspension seat, radio, sun visor).

Operator's Station-Order As Desired

Field Installed Attachments - Optional

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

8096 Premium Mirror Option - Exterior Rear View Mirrors (2) and Front View Mirror (1) \$169.00

8103 Premium Canopy Option - Headliner and Tilt Steering \$710.00

8109 Sun Visor \$95.00

8146 Left Side Console Storage with Cup Holders \$81.00

8182 Radio, Bosch Basic Package \$873.00
AM/FM/Weather Radio

8183 Radio, Bosch Premium Package \$1,356.00
AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.

8207 Seat, Cloth Air-Suspension \$503.00
For enclosed Cab.

8208 Seat, Cloth Air-Suspension - Heated \$994.00
For enclosed Cab.

8209 Seat, Vinyl Air-Suspension \$503.00
For open ROPS or enclosed Cab.

81C0 Custom Code - Less A/C (\$902.00)

John Deere - 2022 Price List PRECISION TECHNOLOGY SOLUTIONS NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

Connectivity Hardware Basic Factory Options - Required

183E JDLink™ No Added Cost
 Includes integrated cab wiring harness, antenna, and JDLink™ Modem's (MTG).
 JDLink™ connectivity is enabled separately through the JDLink™ website.
 Connectivity service is subject to country availability.

183Q JDLink™ Satellite \$3,462.00
 Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).
 JDLink™ connectivity is enabled separately through the JDLink™ website.
 Connectivity service is subject to country availability.

POWERTRAIN

Transmission Basic Factory Options - Required

3009 Autoshift Transmission - Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential No Added Cost
 5F/3R autoshift transmission.
 Autoshift can be turned on/off in the SSM. When autoshift is off, the transmission will operate as a powershift.

30A1 Custom Code - 2 Wheel Drive Transmission (\$2,863.00)
 With autoshift 5F/3R transmission.
 Autoshift can be turned on/off in the SSM. When autoshift is off, the transmission will operate as a powershift.

ENGINE

Engine Basic Factory Options - Required

4000 John Deere PowerTech 4.5L (276 cu. in.) Engine Meets Stage II Emissions (\$17,257.00)
 Net peak power of 101 Hp.
 Temperature controlled viscous, variable rate engine fan.
 Engine conforms to EU stage II emissions.
 Not available for U.S. and Canada.
 This engine may only be used in markets that are not subject to current U.S. EPA regulations.
 Turbocharged.
 Wet sleeve cylinder liners.
 Serpentine belt with automatic belt tensioner.
 Vertical spin-on engine oil filter.
 Spin-on fuel filter with water separator.
 Dual safety element dry-type air cleaner with evacuator valve.
 Muffler, underhood with vertical curved exhaust stack.

NJ State Approved Co-op #65MCECCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

This engine may only be used in markets that are not subject to current U.S. EPA or EU nonroad emission regulations.

4006	<p>John Deere PowerTech™ EWL 4.5L (276 cu. in.) Engine Meets Final Tier 4 and Stage IV Emissions Net peak power of 116 Hp. For use only in areas where EPA final tier 4/EU stage IV is required.</p> <p>Turbocharged. Wet sleeve cylinder liners. 4 valves / cylinder. Electronically controlled HPCR fuel delivery system, B20 biodiesel compatible. Serpentine belt with automatic belt tensioner. Enclosed safety fan guard. Vertical spin-on engine oil filter. Spin-on fuel filter with water separator. Dual safety element dry-type air cleaner with evacuator valve. Underhood exhaust filter and catalysts with evacuator valve. Automatic exhaust filter regeneration. Glow plugs. Electronically controlled, variable-speed cooling fan.</p>	No Added Cost
------	---	---------------

Engine - Order As Desired Field Installed Attachments - Optional

8081	Electric Ether Start Aid without Ether Canister	\$319.00
------	---	----------

8213	Chrome Exhaust Extension	\$178.00
------	--------------------------	----------

Oil Sampling Ports - Order As Desired Field Installed Attachments - Optional

8075	<p>Diagnostic Oil Sampling Ports</p> <p>Requires code engine code 4006. Includes 4 ports: Engine oil Engine coolant Transmission oil Hydraulic oil</p>	\$207.00
------	---	----------

Engine Field Installed Attachments - Optional

BYT11589	<p>Fluid Sampling Ports</p> <p>Not available on Stage II (Tier 2) engines. For use on Backhoes with a Serial Number 390995 and Higher.</p>	\$498.00
----------	---	----------

John Deere -2022 Price List	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESCNJ 18/19-25	\$595.00
AT393180	Environmental Drain Kit		

BYT11568	Pre-Cleaner, Engine Air Intake Aspiration style pre-cleaner using engine exhaust to scavenge debris from air filter intake.		\$1,064.00
----------	--	--	------------

WHEELS/TIRES/TRACKS

Wheels and Tires	Basic Factory Options - Required
------------------	----------------------------------

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

For use with Mechanical Front Wheel Drive

5241	Galaxy 16.9-28 12PR Rear & 12.5/80 10PR Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).		\$306.00
------	---	--	----------

5250	Galaxy 21L-24 12PR Rear & 12.5/80-18 10PR Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).		No Added Cost
------	---	--	---------------

5255	Galaxy 550 Radial - 500/70R24 Rear & 340/80R18 Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.		\$1,934.00
------	--	--	------------

5256	Galaxy 580 Radial - 500/70R24 Rear & 340/80R18 Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.		\$1,153.00
------	--	--	------------

5311	Michelin Radial - 500/70R24 XMCL Rear & 340/80R18 XMCL Front 85 in. (2.16 m) overall width. Requires axle code 3009. Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.		\$2,345.00
------	--	--	------------

54D1	Custom Code - Goodyear 16.9-28 10PR R-4 TL IT525 Rear & 12.5/80-18 14PR I-3 Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).		\$1,021.00
------	---	--	------------

54J5	Custom Code - Galaxy 21-24 12PR Rear on HD Rim & 12.5/80-18 10PR Front		\$1,247.00
------	--	--	------------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List
 Requires axle code 3009.
 Rear tire chains require wheel spacers (AT347522).

Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

For use with 2 Wheel Drive

5242	Galaxy 16.9-28 12PR Rear & 12.5/80-18 12PR Front Requires axle code 30A1. Rear tire chains require wheel spacers (AT347522).		\$380.00
------	--	--	----------

5251	Galaxy 21L-24 12PR Rear & 12.5/80-18 12PR Front Requires axle code 30A1. Rear tire chains require wheel spacers (AT347522).		No Added Cost
------	---	--	---------------

5252	Galaxy 21L-24 12PR Rear & 14.5/75-16.1 16PR Front Requires axle code 30A1. Rear tire chains require wheel spacers (AT347522).		No Added Cost
------	---	--	---------------

54D4	Custom Code - Goodyear 19.5L-24 10PR Softrac II R-3 Turf Rear & Galaxy 12.5/80-18 12PR Front Requires code 30A1. Rear tire chains require wheel spacers (AT347522).		\$1,041.00
------	---	--	------------

54K1	Custom Code - Alliance 550 Radial 2WD - 550/70R24 Rear & 340/80R18 Front Requires code 30A1. Rear tire chains require wheel spacers (AT347522).		\$4,083.00
------	---	--	------------

ELECTRICAL

Batteries	Basic Factory Options - Required
-----------	----------------------------------

6152	Single Maintenance Free Battery With Disconnect and Jump Post 175 minute reserve capacity (950 CCA) Recommended for use in ambient temperatures above 32 degrees F (0 degrees C).		No Added Cost
------	---	--	---------------

6154	Dual Maintenance Free Batteries With Disconnect, Jump Post, and Engine Block Heater 350 minute reserve capacity (1900 CCA). Recommended for use in ambient temperatures below 32 degrees F (0 degrees C). Includes engine block heater.		\$459.00
------	--	--	----------

Lighting - Order as Desired	Field Installed Attachments - Optional
-----------------------------	--

8142	LED Light Package		\$1,053.00
------	-------------------	--	------------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere - 2022 Price List Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.

8226 Strobe Light with Magnetic Mount \$588.00
Light is shipped loose in the cab.

Lighting Field Installed Attachments - Optional

BYT11137 Boom Light Kit \$409.00
For use on 310SL (0A71T), 310SL HL (0A81T) and 410L (0AB1T).
For improved trench visibility. Provides two LED flood light for mounting on the boom.
Includes rocker switch, mounting hardware and wiring harness.

AT445009 LED Flood Light Kit \$223.00
Includes 2 lights.

AT445010 LED Spot Light Kit \$223.00
Includes 2 lights.

AT313592 6 inch Amber Warning Light with LED Beacon and Magnetic Roof Mounting Kit \$267.00

MAINFRAME/STRUCTURES

Backhoe Dipperstick Basic Factory Options - Required

6751 Standard Dipperstick No Added Cost
Includes extended stabilizer legs.

6752 Extendible Dipperstick \$8,365.00
Extended stabilizer legs.

Counterweight Basic Factory Options - Required

410 P COUNTERWEIGHT SELECTION CHART
Select the Proper Counterweight for the Machine and Optional Equipment
Add/subtract the options front axle percent. Then add the counterweight that gives the desired weight distribution between 27-32% (Target = 30%) to select counterweight.

"To this percent weight, add/subtract the following option percents, according to configuration as ordered."

Base..... +26.2%

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List		Educational Services Commission of New Jersey	Grounds Equipment - Bid #ESCNJ 18/19-25
NJ State Approved Co-op #65MCESCCPS			
Extendable.....	-4.8%		
Backhoe Coupler.....	-1.4%		
Backhoe Attachment over 600 lbs.....	-2.0%		
Multi-Purpose Loader Bucket.....	+5.2%		
Loader Coupler.....	+4.4%		
Non-Powered Front Axle	-1.3%		
Cab	-0.4%		

"Choose counterweight which results in the target front axle weight percent"

Counterweight Options

Bumper	0.0%
450 lb. Counterweight	+2.4%
750 lb. Counterweight	+4.0%
1,000 lb. Counterweight	+5.0%
1,250 lb. Counterweight	+6.2%

*** Base calculated using an Standard dipper, Canopy, Mechanical Front Wheel Drive, Standard Loader bucket, and a Standard Backhoe bucket.

6571	Front Cover - For Machines without a Front Counterweight	No Added Cost
6572	Heavy-Duty Bumper - For Machines without a Front Counterweight	\$223.00
6573	450 lb. (204 kg.) Front Counterweight	\$615.00
6575	750 lb. (340 kg.) Front Counterweight	\$998.00
6576	1000 lb. (454 kg.) Front Counterweight	\$1,374.00
6577	1250 lb. (567 kg.) Front Counterweight	\$1,758.00

Stabilizers - Order As Desired

Field Installed Attachments - Optional

8131	Heavy-Duty Stabilizer Pads	\$462.00
	Laminated and reinforced rubber, compressed on edge within the steel shoe for improved durability and wear performance.	

John Deere -2022 Price List	HYDRAULICS/CONTROLS	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	---------------------	--	---

	Backhoe Auxiliary Hydraulics		Basic Factory Options - Required
--	------------------------------	--	----------------------------------

7000	No Auxiliary		No Added Cost
------	--------------	--	---------------

7001	Auxiliary Hydraulics with One Way Flow (Hammer)		\$4,125.00
	Includes plumbing to end of dipperstick. Includes plumbing to bulkhead (mid-point of dipperstick). Also includes hydraulic quick disconnects.		

7002	Auxiliary Hydraulics with One & Two Way Flow (Hammer & Thumb/Swinger)		\$6,225.00
	Includes factory installed plumbing to end of dipperstick for one and two way flow valve. Includes hydraulic quick disconnects with one way flow circuit.		

	Backhoe Controls		Basic Factory Options - Required
--	------------------	--	----------------------------------

7028	Pilot Controls, Two Lever, with Pattern Selection		No Added Cost
	Proportional auxiliary control and extendable dipperstick control integrated into pilot control levers.		

	Loader Controls		Basic Factory Options - Required
--	-----------------	--	----------------------------------

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations. All selections come with Return to Dig feature.

7037	Two-Function Loader Hydraulics, Single Lever		No Added Cost
	Single lever loader control with electric clutch disconnect and momentary MFWD.		

7038	Loader Coupler, Two-Function Hydraulics, Single Lever		\$6,829.00
	Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect and momentary MFWD. Will accept G, J, K and L-Series loader coupler buckets		

7040	Three-Function Loader Hydraulics, Single Lever		\$3,268.00
	Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. For multi-purpose bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.		

7041	Loader Coupler, Three-Function Hydraulics, Single Lever		\$9,974.00
------	---	--	------------

John Deere -2022 Price List	NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	-------------------------------------	---

Includes auto ride control, option 8165.
 Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control.
 For multi-purpose coupler bucket and front attachments.
 Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.
 Will accept G, J, K, and L-series loader coupler buckets.

704A	Custom Code - Loader Coupler Configuration, 3-Function Hydraulics, Single Lever (Less Coupler) Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. Does not include the coupler. For multi-purpose coupler bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm.) hoses and steel lines are capped at the cross tube. Will accept G, J, K, and L-series loader coupler buckets.	\$8,450.00
------	--	------------

Hydraulics/Controls - Order as desired	Field Installed Attachments - Optional
--	--

8165	Auto Ride Control	\$2,335.00
------	-------------------	------------

8135	Hydrau XR - Synthetic Hydraulic Fluid Intended for colder climates with extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).	\$608.00
------	---	----------

80A3	Custom Code - Accu-Swing	\$737.00
------	--------------------------	----------

IMPLEMENTS/ATTACHMENTS

Backhoe Buckets	Basic Factory Options - Required
-----------------	----------------------------------

All buckets include lift holes.

7800	Less Backhoe Bucket with Bucket Pins	No Added Cost
------	--------------------------------------	---------------

7801	12 in. (305 mm.) Wide, 3.3 cu. ft. (0.09 cu. m.) Bucket Bucket includes TK teeth.	\$1,677.00
------	--	------------

7804	18 in. (457 mm.) Wide, Heavy-Duty, 5.1 cu. ft. (0.14 cu. m.) Bucket Bucket includes TK Teeth.	\$1,913.00
------	--	------------

7806	24 in. (610 mm.) Wide, Heavy-Duty, 7.5 cu. ft. (0.21 cu. m.) Bucket	\$2,078.00
------	---	------------

John Deere - 2022 Price List
 Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCESCCPS
 Grounds Equipment - Bid #ESCNJ 18/19-25

7808	24 in. (610 mm.) Wide, Severe-Duty, 7.5 cu. ft. (0.21 cu. m.) Bucket Bucket includes TK Teeth.		\$2,821.00
7809	24 in. (610 mm.) Wide, Heavy-Duty, 8.8 cu. ft. (0.25 cu. m.) Top Hook Coupler Bucket Bucket includes TK Teeth.		\$2,239.00
7810	24 in. (610 mm.) Wide, Heavy-Duty, 8.8 cu. ft. (0.25 cu. m.) Bucket Bucket includes TK Teeth.		\$2,279.00
7811	24 in. (610 mm.) Wide, Severe-Duty, 8.8 cu. ft. (0.25 cu. m.) Bucket Bucket includes TK Teeth.		\$2,912.00

Backhoe Quick Couplers	Basic Factory Options - Required
------------------------	----------------------------------

7700	Less Coupler - Less Thumb If ordering with thumb, must order option code 7701.		No Added Cost
7701	Less Coupler - Thumb Ready Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine.		No Added Cost
7702	Deere Standard Quick Coupler - Less Thumb If ordering thumb, must order option 7703 or 7704. For use with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L series backhoe buckets.		\$1,538.00
7703	Deere Standard Quick Coupler - 37 in. Thumb Ready Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine. For use with 310SE, SG, SJ, SK, SL; 410E, G,J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L series backhoe buckets.		\$1,538.00
7704	Deere Standard Quick Coupler - 42 in. Thumb Ready Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. For use with 310SE, SG, SJ, SK, SL; 410E, G,J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L series backhoe buckets.		\$1,538.00
7705	Multi-Brand Quick Coupler - Less Thumb If ordering coupler with thumb, requires option code 7706 or 7707. For use with Deere C, D, SE, SG, SJ, SK, SL & SL HL series buckets and with Case K, L, M and Cat C series buckets. Not for use with 710 buckets.		\$1,719.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Not compatible with Case N-series.
 John Deere 2022 Price List
 Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCESCCPS
 Grounds Equipment - Bid #ESCNJ 18/19-25

Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.

7706	Multi-Brand Quick Coupler - 37 in. Thumb Ready		\$1,719.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine. For use with Deere C, D, SE, SG, SJ, SK, SL & SL HL series buckets and with Case K, L, M and Cat C series buckets. Not for use with 710 buckets. Not compatible with Case N-series. Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.		

7707	Multi-Brand Quick Coupler - 42 in. Thumb Ready		\$1,719.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. For use with Deere C, D, SE, SG, SJ, SK, SL & SL HL series buckets and with Case K, L, M and Cat C series buckets. Not for use with 710 buckets. Not compatible with Case N-series. Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.		

7708	Top Hook Quick Coupler - Less Thumb		\$1,421.00
	If ordering with thumb, requires option code 7709. For use with Deere top hook coupler bucket option code 7809 and CP or pre-XLS Wain Roy top hook bucket.		

7709	Top Hook Quick Coupler - 42 in. Thumb Ready		\$1,421.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. Only compatible with Deere top hook coupler bucket option code 7809 and CP or pre-XLS Wain Roy top hook bucket.		

7710	New Series Multi-Brand Quick Coupler - Less Thumb		\$1,768.00
	If ordering with thumb, requires option code 7711 or 7712. For use with Cat D,E, F, Case K-L-M, and Deere SE, SG, SJ, SK, SL & SL HL series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-series.		

7711	New Series Multi-Brand Quick Coupler - 37 in. Thumb Ready		\$1,768.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine. For use with Cat D,E, F, Case K-L-M, and Deere SE, SG, SJ, SK, SL & SL HL series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-series.		

7712	New Series Multi-Brand Quick Coupler - 42 in. Thumb Ready		\$1,768.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine. For use with Cat D,E, F, Case K-L-M, and Deere SE, SG, SJ, SK, SL & SL HL series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-series.		

7713	Rear Hydraulic Coupler for Pin-on Buckets - Less Thumb		\$8,104.00
------	--	--	------------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Code	Description	QTY	List Price (USD)
John Deere -2022 Price List		NJ State Approved Co-op #65MCESCCPS	
	If ordering coupler with thumb, requires code 7714. For use on 310SL, 310SL HL, and 410L with a serial number of 303524 and higher. For use with Deere SE, SG, SJ, SK, SL & SL HL series pin-on buckets and 410E, G, J, K, and L series pin-on buckets. Not for use with top hook buckets. Reference bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.	Grounds Equipment - Bid #ESCNJ 18/19-25	
7714	Rear Hydraulic Coupler for Pin-on Buckets - 42 in. Thumb Ready For use on 310SL, 310SL HL, and 410L with a serial number of 303524 and higher. For use with Deere SE, SG, SJ, SK, SL & SL HL series pin-on buckets and 410E, G, J, K, and L series pin-on buckets. Not for use with top hook buckets. Reference bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information. Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine.		\$8,104.00
7715	Rear Spring Type Quick Coupler - Less Thumb For use with Deere SE, SG, SJ, SK, SL & SL HL series pin-on buckets and 410E, G, J, K, and L series pin-on buckets. Not for use with top hook buckets. Reference bulletin 17BH09 for bucket compatibility information. If ordering coupler with thumb, requires code 7716.		\$3,530.00
7716	Rear Spring Type Quick Coupler - 42 in. Thumb Ready For use with Deere SE, SG, SJ, SK, SL & SL HL series pin-on buckets and 410E, G, J, K, and L series pin-on buckets. Not for use with top hook buckets. Reference bulletin 17BH09 for bucket compatibility information. Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8027 - 42 inch tine.		\$3,530.00
Loader Buckets		Basic Factory Options - Required	
Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations. Loader buckets include skid plates and lift hooks unless stated otherwise.			
Pin-On Loader Buckets			
Not compatible with 7038 and 7041 loader hydraulics.			
7859	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Long-Lip Bucket Includes reversible bolt-on cutting edge and skid plates.		\$4,985.00
7861	1.31 cu. yd. (1.0 cu. m.) Multi-Purpose Bucket 92 in. (2.34 m.) wide Includes reversible bolt-on cutting edge for moldboard and back of clamshell, skid plates, and two lift holes. Pre-drilled for eight teeth - order teeth from parts.		\$11,609.00
7862	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Multi-Purpose Bucket with Bolt-On Teeth Includes reversible cutting edge for moldboard and back of clamshell, mounting ears for flip-over forks, two lift holes and skid plates.		\$9,632.00
7865	92 in. (2.34 m.) Wide, 1.5 cu. yd. (1.15 cu. m.) Long-Lip Bucket Includes reversible bolt-on cutting edge, skid plates and two lift holes.		\$5,536.00

John Deere -2022 Price List	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
	Coupler Loaders Buckets		

Requires codes 7038 or 7041 loader coupler

7863	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Multi-Purpose Coupler Bucket		\$10,482.00
	Includes reversible bolt-on cutting edge for moldboard and back of clamshell, skid plates, and two lift holes. Pre-drilled for eight teeth - order teeth from parts.		

7864	92 in. (2.34 m.) Wide, 1.5 cu. yd. (1.15 cu. m.) Long-Lip Coupler Bucket		\$5,814.00
	Includes reversible bolt-on cutting edge, skid plates and two lift holes.		

7850	Less Loader Bucket with Pins for Buckets or Front Attachments		No Added Cost
	Old style pins will be necessary with older buckets and attachments.		

7851	Less Coupler Bucket		No Added Cost
------	---------------------	--	---------------

Implements/Attachments - Order As Desired	Field Installed Attachments - Optional
---	--

8025	Thumb - 37 in. 4 Tine		\$10,121.00
	Reference bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires two-way auxiliary hydraulics, code 7002 or 7004. It does include plumbing for two-way auxiliary valve.		

8027	Thumb - 42 in. 4 Tine		\$10,280.00
	Reference bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires two-way auxiliary hydraulics, code 7002 or 7004. It does include plumbing for two-way auxiliary valve.		

MISCELLANEOUS

Miscellaneous - Order As Desired	Field Installed Attachments - Optional
----------------------------------	--

8101	Finish Paint - Decals Not Installed		\$165.00
------	-------------------------------------	--	----------

8039	Non-Export Rust Preventive Coating		\$172.00
	Coating protects exposed unpainted surfaces from road salt during shipment.		

Guarding and HD Options - Order as Desired	Field Installed Attachments - Optional
--	--

John Deere -2022 Price List	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCECCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	---	--	---

8062	Backhoe Boom Protection Plate Mounted and torqued to the underside of the backhoe boom with krennuts. Provides protection from unintended contact by large/heavy materials or attachments.		\$602.00
------	---	--	----------

8115	MFWD Driveshaft Guard Recommended when operating over large rocks or stumps.		\$428.00
------	---	--	----------

8126	Heavy-Duty Grille Frame Recommended for high use in truck loading applications. Includes vertical and horizontal steel reinforcement to the inside of the perforated screen for greater durability.		\$555.00
------	--	--	----------

Guards	Field Installed Attachments - Optional
--------	--

AT305073	Stabilizer Cylinder Guards (Set of Two)		\$314.00
----------	---	--	----------

AT434236	Rubber Bumper for Grille Frame		\$192.00
----------	--------------------------------	--	----------

AT438402	KIT, FULL MFWD GUARD		\$280.00
----------	----------------------	--	----------

AT323580	Backhoe Boom Protection Plate, Bolt-On Installation instructions T207899, Average installation 1.5 hours. Bolt on or weld to underside of backhoe boom. Recommended for rental, lease, thumbs/clamps, swingers, jaw buckets, and non-Deere attachments on couplers.		\$608.00
----------	---	--	----------

AT335984	Extendable Dipperstick Bolt-On Protection Plate Bolts on bottom of dipperstick, Average installation 2 hours.		\$379.00
----------	--	--	----------

AT371257	MFWD Wheel Fender Kit for 18 in. tires only Requires MFWD and 12.5/80-18 or 340/80R-18 front tires.		\$723.00
----------	--	--	----------

BYT11926	Heavy-Duty Grille Screen Kit Compatible with L-Series Backhoe Loaders.		\$561.00
----------	---	--	----------

Miscellaneous	Field Installed Attachments - Optional
---------------	--

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

BYT10330	Rear Wiring Harness for Hammer, Auto Greaser Harness that enables installation of an auto greaser (primarily for hammer use).		\$180.00
----------	--	--	----------

AT437905	Jump Start and Battery Disconnect Kit		\$247.00
----------	---------------------------------------	--	----------

AT451194	Pivotable Beacon Bracket		\$104.00
----------	--------------------------	--	----------

AT408903	Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher Kit Does not Include Fire Extinguisher.		\$100.00
----------	--	--	----------

BYT10312	Stop Kit, Field Kit - Pilot Tower Stow		\$26.00
----------	--	--	---------

HYDRAULICS

Hydraulics

Field Installed Attachments - Optional

BYT11688	Auxiliary Loader Control Valve with 3 Function Hydraulics - Single Lever For use on 310SL (0A71T), 310SL HL (0A81T) and 410L (0AB1T). For use on Backhoes with a Serial Number 390995 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.		\$4,031.00
----------	--	--	------------

BYT11992	Sixth Function Valve Kit (2 way flow for thumb swinger or grapple) For use on Backhoes with a Serial Number 390995 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly. Valve section and two hoses. For use with Pilot Controls. If the machine is not equipped with single lever loader control (SLLC) and loader auxiliary, also order: AT472332 Auxiliary Valve Controller (AVC) AT432173 Wiring Harness 14M7303 Nut (Qty 4) 19M7775 Cap Screw M6 X 16 (Qty 4)		\$3,048.00
----------	--	--	------------

BYT11701	Selective Flow Control Kit (1 way flow for use with hammer or compactor) For use on Backhoes with a Serial Number 390995 and Higher. Selective flow control to the backhoe valve for switch control of auxiliary hydraulics. Does not include plumbing kit.		\$1,759.00
----------	--	--	------------

AT456542	Auxiliary Plumbing for Selective Flow - Standard Dipperstick		\$610.00
----------	--	--	----------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Code	Description	QTY	List Price (USD)
	<p>John Deere -2022 Price List</p> <p>Average installation, 2 hours. Requires Standard Dipperstick. Requires BYT11701 Selective Flow Control Kit. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick.</p>	<p>Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS</p>	<p>Grounds Equipment - Bid #ESCNJ 18/19-25</p>
AT431340	<p>Accu-Swing Kit for Backhoe</p> <p>Includes two circuit reliefs, fittings, clamps and hardware. Installation instructions T210751.</p>		\$492.00
AT450466	<p>Auxiliary Backhoe Hydraulics for Auger, Extendible Dipperstick</p> <p>Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger.</p>		\$384.00
AT431160	<p>Auxiliary Plumbing for Selective Flow - Extendible Dipperstick</p> <p>Installation instructions T208495 Average installation, 2 hours. Requires Extendible Dipperstick. Requires Five Function Plus Selective Flow or Selective Flow. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick.</p>		\$687.00
AT431164	<p>Controlled Lowering Device for Backhoe Boom Cylinder</p>		\$2,734.00
AT431163	<p>Controlled Lowering Device for Backhoe Dipper (Crowd) Cylinder</p>		\$2,282.00
AT448428	<p>Hand Held Hydraulics</p> <p>Plumbing routed from the backhoe valve to above the battery box for hook up of hand held attachments. Average installation, 4 hours. Includes two circuit reliefs, fittings, clamps and hardware. Requires Selective Flow Valve. Installed in Battery Box.</p>		\$464.00
AT455624	<p>Sixth Function Manual Valve Kit (2 way flow for thumb swinger or grapple)</p> <p>Valve section and two hoses. Pedal and linkage ordered separately. For use with Manual Controls 7026.</p>		\$1,052.00
BYT10279	<p>Loader Coupler, Hydraulic</p> <p>For use on Backhoes with a Serial Number 390995 and Higher. L-Series backhoes must order applicable Software Part Number in JDPoint for Field Kit to function properly.</p>		\$7,841.00
BYT11010	<p>Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Standard Dipperstick</p> <p>For use with serial numbers after 338468. Must be configured with 7002 or 7004 or BYT11006, BYT11693, BYT11014, BYT11015.</p>		\$88.00

Average installation, 2 hours
 on Deere 2022 PHC List
 NJ State Approved Co-op #65MCESCCPS
 Grounds Equipment - Bid #ESCNJ 18/19-25
 For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.)
 Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310 G and 310 P controlled by foot pedal. 320 P and 410 P controlled by thumb roller in pilot joystick.
 For installation instructions, please reference DTAC Solution 115211.

BYT11011	Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Extendable Dipperstick For use with serial numbers after 338468. Must be configured with 7002 or 7004 or BYT11016, BYT11694, BYT11018, BYT11019. Average installation, 2 hours. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310G and 310 P controlled by foot pedal. 320 P and 410 P controlled by thumb roller in pilot joystick. For installation instructions, please reference DTAC Solution 115211.	\$88.00
----------	---	---------

BYT11015	Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Standard Dipperstick For use with serial numbers after 338456. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. Controlled by thumb roller in pilot joystick. Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11010). Please reference DTAC Solution 115211.	\$597.00
----------	---	----------

BYT11019	Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Extendable Dipperstick For use with serial numbers after 338456. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310SL HL and 410L controlled by thumb roller in pilot joystick. Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11011). Please reference DTAC Solution 115211.	\$597.00
----------	--	----------

BYT11079	1-Way (Select Flow) Auxiliary Hydraulics Bulkhead - Bucket Cylinder Mounted This field kit provides an alternative connection point for 1-way (select) flow hydraulics. The bulkhead will accept existing factory sourced plumbing, normally attached to dipper side sheets. Kit consists of two clamps and bulkhead bracket.	\$216.00
----------	--	----------

FRONT LOADER

Loader Buckets

Field Installed Attachments - Optional

BYT12306	LDR Pin-on Bucket 1.3 Cu. Yd. (1.0 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip	\$3,712.00
----------	---	------------

AT308080	LDR Pin-On Bucket 1.32 Cu. Yd. (1.0 Cu. M.) Heavy Duty Long Lip Bucket	\$4,263.00
----------	--	------------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Code	Description	QTY	List Price (USD)
	<p>John Deere -2022 Price List</p> <p>92 in. (2.34 m) wide. Includes reversible bolt-on cutting edge with skid plates. * Includes two lift holes.</p>	<p>Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS</p>	<p>Grounds Equipment - Bid #ESCNJ 18/19-25</p>
AT308082	<p>LDR Pin-on Bucket 1.5 Cu. Yd. (1.15 Cu. M.) Heavy Duty Long Lip</p> <p>92 in. (2.34 m) wide. Includes reversible bolt-on cutting edge with skid plates. Includes two lift loops.</p>		\$4,735.00
AT308966	<p>LDR Coupler Bucket 1.32 Cu. Yd. (1.0 cu. m) Heavy Duty 92 in. (2.34 m) Long Lip</p> <p>Includes Reversible Bolt On Cutting Edge and Skid Plates.</p>		\$4,617.00
AT308968	<p>LDR Coupler Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip</p> <p>Does not include Bolt-On Cutting Edges or Skid Plates.</p>		\$3,901.00
AT308965	<p>LDR Coupler Bucket 1.5 Cu. Yd. (1.15 Cu. M.) Heavy Duty Long Lip</p> <p>Requires Hydraulic Front Coupler. 92 in. (2.34 m.) wide. Includes reversible bolt-on cutting edge and skid plates. Includes two lift holes</p>		\$4,972.00
BYT10705	<p>LDR Pin-on Multipurpose 1.25 Cu. Yd. (0.96 Cu. M.), 92 in. (2.34 m) wide bucket flip fork ready</p> <p>Includes reversible cutting edge for moldboard and back of clamshell. Includes bolt-on teeth, flip-fork ready. If forks are desired, please order field kit: AT366494.</p>		\$8,238.00
BYT10708	<p>LDR Coupler Multipurpose 1.3 cu. Yd. (1.0 cu. m), 92 in (2.34 m) wide bucket</p> <p>Includes Reversible Bolt On Cutting Edges and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell. Requires Code 7085, or Third Function Loader Hydraulics and Loader Coupler. 92 in. (2.3 m) bucket width. Includes reversible bolt-on cutting edge with skid plates. Pre-drilled for eight teeth. Includes two built-in lift loops. Order teeth from parts. Includes two lift holes. Proper counterweight is required. See Counterweight Selection Chart. Includes Reversible Bolt On Cutting Edges and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell. Requires Code 7041, or Third Function Loader Hydraulics and Loader Coupler. 92 in. (2.3 m) bucket width. Includes reversible bolt-on cutting edge with skid plates. Pre-drilled for eight teeth. Includes two built-in lift loops. Order teeth from parts. Includes two lift holes. Proper counterweight is required. See Counterweight Selection Chart.</p>		\$8,965.00
BYT10703	<p>LDR Pin-on Multi-Purpose Bucket 1.32 Cu. Yd. (1.0 Cu. M.), 92 in. (2.34 m) wide</p> <p>Includes Reversible Bolt On Cutting Edges and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell. Requires Third Function Loader Hydraulics.</p>		\$8,321.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

92 in. (2.3 m) bucket with
 John Deere 2022 Price List
 Pre-drilled for eight teeth.
 Order teeth from parts.
 Includes two lift holes.
 Proper counterweight is required.
 See Counterweight Selection Chart.

Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

AT336927	Loader Coupler Attachment Adapter Hook Plates (2) Standard		\$1,934.00
----------	--	--	------------

Loader Controls	Field Installed Attachments - Optional
-----------------	--

AT452094	Ride Control Plumbing Kit Harness, plumbing, and accumulator for ride control. Must order valve and mounting plate separately. Compatible with both manual and auto ride control.		\$708.00
----------	---	--	----------

AT449593	Auto Ride Control Valve Kit Includes valve and mounting plate. Also requires plumbing kit AT452094. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.		\$570.00
----------	--	--	----------

BYT11542	Multi-Purpose Bucket Anti-Drift Valve Kit Prevents clam shell from drifting open during load, carry and three-point stance operations. Kit includes valve, hoses and mounting hardware. Compatible with all Backhoe and Tractor Loader multi-purpose buckets (installation instructions will also detail mounting procedure for buckets produced prior to September 2018)		\$759.00
----------	--	--	----------

BACKHOE

Backhoe Controls	Field Installed Attachments - Optional
------------------	--

AT185624	ISO (Deere) Two Lever Mechanical Controls Requires Right Pedal Kit, if equipped with Case controls and five function control valve. For units with code 7026.		\$512.00
----------	--	--	----------

AT185628	Ford Four Lever Controls for Standard and Extendible Dipperstick Ford Four Lever Controls for Standard and Extendible Dipperstick. For units with code 7026.		\$3,088.00
----------	--	--	------------

AT185629	Sixth Function Pedal for Lever Controls		\$387.00
----------	---	--	----------

AT301434	SAE Excavator Style Two Lever Controls		\$260.00
----------	--	--	----------

John Deere -2022 Price List

NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

AT309739	Case Three Lever Controls with Foot Swing For units with code 7026.			\$1,407.00
----------	--	--	--	------------

AT309740	Case Three Lever Controls 5th Function Lever Kit Adds lever to Case 3 lever backhoe controls to operate auxiliary valve on Standard Dipperstick or operates Extendable Dipperstick..			\$198.00
----------	---	--	--	----------

Attachments & Accessories	Field Installed Attachments - Optional
---------------------------	--

AT308138	Forks, Pallet (2) 48 in.(1.22m) with 60 in. (1.52m) Coupler Fork Carriage			\$4,493.00
----------	---	--	--	------------

AT308139	Forks, Pallet (2) 60 in.(1.52m) with 60 in. (1.52m) Coupler Fork Carriage			\$5,117.00
----------	---	--	--	------------

BYT10285	37 Inch Hydraulic Backhoe Thumb - 4 Tine Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 7002, 7004, or field installed 2-way auxiliary hydraulic kit.			\$6,981.00
----------	---	--	--	------------

BYT10287	42 Inch Hydraulic Backhoe Thumb - 4 Tine Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 7002, 7004, or field installed 2-way auxiliary hydraulic kit.			\$7,069.00
----------	---	--	--	------------

AT366494	Multi-Purpose Flip-Over Forks			\$3,584.00
----------	-------------------------------	--	--	------------

Backhoe Quick Couplers	Field Installed Attachments - Optional
------------------------	--

BYT10288	Coupler, Rear Hydraulic for Pin-On Buckets, Standard Dipperstick For use on 310SL HL and 410L with a Serial Number of 303524 and Higher. Requires Valve Plumbing Kit BYT10078. Bucket Compatibility: For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.			\$6,927.00
----------	--	--	--	------------

BYT10289	Coupler, Rear Hydraulic for Pin-on Buckets, Extendable Dipperstick For use on 310SL with a Serial Number of 303524 and Higher. Requires Valve Plumbing Kit BYT10077. Bucket Compatibility: For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.			\$6,927.00
----------	--	--	--	------------

John Deere -2022 Price List

NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

BYT10333 Coupler, Rear Spring Type Quick Coupler \$3,354.00
 For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets.
 Not for use with Top Hook Buckets.
 Reference Bulletin 17BH09 for bucket compatibility information.

BYT10078 Coupler, Rear Hydraulic Kit \$1,134.00
 Includes valve and plumbing only, for standard and extendable dipperstick.
 Hydraulic coupler for pin-on buckets not included.
 Used in the installation process of Rear Hydraulic Coupler BYT10288 or BYT10289.
 For use with Serial Number 304845 and above.

AT324292 Coupler, Top Hook Backhoe Bucket \$1,153.00
 Fits on 410G, 410J, 410TJ, 310SG, 310SJ, 310TJ Backhoes.
 For use with Top Hook backhoe bucket from
 Deere, CP, and Pre-XLS Wain Roy
 Recommend Backhoe Boom Bolt-on Protection Plate.
 Proper counterweighting is required. See 310SJ or 410J Counterweight Selection Chart.

AT336315 Coupler, Multi-Brand Universal Backhoe Bucket \$1,524.00
 For use with CAT B & C Series, Case K-L-M and DEERE SE,SG & SJ Series backhoe buckets except High Capacity Buckets and
 710 Buckets.
 Recommend AT179130 high-strength pin for 300D-510D and 210C-610C 18-36 Inch Buckets
 Proper counterweighting is required. See Counterweight
 Selection Chart.
 Recommend Backhoe Boom Bolt-on Protection Plate.
 Spacers are recommended for CAT and Case buckets, refer to dealer bulletin 07BH08.

AT336316 Coupler, Deere Backhoe Bucket \$1,530.00
 Fits 310SE, 310SG, 310SJ, 310SK, 310SL, 410E, 410G, 410J,410TJ, 410K, 410L backhoes.
 For use with 310SE, 310SG, 310SJ, 410E, 410G,410J, 410TJ, 410K, 410L backhoe buckets
 Proper counterweighting is required. See Counterweight Selection Chart.
 Recommend Backhoe Boom Bolt-on Protection Plate.

AT343629 Coupler, Universal - Pin-grabber style (non-hydraulic) \$3,235.00
 Fits John Deere 310SE, 310SG, 310SJ, 310TJ, 410E, 410G, 410J, 410TJ backhoes
 For use with DEERE C-D-E-G-J Series buckets and with Case K-L-M and CAT C-D-E Series Buckets.
 Not for High Capacity Buckets and 710 Buckets.
 Proper counterweighting is required. See Counterweight Selection Chart.
 Recommend Backhoe Boom Bolt-on Protection Plate.

AT393558 Backhoe New Series Multi-Brand Quick Coupler \$1,574.00
 For use with DEERE C-D-SE-SG-SJ-SK-SL Series buckets and with Case K-L-M and Cat D and E Series Buckets Buckets, High
 Capacity Buckets and 710J Buckets.
 Spacers are recommended for CAT and Case buckets, refer to dealer bulletin 07BH08.

Backhoe Buckets

Field Installed Attachments - Optional

AT437338 BKH Pin-on Bucket 12 In. (305 mm) Heavy-Duty 3.3 Cu. Ft. (0.09 Cu. M.) \$1,410.00

Code	Description	Educational Services Commission of New Jersey	QTY	List Price (USD)
	John Deere -2022 Price List	NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
AT437340	BKH Pin-on Bucket 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.)			\$1,636.00
AT437344	BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.)			\$1,949.00
AT437361	BKH Top Hook Coupler Bucket 12 in. (305 mm) Heavy Duty 3.3 Cu. Ft. (.09 Cu. M.)			\$1,438.00
AT437700	BKH Pin-on Bucket 18 in (457 mm) Severe Duty 5.1 Cu. Ft. (0.14 Cu. M.)			\$1,942.00
AT437701	BKH Pin-on Bucket 24 in (610 mm) Severe Duty 7.5 Cu. Ft. (0.21 Cu. M.)			\$2,412.00
AT437702	BKH Pin-on Bucket 24 in (610 mm) Severe Duty 8.8 Cu. Ft. (0.25 Cu. M.)			\$2,491.00
AT437703	BKH Pin-on Bucket 30 In. (762 mm) Severe-Duty 10.0 Cu. Ft. (0.28 Cu. M.) Requires multi-brand quick coupler (AT336313 or option codes 7705, 7706, or 7707).			\$2,643.00
AT437362	BKH Top Hook Coupler Bucket 18 in. (457 mm) Heavy Duty 5.1 Cu. Ft. (0.14 Cu. M.)			\$1,717.00
AT437363	BKH Top Hook Coupler Bucket 24 in. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)			\$1,915.00
AT437616	BKH Pin-on Bucket 36 In. (914 mm) Ditching 12.5 Cu. Ft. (0.35 Cu. M.)			\$1,991.00
AT436333	BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty 12.5 Cu. Ft. (0.35 Cu. M.)			\$3,032.00
AT437345	BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.)			\$2,018.00
AT437343	BKH Pin-On Bucket 24 In. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)			\$1,778.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

	John Deere -2022 Price List	NJ State Approved Co-op #65MCESCCPS		
AT437342	BKH Pin-On Bucket 24 In. (610 mm) Standard-Duty 7.5 Cu. Ft. (0.21 Cu. M.)		Grounds Equipment - Bid #ESCNJ 18/19-25	\$1,834.00

	Stabilizer Legs			Field Installed Attachments - Optional
--	-----------------	--	--	--

AT376409	Standard Stabilizer Street Pads			\$234.00
----------	---------------------------------	--	--	----------

AT376410	Heavy Duty Stabilizer Pads			\$467.00
----------	----------------------------	--	--	----------

OPERATOR'S STATION AND CONTROLS				
---------------------------------	--	--	--	--

	Operator's Station			Field Installed Attachments - Optional
--	--------------------	--	--	--

AT186155	(2) External Rear View Mirrors			\$293.00
----------	--------------------------------	--	--	----------

AT186288	Slow Moving Vehicle Emblem			\$115.00
----------	----------------------------	--	--	----------

AT186307	Sun Visor			\$96.00
----------	-----------	--	--	---------

AT187707	License Plate Bracket and Light			\$233.00
----------	---------------------------------	--	--	----------

AT192032	Operator Manual Tether Cables for ROPS or Cab			\$28.00
----------	---	--	--	---------

BYT10670	Mechanical to Air Seat Conversion			\$816.00
	For use on machines prior to Serial Number: 329231. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.			

BYT11382	AM/FM/WB Stereo with Digital Clock for Cab			\$1,015.00
----------	--	--	--	------------

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

AT451676	Radio Auxiliary kit Requires code 8182 or BYT10718 basic radio package. 3.5mm auxiliary input jack, harness for aux input to radio, roof power port, roof storage compartment. This kit is designed to add 3.5mm input to radios, and power to charge devices. Note that this kit does NOT include XM, USB input, or Bluetooth microphone.		\$291.00
AT446496	License Plate Bracket Light not included.		\$59.00
BYT10250	Canopy (ROPS/FOPS) to Quarter Cab Conversion Kit Includes all parts needed to add quarter cab to canopy machine, including windshield wiper and windshield washer, but not including the glass.Refer to installation instructions for a list of glass pieces to order from service parts.		\$405.00
AT313589	Beacon/Strobe Ready Wiring Kit Kit for aftermarket Beacon or Strobe light Kit does not include Beacon		\$35.00
BYT11328	Universal XM-Tuner Installation Kit Includes hardware and brackets to add XM capability to radio.		\$358.00

WEIGHTS AND BALLASTING

Counterweight

Field Installed Attachments - Optional

BYT10255	Counterweight, Front, 1,000 lbs (454 kg) Use with (4) T119912 AND (4) 19M9124.		\$1,388.00
BYT10256	Counterweight, Front, 1,250 lbs (567 kg) Use with (4) T119912 AND (4) 19M9124.		\$1,794.00
BYT10251	Counterweight, Front, 450 lbs (204 kg) Use with (4) T119912 AND (4) 19M9124.		\$621.00
BYT10254	Counterweight, Front, 750 lbs (340 kg) Use with (4) T119912 AND (4) 19M9124.		\$1,008.00
AT409592	Counterweight, Front, 250 lbs (113 kg) If adding to the 450 lb. (204 KG) counterweight, order (4) T151797, (2) 19M9088, AND (2) 14M7291. For 750 lb. (340 KG), 1000 lb. (454 KG) and 1250 lb. (567 KG) counterweights, order (2) T151797 and (2) 19M8976		\$544.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List	WHEELS AND TIRES	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	------------------	--	---

Wheels and Tires	Field Installed Attachments - Optional
------------------	--

AT347522	Rear Wheel Spacers for Rear Tire Chains		\$989.00
----------	---	--	----------

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.