

CATERPILLAR MACHINE PRICE LIST

415415 BACKHOE LOADER
LEICESTER, ENGLANDShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES**BACKHOE**

- 14'4" Center pivot backhoe
- 4.3 Meters
- Boom and swing transport locks
- Mechanical operated backhoe and stabilizer controls
- Street type stabilizer shoes

LOADER

- Single Tilt Loader
- Lift cylinder brace
- Self-leveling loader with single lever control
- Return-to-dig (automatic bucket positioner)
- Transmission neutralizer switch
- Bucket level indicator

POWERTRAIN

- Cat C3.6, 55KW (Net 68HP/51kW)
- Water separator
- Thermal starting aid system
- Dry type axial seal air cleaner with integral precleaner
- Automatic dust ejection system
- Filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- Differential lock
- Drive-line parking brake
- Torque converter
- Transmission-four speed manual shift
- Neutral safety switch
- Spin-on filters for
 - Fuel
 - Engine oil
 - Transmission oil
- Outboard Planetary Rear Axles
- Diesel particulate filter
- Hydrostatic power steering

HYDRAULICS

- Load sensing, variable flow system with 35 gpm (132 L/min) axial piston pump
- 6 micron hydraulic filter
- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Flow-Sharing Hydraulic Valves
- Hydraulic suction strainer

ELECTRICAL

- 12 volt electrical start
- 150 ampere alternator
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)

OPERATOR ENVIRONMENT

- Interior rearview mirror
- Rear fenders
- ROPS canopy
- 2-inch (50mm) retractable seat belt
- Hand and foot throttle
- Air suspension seat
- Coat Strap
- Lockable storage area

FLUIDS

- Antifreeze - Extended Life Coolant
- 20F (-30C)

OTHER STANDARD EQUIPMENT

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with 42.3 gal (160L) capacity
- Rubber impact strips on radiator guard
- CD-ROM Parts Manual
- Safety Manual
- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection

CATERPILLAR MACHINE PRICE LIST

415

415 BACKHOE LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

589-5413	415 07A BACKHOE LOADER DCA1 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	\$90,640
	INCLUDES: 543-3337 415 07A BACKHOE LOADER 576-8129 CANOPY, BASE 491-6733 WORKLIGHTS (4) HALOGEN LAMPS 573-4522 SEAT, VINYL 545-5047 DISPLAY, STANDARD 543-4899 PT, 4WD/2WS STD SHIFT, MECH 564-0306 HYDRAULICS, GP, 5FCN/7BNK 543-4280 STICK, STANDARD, 14FT 544-0353 CONTROLS, BACKHOE PATTERN 542-7778 ENGINE, 55KW, C3.6 DITA, T4F 337-9695 COUNTERWEIGHT, 530 LBS 560-6797 PRODUCT LINK, CELLULAR, PLE643 545-8548 LOADER BUCKET PINS	
543-3337	415 07A BACKHOE LOADER 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY	\$79,270
0P-7254	415 MISC MATL, AM-N 0	NC

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	OP-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

LOADER BUCKET

P	325-5100	BUCKET, LOADER (NONE)	0	NC
Ship with no loader bucket.				
P	337-7385	BUCKET-GP, 1.3 YD3, PO	965	\$3,231
1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).				

CUTTING EDGE

Required selection with a bucket

P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7385 BUCKET-GP, 1.3 YD3, PO				

TIRES

Must select.
 Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	533-0488	TIRES, 340 80-18/500 70-24, MX	0	\$1,545
Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tires and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.				

DECAL PACKAGES

Must select one

P	559-0872	INSTRUCTIONS, ANSI	0	NC
This package includes picto decals for use in USA.				
P	559-0874	INSTRUCTIONS, ISO	0	NC
This package includes picto decals for use outside of USA.				

SEAT BELT

Select one

L	206-1747	BELT, SEAT, 2" SUSPENSION	0	NC
CANNOT BE SELECTED BY: dealers from California, Oregon & British Columbia.				
L	206-1748	SEAT BELT, 3" SUSPENSION	0	\$146
REQUIRED BY: dealers from California, Oregon & British Columbia.				

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

STABILIZER PADS

Must select one

P	9R-1085	STABILIZER PADS, STREET 37 Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		NC
P	9R-6007	STABILIZER PADS, FLIP-OVER 85 Flip-over pads for use on asphalt, concrete or soil.		\$341

BACKHOE BUCKET OR COUPLER

Must select one.

P	175-7877	BUCKET, HOE, (NONE) 10 REQUIRED when no backhoe bucket or coupler is installed.		NC
P	219-3387	BUCKET-HD, 24", 6.2 FT3 333 Includes 5 tooth tips.		\$1,708
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3 395 Includes 5 angle-down adapters and soil tooth tips.		\$1,861
P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL 370 370 This Pin Lock bucket includes 5 tooth tips. ONLY FOR USE WITH: 222-7379 COUPLER, PIN LOCK		\$1,819 \$1,819 NI
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL 192 Mechanical quick coupler for backhoe buckets. (includes one set of pins and hardware to attach one bucket)		\$2,090
P	544-1901	COUPLER, PIN LOCK, BL F 0 Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		\$1,528

INSTRUCTIONS AND OPERATION MANUALS

Must select

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 Kit will include instructions in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		NC
--	----------	---	--	----

TRANSPORT PROTECTION

	461-6839	SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Currently this is only available to, and required by, machines shipping to USA, Canada & South America.		\$206 NET
	462-1033	RUST PREVENTATIVE APPLICATOR 0 Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America		\$110 NET

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING

0P-0210	PACK, DOMESTIC TRUCK 0 Required for all machines for USA, Canada & South America	NC
----------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

May select additional options (not required).

P	211-4292	BEACON, MAGNETIC MOUNT 0 Must be ordered as 'NOT INSTALLED'		\$234 NI
P	353-1389	GUARD, STABILIZER 0 Guards to protect Stabilizer cylinder rods from damage.		\$850
P	423-7607	PLATE GROUP - BOOM WEAR 0 Bolt on guard prevents damage to boom.		\$219

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS

0P-9002	LANE 2 ORDER 0 Only for dealers enrolled in the Base Orders Management (BOM) program	NC
0P-9003	LANE 3 ORDER 0	NC

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

BACKHOE STICKS

L	543-4280	STICK, STANDARD, 14FT	0	NC
L	543-4281	STICK, EXTENDABLE, 14FT, MECH Provides additional 3'8" (1.13m) of reach REQUIRES: MECHANICAL POWERTRAIN, HYDRAULICS AND CONTROLS	0	\$4,790
L	543-4282	STICK, EXTENDABLE, 14FT, PILOT Provides additional 3'8" (1.13m) of reach REQUIRES: PILOT POWERTRAIN, HYDRAULICS AND CONTROLS	0	\$4,790

POWERTRAIN

POWERTRAIN (Gearbox, Axles, Lines)

POWERTRAINS FOR MACHINES WITH MECHANICAL CONTROLS

L	543-4899	PT, 4WD/2WS STD SHIFT, MECH	0	\$9,740
---	----------	---------------------------------------	---	---------

POWERTRAINS FOR MACHINES WITH PILOT CONTROLS

L	543-4900	PT, 4WD/2WS STD SHIFT, PILOT	0	\$9,740
---	----------	--	---	---------

ENGINE (Engine, Cooler, Filters, Lines)

L	542-7778	ENGINE, 55KW, C3.6 DITA, T4F EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (RPM) is 69HP (51kW) Gross Power @ Rated (2200RPM) is 74HP (55kW)	0	NC
---	----------	--	---	----

HYDRAULICS

MACHINE HYDRAULICS (Inc Valves, Lines, and Controls)

HYDRAULICS FOR MACHINES WITH MECHANICAL CONTROLS

L	542-7755	HYDRAULICS, GP, 4FCN/6BNK FOR USE WITH: GP Loader Bucket and Standard Stick. CANNOT BE USED WITH: E-STICK OR Combo Lines	0	NC
L	564-0306	HYDRAULICS, GP, 5FCN/7BNK FOR USE WITH: GP Loader Bucket and Standard Stick with Combined Aux Lines OR E-Stick without Combined Aux Lines	0	\$720
L	542-7756	HYDRAULICS, GP, 6FCN/8BNK FOR USE WITH: GP Loader Bucket and E-Stick with Combined Aux Lines	0	\$1,450
L	542-7758	HYDRAULICS, MP, 4FCN/6BNK FOR USE WITH: MP Loader Bucket and Standard Stick. CANNOT BE USED WITH: E-Stick Or Combo Lines	0	\$1,210

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

MACHINE HYDRAULICS (Inc Valves, Lines, and Controls) (Cont.)

L	567-5742	HYDRAULICS, MP, 5FCN/7BNK 0 FOR USE WITH: MP Loader Bucket and Standard Stick with Combined Aux Lines OR E-Stick without Combined Aux Lines		\$1,985
L	542-7759	HYDRAULICS, MP, 6FCN/8BNK 0 FOR USE WITH: MP Loader Bucket and E-Stick with Combined Aux Lines		\$2,730
L	554-4187	HYDRAULICS, MP, 6FCN/8BNK, QC 0 FOR USE WITH: MP Loader Bucket and E-Stick with Combined Aux Lines Includes: IT Loader Coupler		\$7,300

HYDRAULICS FOR MACHINES WITH PILOT CONTROLS

L	542-7761	HYDRAULICS GP, 5FCN/7BNK, PT 0 FOR USE WITH: GP Loader Bucket and Standard Stick with Combined Aux Lines OR E-Stick without Combined Aux Lines		\$5,780
L	542-7762	HYDRAULICS GP, 6FCN/8BNK, PT 0 FOR USE WITH: GP Loader Bucket and E-Stick with Combined Aux Lines		\$6,510
L	542-7764	HYDRAULICS MP, 5FCN/7BNK, PT 0 FOR USE WITH: MP Loader Bucket and Standard Stick with Combined Aux Lines OR E-Stick without Combined Aux Lines		\$7,030
L	542-7765	HYDRAULICS MP, 6FCN/8BNK, PT 0 FOR USE WITH: MP Loader Bucket and E-Stick with Combined Aux Lines		\$7,770
L	554-4186	HYD, MP, 6FCN/8BNK, PT, QC 0 FOR USE WITH: MP Loader Bucket and E-Stick with Combined Aux Lines Includes: IT Loader Coupler		\$11,330

MECHANICAL BACKHOE CONTROLS

Must select when ordering MECHANICAL hydraulics.
 Not required (and cannot be used with) PILOT hydraulics

L	544-0353	CONTROLS, BACKHOE PATTERN 0 Left hand: Boom and swing; Right hand: Stick and bucket.		NC
L	544-0354	CONTROLS, EXCAVATOR PATTERN 0 Left hand: Stick and Swing; Right hand: Boom and Bucket.		\$204

OPERATOR ENVIRONMENT

CAB/CANOPY

L	576-8129	CANOPY, BASE 0 Includes fixed steering column, air suspension seat, foor mat, one internal and two external 12v power sockets and vandal guard.		NC
L	557-4932	CAB, STANDARD 0 Includes window defroster, front and rear windshield wiper/washer system, left and right side doors with locks, coat hook, interior rear view mirror, tilt steering column, floor mat, air suspension seat, radio-ready headliner, two internal and two external 12V power sockets.		\$7,260

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

DISPLAY

L	545-5047	DISPLAY, STANDARD	0	NC
---	----------	-------------------------	---	----

WORKING LIGHTS

L	491-6733	WORKLIGHTS (4) HALOGEN LAMPS	0	NC
		FOR USE WITH: CANOPY, BASE		
L	491-6735	WORKLIGHTS (4) LED LAMPS	0	\$443
		FOR USE WITH: CANOPY, BASE		
L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS	0	NC
		FOR USE WITH: CAB, STD		
L	491-6736	WORKLIGHTS (8) LED LAMPS	0	\$890
		FOR USE WITH: CAB, STD		

SEATING

L	573-4522	SEAT, VINYL	0	NC
		FOR USE WITH: CANOPY, BASE		
L	573-4523	SEAT, FABRIC	0	\$525
		FOR USE WITH: CAB, STD		

SEAT BELT

L	206-1747	BELT, SEAT, 2" SUSPENSION	0	NC
L	206-1748	SEAT BELT, 3" SUSPENSION	0	\$146
		REQUIRED IN: CALIFORNIA		

ENVIRONMENTAL CONTROL

SELECT FOR ENCLOSED CABS ONLY

L	542-7805	HEATER, T4F	0	NC
		Select if heat only is required. CANNOT BE USED WITH: CANOPY, BASE		
L	542-7808	AIR CONDITIONER, T4F	0	\$2,670
		Select if heat and air conditioning is required. CANNOT BE USED WITH: CANOPY, BASE		

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	560-6797	PRODUCT LINK, CELLULAR, PLE643 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager)uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services,		NC
L	559-1294	PRODUCT LINK, DUAL MODE, PLE683 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio, and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		\$1,313

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

FOUR WHEEL DRIVE TIRES AVAILABLE FROM MICHELIN

P	533-0488	TIRES, 340 80-18/500 70-24, MX 0 Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tire and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		\$1,545
P	320-2384	TIRES, 340 80R18/500 70R24, MX 0 Front: Michelin 340/80R18 XMCL 142A8 Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70R24 XMCL 157A8 Directional tire designed for outstanding damage resistance, extremely long tire life, and high load capacity.		\$2,910

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

FOUR WHEEL DRIVE TIRES AVAILABLE FROM MICHELIN (Cont.)

P	320-2385	<p>TIRES,340 80R18/500/70-24 MI 0</p> <p>Front: Michelin 340/80R18. Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70-24 Power CL 164A8 Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Combines benefits of radial front with stability of rear bias.</p>		\$2,320
P	533-2163	<p>TIRES, 340 80R20/480 80R26, MX 0</p> <p>Michelin 340/80-R20 XMCL radial directional front tires and Michelin 480/80R26 XMCL radial directional rear tires for excellent traction on all types of ground, good wear resistance on hard abrasive surfaces. A taller and wider tire combination for superior ground clearance and flotation. REQUIRES: 570-9674 STEERING STOP</p>		\$3,335
P	587-7103	<p>TIRES, 340 80-18/440 80-24, MX 0</p> <p>Michelin Power CL (Michelin Bias Ply) 340/80-18 143 A8 Load Rating Directional rear tyres providing wide lugs for long life span and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing protection. Michelin Power CL (Michelin Bias Ply) 440/80-24 168 A8 Load Rating Directional rear tyres providing wide lugs for long life span and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing protection ONLY FOR USE WITH: 583-7863 CUSTOM COLOR</p>		\$3,450

FOUR WHEEL DRIVE TIRES AVAILABLE FROM GOODYEAR

P	379-2161	<p>TIRES, 12.5 80/19.5L-24, GY 0</p> <p>Front: Goodyear 12.5/80-1810 PR I-3 Sure Grip Lug Directional tire for good traction and long wear, provided by wide, sturdy overlapping lugs. Rear: Goodyear 19.5L-24 12 PR R4 IT525 Directional tire with solid performance on rock-hard ground. Increased wear and performance on hard surfaces.</p>		\$1,650
---	----------	--	--	---------

FOUR WHEEL DRIVE TIRES AVAILABLE FROM FIRESTONE

P	282-3855	<p>TIRES, 12.5 80-18/21L-24, FS 0</p> <p>Front: Firestone 12.5/80-18 NHS (12ply) I-3 Super Traction Loader. Directional tire with low profile design that provides excellent traction and flotation. Tough sidewall for long wear. Rear: Firestone 21L-24 (16ply) R4 ATU (All Traction Utility) Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Adds one inch of rear height with improved rear flotation.</p>		\$2,605
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

STEERING STOP

P	570-9674	STEERING STOP	0	\$10
		Front axle steering stop limits the steering angle on 20" tire arrangements to prevent machine interference. REQUIRES: 533-2163 TIRES, 340 80R20/480 80R26, MX		

OTHER ATTACHMENTS

COUNTERWEIGHT

ADD THE NEXT INCREMENT OF COUNTERWEIGHT IF A THUMB IS REQUIRED

MINIMUM RECOMMENDED COUNTERWEIGHT

MACHINE CONFIGURATION	RECOMMENDED WEIGHT
Std Stick, GP Bucket	255 lbs - 115KG
Std Stick, MP Bucket	no cwt
E-Stick, GP Bucket	1015 lbs - 460KG
E-Stick, MP Bucket	255 lbs - 115KG

IF QC LOADER HYD SELECTED

MACHINE CONFIGURATION	RECOMMENDED WEIGHT
Std Stick, GP Bucket	no cwt
Std Stick, MP Bucket	no cwt
Std Stick, Material Arm	no cwt
Std Stick, Fork Carriage	no cwt
E-Stick, GP Bucket	530 lbs - 240KG
E-Stick, MP Bucket	no cwt
E-Stick, Material Arm	530 lbs - 240KG
E-Stick, Fork Carriage	530 lbs - 240KG

P	337-9693	COUNTERWEIGHT, NONE	0	NC
		ONLY FOR USE WITH: 543-4280 STICK, STANDARD		
P	337-9694	COUNTERWEIGHT, 255 LBS	0	\$690
P	337-9695	COUNTERWEIGHT, 530 LBS	0	\$910
P	337-9696	COUNTERWEIGHT, 1015 LBS	0	\$1,790

Stabilizer Pads and Accessories

P	9R-1085	STABILIZER PADS, STREET	37	NC
		Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		
P	9R-6007	STABILIZER PADS, FLIP-OVER	85	\$341
		Flip-over pads for use on asphalt, concrete or soil.		
P	560-2635	STABILIZER PADS, FLIP-OVER	0	\$341
		Flip-over pads for use on asphalt, concrete or soil. ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		
P	116-4942	STABILIZER PADS, GROUSER TYPE	150	\$-214
		Set of two steel pads with grouser bars for use on soil.		

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS

LOADER BUCKET PINS

L	545-8548	LOADER BUCKET PINS 0		NC
		REQUIRES: PIN ON LOADER BUCKETS		

LOADER BUCKETS

Must Select One if ordering a ST machine. For IT Work Tools refer to the Optional Attachment section.

P	325-5100	BUCKET, LOADER (NONE) 0		NC
		Ship with no loader bucket.		
P	337-7382	BUCKET-GP, 1.0 YD3, PO 776		\$2,753
		0.76M3 (1.0YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7385	BUCKET-GP, 1.3 YD3, PO 965		\$3,231
		1.0 M3 (1.3YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7436	BUCKET-MP, 1.3 YD3, PO 1,593		\$6,911
		1.0M3 (1.3YD3) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included)		
P	595-0367	BUCKET-GP, 1.3 YD3, PO, BLK 438		\$3,231
		1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
		ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		
P	595-0357	BUCKET-MP, 1.3 YD3, PO, BLK 728		\$6,911
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included)		
		REQUIRES: MP HYDRAULICS		
		ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		

CUTTING EDGE/TEETH

P	9R-5321	CUTTING EDGE, TWO PIECE 154		\$331
		Bolt-on reversible cutting edge for the Loader Bucket.		
		ONLY FOR USE WITH: 337-7382 BUCKET-GP, 1.0 YD3, PO		
		337-7385 BUCKET-GP, 1.3 YD3, PO		
		337-7436 BUCKET-MP, 1.3 YD3, PO		
		595-0367 BUCKET-GP, 1.3 YD3, PO, BLK		
		595-0357 BUCKET-MP, 1.3 YD3, PO, BLK		
		CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5866	TEETH 61		\$389
		Includes eight bolt-on Uniteeth and hardware.		
		FOR USE WITH: ALL GP & MP LOADER BUCKETS		
		CANNOT BE USED WITH: 9R5321 CUTTING EDGE, TWO PIECE		

BACKHOE BUCKETS AND COUPLERS

If no coupler is selected hoe bucket should be ordered as installed.
 If coupler is selected coupler should be installed and hoe bucket not installed.
 Additional buckets may be ordered as not-installed from the Lane2/ Lane3 Optional section.

P	175-7877	BUCKET, HOE, (NONE) 10		NC
		REQUIRED when no backhoe bucket or coupler is installed.		

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BACKHOE BUCKETS AND COUPLERS (Cont.)

P	219-3387	BUCKET-HD, 24", 6.2 FT3	333 333	\$1,708 \$1,708 NI
		Includes 5 tooth tips.		
P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL	370 370	\$1,819 \$1,819 NI
		This Pin Lock bucket includes 5 tooth tips.		
		ONLY FOR USE WITH: 544-1901 COUPLER, PIN LOCK		
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3	395 395	\$1,861 \$1,861 NI
		Includes 5 angle-down adapters and soil tooth tips.		
P	219-3396	BUCKET-ROCK, HD, 24", 7.0 FT3	381 381	\$1,903 \$1,903 NI
		Includes 5 tooth tips.		
P	219-3381	BUCKET, 24", 6.2 FT3	291 291	\$1,326 \$1,326 NI
		Includes 5 tooth tips.		
P	219-3411	BUCKET-HD, 12", 2.8 FT3	238 238	\$1,486 \$1,486 NI
		Width: 305MM (12"), Capacity 0.8 m3 (2.8 ft3)		
		Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 FT3	284 284	\$1,583 \$1,583 NI
		Includes 4 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 FT3	0 453	\$2,764 \$2,764 NI
		Ditch cleaning bucket		
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL	192	\$2,090
		Mechanical quick coupler with dual lock for backhoe buckets.		
		Includes: one set of pins and hardware to attach one bucket		
P	544-1901	COUPLER, PIN LOCK, BL F	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools.		
		Includes mounting pins and hardware for attaching tools.		
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL	192	\$4,083
		Hydraulic quick coupler with dual lock for backhoe buckets.		
		Includes: One set of pins and hardware to attach one bucket		
		REQUIRES: 555-2393 LINES,HYD COUPLER 14FT STD-STK MECH		
		555-2394 LINES,HYD COUPLER 14FT STD STICK PILOT		
		555-2395 LINES,HYD COUPLER 14FT E-STICK MECH		
		555-2396 LINES,HYD COUPLER 14FT E-STICK PILOT		

INSTRUCTIONS

DECAL PACKAGES

P	559-0872	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals for use in USA.		

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS (CONT.)

INSTRUCTIONS AND OPERATION MANUALS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 Kit will include instructions in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx	NC
----------	---	-----------

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2 / LANE 3 OPTIONAL SELECTIONS

HYDRAULICS

RIDE CONTROL

L	551-6452	RIDE CONTROL 0 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired. ONLY FOR USE WITH: MECH CONTROLS		\$1,510
L	551-6453	RIDE CONTROL 0 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired. ONLY FOR USE WITH: PILOT CONTROLS		\$1,510

HYDRAULIC QUICK DISCONNECT

P	456-3390	COUPLING, QD, THREADED WITH CAPS 4 This includes one additional male and female threaded flat face, connect under pressure, quick disconnect coupling & protective caps. FOR USE WITH: LINES, COMBINED AUX, STD/E-STICK MUST BE ORDERED AS NOT-INSTALLED.		\$376 NI
---	----------	---	--	----------

THUMBS

Thumbs cannot be shipped without either bucket or coupler.
 Thumbs & Tines may only be ordered as full, installed packages.
 Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.
 No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.
 If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL 0 Hydraulic Thumb Arrangement without tines REQUIRES: Thumb tine (see below) ONLY FOR USE WITH: LINES, COMBINED AUX CANNOT BE USED WITH: 337-9693 COUNTERWEIGHT, NONE		\$5,500
P	221-4282	THUMB, TINE, A 1 0 Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" 219-3381 BUCKET 24" OR 219-3387 BUCKET 24"		\$417
P	221-4284	THUMB, TINE, A 2 0 Bucket with no coupler FOR USE WITH: 219-3396 BUCKET 24" Bucket with 544-1901 Coupler FOR USE WITH: 247-1950 BUCKET 24"		\$417

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS (CONT.)

THUMBS (Cont.)

P	221-4283	THUMB, TINE, A 3 0		\$417
		Bucket with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3381 BUCKET 24" OR 219-3387		
P	221-4285	THUMB, TINE, A 4 0		\$556
		ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 219-3396 BUCKET 24"		
P	281-6708	THUMB, TINE, A 5 0		\$556
		ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 254-8941 BUCKET 24"		

BACKHOE HYDRAULICS

Please see the Mandatory Option/Hydraulics section for machines with PILOT controls and a Standard Stick.

L	548-1230	LINES, COMBINED AUX, STD STICK 0		\$3,550
		FOR USE WITH: STANDARD STICK, PILOT CONTROLS & 5 or 6 FCN HYDRAULICS		
L	548-1231	LINES, COMBINED AUX, E-STICK 0		\$3,550
		FOR USE WITH: E-STICK, PILOT CONTROLS & 6 FUNCTION HYDRAULICS		
L	548-1228	LINES, COMBINED AUX, STD STICK 0		\$3,550
		FOR USE WITH: STD STICK, MECHANICAL CONTROLS & 5 or 6 FCN HYDRAULICS		
L	548-1229	LINES, COMBINED AUX, E-STICK 0		\$3,550
		FOR USE WITH: E-STICK, MECHANICAL CONTROLS & 6 FUNCTION HYDRAULICS		

ELECTRICAL

MAGNETIC BEACON

P	211-4292	BEACON, MAGNETIC MOUNT 0		\$234 NI
		Must be ordered as 'NOT INSTALLED'		
P	433-0154	BEACON, MAGNETIC MOUNT, STROBE 0		\$347 NI
		Must be ordered as 'NOT INSTALLED'.		

RADIO

P	540-2298	RADIO, FM BLUETOOTH 0		\$560
		Cat FM Radio with bluetooth, aux input, microphone. CANNOT BE USED WITH: OPEN CANOPY MACHINES		

RADIO READY CANOPY HEADLINER

L	398-2875	RADIO READY HEADLINER, CANOPY 3		\$506
		Canopy headliner to accept a suitable 'all weather' Radio/ CD player (not available from factory) FOR USE WITH: OPEN CANOPIES ONLY		

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL (CONT.)				
FACE FAN				
L	454-6610	FAN, STANDARD CAB/ CANOPY	0	\$233
SECURITY KEYPAD				
L	549-5531	SECURITY BLUETOOTH KEY	0	\$570
		Enables an immobiliser system to disable the engine, transmission and other systems at key switch on until a Pre Programmed Bluetooth Key is present OR valid pass code is manually entered via the operator display which unlocks the machine to enable operation.		
L	573-0397	DISPLAY, SECURITY, ENABLED	0	\$506
		Enables an immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is manually entered via the operator display which unlocks the machine to enable operation.		
BATTERY				
L	516-5913	BATTERY, HEAVY DUTY	0	\$230
		INCLUDED IN: COLD WEATHER PACKAGE		
COLD WEATHER				
L	551-6940	COLD WEATHER PACKAGE, 120V	0	\$790
		Provides additional battery and engine block heater as well as radiator antifreeze to -67F (-55 celsius), mounting for an ether bottle and low temperature diesel fuel to -22F (-30 celsius). The ether bottle is available separately from Parts Distribution CANNOT BE USED WITH: HEAVY DUTY BATTERY or COLD WEATHER FUEL		
L	396-6505	FUEL, COLD WEATHER	0	\$141 NET
		Provides low temperature diesel fuel -22 (-30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		
GUARDS				
P	563-6098	FENDERS, FRONT 4WD	0	\$585
		Set of two fenders with integrated steps. ONLY FOR USE WITH: 4WD POWERTRAINS		
P	423-7607	PLATE GROUP - BOOM WEAR	0	\$219
		Bolt on guard prevents damage to boom.		
P	353-1389	GUARD, STABILIZER.	0	\$850
		Guards to protect Stabilizer cylinder rods from damage.		
OTHER ATTACHMENTS				
P	382-2499	MIRRORS, EXTERNAL, BOTH SIDES	0	\$735

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS

CARRIAGE AND FORKS

P	6W-8832	CARRIAGE, PALLET, 61", IT	611	\$2, 511
		Standard carriage. Does not include tines. ONLY FOR USE WITH: HYDRAULICS, QC		
P	195-6935	FORK TINE, 2" X 5" X 48"	216	\$765
		One tine only, specify qty of 2 for pair.		
P	195-6939	FORK TINE, 2" X 5" X 54"	232	\$793
		One tine only, specify qty of 2 for pair.		

HYDRAULIC QUICK COUPLER LINES

Required if a Hydraulic Quick Coupler has been selected.
 Optional selection on other machines.

P	555-2393	LINES, HYD CPLR 14FT STD MECH	192	\$2, 358
		Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and STANDARD STICK		
P	555-2394	LINES, HYD CPLR 14FT STD PILOT	0	\$2, 361
		Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and STANDARD STICK		
P	555-2395	LINES, HYD CPLR 14FT EXT MECH	0	\$2, 361
		Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and EXTENDABLE STICK		
P	555-2396	LINES, HYD CPLR 14FT EXT PILOT	0	\$2, 361
		Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and EXTENDABLE STICK		

COUPLER NONE CAPS

P	487-6058	COUPLER NONE	0	NC
		This includes caps to close off lines when machine is "Hydraulic Coupler Ready", however, NO hyd coupler is selected. REQUIRED WHEN - LINES, HYD COUPLER LINES ARE SELECTED CANNOT BE USED WITH: 485-5303 COUPLER		

BUCKET PINS

P	318-9902	PINS, SPARE	6	\$175
		Includes bucket pins and hardware. FOR USE WITH: 444-7500 COUPLER, PG, MANUAL, DUAL LOCK 485-5303 COUPLER, PG, HYD, DUAL LOCK		

HAMMER

P	532-9300	HAMMER, B8S, BHL	1, 016	\$14, 583 NI
		B8S HAMMER PACKAGE Includes B8S hammer non tuck, BHL hammer bracket, hammer lines, quick disconnects, wrench, toolbox and two tools (Chisel crosscut/cone). REQUIRES: 548-1228 LINES, COMBINED AUX, STD STICK 548-1229 LINES, COMBINED AUX, E-STICK 548-1230 LINES, COMBINED AUX, STD STICK 548-1231 LINES, COMBINED AUX, E-STICK		

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

LOADER BUCKET FOR IT STYLE LOADER

Loader Bucket for IT Loader Quick Coupler

P	251-1800	BUCKET-GP, 1.31 YD3, IT	979	\$3,682
		1.0M3 (1.31YD3) SAE capacity, General Purpose Bucket. Drilled to accept bolt-on teeth or cutting edge		
		ONLY FOR USE WITH: 554-4186 HYD,MP,6FCN/8BNK,PT,QC		
		554-4187 HYD,MP,6FCN/8BNK,QC		
P	251-1794	BUCKET-GP, 1.5 YD3, IT	1,030	\$4,326
		1.15M3 (1.5YD3) SAE capacity General Purpose Bucket. Drilled to accept bolt-on teeth or cutting edge, Two piece, Wide (not included).		
		ONLY FOR USE WITH: 554-4186 HYD,MP,6FCN/8BNK,PT,QC		
		554-4187 HYD,MP,6FCN/8BNK,QC		
P	216-8810	BUCKET-MP, 1.3 YD3, IT	1,549	\$7,136
		1.0M3 (1.3YD3) SAE capacity Multi Purpose IT Bucket. Drilled to accept bolt-on teeth or cutting edge (not included).		
		ONLY FOR USE WITH: 554-4186 HYD,MP,6FCN/8BNK,PT,QC		
		554-4187 HYD,MP,6FCN/8BNK,QC		
P	216-8840	BUCKET-MP, 1.4 YD3, IT	1,612	\$7,632
		1.1M3 (1.4YD3) SAE capacity Multi Purpose IT Bucket. Drilled to accept bolt-on teeth or cutting edge, Two piece, Wide		
		ONLY FOR USE WITH: 554-4186 HYD,MP,6FCN/8BNK,PT,QC		
		554-4187 HYD,MP,6FCN/8BNK,QC		

IT LOADER BUCKET - CUTTING EDGE OR TEETH

P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket.		
		ONLY FOR USE WITH: 216-8810 BUCKET-MP, 1.3 YD3, IT		
P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE	154	\$329
		Bolt-on reversible cutting edge for Loader Buckets.		
		ONLY FOR USE WITH: 251-1800 BUCKET-GP, 1.31 YD3, IT		
		251-1794 BUCKET-GP, 1.5 YD3, IT		
		216-8840 BUCKET-MP, 1.4 YD3, IT		
P	9R-5866	TEETH	61	\$389
		Includes eight bolt-on Uniteeth and hardware.		
		CANNOT BE USED WITH: 9R5321 CUTTING EDGE, TWO PIECE		
		9R5320 CUTTING EDGE, TWO PIECE,WIDE		

CUSTOM PRODUCTS

CUSTOM COLOR

L	583-7863	PAINT, CUSTOM COLOR	0	\$6,210 NET
		Please contact ORDER ENTRY GROUP & THE FACILITY before placing CUSTOM COLOR requests. Black components remain black.		
		FOR NACD REGION ORDER THROUGH CLAYTON NODE		
		REQUIRES: 4 digit RAL colour specification.		
		(OTHER PAINT SPECIFICATIONS REQUIRE FACILITY APPROVAL)		
		ONLY FOR USE WITH: LANE 3		
		5950367 BUCKET-GP, 1.0 M3, PO, BLK		
		5950357 BUCKET-MP, 1.0 M3, PO, BLK		
		5602635 STABILIZER PADS, FLIP-OVER		
		5877103 TIRES, 340 80-18/440 80-24, MX		

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

KITS

Kits cannot be ordered with your machine order.
 Kits can be ordered through CMOPS, but **MUST** be separate orders from the machine, and **MUST** include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution System you **MUST** also select the required Packing reference number.

For USA and Canada, please place your order as follows:

OP-7254 415 MISC MTRL
 Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.

BACKHOE CONTROLS

P	579-6458	KIT, CONTROLS, BACKHOE PATTERN 0	\$542 NI
		This kit s for converting from Excavator Control Pattern to Backhoe Control Pattern.	
P	579-6459	KIT, CONTROLS, EXCAVATOR PTRN 0	\$542 NI
		Complete Backhoe Control kit for excavator (ISO) control pattern	

RIDE CONTROL

P	577-8607	KIT, RIDE CONTROL (PILOT/ECM) 0	\$1,439 NI
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry. FOR USE WITH: PILOT MACHINES	
P	577-8610	KIT, RIDE CONTROL 0	\$1,476 NI
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry. FOR USE WITH: MECH MACHINES	

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

AUXILIARY, COMBINED FUNCTION HYDRAULIC KITS

For use with both one-way flow tools (hammers, compactors) and two-way flow tools (augers, thumbs, side tilt couplers). Units equipped with Standard Sticks require 5 function BH Hydraulics and operate using the right thumb controller. Units equipped with Extendible Sticks require 6 Function BH Hydraulics and operate using the left thumb controller. Mounted near the backhoe valve bank in the chassis, a manual ball valve switches between one-way and two-way flow. Estimated shop time: 8 hours to install kit, plus 8 more hours is needed if adding a valve section to the valve bank (converting 4 to 5 Function, or 5 to 6 Function).

The kits provide diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. This kit can be used to build 1 way (hammer) lines. See REHS installation instructions.

FOR USE WITH MACHINES WITH MECHANICAL CONTROLS

P	577-8612	KIT, HYD,COMBINED,14FT STD STK	0	\$3,382 NI
		FOR USE ON MECHANICALLY CONTROLLED MACHINES WITH STANDARD STICK		
P	577-8611	KIT, HYD, COMBINED, 14FT E-STK	0	\$3,382 NI
		FOR USE ON MECHANICALLY CONTROLLED MACHINES WITH AN E-STICK		

FOR USE WITH MACHINES WITH PILOT CONTROLS

P	577-8616	KIT, HYD,COMBINED,14FT STD STK	0	\$3,382 NI
P	577-8617	KIT, HYD, COMBINED, 14FT E-STK	0	\$3,382 NI

OTHER KITS

P	579-6456	KIT, LINES,HYD CPLR 14FT S-STK	0	\$1,750 NI
		For use with: HYDRAULCS FOR MACHINES WITH MECHANICAL CONTROLS		
P	585-0341	KIT, LINES,HYD CPLR 14FT S-STK	0	\$1,749 NI
		For use with: HYDRAULCS FOR MACHINES WITH PILOT CONTROLS		
P	579-6457	KIT, LINES,HYD CPLR 14FT E-STK	0	\$1,750 NI
		For use with: HYDRAULCS FOR MACHINES WITH MECHANICAL CONTROLS		
P	585-0342	KIT, LINES,HYD CPLR 14FT E-STK	0	\$1,749 NI
		For use with: HYDRAULCS FOR MACHINES WITH PILOT CONTROLS		
P	387-6458	KIT, GUARD, STABILIZER CYLNDRS	0	\$840 NI

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

OTHER KITS (Cont.)

P	442-9566	KIT, HOE, COUPLING Q-DISCON 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$368 NI
P	586-8064	KIT, FENDER, FRONT 0 Provides a kit to add a set of 2 Front Fenders to a machine.		\$579 NI
P	497-5482	KIT, WORKLIGHTS, LED, WIDE 0 The contents of this kit are available separately from the parts distribution.		**
P	523-0146	KIT, WORKLIGHTS, LED, SPOT 0 The contents of this kit are available separately from the parts distribution.		**
P	596-8446	KIT, LOADER COUPLER 0 FOR USE WITH: SINGLE TILT LOADER ARMS AND 3 BANK (MP) LOADER VALVE.		\$4,638 NI
P	455-7380	KIT, LOADER, COUPLING QD 0 Includes both male and female 'Twist to Connect' loader hydraulic quick disconnect couplings.		\$374 NI
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL 192 Mechanical quick coupler for backhoe buckets. (includes one set of pins and hardware to attach one bucket)		\$2,090 NI
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL 192 Hydraulic quick coupler with dual lock for backhoe buckets.		\$4,083 NI

KITS

KIT, MACHINE SECURITY SEA

This kit enables the customer to buy the option software Through antares for the onboard feature upgrade to add Keypad security on the display. Caterpillar will then provide The option key software part number 602-1225. Dealer to Provide price for any additional hardware and this software

AVAILABLE FROM PARTS DISTRIBUTION

Please see the WT-BHL price list for other items available from Parts Distribution

PACKING

SHIPPING

0P-0210	PACK, DOMESTIC TRUCK 0 Required for all machines for USA, Canada & South America		NC
---------	--	--	----

CATERPILLAR MACHINE PRICE LIST

415

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

SHIPPING (Cont.)

461-6839	SHIPPING/STORAGE PROTECTION	0		\$206 NET
	Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Currently this is only available to, and required by, machines shipping to USA, Canada & South America.			
462-1033	RUST PREVENTATIVE APPLICATOR	0		\$110 NET
	Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America			
0G-8010	PACKING, PHYTO-SANITARY WOOD	0		NC
	All wood or wood derivative packaging material with this shipment requires Phytosanitary Certificate. If all packing material is wood-free (metal or plastic), this shipment requires a Declaration of No Wood Packing Material. Required in specific countries.			
0G-3280	PACK, MISCELLANEOUS MATERIAL	0		NC

Use the reference below when ordering miscellaneous field installed kits via CMOPS to transfer to ANTARES.