

## CATERPILLAR MACHINE PRICE LIST

**420****420 BACKHOE LOADER  
LEICESTER, ENGLAND**Ship Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**BOOMS, STICKS, AND LINKAGES****BACKHOE**

- 14'4" Center pivot backhoe
- 4.3 Meters
- Boom and swing transport locks
- Pilot operated backhoe and electro hydraulic stabilizer controls
- Street type stabilizer shoes
- Anti-drift hydraulics (boom, stick, and E-stick)
- Cat Cushion Swing(tm) system

**LOADER**

- Single Tilt Loader
- Lift cylinder brace
- Self-leveling loader with single lever control
- Return-to-dig (automatic bucket positioner)
- Transmission neutralizer switch
- Bucket level indicator

**POWERTRAIN**

- Water separator
- Thermal starting aid system
- Dry type axial seal air cleaner with integral precleaner
- Automatic dust ejection system
- Filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- Differential lock
- Torque converter
- Transmission-four speed manual shift
- Neutral safety switch
- Spin-on filters for Fuel
- Engine oil
- Transmission oil
- Outboard Planetary Rear Axles
- Diesel particulate filter
- Hydrostatic power steering

**HYDRAULICS**

- Pilot hoe and mechanical loader controls

- Load sensing, variable flow system with 43 gpm (162 L/min) axial piston pump
- 6 micron hydraulic filter
- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Pilot control shutoff switch
- Flow-sharing hydraulic valves
- Hydraulic suction strainer

**ELECTRICAL**

- 12 volt electrical start
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Diagnostic ports for engine and machine Electronic Control Modules

**OPERATOR ENVIRONMENT**

- Interior rearview mirror
- ROPS canopy, Rear Fenders
- 2-inch (50mm) retractable seat belt
- Tilt steering column
- Steering knob
- Hand and foot throttle
- Automatic Engine Speed Control
- One Touch Low Idle
- Floor mat and Coat Strap
- Lockable storage area
- Air suspension seat

**FLUIDS**

- Antifreeze - Extended Life Coolant
- 20F (-30C)

**OTHER STANDARD EQUIPMENT**

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with 42.3 gal (160L) capacity & 5 gal (19L) diesel exhaust fluid
- Rubber impact strips on radiator guard
- CD-ROM Parts Manual
- Safety Manual
- Operations and Maintenance Manual
- Lockable hood

CATERPILLAR MACHINE PRICE LIST

**420**

---

420 BACKHOE LOADER  
LEICESTER, ENGLAND

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**OTHER STANDARD EQUIPMENT (CONT.)**

- Tire Valve Stem Protection

CATERPILLAR MACHINE PRICE LIST

**420**

---

420 BACKHOE LOADER  
LEICESTER, ENGLAND

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program.**

CATERPILLAR MACHINE PRICE LIST

**420**

<b>420 BACKHOE LOADER LEICESTER, ENGLAND</b>	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>589-5417</b>	<b>420 07A BACKHOE LOADER DCA1</b> ..... 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	<b>\$117,000</b>
-----------------	---	------------------

- INCLUDES:
- 542-7992 420 07A BACKHOE LOADER CFG2
  - 337-9696 COUNTERWEIGHT, 1015 LBS
  - 541-9540 ENGINE, 74.5KW, C3.6 DITA, T4F
  - 543-4284 STICK, EXTENDABLE, 14FT
  - 544-0877 CANOPY, BASE
  - 491-6734 WORKLIGHTS (8) HALOGEN LAMPS
  - 545-5047 DISPLAY, STANDARD
  - 573-4522 SEAT, VINYL
  - 542-7774 HYDRAULICS, MP, 6FCN/8BNK, ST
  - 544-1066 PT, 4WD/2WS, POWERSHIFT
  - 516-5913 BATTERY, HEAVY DUTY
  - 560-6797 PRODUCT LINK, CELLULAR, PLE643
  - 545-8548 LOADER BUCKET PINS

<b>589-5418</b>	<b>420 07A BACKHOE LOADER DCA2</b> ..... 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	<b>\$129,980</b>
-----------------	---	------------------

- INCLUDES:
- 542-7992 420 07A BACKHOE LOADER CFG2
  - 337-9696 COUNTERWEIGHT, 1015 LBS
  - 541-9540 ENGINE, 74.5KW, C3.6 DITA, T4F
  - 543-4284 STICK, EXTENDABLE, 14FT
  - 544-0883 CAB, DELUXE
  - 491-6734 WORKLIGHTS (8) HALOGEN LAMPS
  - 545-5047 DISPLAY, STANDARD
  - 542-7810 AIR CONDITIONER, T4
  - 573-4524 SEAT, DELUXE FABRIC
  - 542-7774 HYDRAULICS, MP, 6FCN/8BNK, ST
  - 544-1066 PT, 4WD/2WS, POWERSHIFT
  - 551-6940 COLD WEATHER PACKAGE, 120V
  - 560-6797 PRODUCT LINK, CELLULAR, PLE643
  - 545-8548 LOADER BUCKETS PINS
  - 567-5090 AUTO-UP STABILIZERS

CATERPILLAR MACHINE PRICE LIST

**420**

420 BACKHOE LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>589-5420</b> <b>420 07A BACKHOE LOADER DCA3</b> ..... 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	0	<b>\$137,320</b>
---	---	------------------

- INCLUDES:
- 542-7992 420 07A BACKHOE LOADER CFG2
  - 337-9696 COUNTERWEIGHT, 1015 LBS
  - 541-9540 ENGINE, 74.5KW, C3.6 DITA, T4F
  - 543-4284 STICK, EXTENDABLE, 14FT
  - 544-0883 CAB, DELUXE
  - 491-6734 WORKLIGHTS (8) HALOGEN LAMPS
  - 545-5047 DISPLAY, STANDARD
  - 542-7810 AIR CONDITIONER, T4
  - 573-4524 SEAT, DELUXE FABRC
  - 542-7774 HYDRAULICS, MP, 6FCN/8BNK, ST
  - 544-0930 PT, 4WD/2WS AUTOSHIFT
  - 551-6940 COLD WEATHER PACKAGE, 120V
  - 560-6797 PRODUCT LINK, CELLULAR, PLE643
  - 548-1231 LINES, COMBINED AUX, E-STICK
  - 545-8548 LOADER BUCKETS PINS
  - 567-5090 AUTO-UP STABILIZERS

<b>542-7992</b> <b>420 07A BACKHOE LOADER CFG2</b> ..... 0 HRC MACHINE LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY ONLY FOR USE WITH: AM-N and PUERTO RICO	0	<b>\$87,990</b>
--	---	-----------------

**Use the reference below when ordering miscellaneous field installed kits.**

<b>0P-7257</b>	<b>420 MISC MATL, AM-N</b> ..... 0	<b>NC</b>
----------------	------------------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Select this option when ordering from the Distribution Center		

**LOADER BUCKET**

Select either 325-5100 or both bucket & cutting edge.

P	325-5100	BUCKET, LOADER (NONE) . . . . .	0	NC
		Ship with no loader bucket.		
P	337-7436	BUCKET-MP, 1.3 YD3, PO . . . . .	1,593	\$6,911
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included)		
P	337-7385	BUCKET-GP, 1.3 YD3, PO . . . . .	965	\$3,231
		1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7401	BUCKET-GP, 1.5 YD3, PO . . . . .	1,056	\$4,142
		1.5 CYD (1.15 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		

**CUTTING EDGES**

Must select if loader bucket required with DCA1 or DCA2.

P	9R-5321	CUTTING EDGE, TWO PIECE . . . . .	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7385 BUCKET-GP, 1.3 YD3, PO 337-7436 BUCKET-MP, 1.3 YD3, PO		
P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE . . . . .	154	\$329
		Bolt-on reversible cutting edge for Loader Buckets. ONLY FOR USE WITH: 337-7401 BUCKET-GP, 1.5 YD3, PO		

**TIRES**

Must select.

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	533-0488	TIRES, 340 80-18/500 70-24, MX . . . . .	0	\$1,545
		Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tire and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		

**DECAL PACKAGES**

Must select one

P	559-0872	INSTRUCTIONS, ANSI . . . . .	0	NC
		This package includes picto decals for use in USA.		
P	559-0874	INSTRUCTIONS, ISO . . . . .	0	NC
		This package includes picto decals for use outside of USA.		

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**SEAT BELT**

Select one

L	206-1747	BELT, SEAT, 2" SUSPENSION . . . . .	0	NC
		CANNOT BE SELECTED BY: dealers from California		
L	206-1748	SEAT BELT, 3" SUSPENSION . . . . .	0	\$146
		Required In: California		

**STABILIZER PADS**

Must select one

P	9R-1085	STABILIZER PADS, STREET . . . . .	37	NC
		Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		
P	9R-6007	STABILIZER PADS, FLIP-OVER . . . . .	85	\$341
		Flip-over pads for use on asphalt, concrete or soil.		

**BACKHOE BUCKET OR COUPLER**

Must select one.

P	175-7877	BUCKET, HOE, (NONE) . . . . .	10	NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3387	BUCKET-HD, 24", 6.2 FT3 . . . . .	333	\$1,708
		Includes 5 tooth tips.		
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3 . . . . .	395	\$1,861
		INCLUDES: 5 angle-down adapters and soil tooth tips.		
P	219-3411	BUCKET-HD, 12", 2.8 FT3 . . . . .	238	\$1,486
		12- wide, 0.1 CYD (0.078 CUM) capacity Includes 3 tooth tips and Pin set for 12" Buckets.		
P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL . . . . .	370	\$1,819
			370	\$1,819 NI
		This Pin Lock bucket includes 5 tooth tips. ONLY FOR USE WITH: 544-1901 COUPLER, PIN LOCK		
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL . . . . .	192	\$2,090
		Mechanical quick coupler with dual lock for backhoe buckets. Includes: one set of pins and hardware to attach one bucket.		
P	544-1901	COUPLER, PIN LOCK, BL F . . . . .	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		

**INSTRUCTIONS AND OPERATION MANUALS**

Must select

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		Kit will include instructions in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. <a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>		

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	<b>LANE 1 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***TRANSPORT PROTECTION***

<b>461-6839</b>	<b>SHIPPING/STORAGE PROTECTION . . . . . 0</b> Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Currently this is only available to, and required by, machines shipping to USA, Canada & South America.	<b>\$206 NET</b>
<b>462-1033</b>	<b>RUST PREVENTATIVE APPLICATOR . . . . . 0</b> Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America	<b>\$110 NET</b>

***PACKING***

Must select

<b>0P-0210</b>	<b>PACK, DOMESTIC TRUCK . . . . . 0</b> Required for all machines for USA, Canada & South America	<b>NC</b>
----------------	--	-----------



CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

*May select additional options (not required).*

P	211-4292	<b>BEACON, MAGNETIC MOUNT</b> . . . . . 0 Must be ordered as 'Not-Installed'.		<b>\$234 NI</b>
P	353-1389	<b>GUARD, STABILIZER</b> . . . . . 0 Guards to protect Stabilizer cylinder rods from damage.		<b>\$850</b>
P	423-7607	<b>PLATE GROUP - BOOM WEAR</b> . . . . . 0 Bolt on guard prevents damage to boom.		<b>\$219</b>

**THUMBS**

Thumbs cannot be shipped without either bucket or coupler.  
 Thumbs & Tines may only be ordered as full, installed packages.  
 Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.  
 No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.  
 If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	<b>THUMB, HYDRAULIC, NO TINE, BHL</b> . . . . . 0 Hydraulic Thumb Arrangement without tines REQUIRES: Thumb tine (see below) ONLY FOR USE WITH: DCA3		<b>\$5,500</b>
P	221-4282	<b>THUMB, TINE, A 1</b> . . . . . 0 Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3387 BUCKET 24"		<b>\$417</b>
P	221-4283	<b>THUMB, TINE, A 3</b> . . . . . 0 Buckets with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with 444-7500 Coupler FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3387 BUCKET 24"		<b>\$417</b>
P	281-6708	<b>THUMB, TINE, A 5</b> . . . . . 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL 254-8941 BUCKET 24"		<b>\$556</b>

CATERPILLAR MACHINE PRICE LIST

**420**

---

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

---

**LANE SELECTION**

***LANE 2/ LANE 3 FACTORY ARRANGEMENTS***

MACHINES ORDERED FROM THIS SECTION WILL BE SOURCED FROM THE FACTORY

<b>0P-9002</b>	<b>LANE 2 ORDER</b> ..... 0 Only for dealers enrolled in the Base Orders Management (BOM) program	<b>NC</b>
<b>0P-9003</b>	<b>LANE 3 ORDER</b> ..... 0	<b>NC</b>

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

**BACKHOE STICKS**

L	543-4283	STICK, STANDARD, 14FT	0	NC
L	543-4284	STICK, EXTENDABLE, 14FT Provides additional 3'8" (1.13m) of reach	0	\$4,895

**POWERTRAIN**

**POWERTRAIN - HRC MACHINES (Gearbox, Axles, Lines)**

Includes: Spring Applied Hydraulic Release (SAHR) parking brake

L	544-1066	PT, 4WD/2WS, POWERSHIFT 4 speed Manual Transmission allowing Operator to Shift Gears by twisting Powershuttle Lever. Includes: Spring Applied Hydraulic Release (SAHR) Parking Brake.	0	\$9,740
L	544-0930	PT, 4WD/2WS AUTOSHIFT 6 speed Automatic Transmission. Includes: Spring Applied Hydraulic Release (SAHR) Parking Brake.	0	\$13,530
L	544-1059	PT, 4WD/2WS, AUTOSHIFT, LTC 6 speed Automatic Transmission with Lockup Torque Converter. Includes: Spring Applied Hydraulic Release (SAHR) Parking Brake.	0	\$14,790

**ENGINE - HRC MACHINES (Engine, Cooler, Filters, Lines)**

L	541-9540	ENGINE, 74.5KW, C3.6 DITA, T4F EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 91HP (68kW) Gross Power @ Rated (2200RPM) is 100HP (74.5kW)	0	\$9,690
L	542-7780	ENGINE, 82KW, C3.6 DITA, T4F EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 101HP (75kW) Gross Power @ Rated (2200RPM) is 110HP (82kW)	0	\$11,410

**HYDRAULICS**

**MACHINE HYDRAULICS - HRC MACHINES (inc Valves and Loader Lines)**

L	542-7771	HYDRAULICS, GP, 5FCN/7BNK, ST ONLY FOR USE WITH: GP Loader Bucket and Standard Stick with Combined Aux Lines OR E-Stick without Combined Aux Lines	0	\$730
L	542-7772	HYDRAULICS, GP, 6FCN/8BNK, ST ONLY FOR USE WITH: GP Loader Bucket and E-Stick with Combined Aux Lines	0	\$1,485
L	542-7773	HYDRAULICS, MP, 5FCN/7BNK, ST ONLY FOR USE WITH: MP Loader Bucket and Standard Stick with Combined Aux Lines OR E-Stick without Combined Aux Lines	0	\$1,900
L	542-7774	HYDRAULICS, MP, 6FCN/8BNK, ST ONLY FOR USE WITH: MP Loader Bucket and E-Stick with Combined Aux Lines	0	\$2,655
L	554-4188	HYD, MP, 6FCN/8BNK, ST, QC Includes: IT Loader Coupler ONLY FOR USE WITH: MP Loader Bucket and E-Stick with Combined Aux Lines	0	\$6,210

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CABS/CANOPY - HRC MACHINES**

L	544-0877	CANOPY, BASE . . . . .	0	NC
		Includes tilt steering column, floor mat,air suspension seat two internal and two external 12v power sockets and rotating vandal guard.		

L	544-0883	CAB, DELUXE . . . . .	0	\$8,520
		Includes: window defroster, front & rear windshield wiper/washer system, left & right side doors with locks, coat hook,air suspension seat,LED overhead light, interior rear view mirror, tilt/tele steering column, floor mat,radio-ready headliner, two internal and two external 12v power sockets, auto-up stabilizers and system indicators for hydraulic filter service and hydraulic temperature warning.		

**DISPLAY - HRC MACHINES ONLY**

L	545-5047	DISPLAY, STANDARD . . . . .	0	NC
		Includes: Analog Machine Gauges, LCD Information Display, and Soft Key Operator Interface.		

L	545-5048	DISPLAY, TOUCH SCREEN . . . . .	0	\$680
		Includes LCD Machine Gauges, LCD Information Display and Touchscreen Operator Interface. CANNOT BE USED WITH: 544-0877 CANOPY, BASE		

**WORKING LIGHTS**

L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS . . . . .	0	NC
---	----------	--	---	----

L	491-6736	WORKLIGHTS (8) LED LAMPS . . . . .	0	\$890
---	----------	------------------------------------	---	-------

**SEATING**

L	573-4522	SEAT, VINYL . . . . .	0	NC
		ONLY FOR USE WITH: CANOPY, BASE		

L	573-4524	SEAT, DELUXE FABRIC . . . . .	0	\$940
		ONLY FOR USE WITH: CAB, DELUXE		

L	573-4525	SEAT, DELUXE FABRIC, HEATED . . . . .	0	\$1,455
		ONLY FOR USE WITH: CAB, DELUXE		

**SEAT BELT**

L	206-1747	BELT, SEAT, 2" SUSPENSION . . . . .	0	NC
---	----------	-------------------------------------	---	----

L	206-1748	SEAT BELT, 3" SUSPENSION . . . . .	0	\$146
		REQUIRED IN: CALIFORNIA		

L	606-1725	BELT, SEAT, 3" WIDE, BLACK . . . . .	0	\$146
---	----------	--------------------------------------	---	-------

**ENVIRONMENTAL CONTROL - HRC MACHINES**

SELECT FOR ENCLOSED CABS ONLY

L	542-7809	HEATER, T4F . . . . .	0	NC
		Select if heat only is required. CANNOT BE USED WITH: CANOPY, BASE		

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**ENVIRONMENTAL CONTROL - HRC MACHINES (Cont.)**

L	542-7810	AIR CONDITIONER, T4F . . . . . 0 Select if both heat and air conditioning is required. CANNOT BE USED WITH: CANOPY, BASE		\$2,435
---	----------	--	--	---------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:

[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)

From there click on the "PRODUCT LINK Hardware Certification" link.

HRC MACHINES

L	560-6797	PRODUCT LINK, CELLULAR, PLE643 . . . . . 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager)uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services,		NC
L	559-1294	PRODUCT LINK, DUAL MODE, PLE683 . . . . . 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio, and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		\$1,313

LRC MACHINES

**TIRES, RIMS, AND WHEELS**

**TIRES**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**FOUR WHEEL DRIVE TIRES AVAILABLE FROM MICHELIN**

P	533-0488	<b>TIRES, 340 80-18/500 70-24, MX</b> ..... 0 Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tire and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		\$1,545
P	320-2385	<b>TIRES,340 80R18/500/70-24 MI</b> .....0 Front: Michelin 340/80R18. Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70-24 Power CL 164A8 Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Combines benefits of radial front with stability of rear bias.		\$2,320
P	320-2384	<b>TIRES, 340 80R18/500 70R24, MX</b> ..... 0 Front: Michelin 340/80R18 XMCL 142A8 Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70R24 XMCL 157A8 Directional tire designed for outstanding damage resistance, extremely long tire life, and high load capacity.		\$2,910
P	533-0479	<b>TIRES, 340 80R18/500 70R24, MX</b> ..... 0 Michelin 340/80R18 BIBLOAD Radial multi-directional front tires and Michelin 500/70R24 BIBLOAD Radial multi-directional rear tires for more contact on hard surfaces and smoother ride with good resistance to wear and tear.		\$3,035
P	533-2163	<b>TIRES, 340 80R20/480 80R26, MX</b> ..... 0 Michelin 340/80-R20 XMCL radial directional front tires and Michelin 480/80R26 XMCL radial directional rear tires for excellent traction on all types of ground, good wear resistance on hard abrasive surfaces. A taller and wider tire combination for superior ground clearance and floatation. REQUIRES: 570-9674 STEERING STOP		\$3,335
P	587-7103	<b>TIRES, 340 80-18/440 80-24, MX</b> ..... 0 Michelin Power CL (Michelin Bias Ply) 340/80-18 143 A8 Load Rating Directional rear tyres providing wide lugs for long life span and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing protection. Michelin Power CL (Michelin Bias Ply) 440/80-24 168 A8 Load Rating Directional rear tyres providing wide lugs for long life span and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing protection ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$3,450

**FOUR WHEEL DRIVE TIRES AVAILABLE FROM GOODYEAR**

P	379-2161	<b>TIRES, 12.5 80/19.5L-24, GY</b> ..... 0 Front: Goodyear 12.5/80-1810 PR I-3 Sure Grip Lug Directional tire for good traction and long wear, provided by wide, sturdy overlapping lugs. Rear: Goodyear 19.5L-24 12 PR R4 IT525 Directional tire with solid performance on rock-hard ground. Increased wear and performance on hard surfaces.		\$1,650
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**FOUR WHEEL DRIVE TIRES AVAILABLE FROM FIRESTONE**

P	282-3855	TIRES, 12.5 80-18/21L-24, FS . . . . . 0		\$2,605
Front: Firestone 12.5/80-18 NHS (12ply) I-3 Super Traction Loader. Directional tire with low profile design that provides excellent traction and flotation. Tough sidewall for long wear. Rear: Firestone 21L-24 (16ply) R4 ATU (All Traction Utility) Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Adds one inch of rear height with improved rear flotation.				

**STEERING STOP**

P	570-9674	STEERING STOP . . . . . 0		\$10
Front axle steering stop limits the steering angle on 20" tire arrangements to prevent machine interference. REQUIRES: 5332163 TIRES, 340 80R20/480 80R26, MX				

**OTHER ATTACHMENTS**

**COUNTERWEIGHT**

ADD THE NEXT INCREMENT OF COUNTERWEIGHT IF A THUMB IS REQUIRED

MINIMUM RECOMMENDED COUNTERWEIGHT

MACHINE CONFIGURATION	RECOMMENDED WEIGHT
Std Stick, GP Bucket	530 lbs - 240KG
Std Stick, MP Bucket	no cwt
E-Stick, GP Bucket	1015 lbs - 460KG
E-Stick, MP Bucket	530 lbs - 240KG

IF QC LOADER HYD SELECTED

MACHINE CONFIGURATION	RECOMMENDED WEIGHT
Std Stick, GP Bucket	no cwt
Std Stick, MP Bucket	no cwt
Std Stick, Material Arm	no cwt
Std Stick, Fork Carriage	no cwt
E-Stick, GP Bucket	530 lbs - 240KG
E-Stick, MP Bucket	no cwt
E-Stick, Material Arm	530 lbs - 240KG
E-Stick, Fork Carriage	530 lbs - 240KG

P	337-9693	COUNTERWEIGHT, NONE . . . . . 0		NC
ONLY FOR USE WITH: 543-4283 STICK, STANDARD				
P	337-9694	COUNTERWEIGHT, 255 LBS . . . . . 0		\$690
ONLY FOR USE WITH: 543-4283 STICK, STANDARD				
P	337-9695	COUNTERWEIGHT, 530 LBS . . . . . 0		\$910
P	337-9696	COUNTERWEIGHT, 1015 LBS . . . . . 0		\$1,790

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

*Stabilizer Pads and Accessories*

P	9R-1085	<b>STABILIZER PADS, STREET</b> . . . . . 37 Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		NC
P	9R-6007	<b>STABILIZER PADS, FLIP-OVER</b> . . . . . 85 Flip-over pads for use on asphalt, concrete or soil.		\$341
P	560-2635	<b>STABILIZER PADS, FLIP-OVER</b> . . . . . 0 Flip-over pads for use on asphalt, concrete or soil. ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$341

**BUCKETS**

*LOADER BUCKETS*

(Must Select One if ordering a ST machine. For IT Work Tools refer to the Optional Attachment section).

L	545-8548	<b>LOADER BUCKET PINS</b> . . . . . 0 REQUIRED BY: PIN ON LOADER BUCKETS		NC
P	325-5100	<b>BUCKET, LOADER (NONE)</b> . . . . . 0 Ship with no loader bucket.		NC
P	337-7385	<b>BUCKET-GP, 1.3 YD3, PO</b> . . . . . 965 1.0M3 (1.3YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		\$3,231
P	337-7388	<b>BUCKET-GP, 1.4 YD3, PO</b> . . . . . 1,012 1.1M3 (1.4YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		\$3,418
P	337-7401	<b>BUCKET-GP, 1.5 YD3, PO</b> . . . . . 1,056 1.15M3 (1.5yd3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		\$4,142
P	337-7436	<b>BUCKET-MP, 1.3 YD3, PO</b> . . . . . 1,593 1.0M3 (1.3yd3) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) Includes brackets REQUIRES: MP HYDRAULICS		\$6,911
P	337-7442	<b>BUCKET-MP, 1.4 YD3, PO</b> . . . . . 1,655 1.1M3 (1.4YD3) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS		\$7,424
P	581-9002	<b>BUCKET-MP, 1.4 YD3, PO, BLACK</b> . . . . . 756 1.45 CYD (1.1 CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$7,424
P	595-0367	<b>BUCKET-GP, 1.3 YD3, PO, BLK</b> . . . . . 438 1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$3,231
P	595-0365	<b>BUCKET-GP, 1.4 YD3, PO, BLK</b> . . . . . 457 1.45 CYD (1.1 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		\$3,418



CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**LOADER BUCKETS (Cont.)**

P	595-0357	BUCKET-MP, 1.3 YD3, PO, BLK . . . . .	728	\$6,911
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) REQUIRES: MP HYDRAULICS ONLY FOR USE WITH: 583-7863 CUSTOM COLOR		

**CUTTING EDGE/TEETH**

P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE . . . . .	154	\$329
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7401 BUCKET-GP, 1.5 YD3, PO 337-7442 BUCKET-MP, 1.4 YD3, PO 581-9002 BUCKET-MP, 1.4 YD3, PO, BLACK CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5321	CUTTING EDGE, TWO PIECE . . . . .	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7385 BUCKET-GP, 1.3 YD3, PO 337-7388 BUCKET-GP, 1.4 YD3, PO 337-7436 BUCKET-MP, 1.3 YD3, PO 595-0367 BUCKET-GP, 1.3 YD3, PO, BLK 595-0365 BUCKET-GP, 1.4 YD3, PO, BLK 595-0357 BUCKET-MP, 1.3 YD3, PO, BLK CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5866	TEETH . . . . .	61	\$389
		Includes eight bolt-on Uniteeth and hardware. ONLY FOR USE WITH: ALL GP & MP LOADER BUCKETS CANNOT BE USED WITH: 9R5320 CUTTING EDGE, TWO PIECE,WIDE or 9R5321 CUTTING EDGE, TWO PIECE		

**BACKHOE BUCKETS AND COUPLERS**

Select one  
 If no coupler is selected hoe bucket should be ordered as installed.  
 If coupler is selected coupler should be installed and hoe bucket not installed.  
 Additional buckets (and bucket pins) may be ordered as not-installed from the Lane2/3 Optional section.

P	175-7877	BUCKET, HOE, (NONE) . . . . .	10	NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3387	BUCKET-HD, 24", 6.2 FT3 . . . . .	333	\$1,708
		Includes 5 tooth tips.	333	\$1,708 NI
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3 . . . . .	395	\$1,861
		Includes 5 angle-down adapters and soil tooth tips.	395	\$1,861 NI
P	219-3396	BUCKET-ROCK, HD, 24", 7.0 FT3 . . . . .	381	\$1,903
		Includes 5 tooth tips.	381	\$1,903 NI
P	219-3381	BUCKET, 24", 6.2 FT3 . . . . .	291	\$1,326
		Includes 5 tooth tips.	291	\$1,326 NI

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

***BACKHOE BUCKETS AND COUPLERS (Cont.)***

P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL . . . . .	370 370	\$1,819 \$1,819 NI
		This Pin Lock bucket includes 5 tooth tips. ONLY FOR USE WITH: 544-1901 COUPLER, PIN LOCK		
P	219-3411	BUCKET-HD, 12", 2.8 FT3 . . . . .	238 238	\$1,486 \$1,486 NI
		Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 FT3 . . . . .	284 284	\$1,583 \$1,583 NI
		Includes 4 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 FT3 . . . . .	0 453	\$2,764 \$2,764 NI
		Ditch cleaning bucket		
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL . . . . .	192	\$2,090
		Mechanical quick coupler with dual lock for backhoe buckets. Includes: one set of pins and hardware to attach one bucket.		
P	544-1901	COUPLER, PIN LOCK, BL F . . . . .	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL . . . . .	192	\$4,083
		Hydraulic quick coupler with dual lock for backhoe buckets. Includes: One set of pins and hardware to attach one bucket. REQUIRES: 555-2394 LINES,HYD COUPLER 14FT E-STICK PILOT 555-2396 LINES,HYD COUPLER 14FT E-STICK PILOT		

**INSTRUCTIONS**

***DECAL PACKAGES***

P	559-0872	INSTRUCTIONS, ANSI . . . . .	0	NC
		This package includes picto decals for use in USA.		

***INSTRUCTIONS AND OPERATION MANUALS***

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		Kit will include instructions in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. <a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>		

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**NOTE**

**LANE 2 / LANE 3 OPTIONAL SELECTIONS**

**HYDRAULICS**

**RIDE CONTROL**

L	551-6453	<b>RIDE CONTROL</b> . . . . . 0		\$1,510
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired.		

**HYDRAULIC QUICK DISCONNECT**

P	456-3390	<b>COUPLING,QD,THREADED WITH CAPS</b> . . . . . 4		\$376 NI
		This includes one additional male and female threaded flat face, connect under pressure, quick disconnect coupling & protective caps. ONLY FOR USE WITH: LINES, COMBINED AUX, STD/E-STICK		

**THUMBS**

Thumbs cannot be shipped without either bucket or coupler.  
 Thumbs & Tines may only be ordered as full, installed packages.  
 Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.  
 No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.  
 If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	<b>THUMB, HYDRAULIC, NO TINE, BHL</b> . . . . . 0		\$5,500
		Hydraulic Thumb Arrangement without tines REQUIRES: Thumb tine (see below) ONLY FOR USE WITH: LINES, COMBINED AUX CANNOT BE USED WITH: 337-9693 COUNTERWEIGHT, NONE		
P	221-4282	<b>THUMB, TINE, A 1</b> . . . . . 0		\$417
		Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" 219-3381 BUCKET 24" OR 219-3387 BUCKET 24"		
P	221-4284	<b>THUMB, TINE, A 2</b> . . . . . 0		\$417
		Bucket with no coupler FOR USE WITH: 219-3396 BUCKET 24" Bucket with 544-1901 Coupler FOR USE WITH: 247-1950 BUCKET 24"		
P	221-4283	<b>THUMB, TINE, A 3</b> . . . . . 0		\$417
		Bucket with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3381 BUCKET 24" OR 219-3387		

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**THUMBS (Cont.)**

P	221-4285	THUMB, TINE, A 4 . . . . . 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 219-3396 BUCKET 24"		\$556
P	281-6708	THUMB, TINE, A 5 . . . . . 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 254-8941 BUCKET 24"		\$556

**BACKHOE HYDRAULICS**

L	582-7394	AUX READY, STD STICK . . . . . 0 This option adds hydraulics lines from the valve under the cab, terminating at the rear of the machine. This option simplifies the addition of combined aux lines at a later time in the field.		\$1,485
L	582-7395	AUX READY, E-STICK . . . . . 0 This option adds hydraulics lines from the valve under the cab, terminating at the rear of the machine. This option simplifies the addition of combined aux lines at a later time in the field.		\$1,485
L	548-1230	LINES, COMBINED AUX, STD STICK . . . . . 0 ONLY FOR USE WITH: STICK, STANDARD, 14FT and 5 or 6 FUNCTION HYDRAULICS		\$3,550
L	548-1231	LINES, COMBINED AUX, E-STICK . . . . . 0 ONLY FOR USE WITH: STICK, EXTENDABLE, 14FT and 6 FUNCTION HYDRAULICS		\$3,550
P	578-0794	LINES BOOM, HBCV . . . . . 0 Provides hose burst check valve for Backhoe Boom Circuit.		\$745

**ELECTRICAL**

**MAGNETIC BEACON**

P	211-4292	BEACON, MAGNETIC MOUNT . . . . . 0 Must be ordered as 'NOT INSTALLED'		\$234 NI
P	433-0154	BEACON, MAGNETIC MOUNT, STROBE . . . . . 0 Must be ordered as 'NOT INSTALLED'.		\$347 NI

**RADIO**

P	540-2298	RADIO, FM BLUETOOTH . . . . . 0 Cat FM Radio with bluetooth, aux input & microphone CANNOT BE USED WITH: OPEN CANOPY MACHINES		\$560
---	----------	---	--	-------

**RADIO READY CANOPY HEADLINER**

L	398-2875	RADIO READY HEADLINER, CANOPY . . . . . 3 Canopy headliner to accept a suitable 'all weather' Radio/ CD player (not available from factory) FOR USE WITH: OPEN CANOPIES ONLY		\$506
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>ELECTRICAL (CONT.)</b>				
<b>FACE FAN</b>				
L	387-6682	FAN . . . . .	0	\$233
		FOR USE WITH: DELUXE CABS		
L	454-6610	FAN, STANDARD CAB/ CANOPY . . . . .	0	\$233
		FOR USE WITH: CANOPIES		
<b>SECURITY</b>				
L	549-5531	SECURITY BLUETOOTH KEY . . . . .	0	\$570
		Enables an immobiliser system to disable the engine, transmission and other systems at key switch on until a Pre Programmed Bluetooth Key is present OR valid pass code is manually entered via the operator display which unlocks the machine to enable operation.		
		FOR USE WITH: HRC MACHINES		
L	573-0397	DISPLAY, SECURITY, ENABLED . . . . .	0	\$506
		Enables an immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is manually entered via the operator display which unlocks the machine to enable operation.		
		FOR USE WITH: HRC MACHINES		
<b>HEAVY DUTY BATTERY</b>				
L	516-5913	BATTERY, HEAVY DUTY . . . . .	0	\$230
		INCLUDED IN: COLD WEATHER PACKAGE		
<b>COLD WEATHER PACKAGES</b>				
L	551-6940	COLD WEATHER PACKAGE, 120V . . . . .	0	\$790
		Provides additional battery and engine block heater as well as radiator antifreeze -67F (-55 celsius), mounting for an ether bottle and low temperature diesel fuel to -22F (-30 celsius). The ether bottle is available seperately from Parts Distribution		
		FOR USE WITH: HRC MACHINES		
		CANNOT BE USED WITH: HEAVY DUTY BATTERY or COLD WEATHER FUEL		
L	396-6505	FUEL, COLD WEATHER . . . . .	0	\$141 NET
		Provides low temperature diesel fuel -22F (-30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		
<b>STABILIZERS</b>				
P	567-5090	AUTO-UP STABILIZERS. . . . .	0	NC
		REQUIRES: CAB, DULUXE		
		ONLY FOR USE WITH: CAB, DULUXE		
<b>GUARDS</b>				
P	423-7607	PLATE GROUP - BOOM WEAR . . . . .	0	\$219
		Bolt on guard prevents damage to boom.		
P	353-1389	GUARD, STABILIZER . . . . .	0	\$850
		Guards to protect Stabilizer cylinder rods from damage.		

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**FENDERS**

P	563-6098	FENDERS, FRONT 4WD . . . . . 0 Set of two fenders with integrated steps.		\$585
---	----------	---	--	-------

**EXTERIOR REAR VIEW MIRRORS**

P	382-2499	MIRRORS, EXTERNAL, BOTH SIDES . . . . . 0		\$735
---	----------	---	--	-------

**WORK TOOLS**

**CARRIAGE AND FORKS**

P	6W-8832	CARRIAGE, PALLET, 61", IT . . . . . 611 Standard carriage. Does not include tines.		\$2,511
P	195-6935	FORK TINE, 2" X 5" X 48" . . . . . 216 ONLY FOR USE WITH: 542-7992 420 BACKHOE LAODER One tine only, specify qty of 2 for pair.		\$765
P	195-6939	FORK TINE, 2" X 5" X 54" . . . . . 232 One tine only, specify qty of 2 for pair.		\$793

**HYDRAULIC QUICK COUPLER LINES**

Required if a Hydraulic Quick Coupler has been selected.  
 Optional selection on other machines.

P	555-2394	LINES, HYD CPLR 14FT STD PILOT . . . . . 0 Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and STANDARD STICK		\$2,361
P	555-2396	LINES, HYD CPLR 14FT EXT PILOT . . . . . 0 Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and EXTENDABLE STICK		\$2,361

**COUPLER NONE CAPS**

P	487-6058	COUPLER NONE . . . . . 0 This includes caps to close off lines when machine is "Hydraulic Coupler Ready", however, NO hyd coupler is selected. REQUIRES: LINES, HYD COUPLER STD-STK LINES, HYD COUPLER EXT-STICK CANNOT BE USED WITH: 485-5303 COUPLER		NC
---	----------	---	--	----

**BUCKET PINS**

P	318-9902	PINS, SPARE . . . . . 6 Includes bucket pins and hardware. ONLY FOR USE WITH: 444-7500 COUPLER, PG, MANUAL, DUAL LOCK 485-5303 COUPLER, PG, HYD, DUAL LOCK		\$175
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

**HAMMER**

P	532-9300	HAMMER, B8S, BHL . . . . .	1,016	\$14,583 NI
		B8S HAMMER PACKAGE Includes B8S hammer non tuck,BHL hammer bracket,hammer lines, quick disconnects,wrench,toolbox and two tools(Chisel crosscut/cone). REQUIRES: 548-1230 LINES, COMBINED AUX, STD STICK 548-1231 LINES, COMBINED AUX, E-STICK		

**BUCKETS**

**LOADER BUCKET FOR IT LOADER QUICK COUPLER**

P	251-1800	BUCKET-GP, 1.31 YD3, IT . . . . .	979	\$3,682
		1.0M3 (1.31YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) ONLY FOR USE WITH: 554-4188 Hyd, MP, QC		
P	251-1794	BUCKET-GP, 1.5 YD3, IT . . . . .	1,030	\$4,326
		1.15M3 (1.5YD3) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) ONLY FOR USE WITH: 554-4188 Hyd, MP, QC		
P	216-8810	BUCKET-MP, 1.3 YD3, IT . . . . .	1,549	\$7,136
		1.0M3 (1.3YD3) SAE capacity Multi Purpose IT. Drilled to accept bolt-on teeth or cutting edge (not included). ONLY FOR USE WITH: 554-4188 Hyd, MP, QC		
P	216-8840	BUCKET-MP, 1.4 YD3, IT . . . . .	1,612	\$7,632
		1.1M3, 1.4YD3 SAE capacity Multi Purpose IT. Drilled to accept bolt-on teeth or cutting edge (not included) ONLY FOR USE WITH: 554-4188 Hyd, MP, QC		

**IT LOADER BUCKET - CUTTING EDGE OR TEETH**

May select one

P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE . . . . .	154	\$329
		Bolt-on reversible WIDE cutting edge for Loader Buckets. ONLY FOR USE WITH: 251-1800 BUCKET-GP, 1.31 YD3, IT 251-1794 BUCKET-GP, 1.5 YD3, IT 216-8840 BUCKET-MP, 1.4 YD3, IT		
P	9R-5321	CUTTING EDGE, TWO PIECE . . . . .	154	\$331
		ONLY FOR USE WITH: 216-8810 BUCKET-MP, 1.3 YD3, IT		
P	9R-5866	TEETH . . . . .	61	\$389
		Includes eight bolt-on Uniteeth and hardware. CANNOT BE USED WITH: 9R5320 CUTTING EDGE, TWO PIECE,WIDE 9R5321 CUTTING EDGE, TWO PIECE		

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	CUSTOM PRODUCTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**CUSTOM PRODUCTS**

**CUSTOM COLOR**

L	583-7863	PAINT, CUSTOM COLOR ..... 0 Please contact ORDER ENTRY GROUP & THE FACILITY before placing CUSTOM COLOR requests. Black components remain black. FOR NACD REGION ORDER THROUGH CLAYTON NODE REQUIRES: 4 digit RAL colour specification. (OTHER PAINT SPECIFICATIONS REQUIRE FACILITY APPROVAL) ONLY FOR USE WITH: LANE 3 5819002 BUCKET-MP, 1.1 M3, PO, BLACK 5950367 BUCKET-GP, 1.0 M3, PO, BLK 5950365 BUCKET-GP, 1.1 M3, PO, BLK 5950357 BUCKET-MP, 1.0 M3, PO, BLK 5602635 STABILIZER PADS, FLIP-OVER 5877103 TIRES, 340 80-18/440 80-24, MX		\$6,210 NET
L	583-7869	CUSTOM COLOR, CENTER PIVOT ..... 0		\$13,674

**DEFENSE OPTIONS**

P	570-4105	FILM, BLACK ..... 0 ONLY FOR USE WITH: 583-7869 CUSTOM COLOR		NC
---	----------	---	--	----

**FIELD INSTALLED ATTACHMENTS**

**KITS**

Kits cannot be ordered with your machine order.  
 Kits can be ordered through CMOPS, but MUST be separate orders from the machine, and MUST include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution System you MUST also select the required Packing reference number.

For USA and Canada, please place your order as follows:

OP-7257 420 MISC MTRL  
 Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.

**RIDE CONTROL**

P	577-8607	KIT, RIDE CONTROL (PILOT/ECM) ..... 0 Provides a suspension system by placing an accumulator in loader lift arm circuit to improve vehicle ride when traveling. For use in roading, load and carry or any other application where bucket spillage or operator ride is a concern. Includes manual on/off switch.		\$1,439 NI
---	----------	--	--	------------



CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**AUXILIARY, COMBINED FUNCTION HYDRAULIC KITS**

For use with both one-way flow tools (hammers, compactors) and two-way flow tools (augers, thumbs, side tilt couplers). Units equipped with Standard Sticks require 5 function BH Hydraulics and operate using the right thumb controller. Units equipped with Extendible Sticks require 6 Function BH Hydraulics and operate using the left thumb controller. Mounted near the backhoe valve bank in the chassis, a manual ball valve switches between one-way and two-way flow. Estimated shop time: 8 hours to install kit, plus 8 more hours is needed if adding a valve section to the valve bank (converting 4 to 5 Function, or 5 to 6 Function).

P	577-8616	<b>KIT, HYD,COMBINED,14FT STD STK</b> . . . . . 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. This kit can be used to build 1 way (hammer) lines. See REHS installation instructions. FOR USE WITH: HYDRAULICS, BH, 5 FUNCTION or HYDRAULICS, BH, 6 FUNCTION and STICK, STANDARD CANNOT BE USED WITH: AUX READY HYDRAULICS		<b>\$3,382 NI</b>
P	577-8617	<b>KIT, HYD, COMBINED, 14FT E-STK</b> . . . . . 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. This kit can be used to build 1 way (hammer) lines. See reference media number REHS installation instructions. FOR USE WITH: E-STICK and HYDRAULICS, BH, 6 FUNCTION CANNOT BE USED WITH: AUX READY HYDRAULICS		<b>\$3,382 NI</b>

**OTHER KITS**

P	585-0341	<b>KIT, LINES,HYD CPLR 14FT S-STK</b> . . . . . 0		<b>\$1,749 NI</b>
P	585-0342	<b>KIT, LINES,HYD CPLR 14FT E-STK</b> . . . . . 0		<b>\$1,749 NI</b>
P	585-7963	<b>KIT,AUX HYD,EXTERNAL,STD STICK</b> . . . . . 0 Kit required to complete addition of Combined Aux Lines to BH when machine contains AUX READY Hydraulics.		<b>\$1,460 NI</b>
P	585-7964	<b>KIT,AUX HYD,EXTERNAL,E-STICK</b> . . . . . 0 Kit required to complete addition of Combined Aux Lines to BH when machine contains AUX READY Hydraulics.		<b>\$1,460 NI</b>
P	444-7500	<b>COUPLER, PG, MAN.D.LOCK, BHL</b> . . . . . 192 Mechanical quick coupler for backhoe buckets.		<b>\$2,090 NI</b>
P	485-5303	<b>COUPLER, PG, HYD.D.LOCK,BHL</b> . . . . . 192 Hydraulic quick coupler with dual lock for backhoe buckets.		<b>\$4,083 NI</b>

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**OTHER KITS (Cont.)**

P	387-6458	KIT, GUARD, STABILIZER CYLNDRS . . . . .	0	\$840 NI
P	455-7380	KIT, LOADER, COUPLING QD . . . . . Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.	0	\$374 NI
P	595-9956	KIT, HBCV - BOOM . . . . .  Hose Burst Check Valve (HBCV) for the boom. See reference media number M0122511 for installation instructions. For Use With: Pilot or EH hydraulics Only	0	\$540 NI NET
P	442-9566	KIT, HOE, COUPLING Q-DISCON . . . . . Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.	0	\$368 NI
P	596-8446	KIT, LOADER COUPLER . . . . .	0	\$4,638 NI
P	482-1308	KIT, SECURITY KEYPAD . . . . . Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation. FOR USE WITH: LRC MACHINE	0	\$500 NI
P	586-8064	KIT, FENDER, FRONT . . . . . Provides a kit to add a set of 2 Front Fenders to a machine.	0	\$579 NI
P	497-5482	KIT, WORKLIGHTS, LED, WIDE . . . . . The contents of this kit are available separately from the parts distribution.	0	**
P	523-0146	KIT, WORKLIGHTS, LED, SPOT . . . . . The contents of this kit are available separately from the parts distribution.	0	**

**KITS**

**KIT, MACHINE SECURITY SEA**

This kit enables the customer to buy the option software Through antares for the onboard feature upgrade to add Keypad security on the display. Caterpillar will then provide The option key software part number 602-1225. Dealer to Provide price for any additional hardware and this software

**PACKING**

0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
	Required for all machines for USA, Canada & South America		

CATERPILLAR MACHINE PRICE LIST

**420**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**PACKING (CONT.)**

<b>461-6839</b>	<b>SHIPPING/STORAGE PROTECTION</b> . . . . .	0		<b>\$206 NET</b>
	Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: AM-N and AM-S DEALERS			
<b>462-1033</b>	<b>RUST PREVENTATIVE APPLICATOR</b> . . . . .	0		<b>\$110 NET</b>
	Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America			
<b>OG-8010</b>	<b>PACKING, PHYTO-SANITARY WOOD</b> . . . . .	0		<b>NC</b>
	All wood or wood derivative packaging material with this shipment requires Phytosanitary Certificate. If all packing material is wood-free (metal or plastic), this shipment requires a Declaration of No Wood Packing Material. Required in specific countries.			
<b>OG-3280</b>	<b>PACK, MISCELLANEOUS MATERIAL</b> . . . . .	0		<b>NC</b>