

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

430F2 BACKHOE LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

THIS LISTING IS A GENERAL DESCRIPTION
OF A 430F2 BACKHOE LOADER EQUIPPED WITH
THE LOWEST CHARGE ITEMS.

BOOMS, STICKS, AND LINKAGES

15' Center pivot excavator style
backhoe
Pilot operated joystick hydraulic
controls with pattern changer valve
Pilot operated stabilizer controls
Boom transport lock
Swing transport lock
Street pads stabilizer shoes
Anti-drift hydraulics
(Boom, Stick and E-Stick)
Cat Cushion Swing(tm) system
Bucket level indicator
Lift cylinder brace
Return-to-dig (auto bucket positioner)
Self-leveling loader with single lever
control
Transmission neutralizer switch
Single Tilt Loader

POWERTRAIN

Cat C4.4, 86kW (Net 108 HP/81kW)
Direct Injection Turbo Charged Engine,
with ACERT technology.
US EPA Tier4 Final Emissions Compliant
with Selective Catalytic Reduction(SCR)
Water separator with service indicator
Thermal starting aid system
Eco mode
A dry-type axial seal air cleaner with
integral precleaner, automatic dust
ejection system & filter condition
indicator
Hydraulically boosted multi-plate wet
disk brake with dual pedals & interlock
Differential lock
Drive-line parking brake
High Ambient Cooling Package
Torque converter
Transmission--four speed synchro mesh
with power shuttle & neutral safety
switch
Spin-on fuel, engine oil & transmission
oil filters
Outboard planetary rear axles
Open Circuit Breather

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

430F2 BACKHOE LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

HYDRAULICS

Load sensing, variable flow system
with 43 gpm axial piston pump
6 micron hydraulic filter
O-ring face seal hydraulic fittings
Caterpillar XT-3 hose
Hydraulic oil cooler
Pilot control shutoff switch
PPPC, Flow-sharing hydraulic valves
Hydraulic suction strainer

Lockable hood
Tire Valve Stem Protection
Long Life Coolant -30C (-20F)
Padlocks (2 on ST, 3 on IT)

ELECTRICAL

12 volt electrical start
150 ampere alternator
Horn and Backup Alarm
Hazard flashers/turn signals
Halogen head lights (4)
Halogen rear flood lights (4)
Stop and tail lights
Audible system fault alarm
Key start/stop system
880 CCA maintenance free battery
Battery disconnect switch
External/internal power receptacles(12v)
Diagnostic ports for engine and machine
Electronic Control Modules
Remote jump start connector

OPERATOR ENVIRONMENT

Lighted gauge group
Interior rearview mirror
ROPS canopy, Rear Fenders
2-inch retractable seat belt
Tilt steering column
Steering knob
Hand and foot throttle
Automatic Engine Speed Control
One Touch Low Idle
Floor mat and Coat Strap
Lockable storage area
Air suspension seat

OTHER STANDARD EQUIPMENT

Hydrostatic power steering
Standard Storage Box
Transport tie-downs
Ground line fill fuel tank with 44
gallon capacity
Ground line fill diesel exhaust fluid
tank with 5 gallon capacity
Rubber impact strips on radiator guards
Bumper
CD-ROM Parts Manual
Backhoe Safety Manual
Operations and Maintenance Manual

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

430F2 BACKHOE LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

430F2 BACKHOE LOADER HRC	Ship Weight	LIST PRICE
LEICESTER, ENGLAND	lbs	AT DEALER

540-0799	430F2 BACKHOE LOADER DCA1 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	\$147,470
-----------------	---	------------------

INCLUDES:

- 450-8452 430F2 BHL ST, TIER 4, HRC
- 337-9696 COUNTERWEIGHT, 1015 LBS
- 450-8761 ENGINE, 86KW, C4.4 ACERT, T4F
- 450-8732 STICK, EXTENDABLE, 16FT
- 398-2681 RIDE CONTROL
- 450-8683 CAB, DELUXE
- 450-8715 AIR CONDITIONER, T4
- 433-4806 SEAT, DELUXE FABRIC
- 450-8530 HYDRAULICS, MP, 6FCN/8BNK, ST
- 450-8606 PT, 4WD, STD SHIFT
- 398-2882 COLD WEATHER PACKAGE, 120V HRC
- 398-2855 LINES, COMBINED AUX, E-STICK
- 447-0049 PRODUCT LINK, CELLULAR, PL641

450-8452	430F2 BHL ST, TIER 4, HRC 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY AVAILABLE FOR: AM-N and PUERTO RICO	\$103,940
-----------------	---	------------------

Use the reference below when ordering miscellaneous field installed kits.

0G-0557	430 MISC MATL, USA & CNDA 0	NC
----------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
	Select this option when ordering from the Distribution Center		

LOADER BUCKET

P	325-5100	BUCKET, LOADER (NONE)	0	NC
		Ship with no loader bucket.		
P	337-7436	BUCKET-MP, 1.3 YD3, PO, BRKTS	1,593	\$6,911
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included)		
P	337-7385	BUCKET-GP, 1.30 YD3, PO	965	\$3,231
		1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7401	BUCKET-GP, 1.5 YD3, PO	1,056	\$4,142
		1.5 CYD (1.15 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		

CUTTING EDGES

Must select if loader bucket required with DCA1.

P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: Buckets 337-7436 and 337-7385		
P	9R-5320	CUTTING EDGE, TWO PIECE, WIDE	154	\$329
		Bolt-on reversible cutting edge for Loader Buckets. ONLY FOR USE WITH: Bucket 337-7401		

TIRES

Must select.
Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	533-0488	TIRES, 340 80-18/500 70-24, MX	0	\$1,645
		Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tires and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		

WORKING LIGHTS

L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS	0	NC
---	----------	--	---	----

DECAL PACKAGES

Must select one

P	430-9945	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals for use outside of USA.		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

DECAL PACKAGES (Cont.)

P	430-9944	INSTRUCTIONS, ANSI 0		NC
		This package includes picto decals for use in USA.		

SEAT BELT

Select one

L	206-1747	BELT, SEAT, 2" SUSPENSION 0		NC
		CANNOT BE SELECTED BY: dealers from California		
L	206-1748	SEAT BELT, 3" SUSPENSION 0		\$144

STABILIZER PADS

Must select one

P	9R-1085	STABILIZER PADS, STREET 37		NC
		Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		
P	9R-6007	STABILIZER PADS, FLIP-OVER 85		\$336
		Flip-over pads for use on asphalt, concrete or soil.		

BACKHOE BUCKET OR COUPLER

Must select one

P	175-7877	BUCKET, HOE, (NONE) 10		NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3387	BUCKET-HD, 24", 6.2 FT3 333		\$1,717
		Includes 5 tooth tips.		
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3 395		\$1,854
		Includes 5 angle-down adapters and soil tooth tips.		
P	219-3411	BUCKET-HD, 12", 2.8 FT3 238		\$1,457
		12- wide, 0.1 CYD (0.078 CUM) capacity Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 FT3 284		\$1,508
		Includes 4 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 FT3 0		\$2,757
		Ditch cleaning bucket		

INSTRUCTIONS AND OPERATION MANUALS

Must select

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0		NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

TRANSPORT PROTECTION

461-6839 SHIPPING/STORAGE PROTECTION 0 \$203 NET

Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

Currently this is only available to, and required by, machines shipping to USA, Canada & South America.

462-1033 RUST PREVENTATIVE APPLICATOR 0 \$108 NET

Preparation for shipment - Silix applicators required for shipment by sea.

Required for all machines for USA, Canada & South America

PACKING

0P-0210 PACK, DOMESTIC TRUCK 0 NC

Required for all machines for USA, Canada & South America

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

May select additional options (not required).

P	211-4292	BEACON, MAGNETIC MOUNT 0 Must be ordered as 'NOT INSTALLED'		\$231 NI
P	353-1389	GUARD, STABILIZER 0 Guards to protect Stabilizer cylinder rods from damage.		\$835
P	270-3204	PLATE GROUP - BOOM WEAR 0 Bolt on guard prevents damage to boom.		\$208
P	337-6851	FENDERS, FRONT 0 Set of two fenders with integrated steps.		\$576

HOE COUPLER

P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL 192 Mechanical quick coupler for backhoe buckets. (Base machine includes one set of pins and hardware to attach one bucket).		\$2,090
P	544-1901	COUPLER, PIN LOCK, BL F 0 Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		\$1,528

THUMBS

Thumbs cannot be shipped without either bucket or coupler.
Thumbs & Tines may only be ordered as full, installed packages.
Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.
No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.
If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL 0 Hydraulic Thumb Arrangement without tines REQUIRES: Thumb tine (see below)		\$5,500
P	221-4282	THUMB, TINE, A 1 0 Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3387 BUCKET 24"		\$417
P	221-4283	THUMB, TINE, A 3 0 Buckets with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with 444-7500 Coupler FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3387 BUCKET 24"		\$417
P	281-6708	THUMB, TINE, A 5 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL 254-8941 BUCKET 24"		\$556

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
0P-9003	LANE 3 ORDER	0	NC

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

BACKHOE STICKS

L	450-8731	STICK, STANDARD, 16FT	0	NC
L	450-8732	STICK, EXTENDABLE, 16FT	0	\$5,010
		Provides additional 3'8" (1.13m) of reach		

POWERTRAIN

POWERTRAIN (Gearbox, Axles, Lines)

L	450-8606	PT, 4WD, STD SHIFT	0	\$9,600
L	450-8616	PT, 4WD, AUTOSHIFT	0	\$13,330
L	450-8627	PT, 4WD/2WS, AUTOSHIFT, LTC	0	\$14,570
		Autoshift with Lockup Torque Converter		

ENGINE (Engine, Cooler, Filters, Lines)

L	450-8761	ENGINE, 86KW, C4.4 ACERT, T4F	0	\$7,070
		EPA/ ARB Tier 4 Final Certified engine with aftertreatment. Net Power @ Rated (2200RPM) SAE J1349 108HP (81kW)		

HYDRAULICS

LOADER & BACKHOE HYDRAULICS (inc Valves and Loader Lines)

HYDRAULICS FOR SINGLE TILT MACHINES

L	450-8525	HYDRAULICS, GP, 5FCN/7BNK, ST	0	\$720
		ONLY FOR USE WITH: 450-8452 430F2 BHL ST TIER 4 HRC CANNOT BE USED WITH: E-STICK WHEN AUX LINES ARE REQUIRED		
L	450-8527	HYDRAULICS, GP, 6FCN/8BNK, ST	0	\$1,465
		ONLY FOR USE WITH: 450-8452 430F2 BHL ST TIER 4 HRC		
L	450-8528	HYDRAULICS, MP, 5FCN/7BNK, ST	0	\$1,870
		ONLY FOR USE WITH: 450-8452 430F2 BHL ST TIER 4 HRC CANNOT BE USED WITH: E-STICK WHEN AUX LINES ARE REQUIRED		
L	450-8530	HYDRAULICS, MP, 6FCN/8BNK, ST	0	\$2,615
		ONLY FOR USE WITH: 450-8452 430F2 BHL ST TIER 4 HRC		

OPERATOR ENVIRONMENT

CAB/ CANOPY

L	450-8682	CANOPY, BASE	0	NC
		Includes tilt steering column, floor mat, two internal and two external power receptacles and rotating vandal guard.		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB/ CANOPY (Cont.)

L	450-8683	CAB, DELUXE	0	\$8,390
		Includes: window defroster, front & rear windshield wiper/washer system, left & right side doors with locks, coat hook, interior rear view mirror, tilt/tele steering column, floor mat, radio-ready headliner, two internal and two external 12v power sockets, auto-up stabilizers, and system indicators for hydraulic filter service and hydraulic temperature warning.		

WORKING LIGHTS

L	491-6736	WORKLIGHTS (8) LED LAMPS	0	\$875
L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS	0	NC

SEATING

L	433-4804	SEAT, VINYL	0	NC
		ONLY FOR USE WITH: OPEN CANOPY ONLY		
L	433-4806	SEAT, DELUXE FABRIC	0	\$925
		ONLY FOR USE WITH: DELUXE ENCLOSED CABS		
L	395-2942	SEAT, DELUXE FABRIC, HEATED	0	\$1,435
		ONLY FOR USE WITH: DELUXE ENCLOSED CABS		

SEAT BELT

L	206-1747	BELT, SEAT, 2" SUSPENSION	0	NC
L	206-1748	SEAT BELT, 3" SUSPENSION	0	\$144
		REQUIRED IN: CALIFORNIA		

ENVIRONMENTAL CONTROL

SELECT FOR ENCLOSED CABS ONLY

L	450-8714	HEATER, T4	0	NC
		Select if heat only is required. CANNOT BE USED WITH: MACHINES WHICH HAVE AN OPEN CANOPY		
L	450-8715	AIR CONDITIONER, T4	0	\$2,400
		Select if heat and air conditioning is required. CANNOT BE USED WITH: MACHINES WHICH HAVE AN OPEN CANOPY		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:

<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>

From there click on the "PRODUCT LINK Hardware Certification" link.

L	447-0048	PRODUCT LINK, SATELLITE PL631E 0 PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$439
L	581-1781	PRODUCT LINK, CELLULAR PL641 0 PL641 uses GSM and CDMA 4G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

TIRES AVAILABLE FROM MICHELIN

P	533-0488	TIRES, 340 80-18/500 70-24, MX 0 Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tires and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		\$1,645
P	320-2385	TIRES, 340 80R18/500/70-24 MI 0 Front: Michelin 340/80R18. Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70-24 Power CL 164A8 Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Combines benefits of radial front with stability of rear bias. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS		\$2,470

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MICHELIN (Cont.)

P	320-2384	TIRES, 340 80R18/500 70R24, MX 0 Front: Michelin 340/80R18 XMCL 142A8 Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70R24 XMCL 157A8 Directional tire designed for outstanding damage resistance,oth extremely long tire life, and high load capacity.of conditions. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS		\$3,110
P	533-0479	TIRES, 340 80R18/500 70R24, MX 0 Michelin 340/80R18 BIBLOAD Radial multi-directional front tires and Michelin 500/70R24 BIBLOAD Radial multi-directional rear tires for more contact on hard surfaces and smoother ride with good resistance to wear and tear.		\$3,235
P	533-2163	TIRES, 340 80R20/480 80R26, MX 0 Michelin 340/80-R20 XMCL radial directional front tires and Michelin 480/80R26 XMCL radial directional rear tires for excellent traction on all types of ground, good wear resistance on hard abrasive surfaces. A taller and wider tire combination for superior ground clearance and floatation. REQUIRES: 311-2230 STEERING STOP		\$3,535

TIRES AVAILABLE FROM GOODYEAR

P	379-2161	TIRES, 12.5 80/19.5L-24, GY 0 Front: Goodyear 12.5 80-1810 PR I-3 Sure Grip Lug Directional tire for good traction and long wear, provided by wide, sturdy overlapping lugs. Rear: Goodyear 19.5L-24 12 PR R4 IT525 Directional tire with solid performance on rock-hard ground. Increased wear and performance on hard surfaces. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS		\$1,690
---	----------	---	--	---------

TIRES AVAILABLE FROM FIRESTONE

P	282-3855	TIRES, 12.5 80-18/21L-24, FS 0 Front: Firestone 12.5 80-18 NHS (12ply) I-3 Super Traction Loader. Directional tire with low profile design that provides excellent traction and flotation. Tough sidewall for long wear. Rear: Firestone 21L-24 (16ply) R4 ATU (All Traction Utility) Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Adds one inch of rear height with improved rear flotation. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS		\$2,605
---	----------	--	--	---------

STEERING STOP

P	311-2230	STEERING STOP 0 Front axle steering stop limits the steering angle on 20- tire arrangements to prevent machine interference. REQUIRES: 5332163 TIRES, 340 80R20/480 80R26, MX		\$10
---	----------	--	--	------

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

COUNTERWEIGHT

RECOMMENDED WEIGHT

430F2ST 4WD Std Stick, MP bucket	CWT NONE
430F2 ST 4WD Std Stick, GP Bucket	1015lbs
430F2 ST 4WD E-Stick, GP Bucket	1015lbs
430F2 ST 4WD E-Stick, MP Bucket	1015lbs

ADD THE NEXT INCREMENT OF COUNTERWEIGHT WHEN ADDING A THUMB.

P	337-9693	COUNTERWEIGHT, NONE	0	NC
P	337-9696	COUNTERWEIGHT, 1015 LBS	0	\$1,765

Stabilizer Pads and Accessories

P	9R-1085	STABILIZER PADS, STREET	37	NC
Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.				
P	9R-6007	STABILIZER PADS, FLIP-OVER	85	\$336
Flip-over pads for use on asphalt, concrete or soil.				

BUCKETS

LOADER BUCKETS

P	325-5100	BUCKET, LOADER (NONE)	0	NC
Ship with no loader bucket.				
P	337-7385	BUCKET-GP, 1.30 YD3, PO	965	\$3,231
1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).				
P	337-7388	BUCKET-GP, 1.4 YD3, PO	1,012	\$3,418
1.45 CYD (1.1 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).				
P	337-7401	BUCKET-GP, 1.5 YD3, PO	1,056	\$4,142
1.5 CYD (1.15 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).				
P	337-7436	BUCKET-MP, 1.3 YD3, PO, BRKTS	1,593	\$6,911
1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) REQUIRES: MP HYDRAULICS				
P	337-7442	BUCKET-MP, 1.4 YD3, PO	1,655	\$7,424
1.45 CYD (1.1 CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS				

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

CUTTING EDGE/TEETH

(May select when ordering a bucket)

P	9R-5320	CUTTING EDGE, TWO PIECE, WIDE 154 Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7401 BUCKET-GP, 1.5 CYD or 337-7442 BUCKET-MP, 1.4 CYD or 337-7396 BUCKET-GP, 1.3 CYD or 337-7445 BUCKET-MP, 1.4 CYD, FORKS CANNOT BE USED WITH: 9R-5866 TEETH		\$329
P	9R-5321	CUTTING EDGE, TWO PIECE 154 Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7385 BUCKET-GP, 1.25 CYD or 337-7388 BUCKET-GP, 1.4 CYD or 337-7436 BUCKET-MP, 1.3 CYD or 337-7439 BUCKET-MP, 1.3 CYD, FORKS CANNOT BE USED WITH: 9R-5866 TEETH		\$331
P	9R-5866	TEETH 61 Includes eight bolt-on Uniteeth and hardware. ONLY FOR USE WITH: ALL GP & MP LOADER BUCKETS CANNOT BE USED WITH: 9R5320 CUTTING EDGE, TWO PIECE, WIDE or 9R5321 CUTTING EDGE, TWO PIECE		\$389

BACKHOE BUCKETS AND COUPLERS

If no coupler is selected hoe bucket should be ordered as installed.

If coupler is selected coupler should be installed and hoe bucket not installed.

Additional buckets (and bucket pins) may be ordered as not-installed from the Lane2/ Lane3 Optional section.

P	175-7877	BUCKET, HOE, (NONE) 10 REQUIRED when no backhoe bucket or coupler is installed.		NC
P	219-3387	BUCKET-HD, 24", 6.2 FT3 333 Includes 5 tooth tips. 333		\$1,717 \$1,717 NI
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3 395 Includes 5 angle-down adapters and soil tooth tips. 395		\$1,854 \$1,854 NI
P	219-3396	BUCKET-ROCK, HD, 24", 7.0 FT3 381 Includes 5 tooth tips. 381		\$1,892 \$1,892 NI
P	219-3381	BUCKET, 24", 6.2 FT3 291 Includes 5 tooth tips. 291		\$1,335 \$1,335 NI
P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL 370 This Pin Lock bucket includes 5 tooth tips. 370 ONLY FOR USE WITH: 487-0712 COUPLER, PIN LOCK		\$1,846 \$1,846 NI
P	219-3411	BUCKET-HD, 12", 2.8 FT3 238 12- wide, 0.1 CYD (0.078 CUM) capacity 238 Includes 3 tooth tips and Pin set for 12" Buckets.		\$1,457 \$1,457 NI
P	219-3386	BUCKET-HD, 18", 4.2 FT3 284 Includes 4 tooth tips. 284		\$1,508 \$1,508 NI

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BACKHOE BUCKETS AND COUPLERS (Cont.)

P	212-8738	BUCKET-DC, 48", 13.0 FT3	0 453	\$2,757 \$2,757 NI
		Ditch cleaning bucket		
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL	192	\$2,090
		Mechanical quick coupler for backhoe buckets. (includes one set of pins and hardware to attach one bucket)		
P	544-1901	COUPLER, PIN LOCK, BL F	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL	192	\$4,083
		Hydraulic quick coupler with dual lock for backhoe buckets. REQUIRES: 450-8579 LINES, HYD COUPLER 16FT STD-STK or 450-8580 LINES, HYD COUPLER 16FT E-STICK		

INSTRUCTIONS

DECAL PACKAGES

P	430-9944	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals for use in USA.		

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2 / LANE 3 OPTIONAL SELECTIONS

All items may be ordered as Lane 2 unless specifically designated 'FOR USE IN LANE 3 ONLY'.

HYDRAULICS

RIDE CONTROL

L	398-2681	RIDE CONTROL 0		\$1,490
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired.		

LINES

P	576-1881	LINES BOOM, HBCV 0		\$735
		Provides hoe hose burst check valve.		

THUMBS

Thumbs cannot be shipped without either bucket or coupler.
 Thumbs & Tines may only be ordered as full, installed packages.
 Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.
 No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.
 If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL 0		\$5,500
		Hydraulic Thumb Arrangement without tines FOR USE WITH: LINES, COMBINED AUX REQUIRES: Thumb tine (see below)		
P	221-4282	THUMB, TINE, A 1 0		\$417
		Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" 219-3381 BUCKET 24" OR 219-3387 BUCKET 24"		
P	221-4284	THUMB, TINE, A 2 0		\$417
		Bucket with no coupler FOR USE WITH: 219-3396 BUCKET 24" Bucket with 544-1901 Coupler FOR USE WITH: 247-1950 BUCKET 24"		
P	221-4283	THUMB, TINE, A 3 0		\$417
		Bucket with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3381 BUCKET 24" OR 219-3387		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS (CONT.)

THUMBS (Cont.)

P	221-4285	THUMB, TINE, A 4 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 219-3396 BUCKET 24"		\$556
P	281-6708	THUMB, TINE, A 5 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 254-8941 BUCKET 24"		\$556

HYDRAULIC QUICK DISCONNECT

P	456-3390	COUPLING, QD, THREADED WITH CAPS 4 This includes one additional male and female threaded flat face, connect under pressure, quick disconnect coupling & protective caps. Compatible with all backhoe work tools. MUST BE ORDERED AS NOT-INSTALLED.		\$371 NI
---	----------	--	--	----------

BACKHOE HYDRAULICS

L	398-2854	LINES, COMBINED AUX, STD STICK 0 ONLY FOR USE WITH: 450-8731 STICK, STANDARD, 16FT and 5 or 6 FUNCTION HYDRAULICS		\$3,500
L	398-2855	LINES, COMBINED AUX, E-STICK 0 ONLY FOR USE WITH: 450-8732 STICK, EXTENDABLE, 16FT and 6 FUNCTION HYDRAULICS		\$3,500

ELECTRICAL

MAGNETIC BEACON

P	211-4292	BEACON, MAGNETIC MOUNT 0 Must be ordered as 'NOT INSTALLED'		\$231 NI
P	433-0154	BEACON, MAGNETIC MOUNT, STROBE 0 Must be ordered as 'NOT INSTALLED'.		\$342 NI

RADIO

P	540-2298	RADIO, FM BLUETOOTH 0 Cat FM Radio with bluetooth, aux input & microphone CANNOT BE USED WITH: OPEN CANOPY MACHINES		\$550
---	----------	---	--	-------

RADIO READY CANOPY HEADLINER

L	398-2875	RADIO READY HEADLINER, CANOPY 3 Canopy headliner to accept a suitable 'all weather' Radio/ CD player (not available from factory) FOR USE WITH: OPEN CANOPIES ONLY		\$499
---	----------	---	--	-------

FACE FAN

L	387-6682	FAN 0 ONLY FOR USE WITH: DELUXE CABS		\$230
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL (CONT.)				
FACE FAN (Cont.)				
L	454-6610	FAN, STANDARD CAB/ CANOPY 0 FOR USE WITH: CANOPIES		\$230
SECURITY KEYPAD				
L	387-6570	SECURITY SYSTEM, KEYPAD 0 The keypad unit is a self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation.		\$499
HEAVY DUTY BATTERY				
L	457-2797	BATTERY, HEAVY DUTY 0 INCLUDED IN: COLD WEATHER PACKAGE		\$227
COLD WEATHER PACKAGE				
L	398-2882	COLD WEATHER PACKAGE, 120V HRC 0 Provides additional battery and engine block heater as well as radiator antifreeze (to -55 celsius), mounting for an ether bottle and low temperature diesel fuel (to -30 celsius). The ether bottle is available seperately from Parts Distribution CANNOT BE USED WITH: HEAVY DUTY BATTERY or COLD WEATHER FUEL		\$780
L	396-6505	FUEL, COLD WEATHER 0 Provides low temperature diesel fuel (to -30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		\$139 NET
GUARDS				
P	270-3204	PLATE GROUP - BOOM WEAR 0 Bolt on guard prevents damage to boom.		\$208
P	353-1389	GUARD, STABILIZER 0 Guards to protect Stabilizer cylinder rods from damage.		\$835
OTHER ATTACHMENTS				
FENDERS				
P	337-6851	FENDERS, FRONT 0 Set of two fenders with integrated steps.		\$576
FILTER SET				
P	399-0118	SERVICE FILTER PACK, T4/C4.4 0 Please order as 'Not-Installed'. This pack includes: Transmission, Engine and Machine hydraulic filters together with fuel water separator filter. NOTE: Only one pack per machine order.		\$101 NI NET

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

EXTERIOR REAR VIEW MIRRORS

P	382-2499	MIRRORS, EXTERNAL, BOTH SIDES	0	\$725
---	----------	---	---	-------

WORK TOOLS

HYDRAULIC QUICK COUPLER LINES

Required if a Hydraulic Quick Coupler has been selected.
Optional selection on other machines.

P	450-8579	LINES, HYD COUPLER 16FT STD-STK	192	\$2,324
		Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and STANDARD STICK		
P	450-8580	LINES, HYD COUPLER 16FT E-STICK	192	\$2,324
		Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and EXTENDABLE STICK		

BUCKET PINS

P	318-9902	PINS, SPARE	6	\$175
		Includes bucket pins and hardware. FOR USE WITH: 444-7500 COUPLER, PG, MANUAL, DUAL LOCK 361-1200 COUPLER, PG, HYD, DUAL LOCK		

FLUIDS

COLD WEATHER FUEL

L	396-6505	FUEL, COLD WEATHER	0	\$139 NET
		Provides low temperature diesel fuel (to -30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS

KITS

Kits cannot be ordered with your machine order.
 Kits can be ordered through CMOPS, but **MUST** be separate orders from the machine, and **MUST** include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution System you **MUST** also select the required Packing reference number.

For USA and Canada, please place your order as follows:

OG-0557 430F2 MISC MTRL
 Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.
 Rest of the world may order direct from the plant.
 Please place your order as follows:

OG-0325 430F2 MISC MTRL
 Kit item number
 OG-3280 PACK, MISCL MTRL

PLEASE SEE PREVIOUS PRICE LISTS WHEN ORDERING KITS FOR USE WITH EARLIER MODELS.

RIDE CONTROL

P	387-6451	KIT, RIDE CONTROL (PILOT/ECM) 0 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry.	\$1,418 NI
---	----------	--	-------------------

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

AUXILIARY, COMBINED FUNCTION HYDRAULIC KITS

For use with both one-way flow tools (hammers, compactors) and two-way flow tools (augers, thumbs, side tilt couplers). Units equipped with Standard Sticks require 5 function BH Hydraulics and operate using the right thumb controller. Units equipped with Extendible Sticks require 6 Function BH Hydraulics and operate using the left thumb controller. Mounted near the backhoe valve bank in the chassis, a manual ball valve switches between one-way and two-way flow. Estimated shop time: 8 hours to install kit, plus 8 more hours is needed if adding a valve section to the valve bank (converting 4 to 5 Function, or 5 to 6 Function).

P	468-7984	KIT, HYD, COMBINED, 16FT STD STK 0		\$3,332 NI
		Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools.		
		Includes hydraulic quick disconnect couplings.		
		This kit can be used to build 1 way (hammer) lines. See REHS installation instructions.		
		FOR USE WITH: STICK, STANDARD and HYDRAULICS, BH, 5 FUNCTION or HYDRAULICS, BH, 6 FUNCTION		
P	468-7983	KIT, HYD, COMBINED, 16FT E-STK 0		\$3,332 NI
		Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools.		
		Includes hydraulic quick disconnect couplings.		
		This kit can be used to build 1 way (hammer) lines. See REHS installation instructions.		
		FOR USE WITH: E-STICK and HYDRAULICS, BH, 6 FUNCTION		

OTHER KITS

P	468-7972	KIT, LINES, HYD CPLR 16FT S-STK 0		\$1,724 NI
P	468-7973	KIT, LINES, HYD CPLR 16FT E-STK 0		\$1,724 NI
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL 192		\$2,090 NI
		Mechanical quick coupler for backhoe buckets.		
P	361-1200	COUPLER, PG, HYD, DUAL LOCK 192		\$4,046 NI
		Hydraulic quick coupler with dual lock for backhoe buckets.		
P	387-6458	KIT, GUARD, STABILIZER CYLNDRS 0		\$828 NI
P	455-7380	KIT, LOADER, COUPLING QD 0		\$368 NI
		Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		
P	442-9566	KIT, HOE, COUPLING Q-DISCON 0		\$363 NI
		Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

OTHER KITS (Cont.)

P	482-1308	KIT, SECURITY KEYPAD 0 Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation.		\$493 NI
P	387-6472	KIT, FENDER, FRONT 0 Provides a kit to add a set of 2 Front Fenders to a machine.		\$571 NI

AVAILABLE FROM PARTS DISTRIBUTION

See reference media number M0078810 installation instructions

P	511-9785	KIT, OBJECT HANDLING, BHL-CP 0 Load Control Kit includes the following object handling kits : 512-6861 Load Control Kit (Boom) (1) 512-6863 Load Control Kit (Stick) (2) 512-6862 Load Control Kit (Bucket) (3) 512-5597 Load Control Kit (Stab) (4) See reference media number M0078810 installation instructions		\$3,256 NI
P	512-5597	KIT, LCV, STABILIZER, BHL-CP 0 Load Control Kit will provide a Hose Burst Check Valve (HBCV) for the stabs See reference media number M0078810 installation instructions		\$546 NI
P	512-6861	KIT, LCV - BOOM, BHL-CP 0 Load Control Kit will provide a Hose Burst Check Valve (HBCV) for the boom. See reference media number M0078810 installation instructions		\$733 NI
P	512-6862	KIT, LCV - BUCKET, BHL-CP 0 Load Control Kit will provide a Hose Burst Check Valve (HBCV) for the bucket See reference media number M0078810 installation instructions		\$1,122 NI
P	512-6863	KIT, LCV - STICK, BHL-CP 0 Load Control Kit will provide a Hose Burst Check Valve (HBCV) for the stick See reference media number M0078810 installation instructions		\$854 NI

Please see the WT-BHL price list for other items available from Parts Distribution

PACKING

	0P-0210	PACK, DOMESTIC TRUCK 0 Required for all machines for USA, Canada & South America		NC
	461-6839	SHIPPING/STORAGE PROTECTION 0 Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: AM-N and AM-S DEALERS		\$203 NET

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

PACKING (CONT.)

462-1033	RUST PREVENTATIVE APPLICATOR	Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America	0	\$108 NET
0G-3280	PACK, MISCELLANEOUS MATERIAL		0	NC