

## CATERPILLAR MACHINE PRICE LIST

**432**432 BACKHOE LOADER  
LEICESTER, ENGLANDShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**BOOMS, STICKS, AND LINKAGES****BACKHOE**

- 4.3 metre (14ft) side shift excavator style backhoe.
- Boom and swing transport locks
- Pattern changer

**LOADER**

- Parallel Lift (PL) Loader
- Lift cylinder brace
- Transmission neutralizer switch
- Return to Dig
- Loader float function

**POWERTRAIN**

- Water Separator
- Dry-type air cleaner with precleaner and filter condition indicator
- Hydraulically boosted multi-plate wet disc brake with dual pedals & interlock
- Hand and foot throttle
- Parking brake
- Differential lock (rear axle)
- All Wheel Drive
- Spin-on filters for Fuel
- Engine oil
- Transmission oil

**HYDRAULICS**

- Load sensing, variable flow system with 187 L/min (49 gpm) axial piston pump
- 6 micron spin-on hydraulic filter
- Caterpillar Compact 294 hose
- Electro-hydraulic slide frame lock release
- Hydraulic oil cooler
- Flow-Sharing Hydraulic Valves
- Hydraulic suction strainer

**ELECTRICAL**

- 12 volt electrical start
- Horn, front and rear
- Backup alarm

- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Self cancelling turn signals
- Diagnostic ports for engine and machine Electronic Control Modules

**OPERATOR ENVIRONMENT**

- Isolation mounts
- Coat hook
- Floor mat and Dome Light
- Front and rear windshield wipers and washers
- Heater/defroster
- Left and right side doors with locks and opening windows
- Lockable storage
- Tilt steering column
- Air suspension fabric seat with 50mm seat belt
- Two exterior rear view mirrors
- Warning light and audible alarm for engine oil pressure and coolant temp
- Worklights, 4 front & 4 rear
- Opening rear side windows
- Internal power socket (12v) alarm for
- Radio ready headliner coolant temp
- Vandal guard
- Sun Visor (perforated)
- 2 external beacon sockets 12v)
- Steering wheel knob

**FLUIDS**

- Antifreeze - Extended Life Coolant
- 30C (-20F)

**OTHER STANDARD EQUIPMENT**

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with 160L (42.3 gal) capacity & 19L (5 gal) diesel exhaust fluid
- Rubber impact strips on radiator guard
- CD-ROM Parts Manual
- Safety Manual
- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection

CATERPILLAR MACHINE PRICE LIST

**432**

432 BACKHOE LOADER  
 LEICESTER, ENGLAND

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management program.**

**602-9372      432 07A BHL AM-N DCA1 ..... 0      \$143,010**  
 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER

- INCLUDES:  
 542-7996 432 07A BACKHOE LOADER CFG2  
 9R-0868 STABILIZER PADS, STREET  
 337-9696 COUNTERWEIGHT, 1015 LBS  
 337-9732 SOUND SUPPRESSION, EU, 103 DB  
 387-6612 LIGHTS, ROADING, RH DIP  
 398-2866 LINKAGE, DIG, 14FT, REGULATED  
 456-3390 COUPLING, QD, THREADED WITH CAPS  
 467-4599 GUARD, REAR LIGHT  
 491-6734 WORKLIGHTS (8) HALOGEN LAMPS  
 526-0592 SEAT, DELUXE FABRIC  
 540-2301 RADIO, DAB BLUETOOTH  
 541-9540 ENGINE, 74.5KW, C3.6 DITA, T4F  
 542-7810 AIR CONDITIONER, T4F  
 544-0942 CAB, DELUXE  
 545-5048 DISPLAY, TOUCH SCREEN  
 545-5099 STICK, EXTENDABLE, 14FT  
 545-6075 PT, 4WD/2WS POWERSHIFT  
 546-4811 FRAME, NARROW  
 548-1197 LINES, TWO-WAY, 14FT E-STICK  
 549-4574 GUARD, DRIVESHAFT  
 551-6942 COLD WEATHER PACKAGE, 240V  
 553-5854 USB POWER PORT  
 559-3958 PREPARATION PACKAGE PILOT, EU  
 560-6797 PRODUCT LINK, CELLULAR, PLE643  
 564-2020 LOADER QUICK COUPLER  
 566-4494 HYDRAULICS, MP, 6FCN/8BNK  
 567-5090 AUTO-UP STABILIZERS  
 569-6244 RIDE CONTROL  
 570-9674 STEERING STOP  
 586-0928 POWER SIDE SHIFT  
 595-4867 DRIVE ARRANGEMENT, 20" TIRES

**MISCELLANEOUS ORDERS**  
 These will automatically be placed on the factory.

**0P-7261      432 MISC MATL ..... 0      NC**

CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Select this option when ordering from the PDC.		

**REGIONAL PREPARATION PACKAGES**

L	512-9256	PREP PACK, CANADA . . . . .	0	NC
		Decal to certify the machine meets emc regulations Required by:Canadian Dealers		

**TIRE SELECTION**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to supply this tire, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	533-2163	TIRES, 340 80R20/480 80R26, MX . . . . .	0	\$3,335
		Michelin 340/80-R20 XMCL radial directional front tires and Michelin 480/80R26 XMCL radial directional rear tires for excellent traction on all types of ground, good wear resistance on hard abrasive surfaces. A taller and wider tire combination for superior ground clearance and floatation.		

**LOADER BUCKET**

P	216-8840	BUCKET-MP, 1.4 YD3, IT . . . . .	1,612	\$7,632
		1.1M3 (1.4YD3) SAE capacity Multi Purpose IT Bucket. Drilled to accept bolt-on teeth or cutting edge, Two piece, Wide (not included)		
P	251-1794	BUCKET-GP, 1.5 YD3, IT . . . . .	1,030	\$4,326
		1.15M3 (1.5YD3) SAE capacity General Purpose Bucket. Drilled to accept bolt-on teeth or cutting edge, Two piece, Wide (not included)		
P	251-1800	BUCKET-GP, 1.31 YD3, IT . . . . .	979	\$3,682
		1.0M3 (1.31YD3) SAE capacity, General Purpose Bucket. Drilled to accept bolt-on teeth or cutting edge,Wide (not included)		

**CUTTING EDGES**

P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE . . . . .	154	\$329
		Bolt-on reversible cutting edge for Loader Buckets.		

**CUTTING EDGE/TEETH**

P	9R-5866	TEETH . . . . .	61	\$389
		Includes eight bolt-on Uniteeth and hardware. CANNOT BE USED WITH:9R-5320 Cutting edge		

CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**HOE BUCKET**

P	219-3381	BUCKET, 24", 6.2 FT3 . . . . .	291	\$1,326
		Width: 610mm (24"), Cap: 0.18m3 (6.2ft3), Includes 5 tooth tips		
P	219-3396	BUCKET-ROCK, HD, 24", 7.0 FT3 . . . . .	381	\$1,903
		Includes 5 tooth tips.		
P	219-3387	BUCKET-HD, 24", 6.2 FT3 . . . . .	333	\$1,708
		Includes 5 tooth tips.		
P	254-8941	BUCKET-SOIL, 24", 8.5 FT3 . . . . .	395	\$1,861
		Includes 5 angle-down adapters and soil tooth tips.		
P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL . . . . .	370	\$1,819
		This Pin Lock bucket includes 5 tooth tips.		

**SEAT BELT**

L	206-1748	SEAT BELT, 3" SUSPENSION . . . . .	0	\$146
---	----------	------------------------------------	---	-------

**DECAL PACKAGES**

P	559-0872	INSTRUCTIONS, ANSI . . . . .	0	NC
		This package includes picto decals for use in USA.		

**INSTRUCTIONS AND OPERATION MANUALS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		Kit will include instructions in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. <a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>		

**TRANSPORT PROTECTION**

	461-6839	SHIPPING/STORAGE PROTECTION . . . . .	0	\$206 NET
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Currently this is only available to, and required by, machines shipping to USA, Canada & South America.		
	462-1033	RUST PREVENTATIVE APPLICATOR . . . . .	0	\$110 NET
		Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America		

**PACKING**

	OP-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
		Required for all machines for USA, Canada & South America		

CATERPILLAR MACHINE PRICE LIST

**432**

---

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

---

**LANE SELECTION**

***LANE 2/ LANE 3 FACTORY ARRANGEMENTS***

CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**NOTE**

**LANE 2/ LANE 3 OPTIONAL SELECTIONS**

**ALTERNATE SOURCED ATTACHMENTS**

***KITS AVAILABLE EX-FACTORY***

NOTE: Order kits using top level reference number for miscellaneous material. The order must include kit packing instructions (See Packing). All kits will be shipped freight collect.

PLEASE SEE PREVIOUS PRICE LISTS WHEN ORDERING KITS FOR USE WITH EARLIER MODELS.

**KITS AVAILABLE FOR NORTH AMERICAN CONFIGURATION (DCA1)**

- 581-4141 KIT, HYD CPLR LINES, PILOT E/H
- 604-4586 KIT, 8TH FUNCTION PILOT, E/H
- 442-9566 KIT, HOE, COUPLING Q-DISCON
- 455-7380 KIT, LOADER, COUPLING QD
- 586-8064 KIT, FENDER, FRONT
- 467-0071 KIT, STREET PADS, MP-BUCKET
- 178-3593 PINS, BUCKET, BHL-F, 45MM-50MM
- 444-7500 COUPLER, PG, MAN.D.LOCK, BHL
- 485-5303 COUPLER, PG, HYD.D.LOCK, BHL

**KIT PRICING & DETAIL BELOW**

***BACKHOE KITS***

P	387-6460	KIT, 1 WAY AUX LINES, 4.3M E-STK . . . . . 0	<b>\$3,078 NI</b>
<p>Provides 1-way auxiliary flow, for use with 4.3M (14FT).                  Includes a dedicated hammer return directly to tank.                  Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines.                  Note: Requires E-stick to be pinned retracted when using the aux circuit. Ideal for worktools such as hammers, cold planners and vibratory compactors.                  For installation instructions see Media Number REHS5781 in SIS Web.                  Suggested time for installation - 6 hours.</p>			

CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

**BACKHOE KITS (Cont.)**

P	387-6461	<b>KIT,2 WAY AUX LINES,4.3M E-STK . . . . . 0</b> Provides 2-way auxiliary flow, for use with 4.3M (14FT) and includes 1-way flow with a dedicated hammer return to tank (COMBO). Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines. Note: Requires E-stick to be pinned retracted when using the aux circuit. For use with one way flow tools,such as a Hydraulic Hammer, Vibratory compactor or Cold Planer, and two way flow such as an auger or tilting bucket. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 10 hours.		<b>\$3,474 NI</b>
P	387-6462	<b>KIT,1 WAY AUX LINES,16FT E-STK . . . . . 0</b> Provides 1-way auxiliary flow, for use with 4.9M (16FT). Includes a dedicated hammer return directly to tank. Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines. Note: Requires E-stick to be pinned retracted when using the aux circuit. Ideal for worktools such as hammers, cold planners and vibratory compactors. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 6 hours.		<b>\$3,078 NI</b>
P	387-6463	<b>KIT,2 WAY AUX LINES,16FT E-STK . . . . . 0</b> Provides 2-way auxiliary flow, for use with 4.9M (16FT). Includes a dedicated hammer return directly to tank. Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines. Note: Requires E-stick to be pinned retracted when using the aux circuit. Ideal for worktools such as hammers, cold planners and vibratory compactors.		<b>\$3,474 NI</b>
P	349-1348	<b>KIT, 2 WAY AUX E-STK UPGRADE . . . . . 0</b> Upgrades the existing 1-way flow auxiliary lines to include 2-way flow (COMBO). For use with 4.3M (14FT) extendible stick only. Requires machine to already be installed with 1-way auxiliary lines (not included in this kit). Note: Requires E-stick to be pinned retracted when using the aux circuit. Allows machine to use two way flow tools such as an auger or tilting bucket as well as any existing 1 way flow tools. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 4 hours.		<b>\$275 NI</b>
P	349-2410	<b>KIT, 2 WAY AUX LINES E STICK . . . . . 0</b> Provides 2-way auxiliary flow, for use with 4.9M (16FT)extendible stick only. Requires machine with 1-way auxiliary lines (not included in this kit). Note: Requires E-stick to be pinned retracted when using the aux circuit. Allows machine to use two way flow tools such as an auger or tilting bucket as well as any existing 1 way flow tools For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 4 hours.		<b>\$515 NI NET</b>

CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

**BACKHOE KITS (Cont.)**

P	581-4141	<b>KIT, HYD CPLR LINES, PILOT E/H</b> . . . . . 0 A kit to fit hydraulic lines to operate a hydraulic quick coupler on a machine with pilot or electro hydraulic hydraulic controls. This kit is only available to order through the Leicester Factory and the work instructions can be found using special instructions M0105774		\$1,750 NI
P	581-4142	<b>KIT, HYDCPLR LINES, PILOT, E/H PB</b> . . . . . 0 A kit to fit hydraulic lines to operate a hydraulic quick coupler on a machine with pilot or electro hydraulic hydraulic controls equipped with the 4.9M Boom This kit is only available to order through the Leicester Factory and the work instructions can be found using special instructions M0105774		\$1,750 NI
P	604-4586	<b>KIT, 8TH FUNCTION PILOT, E/H</b> . . . . . 0 Kit includes an extra valve slice for the main hoe implement valve, once installed it enables the use of the 8th function hydraulic outlet. This machine is for either Pilot or EH Controlled Machines. Note : This does not include the hydraulic lines along the boom and stick, these must be installed by the dealer .		\$1,625 NI
P	581-4145	<b>KIT, OBJECT HANDLING, EU, 14FT</b> . . . . . 0 Includes boom & stick cylinder lock valves and stability alarm system. For use within the EU when the hoe bucket link has a lifting eye.		\$2,565 NI
P	581-4146	<b>KIT, OBJECT HANDLING, EU, 16FT</b> . . . . . 0 Includes boom & stick cylinder lock valves and stability alarm system. For use within the EU when the hoe bucket link has a lifting eye.		\$2,565 NI
P	442-9566	<b>KIT, HOE, COUPLING Q-DISCON</b> . . . . . 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$368 NI
P	178-3593	<b>PINS, BUCKET, BHL-F, 45MM-50MM</b> . . . . . 6 Includes bucket pins and hardware. Required on the bucket when installing a hoe quick coupler.		\$168 NI
P	223-1882	<b>PINS, SPARE, NARROW STICK</b> . . . . . 2 Includes additional bucket pins and hardware. Required on the bucket when installing a hoe quick coupler on a narrow stick.		\$125 NI NET
P	566-0159	<b>KIT, POWER SIDE SHIFT COMPLETE</b> . . . . . 0 This kit includes a dedicated PSS hydraulic valve, cylinders, hoses, connectors and hardware required to upgrade a factory built machine to operate using a Powered Side Shift. This kit is compatible with Mechanical and Pilot hydraulically operated machines on both Standard and Narrow frame models. For installation instructions see Media Number REHS5788 in SIS Web. Suggested time for installation - 6 hours.		\$3,292 NI



CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

**LOADER KITS**

P	577-8607	<b>KIT, RIDE CONTROL (PILOT/ECM)</b> . . . . . 0 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry. For installation instructions see Media Number REHS5776 in SIS Web. Suggested time for installation - 6 hours.		<b>\$1,439 NI</b>
P	472-4303	<b>KIT, QUICK COUPLER, LOADER</b> . . . . . 0 This Kit provides a Front Loader Quick Coupler enabling the machine to use IT worktools. The kit includes the quick coupler, electrical harness and switches in the Cab front console. This kit requires front aux lines (MP) to already be installed on the machine. For installation instructions see Media Number REHS9961 in SIS Web. Suggested time for installation - 6 hours.		<b>\$4,308 NI</b>
P	455-7380	<b>KIT, LOADER, COUPLING QD</b> . . . . . 0 Includes both male and female 'Twist to Connect' loader hydraulic quick disconnect couplings with protective caps.		<b>\$374 NI</b>

**OTHER KITS**

P	467-0071	<b>KIT, STREET PADS, MP-BUCKET</b> . . . . . 70 This kit provides a pair of street pads that clamp in the MP bucket. These pads keep the loader bucket from damaging the ground when using the bucket as a support when digging with the hoe. The street pads are stored on the rear of the hoe bucket when not in use. Includes the street pads and weld-on storage brackets. For installation instructions see Media Number REHS6628 in SIS Web. Suggested time for installation - 2 hours. Requires some welding. FOR USE WITH: MULTI-PURPOSE BUCKETS ONLY		<b>\$979 NI</b>
P	586-8064	<b>KIT, FENDER, FRONT</b> . . . . . 0 Provides a kit to add a set of 2 Front Fenders to a machine.		<b>\$579 NI</b>
P	444-7500	<b>COUPLER, PG, MAN.D.LOCK, BHL</b> . . . . . 192 Mechanical Hoe quick coupler for backhoe buckets.		<b>\$2,090 NI</b>
P	485-5303	<b>COUPLER, PG, HYD.D.LOCK,BHL</b> . . . . . 192 Hydraulic quick coupler with dual lock for backhoe buckets.		<b>\$4,083 NI</b>
P	482-1308	<b>KIT, SECURITY KEYPAD</b> . . . . . 0 Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation. FOR USE WITH: LRC MACHINES		<b>\$500 NI</b>

CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

**SPARE TIRES**

Provides one spare tire & rim. Please note certain front and rear tire arrangements are RH directional, a rework maybe be required to switch the direction to LH directional  
 Spare tire orders with the machine can only be shipped by RORO.  
 By truck shipments please order by stand alone misc order.  
 Spare tires will be packed and banded on a pallet.

Please select 0G-3282 Packing with your spare tire order.

**SPARE TIRES NOT AVAILABLE FOR NORTH AMERICA (DCA1)**

P	529-8639	SPARE TIRE, 12.5 80-18, CAMSO . . . . .	0	\$860 NI
P	529-8641	SPARE TIRE, 18.4-26, CAMSO . . . . .	0	\$2,230 NI
P	529-8640	SPARE TIRE, 16.8-28, CAMSO . . . . .	0	\$1,700 NI
P	273-3326	SPARE,TIRE 12.5/80-18 MICHELIN . . . . .	0	\$600 NI NET
P	518-6190	SPARE TIRE, 440/80-28 MICHELIN . . . . .	0	\$2,530 NI
P	578-0527	SPARE TIRES, 480/80-26 CL MX . . . . .	0	\$2,415 NI
P	341-9205	SPARE TIRES 340 80-20, MX . . . . .	0	\$1,350 NI
P	303-0420	TIRE, SPARE 340/80R18 XMCL RH . . . . .	0	\$1,450 NI
P	303-0422	TIRE/ RIM, 440/80 R28 XMCL RH . . . . .	0	\$2,635 NI
P	476-5366	TIRES, 440/80R28, MX . . . . .	0	\$1,580 NI
P	578-0528	SPARE TIRES, 480/80R26 XMCL MX . . . . .	0	\$3,195 NI

## CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------------------	-------------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)*****KITS*****KIT, Two-Way flow aux lines for Standard Stick**

This kit provides all the components to install two-way auxiliary flow (combo) for machines fitted with a standard stick, allowing the machine to use worktools such as an auger. Installation instruction can be found in SIS under Media number M0071194.

Estimated Installation time - 4 hours

Note: For parts required to install this kit, refer to the Special Instruction. Some parts may need to be ordered via the service parts system, or manufactured by the dealer.

Note: Requires machine to be already be fitted with one-way auxiliary lines - not included in this kit.

See the Special Instruction for further details.

Note: The 349-1348 kit that is needed for this instruction can be ordered either ex-factory, or from the service parts distribution system.

**KIT, MACHINE SECURITY SEA**

This kit enables the customer to buy the option software Through antares for the onboard feature upgrade to add Keypad security on the display. Caterpillar will then provide The option key software part number 602-1225. Dealer to Provide price for any additional hardware and this software

**KIT, SPLIT REAR WINDOW-HAMMER**

This kit can be ordered through Antares with Part Number 575-4252 and will be supplied through the parts network.

This kit will be made to order .

Replacement split rear window can be used when a Hammer.

Attachment is being operated to give the operator incremental protection against debris. This kit will fit into the outer frame of the existing rear window

CATERPILLAR MACHINE PRICE LIST

**432**

USE	REF NO.		Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--	-----------------	----------------------

**AM-NORTH INFORMATION**

**FOR REFERENCE PURPOSE ONLY**

All the parts under this heading are included in AM-N DCA1

L	545-5099	<b>STICK, EXTENDABLE, 14FT</b> . . . . . 0		**
		Provides 5.3 meter (17.4ft) maximum digging depth		
L	398-2866	<b>LINKAGE, DIG, 14FT, REGULATED</b> . . . . . 0		**
L	545-6075	<b>PT, 4WD/2WS POWERSHIFT</b> . . . . . 0		**
		Provides all wheel drive/ 2 wheel steered manual gear shift through power shuttle lever		
L	541-9540	<b>ENGINE, 74.5KW, C3.6 DITA, T4F</b> . . . . . 0		**
		EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 91HP (68kW) Gross Power @ Rated (2200RPM) is 100HP (74.5kW)		
L	566-4494	<b>HYDRAULICS, MP, 6FCN/8BNK</b> . . . . . 0		**
		Includes valves and controls needed for front MP bucket and hydraulics for standard hoe functions, including E-stick or standard stick, plus an extra auxiliary valve slice (8th function). Also includes a separate thumb wheel on the hoe joystick to control the extra auxiliary valve.		
P	564-2020	<b>LOADER QUICK COUPLER.</b> . . . . . 0		**
L	544-0942	<b>CAB, DELUXE</b> . . . . . 0		**
		Includes the following additions to the standard cab: - Fresh air recirculation - Telescopic steering column - Courtesy light on door opening		
L	491-6734	<b>WORKLIGHTS (8) HALOGEN LAMPS</b> . . . . . 0		**
L	526-0592	<b>SEAT, DELUXE FABRIC</b> . . . . . 0		**
L	595-4867	<b>DRIVE ARRANGEMENT, 20" TIRES</b> . . . . . 0		**
P	337-9696	<b>COUNTERWEIGHT, 1015 LBS</b> . . . . . 0		**
L	546-4811	<b>FRAME, NARROW</b> . . . . . 0		**
		Provides main frame with reduced stabilizer leg width.		
L	560-6797	<b>PRODUCT LINK, CELLULAR, PLE643</b> . . . . . 0		**
		Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager)uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services,		